

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.3-General/1.1.3.8-P-x-c-x-^m-a+b-x^n-^p

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 12:42am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	7
1.4	list of integrals that has no closed form antiderivative	8
1.5	list of integrals solved by CAS but has no known antiderivative	8
1.6	list of integrals solved by CAS but failed verification	8
1.7	Timing	9
1.8	Verification	9
1.9	Important notes about some of the results	9
1.9.1	Important note about Maxima results	9
1.9.2	Important note about FriCAS and Giac/XCAS results	10
1.9.3	Important note about finding leaf size of antiderivative	10
1.9.4	Important note about Mupad results	11
1.10	Design of the test system	11
2	detailed summary tables of results	13
2.1	List of integrals sorted by grade for each CAS	13
2.1.1	Rubi	13
2.1.2	Mathematica	13
2.1.3	Maple	14
2.1.4	Maxima	15
2.1.5	FriCAS	15
2.1.6	Sympy	16
2.1.7	Giac	16
2.1.8	Mupad	17
2.2	Detailed conclusion table per each integral for all CAS systems	18
2.3	Detailed conclusion table specific for Rubi results	117
3	Listing of integrals	135
3.1	$\int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$	135
3.2	$\int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$	138
3.3	$\int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$	141

3.4	$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$	145
3.5	$\int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$	148
3.6	$\int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$	152
3.7	$\int \frac{c+dx}{a+bx^3} dx$	158
3.8	$\int \frac{c+dx}{(a+bx^3)^2} dx$	162
3.9	$\int \frac{c+dx}{(a+bx^3)^3} dx$	167
3.10	$\int \frac{c+dx}{(a+bx^3)^4} dx$	172
3.11	$\int \frac{a+bx}{d+ex^3} dx$	177
3.12	$\int \frac{a+bx}{d-ex^3} dx$	182
3.13	$\int \frac{1+x}{1+x^3} dx$	187
3.14	$\int \frac{1-x}{1-x^3} dx$	190
3.15	$\int \frac{1+x}{1-x^3} dx$	193
3.16	$\int \frac{1-x}{1+x^3} dx$	195
3.17	$\int \frac{3-x}{1-x^3} dx$	197
3.18	$\int \frac{c+dx}{c^3+d^3x^3} dx$	200
3.19	$\int \frac{c-dx}{c^3-d^3x^3} dx$	203
3.20	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a+bx^3} dx$	206
3.21	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a+bx^3} dx$	209
3.22	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$	212
3.23	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$	216
3.24	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$	220
3.25	$\int \frac{bx+cx^2}{d+ex^3} dx$	225
3.26	$\int \frac{a+cx^2}{d-ex^3} dx$	230
3.27	$\int \frac{2a^2+b^2x^2}{a^3+b^3x^3} dx$	234
3.28	$\int \frac{2a^2+b^2x^2}{a^3-b^3x^3} dx$	237
3.29	$\int \frac{8C+b^{2/3}Cx^2}{8+bx^3} dx$	240
3.30	$\int \frac{a^{2/3}C+2Cx^2}{a+8x^3} dx$	243
3.31	$\int \frac{8C+(-b)^{2/3}Cx^2}{-8+bx^3} dx$	246
3.32	$\int \frac{(-a)^{2/3}C+2Cx^2}{a-8x^3} dx$	250
3.33	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	253
3.34	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	256
3.35	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	260
3.36	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	264
3.37	$\int \frac{2a^{2/3}C+b^{2/3}Cx^2}{a+bx^3} dx$	267
3.38	$\int \frac{-2a^{2/3}C-(-b)^{2/3}Cx^2}{a+bx^3} dx$	271
3.39	$\int \frac{-3+x^2}{-1+x^3} dx$	275

3.40	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx$	278
3.41	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx$	282
3.42	$\int \frac{B^2 + BCx + C^2 x^2}{-B^3 + C^3 x^3} dx$	286
3.43	$\int \frac{a^{2/3} C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3} Cx^2}{a + bx^3} dx$	288
3.44	$\int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$	291
3.45	$\int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$	295
3.46	$\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$	299
3.47	$\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$	303
3.48	$\int \frac{a + ax + cx^2}{1 - x^3} dx$	307
3.49	$\int \frac{a + bx + cx^2}{1 - x^3} dx$	309
3.50	$\int \frac{1 + x + x^2}{1 - x^3} dx$	312
3.51	$\int \frac{1 - x + 3x^2}{1 - x^3} dx$	314
3.52	$\int \frac{1 + x + 4x^2}{1 - x^3} dx$	317
3.53	$\int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx$	319
3.54	$\int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx$	321
3.55	$\int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx$	323
3.56	$\int \frac{ac + adx + bcx^3 + bdx^4}{a + bx^3} dx$	325
3.57	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx$	327
3.58	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx$	332
3.59	$\int (a + bx^3)^{3/2} (ac + adx + bcx^3 + bdx^4) dx$	337
3.60	$\int \sqrt{a + bx^3} (ac + adx + bcx^3 + bdx^4) dx$	342
3.61	$\int \frac{ac + adx + bcx^3 + bdx^4}{\sqrt{a + bx^3}} dx$	346
3.62	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{3/2}} dx$	350
3.63	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{5/2}} dx$	354
3.64	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{7/2}} dx$	358
3.65	$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{9/2}} dx$	363
3.66	$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{\sqrt{a + bx^3}} dx$	368
3.67	$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{3/2}} dx$	373
3.68	$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{5/2}} dx$	378
3.69	$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{7/2}} dx$	383
3.70	$\int \frac{(a + bx)^2}{c + dx^3} dx$	388
3.71	$\int \frac{(a + bx)^3}{c + dx^3} dx$	394
3.72	$\int \frac{(a + bx)^4}{c + dx^3} dx$	401

3.73	$\int \frac{(a+bx+cx^2)^2}{d+ex^3} dx$	409
3.74	$\int \frac{(a+bx+cx^2)^3}{d+ex^3} dx$	418
3.75	$\int \frac{(a+bx+cx^2)^4}{d+ex^3} dx$	424
3.76	$\int \frac{2x^2+x^4}{1+x^3} dx$	430
3.77	$\int \frac{2x^2+x^4}{1-x^3} dx$	433
3.78	$\int \frac{1-x+4x^3}{1+x^3} dx$	436
3.79	$\int \frac{1+\sqrt{3}+x}{\sqrt{1+x^3}} dx$	439
3.80	$\int \frac{1+\sqrt{3}-x}{\sqrt{1-x^3}} dx$	443
3.81	$\int \frac{1+\sqrt{3}-x}{\sqrt{-1+x^3}} dx$	447
3.82	$\int \frac{1+\sqrt{3}+x}{\sqrt{-1-x^3}} dx$	450
3.83	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$	453
3.84	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$	457
3.85	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$	461
3.86	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$	464
3.87	$\int \frac{1+\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{a+bx^3}} dx$	467
3.88	$\int \frac{1+\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{a-bx^3}} dx$	471
3.89	$\int \frac{1+\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a+bx^3}} dx$	475
3.90	$\int \frac{1+\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a-bx^3}} dx$	478
3.91	$\int \frac{1-\sqrt{3}+x}{\sqrt{1+x^3}} dx$	482
3.92	$\int \frac{1-\sqrt{3}-x}{\sqrt{1-x^3}} dx$	485
3.93	$\int \frac{1-\sqrt{3}-x}{\sqrt{-1+x^3}} dx$	488
3.94	$\int \frac{1-\sqrt{3}+x}{\sqrt{-1-x^3}} dx$	492
3.95	$\int \frac{-1+\sqrt{3}-x}{\sqrt{1+x^3}} dx$	496
3.96	$\int \frac{-1+\sqrt{3}+x}{\sqrt{1-x^3}} dx$	499
3.97	$\int \frac{-1+\sqrt{3}+x}{\sqrt{-1+x^3}} dx$	502
3.98	$\int \frac{-1+\sqrt{3}-x}{\sqrt{-1-x^3}} dx$	506
3.99	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$	510
3.100	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$	513
3.101	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$	516
3.102	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$	520
3.103	$\int \frac{1-\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{a+bx^3}} dx$	524

3.104	$\int \frac{1-\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{a-bx^3}} dx$	527
3.105	$\int \frac{1-\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a+bx^3}} dx$	530
3.106	$\int \frac{1-\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a-bx^3}} dx$	534
3.107	$\int \frac{c+dx}{\sqrt{a+bx^3}} dx$	538
3.108	$\int \frac{c+dx}{\sqrt{a-bx^3}} dx$	542
3.109	$\int \frac{c+dx}{\sqrt{-a+bx^3}} dx$	546
3.110	$\int \frac{c+dx}{\sqrt{-a-bx^3}} dx$	550
3.111	$\int \frac{c+dx}{\sqrt{1+x^3}} dx$	554
3.112	$\int \frac{c+dx}{\sqrt{1-x^3}} dx$	557
3.113	$\int \frac{c+dx}{\sqrt{-1+x^3}} dx$	561
3.114	$\int \frac{c+dx}{\sqrt{-1-x^3}} dx$	564
3.115	$\int \frac{c+dx}{a-bx^4} dx$	568
3.116	$\int \frac{c+dx}{a+bx^4} dx$	571
3.117	$\int \frac{c+dx}{(a-bx^4)^2} dx$	575
3.118	$\int \frac{c+dx}{(a+bx^4)^2} dx$	579
3.119	$\int \frac{c+dx}{(a-bx^4)^3} dx$	584
3.120	$\int \frac{c+dx}{(a+bx^4)^3} dx$	588
3.121	$\int \frac{c+dx}{(a-bx^4)^4} dx$	593
3.122	$\int \frac{c+dx}{(a+bx^4)^4} dx$	597
3.123	$\int \frac{c+dx}{1-x^4} dx$	602
3.124	$\int \frac{c+dx}{1+x^4} dx$	605
3.125	$\int \frac{c+dx+ex^2}{a-bx^4} dx$	609
3.126	$\int \frac{c+dx+ex^2}{a+bx^4} dx$	613
3.127	$\int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$	618
3.128	$\int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$	622
3.129	$\int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$	627
3.130	$\int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$	631
3.131	$\int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$	637
3.132	$\int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$	642
3.133	$\int a(e+fx^4)^2 dx$	648
3.134	$\int bx(e+fx^4)^2 dx$	650
3.135	$\int (a+bx)(e+fx^4)^2 dx$	652
3.136	$\int cx^2(e+fx^4)^2 dx$	654

3.137	$\int (a + cx^2)(e + fx^4)^2 dx$	656
3.138	$\int (bx + cx^2)(e + fx^4)^2 dx$	658
3.139	$\int (a + bx + cx^2)(e + fx^4)^2 dx$	661
3.140	$\int dx^3(e + fx^4)^2 dx$	663
3.141	$\int (a + dx^3)(e + fx^4)^2 dx$	665
3.142	$\int (bx + dx^3)(e + fx^4)^2 dx$	668
3.143	$\int (a + bx + dx^3)(e + fx^4)^2 dx$	671
3.144	$\int (cx^2 + dx^3)(e + fx^4)^2 dx$	674
3.145	$\int (a + cx^2 + dx^3)(e + fx^4)^2 dx$	677
3.146	$\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$	680
3.147	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$	683
3.148	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$	686
3.149	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$	689
3.150	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$	693
3.151	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$	698
3.152	$\int \frac{a}{2+3x^4} dx$	703
3.153	$\int \frac{bx}{2+3x^4} dx$	707
3.154	$\int \frac{a+bx}{2+3x^4} dx$	710
3.155	$\int \frac{cx^2}{2+3x^4} dx$	714
3.156	$\int \frac{a+cx^2}{2+3x^4} dx$	718
3.157	$\int \frac{bx+cx^2}{2+3x^4} dx$	722
3.158	$\int \frac{a+bx+cx^2}{2+3x^4} dx$	726
3.159	$\int \frac{dx^3}{2+3x^4} dx$	730
3.160	$\int \frac{a+dx^3}{2+3x^4} dx$	732
3.161	$\int \frac{bx+dx^3}{2+3x^4} dx$	736
3.162	$\int \frac{a+bx+dx^3}{2+3x^4} dx$	739
3.163	$\int \frac{cx^2+dx^3}{2+3x^4} dx$	744
3.164	$\int \frac{a+cx^2+dx^3}{2+3x^4} dx$	748
3.165	$\int \frac{bx+cx^2+dx^3}{2+3x^4} dx$	753
3.166	$\int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$	758
3.167	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	763
3.168	$\int \frac{1+x+x^2+x^3}{1+x^4} dx$	765
3.169	$\int \frac{1+x+x^2+x^3}{a-bx^4} dx$	769
3.170	$\int \frac{1+x+x^2+x^3}{a+bx^4} dx$	773
3.171	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$	778
3.172	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$	784
3.173	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$	788

3.174	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$	793
3.175	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$	798
3.176	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$	805
3.177	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$	811
3.178	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$	817
3.179	$\int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$	823
3.180	$\int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$	825
3.181	$\int \frac{1-x^4}{1+x+x^2+x^3} dx$	827
3.182	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	829
3.183	$\int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$	831
3.184	$\int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$	833
3.185	$\int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$	835
3.186	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$	837
3.187	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$	842
3.188	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$	848
3.189	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$	854
3.190	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$	860
3.191	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$	867
3.192	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$	874
3.193	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$	878
3.194	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$	883
3.195	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$	889
3.196	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$	895
3.197	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$	901
3.198	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$	908
3.199	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$	913
3.200	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$	919
3.201	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$	925
3.202	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$	931

3.203	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$	938
3.204	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$	945
3.205	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$	951
3.206	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$	957
3.207	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$	963
3.208	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$	969
3.209	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$	976
3.210	$\int \frac{c+dx}{\sqrt{a+bx^4}} dx$	983
3.211	$\int \frac{c+dx}{\sqrt{a-bx^4}} dx$	986
3.212	$\int \frac{c+dx}{\sqrt{-a+bx^4}} dx$	989
3.213	$\int \frac{c+dx}{\sqrt{-a-bx^4}} dx$	992
3.214	$\int \frac{c+dx+ex^2}{\sqrt{a+bx^4}} dx$	995
3.215	$\int \frac{ag-bgx^4}{(a+bx^4)^{3/2}} dx$	999
3.216	$\int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$	1001
3.217	$\int \frac{ag+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1003
3.218	$\int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1005
3.219	$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$	1007
3.220	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{\sqrt{a+bx^4}} dx$	1009
3.221	$\int \frac{1+x}{1+x^5} dx$	1014
3.222	$\int \frac{1-x}{1-x^5} dx$	1018
3.223	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1022
3.224	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1025
3.225	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1028
3.226	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1031
3.227	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$	1034
3.228	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$	1037
3.229	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$	1040
3.230	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$	1043
3.231	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$	1046
3.232	$\int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$	1049
3.233	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1052

3.234	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1057
3.235	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1062
3.236	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1067
3.237	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1072
3.238	$\int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1077
3.239	$\int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$	1082
3.240	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$	1087
3.241	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$	1092
3.242	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$	1097
3.243	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$	1102
3.244	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$	1107
3.245	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$	1112
3.246	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$	1117
3.247	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$	1121
3.248	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$	1125
3.249	$\int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$	1129
3.250	$\int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$	1133
3.251	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1138
3.252	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1141
3.253	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1144
3.254	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1147
3.255	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$	1150
3.256	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$	1153
3.257	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$	1156
3.258	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$	1159
3.259	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$	1162
3.260	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1165
3.261	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1171
3.262	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1177

3.263	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1183
3.264	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1189
3.265	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$	1195
3.266	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$	1201
3.267	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$	1207
3.268	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$	1213
3.269	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$	1219
3.270	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$	1225
3.271	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$	1230
3.272	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$	1235
3.273	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$	1240
3.274	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$	1245
3.275	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$	1250
3.276	$\int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1255
3.277	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1259
3.278	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1262
3.279	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1265
3.280	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1268
3.281	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$	1271
3.282	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$	1274
3.283	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$	1277
3.284	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$	1280
3.285	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$	1283
3.286	$\int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1286
3.287	$\int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1292
3.288	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1298
3.289	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1304

3.290	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1310
3.291	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1316
3.292	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1322
3.293	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$	1328
3.294	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$	1334
3.295	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$	1339
3.296	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$	1344
3.297	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$	1349
3.298	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$	1355
3.299	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$	1361
3.300	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$	1367
3.301	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$	1373
3.302	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$	1379
3.303	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$	1385
3.304	$\int \frac{(1-x)x^4}{1+x^3} dx$	1391
3.305	$\int \frac{(1-x)x^3}{1+x^3} dx$	1394
3.306	$\int \frac{(1-x)x^2}{1+x^3} dx$	1397
3.307	$\int \frac{(1-x)x}{1+x^3} dx$	1400
3.308	$\int \frac{1-x}{x(1+x^3)} dx$	1403
3.309	$\int \frac{1-x}{x^2(1+x^3)} dx$	1406
3.310	$\int \frac{1-x}{x^3(1+x^3)} dx$	1409
3.311	$\int \frac{x(1+2x)}{1+x^3} dx$	1411
3.312	$\int \frac{x(1+2x)}{1-x^3} dx$	1414
3.313	$\int x^2(c+dx+ex^2)(a+bx^3) dx$	1417
3.314	$\int x(c+dx+ex^2)(a+bx^3) dx$	1419
3.315	$\int (c+dx+ex^2)(a+bx^3) dx$	1421
3.316	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$	1423
3.317	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$	1425
3.318	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$	1427
3.319	$\int x^2(c+dx+ex^2)(a+bx^3)^2 dx$	1429
3.320	$\int x(c+dx+ex^2)(a+bx^3)^2 dx$	1432
3.321	$\int (c+dx+ex^2)(a+bx^3)^2 dx$	1435
3.322	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$	1438

3.323	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$	1440
3.324	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$	1442
3.325	$\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$	1444
3.326	$\int x (c + dx + ex^2) (a + bx^3)^3 dx$	1447
3.327	$\int (c + dx + ex^2) (a + bx^3)^3 dx$	1450
3.328	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$	1453
3.329	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$	1456
3.330	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$	1459
3.331	$\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$	1462
3.332	$\int x (c + dx + ex^2) (a + bx^3)^4 dx$	1465
3.333	$\int (c + dx + ex^2) (a + bx^3)^4 dx$	1468
3.334	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$	1471
3.335	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$	1474
3.336	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$	1477
3.337	$\int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$	1480
3.338	$\int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$	1486
3.339	$\int \frac{x(c+dx+ex^2)}{a+bx^3} dx$	1492
3.340	$\int \frac{c+dx+ex^2}{a+bx^3} dx$	1498
3.341	$\int \frac{c+dx+ex^2}{x(a+bx^3)} dx$	1504
3.342	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$	1510
3.343	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$	1516
3.344	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$	1522
3.345	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$	1527
3.346	$\int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$	1532
3.347	$\int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$	1537
3.348	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$	1544
3.349	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$	1551
3.350	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$	1558
3.351	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$	1565
3.352	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$	1570
3.353	$\int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$	1576

3.354	$\int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$	1581
3.355	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$	1588
3.356	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$	1595
3.357	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$	1602
3.358	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$	1610
3.359	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$	1616
3.360	$\int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$	1622
3.361	$\int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$	1628
3.362	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$	1636
3.363	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$	1644
3.364	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$	1652
3.365	$\int \frac{2ax-x^2}{a^3+x^3} dx$	1660
3.366	$\int \frac{(2a-x)x}{a^3+x^3} dx$	1663
3.367	$\int \frac{2ax+x^2}{a^3-x^3} dx$	1666
3.368	$\int \frac{x(2a+x)}{a^3-x^3} dx$	1669
3.369	$\int \frac{x(-2\sqrt[3]{\frac{a}{b}}C+Cx)}{a+bx^3} dx$	1672
3.370	$\int \frac{x(-2\sqrt[3]{-\frac{a}{b}}C+Cx)}{a-bx^3} dx$	1676
3.371	$\int \frac{x(2\sqrt[3]{-\frac{a}{b}}C+Cx)}{a+bx^3} dx$	1680
3.372	$\int \frac{x(2\sqrt[3]{\frac{a}{b}}C+Cx)}{a-bx^3} dx$	1684
3.373	$\int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1687
3.374	$\int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1690
3.375	$\int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1692
3.376	$\int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1694
3.377	$\int (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1696
3.378	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$	1698
3.379	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$	1700
3.380	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$	1702
3.381	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$	1704
3.382	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$	1706
3.383	$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1708
3.384	$\int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1711
3.385	$\int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1714
3.386	$\int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1717

3.387	$\int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1720
3.388	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$	1723
3.389	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$	1726
3.390	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$	1729
3.391	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$	1732
3.392	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$	1735
3.393	$\int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1738
3.394	$\int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1741
3.395	$\int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1744
3.396	$\int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1747
3.397	$\int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$	1750
3.398	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$	1753
3.399	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$	1756
3.400	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$	1759
3.401	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$	1762
3.402	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$	1765
3.403	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	1768
3.404	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	1774
3.405	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	1780
3.406	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	1786
3.407	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$	1792
3.408	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$	1797
3.409	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$	1802
3.410	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$	1807
3.411	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$	1814
3.412	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	1819
3.413	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	1825
3.414	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	1830
3.415	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	1840
3.416	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$	1850
3.417	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$	1860
3.418	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$	1870

3.419	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$	1880
3.420	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$	1890
3.421	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	1896
3.422	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	1907
3.423	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	1917
3.424	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	1925
3.425	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$	1933
3.426	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$	1941
3.427	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$	1952
3.428	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx$	1963
3.429	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx$	1974
3.430	$\int \frac{x^3(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$	1980
3.431	$\int \frac{x^2(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$	1985
3.432	$\int \frac{x(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$	1990
3.433	$\int \frac{c+dx+ex^2}{\sqrt{a+bx^3}} dx$	1995
3.434	$\int \frac{c+dx+ex^2}{x\sqrt{a+bx^3}} dx$	1999
3.435	$\int \frac{c+dx+ex^2}{x^2\sqrt{a+bx^3}} dx$	2004
3.436	$\int \frac{c+dx+ex^2}{x^3\sqrt{a+bx^3}} dx$	2009
3.437	$\int \frac{x^5(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$	2014
3.438	$\int \frac{x^4(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$	2019
3.439	$\int \frac{x^3(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$	2024
3.440	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$	2029
3.441	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$	2033
3.442	$\int \frac{c+dx+ex^2}{(a+bx^3)^{3/2}} dx$	2038
3.443	$\int \frac{c+dx+ex^2}{x(a+bx^3)^{3/2}} dx$	2042
3.444	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^{3/2}} dx$	2047
3.445	$\int x^3\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$	2052
3.446	$\int x^2\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$	2058
3.447	$\int x\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$	2063
3.448	$\int \sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$	2068

3.449	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x} dx$	2073
3.450	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^2} dx$	2078
3.451	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$	2083
3.452	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^4} dx$	2088
3.453	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$	2093
3.454	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^6} dx$	2098
3.455	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx$	2103
3.456	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^8} dx$	2108
3.457	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx$	2114
3.458	$\int x^3 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$	2120
3.459	$\int x^2 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$	2127
3.460	$\int x (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$	2133
3.461	$\int (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$	2138
3.462	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x} dx$	2143
3.463	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^2} dx$	2149
3.464	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$	2155
3.465	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^4} dx$	2161
3.466	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$	2166
3.467	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^6} dx$	2172
3.468	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx$	2178
3.469	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^8} dx$	2184
3.470	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx$	2190
3.471	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{10}} dx$	2196
3.472	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{11}} dx$	2202
3.473	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{12}} dx$	2208
3.474	$\int (c + dx + ex^2) (a + bx^3)^p dx$	2215
3.475	$\int x (c + dx + ex^2) (a + bx^3)^p dx$	2218
3.476	$\int x^2 (c + dx + ex^2) (a + bx^3)^p dx$	2221
3.477	$\int (c + dx + ex^2 + fx^3) (a + bx^4) dx$	2224
3.478	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx$	2226
3.479	$\int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$	2228
3.480	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$	2231
3.481	$\int (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$	2234
3.482	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$	2237
3.483	$\int (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$	2240

3.484	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$	2243
3.485	$\int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx$	2246
3.486	$\int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx$	2250
3.487	$\int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx$	2254
3.488	$\int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx$	2259
3.489	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx$	2264
3.490	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx$	2269
3.491	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx$	2274
3.492	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx$	2280
3.493	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx$	2285
3.494	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx$	2291
3.495	$\int x^4 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$	2296
3.496	$\int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$	2301
3.497	$\int x^2 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$	2306
3.498	$\int x (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$	2311
3.499	$\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$	2316
3.500	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x} dx$	2320
3.501	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^2} dx$	2325
3.502	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^3} dx$	2330
3.503	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^4} dx$	2335
3.504	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^5} dx$	2340
3.505	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^6} dx$	2345
3.506	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^7} dx$	2350
3.507	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^8} dx$	2355
3.508	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^9} dx$	2360
3.509	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^{10}} dx$	2365
3.510	$\int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$	2370
3.511	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$	2375
3.512	$\int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$	2380
3.513	$\int x (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$	2385
3.514	$\int (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$	2390
3.515	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x} dx$	2395
3.516	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^2} dx$	2400
3.517	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^3} dx$	2406

3.518	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^4} dx$	2412
3.519	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^5} dx$	2418
3.520	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^6} dx$	2424
3.521	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^7} dx$	2430
3.522	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^8} dx$	2436
3.523	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^9} dx$	2442
3.524	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{10}} dx$	2447
3.525	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{11}} dx$	2452
3.526	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{12}} dx$	2457
3.527	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{13}} dx$	2462
3.528	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{14}} dx$	2468
3.529	$\int \frac{x^4(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$	2474
3.530	$\int \frac{x^3(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$	2479
3.531	$\int \frac{x^2(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$	2483
3.532	$\int \frac{x(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$	2487
3.533	$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx^4}} dx$	2491
3.534	$\int \frac{c+dx+ex^2+fx^3}{x\sqrt{a+bx^4}} dx$	2495
3.535	$\int \frac{c+dx+ex^2+fx^3}{x^2\sqrt{a+bx^4}} dx$	2499
3.536	$\int \frac{c+dx+ex^2+fx^3}{x^3\sqrt{a+bx^4}} dx$	2504
3.537	$\int \frac{c+dx+ex^2+fx^3}{x^4\sqrt{a+bx^4}} dx$	2509
3.538	$\int \frac{c+dx+ex^2+fx^3}{x^5\sqrt{a+bx^4}} dx$	2513
3.539	$\int \frac{c+dx+ex^2+fx^3}{x^6\sqrt{a+bx^4}} dx$	2518
3.540	$\int \frac{x^6(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2523
3.541	$\int \frac{x^5(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2528
3.542	$\int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2533
3.543	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2538
3.544	$\int \frac{x^2(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2543
3.545	$\int \frac{x(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$	2548
3.546	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^{3/2}} dx$	2552
3.547	$\int \frac{c+dx+ex^2+fx^3}{x(a+bx^4)^{3/2}} dx$	2555

3.548	$\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx^4)^{3/2}} dx$	2560
3.549	$\int \frac{c+dx+ex^2+fx^3}{x^3(a+bx^4)^{3/2}} dx$	2565
3.550	$\int \frac{c+dx+ex^2+fx^3}{x^4(a+bx^4)^{3/2}} dx$	2571
3.551	$\int (gx)^m (c+dx+ex^2+fx^3)(a+bx^4)^p dx$	2577
3.552	$\int (c+dx+ex^2+fx^3)(a+bx^4)^p dx$	2580
3.553	$\int x^3 (c+dx+ex^2+fx^3)(a+bx^4)^p dx$	2584
3.554	$\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx$	2587
3.555	$\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx$	2589
3.556	$\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx$	2591
3.557	$\int \frac{81+36x^2+16x^4}{729-64x^6} dx$	2593
3.558	$\int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx$	2595
3.559	$\int \frac{3-2x}{729-64x^6} dx$	2598
3.560	$\int \frac{3+2x}{729-64x^6} dx$	2601
3.561	$\int \frac{9-6x+4x^2}{729-64x^6} dx$	2604
3.562	$\int \frac{9+6x+4x^2}{729-64x^6} dx$	2607
3.563	$\int \frac{27-8x^3}{729-64x^6} dx$	2610
3.564	$\int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$	2613
3.565	$\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$	2616
3.566	$\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$	2620
3.567	$\int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$	2624
3.568	$\int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$	2627
3.569	$\int \frac{3-2x}{(729-64x^6)^2} dx$	2631
3.570	$\int \frac{3+2x}{(729-64x^6)^2} dx$	2635
3.571	$\int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$	2639
3.572	$\int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$	2643
3.573	$\int \frac{27-8x^3}{(729-64x^6)^2} dx$	2647
3.574	$\int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$	2651
3.575	$\int \frac{x(27-2x^3)}{729-64x^6} dx$	2655
3.576	$\int \frac{(cx)^m (d+ex^n+fx^{2n}+gx^{3n})}{a+bx^n} dx$	2658
3.577	$\int (c+dx^{-1+n})(a+bx^n)^3 dx$	2661
3.578	$\int (c+dx^{-1+n})(a+bx^n)^2 dx$	2665
3.579	$\int (c+dx^{-1+n})(a+bx^n) dx$	2668
3.580	$\int (c+dx^{-1+n}) dx$	2671
3.581	$\int \frac{c+dx^{-1+n}}{a+bx^n} dx$	2673
3.582	$\int \frac{c+dx^{-1+n}}{(a+bx^n)^2} dx$	2676

3.583	$\int \frac{c+dx^{-1+n}}{(a+bx^n)^3} dx$	2679
3.584	$\int \frac{(cx)^m(d+ex^n+fx^{2n}+gx^{3n})}{\sqrt{a+bx^n}} dx$	2682
3.585	$\int \frac{-ahx^{-1+\frac{n}{4}}+bfx^{-1+\frac{n}{2}}+bgx^{-1+n}+bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$	2685
3.586	$\int (cx)^m (d+ex+fx^2+gx^3) (a+bx^n)^p dx$	2688
3.587	$\int (cx)^m (a+bx^n)^p (d+ex^n+fx^{2n}+gx^{3n}) dx$	2691
3.588	$\int \frac{c+dx^{n/2}+ex^n+fx^{3n/2}}{(a+bx^n)^2} dx$	2694
3.589	$\int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2}\sqrt{c+dx^2}} dx$	2697
3.590	$\int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx$	2699
3.591	$\int (a+bx^n)^{\frac{-1-n}{n}} (c+dx^n)^{\frac{-1-n}{n}} (ac-bdx^{2n}) dx$	2703
3.592	$\int (hx)^{-1-n-np} (a+bx^n)^p (c+dx^n)^p (ac-bdx^{2n}) dx$	2705
3.593	$\int (a+bx^n)^p (c+dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx$	2708
3.594	$\int (hx)^m (a+bx^n)^p (c+dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx$	2710
4	Listing of Grading functions	2713
4.0.1	Mathematica and Rubi grading function	2713
4.0.2	Maple grading function	2715
4.0.3	Sympy grading function	2718
4.0.4	SageMath grading function	2720

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [594]. This is test number [29].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric $2F1$ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (594)	% 0.00 (0)
Mathematica	% 100.00 (594)	% 0.00 (0)
Maple	% 97.14 (577)	% 2.86 (17)
Maxima	% 71.04 (422)	% 28.96 (172)
Fricas	% 57.41 (341)	% 42.59 (253)
Sympy	% 74.75 (444)	% 25.25 (150)
Giac	% 70.71 (420)	% 29.29 (174)
Mupad	% 75.59 (449)	% 24.41 (145)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	70.54	2.69	26.77	0.00
Maple	56.90	29.80	10.44	2.86
Maxima	67.17	3.87	0.00	28.96
Fricas	41.58	6.23	9.60	42.59
Sympy	61.11	3.20	10.44	25.25
Giac	61.78	8.92	0.00	29.29
Mupad	0.00	75.59	0.00	24.41

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	17	94.12 %	5.88 %	0.00 %
Maxima	172	100.00 %	0.00 %	0.00 %
Fricas	253	65.61 %	33.60 %	0.79 %
Sympy	150	1.33 %	98.00 %	0.67 %
Giac	174	92.53 %	2.30 %	5.17 %
Mupad	145	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.27	245.10	1.00	221.50	1.00
Mathematica	0.20	170.81	0.91	154.00	0.95
Maple	0.07	388.70	1.44	289.00	1.27
Maxima	2.45	190.42	1.11	173.00	0.99
Fricas	2.02	1179.66	5.06	160.00	1.12
Sympy	10.47	197.41	1.18	129.00	0.93
Giac	0.20	216.82	1.23	189.50	1.03
Mupad	3.38	490.04	2.28	199.00	1.03

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {41,567,590}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate if the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
```

```
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```


1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,..}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 37, 38, 39, 40, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156,

157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 551, 552, 553, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 591, 592, 593, 594 }

B grade: { 21, 32, 33, 34, 35, 36, 41, 44, 45, 46, 47, 369, 370, 371, 372, 557 }

C grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 124, 161, 210, 211, 212, 213, 214, 220, 221, 222, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 567, 590 }

F grade: { }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 76, 77, 78, 80, 93, 94, 97, 98, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 126, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 151, 152, 153, 154, 155, 157, 159, 160, 161, 162, 163, 165, 166, 167, 170, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 189, 195, 198, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 212, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 288, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 422, 423, 424, 425, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 441, 442, 443, 444, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 589, 593 }

B grade: { 6, 20, 21, 29, 30, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 95, 96, 99, 100, 101, 102, 103, 104, 105, 106, 123, 125, 127, 129, 149, 150, 156, 158, 164, 168, 169, 171, 172, 186, 187, 188, 190, 191, 192, 193, 194, 196, 197, 199, 200, 221, 222, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 287, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 370, 371, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 426, 427, 428, 429, 440, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 557 }

C grade: { 210, 213, 214, 220, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529,

530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 592, 594 }

F grade: { 474, 475, 476, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 590, 591 }

2.1.4 Maxima

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 180, 181, 182, 183, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 589, 592, 593 }

B grade: { 3, 6, 20, 21, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 115, 161, 179, 185, 370, 371, 557, 594 }

C grade: { }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 210, 211, 212, 213, 214, 220, 221, 222, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 590, 591 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 76, 77, 78, 123, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 153, 159, 161, 167, 180, 181, 182, 183, 184, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 477, 478, 479, 480, 481, 482, 483, 484, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 571, 572, 573, 574, 575, 579, 580, 585, 589, 593, 594 }

B grade: { 40, 41, 44, 45, 46, 47, 152, 155, 156, 160, 163, 164, 168, 179, 185, 221, 222, 283, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 557, 569, 570, 577, 578, 591, 592 }

C grade: { 7, 8, 9, 10, 11, 12, 24, 25, 26, 57, 58, 70, 71, 72, 73, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364,

414, 415, 416, 417, 418, 419, 421, 422, 423, 424, 425, 426, 427, 428 }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 74, 75, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 128, 129, 130, 131, 132, 149, 150, 151, 154, 157, 158, 162, 165, 166, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 220, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 420, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 586, 587, 588, 590 }

2.1.6 Sympy

A grade: { 1, 2, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 22, 23, 24, 25, 26, 29, 31, 37, 38, 39, 42, 43, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 70, 71, 72, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 126, 128, 130, 132, 133, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144, 145, 146, 147, 148, 152, 153, 154, 155, 156, 157, 159, 160, 162, 163, 164, 165, 167, 168, 169, 170, 180, 181, 182, 183, 184, 211, 212, 217, 218, 220, 223, 224, 225, 226, 227, 228, 229, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 251, 252, 253, 254, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 344, 345, 346, 351, 352, 353, 358, 359, 360, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 489, 490, 491, 495, 496, 497, 498, 499, 510, 511, 512, 513, 514, 515, 516, 517, 518, 529, 530, 531, 532, 533, 540, 541, 542, 543, 544, 545, 546, 552, 553, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 581 }

B grade: { 125, 127, 129, 131, 140, 149, 150, 158, 166, 179, 185, 221, 222, 403, 404, 405, 406, 407, 557 }

C grade: { 18, 19, 20, 21, 27, 28, 30, 32, 33, 34, 35, 36, 49, 123, 161, 210, 213, 214, 215, 216, 219, 365, 366, 367, 368, 369, 370, 371, 372, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 534, 535, 536, 537, 538, 539, 547, 548, 549, 550, 576, 582, 584 }

F grade: { 3, 5, 6, 40, 41, 44, 45, 46, 47, 65, 68, 69, 73, 74, 75, 151, 171, 172, 173, 174, 175, 176, 177, 178, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 230, 231, 232, 246, 247, 248, 249, 250, 256, 257, 258, 259, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 341, 342, 343, 347, 348, 349, 350, 354, 355, 356, 357, 361, 362, 363, 364, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 485, 486, 487, 488, 492, 493, 494, 551, 583, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594 }

2.1.7 Giac

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 35, 36, 39, 42, 43, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 116, 118, 120, 122, 124, 126, 128, 130, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 152, 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 170, 174, 175, 176, 177, 178, 180, 181, 182, 183, 184, 185, 189, 190, 191, 195, 196, 197, 201, 202, 203, 207, 208, 209, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 255, 256, 257,

258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 477, 478, 479, 480, 481, 482, 483, 484, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 579, 580 }

B grade: { 3, 6, 29, 30, 31, 32, 33, 34, 44, 45, 115, 117, 119, 121, 123, 125, 127, 129, 131, 149, 150, 151, 161, 169, 171, 172, 173, 179, 186, 187, 188, 192, 193, 194, 198, 199, 200, 204, 205, 206, 254, 369, 370, 371, 485, 486, 557, 577, 578, 591, 592, 593, 594 }

C grade: { }

F grade: { 37, 38, 40, 41, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 210, 211, 212, 213, 214, 220, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 91, 92, 93, 94, 95, 96, 97, 98, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 435, 444, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 536, 548, 549, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 581, 582, 583, 589, 591, 592, 593, 594 }

C grade: { }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 83, 84, 85, 86, 87, 88, 89, 90, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 210, 211, 212, 213, 214, 220, 430, 431, 432, 433, 434, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 550, 551, 552, 553, 576, 584, 585, 586, 587, 588, 590 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	53	53	77	53	223	78	58
normalized size	1	1.00	0.74	0.74	1.07	0.74	3.10	1.08	0.81
time (sec)	N/A	0.033	0.157	0.060	0.923	0.623	11.050	0.157	4.715
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	155	194	237	192	644	237	149
normalized size	1	1.00	0.96	1.20	1.47	1.19	4.00	1.47	0.93
time (sec)	N/A	0.105	0.292	0.048	0.900	0.682	85.150	0.167	4.762
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	294	495	525	457	0	526	299
normalized size	1	1.00	1.07	1.81	1.92	1.67	0.00	1.92	1.09
time (sec)	N/A	0.194	1.029	0.052	0.978	0.582	0.000	0.226	0.098
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	82	91	128	90	354	129	103
normalized size	1	1.00	0.72	0.80	1.12	0.79	3.11	1.13	0.90
time (sec)	N/A	0.071	0.175	0.045	0.833	0.597	45.834	0.174	4.814
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	320	320	303	447	500	417	0	516	316
normalized size	1	1.00	0.95	1.40	1.56	1.30	0.00	1.61	0.99
time (sec)	N/A	0.244	0.565	0.047	1.002	0.543	0.000	0.200	4.698

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	708	708	678	1417	1360	1221	0	1414	896
normalized size	1	1.00	0.96	2.00	1.92	1.72	0.00	2.00	1.27
time (sec)	N/A	0.625	2.894	0.053	1.094	0.691	0.000	0.287	0.242
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	135	1931	76	141	127
normalized size	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79
time (sec)	N/A	0.111	0.083	0.050	1.912	2.198	1.187	0.166	5.511
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	180	238	169	2088	105	174	169
normalized size	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89
time (sec)	N/A	0.139	0.230	0.047	2.000	2.491	2.146	0.178	4.872
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	215	215	205	272	203	2215	146	194	206
normalized size	1	1.00	0.95	1.27	0.94	10.30	0.68	0.90	0.96
time (sec)	N/A	0.187	0.254	0.055	1.965	2.360	2.470	0.226	0.268
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	229	306	238	2308	185	218	241
normalized size	1	1.00	0.95	1.28	0.99	9.62	0.77	0.91	1.00
time (sec)	N/A	0.223	0.229	0.053	2.616	2.533	3.638	0.230	4.931
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	125	186	135	1961	76	132	127
normalized size	1	1.00	0.78	1.16	0.84	12.18	0.47	0.82	0.79
time (sec)	N/A	0.121	0.073	0.053	2.509	2.360	1.433	0.175	4.847

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	125	188	132	1905	78	115	124
normalized size	1	1.00	0.78	1.17	0.82	11.83	0.48	0.71	0.77
time (sec)	N/A	0.100	0.058	0.046	2.678	2.381	1.492	0.181	0.213
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	17	16	16	26	16	16
normalized size	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84
time (sec)	N/A	0.015	0.007	0.045	2.485	0.500	0.370	0.189	4.699
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	17	16	16	26	16	16
normalized size	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84
time (sec)	N/A	0.013	0.006	0.044	2.426	0.532	0.217	0.172	4.670
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	17	16	16	17	17	16
normalized size	1	1.00	1.00	0.77	0.73	0.73	0.77	0.77	0.73
time (sec)	N/A	0.012	0.004	0.047	2.441	0.567	0.253	0.164	0.063
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	19	18	18	17	19	18
normalized size	1	1.00	1.00	0.86	0.82	0.82	0.77	0.86	0.82
time (sec)	N/A	0.013	0.005	0.043	2.469	0.482	0.225	0.170	0.112
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	41	33	32	32	44	33	46
normalized size	1	1.00	1.00	0.80	0.78	0.78	1.07	0.80	1.12
time (sec)	N/A	0.027	0.009	0.050	2.433	0.820	0.468	0.147	0.140

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	31	35	34	28	54	28	28
normalized size	1	1.00	1.07	1.21	1.17	0.97	1.86	0.97	0.97
time (sec)	N/A	0.022	0.012	0.074	2.901	0.528	0.397	0.206	0.054
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	34	33	26	53	26	28
normalized size	1	1.00	1.00	1.17	1.14	0.90	1.83	0.90	0.97
time (sec)	N/A	0.020	0.025	0.043	2.980	0.586	0.465	0.165	0.045
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	35	195	163	107	88	48	49
normalized size	1	1.00	0.90	5.00	4.18	2.74	2.26	1.23	1.26
time (sec)	N/A	0.027	0.016	0.063	2.977	0.771	0.588	0.223	4.821
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	129	228	174	114	105	58	49
normalized size	1	1.00	3.15	5.56	4.24	2.78	2.56	1.41	1.20
time (sec)	N/A	0.043	0.066	0.058	2.950	0.578	0.854	0.214	0.231
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	90	94	159	310	26	103	98
normalized size	1	1.00	0.76	0.80	1.35	2.63	0.22	0.87	0.83
time (sec)	N/A	0.126	0.033	0.048	3.028	0.617	0.477	0.186	4.944
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	90	94	159	305	22	115	96
normalized size	1	1.00	0.76	0.80	1.35	2.58	0.19	0.97	0.81
time (sec)	N/A	0.106	0.016	0.049	2.994	0.756	0.214	0.209	5.015

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	188	1961	76	147	127
normalized size	1	1.00	0.77	1.16	1.17	12.18	0.47	0.91	0.79
time (sec)	N/A	0.166	0.047	0.045	2.958	2.323	1.282	0.198	4.923
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	122	108	145	1043	75	110	158
normalized size	1	1.00	0.91	0.81	1.08	7.78	0.56	0.82	1.18
time (sec)	N/A	0.113	0.026	0.049	2.924	1.920	0.713	0.176	0.189
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	123	111	144	1267	70	95	178
normalized size	1	1.00	0.92	0.83	1.07	9.46	0.52	0.71	1.33
time (sec)	N/A	0.089	0.039	0.045	3.045	2.374	0.590	0.173	5.009
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	72	43	42	36	60	37	84
normalized size	1	1.00	1.95	1.16	1.14	0.97	1.62	1.00	2.27
time (sec)	N/A	0.058	0.023	0.053	2.992	0.727	0.500	0.169	4.809
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	71	45	44	36	60	38	86
normalized size	1	1.00	1.82	1.15	1.13	0.92	1.54	0.97	2.21
time (sec)	N/A	0.042	0.026	0.058	2.966	0.622	0.697	0.154	0.093
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	76	117	47	134	58	115	147
normalized size	1	1.00	1.58	2.44	0.98	2.79	1.21	2.40	3.06
time (sec)	N/A	0.037	0.022	0.056	2.991	0.681	0.625	0.416	5.137

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	72	84	36	40	85	111	145
normalized size	1	1.00	1.53	1.79	0.77	0.85	1.81	2.36	3.09
time (sec)	N/A	0.034	0.029	0.045	3.003	0.597	0.745	0.204	5.024
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	99	122	122	182	58	91	176
normalized size	1	1.00	1.74	2.14	2.14	3.19	1.02	1.60	3.09
time (sec)	N/A	0.069	0.033	0.051	2.943	0.824	0.987	0.306	5.272
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	106	110	93	43	95	98	142
normalized size	1	1.00	2.26	2.34	1.98	0.91	2.02	2.09	3.02
time (sec)	N/A	0.061	0.043	0.052	2.988	0.549	0.934	0.214	0.328
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	146	87	51	52	100	166	172
normalized size	1	1.00	2.92	1.74	1.02	1.04	2.00	3.32	3.44
time (sec)	N/A	0.077	0.054	0.051	3.030	0.709	0.738	0.224	5.098
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	150	135	167	53	110	162	172
normalized size	1	1.00	2.83	2.55	3.15	1.00	2.08	3.06	3.25
time (sec)	N/A	0.081	0.102	0.049	3.031	0.674	0.843	0.221	5.402
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	149	132	168	56	109	91	173
normalized size	1	1.00	2.76	2.44	3.11	1.04	2.02	1.69	3.20
time (sec)	N/A	0.060	0.067	0.043	3.149	0.662	0.771	0.176	5.270

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	147	90	52	53	102	85	171
normalized size	1	1.00	2.77	1.70	0.98	1.00	1.92	1.60	3.23
time (sec)	N/A	0.058	0.052	0.050	2.999	0.599	0.791	0.215	5.191
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	95	117	162	160	70	0	193
normalized size	1	1.00	1.56	1.92	2.66	2.62	1.15	0.00	3.16
time (sec)	N/A	0.041	0.021	0.056	2.869	0.867	0.732	0.000	5.307
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	116	122	173	205	73	0	221
normalized size	1	1.00	1.66	1.74	2.47	2.93	1.04	0.00	3.16
time (sec)	N/A	0.072	0.032	0.054	3.022	0.892	1.241	0.000	5.239
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	50	32	31	31	42	32	46
normalized size	1	1.00	1.25	0.80	0.78	0.78	1.05	0.80	1.15
time (sec)	N/A	0.030	0.030	0.046	2.988	0.869	0.294	0.321	0.155
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	122	310	236	430	0	0	386
normalized size	1	1.00	1.74	4.43	3.37	6.14	0.00	0.00	5.51
time (sec)	N/A	0.067	0.052	0.056	3.120	6.322	0.000	0.000	6.232
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	238	345	252	470	0	0	444
normalized size	1	1.00	2.70	3.92	2.86	5.34	0.00	0.00	5.05
time (sec)	N/A	0.112	0.655	0.054	3.041	5.660	0.000	0.000	6.324

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	12	12	12	12	7	13	12
normalized size	1	1.00	1.09	1.09	1.09	1.09	0.64	1.18	1.09
time (sec)	N/A	0.011	0.002	0.045	1.359	0.817	0.244	0.362	0.036
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	21	218	210	17	20	16	15
normalized size	1	1.00	1.00	10.38	10.00	0.81	0.95	0.76	0.71
time (sec)	N/A	0.015	0.003	0.049	2.989	0.865	0.263	0.312	4.903
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	247	121	78	429	0	242	436
normalized size	1	1.00	3.48	1.70	1.10	6.04	0.00	3.41	6.14
time (sec)	N/A	0.094	0.334	0.051	2.950	3.543	0.000	0.204	6.077
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	288	345	238	459	0	235	456
normalized size	1	1.00	3.79	4.54	3.13	6.04	0.00	3.09	6.00
time (sec)	N/A	0.102	0.254	0.049	3.010	3.372	0.000	0.214	6.479
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	253	340	239	450	0	133	453
normalized size	1	1.00	3.24	4.36	3.06	5.77	0.00	1.71	5.81
time (sec)	N/A	0.108	0.356	0.050	3.031	3.414	0.000	0.192	6.053
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	244	124	78	450	0	125	435
normalized size	1	1.00	3.25	1.65	1.04	6.00	0.00	1.67	5.80
time (sec)	N/A	0.105	0.322	0.051	3.140	3.196	0.000	0.179	6.357

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	31	36	26	26	24	27	35
normalized size	1	1.00	0.97	1.12	0.81	0.81	0.75	0.84	1.09
time (sec)	N/A	0.034	0.014	0.054	2.972	0.586	0.869	0.155	4.778
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	62	87	47	47	323	52	87
normalized size	1	1.00	1.13	1.58	0.85	0.85	5.87	0.95	1.58
time (sec)	N/A	0.057	0.038	0.049	2.992	0.881	1.885	0.169	4.948
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.006	0.001	0.054	1.270	0.785	0.134	0.154	0.023
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	33	32	32	5	33	63
normalized size	1	1.00	1.00	1.10	1.07	1.07	0.17	1.10	2.10
time (sec)	N/A	0.030	0.010	0.053	2.958	0.859	0.336	0.156	4.930
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	18	17	16	16	15	17	16
normalized size	1	1.00	1.00	0.94	0.89	0.89	0.83	0.94	0.89
time (sec)	N/A	0.019	0.006	0.050	2.926	0.789	0.161	0.149	0.041
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	113	98	97	97	117	97	97
normalized size	1	1.00	1.00	0.87	0.86	0.86	1.04	0.86	0.86
time (sec)	N/A	0.099	0.005	0.045	1.386	0.737	0.731	0.165	0.061

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	75	74	74	90	74	74
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.02	0.84	0.84
time (sec)	N/A	0.060	0.003	0.050	1.387	0.630	0.155	0.155	0.036
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	58	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83
time (sec)	N/A	0.038	0.003	0.041	1.402	0.741	0.097	0.165	0.028
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	11	10	10	8	10	10
normalized size	1	1.00	1.00	0.92	0.83	0.83	0.67	0.83	0.83
time (sec)	N/A	0.014	0.001	0.043	1.322	0.700	0.127	0.198	0.018
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	135	1931	76	141	127
normalized size	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79
time (sec)	N/A	0.098	0.051	0.046	2.985	3.221	1.338	0.184	5.094
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	180	238	169	2088	105	174	169
normalized size	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89
time (sec)	N/A	0.127	0.173	0.046	3.016	3.131	1.851	0.213	5.084
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	585	585	78	1618	0	0	265	0	-1
normalized size	1	1.00	0.13	2.77	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.464	0.054	0.052	0.000	1.270	11.796	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	556	556	76	1546	0	0	170	0	-1
normalized size	1	1.00	0.14	2.78	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.327	0.035	0.062	0.000	1.312	7.358	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	525	525	75	1480	0	0	163	0	-1
normalized size	1	1.00	0.14	2.82	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.239	0.036	0.055	0.000	0.668	8.149	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	490	490	75	1536	0	0	78	0	-1
normalized size	1	1.00	0.15	3.13	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.158	0.068	0.052	0.000	0.876	8.054	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	96	1662	0	0	163	0	-1
normalized size	1	1.00	0.18	3.18	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.249	0.065	0.052	0.000	1.014	20.908	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	554	554	123	1782	0	0	163	0	-1
normalized size	1	1.00	0.22	3.22	0.00	0.00	0.29	0.00	-0.00
time (sec)	N/A	0.317	0.105	0.128	0.000	0.759	68.681	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	581	581	138	1902	0	0	0	0	-1
normalized size	1	1.00	0.24	3.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.410	0.204	0.131	0.000	0.718	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	590	590	135	1491	0	0	187	0	-1
normalized size	1	1.00	0.23	2.53	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	0.556	0.162	0.061	0.000	1.108	8.043	0.000	0.000
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	594	594	130	1547	0	0	189	0	-1
normalized size	1	1.00	0.22	2.60	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	0.433	0.145	0.059	0.000	0.694	32.600	0.000	0.000
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	628	628	170	1673	0	0	0	0	-1
normalized size	1	1.00	0.27	2.66	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.500	0.222	0.063	0.000	1.173	0.000	0.000	0.000
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	676	676	196	1793	0	0	0	0	-1
normalized size	1	1.00	0.29	2.65	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.675	0.396	0.065	0.000	0.803	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	200	211	192	5014	156	175	357
normalized size	1	1.00	1.08	1.13	1.03	26.96	0.84	0.94	1.92
time (sec)	N/A	0.178	0.088	0.049	2.925	3.158	1.384	0.176	0.262
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	214	325	240	7245	245	214	370
normalized size	1	1.00	0.96	1.46	1.08	32.64	1.10	0.96	1.67
time (sec)	N/A	0.319	0.238	0.051	2.960	5.134	5.714	0.186	5.143

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	282	280	277	446	303	8787	325	294	513
normalized size	1	0.99	0.98	1.58	1.07	31.16	1.15	1.04	1.82
time (sec)	N/A	0.443	0.365	0.051	3.044	13.214	60.245	0.193	4.973
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	270	269	444	314	12827	0	264	769
normalized size	1	0.99	0.99	1.63	1.15	47.16	0.00	0.97	2.83
time (sec)	N/A	0.490	0.422	0.071	3.033	3.923	0.000	0.212	5.134
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	439	837	520	0	0	432	1700
normalized size	1	1.00	1.06	2.01	1.25	0.00	0.00	1.04	4.09
time (sec)	N/A	0.700	0.577	0.052	3.049	0.000	0.000	0.233	4.913
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	645	643	678	1339	833	0	0	723	2971
normalized size	1	1.00	1.05	2.08	1.29	0.00	0.00	1.12	4.61
time (sec)	N/A	1.097	0.476	0.056	3.126	0.000	0.000	0.210	5.047
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	54	38	37	37	44	38	49
normalized size	1	1.00	1.26	0.88	0.86	0.86	1.02	0.88	1.14
time (sec)	N/A	0.078	0.016	0.052	2.858	0.779	0.251	0.151	0.098
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	54	38	37	37	46	38	51
normalized size	1	1.00	1.17	0.83	0.80	0.80	1.00	0.83	1.11
time (sec)	N/A	0.084	0.029	0.052	2.900	0.549	0.308	0.157	0.093

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	38	37	37	48	38	49
normalized size	1	1.00	1.00	0.86	0.84	0.84	1.09	0.86	1.11
time (sec)	N/A	0.043	0.010	0.047	2.809	0.669	0.327	0.153	4.697
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	47	407	0	0	92	0	312
normalized size	1	1.00	0.20	1.77	0.00	0.00	0.40	0.00	1.36
time (sec)	N/A	0.060	0.041	0.111	0.000	0.542	3.352	0.000	0.152
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	43	368	0	0	97	0	342
normalized size	1	1.00	0.17	1.43	0.00	0.00	0.38	0.00	1.33
time (sec)	N/A	0.067	0.017	0.129	0.000	0.732	5.454	0.000	5.138
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	63	407	0	0	82	0	326
normalized size	1	1.00	0.44	2.83	0.00	0.00	0.57	0.00	2.26
time (sec)	N/A	0.027	0.039	0.069	0.000	0.705	6.187	0.000	4.875
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	67	370	0	0	99	0	360
normalized size	1	1.00	0.50	2.74	0.00	0.00	0.73	0.00	2.67
time (sec)	N/A	0.033	0.029	0.065	0.000	0.668	3.579	0.000	4.909
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	468	468	90	1003	0	0	122	0	-1
normalized size	1	1.00	0.19	2.14	0.00	0.00	0.26	0.00	-0.00
time (sec)	N/A	0.121	0.097	0.268	0.000	0.773	10.490	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	481	481	91	949	0	0	128	0	-1
normalized size	1	1.00	0.19	1.97	0.00	0.00	0.27	0.00	-0.00
time (sec)	N/A	0.139	0.087	0.293	0.000	0.655	14.663	0.000	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	92	952	0	0	112	0	-1
normalized size	1	1.00	0.34	3.51	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.066	0.044	0.115	0.000	0.531	9.214	0.000	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	93	1012	0	0	129	0	-1
normalized size	1	1.00	0.35	3.80	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.062	0.050	0.108	0.000	0.672	8.679	0.000	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	520	520	89	1004	0	0	124	0	-1
normalized size	1	1.00	0.17	1.93	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.213	0.054	0.201	0.000	0.802	5.128	0.000	0.000
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	533	533	89	950	0	0	129	0	-1
normalized size	1	1.00	0.17	1.78	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.172	0.055	0.187	0.000	0.558	5.969	0.000	0.000
Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	90	953	0	0	114	0	-1
normalized size	1	1.00	0.35	3.72	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.083	0.043	0.097	0.000	0.679	5.174	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	251	92	1013	0	0	131	0	-1
normalized size	1	1.00	0.37	4.04	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.064	0.041	0.080	0.000	0.591	6.612	0.000	0.000
Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	49	407	0	0	92	0	313
normalized size	1	1.00	0.39	3.20	0.00	0.00	0.72	0.00	2.46
time (sec)	N/A	0.019	0.026	0.108	0.000	0.508	3.516	0.000	0.126
Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	45	368	0	0	97	0	343
normalized size	1	1.00	0.32	2.59	0.00	0.00	0.68	0.00	2.42
time (sec)	N/A	0.025	0.018	0.107	0.000	0.614	4.389	0.000	4.738
Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	63	407	0	0	82	0	327
normalized size	1	1.00	0.24	1.54	0.00	0.00	0.31	0.00	1.24
time (sec)	N/A	0.054	0.033	0.066	0.000	0.665	5.715	0.000	4.750
Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	67	370	0	0	97	0	361
normalized size	1	1.00	0.27	1.50	0.00	0.00	0.39	0.00	1.46
time (sec)	N/A	0.054	0.032	0.063	0.000	0.690	3.363	0.000	4.824
Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	47	407	0	0	92	0	312
normalized size	1	1.00	0.37	3.23	0.00	0.00	0.73	0.00	2.48
time (sec)	N/A	0.025	0.035	0.074	0.000	0.689	3.301	0.000	4.820

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	43	368	0	0	97	0	342
normalized size	1	1.00	0.30	2.57	0.00	0.00	0.68	0.00	2.39
time (sec)	N/A	0.025	0.012	0.065	0.000	0.579	4.886	0.000	0.052
Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	63	407	0	0	82	0	326
normalized size	1	1.00	0.24	1.55	0.00	0.00	0.31	0.00	1.24
time (sec)	N/A	0.050	0.023	0.064	0.000	0.512	3.159	0.000	0.061
Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	67	370	0	0	97	0	360
normalized size	1	1.00	0.27	1.49	0.00	0.00	0.39	0.00	1.45
time (sec)	N/A	0.052	0.024	0.064	0.000	0.561	5.217	0.000	4.900
Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	90	1003	0	0	122	0	-1
normalized size	1	1.00	0.35	3.92	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.045	0.074	0.244	0.000	0.622	11.533	0.000	0.000
Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	90	949	0	0	128	0	-1
normalized size	1	1.00	0.34	3.61	0.00	0.00	0.49	0.00	-0.00
time (sec)	N/A	0.042	0.093	0.224	0.000	0.749	13.434	0.000	0.000
Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	497	497	91	952	0	0	112	0	-1
normalized size	1	1.00	0.18	1.92	0.00	0.00	0.23	0.00	-0.00
time (sec)	N/A	0.133	0.068	0.076	0.000	0.690	12.956	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	488	488	93	1012	0	0	128	0	-1
normalized size	1	1.00	0.19	2.07	0.00	0.00	0.26	0.00	-0.00
time (sec)	N/A	0.115	0.090	0.087	0.000	0.723	9.879	0.000	0.000
Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	89	1004	0	0	124	0	-1
normalized size	1	1.00	0.37	4.17	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.069	0.077	0.180	0.000	0.612	6.498	0.000	0.000
Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	89	950	0	0	129	0	-1
normalized size	1	1.00	0.36	3.83	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.061	0.061	0.180	0.000	0.643	6.191	0.000	0.000
Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	549	549	90	953	0	0	114	0	-1
normalized size	1	1.00	0.16	1.74	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.218	0.045	0.078	0.000	0.615	6.151	0.000	0.000
Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	92	1013	0	0	129	0	-1
normalized size	1	1.00	0.17	1.88	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.163	0.048	0.092	0.000	0.616	3.700	0.000	0.000
Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	490	490	75	720	0	0	78	0	-1
normalized size	1	1.00	0.15	1.47	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.148	0.032	0.047	0.000	0.636	3.916	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	503	503	75	681	0	0	82	0	-1
normalized size	1	1.00	0.15	1.35	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.149	0.044	0.049	0.000	0.564	3.294	0.000	0.000
Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	515	515	76	683	0	0	73	0	-1
normalized size	1	1.00	0.15	1.33	0.00	0.00	0.14	0.00	-0.00
time (sec)	N/A	0.163	0.028	0.053	0.000	0.618	3.709	0.000	0.000
Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	508	508	78	726	0	0	83	0	-1
normalized size	1	1.00	0.15	1.43	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.154	0.033	0.052	0.000	0.690	4.200	0.000	0.000
Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	42	291	0	0	61	0	373
normalized size	1	1.00	0.17	1.18	0.00	0.00	0.25	0.00	1.52
time (sec)	N/A	0.081	0.010	0.049	0.000	0.684	3.046	0.000	4.770
Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	38	267	0	0	65	0	406
normalized size	1	1.00	0.14	0.99	0.00	0.00	0.24	0.00	1.50
time (sec)	N/A	0.087	0.011	0.049	0.000	0.560	3.541	0.000	5.070
Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	58	291	0	0	56	0	374
normalized size	1	1.00	0.21	1.06	0.00	0.00	0.20	0.00	1.36
time (sec)	N/A	0.087	0.030	0.049	0.000	0.624	2.945	0.000	0.120

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	62	269	0	0	66	0	405
normalized size	1	1.00	0.24	1.03	0.00	0.00	0.25	0.00	1.55
time (sec)	N/A	0.078	0.022	0.047	0.000	0.661	2.735	0.000	4.821
Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	134	101	126	0	126	225	182
normalized size	1	1.00	1.54	1.16	1.45	0.00	1.45	2.59	2.09
time (sec)	N/A	0.065	0.039	0.046	2.882	0.000	1.219	0.181	5.012
Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	219	219	184	151	207	0	124	213	160
normalized size	1	1.00	0.84	0.69	0.95	0.00	0.57	0.97	0.73
time (sec)	N/A	0.171	0.090	0.045	3.042	0.000	1.030	0.186	4.798
Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	168	142	157	0	156	254	283
normalized size	1	1.00	1.53	1.29	1.43	0.00	1.42	2.31	2.57
time (sec)	N/A	0.082	0.202	0.050	3.038	0.000	1.798	0.173	4.919
Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	224	188	238	0	155	238	282
normalized size	1	1.00	0.93	0.78	0.99	0.00	0.64	0.99	1.17
time (sec)	N/A	0.202	0.279	0.052	2.932	0.000	1.511	0.170	4.944
Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	193	180	186	0	194	272	315
normalized size	1	1.00	1.42	1.32	1.37	0.00	1.43	2.00	2.32
time (sec)	N/A	0.110	0.208	0.049	3.015	0.000	1.970	0.188	4.979

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	249	222	269	0	192	256	315
normalized size	1	1.00	0.94	0.83	1.01	0.00	0.72	0.96	1.18
time (sec)	N/A	0.230	0.264	0.049	3.061	0.000	1.989	0.181	4.989
Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	217	177	223	0	231	296	351
normalized size	1	1.00	1.34	1.09	1.38	0.00	1.43	1.83	2.17
time (sec)	N/A	0.130	0.215	0.064	2.974	0.000	2.062	0.278	4.975
Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	274	225	304	0	231	280	350
normalized size	1	1.00	0.94	0.77	1.04	0.00	0.79	0.96	1.20
time (sec)	N/A	0.268	0.338	0.070	3.198	0.000	1.807	0.180	0.309
Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	42	44	35	35	313	37	100
normalized size	1	1.00	1.75	1.83	1.46	1.46	13.04	1.54	4.17
time (sec)	N/A	0.018	0.021	0.044	3.042	0.860	0.923	0.147	4.918
Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	99	68	86	0	83	86	71
normalized size	1	1.00	1.01	0.69	0.88	0.00	0.85	0.88	0.72
time (sec)	N/A	0.067	0.125	0.046	2.998	0.000	0.705	0.172	0.092
Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	187	161	153	0	471	263	725
normalized size	1	1.00	1.61	1.39	1.32	0.00	4.06	2.27	6.25
time (sec)	N/A	0.095	0.062	0.045	2.911	0.000	11.044	0.179	5.143

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	229	280	257	0	466	275	712
normalized size	1	1.00	0.83	1.01	0.93	0.00	1.68	0.99	2.57
time (sec)	N/A	0.197	0.115	0.046	3.042	0.000	10.540	0.174	5.086
Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	211	228	191	0	508	311	477
normalized size	1	1.00	1.45	1.56	1.31	0.00	3.48	2.13	3.27
time (sec)	N/A	0.128	0.283	0.055	2.936	0.000	13.740	0.182	4.982
Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	305	344	294	0	505	306	472
normalized size	1	1.00	0.99	1.12	0.95	0.00	1.64	0.99	1.53
time (sec)	N/A	0.255	0.545	0.049	3.102	0.000	11.548	0.177	0.333
Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	244	286	230	0	563	340	826
normalized size	1	1.00	1.36	1.60	1.28	0.00	3.15	1.90	4.61
time (sec)	N/A	0.167	0.289	0.052	3.124	0.000	45.341	0.235	5.111
Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	337	396	336	0	558	336	826
normalized size	1	1.00	0.99	1.16	0.99	0.00	1.64	0.99	2.42
time (sec)	N/A	0.311	0.417	0.051	3.089	0.000	40.860	0.191	5.047
Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	276	274	279	0	612	377	874
normalized size	1	1.00	1.31	1.30	1.32	0.00	2.90	1.79	4.14
time (sec)	N/A	0.211	0.284	0.061	3.019	0.000	59.744	0.223	5.220

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	372	372	369	394	383	0	610	373	873
normalized size	1	1.00	0.99	1.06	1.03	0.00	1.64	1.00	2.35
time (sec)	N/A	0.379	0.585	0.065	3.108	0.000	63.470	0.191	5.137
Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	27	24	25	24	27	25	25
normalized size	1	1.00	0.96	0.86	0.89	0.86	0.96	0.89	0.89
time (sec)	N/A	0.011	0.002	0.045	1.372	0.605	0.119	0.145	4.674
Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	32	27	27	27	29	27	27
normalized size	1	1.00	0.97	0.82	0.82	0.82	0.88	0.82	0.82
time (sec)	N/A	0.014	0.002	0.041	1.396	0.491	0.073	0.169	0.034
Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	58	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83
time (sec)	N/A	0.062	0.002	0.048	1.356	0.583	0.110	0.150	0.025
Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	33	27	27	27	31	27	27
normalized size	1	1.00	1.00	0.82	0.82	0.82	0.94	0.82	0.82
time (sec)	N/A	0.013	0.001	0.042	1.357	0.530	0.132	0.195	0.039
Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	60	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	1.00	0.83	0.83
time (sec)	N/A	0.027	0.003	0.044	1.317	0.609	0.083	0.151	0.025

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	65	54	53	53	61	53	53
normalized size	1	1.00	1.00	0.83	0.82	0.82	0.94	0.82	0.82
time (sec)	N/A	0.098	0.003	0.039	1.349	0.450	0.135	0.149	0.027
Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	92	77	76	76	90	76	76
normalized size	1	1.00	1.00	0.84	0.83	0.83	0.98	0.83	0.83
time (sec)	N/A	0.053	0.004	0.043	1.430	0.464	0.163	0.150	0.038
Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	33	27	15	27	29	16	26
normalized size	1	1.00	1.94	1.59	0.88	1.59	1.71	0.94	1.53
time (sec)	N/A	0.005	0.001	0.044	1.386	0.697	0.244	0.143	0.033
Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	60	51	50	50	58	50	50
normalized size	1	1.00	1.33	1.13	1.11	1.11	1.29	1.11	1.11
time (sec)	N/A	0.019	0.003	0.043	1.314	0.572	0.078	0.201	0.024
Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	65	54	53	53	60	53	53
normalized size	1	1.00	1.30	1.08	1.06	1.06	1.20	1.06	1.06
time (sec)	N/A	0.020	0.003	0.039	1.320	0.597	0.116	0.163	0.027
Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	88	76	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.14	0.99	0.99
time (sec)	N/A	0.051	0.004	0.044	1.363	0.535	0.085	0.150	0.038

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	65	54	53	53	61	53	53
normalized size	1	1.00	1.30	1.08	1.06	1.06	1.22	1.06	1.06
time (sec)	N/A	0.023	0.004	0.043	1.360	0.526	0.085	0.146	0.027
Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	90	76	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.17	0.99	0.99
time (sec)	N/A	0.042	0.005	0.043	1.337	0.443	0.146	0.201	0.038
Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	92	79	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.12	0.96	0.96
time (sec)	N/A	0.084	0.005	0.038	1.417	0.685	0.112	0.161	0.041
Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	124	103	102	102	121	105	102
normalized size	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94
time (sec)	N/A	0.080	0.008	0.040	1.393	0.457	0.089	0.167	4.677
Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	180	151	150	150	180	154	150
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99
time (sec)	N/A	0.106	0.005	0.049	1.339	0.504	0.133	0.168	4.863
Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	220	248	200	0	520	320	483
normalized size	1	1.00	1.42	1.60	1.29	0.00	3.35	2.06	3.12
time (sec)	N/A	0.118	0.229	0.052	3.002	0.000	24.169	0.231	0.415

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	253	326	249	0	583	358	832
normalized size	1	1.00	1.35	1.73	1.32	0.00	3.10	1.90	4.43
time (sec)	N/A	0.155	0.262	0.054	2.964	0.000	116.916	0.204	5.185
Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	286	280	297	0	0	395	880
normalized size	1	1.00	1.30	1.27	1.35	0.00	0.00	1.80	4.00
time (sec)	N/A	0.189	0.502	0.058	3.061	0.000	0.000	0.187	5.246
Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	78	114	123	284	88	97	36
normalized size	1	1.00	0.77	1.13	1.22	2.81	0.87	0.96	0.36
time (sec)	N/A	0.096	0.034	0.045	2.937	0.818	0.441	0.196	0.125
Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	16	15	15	19	15	15
normalized size	1	1.00	1.00	0.73	0.68	0.68	0.86	0.68	0.68
time (sec)	N/A	0.013	0.011	0.039	2.875	0.779	0.134	0.166	4.774
Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	107	129	147	0	88	115	119
normalized size	1	1.00	0.87	1.05	1.20	0.00	0.72	0.93	0.97
time (sec)	N/A	0.103	0.055	0.049	2.907	0.000	0.717	0.191	0.200
Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	78	114	123	278	88	97	32
normalized size	1	1.00	0.77	1.13	1.22	2.75	0.87	0.96	0.32
time (sec)	N/A	0.077	0.017	0.043	3.038	1.015	0.430	0.202	4.974

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	113	226	167	2278	68	131	315
normalized size	1	1.00	0.80	1.60	1.18	16.16	0.48	0.93	2.23
time (sec)	N/A	0.098	0.061	0.043	3.038	0.748	0.573	0.204	5.110
Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	99	129	147	0	85	114	162
normalized size	1	1.00	0.80	1.05	1.20	0.00	0.69	0.93	1.32
time (sec)	N/A	0.118	0.054	0.047	3.090	0.000	0.770	0.195	0.217
Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	129	241	187	0	292	143	270
normalized size	1	1.00	0.79	1.48	1.15	0.00	1.79	0.88	1.66
time (sec)	N/A	0.124	0.083	0.048	3.062	0.000	5.070	0.216	5.519
Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	12	11	11	10	11	9
normalized size	1	1.00	1.00	0.92	0.85	0.85	0.77	0.85	0.69
time (sec)	N/A	0.004	0.004	0.046	1.323	0.797	0.094	0.164	0.030
Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	108	125	149	359	51	109	117
normalized size	1	1.00	0.95	1.10	1.31	3.15	0.45	0.96	1.03
time (sec)	N/A	0.099	0.034	0.048	3.056	0.851	0.417	0.196	0.283
Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	65	28	113	27	53	93	25
normalized size	1	1.00	1.81	0.78	3.14	0.75	1.47	2.58	0.69
time (sec)	N/A	0.031	0.045	0.047	3.062	0.784	0.411	0.181	0.056

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	128	140	171	0	199	125	307
normalized size	1	1.00	0.94	1.03	1.26	0.00	1.46	0.92	2.26
time (sec)	N/A	0.118	0.096	0.045	3.053	0.000	1.684	0.197	5.496
Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	108	125	152	272	70	109	117
normalized size	1	1.00	0.95	1.10	1.33	2.39	0.61	0.96	1.03
time (sec)	N/A	0.121	0.030	0.041	3.026	0.898	0.422	0.276	0.374
Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	148	237	195	2326	148	137	286
normalized size	1	1.00	0.96	1.54	1.27	15.10	0.96	0.89	1.86
time (sec)	N/A	0.117	0.106	0.047	2.993	1.167	1.379	0.209	5.810
Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	125	140	174	0	189	124	300
normalized size	1	1.00	0.92	1.03	1.28	0.00	1.39	0.91	2.21
time (sec)	N/A	0.140	0.083	0.046	3.017	0.000	1.991	0.197	5.388
Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	164	252	207	0	580	149	1168
normalized size	1	1.00	0.93	1.43	1.18	0.00	3.30	0.85	6.64
time (sec)	N/A	0.144	0.187	0.046	2.993	0.000	13.068	0.216	5.636
Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.008	0.003	0.043	1.347	0.739	0.073	0.150	0.023

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	50	102	76	145	73	70	156
normalized size	1	1.00	0.94	1.92	1.43	2.74	1.38	1.32	2.94
time (sec)	N/A	0.042	0.042	0.046	3.004	0.724	0.427	0.152	0.402
Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	203	171	160	0	187	290	312
normalized size	1	1.00	1.64	1.38	1.29	0.00	1.51	2.34	2.52
time (sec)	N/A	0.087	0.064	0.049	3.024	0.000	2.278	0.173	5.034
Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	283	286	296	0	187	270	305
normalized size	1	1.00	1.02	1.03	1.07	0.00	0.68	0.97	1.10
time (sec)	N/A	0.196	0.240	0.047	2.975	0.000	2.268	0.209	5.041
Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	249	244	202	0	0	303	5082
normalized size	1	1.00	1.68	1.65	1.36	0.00	0.00	2.05	34.34
time (sec)	N/A	0.203	0.092	0.047	3.104	0.000	0.000	0.194	5.507
Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	221	289	224	0	0	344	1393
normalized size	1	1.00	1.28	1.68	1.30	0.00	0.00	2.00	8.10
time (sec)	N/A	0.165	0.425	0.052	3.114	0.000	0.000	0.184	5.560
Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	263	328	284	0	0	393	1002
normalized size	1	1.00	1.19	1.48	1.29	0.00	0.00	1.78	4.53
time (sec)	N/A	0.263	0.772	0.072	3.004	0.000	0.000	0.195	5.436

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	313	368	345	0	0	442	1056
normalized size	1	1.00	1.18	1.38	1.30	0.00	0.00	1.66	3.97
time (sec)	N/A	0.320	0.390	0.059	3.179	0.000	0.000	0.189	5.662
Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	319	319	311	429	328	0	0	340	5042
normalized size	1	1.00	0.97	1.34	1.03	0.00	0.00	1.07	15.81
time (sec)	N/A	0.351	0.407	0.055	3.028	0.000	0.000	0.273	5.588
Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	319	482	350	0	0	365	1383
normalized size	1	1.00	0.94	1.41	1.03	0.00	0.00	1.07	4.06
time (sec)	N/A	0.305	0.232	0.053	3.003	0.000	0.000	0.203	5.592
Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	366	519	412	0	0	416	1001
normalized size	1	1.00	0.93	1.32	1.05	0.00	0.00	1.06	2.54
time (sec)	N/A	0.439	0.392	0.062	3.029	0.000	0.000	0.197	0.705
Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	437	437	411	560	472	0	0	466	1053
normalized size	1	1.00	0.94	1.28	1.08	0.00	0.00	1.07	2.41
time (sec)	N/A	0.531	0.520	0.064	3.120	0.000	0.000	0.188	5.562
Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	15	15	15	15	15
normalized size	1	1.00	0.82	0.73	1.36	1.36	1.36	1.36	1.36
time (sec)	N/A	0.013	0.002	0.046	1.295	0.582	0.093	0.242	0.031

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	14	8	12	12	8	12	11
normalized size	1	1.00	1.27	0.73	1.09	1.09	0.73	1.09	1.00
time (sec)	N/A	0.012	0.001	0.043	1.292	0.703	0.082	0.159	0.024
Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	9	9	9	8	7	7	5	7	6
normalized size	1	1.00	1.00	0.89	0.78	0.78	0.56	0.78	0.67
time (sec)	N/A	0.009	0.001	0.041	1.295	0.504	0.070	0.154	0.019
Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.007	0.001	0.045	1.372	0.413	0.073	0.166	0.002
Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	7	7	7	8	7	7	5	7	7
normalized size	1	1.00	1.00	1.14	1.00	1.00	0.71	1.00	1.00
time (sec)	N/A	0.016	0.001	0.042	1.296	0.404	0.107	0.213	0.031
Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	12	12	10	7	7
normalized size	1	1.00	0.82	0.73	1.09	1.09	0.91	0.64	0.64
time (sec)	N/A	0.018	0.003	0.038	1.302	0.383	0.210	0.157	4.837
Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	17	17	17	7	7
normalized size	1	1.00	0.82	0.73	1.55	1.55	1.55	0.64	0.64
time (sec)	N/A	0.019	0.001	0.045	1.325	0.388	0.150	0.156	4.806

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	256	296	222	0	0	342	2478
normalized size	1	1.00	1.55	1.79	1.35	0.00	0.00	2.07	15.02
time (sec)	N/A	0.261	0.427	0.047	3.039	0.000	0.000	0.197	5.544
Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	301	367	240	0	0	541	3810
normalized size	1	1.00	1.60	1.95	1.28	0.00	0.00	2.88	20.27
time (sec)	N/A	0.327	0.547	0.054	3.025	0.000	0.000	0.213	5.074
Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	318	393	257	0	0	556	5673
normalized size	1	1.00	1.55	1.92	1.25	0.00	0.00	2.71	27.67
time (sec)	N/A	0.313	0.512	0.052	3.074	0.000	0.000	0.215	5.161
Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	342	462	351	0	0	375	2469
normalized size	1	1.00	1.01	1.37	1.04	0.00	0.00	1.11	7.33
time (sec)	N/A	0.399	0.487	0.047	3.047	0.000	0.000	0.189	5.542
Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	384	384	427	603	399	0	0	562	3798
normalized size	1	1.00	1.11	1.57	1.04	0.00	0.00	1.46	9.89
time (sec)	N/A	0.565	0.371	0.056	3.077	0.000	0.000	0.209	5.054
Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	402	402	445	627	429	0	0	578	5664
normalized size	1	1.00	1.11	1.56	1.07	0.00	0.00	1.44	14.09
time (sec)	N/A	0.567	0.418	0.049	3.156	0.000	0.000	0.204	5.203

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	257	340	243	0	0	380	1626
normalized size	1	1.00	1.40	1.85	1.32	0.00	0.00	2.07	8.84
time (sec)	N/A	0.204	0.284	0.053	3.077	0.000	0.000	0.193	5.615
Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	302	409	260	0	0	583	2611
normalized size	1	1.00	1.49	2.01	1.28	0.00	0.00	2.87	12.86
time (sec)	N/A	0.274	0.279	0.051	3.064	0.000	0.000	0.200	5.671
Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	338	431	299	0	0	610	3943
normalized size	1	1.00	1.50	1.92	1.33	0.00	0.00	2.71	17.52
time (sec)	N/A	0.310	0.251	0.060	3.149	0.000	0.000	0.225	5.909
Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	353	353	359	515	374	0	0	398	1623
normalized size	1	1.00	1.02	1.46	1.06	0.00	0.00	1.13	4.60
time (sec)	N/A	0.340	0.302	0.056	3.194	0.000	0.000	0.186	5.578
Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	395	395	415	654	416	0	0	589	2605
normalized size	1	1.00	1.05	1.66	1.05	0.00	0.00	1.49	6.59
time (sec)	N/A	0.492	0.465	0.054	3.194	0.000	0.000	0.598	5.702
Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	417	417	460	675	458	0	0	617	3939
normalized size	1	1.00	1.10	1.62	1.10	0.00	0.00	1.48	9.45
time (sec)	N/A	0.536	0.440	0.063	3.214	0.000	0.000	0.219	5.844

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	309	389	316	0	0	440	1687
normalized size	1	1.00	1.28	1.61	1.31	0.00	0.00	1.83	7.00
time (sec)	N/A	0.339	0.416	0.062	2.963	0.000	0.000	0.208	5.732
Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	359	472	343	0	0	652	2680
normalized size	1	1.00	1.34	1.76	1.28	0.00	0.00	2.43	10.00
time (sec)	N/A	0.435	0.400	0.063	3.083	0.000	0.000	0.280	5.801
Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	285	380	488	377	0	0	684	2696
normalized size	1	1.00	1.33	1.71	1.32	0.00	0.00	2.40	9.46
time (sec)	N/A	0.391	0.338	0.061	3.129	0.000	0.000	0.213	5.910
Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	413	413	411	561	446	0	0	459	1686
normalized size	1	1.00	1.00	1.36	1.08	0.00	0.00	1.11	4.08
time (sec)	N/A	0.486	0.425	0.058	3.068	0.000	0.000	0.204	5.691
Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	463	473	716	497	0	0	661	2680
normalized size	1	1.00	1.02	1.55	1.07	0.00	0.00	1.43	5.79
time (sec)	N/A	0.686	0.677	0.061	3.175	0.000	0.000	0.226	5.749
Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	480	480	500	731	535	0	0	693	2695
normalized size	1	1.00	1.04	1.52	1.11	0.00	0.00	1.44	5.61
time (sec)	N/A	0.666	0.508	0.059	3.093	0.000	0.000	0.221	5.788

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	360	434	389	0	0	501	1747
normalized size	1	1.00	1.23	1.48	1.33	0.00	0.00	1.71	5.96
time (sec)	N/A	0.431	0.487	0.064	3.178	0.000	0.000	0.263	5.994
Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	422	522	429	0	0	727	2747
normalized size	1	1.00	1.27	1.58	1.30	0.00	0.00	2.20	8.30
time (sec)	N/A	0.567	0.545	0.059	3.163	0.000	0.000	0.209	6.140
Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	349	349	439	538	463	0	0	759	2764
normalized size	1	1.00	1.26	1.54	1.33	0.00	0.00	2.17	7.92
time (sec)	N/A	0.524	0.525	0.060	3.085	0.000	0.000	0.207	6.396
Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	462	462	461	607	517	0	0	521	1743
normalized size	1	1.00	1.00	1.31	1.12	0.00	0.00	1.13	3.77
time (sec)	N/A	0.619	0.581	0.070	3.126	0.000	0.000	0.204	6.075
Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	516	516	530	767	579	0	0	735	2741
normalized size	1	1.00	1.03	1.49	1.12	0.00	0.00	1.42	5.31
time (sec)	N/A	0.850	1.010	0.066	3.160	0.000	0.000	0.207	6.084
Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	534	534	555	783	613	0	0	767	2757
normalized size	1	1.00	1.04	1.47	1.15	0.00	0.00	1.44	5.16
time (sec)	N/A	0.824	0.706	0.067	3.228	0.000	0.000	0.206	6.480

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	79	96	0	0	61	0	-1
normalized size	1	1.00	0.65	0.79	0.00	0.00	0.50	0.00	-0.01
time (sec)	N/A	0.068	0.061	0.152	0.000	0.893	2.981	0.000	0.000
Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	81	90	0	0	95	0	-1
normalized size	1	1.00	0.93	1.03	0.00	0.00	1.09	0.00	-0.01
time (sec)	N/A	0.062	0.053	0.168	0.000	0.725	2.958	0.000	0.000
Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	83	95	0	0	90	0	-1
normalized size	1	1.00	0.93	1.07	0.00	0.00	1.01	0.00	-0.01
time (sec)	N/A	0.060	0.049	0.174	0.000	0.807	2.892	0.000	0.000
Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	85	101	0	0	66	0	-1
normalized size	1	1.00	0.67	0.80	0.00	0.00	0.52	0.00	-0.01
time (sec)	N/A	0.072	0.053	0.184	0.000	0.933	3.245	0.000	0.000
Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	131	193	0	0	102	0	-1
normalized size	1	1.00	0.51	0.75	0.00	0.00	0.40	0.00	-0.00
time (sec)	N/A	0.124	0.140	0.235	0.000	0.711	3.383	0.000	0.000
Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	12	12	80	12	12
normalized size	1	1.00	1.00	0.93	0.86	0.86	5.71	0.86	0.86
time (sec)	N/A	0.006	0.010	0.047	1.764	1.057	9.598	0.198	5.036

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	27	24	25	34	104	23	23
normalized size	1	1.00	0.93	0.83	0.86	1.17	3.59	0.79	0.79
time (sec)	N/A	0.023	0.103	0.048	1.767	0.699	12.387	0.245	4.905
Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	27	24	23	33	109	22	20
normalized size	1	1.00	1.08	0.96	0.92	1.32	4.36	0.88	0.80
time (sec)	N/A	0.028	0.043	0.048	1.828	0.657	17.799	0.201	4.901
Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	38	35	44	44	133	31	29
normalized size	1	1.00	1.00	0.92	1.16	1.16	3.50	0.82	0.76
time (sec)	N/A	0.030	0.046	0.044	1.850	0.645	21.515	0.224	4.836
Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	11	10	10	58	10	10
normalized size	1	1.00	1.00	0.92	0.83	0.83	4.83	0.83	0.83
time (sec)	N/A	0.003	0.006	0.048	3.244	0.688	5.208	0.181	4.847
Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	385	385	281	516	0	0	260	0	-1
normalized size	1	1.00	0.73	1.34	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	0.424	0.256	0.204	0.000	0.786	7.364	0.000	0.000
Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	51	173	0	835	1287	101	64
normalized size	1	1.00	0.47	1.59	0.00	7.66	11.81	0.93	0.59
time (sec)	N/A	0.064	0.012	0.122	0.000	2.961	1.202	0.221	4.918

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	47	169	0	799	1287	101	65
normalized size	1	1.00	0.43	1.55	0.00	7.33	11.81	0.93	0.60
time (sec)	N/A	0.041	0.011	0.112	0.000	2.774	1.284	0.185	4.981
Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	187	266	209	210	216	246	237
normalized size	1	1.00	0.90	1.28	1.00	1.01	1.04	1.18	1.14
time (sec)	N/A	0.316	0.106	0.046	1.374	0.748	1.318	0.173	4.920
Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	154	218	169	170	172	197	189
normalized size	1	1.00	0.91	1.28	0.99	1.00	1.01	1.16	1.11
time (sec)	N/A	0.242	0.093	0.046	1.383	0.636	1.345	0.186	4.959
Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	119	170	129	130	128	148	141
normalized size	1	1.00	0.90	1.29	0.98	0.98	0.97	1.12	1.07
time (sec)	N/A	0.183	0.073	0.050	1.374	0.588	1.045	0.168	4.927
Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	88	124	91	92	88	101	96
normalized size	1	1.00	0.92	1.29	0.95	0.96	0.92	1.05	1.00
time (sec)	N/A	0.140	0.051	0.044	1.389	0.745	1.126	0.205	4.827
Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	75	97	77	80	70	79	76
normalized size	1	1.00	0.94	1.21	0.96	1.00	0.88	0.99	0.95
time (sec)	N/A	0.120	0.037	0.050	1.383	0.774	5.262	0.205	4.925

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	77	94	77	85	70	95	74
normalized size	1	1.00	0.95	1.16	0.95	1.05	0.86	1.17	0.91
time (sec)	N/A	0.116	0.048	0.056	1.335	0.774	14.561	0.177	4.973
Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	88	116	93	101	85	126	92
normalized size	1	1.00	0.93	1.22	0.98	1.06	0.89	1.33	0.97
time (sec)	N/A	0.129	0.075	0.052	1.356	0.571	74.001	0.163	4.993
Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	128	128	161	125	127	0	184	123
normalized size	1	1.00	1.00	1.26	0.98	0.99	0.00	1.44	0.96
time (sec)	N/A	0.162	0.093	0.049	1.358	0.718	0.000	0.178	5.025
Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	164	210	166	168	0	235	161
normalized size	1	1.00	1.00	1.28	1.01	1.02	0.00	1.43	0.98
time (sec)	N/A	0.181	0.087	0.057	1.359	0.909	0.000	0.168	5.073
Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	194	260	208	210	0	287	200
normalized size	1	1.00	0.95	1.27	1.01	1.02	0.00	1.40	0.98
time (sec)	N/A	0.209	0.237	0.053	1.415	0.954	0.000	0.170	0.257
Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	348	348	351	592	351	342	469	454	358
normalized size	1	1.00	1.01	1.70	1.01	0.98	1.35	1.30	1.03
time (sec)	N/A	0.333	0.088	0.049	3.015	0.642	4.350	0.182	0.311

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	311	554	313	321	513	441	313
normalized size	1	1.00	0.98	1.75	0.99	1.02	1.62	1.40	0.99
time (sec)	N/A	0.306	0.107	0.050	2.946	0.598	4.057	0.185	5.162
Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	312	312	306	544	311	304	423	401	311
normalized size	1	1.00	0.98	1.74	1.00	0.97	1.36	1.29	1.00
time (sec)	N/A	0.298	0.113	0.045	2.968	0.723	3.243	0.179	5.187
Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	279	279	266	502	269	281	469	386	267
normalized size	1	1.00	0.95	1.80	0.96	1.01	1.68	1.38	0.96
time (sec)	N/A	0.273	0.117	0.047	3.025	0.693	2.481	0.182	5.147
Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	264	492	267	249	376	346	264
normalized size	1	1.00	0.96	1.80	0.97	0.91	1.37	1.26	0.96
time (sec)	N/A	0.267	0.109	0.046	2.929	0.638	2.511	0.185	5.101
Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	231	450	225	568	427	291	225
normalized size	1	1.00	0.94	1.84	0.92	2.32	1.74	1.19	0.92
time (sec)	N/A	0.216	0.179	0.046	3.014	0.794	2.380	0.196	5.135
Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	229	442	223	600	342	253	222
normalized size	1	1.00	0.95	1.84	0.93	2.50	1.42	1.05	0.92
time (sec)	N/A	0.153	0.168	0.043	3.014	0.543	3.414	0.187	5.174

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	224	419	217	560	408	269	204
normalized size	1	1.00	0.99	1.85	0.96	2.47	1.80	1.19	0.90
time (sec)	N/A	0.193	0.205	0.049	2.962	0.642	4.724	0.181	5.372
Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	218	414	214	565	326	232	201
normalized size	1	1.00	0.97	1.85	0.96	2.52	1.46	1.04	0.90
time (sec)	N/A	0.170	0.161	0.055	2.982	0.747	4.364	0.217	0.284
Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	220	412	217	556	411	261	209
normalized size	1	1.00	0.97	1.81	0.96	2.45	1.81	1.15	0.92
time (sec)	N/A	0.186	0.157	0.057	3.037	0.655	11.527	0.184	5.164
Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	220	410	214	584	328	220	207
normalized size	1	1.00	0.98	1.82	0.95	2.60	1.46	0.98	0.92
time (sec)	N/A	0.170	0.122	0.051	3.080	0.564	19.683	0.483	5.091
Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	231	440	234	610	432	275	219
normalized size	1	1.00	0.95	1.82	0.97	2.52	1.79	1.14	0.90
time (sec)	N/A	0.188	0.145	0.048	3.067	0.832	46.610	0.213	5.200
Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	231	441	234	595	348	297	220
normalized size	1	1.00	0.95	1.81	0.96	2.44	1.43	1.22	0.90
time (sec)	N/A	0.174	0.245	0.061	3.009	0.712	88.516	0.196	5.126

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	266	491	260	262	0	376	253
normalized size	1	1.00	0.96	1.77	0.94	0.95	0.00	1.36	0.91
time (sec)	N/A	0.222	0.135	0.062	3.054	0.737	0.000	0.194	5.329
Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	266	493	260	295	0	338	253
normalized size	1	1.00	0.95	1.76	0.93	1.05	0.00	1.21	0.90
time (sec)	N/A	0.199	0.163	0.054	2.974	0.773	0.000	0.185	5.153
Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	308	546	307	317	0	419	286
normalized size	1	1.00	0.98	1.74	0.98	1.01	0.00	1.34	0.91
time (sec)	N/A	0.238	0.135	0.053	2.988	0.789	0.000	0.183	5.228
Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	315	315	311	548	307	335	0	393	287
normalized size	1	1.00	0.99	1.74	0.97	1.06	0.00	1.25	0.91
time (sec)	N/A	0.229	0.153	0.056	3.114	0.587	0.000	0.195	5.171
Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	346	600	353	355	0	474	323
normalized size	1	1.00	0.99	1.71	1.01	1.01	0.00	1.35	0.92
time (sec)	N/A	0.258	0.146	0.056	3.029	0.834	0.000	0.190	5.164
Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	205	288	222	303	236	300	356
normalized size	1	1.00	0.93	1.31	1.01	1.38	1.07	1.36	1.62
time (sec)	N/A	0.341	0.209	0.065	1.303	0.585	14.416	0.249	4.988

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	167	240	180	257	189	248	233
normalized size	1	1.00	0.93	1.33	1.00	1.43	1.05	1.38	1.29
time (sec)	N/A	0.265	0.142	0.059	1.381	0.765	12.381	0.183	4.995
Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	129	192	138	202	141	217	155
normalized size	1	1.00	0.92	1.37	0.99	1.44	1.01	1.55	1.11
time (sec)	N/A	0.199	0.124	0.056	1.397	0.605	12.812	0.197	4.930
Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	93	142	98	143	100	206	103
normalized size	1	1.00	0.90	1.38	0.95	1.39	0.97	2.00	1.00
time (sec)	N/A	0.145	0.068	0.066	1.352	0.850	11.614	0.189	0.085
Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	95	125	100	145	95	125	100
normalized size	1	1.00	0.95	1.25	1.00	1.45	0.95	1.25	1.00
time (sec)	N/A	0.125	0.181	0.062	1.319	0.681	41.960	0.168	5.033
Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	97	132	116	172	0	131	109
normalized size	1	1.00	0.89	1.21	1.06	1.58	0.00	1.20	1.00
time (sec)	N/A	0.142	0.151	0.059	1.434	0.609	0.000	0.213	5.046
Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	118	167	138	208	0	201	130
normalized size	1	1.00	0.91	1.28	1.06	1.60	0.00	1.55	1.00
time (sec)	N/A	0.154	0.137	0.066	1.353	0.884	0.000	0.168	5.014

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	160	229	181	261	0	275	175
normalized size	1	1.00	0.91	1.31	1.03	1.49	0.00	1.57	1.00
time (sec)	N/A	0.203	0.139	0.063	1.433	0.617	0.000	0.196	5.084
Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	198	282	226	310	0	331	216
normalized size	1	1.00	0.93	1.32	1.06	1.45	0.00	1.55	1.01
time (sec)	N/A	0.234	0.264	0.069	1.438	0.813	0.000	0.171	5.087
Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	369	369	364	622	369	488	500	451	481
normalized size	1	1.00	0.99	1.69	1.00	1.32	1.36	1.22	1.30
time (sec)	N/A	0.467	0.435	0.053	2.982	0.592	15.903	0.199	0.347
Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	335	335	319	584	325	455	539	442	362
normalized size	1	1.00	0.95	1.74	0.97	1.36	1.61	1.32	1.08
time (sec)	N/A	0.705	0.196	0.054	3.021	0.559	58.232	0.200	5.278
Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	328	328	315	567	321	423	449	394	358
normalized size	1	1.00	0.96	1.73	0.98	1.29	1.37	1.20	1.09
time (sec)	N/A	0.369	0.304	0.055	3.016	0.629	14.983	0.183	5.201
Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	282	529	277	920	490	344	287
normalized size	1	1.00	0.95	1.78	0.93	3.09	1.64	1.15	0.96
time (sec)	N/A	0.463	0.299	0.058	3.078	0.616	51.285	0.187	5.222

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	277	514	270	946	401	295	280
normalized size	1	1.00	0.96	1.78	0.94	3.28	1.39	1.02	0.97
time (sec)	N/A	0.326	0.193	0.053	2.985	0.657	12.901	0.179	0.311
Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	255	495	259	874	461	318	246
normalized size	1	1.00	0.94	1.83	0.96	3.23	1.70	1.17	0.91
time (sec)	N/A	0.289	0.187	0.054	3.122	0.804	22.482	0.220	5.232
Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	251	482	254	861	377	273	241
normalized size	1	1.00	0.95	1.83	0.96	3.26	1.43	1.03	0.91
time (sec)	N/A	0.264	0.200	0.055	3.045	0.901	7.023	0.208	5.177
Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	265	265	255	474	258	860	457	305	244
normalized size	1	1.00	0.96	1.79	0.97	3.25	1.72	1.15	0.92
time (sec)	N/A	0.253	0.212	0.058	3.015	0.800	32.216	0.185	5.390
Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	250	463	258	902	381	261	245
normalized size	1	1.00	0.96	1.78	0.99	3.47	1.47	1.00	0.94
time (sec)	N/A	0.246	0.219	0.061	2.971	0.835	77.381	0.178	5.222
Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	255	486	267	902	473	310	247
normalized size	1	1.00	0.95	1.81	0.99	3.35	1.76	1.15	0.92
time (sec)	N/A	0.288	0.274	0.066	2.930	0.555	177.026	0.197	5.177

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	253	477	268	897	0	264	248
normalized size	1	1.00	0.94	1.77	0.99	3.32	0.00	0.98	0.92
time (sec)	N/A	0.272	0.192	0.055	2.927	0.621	0.000	0.177	5.127
Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	281	529	292	982	0	333	274
normalized size	1	1.00	0.95	1.78	0.98	3.31	0.00	1.12	0.92
time (sec)	N/A	0.384	0.258	0.069	3.053	0.680	0.000	0.231	5.184
Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	280	520	292	959	0	347	274
normalized size	1	1.00	0.94	1.75	0.98	3.23	0.00	1.17	0.92
time (sec)	N/A	0.370	0.240	0.063	3.031	0.684	0.000	0.199	5.200
Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	334	334	319	575	323	442	0	437	310
normalized size	1	1.00	0.96	1.72	0.97	1.32	0.00	1.31	0.93
time (sec)	N/A	0.457	0.206	0.063	3.133	0.762	0.000	0.371	5.406
Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	335	335	317	566	323	475	0	391	310
normalized size	1	1.00	0.95	1.69	0.96	1.42	0.00	1.17	0.93
time (sec)	N/A	0.434	0.325	0.058	3.065	0.760	0.000	0.180	5.121
Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	370	631	374	507	0	482	348
normalized size	1	1.00	0.99	1.68	1.00	1.35	0.00	1.29	0.93
time (sec)	N/A	0.534	0.413	0.063	2.974	0.812	0.000	0.207	5.118

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	246	361	275	396	0	349	449
normalized size	1	1.00	0.92	1.36	1.03	1.49	0.00	1.31	1.69
time (sec)	N/A	0.436	0.190	0.061	1.542	0.585	0.000	0.184	4.958
Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	226	226	208	313	233	353	0	298	293
normalized size	1	1.00	0.92	1.38	1.03	1.56	0.00	1.32	1.30
time (sec)	N/A	0.331	0.202	0.061	1.423	0.798	0.000	0.246	4.969
Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	170	266	191	295	0	236	204
normalized size	1	1.00	0.91	1.43	1.03	1.59	0.00	1.27	1.10
time (sec)	N/A	0.269	0.165	0.058	1.352	0.838	0.000	0.216	4.924
Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	145	213	147	225	0	146	152
normalized size	1	1.00	0.99	1.46	1.01	1.54	0.00	1.00	1.04
time (sec)	N/A	0.201	0.103	0.072	1.395	0.541	0.000	0.184	0.105
Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	105	156	109	158	0	100	112
normalized size	1	1.00	0.96	1.43	1.00	1.45	0.00	0.92	1.03
time (sec)	N/A	0.152	0.061	0.062	1.384	0.593	0.000	0.196	4.939
Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	104	147	129	187	0	128	123
normalized size	1	1.00	0.91	1.29	1.13	1.64	0.00	1.12	1.08
time (sec)	N/A	0.155	0.126	0.062	1.369	0.517	0.000	0.241	0.175

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	121	163	144	250	0	173	135
normalized size	1	1.00	0.90	1.22	1.07	1.87	0.00	1.29	1.01
time (sec)	N/A	0.171	0.109	0.059	1.355	0.722	0.000	0.183	5.068
Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	149	213	182	316	0	189	167
normalized size	1	1.00	0.91	1.31	1.12	1.94	0.00	1.16	1.02
time (sec)	N/A	0.200	0.133	0.059	1.398	0.629	0.000	0.194	5.099
Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	200	293	232	396	0	324	222
normalized size	1	1.00	0.92	1.34	1.06	1.82	0.00	1.49	1.02
time (sec)	N/A	0.264	0.166	0.067	1.459	0.738	0.000	0.188	5.171
Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	258	258	238	349	280	448	0	380	265
normalized size	1	1.00	0.92	1.35	1.09	1.74	0.00	1.47	1.03
time (sec)	N/A	0.304	0.267	0.063	1.465	0.823	0.000	0.201	0.307
Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	411	706	424	667	0	500	575
normalized size	1	1.00	0.99	1.70	1.02	1.60	0.00	1.20	1.38
time (sec)	N/A	0.742	0.688	0.066	3.056	0.625	0.000	0.203	5.241
Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	384	384	380	668	380	634	0	491	425
normalized size	1	1.00	0.99	1.74	0.99	1.65	0.00	1.28	1.11
time (sec)	N/A	1.050	0.554	0.068	3.004	0.551	0.000	0.202	5.339

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	362	651	376	602	0	443	420
normalized size	1	1.00	0.97	1.74	1.00	1.61	0.00	1.18	1.12
time (sec)	N/A	0.606	0.468	0.064	3.033	0.563	0.000	0.197	5.351
Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	329	611	330	1278	0	391	338
normalized size	1	1.00	0.95	1.77	0.96	3.70	0.00	1.13	0.98
time (sec)	N/A	0.763	0.365	0.061	3.075	0.763	0.000	0.203	5.530
Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	323	596	326	1318	0	345	335
normalized size	1	1.00	0.96	1.77	0.97	3.92	0.00	1.03	1.00
time (sec)	N/A	0.509	0.368	0.053	3.035	0.844	0.000	0.197	5.302
Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	300	574	311	1224	0	365	295
normalized size	1	1.00	0.95	1.82	0.98	3.87	0.00	1.16	0.93
time (sec)	N/A	0.505	0.292	0.063	3.096	0.601	0.000	0.201	5.271
Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	307	307	294	561	305	1213	0	319	290
normalized size	1	1.00	0.96	1.83	0.99	3.95	0.00	1.04	0.94
time (sec)	N/A	0.412	0.308	0.065	3.061	0.731	0.000	0.216	5.143
Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	284	550	296	1158	0	339	280
normalized size	1	1.00	0.94	1.83	0.98	3.85	0.00	1.13	0.93
time (sec)	N/A	0.368	0.321	0.059	2.942	0.794	0.000	0.206	5.268

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	279	539	291	1184	0	295	275
normalized size	1	1.00	0.96	1.85	1.00	4.05	0.00	1.01	0.94
time (sec)	N/A	0.307	0.235	0.062	3.068	0.778	0.000	0.198	5.196
Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	286	547	300	1206	0	341	276
normalized size	1	1.00	0.94	1.81	0.99	3.98	0.00	1.13	0.91
time (sec)	N/A	0.339	0.293	0.116	2.961	0.596	0.000	0.210	5.198
Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	283	539	302	1217	0	312	279
normalized size	1	1.00	0.94	1.79	1.00	4.04	0.00	1.04	0.93
time (sec)	N/A	0.329	0.295	0.061	3.073	0.678	0.000	0.215	5.164
Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	303	574	317	1254	0	357	293
normalized size	1	1.00	0.96	1.81	1.00	3.96	0.00	1.13	0.92
time (sec)	N/A	0.370	0.320	0.066	3.031	0.658	0.000	0.244	5.232
Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	299	566	318	1247	0	310	293
normalized size	1	1.00	0.95	1.79	1.01	3.95	0.00	0.98	0.93
time (sec)	N/A	0.368	0.275	0.063	3.051	0.655	0.000	0.231	5.196
Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	328	611	343	1340	0	380	321
normalized size	1	1.00	0.96	1.78	1.00	3.91	0.00	1.11	0.94
time (sec)	N/A	0.569	0.312	0.069	3.046	0.607	0.000	0.315	5.262

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	324	603	343	1317	0	394	321
normalized size	1	1.00	0.95	1.77	1.01	3.86	0.00	1.16	0.94
time (sec)	N/A	0.547	0.346	0.062	2.949	0.617	0.000	0.232	5.217
Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	381	381	366	659	376	621	0	486	359
normalized size	1	1.00	0.96	1.73	0.99	1.63	0.00	1.28	0.94
time (sec)	N/A	0.714	0.588	0.075	3.199	0.738	0.000	0.202	5.279
Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	376	651	376	654	0	440	359
normalized size	1	1.00	0.99	1.71	0.99	1.72	0.00	1.16	0.94
time (sec)	N/A	0.669	0.577	0.066	3.286	0.717	0.000	0.350	5.176
Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	419	716	427	686	0	531	397
normalized size	1	1.00	0.99	1.69	1.01	1.62	0.00	1.25	0.94
time (sec)	N/A	0.853	0.666	0.071	3.055	0.839	0.000	0.220	5.304
Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	59	45	44	44	53	45	56
normalized size	1	1.00	1.09	0.83	0.81	0.81	0.98	0.83	1.04
time (sec)	N/A	0.072	0.015	0.047	2.897	0.727	0.180	0.162	0.099
Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	25	24	24	24	25	24
normalized size	1	1.00	1.00	0.83	0.80	0.80	0.80	0.83	0.80
time (sec)	N/A	0.040	0.007	0.046	3.006	0.600	0.117	0.163	0.032

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	53	38	37	37	44	38	49
normalized size	1	1.00	1.20	0.86	0.84	0.84	1.00	0.86	1.11
time (sec)	N/A	0.060	0.011	0.048	2.962	0.718	0.230	0.152	4.961
Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	50	35	34	34	42	35	63
normalized size	1	1.00	1.22	0.85	0.83	0.83	1.02	0.85	1.54
time (sec)	N/A	0.042	0.009	0.052	2.868	0.500	0.270	0.148	0.080
Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	53	37	36	36	46	38	48
normalized size	1	1.00	1.26	0.88	0.86	0.86	1.10	0.90	1.14
time (sec)	N/A	0.049	0.009	0.051	2.879	0.679	0.208	0.164	4.960
Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	60	44	43	48	49	45	55
normalized size	1	1.00	1.22	0.90	0.88	0.98	1.00	0.92	1.12
time (sec)	N/A	0.050	0.018	0.049	3.034	0.757	0.223	0.163	0.080
Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	32	27	28	33	27	29	25
normalized size	1	1.00	1.00	0.84	0.88	1.03	0.84	0.91	0.78
time (sec)	N/A	0.033	0.005	0.046	2.996	0.625	0.128	0.147	0.069
Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	47	35	34	34	42	35	63
normalized size	1	1.00	1.15	0.85	0.83	0.83	1.02	0.85	1.54
time (sec)	N/A	0.041	0.035	0.051	2.991	0.508	0.184	0.151	4.956

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	53	33	32	32	41	33	63
normalized size	1	1.00	1.36	0.85	0.82	0.82	1.05	0.85	1.62
time (sec)	N/A	0.040	0.020	0.063	2.988	0.830	0.159	0.152	0.089
Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	44	43	43	49	45	43
normalized size	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78
time (sec)	N/A	0.055	0.025	0.041	1.334	0.717	0.075	0.199	0.028
Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	44	43	43	49	45	43
normalized size	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78
time (sec)	N/A	0.038	0.003	0.048	1.359	0.466	0.074	0.177	0.025
Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	41	40	40	46	42	40
normalized size	1	1.00	1.00	0.82	0.80	0.80	0.92	0.84	0.80
time (sec)	N/A	0.025	0.002	0.045	1.345	0.463	0.074	0.147	0.024
Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	39	38	38	44	41	38
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.96	0.89	0.83
time (sec)	N/A	0.025	0.005	0.048	1.326	0.724	0.139	0.153	0.029
Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	39	38	45	41	41	38
normalized size	1	1.00	1.00	0.89	0.86	1.02	0.93	0.93	0.86
time (sec)	N/A	0.035	0.006	0.058	1.335	0.684	0.164	0.149	0.030

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	39	38	45	44	41	38
normalized size	1	1.00	1.00	0.89	0.86	1.02	1.00	0.93	0.86
time (sec)	N/A	0.034	0.011	0.056	1.351	0.646	0.247	0.163	0.028
Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	92	82	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.12	1.00	0.96
time (sec)	N/A	0.059	0.004	0.049	1.352	0.535	0.089	0.163	0.040
Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	94	82	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.15	1.00	0.96
time (sec)	N/A	0.051	0.003	0.046	1.292	0.597	0.086	0.150	0.038
Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	88	79	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.14	1.03	0.99
time (sec)	N/A	0.061	0.004	0.043	1.404	0.496	0.087	0.178	0.038
Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	75	74	74	88	78	74
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.00	0.89	0.84
time (sec)	N/A	0.052	0.010	0.040	1.371	0.662	0.190	0.151	0.042
Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	74	73	81	82	77	73
normalized size	1	1.00	1.00	0.89	0.88	0.98	0.99	0.93	0.88
time (sec)	N/A	0.063	0.014	0.058	1.297	0.592	0.248	0.150	0.042

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	84	75	74	81	87	78	74
normalized size	1	1.00	1.00	0.89	0.88	0.96	1.04	0.93	0.88
time (sec)	N/A	0.064	0.009	0.052	1.311	0.710	0.308	0.165	0.038
Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	139	116	115	115	138	119	115
normalized size	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05
time (sec)	N/A	0.079	0.005	0.043	1.332	0.800	0.091	0.157	0.078
Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	139	116	115	115	138	119	115
normalized size	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05
time (sec)	N/A	0.069	0.005	0.040	1.371	0.548	0.089	0.169	0.074
Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	134	113	112	112	134	116	112
normalized size	1	1.00	1.28	1.08	1.07	1.07	1.28	1.10	1.07
time (sec)	N/A	0.097	0.037	0.052	1.329	0.527	0.139	0.149	0.073
Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	127	110	109	109	131	114	109
normalized size	1	1.00	1.00	0.87	0.86	0.86	1.03	0.90	0.86
time (sec)	N/A	0.074	0.012	0.048	1.286	0.725	0.294	0.152	0.079
Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	125	110	109	117	128	114	109
normalized size	1	1.00	1.00	0.88	0.87	0.94	1.02	0.91	0.87
time (sec)	N/A	0.092	0.016	0.050	1.350	0.592	0.289	0.181	0.081

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	126	111	110	117	131	115	110
normalized size	1	1.00	1.00	0.88	0.87	0.93	1.04	0.91	0.87
time (sec)	N/A	0.086	0.010	0.046	1.325	0.558	0.362	0.153	4.896
Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	181	152	151	151	184	156	151
normalized size	1	1.00	1.31	1.10	1.09	1.09	1.33	1.13	1.09
time (sec)	N/A	0.099	0.006	0.040	1.310	0.512	0.107	0.165	5.073
Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	181	152	151	151	185	156	151
normalized size	1	1.00	1.31	1.10	1.09	1.09	1.34	1.13	1.09
time (sec)	N/A	0.093	0.005	0.041	1.336	0.441	0.113	0.158	0.131
Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	173	148	147	147	178	152	147
normalized size	1	1.00	1.33	1.14	1.13	1.13	1.37	1.17	1.13
time (sec)	N/A	0.145	0.005	0.040	1.314	0.545	0.102	0.167	0.152
Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	145	144	144	175	150	144
normalized size	1	1.00	1.00	0.87	0.87	0.87	1.05	0.90	0.87
time (sec)	N/A	0.109	0.010	0.044	1.301	0.722	0.336	0.153	0.141
Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	162	145	144	153	168	150	144
normalized size	1	1.00	1.00	0.90	0.89	0.94	1.04	0.93	0.89
time (sec)	N/A	0.133	0.012	0.052	1.311	0.562	0.379	0.159	4.994

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	147	146	153	175	152	146
normalized size	1	1.00	1.00	0.89	0.88	0.92	1.05	0.92	0.88
time (sec)	N/A	0.125	0.010	0.051	1.334	0.727	0.443	0.166	4.993
Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	191	231	190	4798	178	208	319
normalized size	1	1.00	0.93	1.13	0.93	23.40	0.87	1.01	1.56
time (sec)	N/A	0.261	0.111	0.044	2.942	2.832	1.639	0.180	5.067
Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	184	221	181	4261	150	195	340
normalized size	1	1.00	0.95	1.15	0.94	22.08	0.78	1.01	1.76
time (sec)	N/A	0.248	0.096	0.049	2.936	2.760	1.490	0.211	5.133
Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	200	209	173	4628	160	178	266
normalized size	1	1.00	1.09	1.14	0.95	25.29	0.87	0.97	1.45
time (sec)	N/A	0.226	0.060	0.046	2.943	2.741	1.432	0.208	5.162
Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	176	200	159	4671	160	163	274
normalized size	1	1.00	0.99	1.13	0.90	26.39	0.90	0.92	1.55
time (sec)	N/A	0.132	0.105	0.046	3.013	2.612	1.423	0.180	0.257
Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	176	207	176	4588	0	179	716
normalized size	1	1.00	0.96	1.12	0.96	24.93	0.00	0.97	3.89
time (sec)	N/A	0.206	0.099	0.053	3.018	2.622	0.000	0.184	5.247

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	184	216	186	4524	0	201	723
normalized size	1	1.00	0.96	1.12	0.97	23.56	0.00	1.05	3.77
time (sec)	N/A	0.214	0.254	0.049	2.981	2.763	0.000	0.230	5.056
Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	192	225	177	4279	0	204	701
normalized size	1	1.00	0.95	1.11	0.87	21.08	0.00	1.00	3.45
time (sec)	N/A	0.194	0.231	0.218	3.032	3.074	0.000	0.183	0.131
Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	174	219	163	2077	110	180	180
normalized size	1	1.00	0.92	1.15	0.86	10.93	0.58	0.95	0.95
time (sec)	N/A	0.166	0.203	0.053	3.033	2.633	2.333	0.204	0.220
Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	186	228	185	2358	124	190	194
normalized size	1	1.00	0.93	1.14	0.92	11.79	0.62	0.95	0.97
time (sec)	N/A	0.153	0.204	0.052	2.840	2.968	1.853	0.182	5.167
Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	199	189	253	179	2118	116	184	175
normalized size	1	1.00	0.95	1.27	0.90	10.64	0.58	0.92	0.88
time (sec)	N/A	0.132	0.282	0.045	3.025	2.595	1.385	0.183	0.251
Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	199	274	203	5018	0	217	490
normalized size	1	1.00	0.90	1.23	0.91	22.60	0.00	0.98	2.21
time (sec)	N/A	0.313	0.236	0.058	2.938	3.147	0.000	0.183	0.380

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	213	275	222	4976	0	237	488
normalized size	1	1.00	0.92	1.19	0.96	21.54	0.00	1.03	2.11
time (sec)	N/A	0.343	0.336	0.061	3.099	3.149	0.000	0.180	5.468
Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	221	276	220	4774	0	248	733
normalized size	1	1.00	0.91	1.14	0.91	19.73	0.00	1.02	3.03
time (sec)	N/A	0.345	0.216	0.059	2.862	3.259	0.000	0.197	5.394
Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	225	289	236	5373	0	269	537
normalized size	1	1.00	0.86	1.10	0.90	20.51	0.00	1.03	2.05
time (sec)	N/A	0.404	0.298	0.058	3.066	3.181	0.000	0.181	5.484
Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	215	215	198	255	203	2163	148	208	216
normalized size	1	1.00	0.92	1.19	0.94	10.06	0.69	0.97	1.00
time (sec)	N/A	0.197	0.208	0.057	3.020	2.724	6.261	0.205	0.232
Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	214	256	223	2519	170	215	232
normalized size	1	1.00	0.90	1.07	0.93	10.54	0.71	0.90	0.97
time (sec)	N/A	0.204	0.404	0.054	3.055	2.728	3.991	0.197	0.225
Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	213	308	219	2251	163	210	212
normalized size	1	1.00	0.95	1.37	0.97	10.00	0.72	0.93	0.94
time (sec)	N/A	0.188	0.375	0.049	2.992	2.669	2.277	0.213	0.262

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	229	331	246	5229	0	253	540
normalized size	1	1.00	0.89	1.29	0.96	20.35	0.00	0.98	2.10
time (sec)	N/A	0.414	0.206	0.073	3.004	2.527	0.000	0.244	5.440
Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	267	248	334	266	5112	0	273	793
normalized size	1	1.00	0.93	1.25	1.00	19.15	0.00	1.02	2.97
time (sec)	N/A	0.462	0.330	0.061	3.094	3.329	0.000	0.207	5.460
Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	253	337	265	4911	0	282	778
normalized size	1	1.00	0.92	1.22	0.96	17.79	0.00	1.02	2.82
time (sec)	N/A	0.500	0.334	0.065	3.106	3.060	0.000	0.193	5.358
Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	255	351	283	5550	0	305	870
normalized size	1	1.00	0.86	1.18	0.95	18.62	0.00	1.02	2.92
time (sec)	N/A	0.589	0.460	0.063	3.027	3.660	0.000	0.259	0.465
Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	230	275	248	2364	201	242	253
normalized size	1	1.00	0.93	1.11	1.00	9.53	0.81	0.98	1.02
time (sec)	N/A	0.242	0.288	0.056	3.006	3.581	17.943	0.212	0.267
Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	241	278	260	2646	214	244	265
normalized size	1	1.00	0.89	1.03	0.96	9.80	0.79	0.90	0.98
time (sec)	N/A	0.254	0.427	0.055	3.029	3.269	8.787	0.238	0.239

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	239	360	254	2344	202	234	247
normalized size	1	1.00	0.96	1.44	1.02	9.38	0.81	0.94	0.99
time (sec)	N/A	0.222	0.279	0.055	2.991	2.674	4.470	0.205	0.279
Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	259	394	293	5370	0	290	871
normalized size	1	1.00	0.89	1.35	1.01	18.45	0.00	1.00	2.99
time (sec)	N/A	0.517	0.310	0.063	3.037	3.528	0.000	0.238	5.402
Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	279	397	313	5250	0	310	840
normalized size	1	1.00	0.93	1.32	1.04	17.44	0.00	1.03	2.79
time (sec)	N/A	0.601	0.313	0.067	2.995	3.508	0.000	0.184	5.434
Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	310	310	284	400	312	5049	0	320	825
normalized size	1	1.00	0.92	1.29	1.01	16.29	0.00	1.03	2.66
time (sec)	N/A	0.656	0.315	0.067	3.104	2.962	0.000	0.185	5.375
Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	284	415	330	5670	0	333	918
normalized size	1	1.00	0.84	1.22	0.97	16.68	0.00	0.98	2.70
time (sec)	N/A	0.773	0.602	0.066	3.081	3.391	0.000	0.197	0.525
Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	57	29	26	26	54	27	26
normalized size	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90
time (sec)	N/A	0.058	0.019	0.052	2.892	0.583	0.179	0.155	4.970

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	57	29	26	26	54	27	26
normalized size	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90
time (sec)	N/A	0.035	0.007	0.052	2.967	0.746	0.168	0.154	0.027
Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	58	29	28	28	54	29	27
normalized size	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87
time (sec)	N/A	0.056	0.015	0.049	2.923	0.595	0.173	0.154	4.946
Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	58	29	28	28	54	29	27
normalized size	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87
time (sec)	N/A	0.037	0.007	0.058	2.838	0.601	0.169	0.151	0.030
Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	146	87	51	52	100	174	154
normalized size	1	1.00	2.92	1.74	1.02	1.04	2.00	3.48	3.08
time (sec)	N/A	0.087	0.044	0.049	3.068	0.573	0.322	0.480	5.223
Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	149	135	166	53	110	165	156
normalized size	1	1.00	2.81	2.55	3.13	1.00	2.08	3.11	2.94
time (sec)	N/A	0.093	0.084	0.052	3.021	0.617	0.349	0.205	5.250
Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	148	132	167	56	109	97	155
normalized size	1	1.00	2.74	2.44	3.09	1.04	2.02	1.80	2.87
time (sec)	N/A	0.077	0.051	0.056	2.994	0.541	0.319	0.190	5.224

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	147	90	52	53	102	90	155
normalized size	1	1.00	2.77	1.70	0.98	1.00	1.92	1.70	2.92
time (sec)	N/A	0.076	0.063	0.051	3.018	0.692	0.372	0.196	5.234
Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.121	0.043	0.046	1.353	0.548	0.086	0.155	0.051
Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.101	0.036	0.048	1.346	0.403	0.087	0.161	0.042
Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.091	0.032	0.046	1.337	0.523	0.085	0.164	0.044
Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.080	0.027	0.046	1.374	0.705	0.084	0.147	0.043
Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	92	77	76	82	87	84	79
normalized size	1	1.00	1.00	0.84	0.83	0.89	0.95	0.91	0.86
time (sec)	N/A	0.073	0.015	0.040	1.405	0.520	0.084	0.148	0.041

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	81	74	74	85	83	77
normalized size	1	1.00	1.00	0.92	0.84	0.84	0.97	0.94	0.88
time (sec)	N/A	0.058	0.065	0.049	1.344	0.517	0.222	0.152	0.047
Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	86	81	74	81	82	83	77
normalized size	1	1.00	1.00	0.94	0.86	0.94	0.95	0.97	0.90
time (sec)	N/A	0.066	0.073	0.051	1.352	0.521	0.235	0.163	0.048
Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	78	78	74	81	83	80	76
normalized size	1	1.00	0.91	0.91	0.86	0.94	0.97	0.93	0.88
time (sec)	N/A	0.072	0.072	0.051	1.342	0.592	0.306	0.162	0.043
Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	76	76	75	81	83	79	75
normalized size	1	1.00	0.88	0.88	0.87	0.94	0.97	0.92	0.87
time (sec)	N/A	0.071	0.069	0.048	1.363	0.936	0.669	0.169	0.041
Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	77	76	75	81	83	77	74
normalized size	1	1.00	0.90	0.88	0.87	0.94	0.97	0.90	0.86
time (sec)	N/A	0.073	0.076	0.051	1.341	0.422	2.569	0.152	4.976
Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	163	152	151	157	167	160	151
normalized size	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93
time (sec)	N/A	0.210	0.050	0.043	1.374	0.362	0.101	0.154	0.102

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	163	152	151	157	167	160	151
normalized size	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93
time (sec)	N/A	0.159	0.032	0.042	1.349	0.354	0.105	0.153	0.088
Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	150	152	151	157	167	160	151
normalized size	1	1.00	0.95	0.96	0.96	0.99	1.06	1.01	0.96
time (sec)	N/A	0.126	0.082	0.042	1.376	0.363	0.104	0.182	0.091
Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	163	152	151	157	167	160	151
normalized size	1	1.00	1.03	0.96	0.96	0.99	1.06	1.01	0.96
time (sec)	N/A	0.129	0.026	0.037	1.277	0.363	0.104	0.188	0.091
Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	125	149	148	154	163	157	148
normalized size	1	1.00	0.82	0.97	0.97	1.01	1.07	1.03	0.97
time (sec)	N/A	0.127	0.087	0.043	1.318	0.397	0.103	0.164	0.092
Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	154	153	146	146	162	156	146
normalized size	1	1.00	1.03	1.03	0.98	0.98	1.09	1.05	0.98
time (sec)	N/A	0.106	0.046	0.045	1.314	0.400	0.341	0.151	0.096
Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	152	152	146	153	156	155	145
normalized size	1	1.00	1.03	1.03	0.99	1.04	1.06	1.05	0.99
time (sec)	N/A	0.128	0.070	0.052	1.398	0.425	0.360	0.152	0.098

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	127	150	146	153	158	153	145
normalized size	1	1.00	0.86	1.02	0.99	1.04	1.07	1.04	0.99
time (sec)	N/A	0.128	0.095	0.050	1.347	0.436	0.446	0.153	5.008
Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	123	149	147	153	158	153	145
normalized size	1	1.00	0.81	0.98	0.97	1.01	1.04	1.01	0.95
time (sec)	N/A	0.118	0.101	0.049	1.322	0.439	0.880	0.172	0.076
Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	125	149	147	153	156	152	145
normalized size	1	1.00	0.82	0.98	0.97	1.01	1.03	1.00	0.95
time (sec)	N/A	0.117	0.115	0.054	1.366	0.462	3.235	0.170	0.066
Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	223	224	217	229	246	233	205
normalized size	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92
time (sec)	N/A	0.293	0.062	0.037	1.373	0.418	0.124	0.152	0.174
Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	223	224	217	229	246	233	205
normalized size	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92
time (sec)	N/A	0.228	0.055	0.045	1.375	0.393	0.118	0.170	5.165
Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	223	224	217	229	246	233	205
normalized size	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97
time (sec)	N/A	0.179	0.063	0.048	1.356	0.371	0.125	0.176	0.162

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	223	224	217	229	246	233	205
normalized size	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97
time (sec)	N/A	0.177	0.037	0.039	1.345	0.371	0.114	0.166	0.157
Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	207	207	170	221	214	226	243	230	202
normalized size	1	1.00	0.82	1.07	1.03	1.09	1.17	1.11	0.98
time (sec)	N/A	0.177	0.109	0.042	1.338	0.366	0.121	0.152	0.157
Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	214	224	212	212	240	228	199
normalized size	1	1.00	1.07	1.12	1.06	1.06	1.20	1.14	1.00
time (sec)	N/A	0.146	0.135	0.047	1.424	0.418	0.541	0.159	5.113
Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	172	224	212	219	236	228	199
normalized size	1	1.00	0.87	1.13	1.07	1.11	1.19	1.15	1.01
time (sec)	N/A	0.182	0.208	0.052	1.292	0.440	0.511	0.155	5.045
Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	174	222	212	219	238	226	199
normalized size	1	1.00	0.88	1.12	1.07	1.11	1.20	1.14	1.01
time (sec)	N/A	0.197	0.148	0.058	1.383	0.472	0.593	0.158	0.137
Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	172	220	212	219	236	225	199
normalized size	1	1.00	0.82	1.05	1.01	1.05	1.13	1.08	0.95
time (sec)	N/A	0.180	0.146	0.050	1.360	0.448	1.043	0.185	0.122

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	170	220	212	219	235	224	199
normalized size	1	1.00	0.81	1.05	1.01	1.05	1.12	1.07	0.95
time (sec)	N/A	0.177	0.160	0.046	1.394	0.435	3.137	0.155	5.027
Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	334	533	378	0	881	380	1271
normalized size	1	1.00	1.01	1.61	1.14	0.00	2.66	1.15	3.84
time (sec)	N/A	1.070	0.558	0.049	2.978	0.000	60.517	0.200	5.086
Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	299	505	332	0	845	353	1236
normalized size	1	1.00	0.96	1.61	1.06	0.00	2.70	1.13	3.95
time (sec)	N/A	0.988	0.292	0.049	2.896	0.000	73.527	0.184	4.992
Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	290	483	313	0	790	333	1170
normalized size	1	1.00	0.99	1.64	1.06	0.00	2.69	1.13	3.98
time (sec)	N/A	0.976	0.313	0.047	2.997	0.000	88.696	0.244	5.023
Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	272	455	300	0	811	295	1161
normalized size	1	1.00	0.99	1.65	1.09	0.00	2.95	1.07	4.22
time (sec)	N/A	0.921	0.480	0.044	3.029	0.000	63.001	0.284	4.989
Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	259	257	254	429	266	0	804	272	1150
normalized size	1	0.99	0.98	1.66	1.03	0.00	3.10	1.05	4.44
time (sec)	N/A	0.373	0.388	0.049	3.037	0.000	59.388	0.190	5.033

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	258	256	258	426	290	0	0	281	1731
normalized size	1	0.99	1.00	1.65	1.12	0.00	0.00	1.09	6.71
time (sec)	N/A	0.471	0.314	0.051	3.019	0.000	0.000	0.189	5.097
Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	253	253	257	423	290	0	0	277	1802
normalized size	1	1.00	1.02	1.67	1.15	0.00	0.00	1.09	7.12
time (sec)	N/A	0.454	0.321	0.056	3.025	0.000	0.000	0.187	5.087
Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	258	257	423	271	0	0	269	6948
normalized size	1	0.99	0.99	1.63	1.04	0.00	0.00	1.03	26.72
time (sec)	N/A	0.380	0.464	0.050	2.996	0.000	0.000	0.275	5.205
Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	274	264	442	302	0	0	291	1842
normalized size	1	0.99	0.96	1.60	1.09	0.00	0.00	1.05	6.67
time (sec)	N/A	0.436	0.547	0.056	3.079	0.000	0.000	0.226	5.870
Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	334	562	364	0	0	357	1241
normalized size	1	1.00	0.99	1.67	1.08	0.00	0.00	1.06	3.68
time (sec)	N/A	0.717	0.574	0.060	3.054	0.000	0.000	0.199	5.109
Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	311	311	294	533	329	0	0	330	1229
normalized size	1	1.00	0.95	1.71	1.06	0.00	0.00	1.06	3.95
time (sec)	N/A	0.640	0.222	0.058	3.136	0.000	0.000	0.214	0.152

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	290	288	280	506	283	12153	0	307	816
normalized size	1	0.99	0.97	1.74	0.98	41.91	0.00	1.06	2.81
time (sec)	N/A	0.498	0.251	0.056	3.027	4.787	0.000	0.190	0.137
Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	289	289	285	502	311	12617	0	318	827
normalized size	1	1.00	0.99	1.74	1.08	43.66	0.00	1.10	2.86
time (sec)	N/A	0.505	0.260	0.050	2.963	7.504	0.000	0.199	5.390
Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	268	462	292	12636	0	302	835
normalized size	1	1.00	0.97	1.67	1.06	45.78	0.00	1.09	3.03
time (sec)	N/A	0.370	0.209	0.048	2.953	3.636	0.000	0.194	5.540
Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	289	287	269	507	302	12541	0	319	1660
normalized size	1	0.99	0.93	1.75	1.04	43.39	0.00	1.10	5.74
time (sec)	N/A	0.559	0.223	0.061	3.045	55.188	0.000	0.203	5.601
Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	285	517	329	12556	0	328	1684
normalized size	1	1.00	0.95	1.72	1.09	41.71	0.00	1.09	5.59
time (sec)	N/A	0.593	0.402	0.061	3.135	59.486	0.000	0.201	5.768
Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	306	304	292	527	316	12231	0	336	1632
normalized size	1	0.99	0.95	1.72	1.03	39.97	0.00	1.10	5.33
time (sec)	N/A	0.577	0.539	0.066	3.063	43.398	0.000	0.191	5.712

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	338	336	303	561	365	0	0	363	1924
normalized size	1	0.99	0.90	1.66	1.08	0.00	0.00	1.07	5.69
time (sec)	N/A	0.727	0.622	0.062	3.079	0.000	0.000	0.229	5.958
Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	342	619	391	12967	0	385	916
normalized size	1	1.00	0.99	1.79	1.13	37.59	0.00	1.12	2.66
time (sec)	N/A	0.891	0.376	0.064	3.129	7.813	0.000	0.207	0.579
Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	325	325	315	515	366	12939	0	363	908
normalized size	1	1.00	0.97	1.58	1.13	39.81	0.00	1.12	2.79
time (sec)	N/A	0.642	0.338	0.060	3.119	6.175	0.000	0.777	5.659
Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	287	490	308	6926	0	320	627
normalized size	1	1.00	0.97	1.65	1.04	23.32	0.00	1.08	2.11
time (sec)	N/A	0.430	0.302	0.057	3.051	4.324	0.000	0.230	5.690
Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	297	498	344	7190	0	340	640
normalized size	1	1.00	0.92	1.54	1.07	22.26	0.00	1.05	1.98
time (sec)	N/A	0.482	0.358	0.056	3.067	5.634	0.000	0.207	5.365
Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	295	506	327	6984	0	330	630
normalized size	1	1.00	0.94	1.62	1.04	22.31	0.00	1.05	2.01
time (sec)	N/A	0.429	0.282	0.057	3.107	4.870	0.000	0.218	0.432

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	345	311	618	368	12815	0	376	1716
normalized size	1	0.99	0.90	1.78	1.06	36.93	0.00	1.08	4.95
time (sec)	N/A	0.723	0.349	0.068	3.112	55.836	0.000	0.265	5.705
Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	362	362	336	622	400	12951	0	390	1747
normalized size	1	1.00	0.93	1.72	1.10	35.78	0.00	1.08	4.83
time (sec)	N/A	0.830	0.779	0.064	3.074	54.028	0.000	0.220	5.747
Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	357	337	626	390	12435	0	399	1697
normalized size	1	0.99	0.94	1.74	1.08	34.54	0.00	1.11	4.71
time (sec)	N/A	0.814	0.713	0.066	3.102	37.172	0.000	0.226	5.659
Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	395	392	352	680	444	0	0	431	1994
normalized size	1	0.99	0.89	1.72	1.12	0.00	0.00	1.09	5.05
time (sec)	N/A	1.006	0.789	0.070	3.089	0.000	0.000	0.203	6.321
Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	583	583	132	793	0	0	129	0	-1
normalized size	1	1.00	0.23	1.36	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.733	0.209	0.079	0.000	0.431	3.917	0.000	0.000
Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	560	560	121	773	0	0	107	0	-1
normalized size	1	1.00	0.22	1.38	0.00	0.00	0.19	0.00	-0.00
time (sec)	N/A	0.484	0.167	0.056	0.000	0.456	3.665	0.000	0.000

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	537	537	114	753	0	0	107	0	-1
normalized size	1	1.00	0.21	1.40	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.323	0.073	0.049	0.000	0.494	3.516	0.000	0.000
Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	509	509	107	735	0	0	105	0	-1
normalized size	1	1.00	0.21	1.44	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.173	0.050	0.051	0.000	0.440	2.530	0.000	0.000
Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	518	518	128	740	0	0	105	0	-1
normalized size	1	1.00	0.25	1.43	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.205	0.202	0.046	0.000	0.667	4.103	0.000	0.000
Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	547	547	126	759	0	0	107	0	121
normalized size	1	1.00	0.23	1.39	0.00	0.00	0.20	0.00	0.22
time (sec)	N/A	0.343	0.141	0.060	0.000	0.513	3.244	0.000	5.957
Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	569	569	131	778	0	0	112	0	-1
normalized size	1	1.00	0.23	1.37	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.464	0.218	0.059	0.000	0.480	3.434	0.000	0.000
Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	594	594	134	836	0	0	129	0	-1
normalized size	1	1.00	0.23	1.41	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.641	0.128	0.086	0.000	0.467	20.586	0.000	0.000

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	574	574	127	817	0	0	129	0	-1
normalized size	1	1.00	0.22	1.42	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.469	0.135	0.053	0.000	0.477	15.272	0.000	0.000
Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	542	542	118	800	0	0	129	0	-1
normalized size	1	1.00	0.22	1.48	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.327	0.117	0.054	0.000	0.458	12.497	0.000	0.000
Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	107	779	0	0	109	0	-1
normalized size	1	1.00	0.20	1.49	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.262	0.103	0.059	0.000	0.445	11.432	0.000	0.000
Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	561	561	108	782	0	0	109	0	-1
normalized size	1	1.00	0.19	1.39	0.00	0.00	0.19	0.00	-0.00
time (sec)	N/A	0.321	0.076	0.130	0.000	0.452	11.085	0.000	0.000
Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	532	532	109	785	0	0	107	0	-1
normalized size	1	1.00	0.20	1.48	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.246	0.076	0.052	0.000	0.431	10.859	0.000	0.000
Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	579	579	119	810	0	0	265	0	-1
normalized size	1	1.00	0.21	1.40	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.400	0.117	0.049	0.000	0.511	16.573	0.000	0.000

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	607	607	121	825	0	0	267	0	136
normalized size	1	1.00	0.20	1.36	0.00	0.00	0.44	0.00	0.22
time (sec)	N/A	0.560	0.113	0.056	0.000	0.480	18.304	0.000	5.804
Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	733	733	172	1674	0	0	238	0	-1
normalized size	1	1.00	0.23	2.28	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	1.910	0.465	0.090	0.000	0.455	5.835	0.000	0.000
Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	681	681	158	1197	0	0	223	0	-1
normalized size	1	1.00	0.23	1.76	0.00	0.00	0.33	0.00	-0.00
time (sec)	N/A	1.422	0.297	0.058	0.000	0.471	5.689	0.000	0.000
Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	667	667	143	1311	0	0	223	0	-1
normalized size	1	1.00	0.21	1.97	0.00	0.00	0.33	0.00	-0.00
time (sec)	N/A	1.047	0.357	0.053	0.000	0.468	5.387	0.000	0.000
Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	639	639	135	1557	0	0	194	0	-1
normalized size	1	1.00	0.21	2.44	0.00	0.00	0.30	0.00	-0.00
time (sec)	N/A	0.719	0.192	0.053	0.000	0.496	5.125	0.000	0.000
Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	620	620	185	1118	0	0	235	0	-1
normalized size	1	1.00	0.30	1.80	0.00	0.00	0.38	0.00	-0.00
time (sec)	N/A	0.547	0.433	0.056	0.000	0.692	10.854	0.000	0.000

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	638	638	211	1248	0	0	236	0	-1
normalized size	1	1.00	0.33	1.96	0.00	0.00	0.37	0.00	-0.00
time (sec)	N/A	0.650	0.295	0.062	0.000	0.686	6.766	0.000	0.000
Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	640	640	218	1529	0	0	255	0	-1
normalized size	1	1.00	0.34	2.39	0.00	0.00	0.40	0.00	-0.00
time (sec)	N/A	0.765	0.501	0.060	0.000	0.717	7.053	0.000	0.000
Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	637	637	254	1114	0	0	265	0	-1
normalized size	1	1.00	0.40	1.75	0.00	0.00	0.42	0.00	-0.00
time (sec)	N/A	0.844	0.436	0.061	0.000	0.926	8.089	0.000	0.000
Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	253	1286	0	0	274	0	-1
normalized size	1	1.00	0.36	1.85	0.00	0.00	0.39	0.00	-0.00
time (sec)	N/A	1.084	0.464	0.074	0.000	0.957	8.270	0.000	0.000
Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	652	652	180	1571	0	0	240	0	-1
normalized size	1	1.00	0.28	2.41	0.00	0.00	0.37	0.00	-0.00
time (sec)	N/A	0.787	0.347	0.059	0.000	0.703	7.541	0.000	0.000
Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	659	659	211	1180	0	0	304	0	-1
normalized size	1	1.00	0.32	1.79	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.980	0.533	0.064	0.000	0.575	10.709	0.000	0.000

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	711	711	213	1376	0	0	308	0	-1
normalized size	1	1.00	0.30	1.94	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	1.123	0.517	0.063	0.000	0.545	11.602	0.000	0.000
Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	743	743	192	1679	0	0	304	0	-1
normalized size	1	1.00	0.26	2.26	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	1.331	0.250	0.059	0.000	0.486	11.536	0.000	0.000
Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	179	1764	0	0	512	0	-1
normalized size	1	1.00	0.23	2.23	0.00	0.00	0.65	0.00	-0.00
time (sec)	N/A	2.111	0.654	0.084	0.000	0.445	13.013	0.000	0.000
Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	742	742	162	1269	0	0	525	0	-1
normalized size	1	1.00	0.22	1.71	0.00	0.00	0.71	0.00	-0.00
time (sec)	N/A	1.552	0.410	0.060	0.000	0.482	11.686	0.000	0.000
Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	723	723	148	1383	0	0	525	0	-1
normalized size	1	1.00	0.20	1.91	0.00	0.00	0.73	0.00	-0.00
time (sec)	N/A	1.239	0.366	0.054	0.000	0.652	10.783	0.000	0.000
Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	139	1629	0	0	444	0	-1
normalized size	1	1.00	0.20	2.35	0.00	0.00	0.64	0.00	-0.00
time (sec)	N/A	0.899	0.263	0.060	0.000	0.459	10.134	0.000	0.000

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	676	676	215	1188	0	0	473	0	-1
normalized size	1	1.00	0.32	1.76	0.00	0.00	0.70	0.00	-0.00
time (sec)	N/A	0.707	0.584	0.055	0.000	0.759	23.744	0.000	0.000
Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	224	1317	0	0	474	0	-1
normalized size	1	1.00	0.32	1.90	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	0.791	0.453	0.057	0.000	0.719	13.432	0.000	0.000
Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	232	1613	0	0	462	0	-1
normalized size	1	1.00	0.33	2.32	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	0.888	0.428	0.059	0.000	0.742	12.847	0.000	0.000
Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	243	1193	0	0	484	0	-1
normalized size	1	1.00	0.35	1.72	0.00	0.00	0.70	0.00	-0.00
time (sec)	N/A	0.957	0.797	0.057	0.000	0.902	14.266	0.000	0.000
Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	741	741	246	1342	0	0	495	0	-1
normalized size	1	1.00	0.33	1.81	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	1.240	0.763	0.060	0.000	0.926	14.641	0.000	0.000
Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	689	689	191	1606	0	0	476	0	-1
normalized size	1	1.00	0.28	2.33	0.00	0.00	0.69	0.00	-0.00
time (sec)	N/A	0.921	0.276	0.063	0.000	0.821	14.430	0.000	0.000

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	240	1196	0	0	524	0	-1
normalized size	1	1.00	0.35	1.73	0.00	0.00	0.76	0.00	-0.00
time (sec)	N/A	1.004	0.732	0.067	0.000	0.990	17.916	0.000	0.000
Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	746	746	240	1375	0	0	536	0	-1
normalized size	1	1.00	0.32	1.84	0.00	0.00	0.72	0.00	-0.00
time (sec)	N/A	1.284	1.073	0.060	0.000	0.975	18.715	0.000	0.000
Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	705	705	202	1663	0	0	527	0	-1
normalized size	1	1.00	0.29	2.36	0.00	0.00	0.75	0.00	-0.00
time (sec)	N/A	1.008	0.603	0.059	0.000	0.739	17.277	0.000	0.000
Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	714	714	226	1273	0	0	573	0	-1
normalized size	1	1.00	0.32	1.78	0.00	0.00	0.80	0.00	-0.00
time (sec)	N/A	1.123	0.818	0.095	0.000	0.533	25.788	0.000	0.000
Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	764	764	227	1470	0	0	576	0	-1
normalized size	1	1.00	0.30	1.92	0.00	0.00	0.75	0.00	-0.00
time (sec)	N/A	1.330	0.721	0.060	0.000	0.585	26.656	0.000	0.000
Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	796	796	194	1773	0	0	541	0	-1
normalized size	1	1.00	0.24	2.23	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	1.534	0.473	0.099	0.000	0.490	24.052	0.000	0.000

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	120	114	0	0	0	112	0	-1
normalized size	1	1.18	1.12	0.00	0.00	0.00	1.10	0.00	-0.01
time (sec)	N/A	0.076	0.070	0.459	0.000	0.431	59.326	0.000	0.000
Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	125	116	0	0	0	114	0	-1
normalized size	1	1.17	1.08	0.00	0.00	0.00	1.07	0.00	-0.01
time (sec)	N/A	0.091	0.097	0.473	0.000	0.435	88.353	0.000	0.000
Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	125	116	0	0	0	114	0	-1
normalized size	1	1.17	1.08	0.00	0.00	0.00	1.07	0.00	-0.01
time (sec)	N/A	0.106	0.116	0.476	0.000	0.437	124.185	0.000	0.000
Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	68	55	54	54	63	56	54
normalized size	1	1.00	1.00	0.81	0.79	0.79	0.93	0.82	0.79
time (sec)	N/A	0.044	0.006	0.043	1.319	0.366	0.078	0.151	0.035
Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	58	57	57	66	59	57
normalized size	1	1.00	1.00	0.79	0.78	0.78	0.90	0.81	0.78
time (sec)	N/A	0.064	0.004	0.045	1.334	0.385	0.073	0.156	0.031
Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	124	103	102	102	121	105	102
normalized size	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94
time (sec)	N/A	0.074	0.004	0.043	1.356	0.359	0.088	0.160	0.080

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	129	106	105	105	124	108	105
normalized size	1	1.00	1.13	0.93	0.92	0.92	1.09	0.95	0.92
time (sec)	N/A	0.084	0.005	0.043	1.329	0.344	0.089	0.149	0.072
Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	180	151	150	150	180	154	150
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99
time (sec)	N/A	0.108	0.005	0.043	1.369	0.389	0.096	0.157	0.164
Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	185	154	153	153	184	157	153
normalized size	1	1.00	1.19	0.99	0.98	0.98	1.18	1.01	0.98
time (sec)	N/A	0.113	0.018	0.043	1.382	0.353	0.099	0.164	0.161
Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	236	199	198	198	241	203	198
normalized size	1	1.00	1.22	1.03	1.03	1.03	1.25	1.05	1.03
time (sec)	N/A	0.156	0.007	0.043	1.330	0.367	0.103	0.173	5.080
Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	241	202	201	201	245	206	201
normalized size	1	1.00	1.22	1.02	1.02	1.02	1.24	1.04	1.02
time (sec)	N/A	0.150	0.007	0.043	1.371	0.390	0.110	0.193	0.359
Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	214	177	174	0	0	280	1970
normalized size	1	1.00	1.61	1.33	1.31	0.00	0.00	2.11	14.81
time (sec)	N/A	0.124	0.113	0.046	3.031	0.000	0.000	0.186	5.658

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	221	208	208	0	0	328	846
normalized size	1	1.00	1.36	1.28	1.28	0.00	0.00	2.02	5.22
time (sec)	N/A	0.203	0.095	0.044	2.976	0.000	0.000	0.190	4.846
Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	296	294	277	0	0	290	1952
normalized size	1	1.00	1.01	1.00	0.95	0.00	0.00	0.99	6.66
time (sec)	N/A	0.222	0.231	0.052	3.030	0.000	0.000	0.184	0.927
Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	321	321	311	325	305	0	0	308	838
normalized size	1	1.00	0.97	1.01	0.95	0.00	0.00	0.96	2.61
time (sec)	N/A	0.334	0.239	0.053	3.015	0.000	0.000	0.185	4.854
Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	318	318	315	362	305	0	517	316	478
normalized size	1	1.00	0.99	1.14	0.96	0.00	1.63	0.99	1.50
time (sec)	N/A	0.270	0.406	0.049	3.058	0.000	22.319	0.184	0.360
Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	310	310	294	334	294	0	510	303	559
normalized size	1	1.00	0.95	1.08	0.95	0.00	1.65	0.98	1.80
time (sec)	N/A	0.274	0.383	0.054	3.022	0.000	44.229	0.215	5.097
Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	347	432	355	0	578	354	832
normalized size	1	1.00	0.99	1.23	1.01	0.00	1.65	1.01	2.37
time (sec)	N/A	0.318	0.439	0.052	3.019	0.000	108.467	0.192	5.199

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	329	373	343	0	0	338	521
normalized size	1	1.00	0.97	1.10	1.01	0.00	0.00	0.99	1.53
time (sec)	N/A	0.328	0.391	0.060	3.084	0.000	0.000	0.294	0.396
Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	382	379	400	402	0	0	391	879
normalized size	1	1.00	0.99	1.05	1.05	0.00	0.00	1.02	2.30
time (sec)	N/A	0.406	0.442	0.063	3.088	0.000	0.000	0.329	5.255
Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	366	403	396	0	0	380	888
normalized size	1	1.00	0.96	1.06	1.04	0.00	0.00	1.00	2.34
time (sec)	N/A	0.402	0.459	0.065	3.125	0.000	0.000	0.185	0.482
Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	202	390	0	0	252	0	-1
normalized size	1	1.00	0.48	0.93	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.381	0.727	0.207	0.000	0.510	8.541	0.000	0.000
Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	215	380	0	0	212	0	-1
normalized size	1	1.00	0.55	0.96	0.00	0.00	0.54	0.00	-0.00
time (sec)	N/A	0.334	0.659	0.189	0.000	0.488	7.506	0.000	0.000
Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	369	369	182	361	0	0	212	0	-1
normalized size	1	1.00	0.49	0.98	0.00	0.00	0.57	0.00	-0.00
time (sec)	N/A	0.298	0.781	0.169	0.000	0.514	7.089	0.000	0.000

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	354	354	211	337	0	0	158	0	-1
normalized size	1	1.00	0.60	0.95	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.273	0.205	0.165	0.000	0.488	6.529	0.000	0.000
Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	171	313	0	0	156	0	-1
normalized size	1	1.00	0.52	0.95	0.00	0.00	0.47	0.00	-0.00
time (sec)	N/A	0.194	0.139	0.180	0.000	0.473	5.971	0.000	0.000
Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	208	339	0	0	204	0	-1
normalized size	1	1.00	0.60	0.98	0.00	0.00	0.59	0.00	-0.00
time (sec)	N/A	0.255	0.387	0.197	0.000	0.737	10.125	0.000	0.000
Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	208	339	0	0	206	0	-1
normalized size	1	1.00	0.61	0.99	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.263	0.427	0.201	0.000	0.704	6.997	0.000	0.000
Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	342	342	204	360	0	0	230	0	-1
normalized size	1	1.00	0.60	1.05	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	0.262	0.259	0.178	0.000	0.750	6.410	0.000	0.000
Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	357	357	205	362	0	0	235	0	-1
normalized size	1	1.00	0.57	1.01	0.00	0.00	0.66	0.00	-0.00
time (sec)	N/A	0.295	0.331	0.197	0.000	0.717	6.622	0.000	0.000

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	175	385	0	0	211	0	-1
normalized size	1	1.00	0.53	1.17	0.00	0.00	0.64	0.00	-0.00
time (sec)	N/A	0.281	0.272	0.196	0.000	0.732	6.783	0.000	0.000
Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	179	404	0	0	216	0	-1
normalized size	1	1.00	0.50	1.12	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.324	0.263	0.198	0.000	0.710	7.057	0.000	0.000
Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	352	352	145	361	0	0	189	0	-1
normalized size	1	1.00	0.41	1.03	0.00	0.00	0.54	0.00	-0.00
time (sec)	N/A	0.316	0.267	0.190	0.000	0.502	7.042	0.000	0.000
Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	145	385	0	0	192	0	-1
normalized size	1	1.00	0.39	1.03	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.362	0.265	0.192	0.000	0.489	6.927	0.000	0.000
Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	400	400	146	408	0	0	246	0	-1
normalized size	1	1.00	0.36	1.02	0.00	0.00	0.62	0.00	-0.00
time (sec)	N/A	0.386	0.177	0.183	0.000	0.495	9.616	0.000	0.000
Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	425	425	148	429	0	0	246	0	-1
normalized size	1	1.00	0.35	1.01	0.00	0.00	0.58	0.00	-0.00
time (sec)	N/A	0.433	0.182	0.210	0.000	0.480	10.707	0.000	0.000

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	476	476	225	462	0	0	462	0	-1
normalized size	1	1.00	0.47	0.97	0.00	0.00	0.97	0.00	-0.00
time (sec)	N/A	0.440	0.942	0.202	0.000	0.501	22.074	0.000	0.000
Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	452	452	238	434	0	0	398	0	-1
normalized size	1	1.00	0.53	0.96	0.00	0.00	0.88	0.00	-0.00
time (sec)	N/A	0.408	0.772	0.186	0.000	0.477	17.953	0.000	0.000
Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	427	427	205	413	0	0	398	0	-1
normalized size	1	1.00	0.48	0.97	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.353	0.935	0.207	0.000	0.481	17.741	0.000	0.000
Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	409	409	196	392	0	0	396	0	-1
normalized size	1	1.00	0.48	0.96	0.00	0.00	0.97	0.00	-0.00
time (sec)	N/A	0.324	0.978	0.166	0.000	0.493	13.228	0.000	0.000
Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	382	175	368	0	0	394	0	-1
normalized size	1	1.00	0.46	0.96	0.00	0.00	1.03	0.00	-0.00
time (sec)	N/A	0.255	0.560	0.180	0.000	0.489	12.310	0.000	0.000
Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	403	403	224	411	0	0	405	0	-1
normalized size	1	1.00	0.56	1.02	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.353	0.571	0.182	0.000	0.746	31.319	0.000	0.000

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	404	404	222	411	0	0	406	0	-1
normalized size	1	1.00	0.55	1.02	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.348	0.566	0.207	0.000	0.748	14.146	0.000	0.000
Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	406	406	194	409	0	0	377	0	-1
normalized size	1	1.00	0.48	1.01	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.343	0.402	0.212	0.000	0.711	11.480	0.000	0.000
Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	408	408	194	408	0	0	381	0	-1
normalized size	1	1.00	0.48	1.00	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.336	0.390	0.215	0.000	0.800	11.341	0.000	0.000
Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	386	386	163	409	0	0	379	0	-1
normalized size	1	1.00	0.42	1.06	0.00	0.00	0.98	0.00	-0.00
time (sec)	N/A	0.347	0.247	0.185	0.000	0.742	13.191	0.000	0.000
Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	165	409	0	0	386	0	-1
normalized size	1	1.00	0.43	1.06	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.349	0.235	0.211	0.000	0.789	13.155	0.000	0.000
Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	392	392	163	408	0	0	406	0	-1
normalized size	1	1.00	0.42	1.04	0.00	0.00	1.04	0.00	-0.00
time (sec)	N/A	0.342	0.220	0.209	0.000	0.750	12.308	0.000	0.000

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	412	412	164	411	0	0	415	0	-1
normalized size	1	1.00	0.40	1.00	0.00	0.00	1.01	0.00	-0.00
time (sec)	N/A	0.394	0.246	0.220	0.000	0.748	13.003	0.000	0.000
Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	377	377	174	416	0	0	444	0	-1
normalized size	1	1.00	0.46	1.10	0.00	0.00	1.18	0.00	-0.00
time (sec)	N/A	0.371	0.316	0.206	0.000	0.792	18.590	0.000	0.000
Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	405	405	174	437	0	0	449	0	-1
normalized size	1	1.00	0.43	1.08	0.00	0.00	1.11	0.00	-0.00
time (sec)	N/A	0.425	0.354	0.213	0.000	0.777	21.885	0.000	0.000
Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	399	399	171	417	0	0	398	0	-1
normalized size	1	1.00	0.43	1.05	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.420	0.351	0.190	0.000	0.495	19.190	0.000	0.000
Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	172	441	0	0	401	0	-1
normalized size	1	1.00	0.41	1.04	0.00	0.00	0.95	0.00	-0.00
time (sec)	N/A	0.462	0.425	0.219	0.000	0.479	22.521	0.000	0.000
Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	449	449	149	462	0	0	403	0	-1
normalized size	1	1.00	0.33	1.03	0.00	0.00	0.90	0.00	-0.00
time (sec)	N/A	0.490	0.208	0.203	0.000	0.504	31.881	0.000	0.000

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	474	474	151	483	0	0	403	0	-1
normalized size	1	1.00	0.32	1.02	0.00	0.00	0.85	0.00	-0.00
time (sec)	N/A	0.549	0.213	0.219	0.000	0.474	27.900	0.000	0.000
Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	361	361	212	335	0	0	177	0	-1
normalized size	1	1.00	0.59	0.93	0.00	0.00	0.49	0.00	-0.00
time (sec)	N/A	0.300	0.144	0.226	0.000	0.480	10.787	0.000	0.000
Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	212	325	0	0	156	0	-1
normalized size	1	1.00	0.63	0.97	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.265	0.162	0.166	0.000	0.477	10.299	0.000	0.000
Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	193	248	0	0	156	0	-1
normalized size	1	1.00	0.63	0.81	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.222	0.183	0.189	0.000	0.526	10.862	0.000	0.000
Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	160	229	0	0	129	0	-1
normalized size	1	1.00	0.54	0.77	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	0.198	0.104	0.168	0.000	0.464	8.228	0.000	0.000
Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	150	208	0	0	128	0	-1
normalized size	1	1.00	0.54	0.75	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.142	0.105	0.175	0.000	0.469	6.145	0.000	0.000

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	285	159	222	0	0	126	0	-1
normalized size	1	1.00	0.56	0.78	0.00	0.00	0.44	0.00	-0.00
time (sec)	N/A	0.180	0.242	0.420	0.000	0.712	9.712	0.000	0.000
Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	309	309	157	299	0	0	128	0	-1
normalized size	1	1.00	0.51	0.97	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.224	0.252	0.204	0.000	0.700	6.572	0.000	0.000
Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	300	300	148	293	0	0	126	0	118
normalized size	1	1.00	0.49	0.98	0.00	0.00	0.42	0.00	0.39
time (sec)	N/A	0.216	0.152	0.180	0.000	0.514	6.333	0.000	5.849
Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	149	316	0	0	131	0	-1
normalized size	1	1.00	0.46	0.98	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.258	0.173	0.179	0.000	0.490	6.795	0.000	0.000
Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	346	346	147	335	0	0	158	0	-1
normalized size	1	1.00	0.42	0.97	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.281	0.156	0.211	0.000	0.516	8.547	0.000	0.000
Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	377	377	134	354	0	0	163	0	-1
normalized size	1	1.00	0.36	0.94	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	0.327	0.232	0.188	0.000	0.497	9.877	0.000	0.000

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	365	365	220	378	0	0	202	0	-1
normalized size	1	1.00	0.60	1.04	0.00	0.00	0.55	0.00	-0.00
time (sec)	N/A	0.523	0.190	0.193	0.000	0.475	51.872	0.000	0.000
Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	176	358	0	0	172	0	-1
normalized size	1	1.00	0.51	1.04	0.00	0.00	0.50	0.00	-0.00
time (sec)	N/A	0.367	0.167	0.191	0.000	0.571	43.257	0.000	0.000
Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	314	314	166	340	0	0	172	0	-1
normalized size	1	1.00	0.53	1.08	0.00	0.00	0.55	0.00	-0.00
time (sec)	N/A	0.268	0.158	0.168	0.000	0.499	26.108	0.000	0.000
Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	302	297	181	331	0	0	156	0	-1
normalized size	1	0.98	0.60	1.10	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.200	0.141	0.174	0.000	0.487	24.638	0.000	0.000
Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	165	331	0	0	156	0	-1
normalized size	1	1.00	0.50	0.99	0.00	0.00	0.47	0.00	-0.00
time (sec)	N/A	0.251	0.219	0.176	0.000	0.488	21.067	0.000	0.000
Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	116	250	0	0	133	0	-1
normalized size	1	1.00	0.38	0.83	0.00	0.00	0.44	0.00	-0.00
time (sec)	N/A	0.193	0.082	0.168	0.000	0.431	19.339	0.000	0.000

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	116	250	0	0	131	0	-1
normalized size	1	1.00	0.42	0.91	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.117	0.063	0.170	0.000	0.442	18.324	0.000	0.000
Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	125	336	0	0	289	0	-1
normalized size	1	1.00	0.39	1.04	0.00	0.00	0.89	0.00	-0.00
time (sec)	N/A	0.292	0.135	0.164	0.000	0.514	23.819	0.000	0.000
Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	344	344	123	355	0	0	291	0	133
normalized size	1	1.00	0.36	1.03	0.00	0.00	0.85	0.00	0.39
time (sec)	N/A	0.383	0.126	0.191	0.000	0.490	28.559	0.000	5.945
Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	367	367	140	363	0	0	316	0	147
normalized size	1	1.00	0.38	0.99	0.00	0.00	0.86	0.00	0.40
time (sec)	N/A	0.478	0.127	0.190	0.000	0.526	25.303	0.000	6.076
Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	136	383	0	0	321	0	-1
normalized size	1	1.00	0.35	0.99	0.00	0.00	0.83	0.00	-0.00
time (sec)	N/A	0.606	0.138	0.186	0.000	0.467	33.726	0.000	0.000
Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	174	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.256	0.240	0.469	0.000	0.462	0.000	0.000	0.000

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	170	147	0	0	0	141	0	-1
normalized size	1	1.19	1.03	0.00	0.00	0.00	0.99	0.00	-0.01
time (sec)	N/A	0.131	0.125	0.469	0.000	0.436	49.566	0.000	0.000
Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	145	0	0	0	143	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.82	0.00	-0.01
time (sec)	N/A	0.182	0.139	0.477	0.000	0.463	111.183	0.000	0.000
Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.010	0.001	0.037	1.302	0.403	0.085	0.170	0.023
Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	9	8	8	7	9	6
normalized size	1	1.00	1.00	0.90	0.80	0.80	0.70	0.90	0.60
time (sec)	N/A	0.015	0.001	0.042	1.334	0.399	0.080	0.192	0.056
Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	9	8	8	8	9	6
normalized size	1	1.00	1.00	0.90	0.80	0.80	0.80	0.90	0.60
time (sec)	N/A	0.013	0.001	0.041	1.392	0.396	0.093	0.182	4.992
Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	21	18	17	17	15	15	6
normalized size	1	1.00	2.10	1.80	1.70	1.70	1.50	1.50	0.60
time (sec)	N/A	0.010	0.003	0.047	1.329	0.417	0.110	0.196	0.097

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	17	16	16	24	16	16
normalized size	1	1.00	1.00	0.71	0.67	0.67	1.00	0.67	0.67
time (sec)	N/A	0.024	0.008	0.045	2.928	0.394	0.147	0.188	0.030
Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	46	39	49
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.92	0.78	0.98
time (sec)	N/A	0.049	0.020	0.051	2.887	0.410	0.212	0.202	0.131
Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	46	39	38	38	46	39	48
normalized size	1	1.00	0.92	0.78	0.76	0.76	0.92	0.78	0.96
time (sec)	N/A	0.048	0.016	0.049	2.954	0.440	0.242	0.183	4.987
Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	56	47	46	46	56	48	52
normalized size	1	1.00	0.93	0.78	0.77	0.77	0.93	0.80	0.87
time (sec)	N/A	0.051	0.014	0.048	2.944	0.443	0.226	0.188	5.010
Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	52	47	46	46	56	48	52
normalized size	1	1.00	0.87	0.78	0.77	0.77	0.93	0.80	0.87
time (sec)	N/A	0.049	0.013	0.050	3.076	0.408	0.232	0.181	4.975
Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	48	35	46
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.96	0.70	0.92
time (sec)	N/A	0.026	0.007	0.049	2.926	0.455	0.156	0.173	0.086

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	48	39	46
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.96	0.78	0.92
time (sec)	N/A	0.043	0.012	0.052	2.948	0.443	0.198	0.179	0.100
Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	100	85	84	115	105	86	100
normalized size	1	1.00	0.91	0.77	0.76	1.05	0.95	0.78	0.91
time (sec)	N/A	0.118	0.108	0.056	2.984	0.423	0.432	0.192	5.098
Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	97	85	84	115	105	86	100
normalized size	1	1.00	0.88	0.77	0.76	1.05	0.95	0.78	0.91
time (sec)	N/A	0.117	0.093	0.049	2.943	0.454	0.468	0.208	0.189
Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	122	68	61	91	70	63	52
normalized size	1	1.00	1.51	0.84	0.75	1.12	0.86	0.78	0.64
time (sec)	N/A	0.069	0.569	0.056	3.063	0.424	0.229	0.170	4.923
Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	84	73	74	126	82	76	77
normalized size	1	1.00	0.91	0.79	0.80	1.37	0.89	0.83	0.84
time (sec)	N/A	0.116	0.036	0.058	2.966	0.435	0.422	0.188	0.123
Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	119	115	105	256	124	111	120
normalized size	1	1.00	0.80	0.78	0.71	1.73	0.84	0.75	0.81
time (sec)	N/A	0.172	0.085	0.067	2.908	0.443	0.651	0.203	0.190

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	121	115	105	257	124	111	121
normalized size	1	1.00	0.83	0.79	0.72	1.76	0.85	0.76	0.83
time (sec)	N/A	0.173	0.090	0.066	2.896	0.459	0.647	0.177	5.089
Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	111	111	95	187	116	106	110
normalized size	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.77
time (sec)	N/A	0.148	0.072	0.060	2.983	0.426	0.639	0.180	5.080
Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	111	111	95	187	116	106	111
normalized size	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.78
time (sec)	N/A	0.145	0.074	0.061	2.884	0.431	0.572	0.243	0.189
Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	103	102	87	131	110	89	102
normalized size	1	1.00	0.91	0.90	0.77	1.16	0.97	0.79	0.90
time (sec)	N/A	0.082	0.068	0.062	2.936	0.421	0.529	0.174	0.172
Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	111	102	95	187	119	99	111
normalized size	1	1.00	0.85	0.78	0.73	1.43	0.91	0.76	0.85
time (sec)	N/A	0.148	0.080	0.060	2.986	0.430	0.695	0.177	0.190
Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	91	76	75	75	102	69	91
normalized size	1	1.00	0.92	0.77	0.76	0.76	1.03	0.70	0.92
time (sec)	N/A	0.063	0.037	0.050	2.988	0.403	0.395	0.192	5.096

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	130	0	0	0	654	0	-1
normalized size	1	1.00	0.80	0.00	0.00	0.00	4.04	0.00	-0.01
time (sec)	N/A	0.167	0.432	0.648	0.000	0.454	57.805	0.000	0.000
Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	108	130	118	305	1251	392	115
normalized size	1	1.00	1.29	1.55	1.40	3.63	14.89	4.67	1.37
time (sec)	N/A	0.056	0.228	0.063	1.356	0.449	8.171	0.262	5.135
Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	120	87	78	160	552	196	76
normalized size	1	1.00	1.97	1.43	1.28	2.62	9.05	3.21	1.25
time (sec)	N/A	0.040	0.152	0.063	1.397	0.436	4.269	0.219	5.058
Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	42	45	39	56	163	65	38
normalized size	1	1.00	1.02	1.10	0.95	1.37	3.98	1.59	0.93
time (sec)	N/A	0.023	0.133	0.056	1.293	0.457	2.027	0.222	5.056
Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	13	12	17	15	12	12
normalized size	1	1.00	1.00	1.08	1.00	1.42	1.25	1.00	1.00
time (sec)	N/A	0.003	0.002	0.043	1.319	0.443	0.067	0.167	5.011
Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	42	0	0	0	65	0	43
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.55	0.00	1.02
time (sec)	N/A	0.030	0.066	0.780	0.000	0.466	17.153	0.000	5.326

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	0	0	0	299	0	49
normalized size	1	1.00	1.00	0.00	0.00	0.00	6.80	0.00	1.11
time (sec)	N/A	0.029	0.117	1.034	0.000	0.444	51.151	0.000	5.349
Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	63	0	0	0	0	0	59
normalized size	1	1.00	1.37	0.00	0.00	0.00	0.00	0.00	1.28
time (sec)	N/A	0.030	0.115	0.707	0.000	0.420	0.000	0.000	5.414
Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	206	0	0	0	274	0	-1
normalized size	1	1.00	0.68	0.00	0.00	0.00	0.90	0.00	-0.00
time (sec)	N/A	0.232	0.561	0.695	0.000	0.000	55.356	0.000	0.000
Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	45	0	0	66	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	1.47	0.00	0.00	-0.02
time (sec)	N/A	0.395	0.305	0.691	0.000	0.458	0.000	0.000	0.000
Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	273	273	178	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.185	0.318	0.740	0.000	0.444	0.000	0.000	0.000
Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	204	0	0	0	0	0	-1
normalized size	1	1.00	0.69	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.208	0.302	0.664	0.000	0.462	0.000	0.000	0.000

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	147	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.124	0.393	0.651	0.000	0.456	0.000	0.000	0.000
Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	21	20	20	0	0	20
normalized size	1	1.00	1.00	0.88	0.83	0.83	0.00	0.00	0.83
time (sec)	N/A	0.053	0.176	0.052	2.126	0.415	0.000	0.000	5.587
Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F(-1)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	93	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.103	0.203	180.000	0.000	0.000	0.000	0.000	0.000
Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	0	0	61	0	228	95
normalized size	1	1.00	1.00	0.00	0.00	2.18	0.00	8.14	3.39
time (sec)	N/A	0.101	0.346	1.082	0.000	0.949	0.000	0.422	5.197
Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	46	138	77	119	0	237	124
normalized size	1	1.00	1.02	3.07	1.71	2.64	0.00	5.27	2.76
time (sec)	N/A	0.157	0.410	0.575	3.039	1.086	0.000	0.426	5.367
Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	52	59	54	0	115	76
normalized size	1	1.00	1.00	1.68	1.90	1.74	0.00	3.71	2.45
time (sec)	N/A	0.205	0.601	0.171	2.672	0.856	0.000	0.556	5.298

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	41	136	92	88	0	155	106
normalized size	1	1.00	0.91	3.02	2.04	1.96	0.00	3.44	2.36
time (sec)	N/A	0.553	0.888	0.502	3.035	0.990	0.000	0.809	5.640

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [124] had the largest ratio of [.6923]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	1	1.00	20	0.050
2	A	2	1	1.00	22	0.045
3	A	2	1	1.00	22	0.045
4	A	2	1	1.00	25	0.040
5	A	2	1	1.00	27	0.037
6	A	2	1	1.00	27	0.037
7	A	6	6	1.00	15	0.400
8	A	7	7	1.00	15	0.467
9	A	8	7	1.00	15	0.467
10	A	9	7	1.00	15	0.467
11	A	6	6	1.00	15	0.400
12	A	6	6	1.00	16	0.375
13	A	3	3	1.00	11	0.273
14	A	3	3	1.00	15	0.200
15	A	3	3	1.00	13	0.231
16	A	3	3	1.00	13	0.231
17	A	6	6	1.00	15	0.400
18	A	3	3	1.00	19	0.158
19	A	3	3	1.00	21	0.143
20	A	3	3	1.00	31	0.097

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	3	3	1.00	36	0.083
22	A	12	10	1.00	35	0.286
23	A	11	9	1.00	33	0.273
24	A	10	8	1.00	36	0.222
25	A	10	10	1.00	19	0.526
26	A	9	9	1.00	18	0.500
27	A	4	4	1.00	27	0.148
28	A	4	4	1.00	28	0.143
29	A	4	4	1.00	24	0.167
30	A	4	4	1.00	24	0.167
31	A	4	4	1.00	26	0.154
32	A	4	4	1.00	26	0.154
33	A	4	4	1.00	28	0.143
34	A	4	4	1.00	30	0.133
35	A	4	4	1.00	29	0.138
36	A	4	4	1.00	29	0.138
37	A	4	4	1.00	29	0.138
38	A	4	4	1.00	32	0.125
39	A	6	6	1.00	13	0.462
40	A	4	4	1.00	49	0.082
41	A	4	4	1.00	57	0.070
42	A	2	2	1.00	31	0.065
43	A	2	2	1.00	42	0.048
44	A	4	4	1.00	42	0.095
45	A	4	4	1.00	45	0.089
46	A	4	4	1.00	45	0.089
47	A	4	4	1.00	44	0.091
48	A	3	3	1.00	20	0.150
49	A	6	6	1.00	20	0.300
50	A	2	2	1.00	16	0.125
51	A	5	5	1.00	20	0.250
52	A	3	3	1.00	18	0.167
53	A	2	1	1.00	30	0.033
54	A	2	1	1.00	30	0.033
55	A	2	1	1.00	28	0.036
56	A	2	1	1.00	30	0.033

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
57	A	7	7	1.00	30	0.233
58	A	8	8	1.00	30	0.267
59	A	7	5	1.00	32	0.156
60	A	6	5	1.00	32	0.156
61	A	5	5	1.00	32	0.156
62	A	4	4	1.00	32	0.125
63	A	5	5	1.00	32	0.156
64	A	6	5	1.00	32	0.156
65	A	7	5	1.00	32	0.156
66	A	7	6	1.00	32	0.188
67	A	6	6	1.00	32	0.188
68	A	5	5	1.00	32	0.156
69	A	6	6	1.00	32	0.188
70	A	8	8	1.00	17	0.471
71	A	10	9	1.00	17	0.529
72	A	10	9	0.99	17	0.529
73	A	10	9	0.99	22	0.409
74	A	10	9	1.00	22	0.409
75	A	10	9	1.00	22	0.409
76	A	9	8	1.00	17	0.471
77	A	9	8	1.00	19	0.421
78	A	8	7	1.00	18	0.389
79	A	3	3	1.00	18	0.167
80	A	3	3	1.00	22	0.136
81	A	1	1	1.00	20	0.050
82	A	1	1	1.00	20	0.050
83	A	3	3	1.00	33	0.091
84	A	3	3	1.00	35	0.086
85	A	1	1	1.00	36	0.028
86	A	1	1	1.00	36	0.028
87	A	3	3	1.00	30	0.100
88	A	3	3	1.00	32	0.094
89	A	1	1	1.00	33	0.030
90	A	1	1	1.00	33	0.030
91	A	1	1	1.00	20	0.050
92	A	1	1	1.00	24	0.042

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
93	A	3	3	1.00	22	0.136
94	A	3	3	1.00	22	0.136
95	A	1	1	1.00	20	0.050
96	A	1	1	1.00	20	0.050
97	A	3	3	1.00	18	0.167
98	A	3	3	1.00	22	0.136
99	A	1	1	1.00	35	0.029
100	A	1	1	1.00	37	0.027
101	A	3	3	1.00	38	0.079
102	A	3	3	1.00	38	0.079
103	A	1	1	1.00	32	0.031
104	A	1	1	1.00	34	0.029
105	A	3	3	1.00	35	0.086
106	A	3	3	1.00	35	0.086
107	A	3	3	1.00	17	0.176
108	A	3	3	1.00	18	0.167
109	A	3	3	1.00	19	0.158
110	A	3	3	1.00	20	0.150
111	A	3	3	1.00	15	0.200
112	A	3	3	1.00	17	0.176
113	A	3	3	1.00	15	0.200
114	A	3	3	1.00	17	0.176
115	A	7	5	1.00	16	0.312
116	A	13	9	1.00	15	0.600
117	A	8	6	1.00	16	0.375
118	A	14	10	1.00	15	0.667
119	A	9	6	1.00	16	0.375
120	A	15	10	1.00	15	0.667
121	A	10	6	1.00	16	0.375
122	A	16	10	1.00	15	0.667
123	A	7	5	1.00	15	0.333
124	A	13	9	1.00	13	0.692
125	A	7	5	1.00	21	0.238
126	A	13	9	1.00	20	0.450
127	A	8	6	1.00	21	0.286
128	A	14	10	1.00	20	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
129	A	9	6	1.00	21	0.286
130	A	15	10	1.00	20	0.500
131	A	10	6	1.00	21	0.286
132	A	16	10	1.00	20	0.500
133	A	3	2	1.00	11	0.182
134	A	3	2	1.00	12	0.167
135	A	2	1	1.00	15	0.067
136	A	3	2	1.00	14	0.143
137	A	2	1	1.00	17	0.059
138	A	3	2	1.00	19	0.105
139	A	2	1	1.00	20	0.050
140	A	2	2	1.00	14	0.143
141	A	4	3	1.00	17	0.176
142	A	4	3	1.00	19	0.158
143	A	3	2	1.00	20	0.100
144	A	4	3	1.00	21	0.143
145	A	3	2	1.00	22	0.091
146	A	4	3	1.00	24	0.125
147	A	3	2	1.00	25	0.080
148	A	3	2	1.00	25	0.080
149	A	8	6	1.00	26	0.231
150	A	9	7	1.00	26	0.269
151	A	10	7	1.00	26	0.269
152	A	10	7	1.00	11	0.636
153	A	3	3	1.00	12	0.250
154	A	13	9	1.00	15	0.600
155	A	10	7	1.00	14	0.500
156	A	9	6	1.00	17	0.353
157	A	14	10	1.00	19	0.526
158	A	13	9	1.00	20	0.450
159	A	2	2	1.00	14	0.143
160	A	12	8	1.00	17	0.471
161	A	5	5	1.00	19	0.263
162	A	15	11	1.00	20	0.550
163	A	13	9	1.00	21	0.429
164	A	12	8	1.00	22	0.364

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
165	A	16	12	1.00	24	0.500
166	A	15	11	1.00	25	0.440
167	A	2	2	1.00	19	0.105
168	A	11	8	1.00	17	0.471
169	A	9	7	1.00	20	0.350
170	A	15	11	1.00	19	0.579
171	A	11	8	1.00	31	0.258
172	A	8	6	1.00	31	0.194
173	A	9	7	1.00	31	0.226
174	A	10	8	1.00	31	0.258
175	A	17	12	1.00	30	0.400
176	A	14	10	1.00	30	0.333
177	A	15	11	1.00	30	0.367
178	A	16	12	1.00	30	0.400
179	A	2	2	1.00	21	0.095
180	A	2	2	1.00	21	0.095
181	A	2	1	1.00	19	0.053
182	A	2	2	1.00	19	0.105
183	A	2	2	1.00	21	0.095
184	A	2	2	1.00	21	0.095
185	A	2	2	1.00	21	0.095
186	A	13	9	1.00	36	0.250
187	A	13	9	1.00	41	0.220
188	A	13	9	1.00	46	0.196
189	A	19	13	1.00	35	0.371
190	A	19	13	1.00	40	0.325
191	A	19	13	1.00	45	0.289
192	A	8	6	1.00	36	0.167
193	A	8	6	1.00	41	0.146
194	A	10	8	1.00	46	0.174
195	A	14	10	1.00	35	0.286
196	A	14	10	1.00	40	0.250
197	A	16	12	1.00	45	0.267
198	A	9	7	1.00	36	0.194
199	A	9	7	1.00	41	0.171
200	A	9	7	1.00	46	0.152

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
201	A	15	11	1.00	35	0.314
202	A	15	11	1.00	40	0.275
203	A	15	11	1.00	45	0.244
204	A	10	8	1.00	36	0.222
205	A	10	8	1.00	41	0.195
206	A	10	8	1.00	46	0.174
207	A	16	12	1.00	35	0.343
208	A	16	12	1.00	40	0.300
209	A	16	12	1.00	45	0.267
210	A	6	5	1.00	17	0.294
211	A	7	6	1.00	18	0.333
212	A	7	6	1.00	19	0.316
213	A	6	5	1.00	20	0.250
214	A	8	7	1.00	22	0.318
215	A	1	1	1.00	23	0.043
216	A	1	1	1.00	26	0.038
217	A	1	1	1.00	28	0.036
218	A	1	1	1.00	31	0.032
219	A	1	1	1.00	15	0.067
220	A	12	10	1.00	42	0.238
221	A	3	2	1.00	11	0.182
222	A	3	2	1.00	15	0.133
223	A	3	2	1.00	30	0.067
224	A	3	2	1.00	30	0.067
225	A	3	2	1.00	30	0.067
226	A	3	2	1.00	30	0.067
227	A	3	2	1.00	30	0.067
228	A	3	2	1.00	30	0.067
229	A	3	2	1.00	30	0.067
230	A	3	2	1.00	30	0.067
231	A	3	2	1.00	30	0.067
232	A	3	2	1.00	30	0.067
233	A	9	8	1.00	30	0.267
234	A	9	8	1.00	30	0.267
235	A	9	8	1.00	30	0.267
236	A	9	8	1.00	30	0.267

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
237	A	9	8	1.00	30	0.267
238	A	9	8	1.00	28	0.286
239	A	8	7	1.00	27	0.259
240	A	8	7	1.00	30	0.233
241	A	8	7	1.00	30	0.233
242	A	8	7	1.00	30	0.233
243	A	8	7	1.00	30	0.233
244	A	8	7	1.00	30	0.233
245	A	8	7	1.00	30	0.233
246	A	8	7	1.00	30	0.233
247	A	8	7	1.00	30	0.233
248	A	8	7	1.00	30	0.233
249	A	8	7	1.00	30	0.233
250	A	8	7	1.00	30	0.233
251	A	3	2	1.00	30	0.067
252	A	3	2	1.00	30	0.067
253	A	3	2	1.00	30	0.067
254	A	3	2	1.00	30	0.067
255	A	3	2	1.00	30	0.067
256	A	3	2	1.00	30	0.067
257	A	3	2	1.00	30	0.067
258	A	3	2	1.00	30	0.067
259	A	3	2	1.00	30	0.067
260	A	9	8	1.00	30	0.267
261	A	12	10	1.00	30	0.333
262	A	9	8	1.00	30	0.267
263	A	11	10	1.00	30	0.333
264	A	9	8	1.00	30	0.267
265	A	10	9	1.00	28	0.321
266	A	9	9	1.00	27	0.333
267	A	9	8	1.00	30	0.267
268	A	9	8	1.00	30	0.267
269	A	9	8	1.00	30	0.267
270	A	9	8	1.00	30	0.267
271	A	9	8	1.00	30	0.267
272	A	9	8	1.00	30	0.267

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
273	A	9	8	1.00	30	0.267
274	A	9	8	1.00	30	0.267
275	A	9	8	1.00	30	0.267
276	A	3	2	1.00	30	0.067
277	A	3	2	1.00	30	0.067
278	A	3	2	1.00	30	0.067
279	A	3	2	1.00	30	0.067
280	A	3	2	1.00	30	0.067
281	A	3	2	1.00	30	0.067
282	A	3	2	1.00	30	0.067
283	A	3	2	1.00	30	0.067
284	A	3	2	1.00	30	0.067
285	A	3	2	1.00	30	0.067
286	A	10	9	1.00	30	0.300
287	A	14	10	1.00	30	0.333
288	A	10	9	1.00	30	0.300
289	A	13	10	1.00	30	0.333
290	A	10	9	1.00	30	0.300
291	A	12	10	1.00	30	0.333
292	A	10	10	1.00	30	0.333
293	A	10	10	1.00	28	0.357
294	A	9	9	1.00	27	0.333
295	A	9	9	1.00	30	0.300
296	A	9	9	1.00	30	0.300
297	A	10	9	1.00	30	0.300
298	A	10	9	1.00	30	0.300
299	A	10	8	1.00	30	0.267
300	A	10	8	1.00	30	0.267
301	A	10	8	1.00	30	0.267
302	A	10	8	1.00	30	0.267
303	A	10	8	1.00	30	0.267
304	A	8	7	1.00	16	0.438
305	A	5	4	1.00	16	0.250
306	A	8	7	1.00	16	0.438
307	A	6	6	1.00	14	0.429
308	A	6	5	1.00	16	0.312

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
309	A	6	5	1.00	16	0.312
310	A	3	2	1.00	16	0.125
311	A	6	6	1.00	14	0.429
312	A	6	6	1.00	16	0.375
313	A	2	1	1.00	21	0.048
314	A	2	1	1.00	19	0.053
315	A	2	1	1.00	18	0.056
316	A	2	1	1.00	21	0.048
317	A	2	1	1.00	21	0.048
318	A	2	1	1.00	21	0.048
319	A	3	2	1.00	23	0.087
320	A	3	2	1.00	21	0.095
321	A	3	2	1.00	20	0.100
322	A	2	1	1.00	23	0.043
323	A	2	1	1.00	23	0.043
324	A	2	1	1.00	23	0.043
325	A	3	2	1.00	23	0.087
326	A	3	2	1.00	21	0.095
327	A	3	2	1.00	20	0.100
328	A	2	1	1.00	23	0.043
329	A	2	1	1.00	23	0.043
330	A	2	1	1.00	23	0.043
331	A	3	2	1.00	23	0.087
332	A	3	2	1.00	21	0.095
333	A	3	2	1.00	20	0.100
334	A	2	1	1.00	23	0.043
335	A	2	1	1.00	23	0.043
336	A	2	1	1.00	23	0.043
337	A	10	9	1.00	23	0.391
338	A	10	9	1.00	23	0.391
339	A	10	9	1.00	21	0.429
340	A	8	8	1.00	20	0.400
341	A	10	9	1.00	23	0.391
342	A	10	9	1.00	23	0.391
343	A	10	9	1.00	23	0.391
344	A	7	7	1.00	23	0.304

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
345	A	7	7	1.00	21	0.333
346	A	7	7	1.00	20	0.350
347	A	11	10	1.00	23	0.435
348	A	11	10	1.00	23	0.435
349	A	11	10	1.00	23	0.435
350	A	11	10	1.00	23	0.435
351	A	8	8	1.00	23	0.348
352	A	8	8	1.00	21	0.381
353	A	8	8	1.00	20	0.400
354	A	12	10	1.00	23	0.435
355	A	12	10	1.00	23	0.435
356	A	12	10	1.00	23	0.435
357	A	12	10	1.00	23	0.435
358	A	9	8	1.00	23	0.348
359	A	9	9	1.00	21	0.429
360	A	9	8	1.00	20	0.400
361	A	13	10	1.00	23	0.435
362	A	13	10	1.00	23	0.435
363	A	13	10	1.00	23	0.435
364	A	13	10	1.00	23	0.435
365	A	5	5	1.00	20	0.250
366	A	4	4	1.00	18	0.222
367	A	5	5	1.00	20	0.250
368	A	4	4	1.00	18	0.222
369	A	4	4	1.00	27	0.148
370	A	4	4	1.00	29	0.138
371	A	4	4	1.00	28	0.143
372	A	4	4	1.00	28	0.143
373	A	2	1	1.00	36	0.028
374	A	2	1	1.00	36	0.028
375	A	2	1	1.00	36	0.028
376	A	2	1	1.00	34	0.029
377	A	2	1	1.00	33	0.030
378	A	2	1	1.00	36	0.028
379	A	2	1	1.00	36	0.028
380	A	2	1	1.00	36	0.028

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
381	A	2	1	1.00	36	0.028
382	A	2	1	1.00	36	0.028
383	A	2	1	1.00	38	0.026
384	A	2	1	1.00	38	0.026
385	A	3	2	1.00	38	0.053
386	A	3	2	1.00	36	0.056
387	A	3	2	1.00	35	0.057
388	A	3	2	1.00	38	0.053
389	A	3	2	1.00	38	0.053
390	A	3	2	1.00	38	0.053
391	A	2	1	1.00	38	0.026
392	A	2	1	1.00	38	0.026
393	A	2	1	1.00	38	0.026
394	A	2	1	1.00	38	0.026
395	A	3	2	1.00	38	0.053
396	A	3	2	1.00	36	0.056
397	A	3	2	1.00	35	0.057
398	A	3	2	1.00	38	0.053
399	A	3	2	1.00	38	0.053
400	A	3	2	1.00	38	0.053
401	A	2	1	1.00	38	0.026
402	A	2	1	1.00	38	0.026
403	A	13	10	1.00	38	0.263
404	A	13	10	1.00	38	0.263
405	A	13	10	1.00	38	0.263
406	A	13	10	1.00	36	0.278
407	A	10	9	0.99	35	0.257
408	A	10	9	0.99	38	0.237
409	A	10	9	1.00	38	0.237
410	A	10	9	0.99	38	0.237
411	A	10	9	0.99	38	0.237
412	A	11	10	1.00	38	0.263
413	A	11	10	1.00	38	0.263
414	A	11	10	0.99	38	0.263
415	A	11	10	1.00	36	0.278
416	A	9	9	1.00	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
417	A	11	10	0.99	38	0.263
418	A	11	10	1.00	38	0.263
419	A	11	10	0.99	38	0.263
420	A	11	10	0.99	38	0.263
421	A	12	11	1.00	38	0.290
422	A	10	10	1.00	38	0.263
423	A	8	8	1.00	38	0.210
424	A	8	8	1.00	36	0.222
425	A	8	8	1.00	35	0.229
426	A	12	10	0.99	38	0.263
427	A	12	10	1.00	38	0.263
428	A	12	10	0.99	38	0.263
429	A	12	10	0.99	38	0.263
430	A	10	7	1.00	25	0.280
431	A	8	7	1.00	25	0.280
432	A	6	6	1.00	23	0.261
433	A	5	5	1.00	22	0.227
434	A	7	7	1.00	25	0.280
435	A	8	8	1.00	25	0.320
436	A	9	8	1.00	25	0.320
437	A	8	7	1.00	25	0.280
438	A	7	7	1.00	25	0.280
439	A	6	6	1.00	25	0.240
440	A	4	4	1.00	25	0.160
441	A	6	6	1.00	23	0.261
442	A	4	4	1.00	22	0.182
443	A	10	10	1.00	25	0.400
444	A	11	11	1.00	25	0.440
445	A	13	9	1.00	35	0.257
446	A	11	9	1.00	35	0.257
447	A	9	8	1.00	33	0.242
448	A	8	7	1.00	32	0.219
449	A	11	11	1.00	35	0.314
450	A	11	11	1.00	35	0.314
451	A	10	9	1.00	35	0.257
452	A	11	9	1.00	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
453	A	12	9	1.00	35	0.257
454	A	10	10	1.00	35	0.286
455	A	11	10	1.00	35	0.286
456	A	12	10	1.00	35	0.286
457	A	13	10	1.00	35	0.286
458	A	14	9	1.00	35	0.257
459	A	12	9	1.00	35	0.257
460	A	10	8	1.00	33	0.242
461	A	9	7	1.00	32	0.219
462	A	12	11	1.00	35	0.314
463	A	12	11	1.00	35	0.314
464	A	11	9	1.00	35	0.257
465	A	12	9	1.00	35	0.257
466	A	13	9	1.00	35	0.257
467	A	11	11	1.00	35	0.314
468	A	12	11	1.00	35	0.314
469	A	13	11	1.00	35	0.314
470	A	11	10	1.00	35	0.286
471	A	12	10	1.00	35	0.286
472	A	13	10	1.00	35	0.286
473	A	14	10	1.00	35	0.286
474	A	8	7	1.18	20	0.350
475	A	7	4	1.17	21	0.190
476	A	7	4	1.17	23	0.174
477	A	2	1	1.00	23	0.043
478	A	2	1	1.00	26	0.038
479	A	3	2	1.00	25	0.080
480	A	3	2	1.00	28	0.071
481	A	3	2	1.00	25	0.080
482	A	3	2	1.00	28	0.071
483	A	3	2	1.00	25	0.080
484	A	3	2	1.00	28	0.071
485	A	9	7	1.00	26	0.269
486	A	12	9	1.00	29	0.310
487	A	15	11	1.00	25	0.440
488	A	18	13	1.00	28	0.464

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
489	A	14	10	1.00	25	0.400
490	A	14	10	1.00	28	0.357
491	A	15	11	1.00	25	0.440
492	A	15	11	1.00	28	0.393
493	A	16	11	1.00	25	0.440
494	A	16	11	1.00	28	0.393
495	A	14	12	1.00	30	0.400
496	A	13	11	1.00	30	0.367
497	A	12	11	1.00	30	0.367
498	A	12	11	1.00	28	0.393
499	A	11	10	1.00	27	0.370
500	A	14	13	1.00	30	0.433
501	A	14	13	1.00	30	0.433
502	A	14	13	1.00	30	0.433
503	A	15	14	1.00	30	0.467
504	A	13	13	1.00	30	0.433
505	A	14	14	1.00	30	0.467
506	A	12	12	1.00	30	0.400
507	A	13	12	1.00	30	0.400
508	A	14	13	1.00	30	0.433
509	A	15	13	1.00	30	0.433
510	A	16	12	1.00	30	0.400
511	A	15	11	1.00	30	0.367
512	A	14	11	1.00	30	0.367
513	A	14	11	1.00	28	0.393
514	A	13	10	1.00	27	0.370
515	A	16	13	1.00	30	0.433
516	A	16	14	1.00	30	0.467
517	A	16	15	1.00	30	0.500
518	A	16	14	1.00	30	0.467
519	A	15	15	1.00	30	0.500
520	A	15	15	1.00	30	0.500
521	A	15	15	1.00	30	0.500
522	A	16	16	1.00	30	0.533
523	A	14	13	1.00	30	0.433
524	A	15	14	1.00	30	0.467

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
525	A	13	12	1.00	30	0.400
526	A	14	12	1.00	30	0.400
527	A	15	13	1.00	30	0.433
528	A	16	13	1.00	30	0.433
529	A	12	10	1.00	30	0.333
530	A	11	9	1.00	30	0.300
531	A	10	9	1.00	30	0.300
532	A	10	9	1.00	28	0.321
533	A	9	8	1.00	27	0.296
534	A	12	11	1.00	30	0.367
535	A	13	12	1.00	30	0.400
536	A	11	10	1.00	30	0.333
537	A	12	10	1.00	30	0.333
538	A	13	11	1.00	30	0.367
539	A	14	11	1.00	30	0.367
540	A	12	11	1.00	30	0.367
541	A	11	10	1.00	30	0.333
542	A	10	9	1.00	30	0.300
543	A	9	8	0.98	30	0.267
544	A	10	9	1.00	30	0.300
545	A	7	6	1.00	28	0.214
546	A	4	4	1.00	27	0.148
547	A	11	10	1.00	30	0.333
548	A	13	12	1.00	30	0.400
549	A	15	12	1.00	30	0.400
550	A	17	13	1.00	30	0.433
551	A	14	4	1.00	30	0.133
552	A	12	8	1.19	25	0.320
553	A	13	7	1.00	28	0.250
554	A	2	2	1.00	22	0.091
555	A	2	2	1.00	35	0.057
556	A	2	2	1.00	35	0.057
557	A	2	2	1.00	22	0.091
558	A	3	3	1.00	25	0.120
559	A	6	5	1.00	15	0.333
560	A	6	5	1.00	15	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
561	A	7	6	1.00	20	0.300
562	A	7	6	1.00	20	0.300
563	A	7	7	1.00	17	0.412
564	A	7	6	1.00	25	0.240
565	A	11	6	1.00	35	0.171
566	A	11	6	1.00	35	0.171
567	A	8	5	1.00	22	0.227
568	A	11	7	1.00	25	0.280
569	A	17	7	1.00	15	0.467
570	A	17	7	1.00	15	0.467
571	A	14	7	1.00	20	0.350
572	A	14	7	1.00	20	0.350
573	A	15	9	1.00	17	0.529
574	A	14	7	1.00	25	0.280
575	A	13	7	1.00	18	0.389
576	A	7	4	1.00	36	0.111
577	A	4	3	1.00	19	0.158
578	A	4	3	1.00	19	0.158
579	A	4	2	1.00	17	0.118
580	A	1	0	1.00	9	0.000
581	A	3	3	1.00	19	0.158
582	A	3	3	1.00	19	0.158
583	A	3	3	1.00	19	0.158
584	A	13	4	1.00	38	0.105
585	A	2	2	1.00	58	0.034
586	A	10	3	1.00	30	0.100
587	A	13	4	1.00	36	0.111
588	A	4	4	1.00	35	0.114
589	A	1	1	1.00	46	0.022
590	A	10	8	1.00	24	0.333
591	A	1	1	1.00	48	0.021
592	A	1	1	1.00	45	0.022
593	A	1	1	1.00	69	0.014
594	A	1	1	1.00	86	0.012

Chapter 3

Listing of integrals

$$3.1 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=72

$$\frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd-2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

[Out] $2/3*(-2*a*e+b*d)*(b*x+a)^{(3/2)}/b^3+2/5*e*(b*x+a)^{(5/2)}/b^3+2*(a^2*e-a*b*d+b^2*c)*(b*x+a)^{(1/2)}/b^3$

Rubi [A] time = 0.03, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {698}

$$\frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd-2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)*\text{Sqrt}[a + b*x])/b^3 + (2*(b*d - 2*a*e)*(a + b*x)^{(3/2)})/(3*b^3) + (2*e*(a + b*x)^{(5/2)})/(5*b^3)$

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx &= \int \left(\frac{b^2c-abd+a^2e}{b^2\sqrt{a+bx}} + \frac{(bd-2ae)\sqrt{a+bx}}{b^2} + \frac{e(a+bx)^{3/2}}{b^2} \right) dx \\ &= \frac{2(b^2c-abd+a^2e)\sqrt{a+bx}}{b^3} + \frac{2(bd-2ae)(a+bx)^{3/2}}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3} \end{aligned}$$

Mathematica [A] time = 0.16, size = 53, normalized size = 0.74

$$\frac{2\sqrt{a+bx}(8a^2e-2ab(5d+2ex)+b^2(15c+x(5d+3ex)))}{15b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(8*a^2*e - 2*a*b*(5*d + 2*e*x) + b^2*(15*c + x*(5*d + 3*e*x))))/(15*b^3)

fricas [A] time = 0.62, size = 53, normalized size = 0.74

$$\frac{2(3b^2ex^2 + 15b^2c - 10abd + 8a^2e + (5b^2d - 4abe)x)\sqrt{bx+a}}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/15*(3*b^2*e*x^2 + 15*b^2*c - 10*a*b*d + 8*a^2*e + (5*b^2*d - 4*a*b*e)*x)*sqrt(b*x + a)/b^3

giac [A] time = 0.16, size = 78, normalized size = 1.08

$$\frac{2\left(15\sqrt{bx+a}c + \frac{5\left((bx+a)^{\frac{3}{2}} - 3\sqrt{bx+a}a\right)d}{b} + \frac{\left(3(bx+a)^{\frac{5}{2}} - 10(bx+a)^{\frac{3}{2}}a + 15\sqrt{bx+a}a^2\right)e}{b^2}\right)}{15b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="giac")

[Out] 2/15*(15*sqrt(b*x + a)*c + 5*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + (3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2)/b

maple [A] time = 0.06, size = 53, normalized size = 0.74

$$\frac{2\sqrt{bx+a}(3ex^2b^2 - 4abex + 5b^2dx + 8a^2e - 10abd + 15b^2c)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x+a)^(1/2), x)

[Out] 2/15*(b*x+a)^(1/2)*(3*b^2*e*x^2-4*a*b*e*x+5*b^2*d*x+8*a^2*e-10*a*b*d+15*b^2*c)/b^3

maxima [A] time = 0.92, size = 77, normalized size = 1.07

$$\frac{2\left(15\sqrt{bx+a}c + \frac{5\left((bx+a)^{\frac{3}{2}} - 3\sqrt{bx+a}a\right)d}{b} + \frac{\left(3(bx+a)^{\frac{5}{2}} - 10(bx+a)^{\frac{3}{2}}a + 15\sqrt{bx+a}a^2\right)e}{b^2}\right)}{15b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="maxima")

[Out] 2/15*(15*sqrt(b*x + a)*c + 5*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + (3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2)/b

mupad [B] time = 4.72, size = 58, normalized size = 0.81

$$\frac{2\sqrt{a+bx}(3e(a+bx)^2 + 15b^2c + 15a^2e - 10ae(a+bx) + 5bd(a+bx) - 15abd)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x)^(1/2), x)`

[Out] $(2*(a + b*x)^{(1/2)}*(3*e*(a + b*x)^2 + 15*b^2*c + 15*a^2*e - 10*a*e*(a + b*x) + 5*b*d*(a + b*x) - 15*a*b*d))/(15*b^3)$

sympy [A] time = 11.05, size = 223, normalized size = 3.10

$$\left\{ \begin{array}{l} \frac{-\frac{2ac}{\sqrt{a+bx}} - \frac{2ad\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{2ae\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - 2c\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right) - \frac{2d\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b} - \frac{2e\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a^3\right)}{b^2}}{\frac{cx + \frac{dx^2}{2} + \frac{ex^3}{3}}{\sqrt{a}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x+a)**(1/2), x)`

[Out] `Piecewise(((-2*a*c/sqrt(a + b*x) - 2*a*d*(-a/sqrt(a + b*x) - sqrt(a + b*x)) /b - 2*a*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b**2 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2)/b, Ne(b, 0)), ((c*x + d*x**2/2 + e*x**3/3)/sqrt(a), True))`

$$3.2 \quad \int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=161

$$-\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde-(b^2(2ce+d^2)))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^5}$$

[Out] $4/3*(-2*a*e+b*d)*(a^2*e-a*b*d+b^2*c)*(b*x+a)^{(3/2)}/b^5-2/5*(6*a*b*d*e-6*a^2*e^2-b^2*(2*c*e+d^2))*(b*x+a)^{(5/2)}/b^5+4/7*e*(-2*a*e+b*d)*(b*x+a)^{(7/2)}/b^5+2/9*e^2*(b*x+a)^{(9/2)}/b^5+2*(a^2*e-a*b*d+b^2*c)^2*(b*x+a)^{(1/2)}/b^5$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$-\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde+b^2(-2ce+d^2))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)^2*\text{Sqrt}[a + b*x])/b^5 + (4*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)*(a + b*x)^{(3/2)})/(3*b^5) - (2*(6*a*b*d*e - 6*a^2*e^2 - b^2*(d^2 + 2*c*e))*(a + b*x)^{(5/2)})/(5*b^5) + (4*e*(b*d - 2*a*e)*(a + b*x)^{(7/2)})/(7*b^5) + (2*e^2*(a + b*x)^{(9/2)})/(9*b^5)$

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx = \int \left(\frac{(b^2c - abd + a^2e)^2}{b^4\sqrt{a+bx}} + \frac{2(bd - 2ae)(b^2c - abd + a^2e)\sqrt{a+bx}}{b^4} + \frac{(-6abde + 6a^2e^2 + b^2d^2 + 2c^2e)}{b^4} \right) dx$$

$$= \frac{2(b^2c - abd + a^2e)^2\sqrt{a+bx}}{b^5} + \frac{4(bd - 2ae)(b^2c - abd + a^2e)(a+bx)^{3/2}}{3b^5} - \frac{2(6abde - 6a^2e^2 - b^2d^2 - 2c^2e)}{3b^5}$$

Mathematica [A] time = 0.29, size = 155, normalized size = 0.96

$$\frac{2\sqrt{a+bx}(128a^4e^2 - 32a^3be(9d + 2ex) + 24a^2b^2(2e(7c + ex^2) + 7d^2 + 6dex) - 4ab^3(21c(5d + 2ex) + x(21d^2 + 21d^2 + 6d^2e + 2e(7c + ex^2))) - 4a^2b^3(21c(5d + 2ex) + x(21d^2 + 21d^2 + 6d^2e + 2e(7c + ex^2)))}{315b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] $(2*\text{Sqrt}[a + b*x]*(128*a^4*e^2 - 32*a^3*b*e*(9*d + 2*e*x) + 24*a^2*b^2*(7*d^2 + 6*d^2*e + 2*e*(7*c + e*x^2))) - 4*a*b^3*(21*c*(5*d + 2*e*x) + x*(21*d^2 + 21*d^2 + 6*d^2*e + 2*e*(7*c + e*x^2))) - 4*a^2*b^3*(21*c*(5*d + 2*e*x) + x*(21*d^2 + 21*d^2 + 6*d^2*e + 2*e*(7*c + e*x^2)))$

+ 27*d*e*x + 10*e^2*x^2)) + b^4*(315*c^2 + 42*c*x*(5*d + 3*e*x) + x^2*(63*d^2 + 90*d*e*x + 35*e^2*x^2)))/(315*b^5)

fricas [A] time = 0.68, size = 192, normalized size = 1.19

$$2 \left(35 b^4 e^2 x^4 + 315 b^4 c^2 - 420 a b^3 c d + 168 a^2 b^2 d^2 + 128 a^4 e^2 + 10 (9 b^4 d e - 4 a b^3 e^2) x^3 + 3 (21 b^4 d^2 + 16 a^2 b^2 e^2 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/315*(35*b^4*e^2*x^4 + 315*b^4*c^2 - 420*a*b^3*c*d + 168*a^2*b^2*d^2 + 128*a^4*e^2 + 10*(9*b^4*d*e - 4*a*b^3*e^2)*x^3 + 3*(21*b^4*d^2 + 16*a^2*b^2*e^2 + 6*(7*b^4*c - 6*a*b^3*d)*e)*x^2 + 48*(7*a^2*b^2*c - 6*a^3*b*d)*e + 2*(10*5*b^4*c*d - 42*a*b^3*d^2 - 32*a^3*b*e^2 - 12*(7*a*b^3*c - 6*a^2*b^2*d)*e)*x)*sqrt(b*x + a)/b^5

giac [A] time = 0.17, size = 237, normalized size = 1.47

$$2 \left(315 \sqrt{bx+a} c^2 + \frac{210 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) cd}{b} + \frac{21 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) d^2}{b^2} + \frac{42 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e^2}{b^2} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="giac")

[Out] 2/315*(315*sqrt(b*x + a)*c^2 + 210*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c*d/b + 21*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*d^2/b^2 + 42*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*e/b^2 + 18*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d*e/b^3 + (35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*e^2/b^4)/b

maple [A] time = 0.05, size = 194, normalized size = 1.20

$$2 \sqrt{bx+a} \left(35e^2x^4b^4 - 40ab^3e^2x^3 + 90b^4dex^3 + 48a^2b^2e^2x^2 - 108ab^3dex^2 + 126b^4cex^2 + 63b^4d^2x^2 - 64a^3be^2 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x)

[Out] 2/315*(b*x+a)^(1/2)*(35*b^4*e^2*x^4-40*a*b^3*e^2*x^3+90*b^4*d*e*x^3+48*a^2*b^2*e^2*x^2-108*a*b^3*d*e*x^2+126*b^4*c*e*x^2+63*b^4*d^2*x^2-64*a^3*b*e^2*x+144*a^2*b^2*d*e*x-168*a*b^3*c*e*x-84*a*b^3*d^2*x+210*b^4*c*d*x+128*a^4*e^2-288*a^3*b*d*e+336*a^2*b^2*c*e+168*a^2*b^2*d^2-420*a*b^3*c*d+315*b^4*c^2)/b^5

maxima [A] time = 0.90, size = 237, normalized size = 1.47

$$2 \left(315 \sqrt{bx+a} c^2 + 42 c \left(\frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right) + \frac{21 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e^2}{b^2} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="maxima")

```
[Out] 2/315*(315*sqrt(b*x + a)*c^2 + 42*c*(5*((b*x + a)^(3/2) - 3*sqrt(b*x + a))*a
)*d/b + (3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e
/b^2) + 21*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2
)*d^2/b^2 + 18*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)
)*a^2 - 35*sqrt(b*x + a)*a^3)*d*e/b^3 + (35*(b*x + a)^(9/2) - 180*(b*x + a)
)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*
x + a)*a^4)*e^2/b^4)/b
```

mupad [B] time = 4.76, size = 149, normalized size = 0.93

$$\frac{2e^2(a+bx)^{9/2}}{9b^5} + \frac{(a+bx)^{5/2}(12a^2e^2 - 12abde + 2b^2d^2 + 4cb^2e)}{5b^5} + \frac{2\sqrt{a+bx}(ea^2 - dab + cb^2)^2}{b^5} - (8ae^2 - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)^2/(a + b*x)^(1/2), x)
```

```
[Out] (2*e^2*(a + b*x)^(9/2))/(9*b^5) + ((a + b*x)^(5/2)*(12*a^2*e^2 + 2*b^2*d^2
+ 4*b^2*c*e - 12*a*b*d*e))/(5*b^5) + (2*(a + b*x)^(1/2)*(b^2*c + a^2*e - a*
b*d)^2)/b^5 - ((8*a*e^2 - 4*b*d*e)*(a + b*x)^(7/2))/(7*b^5) - (4*(2*a*e - b
*d)*(a + b*x)^(3/2)*(b^2*c + a^2*e - a*b*d))/(3*b^5)
```

sympy [A] time = 85.15, size = 644, normalized size = 4.00

$$\left\{ \begin{array}{l} \frac{\frac{2ac^2}{\sqrt{a+bx}} - \frac{4acd\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{4ace\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - \frac{2ad^2\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - \frac{4ade\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5}\right)}{b^3}}{\sqrt{a}} \\ \frac{c^2x+cdx^2+\frac{dex^4}{2}+\frac{e^2x^5}{5}+\frac{x^3(2ce+d^2)}{3}}{\sqrt{a}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)**2/(b*x+a)**(1/2), x)
```

```
[Out] Piecewise(((((-2*a*c**2/sqrt(a + b*x) - 4*a*c*d*(-a/sqrt(a + b*x) - sqrt(a +
b*x))/b - 4*a*c*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2
)/3)/b**2 - 2*a*d**2*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(
3/2)/3)/b**2 - 4*a*d*e*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a +
b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**3 - 2*a*e**2*(a**4/sqrt(a + b*x) + 4*
a**3*sqrt(a + b*x) - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a
+ b*x)**(7/2)/7)/b**4 - 2*c**2*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 4*c*d*(
a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 4*c*e*(-a*
*3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(
5/2)/5)/b**2 - 2*d**2*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a +
b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2 - 4*d*e*(a**4/sqrt(a + b*x) + 4*a**3
*sqrt(a + b*x) - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*
x)**(7/2)/7)/b**3 - 2*e**2*(-a**5/sqrt(a + b*x) - 5*a**4*sqrt(a + b*x) + 10
*a**3*(a + b*x)**(3/2)/3 - 2*a**2*(a + b*x)**(5/2) + 5*a*(a + b*x)**(7/2)/7
- (a + b*x)**(9/2)/9)/b**4)/b, Ne(b, 0)), ((c**2*x + c*d*x**2 + d*e*x**4/2
+ e**2*x**5/5 + x**3*(2*c*e + d**2)/3)/sqrt(a), True))
```

$$3.3 \quad \int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=274

$$\frac{2e(a+bx)^{9/2}(-5a^2e^2+5abde-(b^2(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde-(b^2(6ce+d^2)))}{7b^7}$$

[Out] $2*(-2*a*e+b*d)*(a^2*e-a*b*d+b^2*c)^2*(b*x+a)^{(3/2)}/b^7-6/5*(a^2*e-a*b*d+b^2*c)*(5*a*b*d*e-5*a^2*e^2-b^2*(c*e+d^2))*(b*x+a)^{(5/2)}/b^7-2/7*(-2*a*e+b*d)*(10*a*b*d*e-10*a^2*e^2-b^2*(6*c*e+d^2))*(b*x+a)^{(7/2)}/b^7-2/3*e*(5*a*b*d*e-5*a^2*e^2-b^2*(c*e+d^2))*(b*x+a)^{(9/2)}/b^7+6/11*e^2*(-2*a*e+b*d)*(b*x+a)^{(11/2)}/b^7+2/13*e^3*(b*x+a)^{(13/2)}/b^7+2*(a^2*e-a*b*d+b^2*c)^3*(b*x+a)^{(1/2)}/b^7$

Rubi [A] time = 0.19, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$\frac{2e(a+bx)^{9/2}(-5a^2e^2+5abde+b^2(-(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde+b^2(-(6ce+d^2)))}{7b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)^3*\text{Sqrt}[a + b*x])/b^7 + (2*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)^2*(a + b*x)^{(3/2)})/b^7 - (6*(b^2*c - a*b*d + a^2*e)*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^{(5/2)})/(5*b^7) - (2*(b*d - 2*a*e)*(10*a*b*d*e - 10*a^2*e^2 - b^2*(d^2 + 6*c*e))*(a + b*x)^{(7/2)})/(7*b^7) - (2*e*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^{(9/2)})/(3*b^7) + (6*e^2*(b*d - 2*a*e)*(a + b*x)^{(11/2)})/(11*b^7) + (2*e^3*(a + b*x)^{(13/2)})/(13*b^7)$

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx &= \int \left(\frac{(b^2c - abd + a^2e)^3}{b^6\sqrt{a+bx}} + \frac{3(bd - 2ae)(b^2c - abd + a^2e)^2\sqrt{a+bx}}{b^6} + \frac{3(b^2c - abd + a^2e)}{b^6} \right) dx \\ &= \frac{2(b^2c - abd + a^2e)^3\sqrt{a+bx}}{b^7} + \frac{2(bd - 2ae)(b^2c - abd + a^2e)^2(a+bx)^{3/2}}{b^7} - \frac{6(b^2c - abd + a^2e)}{b^6} \end{aligned}$$

Mathematica [A] time = 1.03, size = 294, normalized size = 1.07

$$\frac{2\sqrt{a+bx}(c+x(d+ex))^3}{b} - \frac{4(a+bx)^{3/2}(-2560a^5e^3+640a^4be^2(13d+6ex)-64a^3b^2e(e(143c+75ex^2)+143d+6ex))}{b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^3/Sqrt[a + b*x],x]

[Out] (2*Sqrt[a + b*x]*(c + x*(d + e*x))^3)/b - (4*(a + b*x)^(3/2)*(-2560*a^5*e^3 + 640*a^4*b*e^2*(13*d + 6*e*x) - 64*a^3*b^2*e*(143*d^2 + 195*d*e*x + e*(143*c + 75*e*x^2)) + 8*a^2*b^3*(429*d^3 + 1716*d^2*e*x + 78*d*e*(33*c + 25*e*x^2) + 4*e^2*x*(429*c + 175*e*x^2)) + b^5*(3003*c^2*(5*d + 6*e*x) + 286*c*x*(63*d^2 + 135*d*e*x + 70*e^2*x^2) + 5*x^2*(1287*d^3 + 4004*d^2*e*x + 4095*d*e^2*x^2 + 1386*e^3*x^3)) - 4*a*b^4*(3003*c^2*e + 429*c*(7*d^2 + 18*d*e*x + 10*e^2*x^2) + x*(1287*d^3 + 4290*d^2*e*x + 4550*d*e^2*x^2 + 1575*e^3*x^3)))/(15015*b^7)

fricas [A] time = 0.58, size = 457, normalized size = 1.67

$$2 \left(1155 b^6 e^3 x^6 + 15015 b^6 c^3 - 30030 a b^5 c^2 d + 24024 a^2 b^4 c d^2 - 6864 a^3 b^3 d^3 + 5120 a^6 e^3 + 315 (13 b^6 d e^2 - 4 a b^5 e^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/15015*(1155*b^6*e^3*x^6 + 15015*b^6*c^3 - 30030*a*b^5*c^2*d + 24024*a^2*b^4*c*d^2 - 6864*a^3*b^3*d^3 + 5120*a^6*e^3 + 315*(13*b^6*d*e^2 - 4*a*b^5*e^3)*x^5 + 35*(143*b^6*d^2*e + 40*a^2*b^4*e^3 + 13*(11*b^6*c - 10*a*b^5*d)*e^2)*x^4 + 5*(429*b^6*d^3 - 320*a^3*b^3*e^3 - 104*(11*a*b^5*c - 10*a^2*b^4*d)*e^2 + 286*(9*b^6*c*d - 4*a*b^5*d^2)*e)*x^3 + 1664*(11*a^4*b^2*c - 10*a^5*b*d)*e^2 + 3*(3003*b^6*c*d^2 - 858*a*b^5*d^3 + 640*a^4*b^2*e^3 + 208*(11*a^2*b^4*c - 10*a^3*b^3*d)*e^2 + 143*(21*b^6*c^2 - 36*a*b^5*c*d + 16*a^2*b^4*d^2)*e)*x^2 + 1144*(21*a^2*b^4*c^2 - 36*a^3*b^3*c*d + 16*a^4*b^2*d^2)*e + (15015*b^6*c^2*d - 12012*a*b^5*c*d^2 + 3432*a^2*b^4*d^3 - 2560*a^5*b*e^3 - 832*(11*a^3*b^3*c - 10*a^4*b^2*d)*e^2 - 572*(21*a*b^5*c^2 - 36*a^2*b^4*c*d + 16*a^3*b^3*d^2)*e)*x)*sqrt(b*x + a)/b^7

giac [B] time = 0.23, size = 526, normalized size = 1.92

$$2 \left(15015 \sqrt{bx+a} c^3 + \frac{15015 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) c^2 d}{b} + \frac{3003 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) c d^2}{b^2} + \frac{3003 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a \right) c^2}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out] 2/15015*(15015*sqrt(b*x + a)*c^3 + 15015*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c^2*d/b + 3003*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*d^2/b^2 + 3003*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c^2*e/b^2 + 429*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d^3/b^3 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c*d*e/b^3 + 143*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*d^2*e/b^4 + 143*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*c*e^2/b^4 + 65*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*d*e^2/b^5 + 5*(231*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*e^3/b^6)/b

maple [A] time = 0.05, size = 495, normalized size = 1.81

$$2\sqrt{bx+a} \left(1155e^3x^6b^6 - 1260ab^5e^3x^5 + 4095b^6de^2x^5 + 1400a^2b^4e^3x^4 - 4550ab^5de^2x^4 + 5005b^6ce^2x^4 + 5005b^6c^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x)`

[Out]
$$\frac{2}{15015} (b*x+a)^{1/2} * (1155*b^6*e^3*x^6 - 1260*a*b^5*e^3*x^5 + 4095*b^6*d*e^2*x^5 + 1400*a^2*b^4*e^3*x^4 - 4550*a*b^5*d*e^2*x^4 + 5005*b^6*c*e^2*x^4 + 5005*b^6*d^2*e*x^4 - 1600*a^3*b^3*e^3*x^3 + 5200*a^2*b^4*d*e^2*x^3 - 5720*a*b^5*c*e^2*x^3 - 5720*a*b^5*d^2*e*x^3 + 12870*b^6*c*d*e*x^3 + 2145*b^6*d^3*x^3 + 1920*a^4*b^2*e^3*x^2 - 6240*a^3*b^3*d*e^2*x^2 + 6864*a^2*b^4*c*e^2*x^2 + 6864*a^2*b^4*d^2*e*x^2 - 15444*a*b^5*c*d*e*x^2 - 2574*a*b^5*d^3*x^2 + 9009*b^6*c^2*e*x^2 + 9009*b^6*c*d^2*x^2 - 2560*a^5*b*e^3*x + 8320*a^4*b^2*d*e^2*x - 9152*a^3*b^3*c*e^2*x - 9152*a^3*b^3*d^2*e*x + 20592*a^2*b^4*c*d*e*x + 3432*a^2*b^4*d^3*x - 12012*a*b^5*c^2*e*x - 12012*a*b^5*c*d^2*x + 15015*b^6*c^2*d*x + 5120*a^6*e^3 - 16640*a^5*b*d*e^2 + 18304*a^4*b^2*c*e^2 + 18304*a^4*b^2*d^2*e - 41184*a^3*b^3*c*d*e - 6864*a^3*b^3*d^3 + 24024*a^2*b^4*c^2*e + 24024*a^2*b^4*c*d^2 - 30030*a*b^5*c^2*d + 15015*b^6*c^3) / b^7$$

maxima [B] time = 0.98, size = 525, normalized size = 1.92

$$2 \left(15015 \sqrt{bx+a} c^3 + 3003 c^2 \left(\frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right) \right) + 143 c \left(\frac{21 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{18 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) d e}{b^3} + \frac{35 (bx+a)^{\frac{9}{2}} - 180 (bx+a)^{\frac{7}{2}} a + 378 (bx+a)^{\frac{5}{2}} a^2 - 420 (bx+a)^{\frac{3}{2}} a^3 + 315 \sqrt{bx+a} a^4}{b^4} e^2 + \frac{429 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) d^3}{b^3} + \frac{143 \left(35 (bx+a)^{\frac{9}{2}} - 180 (bx+a)^{\frac{7}{2}} a + 378 (bx+a)^{\frac{5}{2}} a^2 - 420 (bx+a)^{\frac{3}{2}} a^3 + 315 \sqrt{bx+a} a^4 \right) d^2 e}{b^4} + \frac{65 \left(63 (bx+a)^{\frac{11}{2}} - 385 (bx+a)^{\frac{9}{2}} a + 990 (bx+a)^{\frac{7}{2}} a^2 - 1386 (bx+a)^{\frac{5}{2}} a^3 + 1155 (bx+a)^{\frac{3}{2}} a^4 - 693 \sqrt{bx+a} a^5 \right) d e^2}{b^5} + \frac{5 \left(231 (bx+a)^{\frac{13}{2}} - 1638 (bx+a)^{\frac{11}{2}} a + 5005 (bx+a)^{\frac{9}{2}} a^2 - 8580 (bx+a)^{\frac{7}{2}} a^3 + 9009 (bx+a)^{\frac{5}{2}} a^4 - 6006 (bx+a)^{\frac{3}{2}} a^5 + 3003 \sqrt{bx+a} a^6 \right) e^3}{b^6} \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{2}{15015} (15015 \sqrt{bx+a} c^3 + 3003 c^2 (5 ((bx+a)^{3/2} - 3 \sqrt{bx+a}) a) d / b + (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) e / b^2) + 143 c (21 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) d^2 / b^2 + 18 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) d e / b^3 + (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) e^2 / b^4) + \frac{429 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) d^3}{b^3} + \frac{143 (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) d^2 e}{b^4} + \frac{65 (63 (bx+a)^{11/2} - 385 (bx+a)^{9/2} a + 990 (bx+a)^{7/2} a^2 - 1386 (bx+a)^{5/2} a^3 + 1155 (bx+a)^{3/2} a^4 - 693 \sqrt{bx+a} a^5) d e^2}{b^5} + \frac{5 (231 (bx+a)^{13/2} - 1638 (bx+a)^{11/2} a + 5005 (bx+a)^{9/2} a^2 - 8580 (bx+a)^{7/2} a^3 + 9009 (bx+a)^{5/2} a^4 - 6006 (bx+a)^{3/2} a^5 + 3003 \sqrt{bx+a} a^6) e^3}{b^6} / b$$

mupad [B] time = 0.10, size = 299, normalized size = 1.09

$$\frac{2 e^3 (a + b x)^{13/2}}{13 b^7} - \frac{(12 a e^3 - 6 b d e^2) (a + b x)^{11/2}}{11 b^7} + \frac{(a + b x)^{9/2} (30 a^2 e^3 - 30 a b d e^2 + 6 b^2 d^2 e + 6 c b^2 e^2)}{9 b^7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)^3/(a + b*x)^(1/2),x)`

[Out]
$$\frac{2 e^3 (a + b x)^{13/2}}{(13 b^7)} - \frac{((12 a e^3 - 6 b d e^2) (a + b x)^{11/2})}{(11 b^7)} + \frac{((a + b x)^{9/2} (30 a^2 e^3 + 6 b^2 c e^2 + 6 b^2 d^2 e - 30 a b d e^2))}{(9 b^7)} + \frac{(2 (a + b x)^{1/2} (b^2 c + a^2 e - a b d)^3)}{b^7} + \frac{((a + b x)^{5/2} (30 a^4 e^3 - 6 a^2 b^3 d^3 + 6 b^4 c d^2 + 6 b^4 c^2 e + 36 a^2 b^2 c e^2 + 36 a^2 b^2 d^2 e - 60 a^3 b d e^2 - 36 a b^3 c d e))}{(5 b^7)} - \frac{(2 (2 a e - b d) (a + b x)^{7/2} (10 a^2 e^2 + b^2 d^2 + 6 b^2 c e - 10 a b d e))}{(7 b^7)} - \frac{(2 (2 a e - b d) (a + b x)^{3/2} (b^2 c + a^2 e - a b d)^2)}{b^7}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)**3/(b*x+a)**(1/2),x)

[Out] Timed out

$$3.4 \quad \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=114

$$\frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2\sqrt{a+bx}(a^3(-f)+a^2be-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)}{7b^4}$$

[Out] $2/3*(3*a^2*f-2*a*b*e+b^2*d)*(b*x+a)^{(3/2)}/b^4+2/5*(-3*a*f+b*e)*(b*x+a)^{(5/2)}/b^4+2/7*f*(b*x+a)^{(7/2)}/b^4+2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*(b*x+a)^{(1/2)}/b^4$

Rubi [A] time = 0.07, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1850}

$$\frac{2\sqrt{a+bx}(a^2be+a^3(-f)-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)}{7b^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] $(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Sqrt}[a + b*x])/b^4 + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(a + b*x)^{(3/2)})/(3*b^4) + (2*(b*e - 3*a*f)*(a + b*x)^{(5/2)})/(5*b^4) + (2*f*(a + b*x)^{(7/2)})/(7*b^4)$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx &= \int \left(\frac{b^3c-ab^2d+a^2be-a^3f}{b^3\sqrt{a+bx}} + \frac{(b^2d-2abe+3a^2f)\sqrt{a+bx}}{b^3} + \frac{(be-3af)(a+bx)}{b^3} \right) dx \\ &= \frac{2(b^3c-ab^2d+a^2be-a^3f)\sqrt{a+bx}}{b^4} + \frac{2(b^2d-2abe+3a^2f)(a+bx)^{3/2}}{3b^4} + \frac{2(be-3af)(a+bx)^{5/2}}{5b^4} \end{aligned}$$

Mathematica [A] time = 0.18, size = 82, normalized size = 0.72

$$\frac{2\sqrt{a+bx}(-48a^3f+8a^2b(7e+3fx)-2ab^2(35d+x(14e+9fx))+b^3(105c+x(35d+3x(7e+5fx))))}{105b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] $(2*\text{Sqrt}[a + b*x]*(-48*a^3*f + 8*a^2*b*(7*e + 3*f*x) - 2*a*b^2*(35*d + x*(14*e + 9*f*x)) + b^3*(105*c + x*(35*d + 3*x*(7*e + 5*f*x))))/(105*b^4)$

fricas [A] time = 0.60, size = 90, normalized size = 0.79

$$\frac{2(15b^3fx^3+105b^3c-70ab^2d+56a^2be-48a^3f+3(7b^3e-6ab^2f)x^2+(35b^3d-28ab^2e+24a^2bf)x)\sqrt{a+bx}}{105b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] $2/105*(15*b^3*f*x^3 + 105*b^3*c - 70*a*b^2*d + 56*a^2*b*e - 48*a^3*f + 3*(7*b^3*e - 6*a*b^2*f)*x^2 + (35*b^3*d - 28*a*b^2*e + 24*a^2*b*f)*x)*\text{sqrt}(b*x + a)/b^4$

giac [A] time = 0.17, size = 129, normalized size = 1.13

$$2 \frac{\left(105 \sqrt{bx+a} c + \frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) f}{b^3} \right)}{105 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="giac")

[Out] $2/105*(105*\text{sqrt}(b*x + a)*c + 35*((b*x + a)^{(3/2)} - 3*\text{sqrt}(b*x + a)*a)*d/b + 7*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)}*a + 15*\text{sqrt}(b*x + a)*a^2)*e/b^2 + 3*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\text{sqrt}(b*x + a)*a^3)*f/b^3)/b$

maple [A] time = 0.04, size = 91, normalized size = 0.80

$$\frac{2\sqrt{bx+a} \left(-15f x^3 b^3 + 18a b^2 f x^2 - 21b^3 e x^2 - 24a^2 b f x + 28a b^2 e x - 35b^3 d x + 48a^3 f - 56a^2 b e + 70a b^2 d - 105b^3 c \right)}{105b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x)

[Out] $-2/105*(b*x+a)^{(1/2)}*(-15*b^3*f*x^3+18*a*b^2*f*x^2-21*b^3*e*x^2-24*a^2*b*f*x+28*a*b^2*e*x-35*b^3*d*x+48*a^3*f-56*a^2*b*e+70*a*b^2*d-105*b^3*c)/b^4$

maxima [A] time = 0.83, size = 128, normalized size = 1.12

$$2 \frac{\left(105 \sqrt{bx+a} c + \frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) f}{b^3} \right)}{105 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $2/105*(105*\text{sqrt}(b*x + a)*c + 35*((b*x + a)^{(3/2)} - 3*\text{sqrt}(b*x + a)*a)*d/b + 7*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)}*a + 15*\text{sqrt}(b*x + a)*a^2)*e/b^2 + 3*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\text{sqrt}(b*x + a)*a^3)*f/b^3)/b$

mupad [B] time = 4.81, size = 103, normalized size = 0.90

$$\frac{(a+bx)^{3/2} (6fa^2 - 4eab + 2db^2)}{3b^4} - \frac{(6af - 2be)(a+bx)^{5/2}}{5b^4} + \frac{\sqrt{a+bx} (-2fa^3 + 2ea^2b - 2dab^2 + 2cb^3)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x)^(1/2),x)


```
[Out] ((a + b*x)^(3/2)*(2*b^2*d + 6*a^2*f - 4*a*b*e))/(3*b^4) - ((6*a*f - 2*b*e)*
(a + b*x)^(5/2))/(5*b^4) + ((a + b*x)^(1/2)*(2*b^3*c - 2*a^3*f - 2*a*b^2*d
+ 2*a^2*b*e))/b^4 + (2*f*(a + b*x)^(7/2))/(7*b^4)
```

sympy [A] time = 45.83, size = 354, normalized size = 3.11

$$\left\{ \begin{array}{l} \frac{\frac{2ac}{\sqrt{a+bx}} - \frac{2ad\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{2ae\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - \frac{2af\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5}\right)}{b^3} - 2c\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right) - \frac{2d\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b}}{cx + \frac{dx^2}{2} + \frac{ex^3}{3} + \frac{fx^4}{4}} \\ \frac{1}{\sqrt{a}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x+a)**(1/2), x)
```

```
[Out] Piecewise((( -2*a*c/sqrt(a + b*x) - 2*a*d*(-a/sqrt(a + b*x) - sqrt(a + b*x))
/b - 2*a*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b*
*2 - 2*a*f*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2)
- (a + b*x)**(5/2)/5)/b**3 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*
(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**
3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5
/2)/5)/b**2 - 2*f*(a**4/sqrt(a + b*x) + 4*a**3*sqrt(a + b*x) - 2*a**2*(a +
b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*x)**(7/2)/7)/b**3)/b, Ne(b, 0
)), ((c*x + d*x**2/2 + e*x**3/3 + f*x**4/4)/sqrt(a), True))
```

$$3.5 \quad \int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=320

$$\frac{2(a+bx)^{9/2}(-15a^2f^2+10abef-(b^2(2df+e^2)))}{9b^7} + \frac{4(a+bx)^{7/2}(-10a^3f^2+10a^2bef-2ab^2(2df+e^2)+b^3(cf+de))}{7b^7}$$

[Out] $4/3*(3*a^2*f-2*a*b*e+b^2*d)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*(b*x+a)^{(3/2)}/b^7+2/5*(b^4*(2*c*e+d^2)-20*a^3*b*e*f+15*a^4*f^2-6*a*b^3*(c*f+d*e)+6*a^2*b^2*(2*d*f+e^2))*(b*x+a)^{(5/2)}/b^7+4/7*(10*a^2*b*e*f-10*a^3*f^2+b^3*(c*f+d*e)-2*a*b^2*(2*d*f+e^2))*(b*x+a)^{(7/2)}/b^7-2/9*(10*a*b*e*f-15*a^2*f^2-b^2*(2*d*f+e^2))*(b*x+a)^{(9/2)}/b^7+4/11*f*(-3*a*f+b*e)*(b*x+a)^{(11/2)}/b^7+2/13*f^2*(b*x+a)^{(13/2)}/b^7+2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^2*(b*x+a)^{(1/2)}/b^7$

Rubi [A] time = 0.24, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

$$\frac{2(a+bx)^{5/2}(6a^2b^2(2df+e^2)-20a^3bef+15a^4f^2-6ab^3(cf+de)+b^4(2ce+d^2))}{5b^7} + \frac{4(a+bx)^{7/2}(10a^2bef-10a^3f^2+b^3(cf+de))}{7b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] $(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*\text{Sqrt}[a + b*x])/b^7 + (4*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^{(3/2)})/(3*b^7) + (2*(b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^{(5/2)})/(5*b^7) + (4*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^{(7/2)})/(7*b^7) - (2*(10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^{(9/2)})/(9*b^7) + (4*f*(b*e - 3*a*f)*(a + b*x)^{(11/2)})/(11*b^7) + (2*f^2*(a + b*x)^{(13/2)})/(13*b^7)$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])]

Rubi steps

$$\int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx = \int \left(\frac{(b^3c - ab^2d + a^2be - a^3f)^2}{b^6\sqrt{a+bx}} + \frac{2(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^6} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)^2 \sqrt{a+bx}}{b^7} + \frac{4(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{3b^7}$$

Mathematica [A] time = 0.57, size = 303, normalized size = 0.95

$$2\left(-\frac{1}{9}(a+bx)^{9/2}(-15a^2f^2+10abef-(b^2(2df+e^2)))\right) + \frac{2}{7}(a+bx)^{7/2}(-10a^3f^2+10a^2bef-2ab^2(2df+e^2)+b^3(cf+de))$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x],x]

[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*Sqrt[a + b*x] + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^(3/2)))/3 + ((b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^(5/2))/5 + (2*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^(7/2))/7 - ((10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^(9/2))/9 + (2*f*(b*e - 3*a*f)*(a + b*x)^(11/2))/11 + (f^2*(a + b*x)^(13/2))/13)/b^7

fricas [A] time = 0.54, size = 417, normalized size = 1.30

$$2 \left(3465 b^6 f^2 x^6 + 45045 b^6 c^2 - 60060 a b^5 c d + 24024 a^2 b^4 d^2 + 18304 a^4 b^2 e^2 + 15360 a^6 f^2 + 630 (13 b^6 e f - 6 a \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/45045*(3465*b^6*f^2*x^6 + 45045*b^6*c^2 - 60060*a*b^5*c*d + 24024*a^2*b^4*d^2 + 18304*a^4*b^2*e^2 + 15360*a^6*f^2 + 630*(13*b^6*e*f - 6*a*b^5*f^2)*x^5 + 35*(143*b^6*e^2 + 120*a^2*b^4*f^2 + 26*(11*b^6*d - 10*a*b^5*e)*f)*x^4 + 10*(1287*b^6*d*e - 572*a*b^5*e^2 - 480*a^3*b^3*f^2 + 13*(99*b^6*c - 88*a*b^5*d + 80*a^2*b^4*e)*f)*x^3 + 3*(3003*b^6*d^2 + 2288*a^2*b^4*e^2 + 1920*a^4*b^2*f^2 + 858*(7*b^6*c - 6*a*b^5*d)*e - 52*(99*a*b^5*c - 88*a^2*b^4*d + 80*a^3*b^3*e)*f)*x^2 + 6864*(7*a^2*b^4*c - 6*a^3*b^3*d)*e - 416*(99*a^3*b^3*c - 88*a^4*b^2*d + 80*a^5*b*e)*f + 2*(15015*b^6*c*d - 6006*a*b^5*d^2 - 4576*a^3*b^3*e^2 - 3840*a^5*b*f^2 - 1716*(7*a*b^5*c - 6*a^2*b^4*d)*e + 104*(99*a^2*b^4*c - 88*a^3*b^3*d + 80*a^4*b^2*e)*f)*x)*sqrt(b*x + a)/b^7

giac [A] time = 0.20, size = 516, normalized size = 1.61

$$2 \left(45045 \sqrt{bx+a} c^2 + \frac{30030 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) cd}{b} + \frac{3003 \left(3(bx+a)^{\frac{5}{2}} - 10(bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) d^2}{b^2} + \frac{6006 \left(3(bx+a)^{\frac{5}{2}} - 10(bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) f^2}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="giac")

[Out] 2/45045*(45045*sqrt(b*x + a)*c^2 + 30030*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c*d/b + 3003*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*d^2/b^2 + 6006*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*e/b^2 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c*f/b^3 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d*e/b^3 + 286*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*d*f/b^4 + 143*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*e^2/b^4 + 130*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*f*e/b^5 + 15*(2*31*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*f^2/b^6)/b

maple [A] time = 0.05, size = 447, normalized size = 1.40

$$2\sqrt{bx+a} \left(3465f^2x^6b^6 - 3780ab^5f^2x^5 + 8190b^6efx^5 + 4200a^2b^4f^2x^4 - 9100ab^5efx^4 + 10010b^6dfx^4 + 5000 \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x)`

[Out] $2/45045*(b*x+a)^{(1/2)}*(3465*b^6*f^2*x^6-3780*a*b^5*f^2*x^5+8190*b^6*e*f*x^5+4200*a^2*b^4*f^2*x^4-9100*a*b^5*e*f*x^4+10010*b^6*d*f*x^4+5005*b^6*e^2*x^4-4800*a^3*b^3*f^2*x^3+10400*a^2*b^4*e*f*x^3-11440*a*b^5*d*f*x^3-5720*a*b^5*e^2*x^3+12870*b^6*c*f*x^3+12870*b^6*d*e*x^3+5760*a^4*b^2*f^2*x^2-12480*a^3*b^3*e*f*x^2+13728*a^2*b^4*d*f*x^2+6864*a^2*b^4*e^2*x^2-15444*a*b^5*c*f*x^2-15444*a*b^5*d*e*x^2+18018*b^6*c*e*x^2+9009*b^6*d^2*x^2-7680*a^5*b*f^2*x+16640*a^4*b^2*e*f*x-18304*a^3*b^3*d*f*x-9152*a^3*b^3*e^2*x+20592*a^2*b^4*c*f*x+20592*a^2*b^4*d*e*x-24024*a*b^5*c*e*x-12012*a*b^5*d^2*x+30030*b^6*c*d*x+15360*a^6*f^2-33280*a^5*b*e*f+36608*a^4*b^2*d*f+18304*a^4*b^2*e^2-41184*a^3*b^3*c*f-41184*a^3*b^3*d*e+48048*a^2*b^4*c*e+24024*a^2*b^4*d^2-60060*a*b^5*c*d+45045*b^6*c^2)/b^7$

maxima [A] time = 1.00, size = 500, normalized size = 1.56

$$2 \left(45045 \sqrt{bx+a} c^2 + 858 c \left(\frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 \right) f}{b^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="maxima")`

[Out] $2/45045*(45045*\sqrt{b*x+a}*c^2+858*c*(35*((b*x+a)^{(3/2)}-3*\sqrt{b*x+a})*a)*d/b+7*(3*(b*x+a)^{(5/2)}-10*(b*x+a)^{(3/2)}*a+15*\sqrt{b*x+a})*a^2)*e/b^2+3*(5*(b*x+a)^{(7/2)}-21*(b*x+a)^{(5/2)}*a+35*(b*x+a)^{(3/2)})*a^2-35*\sqrt{b*x+a})*a^3)*f/b^3+3003*(3*(b*x+a)^{(5/2)}-10*(b*x+a)^{(3/2)}*a+15*\sqrt{b*x+a})*a^2)*d^2/b^2+143*(35*(b*x+a)^{(9/2)}-180*(b*x+a)^{(7/2)}*a+378*(b*x+a)^{(5/2)}*a^2-420*(b*x+a)^{(3/2)}*a^3+315*\sqrt{b*x+a})*a^4)*e^2/b^4+286*(35*(b*x+a)^{(9/2)}*f+45*(b*e-4*a*f)*(b*x+a)^{(7/2)}-189*(a*b*e-2*a^2*f)*(b*x+a)^{(5/2)}+105*(3*a^2*b*e-4*a^3*f)*(b*x+a)^{(3/2)}-315*(a^3*b*e-a^4*f)*\sqrt{b*x+a})*d/b^4+130*(63*(b*x+a)^{(11/2)}-385*(b*x+a)^{(9/2)}*a+990*(b*x+a)^{(7/2)}*a^2-1386*(b*x+a)^{(5/2)}*a^3+1155*(b*x+a)^{(3/2)}*a^4-693*\sqrt{b*x+a})*a^5)*e*f/b^5+15*(231*(b*x+a)^{(13/2)}-1638*(b*x+a)^{(11/2)}*a+5005*(b*x+a)^{(9/2)}*a^2-8580*(b*x+a)^{(7/2)}*a^3+9009*(b*x+a)^{(5/2)}*a^4-6006*(b*x+a)^{(3/2)}*a^5+3003*\sqrt{b*x+a})*a^6)*f^2/b^6)/b$

mupad [B] time = 4.70, size = 316, normalized size = 0.99

$$\frac{2 \sqrt{a+bx} (-fa^3+ea^2b-dab^2+cb^3)^2}{b^7} + \frac{2f^2(a+bx)^{13/2}}{13b^7} - \frac{(a+bx)^{7/2} (40a^3f^2-40a^2bef+8ab^2e^2+16a^2b^2e^2)}{7b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x+e*x^2+f*x^3)^2/(a+b*x)^(1/2),x)`

[Out] $(2*(a+b*x)^{(1/2)}*(b^3*c-a^3*f-a*b^2*d+a^2*b*e)^2)/b^7+(2*f^2*(a+b*x)^{(13/2)})/(13*b^7)-((a+b*x)^{(7/2)}*(40*a^3*f^2+8*a*b^2*e^2-4*b^3*c*f-4*b^3*d*e+16*a*b^2*d*f-40*a^2*b*e*f))/(7*b^7)+((a+b*x)^{(9/2)}*(30*a^2*f^2+2*b^2*e^2+4*b^2*d*f-20*a*b*e*f))/(9*b^7)+((a+b*x)^{(5/2)}*(2*b^4*d^2+30*a^4*f^2+12*a^2*b^2*e^2+4*b^4*c*e-12*a*b^3*c*f-12*a*b^3*d*e-40*a^3*b*e*f+24*a^2*b^2*d*f))/(5*b^7)-((12*a*f^2-4*b*e*f)*(a+b*x)^{(11/2)})/(11*b^7)+(4*(a+b*x)^{(3/2)}*(b^2*d+3*a^2*f-2*a*b*e)*(b^3*c-a^3*f-a*b^2*d+a^2*b*e))/(3*b^7)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)**2/(b*x+a)**(1/2),x)
```

```
[Out] Timed out
```

$$3.6 \quad \int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=708

$$\frac{2f(a+bx)^{15/2}(-12a^2f^2+8abef-(b^2(df+e^2)))}{5b^{10}} + \frac{2(a+bx)^{13/2}(-84a^3f^3+84a^2bef^2-21ab^2f(df+e^2)+b^3e^3)}{13b^{10}}$$

[Out] $2*(3*a^2*f-2*a*b*e+b^2*d)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^2*(b*x+a)^{(3/2)}/b^{10}+6/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*(b^4*(c*e+d^2)-16*a^3*b*e*f+12*a^4*f^2-2*a*b^3*(3*c*f+5*d*e)+a^2*b^2*(9*d*f+5*e^2))*(b*x+a)^{(5/2)}/b^{10}-2/7*(168*a^5*b*e*f^2-84*a^6*f^3-b^6*(3*c^2*f+6*c*d*e+d^3)-105*a^4*b^2*f*(d*f+e^2)+12*a*b^5*(2*c*d*f+c*e^2+d^2*e)-30*a^2*b^4*(2*c*e*f+d^2*f+d*e^2)+20*a^3*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(7/2)}/b^{10}+2/3*(70*a^4*b*e*f^2-42*a^5*f^3-35*a^3*b^2*f*(d*f+e^2)+b^5*(2*c*d*f+c*e^2+d^2*e)-5*a*b^4*(2*c*e*f+d^2*f+d*e^2)+5*a^2*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(9/2)}/b^{10}-6/11*(56*a^3*b*e*f^2-42*a^4*f^3-21*a^2*b^2*f*(d*f+e^2)-b^4*(2*c*e*f+d^2*f+d*e^2)+2*a*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(11/2)}/b^{10}+2/13*(84*a^2*b*e*f^2-84*a^3*f^3-21*a*b^2*f*(d*f+e^2)+b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(13/2)}/b^{10}-2/5*f*(8*a*b*e*f-12*a^2*f^2-b^2*(d*f+e^2))*(b*x+a)^{(15/2)}/b^{10}+6/17*f^2*(-3*a*f+b*e)*(b*x+a)^{(17/2)}/b^{10}+2/19*f^3*(b*x+a)^{(19/2)}/b^{10}+2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^3*(b*x+a)^{(1/2)}/b^{10}$

Rubi [A] time = 0.63, antiderivative size = 708, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

$$\frac{2(a+bx)^{7/2}(-30a^2b^4(2cef+d^2f+de^2)+20a^3b^3(3cf^2+6def+e^3)-105a^4b^2f(df+e^2)+168a^5bef^2-84a^6f^3)}{7b^{10}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]

[Out] $(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*\text{Sqrt}[a + b*x])/b^{10} + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^{(3/2)})/b^{10} + (6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^{(5/2)})/(5*b^{10}) - (2*(168*a^5*b*e*f^2 - 84*a^6*f^3 - b^6*(d^3 + 6*c*d*e + 3*c^2*f) - 105*a^4*b^2*f*(e^2 + d*f) + 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) - 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(7/2)})/(7*b^{10}) + (2*(70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(9/2)})/(3*b^{10}) - (6*(56*a^3*b*e*f^2 - 42*a^4*f^3 - 21*a^2*b^2*f*(e^2 + d*f) - b^4*(d*e^2 + d^2*f + 2*c*e*f) + 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(11/2)})/(11*b^{10}) + (2*(84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(13/2)})/(13*b^{10}) - (2*f*(8*a*b*e*f - 12*a^2*f^2 - b^2*(e^2 + d*f))*(a + b*x)^{(15/2)})/(5*b^{10}) + (6*f^2*(b*e - 3*a*f)*(a + b*x)^{(17/2)})/(17*b^{10}) + (2*f^3*(a + b*x)^{(19/2)})/(19*b^{10})$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3)^3}{\sqrt{a + bx}} dx = \int \left(\frac{(b^3c - ab^2d + a^2be - a^3f)^3}{b^9\sqrt{a + bx}} + \frac{3(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)^2}{b^9} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)^3 \sqrt{a + bx}}{b^{10}} + \frac{2(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)^2}{b^{10}}$$

Mathematica [A] time = 2.89, size = 678, normalized size = 0.96

$$2\left(\frac{1}{5}f(a + bx)^{15/2}(12a^2f^2 - 8abef + b^2(df + e^2)) + \frac{1}{13}(a + bx)^{13/2}(-84a^3f^3 + 84a^2bef^2 - 21ab^2f(df + e^2) + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x],x]

[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*Sqrt[a + b*x] + (b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^(3/2) + (3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^(5/2))/5 + ((-168*a^5*b*e*f^2 + 84*a^6*f^3 + b^6*(d^3 + 6*c*d*e + 3*c^2*f) + 105*a^4*b^2*f*(e^2 + d*f) - 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) + 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) - 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(7/2))/7 + ((70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(9/2))/3 + (3*(-56*a^3*b*e*f^2 + 42*a^4*f^3 + 21*a^2*b^2*f*(e^2 + d*f) + b^4*(d*e^2 + d^2*f + 2*c*e*f) - 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(11/2))/11 + ((84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(13/2))/13 + (f*(-8*a*b*e*f + 12*a^2*f^2 + b^2*(e^2 + d*f))*(a + b*x)^(15/2))/5 + (3*f^2*(b*e - 3*a*f)*(a + b*x)^(17/2))/17 + (f^3*(a + b*x)^(19/2))/19)/b^10

fricas [A] time = 0.69, size = 1221, normalized size = 1.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/4849845*(255255*b^9*f^3*x^9 + 4849845*b^9*c^3 - 9699690*a*b^8*c^2*d + 7759752*a^2*b^7*c*d^2 - 2217072*a^3*b^6*d^3 + 1653760*a^6*b^3*e^3 - 1376256*a^9*f^3 + 45045*(19*b^9*e*f^2 - 6*a*b^8*f^3)*x^8 + 3003*(323*b^9*e^2*f + 96*a^2*b^7*f^3 + 19*(17*b^9*d - 16*a*b^8*e)*f^2)*x^7 + 231*(1615*b^9*e^3 - 1344*a^3*b^6*f^3 + 19*(255*b^9*c - 238*a*b^8*d + 224*a^2*b^7*e)*f^2 + 646*(15*b^9*d*e - 7*a*b^8*e^2)*f)*x^6 + 63*(20995*b^9*d*e^2 - 6460*a*b^8*e^3 + 5376*a^4*b^5*f^3 - 76*(255*a*b^8*c - 238*a^2*b^7*d + 224*a^3*b^6*e)*f^2 + 323*(65*b^9*d^2 + 56*a^2*b^7*e^2 + 10*(13*b^9*c - 12*a*b^8*d)*e)*f)*x^5 + 35*(46189*b^9*d^2*e + 12920*a^2*b^7*e^3 - 10752*a^5*b^4*f^3 + 4199*(11*b^9*c - 10*a*b^8*d)*e^2 + 152*(255*a^2*b^7*c - 238*a^3*b^6*d + 224*a^4*b^5*e)*f^2 + 646*(143*b^9*c*d - 65*a*b^8*d^2 - 56*a^3*b^6*e^2 - 10*(13*a*b^8*c - 12*a^2*b^7*d)*e)*f)*x^4 + 5*(138567*b^9*d^3 - 103360*a^3*b^6*e^3 + 86016*a^6*b^3*f^3 - 33592*(11*a*b^8*c - 10*a^2*b^7*d)*e^2 - 1216*(255*a^3*b^6*c - 238*a^4*b^5*d + 224*a^5*b^4*e)*f^2 + 92378*(9*b^9*c*d - 4*a*b^8*d^2)*e + 323*(1287*b^9*c^2 - 2288*a*b^8*c*d + 1040*a^2*b^7*d^2 + 896*a^4*b^5*e^2 + 160*(13*a^2*b^7*c - 12*a^3*b^6*d)*e)*f)*x^3 + 537472*(11*a^4*b^5*c - 10*a^5*b^4*d)*e^2 + 19456*(255*a^6*b^3*c - 238*a^7*b^2*d + 224*a^8*b*e)*f^2 + 3*(969969*b^9*c*d^2 - 277134*a*b^8*d^3 + 206720*a^4*b^5*e^3 - 172032*a^7*b^2*f^3 + 67184*(1

$$1*a^2*b^7*c - 10*a^3*b^6*d)*e^2 + 2432*(255*a^4*b^5*c - 238*a^5*b^4*d + 224*a^6*b^3*e)*f^2 + 46189*(21*b^9*c^2 - 36*a*b^8*c*d + 16*a^2*b^7*d^2)*e - 646*(1287*a*b^8*c^2 - 2288*a^2*b^7*c*d + 1040*a^3*b^6*d^2 + 896*a^5*b^4*e^2 + 160*(13*a^3*b^6*c - 12*a^4*b^5*d)*e)*f)*x^2 + 369512*(21*a^2*b^7*c^2 - 36*a^3*b^6*c*d + 16*a^4*b^5*d^2)*e - 5168*(1287*a^3*b^6*c^2 - 2288*a^4*b^5*c*d + 1040*a^5*b^4*d^2 + 896*a^7*b^2*e^2 + 160*(13*a^5*b^4*c - 12*a^6*b^3*d)*e)*f + (4849845*b^9*c^2*d - 3879876*a*b^8*c*d^2 + 1108536*a^2*b^7*d^3 - 826880*a^5*b^4*e^3 + 688128*a^8*b*f^3 - 268736*(11*a^3*b^6*c - 10*a^4*b^5*d)*e^2 - 9728*(255*a^5*b^4*c - 238*a^6*b^3*d + 224*a^7*b^2*e)*f^2 - 184756*(21*a*b^8*c^2 - 36*a^2*b^7*c*d + 16*a^3*b^6*d^2)*e + 2584*(1287*a^2*b^7*c^2 - 2288*a^3*b^6*c*d + 1040*a^4*b^5*d^2 + 896*a^6*b^3*e^2 + 160*(13*a^4*b^5*c - 12*a^5*b^4*d)*e)*f)*x)*sqrt(b*x + a)/b^10$$

giac [B] time = 0.29, size = 1414, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out] $2/4849845*(4849845*sqrt(b*x + a)*c^3 + 4849845*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c^2*d/b + 969969*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*d^2/b^2 + 969969*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2))*a + 15*sqrt(b*x + a)*a^2)*c^2*e/b^2 + 138567*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d^3/b^3 + 415701*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c^2*f/b^3 + 831402*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c*d*e/b^3 + 92378*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*c*d*f/b^4 + 46189*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*d^2*e/b^4 + 20995*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*d^2*f/b^5 + 46189*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*c*e^2/b^4 + 41990*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*c*f*e/b^5 + 4845*(231*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*c*f^2/b^6 + 20995*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*d*e^2/b^5 + 9690*(231*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*d*f*e/b^6 + 2261*(429*(b*x + a)^(15/2) - 3465*(b*x + a)^(13/2)*a + 12285*(b*x + a)^(11/2)*a^2 - 25025*(b*x + a)^(9/2)*a^3 + 32175*(b*x + a)^(7/2)*a^4 - 27027*(b*x + a)^(5/2)*a^5 + 15015*(b*x + a)^(3/2)*a^6 - 6435*sqrt(b*x + a)*a^7)*d*f^2/b^7 + 1615*(231*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*e^3/b^6 + 2261*(429*(b*x + a)^(15/2) - 3465*(b*x + a)^(13/2)*a + 12285*(b*x + a)^(11/2)*a^2 - 25025*(b*x + a)^(9/2)*a^3 + 32175*(b*x + a)^(7/2)*a^4 - 27027*(b*x + a)^(5/2)*a^5 + 15015*(b*x + a)^(3/2)*a^6 - 6435*sqrt(b*x + a)*a^7)*f*e^2/b^7 + 133*(6435*(b*x + a)^(17/2) - 58344*(b*x + a)^(15/2)*a + 235620*(b*x + a)^(13/2)*a^2 - 556920*(b*x + a)^(11/2)*a^3 + 850850*(b*x + a)^(9/2)*a^4 - 875160*(b*x + a)^(7/2)*a^5 + 612612*(b*x + a)^(5/2)*a^6 - 291720*(b*x + a)^(3/2)*a^7 + 109395*sqrt(b*x + a)*a^8)*f^2*e/b^8 + 21*(12155*(b*x + a)^(19/2) - 122265*(b*x + a)^(17/2)*a + 554268*(b*x + a)^(15/2)*a^2 - 1492260*(b*x + a)^(13/2)*a^3 + 2645370*(b*x + a)^(11/2)*a^4 - 3233230*$

$$(b*x + a)^{(9/2)}*a^5 + 2771340*(b*x + a)^{(7/2)}*a^6 - 1662804*(b*x + a)^{(5/2)}*a^7 + 692835*(b*x + a)^{(3/2)}*a^8 - 230945*\sqrt{b*x + a}*a^9)*f^3/b^9)/b$$

maple [B] time = 0.05, size = 1417, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/4849845*(b*x+a)^{(1/2)}*(-255255*b^9*f^3*x^9+270270*a*b^8*f^3*x^8-855855*b^9*e*f^2*x^8-288288*a^2*b^7*f^3*x^7+912912*a*b^8*e*f^2*x^7-969969*b^9*d*f^2*x^7-969969*b^9*e^2*f*x^7+310464*a^3*b^6*f^3*x^6-983136*a^2*b^7*e*f^2*x^6+1044582*a*b^8*d*f^2*x^6+1044582*a*b^8*e^2*f*x^6-1119195*b^9*c*f^2*x^6-2238390*b^9*d*e*f*x^6-373065*b^9*e^3*x^6-338688*a^4*b^5*f^3*x^5+1072512*a^3*b^6*e*f^2*x^5-1139544*a^2*b^7*d*f^2*x^5-1139544*a^2*b^7*e^2*f*x^5+1220940*a*b^8*c*f^2*x^5+2441880*a*b^8*d*e*f*x^5+406980*a*b^8*e^3*x^5-2645370*b^9*c*e*f*x^5-1322685*b^9*d^2*f*x^5-1322685*b^9*d*e^2*x^5+376320*a^5*b^4*f^3*x^4-1191680*a^4*b^5*e*f^2*x^4+1266160*a^3*b^6*d*f^2*x^4+1266160*a^3*b^6*e^2*f*x^4-1356600*a^2*b^7*c*f^2*x^4-2713200*a^2*b^7*d*e*f*x^4-452200*a^2*b^7*e^3*x^4+2939300*a*b^8*c*e*f*x^4+1469650*a*b^8*d^2*f*x^4+1469650*a*b^8*d*e^2*x^4-3233230*b^9*c*d*f*x^4-1616615*b^9*c*e^2*x^4-1616615*b^9*d^2*e*x^4-430080*a^6*b^3*f^3*x^3+1361920*a^5*b^4*e*f^2*x^3-1447040*a^4*b^5*d*f^2*x^3-1447040*a^4*b^5*e^2*f*x^3+1550400*a^3*b^6*c*f^2*x^3+3100800*a^3*b^6*d*e*f*x^3+516800*a^3*b^6*e^3*x^3-3359200*a^2*b^7*c*e*f*x^3-1679600*a^2*b^7*d^2*f*x^3-1679600*a^2*b^7*d*e^2*x^3+3695120*a*b^8*c*d*f*x^3+1847560*a*b^8*c*e^2*x^3+1847560*a*b^8*d^2*e*x^3-2078505*b^9*c^2*f*x^3-4157010*b^9*c*d*e*x^3-692835*b^9*d^3*x^3+516096*a^7*b^2*f^3*x^2-1634304*a^6*b^3*e*f^2*x^2+1736448*a^5*b^4*d*f^2*x^2+1736448*a^5*b^4*e^2*f*x^2-1860480*a^4*b^5*c*f^2*x^2-3720960*a^4*b^5*d*e*f*x^2-620160*a^4*b^5*e^3*x^2+4031040*a^3*b^6*c*e*f*x^2+2015520*a^3*b^6*d^2*f*x^2+2015520*a^3*b^6*d*e^2*x^2-4434144*a^2*b^7*c*d*f*x^2-2217072*a^2*b^7*c*e^2*x^2-2217072*a^2*b^7*d^2*e*x^2+2494206*a*b^8*c^2*f*x^2+4988412*a*b^8*c*d*e*x^2+831402*a*b^8*d^3*x^2-2909907*b^9*c^2*e*x^2-2909907*b^9*c*d^2*x^2-688128*a^8*b*f^3*x+2179072*a^7*b^2*e*f^2*x-2315264*a^6*b^3*d*f^2*x-2315264*a^6*b^3*e^2*f*x+2480640*a^5*b^4*c*f^2*x+4961280*a^5*b^4*d*e*f*x+826880*a^5*b^4*e^3*x-5374720*a^4*b^5*c*e*f*x-2687360*a^4*b^5*d^2*f*x-2687360*a^4*b^5*d*e^2*x+5912192*a^3*b^6*c*d*f*x+2956096*a^3*b^6*c*e^2*x+2956096*a^3*b^6*d^2*e*x-3325608*a^2*b^7*c^2*f*x-6651216*a^2*b^7*c*d*e*x-1108536*a^2*b^7*d^3*x+3879876*a*b^8*c^2*e*x+3879876*a*b^8*c*d^2*x-4849845*b^9*c^2*d*x+1376256*a^9*f^3-4358144*a^8*b*e*f^2+4630528*a^7*b^2*d*f^2+4630528*a^7*b^2*e^2*f-4961280*a^6*b^3*c*f^2-9922560*a^6*b^3*d*e*f-1653760*a^6*b^3*e^3+10749440*a^5*b^4*c*e*f+5374720*a^5*b^4*d^2*f+5374720*a^5*b^4*d*e^2-11824384*a^4*b^5*c*d*f-5912192*a^4*b^5*c*e^2-5912192*a^4*b^5*d^2*e+6651216*a^3*b^6*c^2*f+13302432*a^3*b^6*c*d*e+2217072*a^3*b^6*d^3-7759752*a^2*b^7*c^2*e-7759752*a^2*b^7*c*d^2+9699690*a*b^8*c^2*d-4849845*b^9*c^3)/b^10$$

maxima [B] time = 1.09, size = 1360, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 2/4849845*(4849845*\sqrt{b*x + a}*c^3 + 138567*c^2*(35*((b*x + a)^{(3/2)} - 3*\sqrt{b*x + a})*d/b + 7*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)}*a + 15*\sqrt{b*x + a})*a^2)*e/b^2 + 3*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\sqrt{b*x + a})*a^3)*f/b^3 + 323*c*(3003*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)}*a + 15*\sqrt{b*x + a})*a^2)*d^2/b^2 + 143*(35*(b*x + a)^{(9/2)} - 180*(b*x + a)^{(7/2)}*a + 378*(b*x + a)^{(5/2)}*a^2 - 420*(b*x + a)^{(3/2)}*a^3 + 315*\sqrt{b*x + a})*a^4)*e^2/b^4 + 286*(35*(b*x + a)^{(9/2)}*f \end{aligned}$$

```

+ 45*(b*e - 4*a*f)*(b*x + a)^(7/2) - 189*(a*b*e - 2*a^2*f)*(b*x + a)^(5/2)
+ 105*(3*a^2*b*e - 4*a^3*f)*(b*x + a)^(3/2) - 315*(a^3*b*e - a^4*f)*sqrt(b*x
+ a))*d/b^4 + 130*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x
+ a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693
*sqrt(b*x + a)*a^5)*e*f/b^5 + 15*(231*(b*x + a)^(13/2) - 1638*(b*x + a)^(11
/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a
)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*f^2/b^6) +
138567*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2
- 35*sqrt(b*x + a)*a^3)*d^3/b^3 + 4199*(315*(b*x + a)^(11/2)*f + 385*(b*e -
5*a*f)*(b*x + a)^(9/2) - 990*(2*a*b*e - 5*a^2*f)*(b*x + a)^(7/2) + 1386*(3
*a^2*b*e - 5*a^3*f)*(b*x + a)^(5/2) - 1155*(4*a^3*b*e - 5*a^4*f)*(b*x + a)^(
3/2) + 3465*(a^4*b*e - a^5*f)*sqrt(b*x + a))*d^2/b^5 + 1615*(231*(b*x + a)
^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x +
a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*s
qrt(b*x + a)*a^6)*e^3/b^6 + 2261*(429*(b*x + a)^(15/2) - 3465*(b*x + a)^(13
/2)*a + 12285*(b*x + a)^(11/2)*a^2 - 25025*(b*x + a)^(9/2)*a^3 + 32175*(b*x
+ a)^(7/2)*a^4 - 27027*(b*x + a)^(5/2)*a^5 + 15015*(b*x + a)^(3/2)*a^6 - 6
435*sqrt(b*x + a)*a^7)*e^2*f/b^7 + 133*(6435*(b*x + a)^(17/2) - 58344*(b*x
+ a)^(15/2)*a + 235620*(b*x + a)^(13/2)*a^2 - 556920*(b*x + a)^(11/2)*a^3 +
850850*(b*x + a)^(9/2)*a^4 - 875160*(b*x + a)^(7/2)*a^5 + 612612*(b*x + a)
^(5/2)*a^6 - 291720*(b*x + a)^(3/2)*a^7 + 109395*sqrt(b*x + a)*a^8)*e*f^2/b
^8 + 323*(3003*(b*x + a)^(15/2)*f^2 + 3465*(2*b*e*f - 7*a*f^2)*(b*x + a)^(1
3/2) + 4095*(b^2*e^2 - 12*a*b*e*f + 21*a^2*f^2)*(b*x + a)^(11/2) - 25025*(a
*b^2*e^2 - 6*a^2*b*e*f + 7*a^3*f^2)*(b*x + a)^(9/2) + 32175*(2*a^2*b^2*e^2
- 8*a^3*b*e*f + 7*a^4*f^2)*(b*x + a)^(7/2) - 9009*(10*a^3*b^2*e^2 - 30*a^4*
b*e*f + 21*a^5*f^2)*(b*x + a)^(5/2) + 15015*(5*a^4*b^2*e^2 - 12*a^5*b*e*f +
7*a^6*f^2)*(b*x + a)^(3/2) - 45045*(a^5*b^2*e^2 - 2*a^6*b*e*f + a^7*f^2)*s
qrt(b*x + a))*d/b^7 + 21*(12155*(b*x + a)^(19/2) - 122265*(b*x + a)^(17/2)*
a + 554268*(b*x + a)^(15/2)*a^2 - 1492260*(b*x + a)^(13/2)*a^3 + 2645370*(b
*x + a)^(11/2)*a^4 - 3233230*(b*x + a)^(9/2)*a^5 + 2771340*(b*x + a)^(7/2)*
a^6 - 1662804*(b*x + a)^(5/2)*a^7 + 692835*(b*x + a)^(3/2)*a^8 - 230945*sq
rt(b*x + a)*a^9)*f^3/b^9)/b

```

mupad [B] time = 0.24, size = 896, normalized size = 1.27

$$\frac{(a + bx)^{11/2} (252 a^4 f^3 - 336 a^3 b e f^2 + 126 a^2 b^2 d f^2 + 126 a^2 b^2 e^2 f - 72 a b^3 d e f - 12 a b^3 e^3 - 36 c a b^3 f^2 + 6 c^2 a b^3)}{11 b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)^3/(a + b*x)^(1/2), x)

```

[Out] ((a + b*x)^(11/2)*(252*a^4*f^3 - 12*a*b^3*e^3 + 6*b^4*d*e^2 + 6*b^4*d^2*f +
126*a^2*b^2*d*f^2 + 126*a^2*b^2*e^2*f + 12*b^4*c*e*f - 36*a*b^3*c*f^2 - 33
6*a^3*b*e*f^2 - 72*a*b^3*d*e*f))/(11*b^10) + (2*(a + b*x)^(1/2)*(b^3*c - a^
3*f - a*b^2*d + a^2*b*e)^3)/b^10 + ((a + b*x)^(9/2)*(6*b^5*c*e^2 - 252*a^5*
f^3 + 6*b^5*d^2*e + 30*a^2*b^3*e^3 + 90*a^2*b^3*c*f^2 - 210*a^3*b^2*d*f^2 -
210*a^3*b^2*e^2*f + 12*b^5*c*d*f - 30*a*b^4*d*e^2 - 30*a*b^4*d^2*f + 420*a
^4*b*e*f^2 + 180*a^2*b^3*d*e*f - 60*a*b^4*c*e*f))/(9*b^10) + (2*f^3*(a + b*
x)^(19/2))/(19*b^10) + ((a + b*x)^(13/2)*(2*b^3*e^3 - 168*a^3*f^3 + 6*b^3*c
*f^2 + 12*b^3*d*e*f - 42*a*b^2*d*f^2 - 42*a*b^2*e^2*f + 168*a^2*b*e*f^2))/(
13*b^10) - ((18*a*f^3 - 6*b*e*f^2)*(a + b*x)^(17/2))/(17*b^10) + ((a + b*x)
^(15/2)*(72*a^2*f^3 + 6*b^2*d*f^2 + 6*b^2*e^2*f - 48*a*b*e*f^2))/(15*b^10)
- ((a + b*x)^(5/2)*(72*a^7*f^3 + 6*a*b^6*d^3 - 6*b^7*c*d^2 - 6*b^7*c^2*e -
30*a^4*b^3*e^3 - 36*a^2*b^5*c*e^2 - 36*a^2*b^5*d^2*e + 60*a^3*b^4*d*e^2 - 9
0*a^4*b^3*c*f^2 + 60*a^3*b^4*d^2*f + 126*a^5*b^2*d*f^2 + 126*a^5*b^2*e^2*f
+ 18*a*b^6*c^2*f - 168*a^6*b*e*f^2 - 72*a^2*b^5*c*d*f + 120*a^3*b^4*c*e*f -
180*a^4*b^3*d*e*f + 36*a*b^6*c*d*e))/(5*b^10) + ((a + b*x)^(7/2)*(2*b^6*d^
3 + 168*a^6*f^3 + 6*b^6*c^2*f - 40*a^3*b^3*e^3 + 60*a^2*b^4*d*e^2 - 120*a^3
*b^3*c*f^2 + 60*a^2*b^4*d^2*f + 210*a^4*b^2*d*f^2 + 210*a^4*b^2*e^2*f + 12*

```

$$\frac{b^6*c*d*e - 24*a*b^5*c*e^2 - 24*a*b^5*d^2*e - 336*a^5*b*e*f^2 + 120*a^2*b^4*c*e*f - 240*a^3*b^3*d*e*f - 48*a*b^5*c*d*f}{7*b^{10}} + \frac{(2*(a + b*x)^{3/2} * (b^2*d + 3*a^2*f - 2*a*b*e) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e)^2)}{b^{10}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)**3/(b*x+a)**(1/2),x)

[Out] Timed out

3.7 $\int \frac{c+dx}{a+bx^3} dx$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

[Out] $\frac{1}{3}*(b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(c-a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*(b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3), x]

[Out] $-\left(\left(b^{(1/3)}*c + a^{(1/3)}*d\right)*\text{ArcTan}\left[\frac{a^{(1/3)} - 2*b^{(1/3)}*x}{\sqrt[3]{a^{(1/3)}}}\right]\right)/\left(\sqrt[3]{a^{(2/3)}*b^{(2/3)}}\right) + \left(b^{(1/3)}*c - a^{(1/3)}*d\right)*\text{Log}\left[a^{(1/3)} + b^{(1/3)}*x\right]/\left(3*a^{(2/3)}*b^{(2/3)}\right) - \left(c - a^{(1/3)}*d/b^{(1/3)}\right)*\text{Log}\left[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2\right]/\left(6*a^{(2/3)}*b^{(1/3)}\right)$

Rule 31

Int[((a_) + (b_.)*(x_))⁻¹, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁻¹, x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁻¹, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ

$[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1860

$\text{Int}[(A_ + (B_)*(x_))/((a_ + (b_)*(x_)^3), x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + bx^3} dx &= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{ad}) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{ad})x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right) \int \frac{1}{a^{2/3}} \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) S}{6a^{2/3}b^{2/3}} \\ &= -\frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)\right) - 2\sqrt{3}(\sqrt[3]{ad} + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3), x]

[Out] $(-2*\text{Sqrt}[3]*(b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + (b^{(1/3)}*c - a^{(1/3)}*d)*(2*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - \text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]))/(6*a^{(2/3)}*b^{(2/3)})$

fricas [C] time = 2.20, size = 1931, normalized size = 11.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] $-1/6*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\text{sqrt}(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}) * \log(1/4*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\text{sqrt}(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} - 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\text{sqrt}(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} - 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\text{sqrt}(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} - 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\text{sqrt}(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d}$

$$\frac{2}{3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}) * a * b * c^2 + 2 * a * c * d^2 + (b * c^3 + a * d^3) * x + 1/12 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}) + 3 * \sqrt{1/3} * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a * b + 16 * c * d) / (a * b)) * \log(-1/4 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a^2 * b * d + 1/2 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3})) * a * b * c^2 - 2 * a * c * d^2 + 2 * (b * c^3 + a * d^3) * x + 3/4 * \sqrt{1/3} * (((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3})) * a^2 * b * d + 2 * a * b * c^2) * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a * b + 16 * c * d) / (a * b)) + 1/12 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3})) - 3 * \sqrt{1/3} * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a * b + 16 * c * d) / (a * b)) * \log(-1/4 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a^2 * b * d + 1/2 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3})) * a * b * c^2 - 2 * a * c * d^2 + 2 * (b * c^3 + a * d^3) * x - 3/4 * \sqrt{1/3} * (((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3})) * a^2 * b * d + 2 * a * b * c^2) * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3} - 2 * (1/2)^{2/3} * c * d * (-I * \sqrt{3} + 1) / (a * b * ((b * c^3 + a * d^3) / (a^2 * b^2) + (b * c^3 - a * d^3) / (a^2 * b^2))^{1/3}))^2 * a * b + 16 * c * d) / (a * b))$$

giac [A] time = 0.17, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}}}{3 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 * \sqrt{3} * (b * c - (-a * b^2)^{1/3} * d) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (-a * b^2)^{2/3} - 1/6 * (b * c + (-a * b^2)^{1/3} * d) * \log(x^2 + x * (-a/b)^{1/3} + (-a/b)^{2/3}) / (-a * b^2)^{2/3} - 1/3 * (d * (-a/b)^{1/3} + c) * (-a/b)^{1/3} * \log(\text{abs}(x - (-a/b)^{1/3})) / a$

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a),x)

[Out] 1/3*c/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*c/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*c/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*d/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*d/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*d*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 1.91, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}+c\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(d*(a/b)^(1/3)+c)*arctan(1/3*sqrt(3)*(2*x-(a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3))+1/6*(d*(a/b)^(1/3)-c)*log(x^2-x*(a/b)^(1/3)+(a/b)^(2/3))/(b*(a/b)^(2/3))-1/3*(d*(a/b)^(1/3)-c)*log(x+(a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.51, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(b\left(cd+d^2x+\text{root}\left(27a^2b^2z^3+9abcdz+ad^3-bc^3,z,k\right)^2ab9+\text{root}\left(27a^2b^2z^3+9abcdz+ad^3-bc^3,z,k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x)/(a+b*x^3),x)

[Out] symsum(log(b*(c*d+d^2*x+9*root(27*a^2*b^2*z^3+9*a*b*c*d*z+a*d^3-b*c^3,z,k))^2*a*b+3*root(27*a^2*b^2*z^3+9*a*b*c*d*z+a*d^3-b*c^3,z,k)*b*c*x)*root(27*a^2*b^2*z^3+9*a*b*c*d*z+a*d^3-b*c^3,z,k),k,1,3)

sympy [A] time = 1.19, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3a^2b^2+9tabcd+ad^3-bc^3,\left(t\mapsto t\log\left(x+\frac{9t^2a^2bd+3tabc^2+2acd^2}{ad^3+bc^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**2*b**2+9*_t*a*b*c*d+a*d**3-b*c**3,Lambda(_t,_t*log(x+(9*_t**2*a**2*b*d+3*_t*a*b*c**2+2*a*c*d**2)/(a*d**3+b*c**3)))

$$3.8 \quad \int \frac{c+dx}{(a+bx^3)^2} dx$$

Optimal. Leaf size=189

$$-\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] $\frac{1}{3}x*(d*x+c)/a/(b*x^3+a) + 1/9*(2*b^{(1/3)}*c - a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)} - 1/18*(2*b^{(1/3)}*c - a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)} - 1/9*(2*b^{(1/3)}*c + a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)} - 2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^2, x]

[Out] $\frac{x*(c + d*x)}{(3*a*(a + b*x^3))} - \frac{((2*b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])}{(3*\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)})} + \frac{((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])}{(9*a^{(5/3)}*b^{(2/3)})} - \frac{((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])}{(18*a^{(5/3)}*b^{(2/3)})}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{(a + bx^3)^2} dx &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.23, size = 180, normalized size = 0.95

$$\frac{\frac{(a^{2/3}d - 2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{6ax(c + dx)}{a + bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^2, x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x]/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/b^(2/3))/(18*a^2)

giac [A] time = 0.18, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{\left(2bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \log \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(2*b*c - (-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a) - 1/18*(2*b*c + (-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) - 1/9*(d*(-a/b)^{(1/3)} + 2*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^2 + 1/3*(d*x^2 + c*x)/((b*x^3 + a)*a)$

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^2,x)

[Out] $1/3*c*x/a/(b*x^3+a)+2/9*c/a/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/9*c/a/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9*c/a/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*d*x^2/a/(b*x^3+a)-1/9*d/a/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/18*d/a/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9*d/a*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.00, size = 169, normalized size = 0.89

$$\frac{dx^2 + cx}{3(abx^3 + a^2)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/3*(d*x^2 + c*x)/(a*b*x^3 + a^2) + 1/9*\sqrt{3}*(d*(a/b)^{(1/3)} + 2*c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b*(a/b)^{(2/3)}) + 1/18*(d*(a/b)^{(1/3)} - 2*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b*(a/b)^{(2/3)}) - 1/9*(d*(a/b)^{(1/3)} - 2*c)*\log(x + (a/b)^{(1/3)})/(a*b*(a/b)^{(2/3)})$

mupad [B] time = 4.87, size = 169, normalized size = 0.89

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)^2 a^3b81 + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)}{a^29} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^3)^2,x)`

[Out] `symsum(log((b*(2*c*d + d^2*x + 81*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)^2*a^3*b + 18*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)*a*b*c*x))/(9*a^2))*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k), k, 1, 3) + ((d*x^2)/(3*a) + (c*x)/(3*a))/(a + b*x^3)`

sympy [A] time = 2.15, size = 105, normalized size = 0.56

$$\text{RootSum}\left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log\left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3}\right)\right)\right) + \frac{cx + dx^2}{3a^2 + 3abx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**2,x)`

[Out] `RootSum(729*_t**3*a**5*b**2 + 54*_t*a**2*b*c*d + a*d**3 - 8*b*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**4*b*d + 36*_t*a**2*b*c**2 + 4*a*c*d**2)/(a*d**3 + 8*b*c**3)))) + (c*x + d*x**2)/(3*a**2 + 3*a*b*x**3)`

$$3.9 \quad \int \frac{c+dx}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{2\sqrt[3]{a}d + 5\sqrt[3]{b}c}{9\sqrt{3}a^{8/3}b^{2/3}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] 1/6*x*(d*x+c)/a/(b*x^3+a)^2+1/18*x*(4*d*x+5*c)/a^2/(b*x^3+a)+1/27*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(2/3)-1/54*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(2/3)-1/27*(5*b^(1/3)*c+2*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.19, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{2\sqrt[3]{a}d + 5\sqrt[3]{b}c}{9\sqrt{3}a^{8/3}b^{2/3}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^3, x]

[Out] (x*(c + d*x))/(6*a*(a + b*x^3)^2) + (x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - ((5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d._) + (e._)*(x_))/((a_) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b._)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B._)*(x_))/((a_) + (b._)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{c+dx}{(a+bx^3)^3} dx &= \frac{x(c+dx)}{6a(a+bx^3)^2} - \frac{\int \frac{-5c-4dx}{(a+bx^3)^2} dx}{6a} \\ &= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{10c+4dx}{a+bx^3} dx}{18a^2} \\ &= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c+4\sqrt[3]{a}d)+\sqrt[3]{b}(-10\sqrt[3]{b}c+4\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{(5c-\frac{2\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{a+bx^3} dx}{27a^{8/3}\sqrt[3]{b}} \\ &= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \int \frac{1}{a+bx^3} dx}{54a^{8/3}\sqrt[3]{b}} \\ &= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{54a^{8/3}\sqrt[3]{b}} \\ &= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} - \frac{(5\sqrt[3]{b}c+2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.25, size = 205, normalized size = 0.95

$$\frac{(2a^{2/3}d-5\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{b}c-2a^{2/3}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{9a^2x(c+dx)}{(a+bx^3)^2} - \frac{2\sqrt{3}\sqrt[3]{a}(2\sqrt[3]{a}d+5\sqrt[3]{b}c) \tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{b^{2/3}}$$

$$54a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^3,x]

[Out]
$$\frac{(9a^2x(c + dx))/(a + b^3x^3)^2 + (3ax(5c + 4dx))/(a + b^3x^3) - (2\sqrt{3}a^{1/3}(5b^{1/3}c + 2a^{1/3}d)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}])/b^{2/3} + (2(5a^{1/3}b^{1/3}c - 2a^{2/3}d)\text{Log}[a^{1/3} + b^{1/3}x])/b^{2/3} + ((-5a^{1/3}b^{1/3}c + 2a^{2/3}d)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/b^{2/3}}{(54a^3)}$$

fricas [C] time = 2.36, size = 2215, normalized size = 10.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{108}(24bdx^5 + 30b^2cx^4 + 42a^2dx^2 + 48a^2cx - 2(a^2b^2x^6 + 2a^3bx^3 + a^4)((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))\log(1/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^6bd - 25/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))a^3b^2c^2 + 40a^2cd^2 + (125b^3c^3 + 8a^3d^3)x) + ((a^2b^2x^6 + 2a^3bx^3 + a^4)((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3})) + 3\sqrt{1/3}(a^2b^2x^6 + 2a^3bx^3 + a^4)\sqrt{-(((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^5b + 160cd)/(a^5b))\log(-1/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^6bd + 25/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))a^3b^2c^2 - 40a^2cd^2 + 2(125b^3c^3 + 8a^3d^3)x + 3/2\sqrt{1/3}(((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^5b + 160cd)/(a^5b)) + ((a^2b^2x^6 + 2a^3bx^3 + a^4)((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3})) - 3\sqrt{1/3}(a^2b^2x^6 + 2a^3bx^3 + a^4)\sqrt{-(((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^5b + 160cd)/(a^5b))\log(-1/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))^2a^6bd + 25/2((1/2)^{1/3}(I\sqrt{3} + 1)((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3} - 20(1/2)^{2/3}c^2d(-I\sqrt{3} + 1)/(a^5b((125b^3c^3 + 8a^3d^3)/(a^8b^2) + (125b^3c^3 - 8a^3d^3)/(a^8b^2))^{1/3}))$$

$$\begin{aligned} & \left(\frac{1}{3} - 20 \left(\frac{1}{2} \right)^{2/3} c d (-I \sqrt{3} + 1) / (a^5 b ((125 b^3 c^3 + 8 a^4 d^3) / (a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3) / (a^8 b^2))^{1/3}) \right) a^3 b c^2 - 40 a^2 c d^2 \\ & + 2 (125 b^3 c^3 + 8 a^4 d^3) x - 3/2 \sqrt{3} \left(\left(\frac{1}{2} \right)^{1/3} (I \sqrt{3} + 1) \left(\frac{125 b^3 c^3 + 8 a^4 d^3}{a^8 b^2} + \left(\frac{125 b^3 c^3 - 8 a^4 d^3}{a^8 b^2} \right)^{1/3} \right) - \right. \\ & \left. 20 \left(\frac{1}{2} \right)^{2/3} c d (-I \sqrt{3} + 1) / (a^5 b ((125 b^3 c^3 + 8 a^4 d^3) / (a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3) / (a^8 b^2))^{1/3}) \right) a^6 b d + 25 a^3 b c^2 \sqrt{-\left(\left(\frac{1}{2} \right)^{1/3} (I \sqrt{3} + 1) \left(\frac{125 b^3 c^3 + 8 a^4 d^3}{a^8 b^2} + \left(\frac{125 b^3 c^3 - 8 a^4 d^3}{a^8 b^2} \right)^{1/3} \right) - 20 \left(\frac{1}{2} \right)^{2/3} c d (-I \sqrt{3} + 1) / (a^5 b ((125 b^3 c^3 + 8 a^4 d^3) / (a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3) / (a^8 b^2))^{1/3}) \right)^2} \\ & * a^5 b + 160 c d) / (a^5 b) \Big) / (a^2 b^2 x^6 + 2 a^3 b x^3 + a^4) \end{aligned}$$

giac [A] time = 0.23, size = 194, normalized size = 0.90

$$\frac{\sqrt{3} \left(5 b c - 2 \left(-a b^2 \right)^{1/3} d \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{1/3} \right)}{3 \left(-\frac{a}{b} \right)^{1/3}} \right)}{27 \left(-a b^2 \right)^{2/3} a^2} - \frac{\left(5 b c + 2 \left(-a b^2 \right)^{1/3} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{1/3} + \left(-\frac{a}{b} \right)^{2/3} \right) \left(2 d \left(-\frac{a}{b} \right)^{1/3} \right)}{54 \left(-a b^2 \right)^{2/3} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27 \sqrt{3} (5 b c - 2 (-a b^2)^{1/3} d) \arctan(1/3 \sqrt{3} (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-a b^2)^{2/3} a^2) - 1/54 (5 b c + 2 (-a b^2)^{1/3} d) \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a b^2)^{2/3} a^2) - 1/27 (2 d (-a/b)^{1/3} + 5 c) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / a^3 + 1/18 (4 b d x^5 + 5 b c x^4 + 7 a d x^2 + 8 a^2 c x) / (b x^3 + a)^2 a^2$

maple [A] time = 0.06, size = 272, normalized size = 1.27

$$\frac{\frac{d x^2}{6 (b x^3 + a)^2 a} + \frac{c x}{6 (b x^3 + a)^2 a} + \frac{2 d x^2}{9 (b x^3 + a) a^2} + \frac{5 c x}{18 (b x^3 + a) a^2} + \frac{5 \sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{1/3}} \right)}{27 \left(\frac{a}{b} \right)^{2/3} a^2 b} + \frac{5 c \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right)}{27 \left(\frac{a}{b} \right)^{2/3} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^3,x)

[Out] $1/6 c/a x / (b x^3 + a)^2 + 5/18 c/a^2 x / (b x^3 + a) + 5/27 c/a^2/b (a/b)^{2/3} \ln(x + (a/b)^{1/3}) - 5/54 c/a^2/b (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 5/27 c/a^2/b (a/b)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(a/b)^{1/3} x - 1)) + 1/6 d/a x^2 / (b x^3 + a)^2 + 2/9 d/a^2 x^2 / (b x^3 + a) - 2/27 d/a^2/b (a/b)^{1/3} \ln(x + (a/b)^{1/3}) + 1/27 d/a^2/b (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 2/27 d/a^2 3^{1/2} / b (a/b)^{1/3} \arctan(1/3 3^{1/2} (2/(a/b)^{1/3} x - 1))$

maxima [A] time = 1.96, size = 203, normalized size = 0.94

$$\frac{4 b d x^5 + 5 b c x^4 + 7 a d x^2 + 8 a c x}{18 (a^2 b^2 x^6 + 2 a^3 b x^3 + a^4)} + \frac{\sqrt{3} \left(2 d \left(\frac{a}{b} \right)^{1/3} + 5 c \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3}} \right)}{27 a^2 b \left(\frac{a}{b} \right)^{2/3}} + \frac{\left(2 d \left(\frac{a}{b} \right)^{1/3} - 5 c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right)}{54 a^2 b \left(\frac{a}{b} \right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18} \cdot (4bdx^5 + 5b^2cx^4 + 7a^2dx^2 + 8a^3cx) / (a^2b^2x^6 + 2a^3bx^3 + a^4) + \frac{1}{27} \sqrt{3} \cdot (2d(a/b)^{1/3} + 5c) \cdot \arctan(1/3 \sqrt{3} \cdot (2x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a^2b(a/b)^{2/3}) + \frac{1}{54} \cdot (2d(a/b)^{1/3} - 5c) \cdot \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^2b(a/b)^{2/3}) - \frac{1}{27} \cdot (2d(a/b)^{1/3} - 5c) \cdot \log(x + (a/b)^{1/3}) / (a^2b(a/b)^{2/3})$

mupad [B] time = 0.27, size = 206, normalized size = 0.96

$$\frac{\frac{7dx^2}{18a} + \frac{4cx}{9a} + \frac{5bcx^4}{18a^2} + \frac{2bdx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(10cd + 4d^2x + \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k \right)^2 a^5 b + 135 \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k \right) a^2 b c x \right)}{(81a^4) \cdot \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k \right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^3,x)

[Out] $\left(\frac{7d^2x^2}{18a} + \frac{4cx}{9a} + \frac{5b^2cx^4}{18a^2} + \frac{2bdx^5}{9a^2} \right) / (a^2 + b^2x^6 + 2a^2bx^3) + \text{symsum}(\log((b \cdot (10cd + 4d^2x + 729 \cdot \text{root}(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k))^2 a^5 b + 135 \cdot \text{root}(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k) a^2 b c x)) / (81a^4) \cdot \text{root}(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k)), k, 1, 3)$

sympy [A] time = 2.47, size = 146, normalized size = 0.68

$$\text{RootSum} \left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log \left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3} \right) \right) \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a)**3,x)

[Out] $\text{RootSum}(19683_t^3a^8b^2 + 810_t a^3b^2cd + 8a^3d^3 - 125b^2c^3, \text{Lambda}(_t, _t \cdot \log(x + (1458_t^2a^6bd + 675_t a^3b^2c^2 + 40a^2cd^2) / (8a^3d^3 + 125b^2c^3)))) + (8a^2cx + 7a^2d^2x^2 + 5b^2cx^4 + 4b^2d^2x^5) / (18a^4 + 36a^3b^2x^3 + 18a^2b^2x^6)$

$$3.10 \quad \int \frac{c+dx}{(a+bx^3)^4} dx$$

Optimal. Leaf size=240

$$-\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] 1/9*x*(d*x+c)/a/(b*x^3+a)^3+1/54*x*(7*d*x+8*c)/a^2/(b*x^3+a)^2+2/81*x*(7*d*x+10*c)/a^3/(b*x^3+a)+2/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)-1/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-2/243*(20*b^(1/3)*c+7*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.22, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^4, x]

[Out] (x*(c + d*x))/(9*a*(a + b*x^3)^3) + (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d._) + (e._)*(x._))/((a._) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b._)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B._)*(x_))/((a_) + (b._)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{(a + bx^3)^4} dx &= \frac{x(c + dx)}{9a(a + bx^3)^3} - \frac{\int \frac{-8c - 7dx}{(a + bx^3)^3} dx}{9a} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{\int \frac{40c + 28dx}{(a + bx^3)^2} dx}{54a^2} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{\int \frac{-80c - 28dx}{a + bx^3} dx}{162a^3} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c - 28\sqrt[3]{a}d) + \sqrt[3]{b}(80\sqrt[3]{b}c - 28\sqrt[3]{a}d)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\ &= \frac{x(c + dx)}{9a(a + bx^3)^3} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{2(20\sqrt[3]{b}c + 7\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.23, size = 229, normalized size = 0.95

$$\frac{2(7a^{2/3}d - 20\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c - 7a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} + \frac{54a^3x(c + dx)}{(a + bx^3)^3} + \frac{9a^2x(8c + 7dx)}{(a + bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a}c - 20\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{486a^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/(a + b*x^3)^4,x]
```

```
[Out] ((54*a^3*x*(c + d*x))/(a + b*x^3)^3 + (9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2
+ (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*c +
7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (4*(20
*a^(1/3)*b^(1/3)*c - 7*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x]/b^(2/3) + (2*(-
20*a^(1/3)*b^(1/3)*c + 7*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/
3)*x^2])/b^(2/3))/(486*a^4)
```

```
fricas [C] time = 2.53, size = 2308, normalized size = 9.62
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")
```

```
[Out] 1/972*(168*b^2*d*x^8 + 240*b^2*c*x^7 + 462*a*b*d*x^5 + 624*a*b*c*x^4 + 402*
a^2*d*x^2 + 492*a^2*c*x - 2*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^
6)*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*
c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*
b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2
)))^(1/3))*log(7/4*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11
*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sq
rt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*
a*d^3)/(a^11*b^2))^(1/3)))^2*a^8*b*d - 400*(4^(1/3)*(I*sqrt(3) + 1)*((8000*
b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)
- 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b
^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3))*a^4*b*c^2 + 7840*a*c*d^2
+ 4*(8000*b*c^3 + 343*a*d^3)*x) + ((a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*
x^3 + a^6)*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) +
(8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) +
1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(
a^11*b^2))^(1/3))) + 3*sqrt(1/3)*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3
+ a^6)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2
) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3
) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^
3)/(a^11*b^2))^(1/3)))^2*a^7*b + 8960*c*d)/(a^7*b)))*log(-7/4*(4^(1/3)*(I*s
qrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)
/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 +
343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)))^2*a^8
*b*d + 400*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) +
(8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) +
1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(
a^11*b^2))^(1/3))*a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x
+ 3/4*sqrt(1/3)*(7*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11
*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sq
rt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*
a*d^3)/(a^11*b^2))^(1/3))*a^8*b*d + 1600*a^4*b*c^2)*sqrt(-((4^(1/3)*(I*sq
rt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(
a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 3
43*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)))^2*a^7*b
+ 8960*c*d)/(a^7*b)) + ((a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)
*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^
3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*
((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))
^(1/3))) - 3*sqrt(1/3)*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)*sq
rt(-((4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*
b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^
```

$$7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} + 8960*c*d/(a^7*b)) * \log(-7/4*(4^{(1/3)}*(I*\sqrt{3}) + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3}) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)}))^{2*a^8*b*d + 400*(4^{(1/3)}*(I*\sqrt{3}) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3}) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)}) * a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x - 3/4*\sqrt{3}*(1/3)*(7*(4^{(1/3)}*(I*\sqrt{3}) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3}) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)}) * a^8*b*d + 1600*a^4*b*c^2)*\sqrt{3} * ((4^{(1/3)}*(I*\sqrt{3}) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3}) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)}))^{2*a^7*b + 8960*c*d)/(a^7*b)))/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)$$

giac [A] time = 0.23, size = 218, normalized size = 0.91

$$\frac{2\sqrt{3}\left(20bc - 7\left(-ab^2\right)^{\frac{1}{3}}d\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243\left(-ab^2\right)^{\frac{2}{3}}a^3} - \frac{\left(20bc + 7\left(-ab^2\right)^{\frac{1}{3}}d\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243\left(-ab^2\right)^{\frac{2}{3}}a^3} - 2\left(7\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-2/243*\sqrt{3}*(20*b*c - 7*(-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(20*b*c + 7*(-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 2/243*(7*d*(-a/b)^{(1/3)} + 20*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^4 + 1/162*(28*b^2*d*x^8 + 40*b^2*c*x^7 + 77*a*b*d*x^5 + 104*a*b*c*x^4 + 67*a^2*d*x^2 + 82*a^2*c*x)/((b*x^3 + a)^3*a^3)$$

maple [A] time = 0.05, size = 306, normalized size = 1.28

$$\frac{dx^2}{9(bx^3+a)^3a} + \frac{cx}{9(bx^3+a)^3a} + \frac{7dx^2}{54(bx^3+a)^2a^2} + \frac{4cx}{27(bx^3+a)^2a^2} + \frac{14dx^2}{81(bx^3+a)a^3} + \frac{20cx}{81(bx^3+a)a^3} + \frac{40\sqrt{3}}{81(bx^3+a)a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^4,x)

[Out]
$$1/9*c/a*x/(b*x^3+a)^3 + 4/27*c/a^2*x/(b*x^3+a)^2 + 20/81*c/a^3*x/(b*x^3+a) + 40/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 20/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 40/243*c/a^3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + 1/9*d/a*x^2/(b*x^3+a)^3 + 7/54*d/a^2*x^2/(b*x^3+a)^2 + 14/81*d/a^3*x^2/(b*x^3+a) - 14/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + 7/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 14/243*d/a^3*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1))$$

maxima [A] time = 2.62, size = 238, normalized size = 0.99

$$\frac{28b^2dx^8 + 40b^2cx^7 + 77abdx^5 + 104abcx^4 + 67a^2dx^2 + 82a^2cx}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)} + \frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(28*b^2*d*x^8 + 40*b^2*c*x^7 + 77*a*b*d*x^5 + 104*a*b*c*x^4 + 67*a^2*d*x^2 + 82*a^2*c*x)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + 2/43*sqrt(3)*(7*d*(a/b)^(1/3) + 20*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b*(a/b)^(2/3)) + 1/243*(7*d*(a/b)^(1/3) - 20*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 2/243*(7*d*(a/b)^(1/3) - 20*c)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 4.93, size = 241, normalized size = 1.00

$$\left(\sum_{k=1}^3 \ln\left(\frac{b\left(560cd + 196d^2x + \text{root}\left(14348907a^{11}b^2z^3 + 408240a^4bcdz - 64000bc^3 + 2744ad^3, z, k\right)\right)^2 a^7 b^5}{a^6 6561}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^4,x)

[Out] symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)*a^3*b*c*x))/(6561*a^6))*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k), k, 1, 3) + ((67*d*x^2)/(162*a) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)

sympy [A] time = 3.64, size = 185, normalized size = 0.77

$$\text{RootSum}\left(14348907t^3a^{11}b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, \left(t \mapsto t \log\left(x + \frac{413343t^2a^8bd + 194400ta^4}{1372ad^3 + 3200}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a)**4,x)

[Out] RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (82*a**2*c*x + 67*a**2*d*x**2 + 104*a*b*c*x**4 + 77*a*b*d*x**5 + 40*b**2*c*x**7 + 28*b**2*d*x**8)/(162*a**6 + 486*a**5*b*x**3 + 486*a**4*b**2*x**6 + 162*a**3*b**3*x**9)

3.11 $\int \frac{a+bx}{d+ex^3} dx$

Optimal. Leaf size=161

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2\right)}{6d^{2/3}\sqrt[3]{e}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log\left(\sqrt[3]{d} + \sqrt[3]{e}x\right)}{3d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

[Out] $-1/3*(b*d^{(1/3)}-a*e^{(1/3)})*\ln(d^{(1/3)}+e^{(1/3)*x}/d^{(2/3)}/e^{(2/3)}-1/6*(a-b*d^{(1/3)}/e^{(1/3)})*\ln(d^{(2/3)}-d^{(1/3)*e^{(1/3)*x}+e^{(2/3)*x^2}))/d^{(2/3)}/e^{(1/3)}-1/3*(b*d^{(1/3)}+a*e^{(1/3)})*\arctan(1/3*(d^{(1/3)}-2*e^{(1/3)*x})/d^{(1/3)*3^{(1/2)}})/d^{(2/3)}/e^{(2/3)*3^{(1/2)}}$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2\right)}{6d^{2/3}\sqrt[3]{e}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log\left(\sqrt[3]{d} + \sqrt[3]{e}x\right)}{3d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(d + e*x^3), x]

[Out] $-(((b*d^{(1/3)} + a*e^{(1/3)})*ArcTan[(d^{(1/3)} - 2*e^{(1/3)*x})/(Sqrt[3]*d^{(1/3)})])/(Sqrt[3]*d^{(2/3)*e^{(2/3)}}) - ((b*d^{(1/3)} - a*e^{(1/3)})*Log[d^{(1/3)} + e^{(1/3)*x}])/(3*d^{(2/3)*e^{(2/3)}}) - ((a - (b*d^{(1/3)})/e^{(1/3)})*Log[d^{(2/3)} - d^{(1/3)*e^{(1/3)*x} + e^{(2/3)*x^2}])/(6*d^{(2/3)*e^{(1/3)}})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ

$[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1860

$\text{Int}[(A_ + (B_)*(x_))/((a_ + (b_)*(x_)^3), x_Symbol] \text{:> With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d + ex^3} dx &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{\int \frac{\sqrt[3]{d}(b\sqrt[3]{d} + 2a\sqrt[3]{e}) + (b\sqrt[3]{d} - a\sqrt[3]{e})\sqrt[3]{e}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}\sqrt[3]{e}} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{1}{2} \left(\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \text{Subst}\left(\int \frac{1}{u^2 - 1} du, u, d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2\right)}{6d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} + \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 125, normalized size = 0.78

$$\frac{-(b\sqrt[3]{d} - a\sqrt[3]{e}) \left(2 \log(\sqrt[3]{d} + \sqrt[3]{e}x) - \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)\right) - 2\sqrt{3} (a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{e}x}{\sqrt[3]{d}}}{\sqrt{3}}\right)}{6d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(d + e*x^3), x]

[Out] $(-2*\text{Sqrt}[3]*(b*d^{(1/3)} + a*e^{(1/3)})*\text{ArcTan}[(1 - (2*e^{(1/3)}*x)/d^{(1/3)})/\text{Sqrt}[3]] - (b*d^{(1/3)} - a*e^{(1/3)})*(2*\text{Log}[d^{(1/3)} + e^{(1/3)}*x] - \text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]))/(6*d^{(2/3)}*e^{(2/3)})$

fricas [C] time = 2.36, size = 1961, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d), x, algorithm="fricas")

[Out] $-1/6*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} - 2*(1/2)^{(2/3)}*a*b*(-I*\text{sqrt}(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)})*\log(1/4*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} - 2*(1/2)^{(2/3)}*a*b*(-I*\text{sqrt}(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)}))^2*b*d^2*e - 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} - 2*(1/2)^{(2/3)}*a*b*(-I*\text{sqrt}(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^{(1/3)}))$

$$\frac{2}{3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} * a^2 * d * e + 2 * a * b^2 * d + (b^3 * d + a^3 * e) * x + 1/12 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} + 3 * \sqrt{1/3} * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})} * d^2 * e + 16 * a * b) / (d * e)) * \log(-1/4 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})$$

$$- 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} * a^2 * d * e - 2 * a * b^2 * d + 2 * (b^3 * d + a^3 * e) * x + 3/4 * \sqrt{1/3} * (((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3}) * b * d^2 * e + 2 * a^2 * d * e) * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})} * d^2 * e + 16 * a * b) / (d * e)) + 1/12 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 3 * \sqrt{1/3} * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})} * d^2 * e + 16 * a * b) / (d * e)) * \log(-1/4 * ((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})$$

$$- 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} * a^2 * d * e - 2 * a * b^2 * d + 2 * (b^3 * d + a^3 * e) * x - 3/4 * \sqrt{1/3} * (((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3}) * b * d^2 * e + 2 * a^2 * d * e) * \sqrt{-(((1/2)^{1/3} * (I * \sqrt{3} + 1) * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3} - 2 * (1/2)^{2/3} * a * b * (-I * \sqrt{3} + 1) / (d * e * ((b^3 * d + a^3 * e) / (d^2 * e^2) - (b^3 * d - a^3 * e) / (d^2 * e^2)))^{1/3})} * d^2 * e + 16 * a * b) / (d * e))$$

giac [A] time = 0.17, size = 132, normalized size = 0.82

$$\frac{\sqrt{3} \left(a e - (-d e^2)^{\frac{1}{3}} b \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-d e^{-1})^{\frac{1}{3}} \right)}{3 (-d e^{-1})^{\frac{1}{3}}} \right)}{3 (-d e^2)^{\frac{2}{3}}} - \frac{\left(a e + (-d e^2)^{\frac{1}{3}} b \right) \log \left(x^2 + (-d e^{-1})^{\frac{1}{3}} x + (-d e^{-1})^{\frac{2}{3}} \right)}{6 (-d e^2)^{\frac{2}{3}}} - (-d e^{-1})^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d),x, algorithm="giac")

[Out] $-1/3 * \sqrt{3} * (a * e - (-d * e^2)^{1/3} * b) * \arctan(1/3 * \sqrt{3} * (2 * x + (-d * e^{-1})^{1/3}) / (-d * e^{-1})^{1/3}) / (-d * e^{-1})^{1/3} / (-d * e^2)^{2/3} - 1/6 * (a * e + (-d * e^2)^{1/3} * b) * \log(x^2 + (-d * e^{-1})^{1/3} * x + (-d * e^{-1})^{2/3}) / (-d * e^2)^{2/3} - 1/3 * (-d * e^{-1})^{1/3} * ((-d * e^{-1})^{1/3} * b + a) * \log(\text{abs}(x - (-d * e^{-1})^{1/3})) / d$

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{a \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(e*x^3+d), x)

[Out] $\frac{1}{3}a/e/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})-1/6*a/e/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*a/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))-1/3*b/e/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})+1/6*b/e/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*b*3^{(1/2)}/e/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))$

maxima [A] time = 2.51, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x^2-x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d), x, algorithm="maxima")

[Out] $\frac{1}{3}*\sqrt{3}*(b*(d/e)^{(1/3)}+a)*\arctan(1/3*\sqrt{3}*(2*x-(d/e)^{(1/3)})/(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})+1/6*(b*(d/e)^{(1/3)}-a)*\log(x^2-x*(d/e)^{(1/3)}+(d/e)^{(2/3)})/(e*(d/e)^{(2/3)})-1/3*(b*(d/e)^{(1/3)}-a)*\log(x+(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})$

mupad [B] time = 4.85, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(e\left(ab + b^2x + \text{root}\left(27d^2e^2z^3 + 9abde z + b^3d - a^3e, z, k\right)^2 de + \text{root}\left(27d^2e^2z^3 + 9abde z + b^3d - a^3e, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)/(d + e*x^3), x)

[Out] $\text{symsum}(\log(e*(a*b + b^2*x + 9*\text{root}(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k)^2*d*e + 3*\text{root}(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k)*a*e*x))*\text{root}(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k), k, 1, 3)$

sympy [A] time = 1.43, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3d^2e^2 + 9tabde - a^3e + b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e + 3ta^2de + 2ab^2d}{a^3e + b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)/(e*x**3+d),x)
```

```
[Out] RootSum(27*_t**3*d**2*e**2 + 9*_t*a*b*d*e - a**3*e + b**3*d, Lambda(_t, _t*  
log(x + (9*_t**2*b*d**2*e + 3*_t*a**2*d*e + 2*a*b**2*d)/(a**3*e + b**3*d)))  
)
```

3.12 $\int \frac{a+bx}{d-ex^3} dx$

Optimal. Leaf size=161

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

[Out] $-1/3*(b*d^{(1/3)}+a*e^{(1/3)})*\ln(d^{(1/3)}-e^{(1/3)*x}/d^{(2/3)}/e^{(2/3)}+1/6*(b*d^{(1/3)}+a*e^{(1/3)})*\ln(d^{(2/3)}+d^{(1/3)*e^{(1/3)*x}+e^{(2/3)*x^2}))/d^{(2/3)}/e^{(2/3)}-1/3*(b*d^{(1/3)}-a*e^{(1/3)})*\arctan(1/3*(d^{(1/3)}+2*e^{(1/3)*x}/d^{(1/3)*3^{(1/2)}})/d^{(2/3)}/e^{(2/3)*3^{(1/2)}}$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1861, 31, 634, 617, 204, 628}

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*x)/(d - e*x^3), x]`

[Out] $-(((b*d^{(1/3)} - a*e^{(1/3)})*ArcTan[(d^{(1/3)} + 2*e^{(1/3)*x}/(Sqrt[3]*d^{(1/3)})])/(Sqrt[3]*d^{(2/3)*e^{(2/3)}}) - ((b*d^{(1/3)} + a*e^{(1/3)})*Log[d^{(1/3)} - e^{(1/3)*x}]/(3*d^{(2/3)*e^{(2/3)}}) + ((b*d^{(1/3)} + a*e^{(1/3)})*Log[d^{(2/3)} + d^{(1/3)*e^{(1/3)*x} + e^{(2/3)*x^2}]/(6*d^{(2/3)*e^{(2/3)}}))$

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 628

`Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

Rule 634

`Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ`

$[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1861

$\text{Int}[(A_ + (B_)*(x_))/((a_ + (b_)*(x_)^3), x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[-(a/b), 3]], s = \text{Denominator}[\text{Rt}[-(a/b), 3]]\}, \text{Dist}[(r*(B*r + A*s))/(3*a*s), \text{Int}[1/(r - s*x), x], x] - \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d - ex^3} dx &= \frac{\left(a + \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx - \int \frac{\sqrt[3]{d}(b\sqrt[3]{d} - 2a\sqrt[3]{e}) - (b\sqrt[3]{d} + a\sqrt[3]{e})\sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{1}{2} \left(-\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 125, normalized size = 0.78

$$\frac{-(a\sqrt[3]{e} + b\sqrt[3]{d}) \left(2 \log(\sqrt[3]{d} - \sqrt[3]{e}x) - \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)\right) - 2\sqrt{3} (b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{e}x}{\sqrt[3]{d}} + 1}{\sqrt{3}}\right)}{6d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(d - e*x^3), x]

[Out] $(-2*\text{Sqrt}[3]*(b*d^{(1/3)} - a*e^{(1/3)})*\text{ArcTan}[(1 + (2*e^{(1/3)}*x)/d^{(1/3)})/\text{Sqrt}[3]] - (b*d^{(1/3)} + a*e^{(1/3)})*(2*\text{Log}[d^{(1/3)} - e^{(1/3)}*x] - \text{Log}[d^{(2/3)} + d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]))/(6*d^{(2/3)}*e^{(2/3)})$

fricas [C] time = 2.38, size = 1905, normalized size = 11.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d), x, algorithm="fricas")

[Out] $-1/18*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)})*\log(1/36*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)}))^{(1/3)} - 1/6*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{(1/3)})$

```

2*e^2))^(1/3))) * a^2*d*e - 2*a*b^2*d - (b^3*d - a^3*e)*x) + 1/36*(9*(I*sqrt(
3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^
(1/3) + 3*sqrt(1/3)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*
e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1
/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3)))^2*d
*e - 144*a*b)/(d*e)) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^
2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3))) * log(-1/36*(9*(I*sqrt(3) +
1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3)
+ a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d
- a^3*e)/(d^2*e^2))^1/3)))^2*b*d^2*e + 1/6*(9*(I*sqrt(3) + 1)*(-1/54*(b^3
*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3) + a*b*(-I*sq
rt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2
*e^2))^1/3))) * a^2*d*e + 2*a*b^2*d - 2*(b^3*d - a^3*e)*x + 1/12*sqrt(1/3)*
(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/
(d^2*e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^
2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3))) * b*d^2*e + 6*a^2*d*e)*sqrt(-((9
*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d
^2*e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2)
- 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3)))^2*d*e - 144*a*b)/(d*e))) + 1/36*
(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/
(d^2*e^2))^1/3) - 3*sqrt(1/3)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^
3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3) + a*b*(-I*sqrt(3) +
1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^
1/3)))^2*d*e - 144*a*b)/(d*e)) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d +
a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3))) * log(-1/36*(9*(I
*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*
e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) -
1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3)))^2*b*d^2*e + 1/6*(9*(I*sqrt(3) + 1)*
(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3) +
a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d -
a^3*e)/(d^2*e^2))^1/3))) * a^2*d*e + 2*a*b^2*d - 2*(b^3*d - a^3*e)*x - 1/12*
sqrt(1/3)*((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*
d - a^3*e)/(d^2*e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3
*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3))) * b*d^2*e + 6*a^2*d*e
)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d
- a^3*e)/(d^2*e^2))^1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e
)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^1/3)))^2*d*e - 144*a*b)/(d*e
)))

```

giac [A] time = 0.18, size = 115, normalized size = 0.71

$$\frac{\sqrt{3} \left(b d^{\frac{2}{3}} e^{\frac{4}{3}} - a d^{\frac{1}{3}} e^{\frac{5}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + 2x \right) e^{\frac{1}{3}}}{3 d^{\frac{1}{3}}} \right) e^{(-2)}}{3 d} - \frac{\left(b d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + a \right) e^{\left(-\frac{1}{3}\right)} \log \left(\left| -d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + x \right| \right) \left(b d^{\frac{2}{3}} e^{\frac{4}{3}} + a d^{\frac{1}{3}} e^{\frac{5}{3}} \right)}{3 d^{\frac{2}{3}}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d),x, algorithm="giac")

```

[Out] -1/3*sqrt(3)*(b*d^(2/3)*e^(4/3) - a*d^(1/3)*e^(5/3))*arctan(1/3*sqrt(3)*(d^
(1/3)*e^(-1/3) + 2*x)*e^(1/3)/d^(1/3))*e^(-2)/d - 1/3*(b*d^(1/3)*e^(-1/3) +
a)*e^(-1/3)*log(abs(-d^(1/3)*e^(-1/3) + x))/d^(2/3) + 1/6*(b*d^(2/3)*e^(4/
3) + a*d^(1/3)*e^(5/3))*e^(-2)*log(d^(1/3)*x*e^(-1/3) + x^2 + d^(2/3)*e^(-2
/3))/d

```

maple [A] time = 0.05, size = 188, normalized size = 1.17

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{b \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(-e*x^3+d), x)

[Out] $-1/3*a/e/(d/e)^{(2/3)}*\ln(x-(d/e)^{(1/3)})+1/6*a/e/(d/e)^{(2/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*a/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))-1/3*b/e/(d/e)^{(1/3)}*\ln(x-(d/e)^{(1/3)})+1/6*b/e/(d/e)^{(1/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})-1/3*b*3^{(1/2)}/e/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))$

maxima [A] time = 2.68, size = 132, normalized size = 0.82

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x^2+x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d), x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b*(d/e)^{(1/3)}-a)*\arctan(1/3*\sqrt{3}*(2*x+(d/e)^{(1/3)})/(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})+1/6*(b*(d/e)^{(1/3)}+a)*\log(x^2+x*(d/e)^{(1/3)}+(d/e)^{(2/3)})/(e*(d/e)^{(2/3)})-1/3*(b*(d/e)^{(1/3)}+a)*\log(x-(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})$

mupad [B] time = 0.21, size = 124, normalized size = 0.77

$$\sum_{k=1}^3 \ln\left(e\left(ab + b^2x - \text{root}\left(27d^2e^2z^3 - 9abde z + b^3d + a^3e, z, k\right)^2 de - \text{root}\left(27d^2e^2z^3 - 9abde z + b^3d + a^3e, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)/(d - e*x^3), x)

[Out] $\text{symsum}(\log(e*(a*b + b^2*x - 9*\text{root}(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k))^2*d*e - 3*\text{root}(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k)*a*e*x))*\text{root}(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k), k, 1, 3)$

sympy [A] time = 1.49, size = 78, normalized size = 0.48

$$-\text{RootSum}\left(27t^3d^2e^2 - 9tabde - a^3e - b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e - 3ta^2de - 2ab^2d}{a^3e - b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)/(-e*x**3+d),x)
```

```
[Out] -RootSum(27*_t**3*d**2*e**2 - 9*_t*a*b*d*e - a**3*e - b**3*d, Lambda(_t, _t  
*log(x + (9*_t**2*b*d**2*e - 3*_t*a**2*d*e - 2*a*b**2*d)/(a**3*e - b**3*d))  
)
```


3.13 $\int \frac{1+x}{1+x^3} dx$

Optimal. Leaf size=19

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-2/3*\arctan(1/3*(1-2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1586, 618, 204}

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + x)/(1 + x^3), x]$

[Out] $(-2*\text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]])/\text{Sqrt}[3]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 618

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1586

$\text{Int}[(u_)*(P_x_)^{(p_)}*(Q_x_)^{(q_)}, x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^{p*Q_x^{(p+q)}, x} /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1+x^3} dx &= \int \frac{1}{1-x+x^2} dx \\ &= -\left(2 \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right)\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^3), x]

[Out] (2*ArcTan[(-1 + 2*x)/Sqrt[3]])/Sqrt[3]

fricas [A] time = 0.50, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

giac [A] time = 0.19, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)/(x^3+1), x)

[Out] 2/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.48, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

mupad [B] time = 4.70, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x-1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)/(x^3 + 1), x)

[Out] (2*3^(1/2)*atan((3^(1/2)*(2*x - 1))/3))/3

sympy [A] time = 0.37, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x)/(x**3+1),x)
```

```
[Out] 2*sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3
```

$$3.14 \quad \int \frac{1-x}{1-x^3} dx$$

Optimal. Leaf size=19

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 2/3*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.01, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1586, 618, 204}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1-x^3} dx &= \int \frac{1}{1+x+x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right)\right) \\ &= \frac{2 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

fricas [A] time = 0.53, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

giac [A] time = 0.17, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^3+1), x)

[Out] 2/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

mupad [B] time = 4.67, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x+1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^3 - 1), x)

[Out] (2*3^(1/2)*atan((3^(1/2)*(2*x + 1))/3))/3

sympy [A] time = 0.22, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x)/(-x**3+1),x)
```

```
[Out] 2*sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3
```

$$3.15 \quad \int \frac{1+x}{1-x^3} dx$$

Optimal. Leaf size=22

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

[Out] $-2/3*\ln(1-x)+1/3*\ln(x^2+x+1)$

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1861, 31, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 - x^3), x]

[Out] $(-2*\text{Log}[1 - x])/3 + \text{Log}[1 + x + x^2]/3$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-1-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.00, size = 22, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 - x^3), x]

[Out] $(-2*\text{Log}[1 - x])/3 + \text{Log}[1 + x + x^2]/3$

fricas [A] time = 0.57, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1),x, algorithm="fricas")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.16, size = 17, normalized size = 0.77

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1),x, algorithm="giac")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.77

$$-\frac{2 \ln(x - 1)}{3} + \frac{\ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)/(-x^3+1),x)

[Out] -2/3*ln(x-1)+1/3*ln(x^2+x+1)

maxima [A] time = 2.44, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1),x, algorithm="maxima")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

mupad [B] time = 0.06, size = 16, normalized size = 0.73

$$\frac{\ln(x^2 + x + 1)}{3} - \frac{2 \ln(x - 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + 1)/(x^3 - 1),x)

[Out] log(x + x^2 + 1)/3 - (2*log(x - 1))/3

sympy [A] time = 0.25, size = 17, normalized size = 0.77

$$-\frac{2 \log(x - 1)}{3} + \frac{\log(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x**3+1),x)

[Out] -2*log(x - 1)/3 + log(x**2 + x + 1)/3

$$3.16 \quad \int \frac{1-x}{1+x^3} dx$$

Optimal. Leaf size=22

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

[Out] 2/3*ln(1+x)-1/3*ln(x^2-x+1)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1860, 31, 628}

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1+x^3} dx &= \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\ &= \frac{2}{3} \log(1+x) - \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

fricas [A] time = 0.48, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1),x, algorithm="fricas")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.17, size = 19, normalized size = 0.86

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1),x, algorithm="giac")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.04, size = 19, normalized size = 0.86

$$\frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(x^3+1),x)

[Out] 2/3*ln(x+1)-1/3*ln(x^2-x+1)

maxima [A] time = 2.47, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1),x, algorithm="maxima")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(x + 1)

mupad [B] time = 0.11, size = 18, normalized size = 0.82

$$\frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x^3 + 1),x)

[Out] (2*log(x + 1))/3 - log(x^2 - x + 1)/3

sympy [A] time = 0.23, size = 17, normalized size = 0.77

$$\frac{2 \log(x + 1)}{3} - \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x**3+1),x)

[Out] 2*log(x + 1)/3 - log(x**2 - x + 1)/3

3.17 $\int \frac{3-x}{1-x^3} dx$

Optimal. Leaf size=41

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-2/3*\ln(1-x)+1/3*\ln(x^2+x+1)+4/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1861, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - x)/(1 - x^3), x]

[Out] (4*ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3] - (2*Log[1 - x])/3 + Log[1 + x + x^2])/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x]

&& NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{3-x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-7-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \int \frac{1+2x}{1+x+x^2} dx + 2 \int \frac{1}{1+x+x^2} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) - 4 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \frac{4 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 41, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1-x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - x)/(1 - x^3), x]

[Out] (4*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 - x])/3 + Log[1 + x + x^2]/3

fricas [A] time = 0.82, size = 32, normalized size = 0.78

$$\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1), x, algorithm="fricas")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.15, size = 33, normalized size = 0.80

$$\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1), x, algorithm="giac")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 33, normalized size = 0.80

$$\frac{4\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x-1)}{3} + \frac{\ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-x)/(-x^3+1),x)

[Out] -2/3*ln(x-1)+1/3*ln(x^2+x+1)+4/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 32, normalized size = 0.78

$$\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{3}\log(x^2+x+1) - \frac{2}{3}\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1),x, algorithm="maxima")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

mupad [B] time = 0.14, size = 46, normalized size = 1.12

$$-\frac{2\ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 3)/(x^3 - 1),x)

[Out] log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*2i)/3 + 1/3) - log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*2i)/3 - 1/3) - (2*log(x - 1))/3

sympy [A] time = 0.47, size = 44, normalized size = 1.07

$$-\frac{2\log(x-1)}{3} + \frac{\log(x^2+x+1)}{3} + \frac{4\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x**3+1),x)

[Out] -2*log(x - 1)/3 + log(x**2 + x + 1)/3 + 4*sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3

$$3.18 \quad \int \frac{c+dx}{c^3+d^3x^3} dx$$

Optimal. Leaf size=29

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

[Out] $-2/3*\arctan(1/3*(-2*d*x+c)/c*3^{(1/2)})/c/d*3^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1586, 617, 204}

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)/(c^3 + d^3*x^3), x]$

[Out] $(-2*\text{ArcTan}[(c - 2*d*x)/(\text{Sqrt}[3]*c)])/(\text{Sqrt}[3]*c*d)$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1586

$\text{Int}[(u_)*(P_x_)^{(p_)}*(Q_x_)^{(q_)}, x_Symbol] := \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^{p+q}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rubi steps

$$\begin{aligned} \int \frac{c+dx}{c^3+d^3x^3} dx &= \int \frac{1}{c^2-cdx+d^2x^2} dx \\ &= \frac{2 \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2dx}{c}\right)}{cd} \\ &= -\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 1.07

$$\frac{2 \tan^{-1}\left(\frac{2dx-c}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(c^3 + d^3*x^3), x]

[Out] (2*ArcTan[(-c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

fricas [A] time = 0.53, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

giac [A] time = 0.21, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

maple [A] time = 0.07, size = 35, normalized size = 1.21

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x-cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(d^3*x^3+c^3), x)

[Out] 2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x-c*d)*3^(1/2)/c/d)

maxima [A] time = 2.90, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x-cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x - c*d)/(c*d))/(c*d)

mupad [B] time = 0.05, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} - \frac{2\sqrt{3} dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(c^3 + d^3*x^3), x)

[Out] -(2*3^(1/2)*atan(3^(1/2)/3 - (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)

sympy [C] time = 0.40, size = 54, normalized size = 1.86

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{-c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d**3*x**3+c**3),x)

[Out] (-sqrt(3)*I*log(x + (-c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (-c + sqrt(3)*I*c)/(2*d))/3)/(c*d)

$$3.19 \quad \int \frac{c-dx}{c^3-d^3x^3} dx$$

Optimal. Leaf size=29

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

[Out] $2/3*\arctan(1/3*(2*d*x+c)/c*3^(1/2))/c/d*3^(1/2)$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1586, 617, 204}

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Int[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{c-dx}{c^3-d^3x^3} dx &= \int \frac{1}{c^2+cdx+d^2x^2} dx \\ &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2dx}{c}\right)}{cd} \\ &= \frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.03, size = 29, normalized size = 1.00

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

fricas [A] time = 0.59, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

giac [A] time = 0.17, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

maple [A] time = 0.04, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x+cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-d*x+c)/(-d^3*x^3+c^3), x)

[Out] 2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x+c*d)*3^(1/2)/c/d)

maxima [A] time = 2.98, size = 33, normalized size = 1.14

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x+cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x + c*d)/(c*d))/(c*d)

mupad [B] time = 0.04, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} + \frac{2\sqrt{3}dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c - d*x)/(c^3 - d^3*x^3), x)

[Out] (2*3^(1/2)*atan(3^(1/2)/3 + (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)

sympy [C] time = 0.47, size = 53, normalized size = 1.83

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d**3*x**3+c**3),x)

[Out] (-sqrt(3)*I*log(x + (c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (c + sqrt(3)*I*c)/(2*d))/3)/(c*d)

$$3.20 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a + bx^3} dx$$

Optimal. Leaf size=39

$$-\frac{2B \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}}$$

[Out] $-2/3*B*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}}/a^{(1/3)*3^{(1/2)}}$

Rubi [A] time = 0.03, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1586, 617, 204}

$$-\frac{2B \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a^{(1/3)}*b^{(1/3)}*B + b^{(2/3)}*B*x)/(a + b*x^3), x]$

[Out] $(-2*B*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(1/3)})$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1586

$\text{Int}[(u_)*(Px_)^{(p_)}*(Qx_)^{(q_)}, x_Symbol] := \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^{p*Qx^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[Px, x] \ \&\& \ \text{PolyQ}[Qx, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a + bx^3} dx &= \int \frac{1}{\frac{a^{2/3}}{\sqrt[3]{b}B} - \frac{\sqrt[3]{a}x}{B} + \frac{\sqrt[3]{b}x^2}{B}} dx \\ &= \frac{(2B) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{a}} \\ &= -\frac{2B \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 35, normalized size = 0.90

$$\frac{2B \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

[Out] (-2*B*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(1/3))

fricas [A] time = 0.77, size = 107, normalized size = 2.74

$$\left[\sqrt{\frac{1}{3}} B \sqrt{-\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2bx^3 - 3a^{\frac{2}{3}}b^{\frac{1}{3}}x + 3\sqrt{\frac{1}{3}} \left(2a^{\frac{2}{3}}b^{\frac{2}{3}}x^2 + ab^{\frac{1}{3}}x - a^{\frac{4}{3}} \right) \sqrt{-\frac{1}{a^{\frac{2}{3}}} - a}}{bx^3 + a} \right), \frac{2\sqrt{\frac{1}{3}} B \arctan \left(\frac{\sqrt{\frac{1}{3}} \left(2b^{\frac{1}{3}}x - a^{\frac{1}{3}} \right)}{a^{\frac{1}{3}}} \right)}{a^{\frac{1}{3}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a), x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x^2 + a*b^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)) - a)/(b*x^3 + a), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*b^(1/3)*x - a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.22, size = 48, normalized size = 1.23

$$\frac{2\sqrt{3} B b^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(2b^{\frac{2}{3}}x - a^{\frac{1}{3}}b^{\frac{1}{3}} \right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}} \right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b^(1/3)*arctan(1/3*sqrt(3)*(2*b^(2/3)*x - a^(1/3)*b^(1/3))/sqrt(a^(2/3)*b^(2/3))

maple [B] time = 0.06, size = 195, normalized size = 5.00

$$\frac{\sqrt{3} B a^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{1}{b}} - 1 \right)}{\frac{\left(\frac{a}{b} \right)^{\frac{2}{3}}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{B a^{\frac{1}{3}} \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^{\frac{2}{3}}} - \frac{B a^{\frac{1}{3}} \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{1}{b}} - 1 \right)}{\frac{\left(\frac{a}{b} \right)^{\frac{2}{3}}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a), x)

[Out] $\frac{1}{3} \frac{B}{b^{2/3}} \frac{a^{1/3}}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) - \frac{1}{6} \frac{B}{b^{2/3}} \frac{a^{1/3}}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} \frac{B}{b^{2/3}} \frac{a^{1/3}}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{(2/(a/b)^{1/3} x - 1)}{(a/b)^{1/3}}\right) - \frac{1}{3} \frac{B}{b^{1/3}} \frac{a^{1/3}}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{6} \frac{B}{b^{1/3}} \frac{a^{1/3}}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} \frac{B}{b^{1/3}} \frac{a^{1/3}}{(a/b)^{1/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{(2/(a/b)^{1/3} x - 1)}{(a/b)^{1/3}}\right)$

maxima [B] time = 2.98, size = 163, normalized size = 4.18

$$\frac{\sqrt{3} \left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + B a^{\frac{1}{3}} b^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - B a^{\frac{1}{3}} b^{\frac{1}{3}} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - B a^{\frac{1}{3}} b^{\frac{1}{3}} \right)}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{3} \sqrt{3} (B b^{2/3} (a/b)^{1/3} + B a^{1/3} b^{1/3}) \arctan\left(\frac{1}{3} \sqrt{3} \frac{(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right) + \frac{1}{6} (B b^{2/3} (a/b)^{1/3} - B a^{1/3} b^{1/3}) \log\left(\frac{x^2 - x(a/b)^{1/3} + (a/b)^{2/3}}{(a/b)^{2/3}}\right) - \frac{1}{3} (B b^{2/3} (a/b)^{1/3} - B a^{1/3} b^{1/3}) \log\left(\frac{x + (a/b)^{1/3}}{(a/b)^{2/3}}\right)$

mupad [B] time = 4.82, size = 49, normalized size = 1.26

$$\frac{2 \sqrt{3} B \sqrt{b} \operatorname{atanh} \left(\frac{\sqrt{3} \sqrt{b}}{3 \sqrt{-b}} - \frac{2 \sqrt{3} b^{5/6} x}{3 a^{1/3} \sqrt{-b}} \right)}{3 a^{1/3} \sqrt{-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*a^(1/3)*b^(1/3) + B*b^(2/3)*x)/(a + b*x^3),x)`

[Out] $(2 \cdot 3^{1/2} \cdot B \cdot b^{1/2} \cdot \operatorname{atanh}((3^{1/2} \cdot b^{1/2}) / (3 \cdot (-b)^{1/2})) - (2 \cdot 3^{1/2} \cdot b^{5/6} \cdot x) / (3 \cdot a^{1/3} \cdot (-b)^{1/2})) / (3 \cdot a^{1/3} \cdot (-b)^{1/2})$

sympy [C] time = 0.59, size = 88, normalized size = 2.26

$$\frac{B \left(-\frac{\sqrt{3} i \log \left(x + \frac{-B \sqrt[3]{a} - \sqrt{3} i B \sqrt[3]{a}}{2B \sqrt[3]{b}} \right)}{3} + \frac{\sqrt{3} i \log \left(x + \frac{-B \sqrt[3]{a} + \sqrt{3} i B \sqrt[3]{a}}{2B \sqrt[3]{b}} \right)}{3} \right)}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(1/3)*b**(1/3)*B+b**(2/3)*B*x)/(b*x**3+a),x)`

[Out] $B \frac{(-\sqrt{3} I \log(x + (-B a^{1/3} - \sqrt{3} I B a^{1/3}) / (2 B b^{1/3}))) / 3 + \sqrt{3} I \log(x + (-B a^{1/3} + \sqrt{3} I B a^{1/3}) / (2 B b^{1/3}))) / 3}{a^{1/3}}$

$$3.21 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a + bx^3} dx$$

Optimal. Leaf size=41

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

[Out] $2/3*B*\arctan(1/3*(a^{(1/3)}+2*(-b)^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1586, 617, 204}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]

[Out] (2*B*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(1/3))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a + bx^3} dx &= \int \frac{1}{-\frac{a^{2/3}(-b)^{2/3}}{bB} + \frac{\sqrt[3]{a}x}{B} + \frac{\sqrt[3]{-b}x^2}{B}} dx \\ &= \frac{(2B) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b}x}{\sqrt[3]{a}} \right)}{\sqrt[3]{a}} \\ &= \frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}} \end{aligned}$$

Mathematica [B] time = 0.07, size = 129, normalized size = 3.15

$$\frac{\sqrt[3]{-b} B \left((\sqrt[3]{-b} + \sqrt[3]{b}) (2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) - \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)) + 2\sqrt{3} (\sqrt[3]{-b} - \sqrt[3]{b}) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6\sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]

[Out] ((-b)^(1/3)*B*(2*Sqrt[3]*((-b)^(1/3) - b^(1/3))*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + ((-b)^(1/3) + b^(1/3))*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(1/3)*b^(2/3))

fricas [A] time = 0.58, size = 114, normalized size = 2.78

$$\left[\sqrt{\frac{1}{3}} B \sqrt{-\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2bx^3 + 3a^{\frac{2}{3}}(-b)^{\frac{1}{3}}x - 3\sqrt{\frac{1}{3}} \left(2a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x^2 - a(-b)^{\frac{1}{3}}x - a^{\frac{4}{3}} \right) \sqrt{-\frac{1}{a^{\frac{2}{3}}} - a}}{bx^3 + a} \right), \frac{2\sqrt{\frac{1}{3}} B \arctan \left(\frac{\sqrt{\frac{1}{3}}}{a^{\frac{1}{3}}} \right)}{a^{\frac{1}{3}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a), x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x^2 - a*(-b)^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)) - a)/(b*x^3 + a), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*(-b)^(1/3)*x + a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.21, size = 58, normalized size = 1.41

$$\frac{2\sqrt{3} B b \arctan \left(\frac{\sqrt{3} \left(2(-b)^{\frac{2}{3}} x + a^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right)}{3\sqrt{a^{\frac{2}{3}} (-b)^{\frac{2}{3}}}} \right)}{3\sqrt{a^{\frac{2}{3}} (-b)^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b*arctan(-1/3*sqrt(3)*(2*(-b)^(2/3)*x + a^(1/3)*(-b)^(1/3))/sqrt(a^(2/3)*(-b)^(2/3)))/(sqrt(a^(2/3)*(-b)^(2/3))*(-b)^(2/3))

maple [B] time = 0.06, size = 228, normalized size = 5.56

$$\frac{(-1)^{\frac{1}{3}} \sqrt{3} B a^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{(-1)^{\frac{1}{3}} B a^{\frac{1}{3}} \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} - \frac{(-1)^{\frac{1}{3}} B a^{\frac{1}{3}} \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} \quad (-1)^{\frac{1}{3}} (-b)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x)`

[Out] $\frac{1}{3}B/b^{2/3}*(-1)^{1/3}*a^{1/3}/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})-1/6*B/b^{2/3}*(-1)^{1/3}*a^{1/3}/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})+1/3*B/b^{2/3}*(-1)^{1/3}*a^{1/3}/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))+1/3*B/b^{2/3}*(-1)^{1/3}*(-b)^{1/3}/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})-1/6*B/b^{2/3}*(-1)^{1/3}*(-b)^{1/3}/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})-1/3*B/b^{2/3}*(-1)^{1/3}*(-b)^{1/3}*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))$

maxima [B] time = 2.95, size = 174, normalized size = 4.24

$$\frac{\sqrt{3} \left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - Ba^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + Ba^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{2}{3}} + 6b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-1/3*\sqrt{3}*(B*(-b)^{2/3}*(a/b)^{1/3} - B*a^{1/3}*(-b)^{1/3})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(b*(a/b)^{2/3}) - 1/6*(B*(-b)^{2/3}*(a/b)^{1/3} + B*a^{1/3}*(-b)^{1/3})*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(b*(a/b)^{2/3}) + 1/3*(B*(-b)^{2/3}*(a/b)^{1/3} + B*a^{1/3}*(-b)^{1/3})*\log(x + (a/b)^{1/3})/(b*(a/b)^{2/3})$

mupad [B] time = 0.23, size = 49, normalized size = 1.20

$$\frac{2\sqrt{3} B \sqrt{-b} \operatorname{atanh} \left(\frac{\sqrt{3} \sqrt{-b}}{3 \sqrt{b}} - \frac{2\sqrt{3} \sqrt{b} x}{3 a^{1/3} (-b)^{1/6}} \right)}{3 a^{1/3} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-B*(-b)^(2/3)*x - B*a^(1/3)*(-b)^(1/3))/(a + b*x^3),x)`

[Out] $-(2*3^{1/2}*B*(-b)^{1/2}*\operatorname{atanh}((3^{1/2}*(-b)^{1/2})/(3*b^{1/2})) - (2*3^{1/2})*b^{1/2}*x)/(3*a^{1/3}*(-b)^{1/6}))/ (3*a^{1/3}*b^{1/2})$

sympy [C] time = 0.85, size = 105, normalized size = 2.56

$$\frac{B \left(-\frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} - \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} + \frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} \right)}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(1/3)*(-b)**(1/3)*B-(-b)**(2/3)*B*x)/(b*x**3+a),x)`

[Out] $-B*(-\sqrt{3}*I*\log(-a^{1/3}*(-b)^{2/3}/(2*b) - \sqrt{3})*I*a^{1/3}*(-b)^{2/3}/(2*b) + x)/3 + \sqrt{3}*I*\log(-a^{1/3}*(-b)^{2/3}/(2*b) + \sqrt{3})*I*a^{1/3}*(-b)^{2/3}/(2*b) + x)/3/a^{1/3}$

$$3.22 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

[Out] $-1/3*B*\ln(a^{(1/3)+b^{(1/3)}*x}/a^{(1/3)}/b^{(2/3)}+1/6*B*\ln(a^{(2/3)-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(2/3)}-1/3*B*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)*3^{(1/2)}}/a^{(1/3)}/b^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.13, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {260, 1593, 1871, 12, 292, 31, 634, 617, 204, 628}

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] `Int[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]`

[Out] $-(B*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(1/3)}*b^{(2/3)})) - (B*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*a^{(1/3)}*b^{(2/3)}) + (B*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*a^{(1/3)}*b^{(2/3)}))$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 31

`Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 260

`Int[(x_)^m_/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

Rule 292

`Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]`

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx &= - \left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{Bx+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + \int \frac{x(B+Cx)}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{Bx}{a+bx^3} dx \\
&= B \int \frac{x}{a+bx^3} dx \\
&= \frac{B \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} + \frac{B \int \frac{\sqrt[3]{a} + \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3\sqrt[3]{a}\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}} + \frac{B \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx\right)}{\sqrt[3]{a}b} \\
&= -\frac{B \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 90, normalized size = 0.76

$$\frac{B \left(\log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) - 2 \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) - 2\sqrt{3} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6\sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]

[Out] (B*(-2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*Log[a^(1/3) + b^(1/3)*x] + Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(1/3)*b^(2/3))

fricas [A] time = 0.62, size = 310, normalized size = 2.63

$$\frac{3\sqrt{\frac{1}{3}} Bab \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log \left(\frac{2b^2x^3 - ab + 3\sqrt{\frac{1}{3}} \left(abx + 2(-ab^2)^{\frac{2}{3}}x^2 + (-ab^2)^{\frac{1}{3}}a \right) \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a} - 3(-ab^2)^{\frac{2}{3}}x}}{bx^3 + a}} \right) + (-ab^2)^{\frac{2}{3}} B \log \left(b^2x^2 + (-ab^2) \right)}{6ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a), x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*B*a*b*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + (-a*b^2)^(2/3)*B*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*(-a*b^2)^(2/3)*B*log(b*x - (-a*b^2)^(1/3)))/(a*b^2), 1/6*(6*sqrt(1/3)*B*a*b*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + (-a*b^2)^(2/3)*B*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*(-a*b^2)^(2/3)*B*log(b*x - (-a*b^2)^(1/3)))/(a*b^2)]

giac [A] time = 0.19, size = 103, normalized size = 0.87

$$\frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{1}{3}}} - \frac{B \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{1}{3}}} - \frac{B \left(-\frac{a}{b} \right)^{\frac{2}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a), x, algorithm="giac")

[Out] 1/3*sqrt(3)*B*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(-a*b^2)^(1/3) - 1/6*B*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(1/3) - 1/3*B*(-a/b)^(2/3)*log(abs(x - (-a/b)^(1/3)))/a

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x)

[Out] -1/3*B/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*B/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.03, size = 159, normalized size = 1.35

$$\frac{C \log(bx^3 + a)}{3b} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\sqrt{3}\left(2Ca - \left(3B\right)\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*C*log(b*x^3 + a)/b + 1/6*(2*C*(a/b)^(1/3) + B)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(1/3)) + 1/3*(C*(a/b)^(1/3) - B)*log(x + (a/b)^(1/3))/(b*(a/b)^(1/3)) - 1/9*sqrt(3)*(2*C*a - (3*B*(a/b)^(2/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 4.94, size = 98, normalized size = 0.83

$$\frac{B \ln(b^{1/3}x + a^{1/3})}{3a^{1/3}b^{2/3}} + \frac{\ln(4b^{1/3}x - 2a^{1/3} - \sqrt{3}a^{1/3}2i)(B - \sqrt{3}B1i)}{6a^{1/3}b^{2/3}} + \frac{\ln(4b^{1/3}x - 2a^{1/3} + \sqrt{3}a^{1/3}2i)(B + \sqrt{3}B1i)}{6a^{1/3}b^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)

[Out] (log(4*b^(1/3)*x - 3^(1/2)*a^(1/3)*2i - 2*a^(1/3))*(B - 3^(1/2)*B*1i))/(6*a^(1/3)*b^(2/3)) - (B*log(b^(1/3)*x + a^(1/3)))/(3*a^(1/3)*b^(2/3)) + (log(3^(1/2)*a^(1/3)*2i + 4*b^(1/3)*x - 2*a^(1/3))*(B + 3^(1/2)*B*1i))/(6*a^(1/3)*b^(2/3))

sympy [A] time = 0.48, size = 26, normalized size = 0.22

$$B \operatorname{RootSum}\left(27t^3ab^2 + 1, \left(t \mapsto t \log(9t^2ab + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x)/(b*x**3+a),x)

[Out] B*RootSum(27*_t**3*a*b**2 + 1, Lambda(_t, _t*log(9*_t**2*a*b + x)))

$$3.23 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$-\frac{A \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

[Out] 1/3*A*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(1/3)-1/6*A*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)-1/3*A*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(1/3)*3^(1/2)

Rubi [A] time = 0.11, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {260, 1871, 12, 200, 31, 634, 617, 204, 628}

$$-\frac{A \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] -((A*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(1/3))) + (A*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(1/3)) - (A*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(1/3)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Cx^2}{a+bx^3} dx \\
 &= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A}{a+bx^3} dx \\
 &= A \int \frac{1}{a+bx^3} dx \\
 &= \frac{A \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} + \frac{A \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}} \\
 &= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{A \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{a}} - \frac{A \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}\sqrt[3]{b}} \\
 &= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}} + \frac{A \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx\right)}{a^{2/3}\sqrt[3]{b}} \\
 &= -\frac{A \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}\sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 90, normalized size = 0.76

$$\frac{A \left(\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \right)}{6a^{2/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] $-1/6*(A*(2*\sqrt{3})*\text{ArcTan}[(1 - (2*b^{1/3})*x)/a^{1/3}]/\sqrt{3}] - 2*\text{Log}[a^{1/3} + b^{1/3}*x] + \text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(a^{2/3})*b^{1/3})$

fricas [A] time = 0.76, size = 305, normalized size = 2.58

$$\frac{3\sqrt{\frac{1}{3}}Aab\sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}}\log\left(\frac{2abx^3-3(a^2b)^{\frac{1}{3}}ax-a^2+3\sqrt{\frac{1}{3}}\left(2abx^2+(a^2b)^{\frac{2}{3}}x-(a^2b)^{\frac{1}{3}}a\right)\sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}}}{bx^3+a}}{\right)-\left(a^2b\right)^{\frac{2}{3}}A\log\left(abx^2-\left(a^2b\right)^{\frac{2}{3}}x\right)}{6a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="fricas")`

[Out] $[1/6*(3*\sqrt{3}*A*a*b*\sqrt{-(a^2*b)^{1/3}/b})*\log((2*a*b*x^3 - 3*(a^2*b)^{1/3}*a*x - a^2 + 3*\sqrt{3}*(2*a*b*x^2 + (a^2*b)^{2/3}*x - (a^2*b)^{1/3}*a)*\sqrt{-(a^2*b)^{1/3}/b}))/b*x^3 + a) - (a^2*b)^{2/3}*A*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3}*a) + 2*(a^2*b)^{2/3}*A*\log(a*b*x + (a^2*b)^{2/3}))/a^2*b, 1/6*(6*\sqrt{3}*A*a*b*\sqrt{(a^2*b)^{1/3}/b})*\arctan(\sqrt{3}*(2*(a^2*b)^{2/3}*x - (a^2*b)^{1/3}*a)*\sqrt{(a^2*b)^{1/3}/b}/a^2 - (a^2*b)^{2/3}*A*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3}*a) + 2*(a^2*b)^{2/3}*A*\log(a*b*x + (a^2*b)^{2/3}))/a^2*b]$

giac [A] time = 0.21, size = 115, normalized size = 0.97

$$\frac{A\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x-\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3a} + \frac{\sqrt{3}\left(-ab^2\right)^{\frac{1}{3}}A\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab} + \frac{\left(-ab^2\right)^{\frac{1}{3}}A\log\left(x^2+x\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="giac")`

[Out] $-1/3*A*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a + 1/3*\sqrt{3}*(-a*b^2)^{1/3}*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3}))/(-a/b)^{1/3}/(a*b) + 1/6*(-a*b^2)^{1/3}*A*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/(a*b)$

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3}A\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{A\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{A\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x)`

[Out] $\frac{1}{3} \frac{A}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{1}{6} \frac{A}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{1}{3} \frac{A}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} \sqrt{3} \arctan\left(\frac{1}{\sqrt{3}} \frac{2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)$

maxima [A] time = 2.99, size = 159, normalized size = 1.35

$$\frac{C \log\left(bx^3 + a\right)}{3b} - \frac{\sqrt{3} \left(2Ca - \left(3A \left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2C \left(\frac{a}{b}\right)^{\frac{2}{3}} - A\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="maxima")

[Out] $-\frac{1}{3} C \log\left(bx^3 + a\right) / b - \frac{1}{9} \sqrt{3} \left(2Ca - \left(3A \left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{1}{\sqrt{3}} \frac{2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) / (ab) + \frac{1}{6} \left(2C \left(\frac{a}{b}\right)^{\frac{2}{3}} - A\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) / \left(b \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{3} C \left(\frac{a}{b}\right)^{\frac{2}{3}} \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / \left(b \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)$

mupad [B] time = 5.01, size = 96, normalized size = 0.81

$$\frac{A \ln\left(b^{1/3} x + a^{1/3}\right)}{3 a^{2/3} b^{1/3}} - \frac{\ln\left(a^{1/3} - 2 b^{1/3} x - \sqrt{3} a^{1/3} i\right) \left(A - \sqrt{3} A i\right)}{6 a^{2/3} b^{1/3}} - \frac{\ln\left(2 b^{1/3} x - a^{1/3} - \sqrt{3} a^{1/3} i\right) \left(A + \sqrt{3} A i\right)}{6 a^{2/3} b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)

[Out] $\frac{A \log\left(b^{1/3} x + a^{1/3}\right)}{3 a^{2/3} b^{1/3}} - \frac{\left(\log\left(a^{1/3} - 2 b^{1/3} x - \sqrt{3} a^{1/3} i\right) \left(A - \sqrt{3} A i\right) - \log\left(2 b^{1/3} x - a^{1/3} - \sqrt{3} a^{1/3} i\right) \left(A + \sqrt{3} A i\right)\right)}{6 a^{2/3} b^{1/3}}$

sympy [A] time = 0.21, size = 22, normalized size = 0.19

$$A \operatorname{RootSum}\left(27 t^3 a^2 b - 1, \left(t \mapsto t \log(3 t a + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+A)/(b*x**3+a),x)

[Out] $A \operatorname{RootSum}\left(27 *_t^{**3} a^{**2} b - 1, \operatorname{Lambda}(_t, *_t \log(3 *_t a + x))\right)$

$$3.24 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=161

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(A\sqrt[3]{b} - \sqrt[3]{a}B\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}B + A\sqrt[3]{b}\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

[Out] 1/3*(A*b^(1/3)-a^(1/3)*B)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(2/3)-1/6*(A-a^(1/3)*B/b^(1/3))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)-1/3*(A*b^(1/3)+a^(1/3)*B)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.17, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {260, 1871, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(A\sqrt[3]{b} - \sqrt[3]{a}B\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}B + A\sqrt[3]{b}\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3), x]

[Out] -(((A*b^(1/3) + a^(1/3)*B)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3))) + ((A*b^(1/3) - a^(1/3)*B)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((A - (a^(1/3)*B)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Bx+Cx^2}{a+bx^3} dx \\ &= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A+Bx}{a+bx^3} dx \\ &= \frac{\int \frac{\sqrt[3]{a}(2A\sqrt[3]{b} + \sqrt[3]{a}B) + \sqrt[3]{b}(-A\sqrt[3]{b} + \sqrt[3]{a}B)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\ &= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \\ &= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \\ &= -\frac{(A\sqrt[3]{b} + \sqrt[3]{a}B) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \right) - 2\sqrt{3} (\sqrt[3]{a}B + A\sqrt[3]{b}) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3), x]
```

```
[Out] (-2*Sqrt[3]*(A*b^(1/3) + a^(1/3)*B)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (A*b^(1/3) - a^(1/3)*B)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))
```

fricas [C] time = 2.32, size = 1961, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="fricas")
[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3
*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^
3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1
)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(
2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)
/(a^2*b^2))^(1/3)))*A^2*a*b + 2*A*B^2*a + (B^3*a + A^3*b)*x) + 1/12*((1/2)^(
1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2
))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^
2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)) + 3*sqrt(1/3)*sqrt(-(((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b)))*log(-1/4*((1/2)^(1/
3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(
1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2)
- (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*A^2*a*b - 2*A*B^2*a + 2*(B^3*a + A^3*b)*x + 3/4*sq
rt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*B*a^2*b + 2*A^2*a*b
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*A^2*a*b + 16*A*B)/(a*
b))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*
a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3
*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)) - 3*sqrt(1/3)*sqr
t(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*
b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3
*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*A^2*a*b + 16*A*B)/(a*b)))*
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*B*a^2*b + 1/2*((1/
2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2
*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^
2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*A^2*a*b - 2*A*B^2*a + 2*(B^3*a
+ A^3*b)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(
a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3)
+ 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*
B*a^2*b + 2*A^2*a*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(
a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3)
+ 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*
2*a*b + 16*A*B)/(a*b)))
```

giac [A] time = 0.20, size = 147, normalized size = 0.91

$$\frac{\sqrt{3} \left(Ab - (-ab^2)^{\frac{1}{3}} B \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(Ab + \left(-ab^2 \right)^{\frac{1}{3}} B \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(Bb \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(A*b - (-a*b^2)^(1/3)*B)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/(-a*b^2)^(2/3) - 1/6*(A*b + (-a*b^2)^(1/3)*B)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) - 1/3*(B*b*(-a/b)^(1/3) + A*b)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b)

maple [A] time = 0.04, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} A \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{A \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{A \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{B \ln \left(\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x)

[Out] 1/3/(a/b)^(2/3)*A/b*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*A/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*A/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/(a/b)^(1/3)*B/b*ln(x+(a/b)^(1/3))+1/6/(a/b)^(1/3)*B/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*3^(1/2)/(a/b)^(1/3)*B/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 2.96, size = 188, normalized size = 1.17

$$\frac{C \log(bx^3 + a)}{3b} - \frac{\sqrt{3} \left(2Ca - \left(3B \left(\frac{a}{b} \right)^{\frac{2}{3}} + 3A \left(\frac{a}{b} \right)^{\frac{1}{3}} + \frac{2Ca}{b} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab} + \frac{\left(2C \left(\frac{a}{b} \right)^{\frac{2}{3}} + B \left(\frac{a}{b} \right)^{\frac{1}{3}} - A \right)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*C*log(b*x^3 + a)/b - 1/9*sqrt(3)*(2*C*a - (3*B*(a/b)^(2/3) + 3*A*(a/b)^(1/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*(a/b)^(2/3) + B*(a/b)^(1/3) - A)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*(a/b)^(2/3) - B*(a/b)^(1/3) + A)*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 4.92, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln \left(b \left(B^2 x + AB + \text{root} \left(27 a^2 b^2 z^3 + 9 A B a b z + B^3 a - A^3 b, z, k \right)^2 a b^9 + A \text{root} \left(27 a^2 b^2 z^3 + 9 A B a b z + B^3 a - A^3 b, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3), x)
```

```
[Out] symsum(log(b*(B^2*x + A*B + 9*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k)^2*a*b + 3*A*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k)*b*x))*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k), k, 1, 3)
```

sympy [A] time = 1.28, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3a^2b^2 + 9tABab - A^3b + B^3a, \left(t \mapsto t \log\left(x + \frac{9t^2Ba^2b + 3tA^2ab + 2AB^2a}{A^3b + B^3a}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x+A)/(b*x**3+a), x)
```

```
[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*A*B*a*b - A**3*b + B**3*a, Lambda(_t, _t*log(x + (9*_t**2*B*a**2*b + 3*_t*A**2*a*b + 2*A*B**2*a)/(A**3*b + B**3*a)))
```

3.25 $\int \frac{bx+cx^2}{d+ex^3} dx$

Optimal. Leaf size=134

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6\sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3\sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}\sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

[Out] $-1/3*b*\ln(d^{(1/3)}+e^{(1/3)}*x)/d^{(1/3)}/e^{(2/3)}+1/6*b*\ln(d^{(2/3)}-d^{(1/3)}*e^{(1/3)}*x+e^{(2/3)}*x^2)/d^{(1/3)}/e^{(2/3)}+1/3*c*\ln(e*x^3+d)/e-1/3*b*\arctan(1/3*(d^{(1/3)}-2*e^{(1/3)}*x)/d^{(1/3)}*3^{(1/2)})/d^{(1/3)}/e^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1871, 12, 292, 31, 634, 617, 204, 628, 260}

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6\sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3\sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}\sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(d + e*x^3), x]

[Out] $-((b*\text{ArcTan}[(d^{(1/3)} - 2*e^{(1/3)}*x)/(\text{Sqrt}[3]*d^{(1/3)})]) / (\text{Sqrt}[3]*d^{(1/3)}*e^{(2/3)})) - (b*\text{Log}[d^{(1/3)} + e^{(1/3)}*x]) / (3*d^{(1/3)}*e^{(2/3)}) + (b*\text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]) / (6*d^{(1/3)}*e^{(2/3)}) + (c*\text{Log}[d + e*x^3]) / (3*e)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2}{d + ex^3} dx &= \int \frac{x(b + cx)}{d + ex^3} dx \\
&= c \int \frac{x^2}{d + ex^3} dx + \int \frac{bx}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} + b \int \frac{x}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} - \frac{b \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3\sqrt[3]{d}\sqrt[3]{e}} + \frac{b \int \frac{\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3\sqrt[3]{d}\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \int \frac{-\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6\sqrt[3]{d}e^{2/3}} + \frac{b \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, \sqrt[3]{d}e^{2/3}\right)}{\sqrt[3]{d}e^{2/3}} \\
&= -\frac{b \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}\sqrt[3]{d}e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 122, normalized size = 0.91

$$b\sqrt[3]{e} \log\left(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2\right) - 2b\sqrt[3]{e} \log\left(\sqrt[3]{d} + \sqrt[3]{e} x\right) - 2\sqrt{3} b\sqrt[3]{e} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{e}x}{\sqrt[3]{d}}}{\sqrt{3}}\right) + 2c\sqrt[3]{d} \log(d + ex^3)$$

$$6\sqrt[3]{de}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(d + e*x^3), x]

[Out] (-2*Sqrt[3]*b*e^(1/3)*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/Sqrt[3]] - 2*b*e^(1/3)*Log[d^(1/3) + e^(1/3)*x] + b*e^(1/3)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2] + 2*c*d^(1/3)*Log[d + e*x^3])/(6*d^(1/3)*e)

fricas [C] time = 1.92, size = 1043, normalized size = 7.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d), x, algorithm="fricas")

[Out] -1/12*(12*sqrt(1/3)*e*sqrt(((3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)^2*e^2 + 4*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*c*e + 4*c^2)/e^2)*arctan(1/8*sqrt(1/3)*((3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*c*d*e - 8*b^2*e*x + 4*b^2*e*sqrt(-(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)^2*d*e^2*x - 4*b^2*e*x^2 + 4*c^2*d*x - 4*b*c*d + 2*(2*c*d*e*x - b*d*e)*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)))/(b^2*e)) + 4*c^2*d)*sqrt(((3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)^2*e^2 + 4*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*c*e + 4*c^2)/e^2)/b^3) + 2*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*e*log(1/4*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)^2*d*e^2 + (3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*c*d*e + b^2*e*x + c^2*d) - ((3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)*e + 6*c)*log(-1/4*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)^2*d*e^2*x + b^2*e*x^2 - c^2*d*x + b*c*d - 1/2*(2*c*d*e*x - b*d*e)*(3*(I*sqrt(3) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^(1/3) - 2*c/e)))/e

giac [A] time = 0.18, size = 110, normalized size = 0.82

$$\frac{1}{3} ce^{(-1)} \log(|x^3 e + d|) + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(2x + (-de^{(-1)})^{\frac{1}{3}}\right)}{3(-de^{(-1)})^{\frac{1}{3}}}\right)}{3(-de^2)^{\frac{1}{3}}} - \frac{b \log\left(x^2 + (-de^{(-1)})^{\frac{1}{3}} x + (-de^{(-1)})^{\frac{2}{3}}\right)}{6(-de^2)^{\frac{1}{3}}} - \frac{(-de^{(-1)})^{\frac{2}{3}} b}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d), x, algorithm="giac")

[Out] $\frac{1}{3}c e^{-1} \log(\text{abs}(x^3 e + d)) + \frac{1}{3} \sqrt{3} b \arctan\left(\frac{1}{3} \sqrt{3} (2x + (-d e^{-1})^{1/3}) / (-d e^{-1})^{1/3} - 1/6 b \log(x^2 + (-d e^{-1})^{1/3} x + (-d e^{-1})^{2/3}) / (-d e^{-2})^{1/3} - 1/3 (-d e^{-1})^{2/3} b \log(\text{abs}(x - (-d e^{-1})^{1/3})) / d\right)$

maple [A] time = 0.05, size = 108, normalized size = 0.81

$$\frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{1/3}} - 1\right)}{3}\right)}{3 \left(\frac{d}{e}\right)^{1/3} e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{1/3}\right)}{3 \left(\frac{d}{e}\right)^{1/3} e} + \frac{b \ln\left(x^2 - \left(\frac{d}{e}\right)^{1/3} x + \left(\frac{d}{e}\right)^{2/3}\right)}{6 \left(\frac{d}{e}\right)^{1/3} e} + \frac{c \ln(e x^3 + d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x)/(e*x^3+d),x)`

[Out] $-\frac{1}{3} \left(\frac{d}{e}\right)^{1/3} b/e \ln(x + \left(\frac{d}{e}\right)^{1/3}) + \frac{1}{6} \left(\frac{d}{e}\right)^{1/3} b/e \ln(x^2 - \left(\frac{d}{e}\right)^{1/3} x + \left(\frac{d}{e}\right)^{2/3}) + \frac{1}{3} 3^{1/2} \left(\frac{d}{e}\right)^{1/3} b/e \arctan\left(\frac{1}{3} 3^{1/2} (2 \left(\frac{d}{e}\right)^{1/3} x - 1)\right) + \frac{1}{3} c \ln(e x^3 + d) / e$

maxima [A] time = 2.92, size = 145, normalized size = 1.08

$$\frac{\left(2c \left(\frac{d}{e}\right)^{1/3} + b\right) \log\left(x^2 - x \left(\frac{d}{e}\right)^{1/3} + \left(\frac{d}{e}\right)^{2/3}\right) + \left(c \left(\frac{d}{e}\right)^{1/3} - b\right) \log\left(x + \left(\frac{d}{e}\right)^{1/3}\right)}{6e \left(\frac{d}{e}\right)^{1/3}} - \frac{\sqrt{3} \left(2cd - \left(3b \left(\frac{d}{e}\right)^{2/3} + \frac{2cd}{e}\right)e\right) \arctan\left(\frac{\sqrt{3}}{9de}\right)}{3e \left(\frac{d}{e}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="maxima")`

[Out] $\frac{1}{6} (2c \left(\frac{d}{e}\right)^{1/3} + b) \log(x^2 - x \left(\frac{d}{e}\right)^{1/3} + \left(\frac{d}{e}\right)^{2/3}) / (e \left(\frac{d}{e}\right)^{1/3}) + \frac{1}{3} (c \left(\frac{d}{e}\right)^{1/3} - b) \log(x + \left(\frac{d}{e}\right)^{1/3}) / (e \left(\frac{d}{e}\right)^{1/3}) - \frac{1}{9} \sqrt{3} (2cd - (3b \left(\frac{d}{e}\right)^{2/3} + 2cd/e)e) \arctan\left(\frac{1}{3} \sqrt{3} (2x - \left(\frac{d}{e}\right)^{1/3}) / \left(\frac{d}{e}\right)^{1/3}\right) / (d e)$

mupad [B] time = 0.19, size = 158, normalized size = 1.18

$$\sum_{k=1}^3 \ln\left(-\text{root}\left(27 d e^3 z^3 - 27 c d e^2 z^2 + 9 c^2 d e z + b^3 e - c^3 d, z, k\right) \left(6 c d e - \text{root}\left(27 d e^3 z^3 - 27 c d e^2 z^2 + 9 c^2 d e z + b^3 e - c^3 d, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + c*x^2)/(d + e*x^3),x)`

[Out] `symsum(log(c^2*d - root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k)*(6*c*d*e - 9*root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k)*d*e^2) + b^2*e*x)*root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k), k, 1, 3)`

sympy [A] time = 0.71, size = 75, normalized size = 0.56

$$\text{RootSum}\left(27t^3de^3 - 27t^2cde^2 + 9tc^2de + b^3e - c^3d, \left(t \mapsto t \log\left(x + \frac{9t^2de^2 - 6tcde + c^2d}{b^2e}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x)/(e*x**3+d),x)
```

```
[Out] RootSum(27*_t**3*d*e**3 - 27*_t**2*c*d*e**2 + 9*_t*c**2*d*e + b**3*e - c**3*d, Lambda(_t, _t*log(x + (9*_t**2*d*e**2 - 6*_t*c*d*e + c**2*d)/(b**2*e)))
```

```
)
```

3.26 $\int \frac{a+cx^2}{d-ex^3} dx$

Optimal. Leaf size=134

$$\frac{a \log\left(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2\right)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log\left(\sqrt[3]{d} - \sqrt[3]{e} x\right)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log\left(d - ex^3\right)}{3e}$$

[Out] $-1/3*a*\ln(d^{(1/3)}-e^{(1/3)}*x)/d^{(2/3)}/e^{(1/3)}+1/6*a*\ln(d^{(2/3)}+d^{(1/3)}*e^{(1/3)}*x+e^{(2/3)}*x^2)/d^{(2/3)}/e^{(1/3)}-1/3*c*\ln(-e*x^3+d)/e+1/3*a*\arctan(1/3*(d^{(1/3)}+2*e^{(1/3)}*x)/d^{(1/3)}*3^{(1/2)})/d^{(2/3)}/e^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1871, 12, 200, 31, 634, 617, 204, 628, 260}

$$\frac{a \log\left(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2\right)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log\left(\sqrt[3]{d} - \sqrt[3]{e} x\right)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log\left(d - ex^3\right)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(d - e*x^3), x]

[Out] $(a*\text{ArcTan}[(d^{(1/3)} + 2*e^{(1/3)}*x)/(\text{Sqrt}[3]*d^{(1/3)})]) / (\text{Sqrt}[3]*d^{(2/3)}*e^{(1/3)}) - (a*\text{Log}[d^{(1/3)} - e^{(1/3)}*x]) / (3*d^{(2/3)}*e^{(1/3)}) + (a*\text{Log}[d^{(2/3)} + d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]) / (6*d^{(2/3)}*e^{(1/3)}) - (c*\text{Log}[d - e*x^3]) / (3*e)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{d - ex^3} dx &= c \int \frac{x^2}{d - ex^3} dx + \int \frac{a}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + a \int \frac{1}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{a \int \frac{2\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{d}} + \frac{a \int \frac{\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx\right)}{d^{2/3}\sqrt[3]{e}} \\
&= \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}\sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 123, normalized size = 0.92

$$\frac{ae^{2/3} \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) - 2ae^{2/3} \log(\sqrt[3]{d} - \sqrt[3]{e}x) + 2\sqrt{3}ae^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{e}x + 1}{\sqrt[3]{d}}\right) - 2cd^{2/3} \log(d - ex^3)}{6d^{2/3}e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(d - e*x^3), x]

[Out] $(2\sqrt{3} a e^{2/3} \operatorname{ArcTan}[(1 + (2e^{1/3}x)/d^{1/3})/\sqrt{3}] - 2a e^{2/3} \operatorname{Log}[d^{1/3} - e^{1/3}x] + a e^{2/3} \operatorname{Log}[d^{2/3} + d^{1/3}e^{1/3}x + e^{2/3}x^2] - 2c d^{2/3} \operatorname{Log}[d - e x^3]) / (6d^{2/3}e)$

fricas [C] time = 2.37, size = 1267, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="fricas")`

[Out] $\frac{1}{12} \left(12 \sqrt{3} e \operatorname{sqrt} \left(\left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) \right) e - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 e^2 - 4 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) c e + 4c^2/e^2 \operatorname{arctan} \left(-1/8 (2 \sqrt{3} \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e) \right) c e + 4c^2/e^2 \operatorname{arctan} \left(-1/8 (2 \sqrt{3} \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e) \right) a d e^2 - 2a c d e \right) \operatorname{sqrt} \left(\left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 e^2 - 4 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) c e + 4c^2/e^2 \operatorname{sqrt} \left(\left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 d^2 e^2 + 4a^2 e^2 x^2 - 4a c d e x + 4c^2 d^2 + 2(a d e^2 x - 2c d^2 e) \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) / (a^2 e^2) - \operatorname{sqrt}(1/3) \left(\left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 d^2 e^2 - 8a c d e x + 4c^2 d^2 + 4(a d e^2 x - c d^2 e) \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) \operatorname{sqrt} \left(\left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 e^2 - 4 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) c e + 4c^2/e^2) / (a^3 e) - 2 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) e \operatorname{log} \left(-1/2 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) d e + a e x + c d \right) + \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) e - 6c \right) \operatorname{log} \left(1/4 \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right)^2 d^2 e^2 + a^2 e^2 x^2 - a c d e x + c^2 d^2 + 1/2 (a d e^2 x - 2c d^2 e) \left(\left(\frac{1}{2} \right)^{1/3} (I \operatorname{sqrt}(3) + 1) (c^3/e^3 + a^3/d^2) - (c^3 d^2 + a^3 e^2) / (d^2 e^3) \right)^{1/3} + 2c/e \right) \right) / e$

giac [A] time = 0.17, size = 95, normalized size = 0.71

$$-\frac{1}{3} c e^{(-1)} \log(|x^3 e - d|) + \frac{\sqrt{3} a \operatorname{arctan} \left(\frac{\sqrt{3} \left(d^{1/3} e^{(-1/3)} + 2x \right) e^{1/3}}{3 d^{2/3}} \right) e^{(-1/3)}}{3 d^{2/3}} + \frac{a e^{(-1/3)} \log \left(d^{1/3} x e^{(-1/3)} + x^2 + d^{2/3} e^{(-2/3)} \right)}{6 d^{2/3}} - \frac{a e^{(-1/3)} \log \left(d^{1/3} x e^{(-1/3)} + x^2 + d^{2/3} e^{(-2/3)} \right)}{6 d^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="giac")`

[Out] $-1/3 c e^{(-1)} \operatorname{log}(\operatorname{abs}(x^3 e - d)) + 1/3 \operatorname{sqrt}(3) a \operatorname{arctan}(1/3 \operatorname{sqrt}(3) (d^{1/3} e^{(-1/3)} + 2x) e^{1/3} / d^{1/3}) e^{(-1/3)} / d^{2/3} + 1/6 a e^{(-1/3)} \operatorname{log}(d^{1/3} x e^{(-1/3)} + x^2 + d^{2/3} e^{(-2/3)}) / d^{2/3} - 1/3 a e^{(-1/3)} \operatorname{log}(\operatorname{abs}(-d^{1/3} e^{(-1/3)} + x)) / d^{2/3}$

maple [A] time = 0.04, size = 111, normalized size = 0.83

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{c \ln(ex^3 - d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)/(-e*x^3+d),x)

[Out] -1/3/(d/e)^(2/3)*a/e*ln(x-(d/e)^(1/3))+1/6/(d/e)^(2/3)*a/e*ln(x^2+(d/e)^(1/3)*x+(d/e)^(2/3))+1/3/(d/e)^(2/3)*3^(1/2)*a/e*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x+1))-1/3*c/e*ln(e*x^3-d)

maxima [A] time = 3.05, size = 144, normalized size = 1.07

$$\frac{\sqrt{3}\left(2cd - \left(3a\left(\frac{d}{e}\right)^{\frac{1}{3}} + \frac{2cd}{e}\right)e\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{9de} - \frac{\left(2c\left(\frac{d}{e}\right)^{\frac{2}{3}} - a\right) \log\left(x^2 + x\left(\frac{d}{e}\right)^{\frac{1}{3}} + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(c\left(\frac{d}{e}\right)^{\frac{2}{3}} + a\right) \log(ex^3 - d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*c*d - (3*a*(d/e)^(1/3) + 2*c*d/e)*e)*arctan(1/3*sqrt(3)*(2*x + (d/e)^(1/3))/(d/e)^(1/3))/(d/e) - 1/6*(2*c*(d/e)^(2/3) - a)*log(x^2 + x*(d/e)^(1/3) + (d/e)^(2/3))/(e*(d/e)^(2/3)) - 1/3*(c*(d/e)^(2/3) + a)*log(x - (d/e)^(1/3))/(e*(d/e)^(2/3))

mupad [B] time = 5.01, size = 178, normalized size = 1.33

$$\sum_{k=1}^3 \ln\left(-\left(c + \text{root}\left(27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3e^2, z, k\right)\right) e^3\right) \left(cd + \text{root}\left(27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3e^2, z, k\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2)/(d - e*x^3),x)

[Out] symsum(log(-(c + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*e)*(c*d + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*d*e + a*e*x))*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k), k, 1, 3)

sympy [A] time = 0.59, size = 70, normalized size = 0.52

$$-\text{RootSum}\left(27t^3d^2e^3 - 27t^2cd^2e^2 + 9tc^2d^2e - a^3e^2 - c^3d^2, \left(t \mapsto t \log\left(x + \frac{-3tde + cd}{ae}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+a)/(-e*x**3+d),x)

[Out] -RootSum(27*_t**3*d**2*e**3 - 27*_t**2*c*d**2*e**2 + 9*_t*c**2*d**2*e - a**3*e**2 - c**3*d**2, Lambda(_t, _t*log(x + (-3*_t*d*e + c*d)/(a*e))))

$$3.27 \quad \int \frac{2a^2 + b^2 x^2}{a^3 + b^3 x^3} dx$$

Optimal. Leaf size=37

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

[Out] $\ln(b*x+a)/b-2/3*\arctan(1/3*(-2*b*x+a)/a*3^{(1/2)})/b*3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1868, 31, 617, 204}

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]$

[Out] $(-2*\text{ArcTan}[(a - 2*b*x)/(\text{Sqrt}[3]*a)])/(\text{Sqrt}[3]*b) + \text{Log}[a + b*x]/b$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ ; FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] \text{ ; EqQ}[A - \text{Rt}[a/b, 3]*B - 2*\text{Rt}[a/b, 3]^2*C, 0] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned} \int \frac{2a^2 + b^2x^2}{a^3 + b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} - \frac{ax}{b} + x^2} dx}{b^2} + \frac{\int \frac{1}{\frac{a}{b} + x} dx}{b} \\ &= \frac{\log(a + bx)}{b} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2bx}{a}\right)}{b} \\ &= -\frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} + \frac{\log(a + bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.02, size = 72, normalized size = 1.95

$$\frac{\log(a^3 + b^3x^3) - \log(a^2 - abx + b^2x^2) + 2 \log(a + bx) + 2\sqrt{3} \tan^{-1}\left(\frac{2bx-a}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-a + 2*b*x)/(Sqrt[3]*a)] + 2*Log[a + b*x] - Log[a^2 - a*b*x + b^2*x^2] + Log[a^3 + b^3*x^3])/(3*b)

fricas [A] time = 0.73, size = 36, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right) + 3 \log(bx + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a) + 3*log(b*x + a))/b

giac [A] time = 0.17, size = 37, normalized size = 1.00

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right)}{3b} + \frac{\log(|bx + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a)/b + log(abs(b*x + a))/b

maple [A] time = 0.05, size = 43, normalized size = 1.16

$$\frac{2\sqrt{3} \arctan\left(\frac{(2b^2x-ab)\sqrt{3}}{3ab}\right)}{3b} + \frac{\ln(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(b^3*x^3+a^3), x)

[Out] 2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x-a*b)*3^(1/2)/a/b)+ln(b*x+a)/b

maxima [A] time = 2.99, size = 42, normalized size = 1.14

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2b^2x-ab)}{3ab}\right)}{3b} + \frac{\log(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x - a*b)/(a*b))/b + log(b*x + a)/b

mupad [B] time = 4.81, size = 84, normalized size = 2.27

$$\frac{\ln(a+bx)}{b} - \frac{2\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4+4xa^2b^5} - \frac{4\sqrt{3}a^2b^5x}{4a^3b^4+4xa^2b^5}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^2 + b^2*x^2)/(a^3 + b^3*x^3),x)

[Out] log(a + b*x)/b - (2*3^(1/2)*atan((4*3^(1/2)*a^3*b^4)/(4*a^3*b^4 + 4*a^2*b^5*x) - (4*3^(1/2)*a^2*b^5*x)/(4*a^3*b^4 + 4*a^2*b^5*x)))/(3*b)

sympy [C] time = 0.50, size = 60, normalized size = 1.62

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{-a - \sqrt{3}ia}{2b}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-a + \sqrt{3}ia}{2b}\right)}{3} + \log\left(\frac{a}{b} + x\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**2*x**2+2*a**2)/(b**3*x**3+a**3),x)

[Out] (-sqrt(3)*I*log(x + (-a - sqrt(3)*I*a)/(2*b))/3 + sqrt(3)*I*log(x + (-a + sqrt(3)*I*a)/(2*b))/3 + log(a/b + x))/b

$$3.28 \quad \int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx$$

Optimal. Leaf size=39

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

[Out] $-\ln(-b*x+a)/b+2/3*\arctan(1/3*(2*b*x+a)/a*3^{(1/2)})/b*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1868, 31, 617, 204}

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3),x]

[Out] (2*ArcTan[(a + 2*b*x)/(Sqrt[3]*a)]/(Sqrt[3]*b) - Log[a - b*x])/b

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} + \frac{ax}{b} + x^2} dx}{b^2} - \frac{\int \frac{1}{-\frac{a}{b} + x} dx}{b} \\ &= -\frac{\log(a - bx)}{b} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2bx}{a}\right)}{b} \\ &= \frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a - bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.03, size = 71, normalized size = 1.82

$$\frac{-\log(a^3 - b^3x^3) + \log(a^2 + abx + b^2x^2) - 2\log(a - bx) + 2\sqrt{3} \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(a + 2*b*x)/(Sqrt[3]*a)] - 2*Log[a - b*x] + Log[a^2 + a*b*x + b^2*x^2] - Log[a^3 - b^3*x^3])/(3*b)

fricas [A] time = 0.62, size = 36, normalized size = 0.92

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right) - 3 \log(bx - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a) - 3*log(b*x - a))/b

giac [A] time = 0.15, size = 38, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right)}{3b} - \frac{\log(|bx - a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a)/b - log(abs(b*x - a))/b

maple [A] time = 0.06, size = 45, normalized size = 1.15

$$\frac{2\sqrt{3} \arctan\left(\frac{(2b^2x+ab)\sqrt{3}}{3ab}\right)}{3b} - \frac{\ln(bx - a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(-b^3*x^3+a^3), x)

[Out] -1/b*ln(b*x-a)+2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x+a*b)*3^(1/2)/a/b)

maxima [A] time = 2.97, size = 44, normalized size = 1.13

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2b^2x+ab)}{3ab}\right)}{3b} - \frac{\log(bx-a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x + a*b)/(a*b))/b - log(b*x - a)/b

mupad [B] time = 0.09, size = 86, normalized size = 2.21

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4-4a^2b^5x} + \frac{4\sqrt{3}a^2b^5x}{4a^3b^4-4a^2b^5x}\right)}{3b} - \frac{\ln(a-bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^2 + b^2*x^2)/(a^3 - b^3*x^3),x)

[Out] (2*3^(1/2)*atan((4*3^(1/2)*a^3*b^4)/(4*a^3*b^4 - 4*a^2*b^5*x) + (4*3^(1/2)*a^2*b^5*x)/(4*a^3*b^4 - 4*a^2*b^5*x)))/(3*b) - log(a - b*x)/b

sympy [C] time = 0.70, size = 60, normalized size = 1.54

$$\frac{\frac{\sqrt{3}i \log\left(x + \frac{a - \sqrt{3}ia}{2b}\right)}{3} - \frac{\sqrt{3}i \log\left(x + \frac{a + \sqrt{3}ia}{2b}\right)}{3}}{b} + \log\left(-\frac{a}{b} + x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**2*x**2+2*a**2)/(-b**3*x**3+a**3),x)

[Out] -(sqrt(3)*I*log(x + (a - sqrt(3)*I*a)/(2*b))/3 - sqrt(3)*I*log(x + (a + sqrt(3)*I*a)/(2*b))/3 + log(-a/b + x))/b

$$3.29 \quad \int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx$$

Optimal. Leaf size=48

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

[Out] C*ln(2+b^(1/3)*x)/b^(1/3)-2/3*C*arctan(1/3*(1-b^(1/3)*x)*3^(1/2))/b^(1/3)*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

[Out] (-2*C*ArcTan[(1 - b^(1/3)*x)/Sqrt[3]])/(Sqrt[3]*b^(1/3)) + (C*Log[2 + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx &= \frac{(2C) \int \frac{1}{\frac{4}{b^{2/3}} - \frac{2x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} \\
&= \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{b}x\right)}{\sqrt[3]{b}} \\
&= -\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}} + \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 76, normalized size = 1.58

$$\frac{C \left(-\log(b^{2/3}x^2 - 2\sqrt[3]{b}x + 4) + \log(bx^3 + 8) + 2 \log(\sqrt[3]{b}x + 2) + 2\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}x-1}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3),x]

[Out] (C*(2*Sqrt[3]*ArcTan[(-1 + b^(1/3)*x)/Sqrt[3]] + 2*Log[2 + b^(1/3)*x] - Log[4 - 2*b^(1/3)*x + b^(2/3)*x^2] + Log[8 + b*x^3]))/(3*b^(1/3))

fricas [A] time = 0.68, size = 134, normalized size = 2.79

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{-\frac{1}{\frac{2}{b^3}}} \log\left(\frac{bx^3+6\sqrt{\frac{1}{3}}\left(bx^2+b^{\frac{2}{3}}x-2b^{\frac{1}{3}}\right)\sqrt{-\frac{1}{\frac{2}{b^3}}}-6b^{\frac{1}{3}}x-4}}{bx^3+8}\right)} + C b^{\frac{2}{3}} \log\left(bx + 2b^{\frac{2}{3}}\right)}{b}, \frac{2\sqrt{\frac{1}{3}} C b^{\frac{2}{3}} \arctan\left(\frac{\sqrt{\frac{1}{3}}\left(b^{\frac{2}{3}}x-b^{\frac{1}{3}}\right)}{\frac{1}{b^{\frac{1}{3}}}}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((b*x^3 + 6*sqrt(1/3)*(b*x^2 + b^(2/3)*x - 2*b^(1/3))*sqrt(-1/b^(2/3)) - 6*b^(1/3)*x - 4)/(b*x^3 + 8)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(b^(2/3)*x - b^(1/3))/b^(1/3)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b]

giac [B] time = 0.42, size = 115, normalized size = 2.40

$$\frac{2}{3} \sqrt{3} C \left(-\frac{1}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(x + \left(-\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{1}{b}\right)^{\frac{1}{3}}}\right) - \frac{1}{3} \left(C b^{\frac{2}{3}} \left(-\frac{1}{b}\right)^{\frac{2}{3}} + 2C\right) \left(-\frac{1}{b}\right)^{\frac{1}{3}} \log\left(\left|x - 2\left(-\frac{1}{b}\right)^{\frac{1}{3}}\right|\right) + \frac{1}{3} \left(C \left(-\frac{1}{b}\right)^{\frac{1}{3}} + \frac{C}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*(-1/b)^(1/3)*arctan(1/3*sqrt(3)*(x + (-1/b)^(1/3))/(-1/b)^(1/3)) - 1/3*(C*b^(2/3)*(-1/b)^(2/3) + 2*C)*(-1/b)^(1/3)*log(abs(x - 2*(-1/b)^(1/3)))

$(1/3))) + 1/3*(C*(-1/b)^{(1/3)} + C/b^{(1/3)})*\log(x^2 + 2*x*(-1/b)^{(1/3)} + 4*(-1/b)^{(2/3)})$

maple [B] time = 0.06, size = 117, normalized size = 2.44

$$\frac{C \ln(bx^3 + 8)}{3b^{\frac{1}{3}}} + \frac{8^{\frac{1}{3}}\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2}{8^{\frac{1}{3}}x} - 1\right)}{4\left(\frac{1}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} + \frac{8^{\frac{1}{3}}C \ln\left(x + 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} - \frac{8^{\frac{1}{3}}C \ln\left(x^2 - 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}x + 8^{\frac{2}{3}}\left(\frac{1}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{1}{b}\right)^{\frac{2}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x)`

[Out] $1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x+8^{(1/3)}*(1/b)^{(1/3)})-1/6*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x^2-8^{(1/3)}*(1/b)^{(1/3)}*x+8^{(2/3)}*(1/b)^{(2/3)})+1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(1/4*8^{(2/3)}/(1/b)^{(1/3)}*x-1))+1/3*C/b^{(1/3)}*\ln(b*x^3+8)$

maxima [A] time = 2.99, size = 47, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(b^{\frac{2}{3}}x - b^{\frac{1}{3}}\right)}{3b^{\frac{1}{3}}}\right)}{3b^{\frac{1}{3}}} + \frac{C \log\left(\frac{b^{\frac{1}{3}}x+2}{b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="maxima")`

[Out] $2/3*\text{sqrt}(3)*C*\arctan(1/3*\text{sqrt}(3)*(b^{(2/3)}*x - b^{(1/3)})/b^{(1/3)})/b^{(1/3)} + C*\log((b^{(1/3)}*x + 2)/b^{(1/3)})/b^{(1/3)}$

mupad [B] time = 5.14, size = 147, normalized size = 3.06

$$\sum_{k=1}^3 \ln\left(\frac{(C - \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k))^{1/3}}{b^{1/3}} \frac{(-C + \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k))^{1/3}}{b^{5/3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C + C*b^(2/3)*x^2)/(b*x^3 + 8),x)`

[Out] `symsum(log(-(8*(C - 3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k))*b^(1/3))/(3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k))*b^(1/3) - C + C*b^(1/3)*x)/b^(5/3))*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k), k, 1, 3)`

sympy [A] time = 0.63, size = 58, normalized size = 1.21

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{b} - C}{C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+b**(2/3)*C*x**2)/(b*x**3+8),x)`

[Out] `RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3), Lambda(_t, _t*log(x + (3*_t*b**(1/3) - C)/(C*b**(1/3)))))`

$$3.30 \quad \int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx$$

Optimal. Leaf size=47

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

[Out] 1/4*C*ln(a^(1/3)+2*x)-1/6*C*arctan(1/3*(a^(1/3)-4*x)/a^(1/3)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.03, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

[Out] -(C*ArcTan[(a^(1/3) - 4*x)/(Sqrt[3]*a^(1/3))])/(2*Sqrt[3]) + (C*Log[a^(1/3) + 2*x])/4

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx &= \frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{a}}{2} + x} dx + \frac{1}{8}(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{4} - \frac{\sqrt[3]{a}x}{2} + x^2} dx \\
&= \frac{1}{4}C \log(\sqrt[3]{a} + 2x) + \frac{1}{2}C \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{a}}\right) \\
&= -\frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}} + \frac{1}{4}C \log(\sqrt[3]{a} + 2x)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 1.53

$$\frac{1}{12}C \left(-\log(a^{2/3} - 2\sqrt[3]{a}x + 4x^2) + \log(a + 8x^3) + 2\log(\sqrt[3]{a} + 2x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (4*x)/a^(1/3))/Sqrt[3]] + 2*Log[a^(1/3) + 2*x] - Log[a^(2/3) - 2*a^(1/3)*x + 4*x^2] + Log[a + 8*x^3]))/12

fricas [A] time = 0.60, size = 40, normalized size = 0.85

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{4\sqrt{3}a^{2/3}x - \sqrt{3}a}{3a}\right) + \frac{1}{4}C \log(2x + a^{1/3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*a^(2/3)*x - sqrt(3)*a)/a) + 1/4*C*log(2*x + a^(1/3))

giac [B] time = 0.20, size = 111, normalized size = 2.36

$$\frac{\sqrt{3}(\sqrt{3}i|a| + a)C \arctan\left(\frac{\sqrt{3}\left(4x+(-a)^{\frac{1}{3}}\right)}{3(-a)^{\frac{1}{3}}}\right)}{12a} + \frac{(\sqrt{3}i|a| + 3a)C \log\left(x^2 + \frac{1}{2}(-a)^{\frac{1}{3}}x + \frac{1}{4}(-a)^{\frac{2}{3}}\right)}{24a} - \frac{(C(-a)^{\frac{2}{3}} + 2Ca^{\frac{2}{3}})(-a)^{\frac{1}{3}}}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a), x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) + a)*C*arctan(1/3*sqrt(3)*(4*x + (-a)^(1/3))/(-a)^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) + 3*a)*C*log(x^2 + 1/2*(-a)^(1/3)*x + 1/4*(-a)^(2/3))/a - 1/12*(C*(-a)^(2/3) + 2*C*a^(2/3))*(-a)^(1/3)*log(abs(x - 1/2*(-a)^(1/3)))/a

maple [B] time = 0.04, size = 84, normalized size = 1.79

$$\frac{8^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{28^{\frac{1}{3}}x}{1} - 1\right)}{\frac{1}{a^{\frac{1}{3}}}}\right)}{24} + \frac{8^{\frac{2}{3}}C \ln\left(x + \frac{2}{8^{\frac{1}{3}}a^{\frac{1}{3}}}\right)}{24} - \frac{8^{\frac{2}{3}}C \ln\left(x^2 - \frac{2}{8^{\frac{1}{3}}a^{\frac{1}{3}}}x + \frac{1}{8^{\frac{2}{3}}a^{\frac{2}{3}}}\right)}{48} + \frac{C \ln(8x^3 + a)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x)`

[Out] $\frac{1}{24}C8^{2/3}\ln(x+1/8*8^{2/3}*a^{1/3})-1/48C8^{2/3}\ln(x^2-1/8*8^{2/3}*a^{1/3}*x+1/8*8^{1/3}*a^{2/3})+1/24C8^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2*8^{1/3}/a^{1/3}*x-1))+1/12C*\ln(8*x^3+a)$

maxima [A] time = 3.00, size = 36, normalized size = 0.77

$$\frac{1}{6}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(4x-a^{1/3}\right)}{3a^{1/3}}\right)+\frac{1}{4}C\log\left(x+\frac{1}{2}a^{1/3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="maxima")`

[Out] $1/6*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(4*x - a^{1/3})/a^{1/3}) + 1/4*C*\log(x + 1/2*a^{1/3})$

mupad [B] time = 5.02, size = 145, normalized size = 3.09

$$\sum_{k=1}^3 \ln\left(-\frac{a^{2/3}\left(C-12\operatorname{root}\left(1728a^2z^3-432Ca^2z^2+36C^2a^2z-9C^3a^2,z,k\right)\right)\left(4Cx-Ca^{1/3}+\operatorname{root}\left(1728a^2z^3-432Ca^2z^2+36C^2a^2z-9C^3a^2,z,k\right)\right)}{128}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*a^(2/3) + 2*C*x^2)/(a + 8*x^3),x)`

[Out] $\operatorname{symsum}\left(\log\left(-\left(a^{2/3}\left(C-12\operatorname{root}\left(1728a^2z^3-432Ca^2z^2+36C^2a^2z-9C^3a^2,z,k\right)\right)\left(4Cx-Ca^{1/3}+\operatorname{root}\left(1728a^2z^3-432Ca^2z^2+36C^2a^2z-9C^3a^2,z,k\right)\right)\right)/128\right)*\operatorname{root}\left(1728a^2z^3-432Ca^2z^2+36C^2a^2z-9C^3a^2,z,k\right),k,1,3\right)$

sympy [C] time = 0.74, size = 85, normalized size = 1.81

$$C\left(\frac{\log\left(\frac{\sqrt[3]{a}}{2}+x\right)}{4}-\frac{\sqrt{3}i\log\left(x+\frac{-C\sqrt[3]{a}-\sqrt{3}iC\sqrt[3]{a}}{4C}\right)}{12}+\frac{\sqrt{3}i\log\left(x+\frac{-C\sqrt[3]{a}+\sqrt{3}iC\sqrt[3]{a}}{4C}\right)}{12}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(2/3)*C+2*C*x**2)/(8*x**3+a),x)`

[Out] $C*(\log(a**(1/3)/2 + x)/4 - \sqrt{3}*I*\log(x + (-C*a**(1/3) - \sqrt{3}*I*C*a**(1/3))/(4*C))/12 + \sqrt{3}*I*\log(x + (-C*a**(1/3) + \sqrt{3}*I*C*a**(1/3))/(4*C))/12)$

$$3.31 \quad \int \frac{8C + (-b)^{2/3}Cx^2}{-8 + bx^3} dx$$

Optimal. Leaf size=57

$$\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

[Out] $-C \ln(2 + (-b)^{1/3}x) / (-b)^{1/3} + 2/3 C \arctan(1/3 * (1 - (-b)^{1/3}x) * 3^{1/2}) / (-b)^{1/3} * 3^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] (2*C*ArcTan[(1 - (-b)^(1/3)*x)/Sqrt[3]])/(Sqrt[3]*(-b)^(1/3)) - (C*Log[2 + (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1864

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a)^(1/3)/(-b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) - (-a)^(1/3)*(-b)^(1/3)*B - 2*(-a)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{8C + (-b)^{2/3} Cx^2}{-8 + bx^3} dx &= \frac{(2C) \int \frac{1}{\frac{4}{(-b)^{2/3} - \sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}} - \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{-b}} + x} dx}{\sqrt[3]{-b}} \\ &= \frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{-b}x\right)}{\sqrt[3]{-b}} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 99, normalized size = 1.74

$$\frac{C \left(-b^{2/3} \log(b^{2/3}x^2 + 2\sqrt[3]{b}x + 4) + 2b^{2/3} \log(2 - \sqrt[3]{b}x) - 2\sqrt{3}b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{b}x+1}{\sqrt{3}}\right) + (-b)^{2/3} \log(8 - bx^3) \right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*b^(2/3)*ArcTan[(1 + b^(1/3)*x)/Sqrt[3]] + 2*b^(2/3)*Log[2 - b^(1/3)*x] - b^(2/3)*Log[4 + 2*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[8 - b*x^3]))/(3*b)

fricas [A] time = 0.82, size = 182, normalized size = 3.19

$$\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log\left(\frac{bx^3 - 6\sqrt{\frac{1}{3}}(bx^2 - (-b)^{\frac{2}{3}}x + 2(-b)^{\frac{1}{3}})\sqrt{\frac{(-b)^{\frac{1}{3}}}{b} + 6(-b)^{\frac{1}{3}}x + 4}}{bx^3 - 8}}\right) + C(-b)^{\frac{2}{3}} \log(bx - 2(-b)^{\frac{2}{3}})}{b}, -2\sqrt{\frac{1}{3}} C b \sqrt{-}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8), x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((b*x^3 - 6*sqrt(1/3)*(b*x^2 - (-b)^(2/3)*x + 2*(-b)^(1/3))*sqrt((-b)^(1/3)/b) + 6*(-b)^(1/3)*x + 4)/(b*x^3 - 8)) + C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*arctan(sqrt(1/3)*((-b)^(2/3)*x - (-b)^(1/3))*sqrt((-b)^(1/3)/b)) - C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3)))/b]

giac [B] time = 0.31, size = 91, normalized size = 1.60

$$-\frac{2\sqrt{3}C|b|^{\frac{2}{3}} \arctan\left(\frac{1}{3}\sqrt{3}b^{\frac{1}{3}}\left(x + \frac{1}{b^{\frac{1}{3}}}\right)\right)}{3b} + \frac{1}{3}\left(\frac{C(-b)^{\frac{2}{3}}}{b} - \frac{C}{b^{\frac{1}{3}}}\right) \log\left(x^2 + \frac{2x}{b^{\frac{1}{3}}} + \frac{4}{b^{\frac{2}{3}}}\right) + \frac{\left(2C + \frac{C(-b)^{\frac{2}{3}}}{b^{\frac{2}{3}}}\right) \log\left(x - \frac{2}{b^{\frac{1}{3}}}\right)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8), x, algorithm="giac")

[Out] $-2/3*\sqrt{3}*C*abs(b)^{(2/3)}*arctan(1/3*\sqrt{3}*b^{(1/3)}*(x + 1/b^{(1/3)}))/b + 1/3*(C*(-b)^{(2/3)}/b - C/b^{(1/3)})*\log(x^2 + 2*x/b^{(1/3)} + 4/b^{(2/3)}) + 1/3*(2*C + C*(-b)^{(2/3)}/b^{(2/3)})*\log(abs(x - 2/b^{(1/3)}))/b^{(1/3)}$

maple [B] time = 0.05, size = 122, normalized size = 2.14

$$\frac{8^{\frac{1}{3}}\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2}{8^{\frac{2}{3}}x}+1\right)}{4\left(\frac{1}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} + \frac{8^{\frac{1}{3}}C \ln\left(x - 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} - \frac{8^{\frac{1}{3}}C \ln\left(x^2 + 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}x + 8^{\frac{2}{3}}\left(\frac{1}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{1}{b}\right)^{\frac{2}{3}}b} + \frac{(-b)^{\frac{2}{3}}C \ln(bx^3 - 8)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x)`

[Out] $1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x-8^{(1/3)}*(1/b)^{(1/3)})-1/6*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x^2+8^{(1/3)}*(1/b)^{(1/3)}*x+8^{(2/3)}*(1/b)^{(2/3)})-1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*3^{(1/2)}*arctan(1/3*3^{(1/2)}*(1/4*8^{(2/3)}/(1/b)^{(1/3)}*x+1))+1/3*C*(-b)^{(2/3)}/b*\ln(b*x^3-8)$

maxima [B] time = 2.94, size = 122, normalized size = 2.14

$$\frac{(C(-b)^{\frac{2}{3}} - Cb^{\frac{2}{3}})\log(b^{\frac{2}{3}}x^2 + 2b^{\frac{1}{3}}x + 4)}{3b} + \frac{(C(-b)^{\frac{2}{3}} + 2Cb^{\frac{2}{3}})\log\left(\frac{b^{\frac{1}{3}}x-2}{b^{\frac{1}{3}}}\right)}{3b} + \frac{2\sqrt{3}\left(C(-b)^{\frac{2}{3}}b^{\frac{4}{3}} - \left(C(-b)^{\frac{2}{3}}b^{\frac{1}{3}} + 3C\right)b^{\frac{7}{3}}\right)}{9b^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="maxima")`

[Out] $1/3*(C*(-b)^{(2/3)} - C*b^{(2/3)})*\log(b^{(2/3)}*x^2 + 2*b^{(1/3)}*x + 4)/b + 1/3*(C*(-b)^{(2/3)} + 2*C*b^{(2/3)})*\log((b^{(1/3)}*x - 2)/b^{(1/3)})/b + 2/9*\sqrt{3}*(C*(-b)^{(2/3)}*b^{(4/3)} - (C*(-b)^{(2/3)}*b^{(1/3)} + 3*C*b)*b)*arctan(1/3*\sqrt{3}*(b^{(2/3)}*x + b^{(1/3)})/b^{(1/3)})/b^{(7/3)}$

mupad [B] time = 5.27, size = 176, normalized size = 3.09

$$\sum_{k=1}^3 \ln\left(\frac{8C^2}{(-b)^{5/3}} + \text{root}\left(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k\right)\right) \left(-\frac{\text{root}\left(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k\right)}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C + C*(-b)^(2/3)*x^2)/(b*x^3 - 8),x)`

[Out] `symsum(log((8*C^2)/(-b)^(5/3) + root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k))*((48*C)/(-b)^(4/3) - (72*root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k)))/b + (24*C*x)/b - (8*C^2*x)/(-b)^(4/3))*root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k), k, 1, 3)`

sympy [A] time = 0.99, size = 58, normalized size = 1.02

$$\text{RootSum}\left(3t^3b^2 - 3t^2Cb(-b)^{\frac{2}{3}} + tC^2(-b)^{\frac{4}{3}} - C^3b, \left(t \mapsto t \log\left(-\frac{3t}{C} + x + \frac{(-b)^{\frac{2}{3}}}{b}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*C+(-b)**(2/3)*C*x**2)/(b*x**3-8),x)
```

```
[Out] RootSum(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + _t*C**2*(-b)**(4/3) - C**3*b, Lambda(_t, _t*log(-3*_t/C + x + (-b)**(2/3)/b)))
```

$$3.32 \quad \int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx$$

Optimal. Leaf size=47

$$\frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

[Out] $-1/4*C*\ln((-a)^{(1/3)}+2*x)+1/6*C*\arctan(1/3*(1-4*x/(-a)^{(1/3)})*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[((-a)^{(2/3)}*C + 2*C*x^2)/(a - 8*x^3), x]$

[Out] $(C*\text{ArcTan}[(1 - (4*x)/(-a)^{(1/3)})/\text{Sqrt}[3]])/(2*\text{Sqrt}[3]) - (C*\text{Log}[(-a)^{(1/3)} + 2*x])/4$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1864

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = (-a)^{(1/3)}/(-b)^{(1/3)}\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] /; \text{EqQ}[A*(-b)^{(2/3)} - (-a)^{(1/3)*}(-b)^{(1/3)*}B - 2*(-a)^{(2/3)*}C, 0] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx &= -\left(\frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{-a}}{2} + x} dx\right) - \frac{1}{8}(\sqrt[3]{-a}C) \int \frac{1}{\frac{1}{4}(-a)^{2/3} - \frac{1}{2}\sqrt[3]{-a}x + x^2} dx \\
&= -\frac{1}{4}C \log(\sqrt[3]{-a} + 2x) - \frac{1}{2}C \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{-a}}\right) \\
&= \frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)
\end{aligned}$$

Mathematica [B] time = 0.04, size = 106, normalized size = 2.26

$$\frac{C \left(-a^{2/3} \log(8x^3 - a) + (-a)^{2/3} \log(a^{2/3} + 2\sqrt[3]{a}x + 4x^2) - 2(-a)^{2/3} \log(\sqrt[3]{a} - 2x) + 2\sqrt{3}(-a)^{2/3} \tan^{-1}\left(\frac{\frac{4x}{\sqrt[3]{a}} + 1}{\sqrt{3}}\right) \right)}{12a^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]

[Out] (C*(2*Sqrt[3]*(-a)^(2/3)*ArcTan[(1 + (4*x)/a^(1/3))/Sqrt[3]] - 2*(-a)^(2/3)*Log[a^(1/3) - 2*x] + (-a)^(2/3)*Log[a^(2/3) + 2*a^(1/3)*x + 4*x^2] - a^(2/3)*Log[-a + 8*x^3]))/(12*a^(2/3))

fricas [A] time = 0.55, size = 43, normalized size = 0.91

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{4\sqrt{3}(-a)^{\frac{2}{3}}x + \sqrt{3}a}{3a}\right) - \frac{1}{4}C \log\left(2x + (-a)^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a)^(2/3)*C+2*C*x^2)/(-8*x^3+a), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*(-a)^(2/3)*x + sqrt(3)*a)/a) - 1/4*C*log(2*x + (-a)^(1/3))

giac [B] time = 0.21, size = 98, normalized size = 2.09

$$\frac{\sqrt{3}(\sqrt{3}i|a| - a)C \arctan\left(\frac{\sqrt{3}\left(4x+a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right)}{12a} + \frac{(\sqrt{3}i|a| - 3a)C \log\left(x^2 + \frac{1}{2}a^{\frac{1}{3}}x + \frac{1}{4}a^{\frac{2}{3}}\right)}{24a} - \frac{(2C(-a)^{\frac{2}{3}} + Ca^{\frac{2}{3}}) \log\left(\left|x - \frac{1}{2}a^{\frac{1}{3}}\right|\right)}{12a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a)^(2/3)*C+2*C*x^2)/(-8*x^3+a), x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) - a)*C*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) - 3*a)*C*log(x^2 + 1/2*a^(1/3)*x + 1/4*a^(2/3))/a - 1/12*(2*C*(-a)^(2/3) + C*a^(2/3))*log(abs(x - 1/2*a^(1/3)))/a^(2/3)

maple [B] time = 0.05, size = 110, normalized size = 2.34

$$-\frac{C \ln(8x^3 - a)}{12} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} \sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{28^{\frac{1}{3}}x + 1\right)}{\frac{1}{a^{\frac{1}{3}}}}\right)}{24a^{\frac{2}{3}}} - \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln\left(x - \frac{2^{\frac{1}{3}}a^{\frac{1}{3}}}{8}\right)}{24a^{\frac{2}{3}}} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln\left(x^2 + \frac{2^{\frac{1}{3}}a^{\frac{1}{3}}x}{8} + \frac{1}{8^{\frac{1}{3}}}\right)}{48a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a)^(2/3)*C+2*C*x^2)/(-8*x^3+a), x)

[Out] -1/24*C*(a)^(2/3)*8^(2/3)/a^(2/3)*ln(x-1/8*8^(2/3)*a^(1/3))+1/48*C*(a)^(2/3)*8^(2/3)/a^(2/3)*ln(x^2+1/8*8^(2/3)*a^(1/3)*x+1/8*8^(1/3)*a^(2/3))+1/24*C*(a)^(2/3)*8^(2/3)/a^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2*8^(1/3)/a^(1/3)*x+1))-1/12*C*ln(8*x^3-a)

maxima [B] time = 2.99, size = 93, normalized size = 1.98

$$\frac{\sqrt{3} C (-a)^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(4x+a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right)}{6a^{\frac{2}{3}}} + \frac{\left(C(-a)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right) \log\left(4x^2 + 2a^{\frac{1}{3}}x + a^{\frac{2}{3}}\right)}{12a^{\frac{2}{3}}} - \frac{\left(2C(-a)^{\frac{2}{3}} + Ca^{\frac{2}{3}}\right) \log\left(x - \frac{1}{2}a^{\frac{1}{3}}\right)}{12a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a)^(2/3)*C+2*C*x^2)/(-8*x^3+a), x, algorithm="maxima")

[Out] 1/6*sqrt(3)*C*(a)^(2/3)*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a^(2/3) + 1/12*(C*(a)^(2/3) - C*a^(2/3))*log(4*x^2 + 2*a^(1/3)*x + a^(2/3))/a^(2/3) - 1/12*(2*C*(a)^(2/3) + C*a^(2/3))*log(x - 1/2*a^(1/3))/a^(2/3)

mupad [B] time = 0.33, size = 142, normalized size = 3.02

$$\sum_{k=1}^3 \ln\left(-\frac{(C + 12 \operatorname{root}(1728 a^2 z^3 + 432 C a^2 z^2 + 36 C^2 a^2 z + 9 C^3 a^2, z, k)) (C a + \operatorname{root}(1728 a^2 z^3 + 432 C a^2 z^2 + 36 C^2 a^2 z + 9 C^3 a^2, z, k))}{128}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*x^2 + C*(a)^(2/3))/(a - 8*x^3), x)

[Out] symsum(log(-((C + 12*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k))*(C*a + 12*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k))*a + 4*C*(a)^(2/3)*x))/128)*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.93, size = 95, normalized size = 2.02

$$-C \left(\frac{\log\left(-\frac{a}{2(-a)^{\frac{2}{3}}} + x\right)}{4} + \frac{\sqrt{3} i \log\left(\frac{a}{4(-a)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{4(-a)^{\frac{2}{3}}} + x\right)}{12} - \frac{\sqrt{3} i \log\left(\frac{a}{4(-a)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{4(-a)^{\frac{2}{3}}} + x\right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a)**(2/3)*C+2*C*x**2)/(-8*x**3+a), x)

[Out] -C*(log(-a/(2*(-a)**(2/3)) + x)/4 + sqrt(3)*I*log(a/(4*(-a)**(2/3)) - sqrt(3)*I*a/(4*(-a)**(2/3)) + x)/12 - sqrt(3)*I*log(a/(4*(-a)**(2/3)) + sqrt(3)*I*a/(4*(-a)**(2/3)) + x)/12)

$$3.33 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{a/b}}}{\sqrt{3}}\right)}{\sqrt{3}b}$$

[Out] C*ln((a/b)^(1/3)+x)/b-2/3*C*arctan(1/3*(1-2*x/(a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{a/b}}}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b} + x}} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\
&= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\
&= -\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.05, size = 146, normalized size = 2.92

$$\frac{C \left(-b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log\left(a + bx^3\right) + 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^{2/3} \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(2/3)*b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.71, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3} C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x + (a/b)^(1/3))/b

giac [B] time = 0.22, size = 166, normalized size = 3.32

$$\frac{\sqrt{3}\left(ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) - \left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(ab^2\right)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \left(3ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] 1/3*sqrt(3)*(a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2) + 1/6*(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^3)

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x)

[Out] 2/3*C*ln(x+(a/b)^(1/3))/b-1/3*C/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C/b*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [A] time = 3.03, size = 51, normalized size = 1.02

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/b + C*log(x + (a/b)^(1/3))/b

mupad [B] time = 5.10, size = 172, normalized size = 3.44

$$\sum_{k=1}^3 \ln\left(\frac{(C - \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) b^3) (-Ca + \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) a^2)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(a/b)^(2/3))/(a + b*x^3), x)

[Out] symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*a*b - C*a + 2*C*b*x*(a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.74, size = 100, normalized size = 2.00

$$\frac{C \left(\log\left(\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}} + x}\right) - \frac{\sqrt{3}i \log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)**(2/3)*C+C*x**2)/(b*x**3+a), x)

[Out] C*(log(a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.34 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-a/b}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

[Out] $-C \ln\left(\left(-\frac{a}{b}\right)^{1/3} + x\right)/b + 2/3 * C * \arctan\left(\frac{1 - 2*x/\left(-\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right)/b * 3^{1/2}$
(1/2)

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1867, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-a/b}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] $(2*C*ArcTan[(1 - (2*x)/(-\frac{a}{b})^{1/3})/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(-\frac{a}{b})^{1/3} + x])/b$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.10, size = 150, normalized size = 2.83

$$\frac{C \left(b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log\left(a - bx^3\right) - 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \arctan\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(-(a/b))^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] - 2*(-(a/b))^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.67, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x + (-a/b)^(1/3)))/b

giac [B] time = 0.22, size = 162, normalized size = 3.06

$$\frac{\sqrt{3} \left(ab^2 - \sqrt{3} \sqrt{a^2 b^4} i \right) C \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(Cb^2 \left(\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{2}{3}} C \right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2} - \frac{\left(3ab^2 - \sqrt{3} \sqrt{a^2 b^4} i \right) C \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] -1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2) - 1/6*(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3)

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C\arctan\left(\frac{\left(\frac{\frac{2x}{\frac{1}{\frac{a}{b}}+1}\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C\ln\left(x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C\ln\left(x^2+\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{C\ln\left(bx^3-a\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x)

[Out] -2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x-(a/b)^(1/3))+1/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*(1+2/(a/b)^(1/3)*x)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [B] time = 3.03, size = 167, normalized size = 3.15

$$\frac{2\sqrt{3}\left(Ca-\left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}}+\frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}}-C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2+x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}}-C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x,algorithm="maxima")

[Out] -2/9*sqrt(3)*(C*a - (3*C*(a/b)^(1/3)*(-a/b)^(2/3) + C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b) - 1/3*(C*(a/b)^(2/3) - C*(-a/b)^(2/3))*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3))*log(x - (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.40, size = 172, normalized size = 3.25

$$\sum_{k=1}^3 \ln\left(\frac{\left(C + \text{root}\left(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k\right)\right)b^3}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(-a/b)^(2/3))/(a - b*x^3),x)

[Out] symsum(log(-((C + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*b)*(C*a + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*a*b + 2*C*b*x*(-a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.84, size = 110, normalized size = 2.08

$$\frac{C\left(\log\left(-\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x\right)+\frac{\sqrt{3}i\log\left(\frac{\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}-\frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x}{3}\right)}{3}-\frac{\sqrt{3}i\log\left(\frac{\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+\frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x}{3}\right)}{3}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*(-a/b)**(2/3)*C+C*x**2)/(-b*x**3+a),x)
```

```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)) - s  
qrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.35 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b-2/3*C*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.06, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 + (2*x)/(-a/b)^(1/3))/Sqrt[3]]/(Sqrt[3]*b) + (C*Log[(-(a/b))^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*c/b}, Simplify[(a*c)/b^2], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\
&= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} + \frac{(2C) \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\
&= -\frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.07, size = 149, normalized size = 2.76

$$\frac{C \left(-b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log\left(a + bx^3\right) + 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-(a/b))^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(-(a/b))^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (-(a/b))^(2/3)*b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.66, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x - (-a/b)^(1/3)))/b

giac [A] time = 0.18, size = 91, normalized size = 1.69

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2)

maple [B] time = 0.04, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(\frac{2x-\frac{1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{C\ln(bx^3+a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x)

[Out] 2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [B] time = 3.15, size = 168, normalized size = 3.11

$$\frac{2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab + 3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] -2/9*sqrt(3)*(C*a - (3*C*(a/b)^(1/3)*(-a/b)^(2/3) + C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/3*(C*(a/b)^(2/3) - C*(-a/b)^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.27, size = 173, normalized size = 3.20

$$\sum_{k=1}^3 \ln\left(\frac{(C - \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) b^3) \left(-Ca + \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k)\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(-a/b)^(2/3))/(a + b*x^3),x)

[Out] symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*a*b - C*a + 2*C*b*x*(-a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.77, size = 109, normalized size = 2.02

$$\frac{C\left(\log\left(\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i\log\left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i\log\left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*(-a/b)**(2/3)*C+C*x**2)/(b*x**3+a),x)
```

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.36 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{3\sqrt[3]{a}} + 1}{\sqrt[3]{b}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

[Out] $-C \ln\left(\left(\frac{a}{b}\right)^{1/3} - x\right) / b + 2/3 * C * \arctan\left(\frac{1 + 2 * x / \left(\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) / b * 3^{1/2}$

Rubi [A] time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{3\sqrt[3]{a}} + 1}{\sqrt[3]{b}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3),x]

[Out] (2*C*ArcTan[(1 + (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = -(a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x] /; EqQ[A + (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\
&= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\
&= \frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.05, size = 147, normalized size = 2.77

$$\frac{C \left(b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log\left(a - bx^3\right) - 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^2 \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] - 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (a/b)^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.60, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x - (a/b)^(1/3))/b

giac [A] time = 0.21, size = 85, normalized size = 1.60

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2(ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b^2*(a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3} C \arctan\left(\frac{\left(\frac{2x}{\frac{1}{b}+1}\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))/b*3^(1/2)-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.00, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="maxima")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - C*log(x - (a/b)^(1/3))/b

mupad [B] time = 5.19, size = 171, normalized size = 3.23

$$\sum_{k=1}^3 \ln\left(\frac{(C + \text{root}(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 + 9 C^2 a^2 b z + 9 C^3 a^2, z, k) b^3) (C a + \text{root}(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 + 9 C^2 a^2 b z + 9 C^3 a^2, z, k) a b + 2 C b^2 x (a/b)^{2/3})}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(a/b)^(2/3))/(a - b*x^3), x)

[Out] symsum(log(-((C + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*b)*(C*a + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*a*b + 2*C*b*x*(a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.79, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3} i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3} i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)**(2/3)*C+C*x**2)/(-b*x**3+a), x)

[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.37 \quad \int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=61

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

[Out] $C \ln(a^{1/3} + b^{1/3}x) / b^{1/3} - 2/3 * C * \arctan(1/3 * (a^{1/3} - 2 * b^{1/3} * x) / a^{1/3} * 3^{1/2}) / b^{1/3} * 3^{1/2}$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] $(-2 * C * \text{ArcTan}[(a^{1/3} - 2 * b^{1/3} * x) / (\text{Sqrt}[3] * a^{1/3})]) / (\text{Sqrt}[3] * b^{1/3}) + (C * \text{Log}[a^{1/3} + b^{1/3} * x]) / b^{1/3}$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx = \frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{b^{2/3}} - \frac{\sqrt[3]{a}x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + \frac{C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}}$$

$$= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}}$$

$$= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}} + \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Mathematica [A] time = 0.02, size = 95, normalized size = 1.56

$$\frac{C \left(-\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + \log(a + bx^3) + 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + Log[a + b*x^3]))/(3*b^(1/3))

fricas [A] time = 0.87, size = 160, normalized size = 2.62

$$\frac{\sqrt{\frac{1}{3}}Cb\sqrt{-\frac{1}{b^3}}\log\left(\frac{2bx^3 - 3a^{\frac{2}{3}}b^{\frac{1}{3}}x + 3\sqrt{\frac{1}{3}}\left(2a^{\frac{1}{3}}bx^2 + a^{\frac{2}{3}}b^{\frac{2}{3}}x - ab^{\frac{1}{3}}\right)\sqrt{-\frac{1}{2} - a}}{bx^3 + a}}\right) + Cb^{\frac{2}{3}}\log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right) + 2\sqrt{\frac{1}{3}}Cb^{\frac{2}{3}}\arctan\left(\frac{\sqrt{\frac{1}{3}}\left(2a^{\frac{1}{3}}bx^2 + a^{\frac{2}{3}}b^{\frac{2}{3}}x - ab^{\frac{1}{3}}\right)\sqrt{-\frac{1}{2} - a}}{bx^3 + a}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*b^(2/3)*x - a*b^(1/3))*sqrt(-1/b^(2/3)) - a)/(b*x^3 + a)) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x - a*b^(1/3))/(a*b^(1/3))) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 117, normalized size = 1.92

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C \ln(bx^3 + a)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a), x)

[Out] 2/3*C*a^(2/3)/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*C*a^(2/3)/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*a^(2/3)/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)

maxima [B] time = 2.87, size = 162, normalized size = 2.66

$$\frac{2\sqrt{3}\left(Cab^{\frac{2}{3}} - \left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{Ca}{b^{\frac{1}{3}}}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9ab} + \frac{\left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{C \ln(bx^3 + a)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="maxima")

[Out] -2/9*sqrt(3)*(C*a*b^(2/3) - (3*C*a^(2/3)*(a/b)^(1/3) + C*a/b^(1/3))*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/3*(C*b^(2/3)*(a/b)^(2/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*b^(2/3)*(a/b)^(2/3) + 2*C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.31, size = 193, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(-\frac{a^{2/3} \left(C - \text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^{8/3} z^2 + 9 C^2 a^2 b^{7/3} z - 9 C^3 a^2 b^2, z, k\right) b^{1/3} 3\right) \left(-C a^{1/3} + \text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^{8/3} z^2 + 9 C^2 a^2 b^{7/3} z - 9 C^3 a^2 b^2, z, k\right) b^{1/3} 3\right)}{b^{5/3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*a^(2/3) + C*b^(2/3)*x^2)/(a + b*x^3), x)

[Out] symsum(log(-(a^(2/3)*(C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k)*b^(1/3)))*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k)*a^(1/3)*b^(1/3) - C*a^(1/3) + 2*C*b^(1/3)*x))/b^(5/3))*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k), k, 1, 3)

sympy [A] time = 0.73, size = 70, normalized size = 1.15

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{a}\sqrt[3]{b} - C\sqrt[3]{a}}{2C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a**(2/3)*C+b**(2/3)*C*x**2)/(b*x**3+a), x)

```
[Out] RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3),  
Lambda(_t, _t*log(x + (3*_t*a**(1/3)*b**(1/3) - C*a**(1/3))/(2*C*b**(1/3))))  
)
```

$$3.38 \quad \int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a+bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

[Out] $C \ln(a^{1/3} - (-b)^{1/3}x) / (-b)^{1/3} - 2/3 C \arctan(1/3(a^{1/3} + 2(-b)^{1/3}x) / a^{1/3} \sqrt{3}) / (-b)^{1/3} \sqrt{3}$

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1866, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(-2*a^{2/3}*C - (-b)^{2/3}*C*x^2)/(a + b*x^3), x]$

[Out] $(-2*C*\text{ArcTan}[(a^{1/3} + 2*(-b)^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})]) / (\text{Sqrt}[3]*(-b)^{1/3}) + (C*\text{Log}[a^{1/3} - (-b)^{1/3}*x]) / (-b)^{1/3}$

Rule 31

$\text{Int}[(a_ + (b_.)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]] / (\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_.)*(x_)) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1866

$\text{Int}[(P2_)/((a_ + (b_.)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = a^{1/3}/(-b)^{1/3}\}, -\text{Dist}[C/b, \text{Int}[1/(q - x), x], x] + \text{Dist}[(B - C*q)/b, \text{Int}[1/(q^2 + q*x + x^2), x], x] /; \text{EqQ}[A*(-b)^{2/3} + a^{1/3}*(-b)^{1/3}*B - 2*a^{2/3}*C, 0] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a + bx^3} dx = -\frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3}} + \frac{\sqrt[3]{a}x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}} - \frac{C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{-b}} - x} dx}{\sqrt[3]{-b}}$$

$$= \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{-b}}$$

$$= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}}$$

Mathematica [A] time = 0.03, size = 116, normalized size = 1.66

$$C \left(-b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2\sqrt{3} b^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt{3}\sqrt[3]{a}}\right) + (-b)^{2/3} \log(a + bx^3) \right) / 3b$$

Antiderivative was successfully verified.

[In] Integrate[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] -1/3*(C*(-2*Sqrt[3]*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[a + b*x^3]))/b

fricas [A] time = 0.89, size = 205, normalized size = 2.93

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log\left(\frac{2bx^3 + 3a^{\frac{2}{3}}(-b)^{\frac{1}{3}}x - 3\sqrt{\frac{1}{3}}\left(2a^{\frac{1}{3}}bx^2 + a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x + a(-b)^{\frac{1}{3}}\right)\sqrt{\frac{(-b)^{\frac{1}{3}}}{b} - a}}{bx^3 + a}}\right)}{b} - C(-b)^{\frac{2}{3}} \log\left(bx + a^{\frac{1}{3}}(-b)^{\frac{2}{3}}\right) - 2\sqrt{\frac{1}{3}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt((-b)^(1/3)/b) - a)/(b*x^3 + a)) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*arctan(sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt((-b)^(1/3)/b)/a) + C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 122, normalized size = 1.74

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{(-b)^{\frac{2}{3}} C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a), x)

[Out] -2/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))+1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-2/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*C*(-b)^(2/3)/b*ln(b*x^3+a)

maxima [B] time = 3.02, size = 173, normalized size = 2.47

$$\frac{2\sqrt{3}\left(Ca(-b)^{\frac{2}{3}} - \left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{Ca(-b)^{\frac{2}{3}}}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(C(-b)^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9ab - 3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="maxima")

[Out] 2/9*sqrt(3)*(C*a*(-b)^(2/3) - (3*C*a^(2/3)*(a/b)^(1/3) + C*a*(-b)^(2/3)/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) - 1/3*(C*(-b)^(2/3)*(a/b)^(2/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(C*(-b)^(2/3)*(a/b)^(2/3) + 2*C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.24, size = 221, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(\text{root}\left(27a^2b^3z^3 + 27Ca^2(-b)^{8/3}z^2 - 9C^2a^2(-b)^{7/3}z + 9C^3a^2b^2, z, k\right)\left(\frac{6Ca}{(-b)^{4/3}} + \frac{\text{root}\left(27a^2b^3z^3 + 27Ca^2(-b)^{8/3}z^2 - 9C^2a^2(-b)^{7/3}z + 9C^3a^2b^2, z, k\right)}{(-b)^{4/3}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*C*a^(2/3) + C*(-b)^(2/3)*x^2)/(a + b*x^3), x)

[Out] symsum(log(root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k))*((6*C*a)/(-b)^(4/3) + (9*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k)*a)/b - (6*C*a^(2/3)*x)/b) - (C^2*a)/(-b)^(5/3) - (2*C^2*a^(2/3)*x)/(-b)^(4/3))*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k), k, 1, 3)

sympy [A] time = 1.24, size = 73, normalized size = 1.04

$$-\text{RootSum}\left(3t^3b^2 - 3t^2Cb(-b)^{\frac{2}{3}} + tC^2(-b)^{\frac{4}{3}} - C^3b, \left(t \mapsto t \log\left(\frac{3t\sqrt[3]{a}}{2C} - \frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a**(2/3)*C-(-b)**(2/3)*C*x**2)/(b*x**3+a),x)

[Out] -RootSum(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + *_t*C**2*(-b)**(4/3) - C**3*b, Lambda(_t, _t*log(3*_t*a**(1/3)/(2*C) - a**(1/3)*(-b)**(2/3)/(2*b) + x)))

$$3.39 \quad \int \frac{-3+x^2}{-1+x^3} dx$$

Optimal. Leaf size=40

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)$$

[Out] $-2/3*\ln(1-x)+5/6*\ln(x^2+x+1)+\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(-3 + x^2)/(-1 + x^3), x]

[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - (2*Log[1 - x])/3 + (5*Log[1 + x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x,

2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{-3+x^2}{-1+x^3} dx &= -\left(\frac{1}{3} \int \frac{-7-5x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\
 &= -\frac{2}{3} \log(1-x) + \frac{5}{6} \int \frac{1+2x}{1+x+x^2} dx + \frac{3}{2} \int \frac{1}{1+x+x^2} dx \\
 &= -\frac{2}{3} \log(1-x) + \frac{5}{6} \log(1+x+x^2) - 3 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\
 &= \sqrt{3} \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right) - \frac{2}{3} \log(1-x) + \frac{5}{6} \log(1+x+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 50, normalized size = 1.25

$$\frac{1}{3} \log(1-x^3) + \frac{1}{2} \log(x^2+x+1) - \log(1-x) + \sqrt{3} \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-3 + x^2)/(-1 + x^3), x]

[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - Log[1 - x] + Log[1 + x + x^2]/2 + Log[1 - x^3]/3

fricas [A] time = 0.87, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1), x, algorithm="fricas")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.32, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1), x, algorithm="giac")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right) - \frac{2 \ln(x-1)}{3} + \frac{5 \ln(x^2+x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2-3)/(x^3-1), x)

[Out] $-2/3*\ln(x-1)+5/6*\ln(x^2+x+1)+3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})$

maxima [A] time = 2.99, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2-3)/(x^3-1),x, algorithm="maxima")`

[Out] $\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) + 5/6*\log(x^2 + x + 1) - 2/3*\log(x - 1)$

mupad [B] time = 0.16, size = 46, normalized size = 1.15

$$-\frac{2 \ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 - 3)/(x^3 - 1),x)`

[Out] $\log(x + (3^{(1/2)}*1i)/2 + 1/2)*((3^{(1/2)}*1i)/2 + 5/6) - \log(x - (3^{(1/2)}*1i)/2 + 1/2)*((3^{(1/2)}*1i)/2 - 5/6) - (2*\log(x - 1))/3$

sympy [A] time = 0.29, size = 42, normalized size = 1.05

$$-\frac{2 \log(x-1)}{3} + \frac{5 \log(x^2+x+1)}{6} + \sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2-3)/(x**3-1),x)`

[Out] $-2*\log(x - 1)/3 + 5*\log(x**2 + x + 1)/6 + \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 + \sqrt{3}(3)/3)$

$$3.40 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

[Out] C*ln(a^(1/3)+b^(1/3)*x)/b^(1/3)-2/3*(B/a^(1/3)+C/b^(1/3))*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 49, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (-2*(B/a^(1/3) + C/b^(1/3))*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/Sqrt[3] + (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.06, size = 310, normalized size = 4.43

$$\frac{\sqrt{3} B a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{3}}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{B a^{\frac{1}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} - \frac{B a^{\frac{1}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{3}}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x)
```

```
[Out] 1/3/(a/b)^(2/3)*B*a^(1/3)/b^(2/3)*ln(x+(a/b)^(1/3))+2/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*B*a^(1/3)/b^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*B*a^(1/3)/b^(2/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/(a/b)^(1/3)*B/b^(1/3)*ln(x+(a/b)^(1/3))+1/6/(a/b)^(1/3)*B/b^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*3^(1/2)/(a/b)^(1/3)*B/b^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)
```

maxima [B] time = 3.12, size = 236, normalized size = 3.37

$$\frac{\sqrt{3}\left(2Cab^{\frac{2}{3}} - \left(6Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + 3Ba^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b}\right)b^{\frac{2}{3}}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} \left(2Ca^{\frac{2}{3}} + Ba^{\frac{1}{3}}b^{\frac{1}{3}} - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")
```

```
[Out] -1/9*sqrt(3)*(2*C*a*b^(2/3) - (6*C*a^(2/3)*(a/b)^(1/3) + 3*B*a^(1/3)*b^(1/3))*(a/b)^(1/3) + (3*B*(a/b)^(2/3) + 2*C*a/b)*b^(2/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) - 1/6*(2*C*a^(2/3) + B*a^(1/3)*b^(1/3) - (2*C*(a/b)^(2/3) + B*(a/b)^(1/3))*b^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(2*C*a^(2/3) + B*a^(1/3)*b^(1/3) + (C*(a/b)^(2/3) - B*(a/b)^(1/3))*b^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))
```

mupad [B] time = 6.23, size = 386, normalized size = 5.51

$$\sum_{k=1}^3 \ln\left(-\frac{x\left(2C^2a^{2/3}b^{2/3} - B^2b^{4/3} + BCa^{1/3}b\right)}{b^2} + \frac{a^{1/3}\left(Bb^{1/3} + Ca^{1/3}\right)^2}{b^{5/3}} + \frac{\text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 18Bab^{5/3}z - 18B^2a^{2/3}b^{2/3}\right)}{b^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((2*C*a^(2/3) + B*a^(1/3)*b^(1/3) + C*b^(2/3)*x^2 + B*b^(2/3)*x)/(a + b*x^3),x)
```

```
[Out] symsum(log((a^(1/3)*(B*b^(1/3) + C*a^(1/3))^2)/b^(5/3) - (x*(2*C^2*a^(2/3)*
b^(2/3) - B^2*b^(4/3) + B*C*a^(1/3)*b))/b^2 + (root(27*a^2*b^3*z^3 - 27*C*a
^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z + 9*B^2*a^(
4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) - 9*C^3*a^2
*b^2, z, k)*(9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*
b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z + 9*B^2*a^(4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^
(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) - 9*C^3*a^2*b^2, z, k)*a*b^(1/3) - 6*C*a +
3*B*a^(1/3)*b^(2/3)*x + 6*C*a^(2/3)*b^(1/3)*x))/b^(4/3))*root(27*a^2*b^3*z^
3 - 27*C*a^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z +
9*B^2*a^(4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) -
9*C^3*a^2*b^2, z, k), k, 1, 3)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a**(1/3)*b**(1/3)*B+2*a**(2/3)*C+b**(2/3)*B*x+b**(2/3)*C*x**2)/(
b*x**3+a),x)
```

[Out] Timed out

$$3.41 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=88

$$\frac{2(\sqrt[3]{a}(-b)^{2/3}C + bB) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}}$$

[Out] C*ln(a^(1/3)-(-b)^(1/3)*x)/(-b)^(1/3)+2/3*(b*B+a^(1/3)*(-b)^(2/3)*C)*arctan(1/3*(a^(1/3)+2*(-b)^(1/3)*x)/a^(1/3)*3^(1/2))/a^(1/3)/b*3^(1/2)

Rubi [A] time = 0.11, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 57, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {1866, 31, 617, 204}

$$\frac{2(\sqrt[3]{a}(-b)^{2/3}C + bB) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (2*(b*B + a^(1/3)*(-b)^(2/3)*C)*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)*b) + (C*Log[a^(1/3) - (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1866

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/(-b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) + a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\sqrt[3]{a} - x} dx + (\sqrt[3]{-b} B - \sqrt[3]{a} C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3} + \sqrt[3]{-b}} + x^2} dx}{\sqrt[3]{-b}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}} - \left(2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \right) \text{Subst} \left(\int \frac{1}{\sqrt[3]{a} - x} dx \right)$$

$$= \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}}$$

Mathematica [B] time = 0.66, size = 238, normalized size = 2.70

$$\frac{(2\sqrt[3]{a} b \sqrt[3]{-b} C + b^{5/3} B + (-b)^{5/3} B) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) - 2b(2\sqrt[3]{a} \sqrt[3]{-b} C + (b^{2/3} - (-b)^{2/3}) B) \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2\sqrt[3]{a} (-b)^{2/3} \sqrt[3]{-b^2} C \log(a + bx^3)}{\sqrt[3]{-b^2}}$$

$6\sqrt[3]{a} b$

Warning: Unable to verify antiderivative.

[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (2*sqrt[3]*b^(1/3)*((-b)^(2/3) - (-b^2)^(1/3))*B + 2*a^(1/3)*b^(1/3)*C)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + (-2*b*((-b)^(2/3) + b^(2/3))*B + 2*a^(1/3)*(-b)^(1/3)*C)*Log[a^(1/3) + b^(1/3)*x] + ((-b)^(5/3)*B + b^(5/3)*B + 2*a^(1/3)*(-b)^(1/3)*b*C)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a^(1/3)*(-b)^(2/3)*(-b^2)^(1/3)*C*Log[a + b*x^3])/((-b^2)^(1/3))/(6*a^(1/3)*b)

fricas [B] time = 5.66, size = 470, normalized size = 5.34

$$\left[\sqrt{\frac{1}{3}} b \sqrt{\frac{C^2 a (-b)^{\frac{1}{3}} - 2 B C a^{\frac{2}{3}} (-b)^{\frac{2}{3}} - B^2 a^{\frac{1}{3}} b}{ab}} \log \left(\frac{C^3 a^2 + B^3 ab - 2(C^3 ab + B^3 b^2) x^3 - 3(C^3 a + B^3 b) a^{\frac{2}{3}} (-b)^{\frac{1}{3}} x + 3 \sqrt{\frac{1}{3}} \left((2 B^2 b x^2 + C^2 a x + B C a) a^{\frac{2}{3}} (-b)^{\frac{1}{3}} \right)}{ab}} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(sqrt(1/3)*b*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b))*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 - 3*(C^3*a + B^3*b)*a^(2/3)*(-b)^(1/3)*x + 3*sqrt(1/3)*((2*B^2*b*x^2 + C^2*a*x + B*C*a)*a^(2/3)*(-b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*a^(1/3) + (2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2)*(-b)^(1/3)))*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))/(b*x^3 + a) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b, -(2*sqrt(1/3)*b*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b))*arctan(sqrt(1/3)*((2*C^2*x + B*C)*a^(2/3)*(-b)^(2/3) - (2*B*C*b*x + B^2*b)*a^(1/3) - (2*B^2*b*x - C^2*a)*(-b)^(1/3))*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a

$\frac{a^{1/3}b}{(a*b)} / (C^3*a + B^3*b) + C*(-b)^{2/3} * \log(b*x + a^{1/3}*(-b)^{2/3}) / b$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 345, normalized size = 3.92

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} (-b)^{\frac{1}{3}} B a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a^(1/3)*(-b)^(1/3)*B-2/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a^(1/3)*(-b)^(1/3)*B+1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a^(1/3)*(-b)^(1/3)*B-2/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*B*(-b)^(2/3)/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*B*(-b)^(2/3)/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*B*(-b)^(2/3)*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*(-b)^(2/3)*C/b*ln(b*x^3+a)

maxima [B] time = 3.04, size = 252, normalized size = 2.86

$$\frac{\sqrt{3} \left(2Ca(-b)^{\frac{2}{3}} - \left(6Ca^{\frac{2}{3}} \left(\frac{a}{b}\right)^{\frac{1}{3}} - 3Ba^{\frac{1}{3}}(-b)^{\frac{1}{3}} \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(3B \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b} \right) (-b)^{\frac{2}{3}} \right) b \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \left(2Ca^{\frac{2}{3}} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/9*sqrt(3)*(2*C*a*(-b)^(2/3) - (6*C*a^(2/3)*(a/b)^(1/3) - 3*B*a^(1/3)*(-b)^(1/3)*(a/b)^(1/3) + (3*B*(a/b)^(2/3) + 2*C*a/b)*(-b)^(2/3))*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*a^(2/3) - B*a^(1/3)*(-b)^(1/3) - (2*C*(a/b)^(2/3) + B*(a/b)^(1/3))*(-b)^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(2*C*a^(2/3) - B*a^(1/3)*(-b)^(1/3) + (C*(a/b)^(2/3) - B*(a/b)^(1/3))*(-b)^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 6.32, size = 444, normalized size = 5.05

$$\sum_{k=1}^3 \ln \left(\text{root} \left(27 a^2 b^3 z^3 + 27 C a^2 (-b)^{8/3} z^2 + 18 B C a^{5/3} (-b)^{8/3} z + 9 B^2 a^{4/3} b^3 z - 9 C^2 a^2 (-b)^{7/3} z - 18 B C^2 a \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*C*a^(2/3) + B*(-b)^(2/3))*x - B*a^(1/3)*(-b)^(1/3) + C*(-b)^(2/3)*x^2)/(a + b*x^3), x)`

[Out] `symsum(log(root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k)*((6*C*a)/(-b)^(4/3) - (x*(3*B*a^(1/3)*(-b)^(4/3) + 6*C*a^(2/3)*b))/b^2 + (9*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k)*a)/b) + (B^2*a^(1/3)*b^2 + C^2*a*(-b)^(4/3) - 2*B*C*a^(2/3)*(-b)^(5/3))/b^3 - (x*(2*C^2*a^(2/3)*(-b)^(2/3) - B^2*(-b)^(4/3) + B*C*a^(1/3)*b))/b^2)*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(1/3)*(-b)**(1/3)*B-2*a**(2/3)*C-(-b)**(2/3)*B*x-(-b)**(2/3)*C*x**2)/(b*x**3+a), x)`

[Out] Timed out

$$3.42 \quad \int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx$$

Optimal. Leaf size=11

$$\frac{\log(B - Cx)}{C}$$

[Out] $\ln(-C*x+B)/C$

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {1586, 31}

$$\frac{\log(B - Cx)}{C}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]$

[Out] $\text{Log}[B - C*x]/C$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 1586

$\text{Int}[(u_)*(Px_)^{(p_)}*(Qx_)^{(q_)}, x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^{p*Qx^{(p+q)}, x} /; \text{FreeQ}[q, x] \&\& \text{PolyQ}[Px, x] \&\& \text{PolyQ}[Qx, x] \&\& \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \&\& \text{IntegerQ}[p] \&\& \text{LtQ}[p*q, 0]$

Rubi steps

$$\int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx = \int \frac{1}{-B + Cx} dx = \frac{\log(B - Cx)}{C}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]$

[Out] $\text{Log}[-B + C*x]/C$

fricas [A] time = 0.82, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, \text{algorithm}=\text{"fricas"})$

[Out] $\log(Cx - B)/C$

giac [A] time = 0.36, size = 13, normalized size = 1.18

$$\frac{\log(|Cx - B|)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3),x, algorithm="giac")`

[Out] $\log(\text{abs}(Cx - B))/C$

maple [A] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(-Cx + B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3),x)`

[Out] $\ln(-Cx+B)/C$

maxima [A] time = 1.36, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3),x, algorithm="maxima")`

[Out] $\log(Cx - B)/C$

mupad [B] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(B^2 + C^2*x^2 + B*C*x)/(B^3 - C^3*x^3),x)`

[Out] $\log(Cx - B)/C$

sympy [A] time = 0.24, size = 7, normalized size = 0.64

$$\frac{\log(-B + Cx)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C**2*x**2+B*C*x+B**2)/(C**3*x**3-B**3),x)`

[Out] $\log(-B + Cx)/C$

$$3.43 \quad \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=21

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

[Out] C*ln(a^(1/3)+b^(1/3)*x)/b^(1/3)

Rubi [A] time = 0.01, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1586, 31}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx &= \int \frac{1}{\frac{\sqrt[3]{a}}{C} + \frac{\sqrt[3]{b}x}{C}} dx \\ &= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.00, size = 21, normalized size = 1.00

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

fricas [A] time = 0.86, size = 17, normalized size = 0.81

$$\frac{C \log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] C*log(b*x + a^(1/3)*b^(2/3))/b^(1/3)

giac [A] time = 0.31, size = 16, normalized size = 0.76

$$\frac{C \log\left(\left|b^{\frac{1}{3}}x + a^{\frac{1}{3}}\right|\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] C*log(abs(b^(1/3)*x + a^(1/3)))/b^(1/3)

maple [B] time = 0.05, size = 218, normalized size = 10.38

$$\frac{\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{\sqrt{3} C a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] 1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(2/3)*a^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*C/b^(2/3)*a^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*C/b^(2/3)*a^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)

maxima [B] time = 2.99, size = 210, normalized size = 10.00

$$\frac{\sqrt{3}\left(2Cab^{\frac{2}{3}} + \left(3Ca^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - 3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \frac{2Ca}{b^{\frac{1}{3}}}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} - Ca^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*C*a*b^(2/3) + (3*C*a^(1/3)*b^(1/3)*(a/b)^(2/3) - 3*C*a^(2/3)*(a/b)^(1/3) - 2*C*a/b^(1/3))*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*b^(2/3)*(a/b)^(2/3) - C*a^(1/3)*b^(1/3)*(a/b)^(1/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*b^(2/3)*(a/b)^(2/3) + C*a^(1/3)*b^(1/3)*(a/b)^(1/3) + C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 4.90, size = 15, normalized size = 0.71

$$\frac{C \ln\left(x + \frac{a^{1/3}}{b^{1/3}}\right)}{b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*a^(2/3) + C*b^(2/3)*x^2 - C*a^(1/3)*b^(1/3)*x)/(a + b*x^3), x)

[Out] (C*log(x + a^(1/3)/b^(1/3)))/b^(1/3)

sympy [A] time = 0.26, size = 20, normalized size = 0.95

$$\frac{C \log\left(\sqrt[3]{a} b^{\frac{2}{3}} + bx\right)}{\sqrt[3]{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(2/3)*C-a**(1/3)*b**(1/3)*C*x+b**(2/3)*C*x**2)/(b*x**3+a), x)

[Out] C*log(a**(1/3)*b**(2/3) + b*x)/b**(1/3)

$$3.44 \quad \int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=71

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} a}$$

[Out] C*ln((a/b)^(1/3)+x)/b-2/3*(a/b)^(2/3)*(B+(a/b)^(1/3)*C)*arctan(1/3*(1-2*x/(a/b)^(1/3)))/a*3^(1/2)

Rubi [A] time = 0.09, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} a}$$

Antiderivative was successfully verified.

[In] Int[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3),x]

[Out] (-2*(a/b)^(2/3)*(B + (a/b)^(1/3)*C)*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*a) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} + \frac{\left(B + \sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\
&= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \left(2\left(\frac{a}{b}\right)^{2/3} B + \frac{C}{b}\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right) \\
&= -\frac{2\left(\frac{a}{b}\right)^{2/3} B + \frac{C}{b}}{\sqrt{3}} \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right) + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.33, size = 247, normalized size = 3.48

$$\frac{\sqrt[3]{b} \left(a^{2/3} B - \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} + B \right) \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + 2 \sqrt[3]{b} \left(\sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} + B \right) - a^{2/3} B \right)}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))] + 2*b^(1/3)*(-a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B - a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3]/(6*a*b)

fricas [B] time = 3.54, size = 429, normalized size = 6.04

$$\left[\frac{C \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \sqrt{\frac{1}{3}} \sqrt{-\frac{2BCb\left(\frac{a}{b}\right)^{2/3} + B^2b\left(\frac{a}{b}\right)^{1/3} + C^2a}{a}} \log\left(\frac{C^3a^2 + B^3ab - 2(C^3ab + B^3b^2)x^3 + 3(C^3ab + B^3b^2)x\left(\frac{a}{b}\right)^{2/3} + 3\sqrt{\frac{1}{3}}(2BCbx^2 - B^2a^2)}{b}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(C*log(x + (a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a))/(b*x^3 + a))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b*x - C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) - (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)/(C^3*a + B^3*b)) + C*log(x + (a/b)^(1/3)))/b]

giac [B] time = 0.20, size = 242, normalized size = 3.41

$$\frac{\left(2Cab + (-a^2b^4)^{\frac{1}{3}}B\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3ab^2 - \sqrt{3}\sqrt{a^2b^4}i} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(-\frac{a}{b}\right)^{\frac{1}{3}} + (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] (2*C*a*b + (-a^2*b^4)^(1/3)*B)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i) - 1/3*(C*b^2*(-a/b)^(2/3) + B*b^2*(-a/b)^(1/3) + (a*b^2)^(1/3)*B*b + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2) + 1/54*sqrt(3)*((9*(-a^2*b^4)^(1/3)*a*b^2 - 27^(5/6)*(-a^2*b^4)^(5/6))*B + 18*(a^2*b^3 - sqrt(3)*sqrt(a^4*b^6)*i)*C)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^2*b^4)

maple [A] time = 0.05, size = 121, normalized size = 1.70

$$\frac{2\sqrt{3}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x)

[Out] 2/3*C/b*ln(x+(a/b)^(1/3))-1/3*C/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*3^(1/2)*C/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/3*3^(1/2)/(a/b)^(1/3)*B/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [A] time = 2.95, size = 78, normalized size = 1.10

$$\frac{C\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2\sqrt{3}\left(Ca - \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{4Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] C*log(x + (a/b)^(1/3))/b - 2/9*sqrt(3)*(C*a - (3*B*(a/b)^(2/3) + 4*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 6.08, size = 436, normalized size = 6.14

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + B^2 b \left(\frac{a}{b}\right)^{1/3} + 2 B C b \left(\frac{a}{b}\right)^{2/3}}{b^3} + \frac{\text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^2 z^2 + 18 B C a b^2 z \left(\frac{a}{b}\right)^{2/3} + 9 B^2 a b^2 z\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2 + B*(a/b)^(1/3) + 2*C*(a/b)^(2/3))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + B^2*b*(a/b)^(1/3) + 2*B*C*b*(a/b)^(2/3))/b^3 + (root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k)*(9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k)*a*b - 6*C*a + 3*B*b*x*(a/b)^(1/3) + 6*C*b*x*(a/b)^(2/3)))/b^2 - (x*(2*C^2*(a/b)^(2/3) - B^2 + B*C*(a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a),x)`

[Out] Timed out

$$3.45 \quad \int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=76

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

[Out] $-C \ln\left(\left(-\frac{a}{b}\right)^{1/3} + x\right) / b + 2/3 * (B + \left(-\frac{a}{b}\right)^{1/3} * C) * \arctan\left(\frac{1 - 2*x / \left(-\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) / \left(-\frac{a}{b}\right)^{1/3} / b * 3^{1/2}$

Rubi [A] time = 0.10, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1867, 31, 617, 204}

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\left(\left(-\frac{a}{b}\right)^{1/3} * B + 2 * \left(-\frac{a}{b}\right)^{2/3} * C + B * x + C * x^2\right) / \left(a - b * x^3\right), x\right]$

[Out] $\left(2 * \left(B + \left(-\frac{a}{b}\right)^{1/3} * C\right) * \text{ArcTan}\left[\frac{1 - (2 * x) / \left(-\frac{a}{b}\right)^{1/3}}{\text{Sqrt}[3]}\right]\right) / \left(\text{Sqrt}[3] * \left(-\frac{a}{b}\right)^{1/3} * b\right) - \left(C * \text{Log}\left[\left(-\frac{a}{b}\right)^{1/3} + x\right]\right) / b$

Rule 31

$\text{Int}\left[\left((a_) + (b_.)(x_)\right)^{-1}, x_Symbol\right] \rightarrow \text{Simp}\left[\text{Log}\left[\text{RemoveContent}\left[a + b * x, x\right]\right] / b, x\right] /; \text{FreeQ}\left[\{a, b\}, x\right]$

Rule 204

$\text{Int}\left[\left((a_) + (b_.)(x_)^2\right)^{-1}, x_Symbol\right] \rightarrow -\text{Simp}\left[\text{ArcTan}\left[\frac{\text{Rt}[-b, 2] * x}{\text{Rt}[-a, 2]}\right] / \left(\text{Rt}[-a, 2] * \text{Rt}[-b, 2]\right), x\right] /; \text{FreeQ}\left[\{a, b\}, x\right] \&\& \text{PosQ}\left[\frac{a}{b}\right] \&\& \left(\text{LtQ}[a, 0] \mid \mid \text{LtQ}[b, 0]\right)$

Rule 617

$\text{Int}\left[\left((a_) + (b_.)(x_) + (c_.)(x_)^2\right)^{-1}, x_Symbol\right] \rightarrow \text{With}\left[\{q = 1 - 4 * \text{Simplify}\left[\frac{a * c}{b^2}\right], \text{Dist}\left[-\frac{2}{b}, \text{Subst}\left[\text{Int}\left[\frac{1}{q - x^2}\right], x\right], x, 1 + \frac{2 * c * x}{b}\right], x\right] /; \text{RationalQ}[q] \&\& \left(\text{EqQ}\left[q^2, 1\right] \mid \mid \text{!RationalQ}\left[b^2 - 4 * a * c\right]\right) /; \text{FreeQ}\left[\{a, b, c\}, x\right] \&\& \text{NeQ}\left[b^2 - 4 * a * c, 0\right]$

Rule 1867

$\text{Int}\left[\frac{P2}{\left((a_) + (b_.)(x_)^3\right)}, x_Symbol\right] \rightarrow \text{With}\left[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\left[\{q = \left(\frac{a}{b}\right)^{1/3}\}, \text{Dist}\left[\frac{C}{b}, \text{Int}\left[\frac{1}{q + x}\right], x\right] + \text{Dist}\left[\frac{B + C * q}{b}, \text{Int}\left[\frac{1}{q^2 - q * x + x^2}\right], x\right]\right] /; \text{EqQ}\left[A - \left(\frac{a}{b}\right)^{1/3} * B - 2 * \left(\frac{a}{b}\right)^{2/3} * C, 0\right] /; \text{FreeQ}\left[\{a, b\}, x\right] \&\& \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(B + \sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\
&= -\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{\left(2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\
&= \frac{2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.25, size = 288, normalized size = 3.79

$$\frac{\left(-a^{2/3} B - \sqrt[3]{a} \sqrt[3]{b} B \sqrt[3]{-\frac{a}{b}} - 2\sqrt[3]{a} \sqrt[3]{b} C \left(-\frac{a}{b}\right)^{2/3}\right) \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} B \sqrt[3]{-\frac{a}{b}} + 2\sqrt[3]{a} \sqrt[3]{b} C \left(-\frac{a}{b}\right)^{2/3}\right)}{6ab^{2/3}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{3ab^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((-a/b)^(1/3)*B + 2*(-a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] -(((a^(2/3)*B - a^(1/3)*(-a/b)^(1/3)*b^(1/3)*B - 2*a^(1/3)*(-a/b)^(2/3)*b^(1/3)*C)*ArcTan[(a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(2/3))) - ((a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*B + 2*a^(1/3)*(-a/b)^(2/3)*b^(1/3)*C)*Log[a^(1/3) - b^(1/3)*x]/(3*a*b^(2/3)) - (((-a^(2/3)*B) - a^(1/3)*(-a/b)^(1/3)*b^(1/3)*B - 2*a^(1/3)*(-a/b)^(2/3)*b^(1/3)*C)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(2/3)) - (C*Log[a - b*x^3])/(3*b)

fricas [B] time = 3.37, size = 459, normalized size = 6.04

$$\left[\frac{C \log\left(x + \left(-\frac{a}{b}\right)^{1/3}\right) - \sqrt{\frac{1}{3}} \sqrt{\frac{2BCb\left(-\frac{a}{b}\right)^{2/3} + B^2b\left(-\frac{a}{b}\right)^{1/3} - C^2a}{a}} \log\left(\frac{C^3a^2 - B^3ab + 2(C^3ab - B^3b^2)x^3 - 3(C^3ab - B^3b^2)x\left(-\frac{a}{b}\right)^{2/3} + 3\sqrt{\frac{1}{3}}(2BCa - B^3b^2)\left(-\frac{a}{b}\right)^{1/3}}{b}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] [-(C*log(x + (a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2

$*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(-a/b)^{(2/3)} - (2*B*C*b*x + B^2*b)*(-a/b)^{(1/3)}*\sqrt{-(2*B*C*b*(-a/b)^{(2/3)} + B^2*b*(-a/b)^{(1/3)} - C^2*a)/a}/(C^3*a - B^3*b)) + C*\log(x + (-a/b)^{(1/3)})/b]$

giac [B] time = 0.21, size = 235, normalized size = 3.09

$$\frac{\left(2Cab - (-a^2b^4)^{\frac{1}{3}}B\right)\log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} + (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3ab^2 + \sqrt{3}\sqrt{a^2b^4}i} + \frac{\left(2Cab - (-a^2b^4)^{\frac{1}{3}}B\right)\log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} + (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] $-(2*C*a*b - (-a^2*b^4)^{(1/3)}*B)*\log(x^2 + x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(3*a*b^2 + \sqrt{3}*\sqrt{a^2*b^4}*i) - 1/3*(C*b^2*(a/b)^{(2/3)} + B*b^2*(a/b)^{(1/3)} + (-a*b^2)^{(1/3)}*B*b + 2*(-a*b^2)^{(2/3)}*C)*(a/b)^{(1/3)}*\log(\text{abs}(x - (a/b)^{(1/3)}))/(a*b^2) + 1/54*\sqrt{3}*((9*(-a^2*b^4)^{(1/3)}*a*b^2 + 27^{(5/6)}*(-a^2*b^4)^{(5/6)})*B - 18*(a^2*b^3 + \sqrt{3}*\sqrt{a^4*b^6}*i)*C)*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^4)$

maple [B] time = 0.05, size = 345, normalized size = 4.54

$$\frac{\sqrt{3}\left(-\frac{a}{b}\right)^{\frac{1}{3}}B\arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\sqrt{3}B\arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}B\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{B\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}B\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{B\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x)

[Out] $-2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x-(a/b)^{(1/3)})-1/3/b/(a/b)^{(2/3)}*\ln(x-(a/b)^{(1/3)})*(-a/b)^{(1/3)}*B+1/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/6/b/(a/b)^{(2/3)}*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*(-a/b)^{(1/3)}*B+2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*3^{(1/2)}*C/b*\arctan(1/3*(2/(a/b)^{(1/3)}*x+1)*3^{(1/2)})+1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*(2/(a/b)^{(1/3)}*x+1)*3^{(1/2)})*(-a/b)^{(1/3)}*B-1/3*B/b/(a/b)^{(1/3)}*\ln(x-(a/b)^{(1/3)})+1/6*B/b/(a/b)^{(1/3)}*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3*B*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*(2/(a/b)^{(1/3)}*x+1)*3^{(1/2)})-1/3*C/b*\ln(b*x^3-a)$

maxima [B] time = 3.01, size = 238, normalized size = 3.13

$$\frac{\sqrt{3}\left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="maxima")

```
[Out] -1/9*sqrt(3)*(2*C*a - (6*C*(a/b)^(1/3)*(-a/b)^(2/3) - 3*B*(a/b)^(2/3) + 3*B
*(a/b)^(1/3)*(-a/b)^(1/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/
3)))/(a/b)^(1/3))/(a*b) - 1/6*(2*C*(a/b)^(2/3) - 2*C*(-a/b)^(2/3) - B*(a/b)^(
1/3) - B*(-a/b)^(1/3))*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/
3)) - 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3) + B*(a/b)^(1/3) + B*(-a/b)^(1/3
))*log(x - (a/b)^(1/3))/(b*(a/b)^(2/3))
```

mupad [B] time = 6.48, size = 456, normalized size = 6.00

$$\sum_{k=1}^3 \ln \left(\frac{B^2 b \left(-\frac{a}{b}\right)^{1/3} - C^2 a + 2 B C b \left(-\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 - 18 B C a b^2 z \left(-\frac{a}{b}\right)^{2/3} - 9 B^2 a b^2 z\right)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*x + C*x^2 + B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a - b*x^3), x)
```

```
[Out] symsum(log((B^2*b*(-a/b)^(1/3) - C^2*a + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(
27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b
^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b
*(-a/b)^(1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*
b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*
a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2,
z, k)*a*b + 3*B*b*x*(-a/b)^(1/3) + 6*C*b*x*(-a/b)^(2/3)))/b^2 - (x*(2*C^2*
(-a/b)^(2/3) - B^2 + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 + 27*C*a^2
*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2
*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2
, z, k), k, 1, 3)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a/b)**(1/3)*B+2*(-a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a), x)
```

```
[Out] Timed out
```


$$3.46 \quad \int \frac{-\sqrt[3]{-\frac{a}{b}}B + 2\left(-\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=78

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right)\tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}}+1}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} + \frac{C\log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b+2/3*(B-(-a/b)^(1/3)*C)*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/(-a/b)^(1/3)/b*3^(1/2)

Rubi [A] time = 0.11, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1869, 31, 617, 204}

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right)\tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}}+1}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} + \frac{C\log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*(B - (-a/b))^(1/3)*C)*ArcTan[(1 + (2*x)/(-a/b))^(1/3)]/Sqrt[3]]/(Sqrt[3]*(-a/b)^(1/3)*b) + (C*Log[(-a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{-\sqrt[3]{\frac{a}{b}}B + 2\left(\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a + bx^3} dx = -\frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} + \frac{\left(B - \sqrt[3]{\frac{a}{b}}C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}}x + x^2} dx}{b}$$

$$= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{\left(2\left(B - \sqrt[3]{\frac{a}{b}}C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{\sqrt[3]{\frac{a}{b}}b}$$

$$= \frac{2\left(B - \sqrt[3]{\frac{a}{b}}C\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{\frac{a}{b}}b} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Mathematica [B] time = 0.36, size = 253, normalized size = 3.24

$$\frac{\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(B - 2C \sqrt[3]{\frac{a}{b}} \right) \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) - 2 \sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(B - 2C \sqrt[3]{\frac{a}{b}} \right) \right)}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (-a/b)^(1/3)*b^(1/3)*(-B + 2*(-a/b))^(1/3)*C)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*(B - 2*(-a/b))^(1/3)*C)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*(B - 2*(-a/b))^(1/3)*C)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3])/(6*a*b)

fricas [B] time = 3.41, size = 450, normalized size = 5.77

$$\left[\frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \sqrt{\frac{1}{3}} \sqrt{-\frac{2BCb\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2b\left(\frac{a}{b}\right)^{\frac{1}{3}} + C^2a}}{a}} \log\left(\frac{C^3a^2 + B^3ab - 2(C^3ab + B^3b^2)x^3 + 3(C^3ab + B^3b^2)x\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}(2BCa - B^2b)\left(\frac{a}{b}\right)^{\frac{1}{3}} + C^2a}}{b}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(C*log(x - (-a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(-a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(-a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(-a/b)^(1/3))*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a))/(b*x^3 + a))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b

$*x - C^2*a + (2*C^2*b*x + B*C*b)*(-a/b)^{(2/3)} + (2*B*C*b*x + B^2*b)*(-a/b)^{(1/3)}*sqrt((2*B*C*b*(-a/b)^{(2/3)} - B^2*b*(-a/b)^{(1/3)} + C^2*a)/a)/(C^3*a + B^3*b) + C*log(x - (-a/b)^{(1/3)})/b]$

giac [A] time = 0.19, size = 133, normalized size = 1.71

$$\frac{2\sqrt{3}\left(Cab + (-ab^2)^{\frac{2}{3}}B\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} + \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} - (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] $-2/3*sqrt(3)*(C*a*b + (-a*b^2)^{(2/3)}*B)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a*b^2) - 1/3*(C*b^2*(-a/b)^{(2/3)} + B*b^2*(-a/b)^{(1/3)} - (-a*b^2)^{(1/3)}*B*b + 2*(-a*b^2)^{(2/3)}*C)*(-a/b)^{(1/3)}/(a*b^2)$

maple [B] time = 0.05, size = 340, normalized size = 4.36

$$\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\sqrt{3}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{3}}B\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{B\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x)

[Out] $2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x+(a/b)^{(1/3)}) - 1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*(-a/b)^{(1/3)}*B - 1/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*(-a/b)^{(1/3)}*B + 2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*3^{(1/2)}*C/b*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*(-a/b)^{(1/3)}*B - 1/3/(a/b)^{(1/3)}*B/b*\ln(x+(a/b)^{(1/3)}) + 1/6/(a/b)^{(1/3)}*B/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/3*3^{(1/2)}/(a/b)^{(1/3)}*B/b*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/3*C/b*\ln(b*x^3+a)$

maxima [B] time = 3.03, size = 239, normalized size = 3.06

$$\frac{\sqrt{3}\left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/9*sqrt(3)*(2*C*a - (6*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + 3*B*(a/b)^{(2/3)} - 3*B*(a/b)^{(1/3)}*(-a/b)^{(1/3)} + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/((a/b)^{(1/3)})) + (2*C*(a/b)^{(2/3)} - 2*C*(a/b)^{(1/3)})*(a/b)^{(1/3)}$

$$\frac{3)}{(a/b)^{(1/3)}}/(a*b) + 1/6*(2*C*(a/b)^{(2/3)} - 2*C*(-a/b)^{(2/3)} + B*(a/b)^{(1/3)} + B*(-a/b)^{(1/3)})*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(C*(a/b)^{(2/3)} + 2*C*(-a/b)^{(2/3)} - B*(a/b)^{(1/3)} - B*(-a/b)^{(1/3)})*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$$

mupad [B] time = 6.05, size = 453, normalized size = 5.81

$$\sum_{k=1}^3 \ln \left(\frac{C^2 a - B^2 b \left(-\frac{a}{b}\right)^{1/3} + 2 B C b \left(-\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^2 z^2 + 18 B C a b^2 z \left(-\frac{a}{b}\right)^{2/3} - 9 B^2 a b^2 z\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x + C*x^2 - B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a + b*x^3), x)

[Out] symsum(log((C^2*a - B^2*b*(-a/b)^(1/3) + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k)*(6*C*a - 9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k)*a*b + 3*B*b*x*(-a/b)^(1/3) - 6*C*b*x*(-a/b)^(2/3)))/b^2 + (x*(B^2 - 2*C^2*(-a/b)^(2/3) + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k), k, 1, 3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)**(1/3)*B+2*(-a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a), x)

[Out] Timed out

$$3.47 \quad \int \frac{-\sqrt[3]{\frac{a}{b}}B + 2\left(\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=75

$$\frac{2\left(\frac{a}{b}\right)^{2/3}\left(B - C\sqrt[3]{\frac{a}{b}}\right)\tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}}+1}{\sqrt{3}}\right) - C\log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{\sqrt{3}a - b}$$

[Out] $-C*\ln((a/b)^{(1/3)}-x)/b-2/3*(a/b)^{(2/3)}*(B-(a/b)^{(1/3)}*C)*\arctan(1/3*(1+2*x/(a/b)^{(1/3}))*3^{(1/2))}/a*3^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 44, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1869, 31, 617, 204}

$$\frac{2\left(\frac{a}{b}\right)^{2/3}\left(B - C\sqrt[3]{\frac{a}{b}}\right)\tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}}+1}{\sqrt{3}}\right) - C\log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{\sqrt{3}a - b}$$

Antiderivative was successfully verified.

[In] Int[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] (-2*(a/b)^(2/3)*(B - (a/b)^(1/3)*C)*ArcTan[(1 + (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*a) - (C*Log[(a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = -(a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + -(a/b)^(1/3)*B - 2*(-(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{-\sqrt[3]{\frac{a}{b}}B + 2\left(\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(B - \sqrt[3]{\frac{a}{b}}C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}}x + x^2} dx}{b} \\
&= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} + \left(2\left(\frac{\left(\frac{a}{b}\right)^{2/3}B}{a} - \frac{C}{b}\right)\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right) \\
&= -\frac{2\left(\frac{\left(\frac{a}{b}\right)^{2/3}B}{a} - \frac{C}{b}\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.32, size = 244, normalized size = 3.25

$$\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B \right) \right) \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) - 2 \sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B \right) \right) \log \left(\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{6ab} \right)$$

6ab

Antiderivative was successfully verified.

[In] Integrate[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] (-2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B - 2*(a/b)^(1/3)*C))*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) - b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*C*Log[a - b*x^3])/(6*a*b)

fricas [B] time = 3.20, size = 450, normalized size = 6.00

$$\left[\frac{C \log\left(x - \left(\frac{a}{b}\right)^{1/3}\right) - \sqrt{\frac{1}{3}} \sqrt{\frac{2BCb\left(\frac{a}{b}\right)^{2/3} - B^2b\left(\frac{a}{b}\right)^{1/3} - C^2a}{a}} \log\left(\frac{C^3a^2 - B^3ab + 2(C^3ab - B^3b^2)x^3 - 3(C^3ab - B^3b^2)x\left(\frac{a}{b}\right)^{2/3} + 3\sqrt{\frac{1}{3}}(2BCabx^2 - B^2a^2)}{b}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] [-(C*log(x - (a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3)))*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) + (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt

$t(-2*B*C*b*(a/b)^{(2/3)} - B^2*b*(a/b)^{(1/3)} - C^2*a)/a)/(C^3*a - B^3*b)) + C*\log(x - (a/b)^{(1/3)))/b]$

giac [A] time = 0.18, size = 125, normalized size = 1.67

$$\frac{2\sqrt{3}\left(Cab - (ab^2)^{\frac{2}{3}}B\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} - (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}\log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*(C*a*b - (a*b^2)^(2/3)*B)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3)))/(a/b)^(1/3))/(a*b^2) - 1/3*(C*b^2*(a/b)^(2/3) + B*b^2*(a/b)^(1/3) - (a*b^2)^(1/3)*B*b + 2*(a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2)

maple [A] time = 0.05, size = 124, normalized size = 1.65

$$\frac{2\sqrt{3}B\arctan\left(\frac{\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}+1\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\sqrt{3}C\arctan\left(\frac{\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}+1\right)\sqrt{3}}{3}\right)}{3b}\right)}{3b} - \frac{2C\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C\ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*3^(1/2)*C/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-2/3*3^(1/2)/(a/b)^(1/3)*B/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.14, size = 78, normalized size = 1.04

$$\frac{C\log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2\sqrt{3}\left(Ca + \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - \frac{4Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="maxima")

[Out] -C*log(x - (a/b)^(1/3))/b - 2/9*sqrt(3)*(C*a + (3*B*(a/b)^(2/3) - 4*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 6.36, size = 435, normalized size = 5.80

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + B^2 b \left(\frac{a}{b}\right)^{1/3} - 2 B C b \left(\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 - 18 B C a b^2 z \left(\frac{a}{b}\right)^{2/3} + 9 B^2 a b^2 z^3\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*x + C*x^2 - B*(a/b)^(1/3) + 2*C*(a/b)^(2/3))/(a - b*x^3),x)
```

```
[Out] symsum(log((x*(B^2 - 2*C^2*(a/b)^(2/3) + B*C*(a/b)^(1/3)))/b^2 - (root(27*a
^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*
(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(
1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2
- 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z -
18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k)*a*b -
3*B*b*x*(a/b)^(1/3) + 6*C*b*x*(a/b)^(2/3)))/b^2 - (C^2*a + B^2*b*(a/b)^(1/
3) - 2*B*C*b*(a/b)^(2/3))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*
B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*
C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k), k, 1, 3)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a),x)
```

```
[Out] Timed out
```


$$3.48 \quad \int \frac{a+ax+cx^2}{1-x^3} dx$$

Optimal. Leaf size=32

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

[Out] -1/3*(2*a+c)*ln(1-x)+1/3*(a-c)*ln(x^2+x+1)

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1875, 31, 628}

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] -((2*a + c)*Log[1 - x])/3 + ((a - c)*Log[1 + x + x^2])/3

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned} \int \frac{a+ax+cx^2}{1-x^3} dx &= \frac{1}{3} \int \frac{a-c+(2a-2c)x}{1+x+x^2} dx + \frac{1}{3}(2a+c) \int \frac{1}{1-x} dx \\ &= -\frac{1}{3}(2a+c)\log(1-x) + \frac{1}{3}(a-c)\log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 0.97

$$\frac{1}{3}((a-c)\log(x^2+x+1) - (2a+c)\log(1-x))$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] $-\left(\frac{2a+c}{3}\right)\log(1-x) + \frac{a-c}{3}\log(1+x+x^2)/3$

fricas [A] time = 0.59, size = 26, normalized size = 0.81

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="fricas")`

[Out] $\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$

giac [A] time = 0.15, size = 27, normalized size = 0.84

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="giac")`

[Out] $\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(\text{abs}(x-1))$

maple [A] time = 0.05, size = 36, normalized size = 1.12

$$-\frac{2a \ln(x-1)}{3} + \frac{a \ln(x^2+x+1)}{3} - \frac{c \ln(x-1)}{3} - \frac{c \ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a*x+a)/(-x^3+1),x)`

[Out] $-\frac{1}{3}\ln(x-1)*c - \frac{2}{3}\ln(x-1)*a + \frac{1}{3}\ln(x^2+x+1)*a - \frac{1}{3}\ln(x^2+x+1)*c$

maxima [A] time = 2.97, size = 26, normalized size = 0.81

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="maxima")`

[Out] $\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$

mupad [B] time = 4.78, size = 35, normalized size = 1.09

$$\frac{a \ln(x^2+x+1)}{3} - \frac{c \ln(x-1)}{3} - \frac{2a \ln(x-1)}{3} - \frac{c \ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(a+a*x+c*x^2)/(x^3-1),x)`

[Out] $\frac{a\log(x+x^2+1)}{3} - \frac{c\log(x-1)}{3} - \frac{2a\log(x-1)}{3} - \frac{c\log(x+x^2+1)}{3}$

sympy [A] time = 0.87, size = 24, normalized size = 0.75

$$\frac{(a-c)\log(x^2+x+1)}{3} - \frac{(2a+c)\log(x-1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a*x+a)/(-x**3+1),x)`

[Out] $\frac{(a-c)\log(x^2+x+1)}{3} - \frac{(2a+c)\log(x-1)}{3}$

$$3.49 \quad \int \frac{a+bx+cx^2}{1-x^3} dx$$

Optimal. Leaf size=55

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/3*(a+b+c)*\ln(1-x)+1/6*(a+b-2*c)*\ln(x^2+x+1)+1/3*(a-b)*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(1 - x^3), x]

[Out] $((a - b)*\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]])/\text{Sqrt}[3] - ((a + b + c)*\text{Log}[1 - x])/3 + ((a + b - 2*c)*\text{Log}[1 + x + x^2])/6$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B

$(q + Cq^2)/(3a)$, Int[1/(q - x), x], x] + Dist[q/(3a), Int[(q*(2A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{1 - x^3} dx &= \frac{1}{3} \int \frac{2a - b - c + (a + b - 2c)x}{1 + x + x^2} dx + \frac{1}{3}(a + b + c) \int \frac{1}{1 - x} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{2}(a - b) \int \frac{1}{1 + x + x^2} dx + \frac{1}{6}(a + b - 2c) \int \frac{1 + 2x}{1 + x + x^2} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) + (-a + b) \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, \right. \\ &= \frac{(a - b) \tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) \end{aligned}$$

Mathematica [A] time = 0.04, size = 62, normalized size = 1.13

$$\frac{1}{6} \left((a + b) \log(x^2 + x + 1) - 2(a + b) \log(1 - x) + 2\sqrt{3}(a - b) \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) - 2c \log(1 - x^3) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(1 - x^3), x]

[Out] (2*Sqrt[3]*(a - b)*ArcTan[(1 + 2*x)/Sqrt[3]] - 2*(a + b)*Log[1 - x] + (a + b)*Log[1 + x + x^2] - 2*c*Log[1 - x^3])/6

fricas [A] time = 0.88, size = 47, normalized size = 0.85

$$\frac{1}{3} \sqrt{3}(a - b) \arctan \left(\frac{1}{3} \sqrt{3}(2x + 1) \right) + \frac{1}{6}(a + b - 2c) \log(x^2 + x + 1) - \frac{1}{3}(a + b + c) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*(a - b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*(a + b - 2*c)*log(x^2 + x + 1) - 1/3*(a + b + c)*log(x - 1)

giac [A] time = 0.17, size = 52, normalized size = 0.95

$$\frac{1}{3} (\sqrt{3}a - \sqrt{3}b) \arctan \left(\frac{1}{3} \sqrt{3}(2x + 1) \right) + \frac{1}{6}(a + b - 2c) \log(x^2 + x + 1) - \frac{1}{3}(a + b + c) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="giac")

[Out] 1/3*(sqrt(3)*a - sqrt(3)*b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*(a + b - 2*c)*log(x^2 + x + 1) - 1/3*(a + b + c)*log(abs(x - 1))

maple [A] time = 0.05, size = 87, normalized size = 1.58

$$\frac{\sqrt{3} a \arctan \left(\frac{(2x+1)\sqrt{3}}{3} \right)}{3} - \frac{a \ln(x-1)}{3} + \frac{a \ln(x^2+x+1)}{6} - \frac{\sqrt{3} b \arctan \left(\frac{(2x+1)\sqrt{3}}{3} \right)}{3} - \frac{b \ln(x-1)}{3} + \frac{b \ln(x^2+x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(-x^3+1),x)`

[Out] $-1/3*c*\ln(x-1)-1/3*\ln(x-1)*b-1/3*a*\ln(x-1)+1/6*a*\ln(x^2+x+1)+1/6*\ln(x^2+x+1)*b-1/3*c*\ln(x^2+x+1)+1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})*a-1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})*b$

maxima [A] time = 2.99, size = 47, normalized size = 0.85

$$\frac{1}{3}\sqrt{3}(a-b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right)+\frac{1}{6}(a+b-2c)\log(x^2+x+1)-\frac{1}{3}(a+b+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="maxima")`

[Out] $1/3*\sqrt{3}*(a-b)*\arctan(1/3*\sqrt{3}*(2*x+1))+1/6*(a+b-2*c)*\log(x^2+x+1)-1/3*(a+b+c)*\log(x-1)$

mupad [B] time = 4.95, size = 87, normalized size = 1.58

$$\ln\left(x+\frac{1}{2}-\frac{\sqrt{3}i}{2}\right)\left(\frac{a}{6}+\frac{b}{6}-\frac{c}{3}-\frac{\sqrt{3}a1i}{6}+\frac{\sqrt{3}b1i}{6}\right)+\ln\left(x+\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)\left(\frac{a}{6}+\frac{b}{6}-\frac{c}{3}+\frac{\sqrt{3}a1i}{6}-\frac{\sqrt{3}b1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(a+b*x+c*x^2)/(x^3-1),x)`

[Out] $\log(x-(3^{(1/2)}*1i)/2+1/2)*(a/6+b/6-c/3-(3^{(1/2)}*a*1i)/6+(3^{(1/2)}*b*1i)/6)+\log(x+(3^{(1/2)}*1i)/2+1/2)*(a/6+b/6-c/3+(3^{(1/2)}*a*1i)/6-(3^{(1/2)}*b*1i)/6)-\log(x-1)*(a/3+b/3+c/3)$

sympy [C] time = 1.89, size = 323, normalized size = 5.87

$$\frac{(a+b+c)\log\left(x+\frac{a^2c-a^2(a+b+c)-2ab^2+bc^2-2bc(a+b+c)+b(a+b+c)^2}{a^3-b^3}\right)}{3}-\left(-\frac{a}{6}-\frac{b}{6}+\frac{c}{3}-\frac{\sqrt{3}i(a-b)}{6}\right)\log\left(x+\frac{a^2c-3a^2b}{a^3-b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(-x**3+1),x)`

[Out] $-(a+b+c)*\log(x+(a**2*c-a**2*(a+b+c)-2*a*b**2+b*c**2-2*b*c*(a+b+c)+b*(a+b+c)**2)/(a**3-b**3))/3-(-a/6-b/6+c/3-\sqrt{3}*I*(a-b)/6)*\log(x+(a**2*c-3*a**2*(-a/6-b/6+c/3-\sqrt{3}*I*(a-b)/6)-2*a*b**2+b*c**2-6*b*c*(-a/6-b/6+c/3-\sqrt{3}*I*(a-b)/6)+9*b*(-a/6-b/6+c/3-\sqrt{3}*I*(a-b)/6)**2)/(a**3-b**3))-(-a/6-b/6+c/3+\sqrt{3}*I*(a-b)/6)*\log(x+(a**2*c-3*a**2*(-a/6-b/6+c/3+\sqrt{3}*I*(a-b)/6)-2*a*b**2+b*c**2-6*b*c*(-a/6-b/6+c/3+\sqrt{3}*I*(a-b)/6)+9*b*(-a/6-b/6+c/3+\sqrt{3}*I*(a-b)/6)**2)/(a**3-b**3))$

$$3.50 \quad \int \frac{1+x+x^2}{1-x^3} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2)/(1 - x^3), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2}{1-x^3} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2)/(1 - x^3), x]

[Out] -Log[1 - x]

fricas [A] time = 0.78, size = 6, normalized size = 0.75

$$-\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1),x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.05, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+x+1)/(-x^3+1),x)

[Out] -ln(x-1)

maxima [A] time = 1.27, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1),x, algorithm="maxima")

[Out] -log(x - 1)

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + 1)/(x^3 - 1),x)

[Out] -log(x - 1)

sympy [A] time = 0.13, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+x+1)/(-x**3+1),x)

[Out] -log(x - 1)

$$3.51 \quad \int \frac{1-x+3x^2}{1-x^3} dx$$

Optimal. Leaf size=30

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

[Out] $-\ln(-x^3+1)+2/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1871, 1586, 618, 204, 260}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] `Int[(1 - x + 3*x^2)/(1 - x^3), x]`

[Out] `(2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - Log[1 - x^3]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 260

`Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

Rule 618

`Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1586

`Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]`

Rule 1871

`Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]`

Rubi steps

$$\begin{aligned}
\int \frac{1-x+3x^2}{1-x^3} dx &= 3 \int \frac{x^2}{1-x^3} dx + \int \frac{1-x}{1-x^3} dx \\
&= -\log(1-x^3) + \int \frac{1}{1+x+x^2} dx \\
&= -\log(1-x^3) - 2 \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1+2x \right) \\
&= \frac{2 \tan^{-1} \left(\frac{1+2x}{\sqrt{3}} \right)}{\sqrt{3}} - \log(1-x^3)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$\frac{2 \tan^{-1} \left(\frac{2x+1}{\sqrt{3}} \right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 3*x^2)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - Log[1 - x^3]

fricas [A] time = 0.86, size = 32, normalized size = 1.07

$$\frac{2}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x+1) \right) - \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(x - 1)

giac [A] time = 0.16, size = 33, normalized size = 1.10

$$\frac{2}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x+1) \right) - \log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(abs(x - 1))

maple [A] time = 0.05, size = 33, normalized size = 1.10

$$\frac{2\sqrt{3} \arctan \left(\frac{(2x+1)\sqrt{3}}{3} \right)}{3} - \ln(x-1) - \ln(x^2+x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2-x+1)/(-x^3+1), x)

[Out] -ln(x-1)-ln(x^2+x+1)+2/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.96, size = 32, normalized size = 1.07

$$\frac{2}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x+1) \right) - \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(x - 1)

mupad [B] time = 4.93, size = 63, normalized size = 2.10

$$-\ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - \ln(x - 1) - \frac{\sqrt{3} \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) 1i}{3} + \frac{\sqrt{3} \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) 1i}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 - x + 1)/(x^3 - 1),x)

[Out] (3^(1/2)*log(x + (3^(1/2)*1i)/2 + 1/2)*1i)/3 - log(x + (3^(1/2)*1i)/2 + 1/2) - log(x - 1) - (3^(1/2)*log(x - (3^(1/2)*1i)/2 + 1/2)*1i)/3 - log(x - (3^(1/2)*1i)/2 + 1/2)

sympy [A] time = 0.34, size = 5, normalized size = 0.17

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2-x+1)/(-x**3+1),x)

[Out] -log(x - 1)

$$3.52 \quad \int \frac{1+x+4x^2}{1-x^3} dx$$

Optimal. Leaf size=18

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

[Out] -2*ln(1-x)-ln(x^2+x+1)

Rubi [A] time = 0.02, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1875, 31, 628}

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] -2*Log[1 - x] - Log[1 + x + x^2]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x+4x^2}{1-x^3} dx &= \frac{1}{3} \int \frac{-3-6x}{1+x+x^2} dx + 2 \int \frac{1}{1-x} dx \\ &= -2\log(1-x) - \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.00

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] -2*Log[1 - x] - Log[1 + x + x^2]

fricas [A] time = 0.79, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="fricas")

[Out] -log(x^2 + x + 1) - 2*log(x - 1)

giac [A] time = 0.15, size = 17, normalized size = 0.94

$$-\log(x^2 + x + 1) - 2 \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="giac")

[Out] -log(x^2 + x + 1) - 2*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.94

$$-2 \ln(x - 1) - \ln(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+x+1)/(-x^3+1),x)

[Out] -2*ln(x-1)-ln(x^2+x+1)

maxima [A] time = 2.93, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2 \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="maxima")

[Out] -log(x^2 + x + 1) - 2*log(x - 1)

mupad [B] time = 0.04, size = 16, normalized size = 0.89

$$-\ln(x^2 + x + 1) - 2 \ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + 4*x^2 + 1)/(x^3 - 1),x)

[Out] - log(x + x^2 + 1) - 2*log(x - 1)

sympy [A] time = 0.16, size = 15, normalized size = 0.83

$$-2 \log(x - 1) - \log(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+x+1)/(-x**3+1),x)

[Out] -2*log(x - 1) - log(x**2 + x + 1)

3.53 $\int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=113

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

[Out] $a^4*c*x + 1/2*a^4*d*x^2 + a^3*b*c*x^4 + 4/5*a^3*b*d*x^5 + 6/7*a^2*b^2*c*x^7 + 3/4*a^2*b^2*d*x^8 + 2/5*a*b^3*c*x^{10} + 4/11*a*b^3*d*x^{11} + 1/13*b^4*c*x^{13} + 1/14*b^4*d*x^{14}$

Rubi [A] time = 0.10, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + 4a^2b^2cx^9 + 4a^2b^2dx^{10} + 2ab^3cx^{12} + 2ab^3dx^{13} + b^4cx^{15} + b^4dx^{16}) dx \\ &= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14} \end{aligned}$$

Mathematica [A] time = 0.00, size = 113, normalized size = 1.00

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14$

fricas [A] time = 0.74, size = 97, normalized size = 0.86

$$\frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{4}{5}x^5dba^3 + x^4cba^3 + \frac{1}{2}x^2da^4 + xca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $\frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{4}{11}x^{11}d^3ba + \frac{2}{5}x^{10}c^3ba + \frac{3}{4}x^8d^2b^2a^2 + \frac{6}{7}x^7c^2b^2a^2 + \frac{4}{5}x^5d^3ba^3 + x^4c^3ba^3 + \frac{1}{2}x^2d^4a^4 + xc^4a^4$

giac [A] time = 0.16, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] $\frac{1}{14}b^4d^3x^{14} + \frac{1}{13}b^4c^3x^{13} + \frac{4}{11}a^3b^3d^3x^{11} + \frac{2}{5}a^3b^3c^3x^{10} + \frac{3}{4}a^2b^2d^3x^8 + \frac{6}{7}a^2b^2c^3x^7 + \frac{4}{5}a^3bd^3x^5 + a^3bc^3x^4 + \frac{1}{2}a^4d^3x^2 + a^4c^3x$

maple [A] time = 0.04, size = 98, normalized size = 0.87

$$\frac{1}{14}b^4d^3x^{14} + \frac{1}{13}b^4c^3x^{13} + \frac{4}{11}a^3b^3d^3x^{11} + \frac{2}{5}a^3b^3c^3x^{10} + \frac{3}{4}a^2b^2d^3x^8 + \frac{6}{7}a^2b^2c^3x^7 + \frac{4}{5}a^3bd^3x^5 + a^3bc^3x^4 + \frac{1}{2}a^4d^3x^2 + a^4c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)

[Out] $a^4c^3x + \frac{1}{2}a^4d^3x^2 + a^3b^3c^3x^4 + \frac{4}{5}a^3b^3d^3x^5 + \frac{6}{7}a^2b^2c^3x^7 + \frac{3}{4}a^2b^2d^3x^8 + \frac{2}{5}a^3bd^3x^{10} + \frac{4}{11}a^3b^3d^3x^{11} + \frac{1}{13}b^4c^3x^{13} + \frac{1}{14}b^4d^3x^{14}$

maxima [A] time = 1.39, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] $\frac{1}{14}b^4d^3x^{14} + \frac{1}{13}b^4c^3x^{13} + \frac{4}{11}a^3b^3d^3x^{11} + \frac{2}{5}a^3b^3c^3x^{10} + \frac{3}{4}a^2b^2d^3x^8 + \frac{6}{7}a^2b^2c^3x^7 + \frac{4}{5}a^3bd^3x^5 + a^3bc^3x^4 + \frac{1}{2}a^4d^3x^2 + a^4c^3x$

mupad [B] time = 0.06, size = 97, normalized size = 0.86

$$\frac{d^4a^4x^2}{2} + ca^4x + \frac{4da^3bx^5}{5} + ca^3bx^4 + \frac{3da^2b^2x^8}{4} + \frac{6ca^2b^2x^7}{7} + \frac{4da^3bx^{11}}{11} + \frac{2ca^3bx^{10}}{5} + \frac{db^4x^{14}}{14} + \frac{cb^4x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] $(a^4d^3x^2)/2 + (b^4c^3x^{13})/13 + (b^4d^3x^{14})/14 + a^4c^3x + (6a^2b^2c^3x^7)/7 + (3a^2b^2d^3x^8)/4 + a^3b^3c^3x^4 + (2a^3b^3c^3x^{10})/5 + (4a^3b^3d^3x^5)/5 + (4a^3b^3d^3x^{11})/11$

sympy [A] time = 0.73, size = 117, normalized size = 1.04

$$a^4cx + \frac{a^4dx^2}{2} + a^3bcx^4 + \frac{4a^3bdx^5}{5} + \frac{6a^2b^2cx^7}{7} + \frac{3a^2b^2dx^8}{4} + \frac{2ab^3cx^{10}}{5} + \frac{4ab^3dx^{11}}{11} + \frac{b^4cx^{13}}{13} + \frac{b^4dx^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] $a^4c^3x + a^4d^3x^2/2 + a^3b^3c^3x^4 + 4a^3b^3d^3x^5/5 + 6a^2b^2c^3x^7/7 + 3a^2b^2d^3x^8/4 + 2a^3b^3c^3x^{10}/5 + 4a^3b^3d^3x^{11}/11 + b^4c^3x^{13}/13 + b^4d^3x^{14}/14$

3.54 $\int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=88

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^3cx + (a^3dx^2)/2 + (3a^2bcx^4)/4 + (3a^2bdx^5)/5 + (3ab^2cx^7)/7 + (3ab^2dx^8)/8 + (b^3cx^{10})/10 + (b^3dx^{11})/11$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3cx^9 + b^3dx^{10}) dx \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 88, normalized size = 1.00

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^3cx + (a^3dx^2)/2 + (3a^2bcx^4)/4 + (3a^2bdx^5)/5 + (3ab^2cx^7)/7 + (3ab^2dx^8)/8 + (b^3cx^{10})/10 + (b^3dx^{11})/11$

fricas [A] time = 0.63, size = 74, normalized size = 0.84

$$\frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $\frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{2}x^2da^3 + xca^3$

giac [A] time = 0.16, size = 74, normalized size = 0.84

$$\frac{1}{11} b^3 dx^{11} + \frac{1}{10} b^3 cx^{10} + \frac{3}{8} ab^2 dx^8 + \frac{3}{7} ab^2 cx^7 + \frac{3}{5} a^2 b dx^5 + \frac{3}{4} a^2 bcx^4 + \frac{1}{2} a^3 dx^2 + a^3 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] 1/11*b^3*d*x^11 + 1/10*b^3*c*x^10 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x

maple [A] time = 0.05, size = 75, normalized size = 0.85

$$\frac{1}{11} b^3 dx^{11} + \frac{1}{10} b^3 cx^{10} + \frac{3}{8} a b^2 dx^8 + \frac{3}{7} a b^2 cx^7 + \frac{3}{5} a^2 b dx^5 + \frac{3}{4} a^2 bcx^4 + \frac{1}{2} a^3 dx^2 + a^3 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)

[Out] a^3*c*x+1/2*a^3*d*x^2+3/4*a^2*b*c*x^4+3/5*a^2*b*d*x^5+3/7*a*b^2*c*x^7+3/8*a*b^2*d*x^8+1/10*b^3*c*x^10+1/11*b^3*d*x^11

maxima [A] time = 1.39, size = 74, normalized size = 0.84

$$\frac{1}{11} b^3 dx^{11} + \frac{1}{10} b^3 cx^{10} + \frac{3}{8} ab^2 dx^8 + \frac{3}{7} ab^2 cx^7 + \frac{3}{5} a^2 b dx^5 + \frac{3}{4} a^2 bcx^4 + \frac{1}{2} a^3 dx^2 + a^3 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] 1/11*b^3*d*x^11 + 1/10*b^3*c*x^10 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{d a^3 x^2}{2} + c a^3 x + \frac{3 d a^2 b x^5}{5} + \frac{3 c a^2 b x^4}{4} + \frac{3 d a b^2 x^8}{8} + \frac{3 c a b^2 x^7}{7} + \frac{d b^3 x^{11}}{11} + \frac{c b^3 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] (a^3*d*x^2)/2 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11 + a^3*c*x + (3*a^2*b*c*x^4)/4 + (3*a*b^2*c*x^7)/7 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*d*x^8)/8

sympy [A] time = 0.16, size = 90, normalized size = 1.02

$$a^3 cx + \frac{a^3 dx^2}{2} + \frac{3a^2 bcx^4}{4} + \frac{3a^2 b dx^5}{5} + \frac{3ab^2 cx^7}{7} + \frac{3ab^2 dx^8}{8} + \frac{b^3 cx^{10}}{10} + \frac{b^3 dx^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] a**3*c*x + a**3*d*x**2/2 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + b**3*c*x**10/10 + b**3*d*x**11/11

3.55 $\int (a + bx^3)(ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=60

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

[Out] $a^2*c*x + 1/2*a^2*d*x^2 + 1/2*a*b*c*x^4 + 2/5*a*b*d*x^5 + 1/7*b^2*c*x^7 + 1/8*b^2*d*x^8$

Rubi [A] time = 0.04, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)(ac + adx + bcx^3 + bdx^4) dx &= \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8$

fricas [A] time = 0.74, size = 50, normalized size = 0.83

$$\frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.17, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)

[Out] a^2*c*x+1/2*a^2*d*x^2+1/2*a*b*c*x^4+2/5*a*b*d*x^5+1/7*b^2*c*x^7+1/8*b^2*d*x^8

maxima [A] time = 1.40, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{da^2x^2}{2} + ca^2x + \frac{2dabx^5}{5} + \frac{cabx^4}{2} + \frac{db^2x^8}{8} + \frac{cb^2x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5

sympy [A] time = 0.10, size = 58, normalized size = 0.97

$$a^2cx + \frac{a^2dx^2}{2} + \frac{abcx^4}{2} + \frac{2abdx^5}{5} + \frac{b^2cx^7}{7} + \frac{b^2dx^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] a**2*c*x + a**2*d*x**2/2 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + b**2*c*x**7/7 + b**2*d*x**8/8

$$3.56 \quad \int \frac{ac+adx+bcx^3+bdx^4}{a+bx^3} dx$$

Optimal. Leaf size=12

$$cx + \frac{dx^2}{2}$$

[Out] c*x+1/2*d*x^2

Rubi [A] time = 0.01, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1586}

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{ac + adx + bcx^3 + bdx^4}{a + bx^3} dx = \int (c + dx) dx = cx + \frac{dx^2}{2}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

fricas [A] time = 0.70, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/2*d*x^2 + c*x

giac [A] time = 0.20, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*d*x^2 + c*x

maple [A] time = 0.04, size = 11, normalized size = 0.92

$$\frac{1}{2}dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x)

[Out] c*x+1/2*d*x^2

maxima [A] time = 1.32, size = 10, normalized size = 0.83

$$\frac{1}{2}dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/2*d*x^2 + c*x

mupad [B] time = 0.02, size = 10, normalized size = 0.83

$$\frac{dx^2}{2} + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x)

[Out] c*x + (d*x^2)/2

sympy [A] time = 0.13, size = 8, normalized size = 0.67

$$cx + \frac{dx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a),x)

[Out] c*x + d*x**2/2

$$3.57 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^2} dx$$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} c - \sqrt[3]{a} d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} d + \sqrt[3]{b} c\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

[Out] 1/3*(b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(2/3)-1/6*(c-a^(1/3)*d/b^(1/3))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)-1/3*(b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1586, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} c - \sqrt[3]{a} d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} d + \sqrt[3]{b} c\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2,x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3))) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ

`[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

Rule 1586

`Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]`

Rule 1860

`Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx &= \int \frac{c + dx}{a + bx^3} dx \\ &= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\ &= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{\sqrt[3]{b}d}{\sqrt[3]{a}}\right) \\ &= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{\sqrt[3]{b}d}{\sqrt[3]{a}}\right) \\ &= -\frac{(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)\right) - 2\sqrt{3}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2, x]

[Out] (-2*Sqrt[3]*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (b^(1/3)*c - a^(1/3)*d)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

fricas [C] time = 3.22, size = 1931, normalized size = 11.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="fricas")
[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*a*b*c^2 + 2*a*c*d^2 + (b*c^3 + a*d^3)*x) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b))) * log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b))) * log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 2*a*b*c^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b)))
```

giac [A] time = 0.18, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="giac")
```

[Out] $-1/3*\sqrt{3}*(b*c - (-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3))/(-a*b^2)^{(2/3)} - 1/6*(b*c + (-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)))/(-a*b^2)^{(2/3)} - 1/3*(d*(-a/b)^{(1/3)} + c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a$

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x)`

[Out] $1/3/(a/b)^{(2/3)}/b*c*\ln(x+(a/b)^{(1/3)})-1/6*c/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*c/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*d/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/6*d/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*d*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.98, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}+c\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $1/3*\sqrt{3}*(d*(a/b)^{(1/3)} + c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)}))/(a/b)^{(1/3))/b*(a/b)^{(2/3)} + 1/6*(d*(a/b)^{(1/3)} - c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)))/b*(a/b)^{(2/3)} - 1/3*(d*(a/b)^{(1/3)} - c)*\log(x + (a/b)^{(1/3)}))/b*(a/b)^{(2/3)}$

mupad [B] time = 5.09, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(b\left(cd + d^2x + \text{root}\left(27a^2b^2z^3 + 9abcdz + ad^3 - bc^3, z, k\right)^2 ab^9 + \text{root}\left(27a^2b^2z^3 + 9abcdz + ad^3 - bc^3, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2,x)`

[Out] `symsum(log(b*(c*d + d^2*x + 9*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)^2*a*b + 3*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)*b*c*x))*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k), k, 1, 3)`

sympy [A] time = 1.34, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3a^2b^2 + 9tabcd + ad^3 - bc^3, \left(t \mapsto t \log\left(x + \frac{9t^2a^2bd + 3tabc^2 + 2acd^2}{ad^3 + bc^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**2,x)
```

```
[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*a*b*c*d + a*d**3 - b*c**3, Lambda(_t, _t*  
log(x + (9*_t**2*a**2*b*d + 3*_t*a*b*c**2 + 2*a*c*d**2)/(a*d**3 + b*c**3)))  
)
```

$$3.58 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^3} dx$$

Optimal. Leaf size=189

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] 1/3*x*(d*x+c)/a/(b*x^3+a)+1/9*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(2/3)-1/18*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(2/3)-1/9*(2*b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.13, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1586, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x]

[Out] (x*(c + d*x))/(3*a*(a + b*x^3)) - ((2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2cx)/(a + bx + cx^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[2cd - be, 0] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4ac]$

Rule 1586

$\text{Int}[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^p*Qx^{p+q}, x] /; \text{FreeQ}[q, x] \&\& \text{PolyQ}[Px, x] \&\& \text{PolyQ}[Qx, x] \&\& \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \&\& \text{IntegerQ}[p] \&\& \text{LtQ}[p, q, 0]$

Rule 1855

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> -\text{Simp}[(x*Pq*(a + b*x^n)^(p+1))/(a*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{ExpandToSum}[n*(p+1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p+1), x], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1860

$\text{Int}[(A_ + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> \text{With}\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; \text{FreeQ}\{a, b, A, B\}, x\} \&\& \text{NeQ}[a*B^3 - b*A^3, 0] \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx &= \int \frac{c + dx}{(a + bx^3)^2} dx \\ &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x}}{9a^{5/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b}}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}}{18a^{5/3}b^{2/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}} \\ &= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} - \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.17, size = 180, normalized size = 0.95

$$\frac{(a^{2/3}d - 2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{b^{2/3}} + \frac{6ax(c + dx)}{a + bx^3}$$

$18a^2$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(18*a^2)

fricas [C] time = 3.13, size = 2088, normalized size = 11.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/36*(12*d*x^2 - 2*(a*b*x^3 + a^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^4*b*d - 2*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))*a^2*b*c^2 + 4*a*c*d^2 + (8*b*c^3 + a*d^3)*x) + 12*c*x + ((a*b*x^3 + a^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3))) + 3*sqrt(1/3)*(a*b*x^3 + a^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^3*b + 32*c*d)/(a^3*b)))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^4*b*d + 2*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^4*b*d + 2*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^3*b + 32*c*d)/(a^3*b)) + ((a*b*x^3 + a^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3))) - 3*sqrt(1/3)*(a*b*x^3 + a^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^3*b + 32*c*d)/(a^3*b)))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^4*b*d + 2*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))^2*a^2*b*c^2 - 4*a*c*d^2 + 2*(8*b*c^3 + a*d^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3))))

$$a^5 b^2)^{(1/3)}) * a^4 b d + 8 a^2 b^3 c^2 * \sqrt{-((1/2)^{(1/3)} * (I * \sqrt{3}) + 1) * ((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2))^{(1/3)} + 4 * (1/2)^{(2/3)} * c * d * (I * \sqrt{3}) - 1} / (a^3 b * ((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2))^{(1/3)})^2 * a^3 b + 32 * c * d / (a^3 b)) / (a * b * x^3 + a^2)$$

giac [A] time = 0.21, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/9 * \sqrt{3} * (2*b*c - (-a*b^2)^{(1/3)} * d) * \arctan(1/3 * \sqrt{3} * (2*x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / ((-a*b^2)^{(2/3)} * a) - 1/18 * (2*b*c + (-a*b^2)^{(1/3)} * d) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a*b^2)^{(2/3)} * a) - 1/9 * (d * (-a/b)^{(1/3)} + 2*c) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / a^2 + 1/3 * (d * x^2 + c * x) / ((b * x^3 + a) * a)$

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{d x^2}{3 (b x^3 + a) a} + \frac{c x}{3 (b x^3 + a) a} + \frac{2 \sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x)

[Out] $1/3 * c * x / a / (b * x^3 + a) + 2/9 * (a/b)^{(2/3)} / a / b * c * \ln(x + (a/b)^{(1/3)}) - 1/9 * c / a / b / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 2/9 * c / a / b / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) + 1/3 / (b * x^3 + a) / a * d * x^2 - 1/9 * d / a / b / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + 1/18 * d / a / b / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/9 * d / a * 3^{(1/2)} / b / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1))$

maxima [A] time = 3.02, size = 169, normalized size = 0.89

$$\frac{d x^2 + c x}{3 (a b x^3 + a^2)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 a b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \dots}{9 \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/3 * (d * x^2 + c * x) / (a * b * x^3 + a^2) + 1/9 * \sqrt{3} * (d * (a/b)^{(1/3)} + 2 * c) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b * (a/b)^{(2/3)}) + 1/18 * (d * (a/b)^{(1/3)} - 2 * c) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a * b * (a/b)^{(2/3)}) - 1/9 * (d * (a/b)^{(1/3)} - 2 * c) * \log(x + (a/b)^{(1/3)}) / (a * b * (a/b)^{(2/3)})$

mupad [B] time = 5.08, size = 169, normalized size = 0.89

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)^2 a^3b81 + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)}{a^29} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x)`

[Out] `symsum(log((b*(2*c*d + d^2*x + 81*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)^2*a^3*b + 18*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)*a*b*c*x))/(9*a^2))*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k), k, 1, 3) + ((d*x^2)/(3*a) + (c*x)/(3*a))/(a + b*x^3)`

sympy [A] time = 1.85, size = 105, normalized size = 0.56

$$\text{RootSum} \left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log \left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3} \right) \right) \right) + \frac{cx + dx^2}{3a^2 + 3abx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**3,x)`

[Out] `RootSum(729*_t**3*a**5*b**2 + 54*_t*a**2*b*c*d + a*d**3 - 8*b*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**4*b*d + 36*_t*a**2*b*c**2 + 4*a*c*d**2)/(a*d**3 + 8*b*c**3)))) + (c*x + d*x**2)/(3*a**2 + 3*a*b*x**3)`

$$3.59 \quad \int (a + bx^3)^{3/2} (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=585

$$\frac{405\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}d(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} + \frac{810}{1729b^{2/3}}$$

```
[Out] 30/46189*a*(187*d*x^2+247*c*x)*(b*x^3+a)^(3/2)+2/323*(17*d*x^2+19*c*x)*(b*x^3+a)^(5/2)+54/323323*a^2*(935*d*x^2+1729*c*x)*(b*x^3+a)^(1/2)+810/1729*a^3*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))) -405/1729*3^(1/4)*a^(10/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)+54/323323*3^(3/4)*a^3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1729*b^(1/3)*c-935*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)
```

Rubi [A] time = 0.46, antiderivative size = 585, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1852, 1853, 1878, 218, 1877}

$$\frac{54\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(1729\sqrt[3]{b}c-935(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right)}{323323b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

```
[Out] (810*a^3*d*Sqrt[a + b*x^3])/((1729*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (54*a^2*(1729*c*x + 935*d*x^2)*Sqrt[a + b*x^3])/323323 + (30*a*(247*c*x + 187*d*x^2)*(a + b*x^3)^(3/2))/46189 + (2*(19*c*x + 17*d*x^2)*(a + b*x^3)^(5/2))/323 - (405*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(10/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(1729*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (54*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^3*(1729*b^(1/3)*c - 935*(1 - Sqrt[3])*a^(1/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(323323*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s
```

+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1852

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[PolynomialQuotient[Pq, a + b*x^n, x]*(a + b*x^n)^(p + 1), x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GeQ[Expon[Pq, x], n] && EqQ[PolynomialRemainder[Pq, a + b*x^n, x], 0]

Rule 1853

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^{3/2} (ac + adx + bcx^3 + bdx^4) dx &= \int (c + dx) (a + bx^3)^{5/2} dx \\
&= \frac{2}{323} (19cx + 17dx^2) (a + bx^3)^{5/2} + \frac{1}{2} (15a) \int \left(\frac{2c}{17} + \frac{2dx}{19} \right) (a + bx^3)^{3/2} dx \\
&= \frac{30a (247cx + 187dx^2) (a + bx^3)^{3/2}}{46189} + \frac{2}{323} (19cx + 17dx^2) (a + bx^3)^{5/2} \\
&= \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323} + \frac{30a (247cx + 187dx^2) (a + bx^3)^{5/2}}{46189} \\
&= \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323} + \frac{30a (247cx + 187dx^2) (a + bx^3)^{5/2}}{46189} \\
&= \frac{810a^3 d \sqrt{a + bx^3}}{1729b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)} + \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323}
\end{aligned}$$

Mathematica [C] time = 0.05, size = 78, normalized size = 0.13

$$\frac{a^2 x \sqrt{a + bx^3} \left(2c {}_2F_1 \left(-\frac{5}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + dx {}_2F_1 \left(-\frac{5}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right)}{2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x]

[Out] (a^2*x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-5/2, 1/3, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[-5/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 1.27, size = 0, normalized size = 0.00

$$\text{integral} \left((b^2 dx^7 + b^2 cx^6 + 2 abdx^4 + 2 abcx^3 + a^2 dx + a^2 c) \sqrt{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="fricas")

[Out] integral((b^2*d*x^7 + b^2*c*x^6 + 2*a*b*d*x^4 + 2*a*b*c*x^3 + a^2*d*x + a^2*c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*(b*x^3 + a)^(3/2), x)

maple [B] time = 0.05, size = 1618, normalized size = 2.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)`

[Out]
$$b*d*(2/19*b*x^8*(b*x^3+a)^{(1/2)}+44/247*(b*x^3+a)^{(1/2)}*a*x^5+54/1729*(b*x^3+a)^{(1/2)}*a^2/b*x^2+72/1729*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+b*c*(2/17*b*x^7*(b*x^3+a)^{(1/2)}+40/187*(b*x^3+a)^{(1/2)}*a*x^4+54/935*(b*x^3+a)^{(1/2)}*a^2/b*x+36/935*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+a*d*(2/13*b*x^5*(b*x^3+a)^{(1/2)}+32/91*(b*x^3+a)^{(1/2)}*a*x^2-18/91*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+a*c*(2/11*(b*x^3+a)^{(1/2)}*b*x^4+28/55*(b*x^3+a)^{(1/2)}*a*x-18/55*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="maxima")`

[Out] `integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*(b*x^3 + a)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^3 + a)^{3/2} (bdx^4 + bcx^3 + adx + ac) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x)

[Out] int((a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x)

sympy [A] time = 11.80, size = 265, normalized size = 0.45

$$\frac{a^{\frac{5}{2}} cx \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{5}{2}} dx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{2a^{\frac{3}{2}} bcx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{2a^{\frac{3}{2}} bdx^5 \Gamma\left(\frac{5}{3}\right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(b*d*x**4+b*c*x**3+a*d*x+a*c), x)

[Out] a**(5/2)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(5/2)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a**(3/2)*b*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + 2*a**(3/2)*b*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b**2*c*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b**2*d*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3))

3.60 $\int \sqrt{a + bx^3} (ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=556

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}d(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)}{91b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}} + \frac{54a^2d\sqrt{a}}{91b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)}$$

[Out] $2/143*(11*d*x^2+13*c*x)*(b*x^3+a)^(3/2)+18/5005*a*(55*d*x^2+91*c*x)*(b*x^3+a)^(1/2)+54/91*a^2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/91*3^(1/4)*a^(7/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)+18/5005*3^(3/4)*a^2*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(91*b^(1/3)*c-55*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)$

Rubi [A] time = 0.33, antiderivative size = 556, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1852, 1853, 1878, 218, 1877}

$$18\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(91\sqrt[3]{b}c-55(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)}{5005b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^3]*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $(54*a^2*d*\text{Sqrt}[a + b*x^3])/(91*b^(2/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) + (18*a*(91*c*x + 55*d*x^2)*\text{Sqrt}[a + b*x^3])/5005 + (2*(13*c*x + 11*d*x^2)*(a + b*x^3)^(3/2))/143 - (27*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(7/3)*d*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{EllipticE}[\text{ArcSin}[((1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3]])/(91*b^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{Sqrt}[a + b*x^3]) + (18*3^(3/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^2*(91*b^(1/3)*c - 55*(1 - \text{Sqrt}[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{EllipticF}[\text{ArcSin}[((1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3]])/(5005*b^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 1852

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[PolynomialQuoti
ent[Pq, a + b*x^n, x]*(a + b*x^n)^(p + 1), x] /; FreeQ[{a, b, p}, x] && Poly
Q[Pq, x] && IGtQ[n, 0] && GeQ[Expon[Pq, x], n] && EqQ[PolynomialRemainder[
Pq, a + b*x^n, x], 0]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq
, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1),
{i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*
x^i)/(n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x]
&& IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + bx^3} (ac + adx + bcx^3 + bdx^4) dx &= \int (c + dx) (a + bx^3)^{3/2} dx \\
&= \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} + \frac{1}{2} (9a) \int \left(\frac{2c}{11} + \frac{2dx}{13} \right) \sqrt{a + bx^3} dx \\
&= \frac{18a (91cx + 55dx^2) \sqrt{a + bx^3}}{5005} + \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} \\
&= \frac{18a (91cx + 55dx^2) \sqrt{a + bx^3}}{5005} + \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} \\
&= \frac{54a^2 d \sqrt{a + bx^3}}{91b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{18a (91cx + 55dx^2) \sqrt{a + bx^3}}{5005} +
\end{aligned}$$

Mathematica [C] time = 0.03, size = 76, normalized size = 0.14

$$\frac{ax\sqrt{a+bx^3}\left(2c {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)\right)}{2\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^3]*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] (a*x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-3/2, 1/3, 4/3, -(b*x^3)/a] + d*x*Hypergeometric2F1[-3/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bdx^4 + bcx^3 + adx + ac\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] integral((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

maple [B] time = 0.06, size = 1546, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] b*d*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + b*c*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)

$$\frac{1}{2}), (I*3^{(1/2)}*(-a*b^2)^{(1/3)} / (-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) / b)^{(1/2)}) + a*d*(2/7*(b*x^3+a)^{(1/2)}*x^2 - 2/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b) / (-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)} / (b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) / b)^{(1/2)}) + (-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) / b)^{(1/2)}) + a*c*(2/5*(b*x^3+a)^{(1/2)}*x - 2/5*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b) / (-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)} / (b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) / b)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{bx^3 + a} (bdx^4 + bcx^3 + adx + ac) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(1/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x)

[Out] int((a + b*x^3)^(1/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x)

sympy [A] time = 7.36, size = 170, normalized size = 0.31

$$\frac{a^{\frac{3}{2}}cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a}bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a}bdx^5\Gamma\left(\frac{5}{3}\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(1/2)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] a**(3/2)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3))

$$3.61 \quad \int \frac{ac+adx+bcx^3+bdx^4}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=525

$$\frac{2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (7 \sqrt[3]{b} c - 5 (1 - \sqrt{3}) \sqrt[3]{a} d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right)}{35 b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + b x^3}}$$

[Out] $2/35*(5*d*x^2+7*c*x)*(b*x^3+a)^(1/2)+6/7*a*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3/7*3^(1/4)*a^(4/3)*d*(a^(1/3)+b^(1/3)*x)*\text{EllipticE}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)+2/35*3^(3/4)*a*(a^(1/3)+b^(1/3)*x)*\text{EllipticF}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(7*b^(1/3)*c-5*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)$

Rubi [A] time = 0.24, antiderivative size = 525, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1853, 1878, 218, 1877}

$$\frac{2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (7 \sqrt[3]{b} c - 5 (1 - \sqrt{3}) \sqrt[3]{a} d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right)}{35 b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + b x^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/Sqrt[a + b*x^3], x]

[Out] $(6*a*d*\text{Sqrt}[a + b*x^3])/((7*b^(2/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) + (2*(7*c*x + 5*d*x^2)*\text{Sqrt}[a + b*x^3])/35 - (3*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(4/3)*d*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3])/((7*b^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{Sqrt}[a + b*x^3]) + (2*3^(3/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a*(7*b^(1/3)*c - 5*(1 - \text{Sqrt}[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3])/((35*b^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1586

$\text{Int}[(u_)*(Px_)\^(p_)*(Qx_)\^(q_), x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]\^p*Qx\^(p+q), x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[Px, x] \ \&\& \ \text{PolyQ}[Qx, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rule 1853

$\text{Int}[(Pq_)*((a_)\ + (b_)*(x_)\^(n_))\^(p_), x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a + b*x^n)\^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x\^(i+1))/(n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(a + b*x^n)\^(p-1)*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(n*p + i + 1), \{i, 0, q\}], x], x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[(n-1)/2, 0] \ \&\& \ \text{GtQ}[p, 0]$

Rule 1877

$\text{Int}[(c_)\ + (d_)*(x_)]/\text{Sqrt}[(a_)\ + (b_)*(x_)\^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3])*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/(1 + \text{Sqrt}[3])*s + r*x]^2*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])]/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{EqQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[(c_)\ + (d_)*(x_)]/\text{Sqrt}[(a_)\ + (b_)*(x_)\^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])*s + r*x]/\text{Sqrt}[a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{\sqrt{a + bx^3}} dx &= \int (c + dx)\sqrt{a + bx^3} dx \\ &= \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} + \frac{1}{2} (3a) \int \frac{\frac{2c}{5} + \frac{2dx}{7}}{\sqrt{a + bx^3}} dx \\ &= \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} + \frac{(3ad) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{7\sqrt[3]{b}} + \frac{1}{35} \left(3a \left(7c - \frac{5(1-\sqrt{3})\sqrt[3]{a}}{3\sqrt[3]{3}\sqrt{2-\sqrt{3}}} \right) \right. \\ &= \frac{6ad\sqrt{a + bx^3}}{7b^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)} + \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} - \frac{3\sqrt[3]{3}\sqrt{2-\sqrt{3}}a}{35} \end{aligned}$$

Mathematica [C] time = 0.04, size = 75, normalized size = 0.14

$$\frac{x\sqrt{a + bx^3} \left(2c {}_2F_1 \left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + dx {}_2F_1 \left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right)}{2\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{bx^3 + a}(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/sqrt(b*x^3 + a), x)

maple [B] time = 0.06, size = 1480, normalized size = 2.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2), x)

[Out] b*d*(2/7*(b*x^3+a)^(1/2)/b*x^2+8/21*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+b*c*(2/5*(b*x^3+a)^(1/2)/b*x+4/15*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))-2/3*I*a*d*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))

$$\begin{aligned} & \frac{(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b}{3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}}, (I \\ & *3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3} \\ & /b)/b)^{1/2})+(-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3} \\ & /b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}), (I*3^{1/2} \\ & (1/2)*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/ \\ & b)^{1/2})) - 2/3*I*a*c*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/ \\ & 2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3} \\ & /b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I* \\ & (x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3} \\ & *b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3} \\ & /b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}), (I*3^{1/2} \\ & (1/2)*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b) \\ & ^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(1/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(1/2), x)

sympy [A] time = 8.15, size = 163, normalized size = 0.31

$$\frac{\sqrt{a} cx \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} dx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))

$$3.62 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=490

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right) \sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

[Out] 2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3^(1/4)*a^(1/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)+2/3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(b^(1/3)*c-a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1586, 1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right) \sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x]

[Out] (2*d*Sqrt[a + b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c - (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{3/2}} dx = \int \frac{c + dx}{\sqrt{a + bx^3}} dx$$

$$= \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a+bx^3}} dx$$

$$= \frac{2d\sqrt{a+bx^3}}{b^{2/3}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3} \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}$$

Mathematica [C] time = 0.07, size = 75, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[a + b*x^3])
```

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(3/2), x)

maple [B] time = 0.05, size = 1536, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x)

[Out] $b*d*(-2/3/b*x^2/((x^3+a/b)*b)^{(1/2)}-8/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+b*c*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x-4/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+a*d*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x^2+2/9*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+a*c*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x-2/9*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a$

$(b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}$
))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x)

sympy [A] time = 8.05, size = 78, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(3/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.63 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{5/2}} dx$$

Optimal. Leaf size=522

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $\frac{2/3*x*(d*x+c)/a/(b*x^3+a)^{(1/2)}-2/3*d*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})+1/3*d*(a^{(1/3)}+b^{(1/3)*x})*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})}, I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}+2/9*(a^{(1/3)}+b^{(1/3)*x})*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})}, I*3^{(1/2)}+2*I)*(b^{(1/3)*c+a^{(1/3)*d*(1-3^{(1/2))})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}*3^{(3/4)}/a/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2), x]

[Out] $\frac{(2*x*(c+d*x))/(3*a*\text{Sqrt}[a+b*x^3])-(2*d*\text{Sqrt}[a+b*x^3])/(3*a*b^{(2/3)}*((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}))+(\text{Sqrt}[2-\text{Sqrt}[3]]*d*(a^{(1/3)}+b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})], -7-4*\text{Sqrt}[3]])/(3^{(3/4)}*a^{(2/3)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x}))/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{Sqrt}[a+b*x^3])+(2*\text{Sqrt}[2+\text{Sqrt}[3]]*(b^{(1/3)*c}+(1-\text{Sqrt}[3])*a^{(1/3)*d}*(a^{(1/3)}+b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})], -7-4*\text{Sqrt}[3]))/(3*3^{(1/4)}*a*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x}))/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{Sqrt}[a+b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{5/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{3/2}} dx \\ &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{c}{2} + \frac{dx}{2}}{\sqrt{a + bx^3}} dx}{3a} \\ &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{d \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(c + \frac{(1 - \sqrt{3})\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{a + bx^3}} dx}{3a} \\ &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt{2 - \sqrt{3}} d (\sqrt[3]{a} + \sqrt[3]{b}x)}{3^{3/4}a^{2/3}} \sqrt{\frac{a}{a + bx^3}} \end{aligned}$$

Mathematica [C] time = 0.07, size = 96, normalized size = 0.18

$$\frac{x \left(2c \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 3dx \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4c \right)}{6a\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2),x]

[Out] (x*(4*c + 2*c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]))/(6*a*Sqrt[a + b*x^3])

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(dx + c)}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(5/2), x)

maple [B] time = 0.05, size = 1662, normalized size = 3.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x)

[Out] b*d*(-2/9*x^2/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+8/27/b/a*x^2/((x^3+a/b)*b)^(1/2)+8/81*I/b^2/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + b*c*(-2/9*x/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+4/27/b/a*x/((x^3+a/b)*b)^(1/2)-4/81*I/b^2/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + a*d*(2/9/a*x^2/b^2*(b*x^3+a)^(1/2)/(x^3+a/b)^2+10/27/a^2*x^2/((x^3+a/b)*b)^(1/2)+10/81*I/a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)

$$\frac{1}{3}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)}/b) / (-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * ((-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)}/b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) / b)^{(1/2)}) + (-a*b^2)^{(1/3)} / b * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)}/b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) / b)^{(1/2)})) + a*c * (2/9 * (b*x^3 + a)^{(1/2)} / (x^3 + a/b)^2 / a/b^2 * x + 14/27 / ((x^3 + a/b) * b)^{(1/2)} / a^2 * x - 14/81 * I / a^2 * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a*b^2)^{(1/3)}/b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)}/b) / (-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)}/b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)}/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)}/b) / b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2), x)

sympy [A] time = 20.91, size = 163, normalized size = 0.31

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(5/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 5/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 5/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((4/3, 5/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((5/3, 5/2), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(8/3))

$$3.64 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{7/2}} dx$$

Optimal. Leaf size=554

$$\frac{5\sqrt{2-\sqrt{3}} d(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right)}{9 \cdot 3^{3/4} a^{5/3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}} \frac{10d\sqrt{a+bx^3}}{27a^2b^{2/3}((1+\sqrt{3})\sqrt[3]{a} +$$

[Out] $2/9*x*(d*x+c)/a/(b*x^3+a)^{(3/2)}+2/27*x*(5*d*x+7*c)/a^2/(b*x^3+a)^{(1/2)}-10/27*d*(b*x^3+a)^{(1/2)}/a^2/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})+5/27*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}*3^{(1/4)}/a^{(5/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}+2/81*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)+2*I}*(7*b^{(1/3)*c}+5*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}*3^{(3/4)}/a^2/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 554, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(5(1-\sqrt{3})\sqrt[3]{a}d+7\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right)}{27\sqrt[4]{3}a^2b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x]

[Out] $(2*x*(c+d*x))/(9*a*(a+b*x^3)^{(3/2)}+(2*x*(7*c+5*d*x))/(27*a^2*\text{Sqrt}[a+b*x^3])-(10*d*\text{Sqrt}[a+b*x^3])/(27*a^2*b^{(2/3)}*((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}))+(5*\text{Sqrt}[2-\text{Sqrt}[3]]*d*(a^{(1/3)}+b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}}{(1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}}], -7-4*\text{Sqrt}[3]])/(9*3^{(3/4)}*a^{(5/3)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{Sqrt}[a+b*x^3])+(2*\text{Sqrt}[2+\text{Sqrt}[3]]*(7*b^{(1/3)*c}+5*(1-\text{Sqrt}[3])*a^{(1/3)*d}*(a^{(1/3)}+b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}}{(1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}}], -7-4*\text{Sqrt}[3]])/(27*3^{(1/4)}*a^2*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{Sqrt}[a+b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] & & PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{7/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{5/2}} dx \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} - \frac{2 \int \frac{-\frac{7c}{2} - \frac{5dx}{2}}{(a + bx^3)^{3/2}} dx}{9a} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2 \sqrt{a + bx^3}} + \frac{4 \int \frac{\frac{7c}{4} - \frac{5dx}{4}}{\sqrt{a + bx^3}} dx}{27a^2} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2 \sqrt{a + bx^3}} - \frac{(5d) \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx}{27a^2 \sqrt[3]{b}} + \frac{\left(7c + \frac{5(1 - \sqrt{3}) \sqrt[3]{a} d}{\sqrt[3]{b}}\right)}{27a^2} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2 \sqrt{a + bx^3}} - \frac{10d \sqrt{a + bx^3}}{27a^2 b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x\right)} + \frac{5\sqrt{2 - \sqrt{3}}}{27a^2}
\end{aligned}$$

Mathematica [C] time = 0.11, size = 123, normalized size = 0.22

$$\frac{14cx(a + bx^3) \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 4cx(10a + 7bx^3) + 27dx^2(a + bx^3) \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{5}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{54a^2(a + bx^3)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x]

[Out] (4*c*x*(10*a + 7*b*x^3) + 14*c*x*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 27*d*x^2*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 5/2, 5/3, -((b*x^3)/a)]/(54*a^2*(a + b*x^3)^(3/2))

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(dx + c)}{b^3x^9 + 3ab^2x^6 + 3a^2bx^3 + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^3*x^9 + 3*a*b^2*x^6 + 3*a^2*b*x^3 + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(7/2), x)

maple [B] time = 0.13, size = 1782, normalized size = 3.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x)

[Out]
$$b*d*(-2/15*x^2/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+8/135/a*x^2/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+8/81/b/a^2*x^2/((x^3+a/b)*b)^{(1/2)}+8/243*I/a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+b*c*(-2/15*x/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+4/135/a*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+28/405/b/a^2*x/((x^3+a/b)*b)^{(1/2)}-28/1215*I/a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+a*d*(2/15/a*x^2/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+22/135/a^2*x^2/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+22/81/a^3*x^2/((x^3+a/b)*b)^{(1/2)}+22/243*I/a^3*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+a*c*(2/15/a*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+26/135/a^2*x/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+182/405/a^3*x/((x^3+a/b)*b)^{(1/2)}-182/1215*I/a^3*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x)

sympy [A] time = 68.68, size = 163, normalized size = 0.29

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{7}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{7}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{7}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{7}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{7}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{7}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(7/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 7/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 7/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((4/3, 7/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(7/2)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((5/3, 7/2), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(7/2)*gamma(8/3))

$$3.65 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{9/2}} dx$$

Optimal. Leaf size=581

$$\frac{11\sqrt{2-\sqrt{3}} d(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{27 \cdot 3^{3/4} a^{8/3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}} \frac{22d\sqrt{a+bx^3}}{81a^3b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}$$

[Out] $2/15*x*(d*x+c)/a/(b*x^3+a)^{(5/2)}+2/135*x*(11*d*x+13*c)/a^2/(b*x^3+a)^{(3/2)}+2/405*x*(55*d*x+91*c)/a^3/(b*x^3+a)^{(1/2)}-22/81*d*(b*x^3+a)^{(1/2)}/a^3/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}+11/81*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(1/4)}/a^{(8/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/1215*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)}+2*I)*(91*b^{(1/3)*c}+55*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^3/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 581, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(55(1-\sqrt{3})\sqrt[3]{a}d+91\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{405\sqrt[3]{3}a^3b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2), x]

[Out] $(2*x*(c+d*x))/(15*a*(a+b*x^3)^{(5/2)})+(2*x*(13*c+11*d*x))/(135*a^2*(a+b*x^3)^{(3/2)})+(2*x*(91*c+55*d*x))/(405*a^3*\text{Sqrt}[a+b*x^3])-(22*d*\text{Sqrt}[a+b*x^3])/(81*a^3*b^{(2/3)}*((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}))+(11*\text{Sqrt}[2-\text{Sqrt}[3]]*d*(a^{(1/3)}+b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})], -7-4*\text{Sqrt}[3]])/(27*3^{(3/4)}*a^{(8/3)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(1/4)}/a^{(8/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/1215*(a^{(1/3)+b^{(1/3)*x}}*EllipticF[\text{ArcSin}[(1-\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x}/((1+\text{Sqrt}[3])*a^{(1/3)}+b^{(1/3)*x})], -7-4*\text{Sqrt}[3]])/(405*3^{(1/4)}*a^3*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^3/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s

+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{9/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{7/2}} dx \\
&= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} - \frac{2 \int \frac{-\frac{13c}{2} - \frac{11dx}{2}}{(a+bx^3)^{5/2}} dx}{15a} \\
&= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{4 \int \frac{\frac{91c}{4} + \frac{55dx}{4}}{(a+bx^3)^{3/2}} dx}{135a^2} \\
&= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{8 \int \frac{-\frac{91c}{8} + \frac{55dx}{8}}{\sqrt{a+bx^3}} dx}{405a^3} \\
&= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{(11d) \int \frac{(1-\sqrt{3})\sqrt[3]{a}}{\sqrt{a+bx^3}} dx}{81a^3\sqrt[3]{b}} \\
&= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{22d\sqrt{a}}{81a^3b^{2/3}((1 + \sqrt{3}))}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 138, normalized size = 0.24

$$\frac{4cx(157a^2 + 221abx^3 + 91b^2x^6) + 182cx\sqrt{\frac{bx^3}{a} + 1}(a + bx^3)^2 {}_2F_1\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, -\frac{bx^3}{a}\right) + 405dx^2\sqrt{\frac{bx^3}{a} + 1}(a + bx^3)}{810a^3(a + bx^3)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2), x]

[Out] (4*c*x*(157*a^2 + 221*a*b*x^3 + 91*b^2*x^6) + 182*c*x*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 405*d*x^2*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 7/2, 5/3, -(b*x^3)/a])/ (810*a^3*(a + b*x^3)^(5/2))

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(dx + c)}{b^4x^{12} + 4ab^3x^9 + 6a^2b^2x^6 + 4a^3bx^3 + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^4*x^12 + 4*a*b^3*x^9 + 6*a^2*b^2*x^6 + 4*a^3*b*x^3 + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(9/2), x)

maple [B] time = 0.13, size = 1902, normalized size = 3.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x)

[Out]
$$b*d*(-2/21*x^2/b^5*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+8/315/a*x^2/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+88/2835/a^2*x^2/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+88/1701/b/a^3*x^2/((x^3+a/b)*b)^{(1/2)}+88/5103*I/a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+b*c*(-2/21*x/b^5*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+4/315/a*x/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+52/2835/a^2*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+52/1215/b/a^3*x/((x^3+a/b)*b)^{(1/2)}-52/3645*I/a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+a*d*(2/21/a*x^2/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+34/315/a^2*x^2/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+374/2835/a^3*x^2/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+374/1701/a^4*x^2/((x^3+a/b)*b)^{(1/2)}+374/5103*I/a^4*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+a*c*(2/21/a*x/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+38/315/a^2*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+494/2835/a^3*x/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+494/1215/a^4*x/((x^3+a/b)*b)^{(1/2)}-494/3645*I/a^4*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(9/2),x)

[Out] Timed out

$$3.66 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=590

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right) \left(7\sqrt[3]{b}(5bc-2af) - 5(1-\sqrt{3})\sqrt{a+bx^3}\right)$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

[Out] $2/3*e*(b*x^3+a)^{(1/2)}/b+2/5*f*x*(b*x^3+a)^{(1/2)}/b+2/7*g*x^2*(b*x^3+a)^{(1/2)}/b+2/7*(-4*a*g+7*b*d)*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})) - 1/7*3^{(1/4)}*a^{(1/3)}*(-4*a*g+7*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+2/105*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*(-2*a*f+5*b*c)-5*a^{(1/3)}*(-4*a*g+7*b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 590, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1888, 1886, 261, 1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right) \left(7\sqrt[3]{b}(5bc-2af) - 5(1-\sqrt{3})\sqrt{a+bx^3}\right)$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/Sqrt[a + b*x^3], x]

[Out] $(2*e*\text{Sqrt}[a + b*x^3])/ (3*b) + (2*f*x*\text{Sqrt}[a + b*x^3])/ (5*b) + (2*g*x^2*\text{Sqrt}[a + b*x^3])/ (7*b) + (2*(7*b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/ (7*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(7*b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])) / (7*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(7*b^{(1/3)}*(5*b*c - 2*a*f) - 5*(1 - \text{Sqrt}[3])*a^{(1/3)}*(7*b*d - 4*a*g))*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])) / (35*3^{(1/4)}*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(1 - Sqrt[3])*s + r*x]/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3])]/(3^{(1/4)}*r*Sqrt[a + b*x^3

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{\sqrt{a + bx^3}} dx &= \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{\frac{7bc}{2} + \frac{1}{2}(7bd - 4ag)x + \frac{7}{2}bex^2 + \frac{7}{2}bf x^3}{\sqrt{a + bx^3}} dx}{7b} \\
&= \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{\frac{7}{4}b(5bc - 2af) + \frac{5}{4}b(7bd - 4ag)x + \frac{35}{4}b^2ex^2}{\sqrt{a + bx^3}} dx}{35b^2} \\
&= \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{\frac{7}{4}b(5bc - 2af) + \frac{5}{4}b(7bd - 4ag)x}{\sqrt{a + bx^3}} dx}{35b^2} + e \int \frac{x^2}{\sqrt{a + bx^3}} dx \\
&= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{(7bd - 4ag) \int \frac{(1 - \sqrt{3})\sqrt[3]{a + \sqrt[3]{bx^3}}}{\sqrt{a + bx^3}} dx}{7b^{4/3}} \\
&= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{2(7bd - 4ag)\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3})\sqrt[3]{a + \sqrt[3]{bx^3}})}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 135, normalized size = 0.23

$$\frac{42x\sqrt{\frac{bx^3}{a} + 1}(5bc - 2af) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 15x^2\sqrt{\frac{bx^3}{a} + 1}(7bd - 4ag) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a + bx^3)(35e + 3)}{210b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/Sqrt[a + b*x^3], x]

[Out] (4*(a + b*x^3)*(35*e + 3*x*(7*f + 5*g*x)) + 42*(5*b*c - 2*a*f)*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 15*(7*b*d - 4*a*g)*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(210*b*Sqrt[a + b*x^3])

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

maple [B] time = 0.06, size = 1491, normalized size = 2.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}, x)$

[Out]
$$g*(2/7*(b*x^3+a)^{(1/2)}/b*x^2+8/21*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+f*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+2/3*e*(b*x^3+a)^{(1/2)}/b-2/3*I*d*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}-2/3*I*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((g*x^4 + f*x^3 + e*x^2 + d*x + c)/\text{sqrt}(b*x^3 + a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^{(1/2)}, x)$

[Out] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^{(1/2)}, x)$

sympy [A] time = 8.04, size = 187, normalized size = 0.32

$$e \left(\begin{array}{l} \frac{x^3}{3\sqrt{a}} \quad \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} \quad \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} + \frac{fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)$

[Out] $e*\text{Piecewise}((x**3/(3*\text{sqrt}(a)), \text{Eq}(b, 0)), (2*\text{sqrt}(a + b*x**3)/(3*b), \text{True}))$
 $+ c*x*\text{gamma}(1/3)*\text{hyper}((1/3, 1/2), (4/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*\text{sqrt}(a)*\text{gamma}(4/3))$
 $+ d*x**2*\text{gamma}(2/3)*\text{hyper}((1/2, 2/3), (5/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*\text{sqrt}(a)*\text{gamma}(5/3))$
 $+ f*x**4*\text{gamma}(4/3)*\text{hyper}((1/2, 4/3), (7/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*\text{sqrt}(a)*\text{gamma}(7/3))$
 $+ g*x**5*\text{gamma}(5/3)*\text{hyper}((1/2, 5/3), (8/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*\text{sqrt}(a)*\text{gamma}(8/3))$

$$3.67 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=594

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+bc) + (1-\sqrt{3})\sqrt{a+bx^3}\right)$$

$$3^4\sqrt{3} ab^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

[Out] $2/3*x*(b*c-a*f+(-a*g+b*d)*x+b*e*x^2)/a/b/(b*x^3+a)^{(1/2)}-2/3*e*(b*x^3+a)^{(1/2)}/a/b-2/3*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*(-4*a*g+b*d)*(a^{(1/3)}+b^{(1/3)*x})*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/9*(a^{(1/3)}+b^{(1/3)*x})*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I)*(b^{(1/3)*(2*a*f+b*c)}+a^{(1/3)*(-4*a*g+b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(3/4)}/a/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 594, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1858, 1886, 261, 1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+bc) + (1-\sqrt{3})\sqrt{a+bx^3}\right)$$

$$3^4\sqrt{3} ab^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x]

[Out] $(2*x*(b*c - a*f + (b*d - a*g)*x + b*e*x^2))/(3*a*b*\text{Sqrt}[a + b*x^3]) - (2*e*\text{Sqrt}[a + b*x^3])/(3*a*b) - (2*(b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(3*a*b^{(5/3)}*(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*(b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])*EllipticE[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(3^{(3/4)}*a^{(2/3)*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])*Sqrt[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{(1/3)}*(b*c + 2*a*f) + (1 - \text{Sqrt}[3])*a^{(1/3)}*(b*d - 4*a*g))*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])*EllipticF[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(3*3^{(1/4)}*a*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])*Sqrt[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2])*EllipticF[ArcSin[\frac{(1 - Sqrt[3])*s + r*x}{(1 + Sqrt[3])*s + r*x}], -7 - 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{3/2}} dx &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{1}{2}b(bc+2af) + \frac{1}{2}b(bd-4ag)x + \frac{3}{2}b^2ex^2}{\sqrt{a+bx^3}} dx}{3ab^2} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{1}{2}b(bc+2af) + \frac{1}{2}b(bd-4ag)x}{\sqrt{a+bx^3}} dx}{3ab^2} - \frac{e \int \frac{x^2}{\sqrt{a+bx^3}} dx}{a} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2e\sqrt{a + bx^3}}{3ab} - \frac{(bd - 4ag) \int \frac{(1-\sqrt{3})\sqrt[3]{a+bx^3}}{\sqrt{a+bx^3}} dx}{3ab^{4/3}} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2e\sqrt{a + bx^3}}{3ab} - \frac{2(bd - 4ag)\sqrt{a + bx^3}}{3ab^{5/3} \left((1 + \sqrt{3})\sqrt[3]{a + bx^3} + 1 \right)}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 130, normalized size = 0.22

$$\frac{2x\sqrt{\frac{bx^3}{a} + 1}(2af + bc) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3x^2\sqrt{\frac{bx^3}{a} + 1}(bd - 4ag) {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4a(e + x(f - 3gx)) + \dots}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x]

[Out] (4*b*c*x - 4*a*(e + x*(f - 3*g*x)) + 2*(b*c + 2*a*f)*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*(b*d - 4*a*g)*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)])/(6*a*b*Sqrt[a + b*x^3])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 1547, normalized size = 2.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^{(3/2)}, x)$

[Out] $g*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x^2-8/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+f*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x-4/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*e/b/(b*x^3+a)^{(1/2)}+d*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x^2+2/9*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x-2/9*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^{(3/2)}, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x)`

[Out] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x)`

sympy [A] time = 32.60, size = 189, normalized size = 0.32

$$e \left(\begin{array}{l} -\frac{2}{3b\sqrt{a+bx^3}} \quad \text{for } b \neq 0 \\ \frac{x^3}{3a^2} \quad \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)`

[Out] `e*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3)) + f*x**4*gamma(4/3)*hyper((4/3, 3/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3)) + g*x**5*gamma(5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(8/3))`

$$3.68 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{5/2}} dx$$

Optimal. Leaf size=628

$$\frac{\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} (4ag+5bd) E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{9 \cdot 3^{3/4} a^{5/3} b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}} \cdot \frac{2\sqrt{a+bx^3}}{27a^2b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}$$

[Out] $2/9*x*(b*c-a*f+(-a*g+b*d)*x+b*e*x^2)/a/b/(b*x^3+a)^{(3/2)}-2/27*(3*a*e-x*(7*b*c+2*a*f+(4*a*g+5*b*d)*x))/a^2/b/(b*x^3+a)^{(1/2)}-2/27*(4*a*g+5*b*d)*(b*x^3+a)^{(1/2)}/a^2/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/27*(4*a*g+5*b*d)*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(1/4)}/a^{(5/3)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/81*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(b^{(1/3)*(2*a*f+7*b*c)+a^{(1/3)*(4*a*g+5*b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^2/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 628, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1858, 1854, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+7bc) + (1-\sqrt{3})\right)}{27\sqrt[4]{3} a^2 b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x]

[Out] $(2*x*(b*c - a*f + (b*d - a*g)*x + b*e*x^2))/(9*a*b*(a + b*x^3)^{(3/2)}) - (2*(5*b*d + 4*a*g)*\text{Sqrt}[a + b*x^3])/(27*a^2*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*(3*a*e - x*(7*b*c + 2*a*f + (5*b*d + 4*a*g)*x)))/(27*a^2*b*\text{Sqrt}[a + b*x^3]) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*(5*b*d + 4*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(9*3^{(3/4)}*a^{(5/3)}*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/81*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(b^{(1/3)*(2*a*f+7*b*c)+a^{(1/3)*(4*a*g+5*b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^2/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s


```
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((
1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{5/2}} dx = \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2 \int \frac{-\frac{1}{2}b(7bc+2af) - \frac{1}{2}b(5bd+4ag)x - \frac{3}{2}b^2ex^2}{(a+bx^3)^{3/2}} dx}{9ab^2}$$

$$= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b\sqrt{a + bx^3}} + \frac{4}{27a^2b^2}$$

$$= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b\sqrt{a + bx^3}} - \frac{4}{27a^2b^2}$$

$$= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(5bd + 4ag)\sqrt{a + bx^3}}{27a^2b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b^2}$$

Mathematica [C] time = 0.22, size = 170, normalized size = 0.27

$$\frac{-4a^2(15e + x(5f + 27gx)) + 10x(a + bx^3)\sqrt{\frac{bx^3}{a} + 1}(2af + 7bc) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 40abx(5c + fx^3) + 27x^2(a + bx^3)}{270a^2b(a + bx^3)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x]

[Out] (140*b^2*c*x^4 + 40*a*b*x*(5*c + f*x^3) - 4*a^2*(15*e + x*(5*f + 27*g*x)) + 10*(7*b*c + 2*a*f)*x*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 27*(5*b*d + 4*a*g)*x^2*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 5/2, 5/3, -(b*x^3)/a])/(270*a^2*b*(a + b*x^3)^(3/2))

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^3x^9 + 3ab^2x^6 + 3a^2bx^3 + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2), x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^3*x^9 + 3*a*b^2*x^6 + 3*a^2*b*x^3 + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2), x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(5/2), x)

maple [B] time = 0.06, size = 1673, normalized size = 2.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x)

[Out]
$$g \cdot \frac{-2}{9} \cdot (b \cdot x^3 + a)^{1/2} / (x^3 + a/b)^{2/b} \cdot \frac{8}{27} \cdot (x^3 + a/b)^{1/2} / a/b \cdot x^{2+8/81} \cdot I/b^2/a^{3^{1/2}} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2}) \cdot (-a \cdot b^2)^{1/3} / b \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3}) / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b)^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}) + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2})) + f \cdot \frac{-2}{9} \cdot (b \cdot x^3 + a)^{1/2} / (x^3 + a/b)^{2/b} \cdot \frac{4}{27} \cdot (x^3 + a/b)^{1/2} / a/b \cdot x^{-4/81} \cdot I/b^2/a^{3^{1/2}} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3}) / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2})) - 2/9 \cdot e/b / (b \cdot x^3 + a)^{3/2} + d \cdot \frac{2}{9} \cdot (b \cdot x^3 + a)^{1/2} / (x^3 + a/b)^{2/a} \cdot \frac{10}{27} \cdot (x^3 + a/b)^{1/2} / a^2 \cdot x^{2+10/81} \cdot I/a^2 \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3}) / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}) + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2})) + c \cdot \frac{2}{9} \cdot (b \cdot x^3 + a)^{1/2} / (x^3 + a/b)^{2/a} \cdot \frac{14}{27} \cdot (x^3 + a/b)^{1/2} / a^2 \cdot x^{-14/81} \cdot I/a^2 \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3}) / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}), (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x)

[Out] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(5/2), x)

[Out] Timed out

$$3.69 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{7/2}} dx$$

Optimal. Leaf size=676

$$\frac{\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} (4ag+11bd) E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{27 \cdot 3^{3/4} a^{8/3} b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}} \frac{2\sqrt{a+bx^3}}{81a^3b^{5/3} \left(\sqrt{a+bx^3}\right)}$$

[Out] $2/15*x*(b*c-a*f+(-a*g+b*d)*x+b*e*x^2)/a/b/(b*x^3+a)^{(5/2)}-2/135*(9*a*e-x*(13*b*c+2*a*f+(4*a*g+11*b*d)*x))/a^2/b/(b*x^3+a)^{(3/2)}+2/405*x*(14*a*f+91*b*c+5*(4*a*g+11*b*d)*x)/a^3/b/(b*x^3+a)^{(1/2)}-2/81*(4*a*g+11*b*d)*(b*x^3+a)^{(1/2)}/a^3/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/81*(4*a*g+11*b*d)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)*3^{(1/4)}/a^{(8/3)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)+2/1215*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(7*b^{(1/3)*(2*a*f+13*b*c)+5*a^{(1/3)*(4*a*g+11*b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)*3^{(3/4)}/a^3/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)}$

Rubi [A] time = 0.67, antiderivative size = 676, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1858, 1854, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) (7\sqrt[3]{b}(2af+13bc)+5(14ag+11bd))}{405\sqrt[3]{3} a^3 b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x]

[Out] $(2*x*(b*c - a*f + (b*d - a*g)*x + b*e*x^2))/(15*a*b*(a + b*x^3)^{(5/2)}) + (2*x*(7*(13*b*c + 2*a*f) + 5*(11*b*d + 4*a*g)*x))/(405*a^3*b*sqrt[a + b*x^3]) - (2*(11*b*d + 4*a*g)*sqrt[a + b*x^3])/(81*a^3*b^{(5/3)}*((1 + sqrt[3])a^{(1/3) + b^{(1/3)*x}}) - (2*(9*a*e - x*(13*b*c + 2*a*f + (11*b*d + 4*a*g)*x)))/(135*a^2*b*(a + b*x^3)^{(3/2)}) + (sqrt[2 - sqrt[3]]*(11*b*d + 4*a*g)*(a^{(1/3) + b^{(1/3)*x}})*sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/(1 + sqrt[3])]*a^{(1/3) + b^{(1/3)*x}}]^2)*EllipticE[ArcSin[((1 - sqrt[3])*a^{(1/3) + b^{(1/3)*x}})/(1 + sqrt[3])*a^{(1/3) + b^{(1/3)*x}}], -7 - 4*sqrt[3]])/(27*3^{(3/4)}*a^{(8/3)}*b^{(5/3)}*sqrt[(a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})/(1 + sqrt[3])*a^{(1/3) + b^{(1/3)*x}})^2]*sqrt[a + b*x^3]) + (2*sqrt[2 + sqrt[3]]*(7*b^{(1/3)*(13*b*c + 2*a*f) + 5*(1 - sqrt[3])*a^{(1/3)*(11*b*d + 4*a*g)}*(a^{(1/3) + b^{(1/3)*x}})*sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/(1 + sqrt[3])*a^{(1/3) + b^{(1/3)*x}}]^2]*EllipticF[ArcSin[((1 - sqrt[3])*a^{(1/3) + b^{(1/3)*x}})/(1 + sqrt[3])*a^{(1/3) + b^{(1/3)*x}}], -7 - 4*sqrt[3]])/(405*3^{(1/4)}*a^3*b^{(5/3)}*sqrt[(a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})/(1 + sqrt[3])*a^{(1/3) + b^{(1/3)*x}})^2]*sqrt[a + b*x^3])]$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{7/2}} dx &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} - \frac{2 \int \frac{-\frac{1}{2}b(13bc+2af) - \frac{1}{2}b(11bd+4ag)x - \frac{9}{2}b^2ex^2}{(a+bx^3)^{5/2}} dx}{15ab^2} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} - \frac{2(9ae - x(13bc + 2af + (11bd + 4ag)x))}{135a^2b(a + bx^3)^{3/2}} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}} - \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}} - \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}}
\end{aligned}$$

Mathematica [C] time = 0.40, size = 196, normalized size = 0.29

$$\frac{-4a^3(297e + x(77f + 405gx)) + 44a^2bx(157c + 34fx^3) + 44ab^2x^4(221c + 14fx^3) + 154x(a + bx^3)^2\sqrt{\frac{bx^3}{a}}}{8910a^3b(a + bx^3)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x]

[Out] (4004*b^3*c*x^7 + 44*a*b^2*x^4*(221*c + 14*f*x^3) + 44*a^2*b*x*(157*c + 34*f*x^3) - 4*a^3*(297*e + x*(77*f + 405*g*x)) + 154*(13*b*c + 2*a*f)*x*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 405*(11*b*d + 4*a*g)*x^2*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 7/2, 5/3, -((b*x^3)/a)])/(8910*a^3*b*(a + b*x^3)^(5/2))

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^4x^{12} + 4ab^3x^9 + 6a^2b^2x^6 + 4a^3bx^3 + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2), x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^4*x^12 + 4*a*b^3*x^9 + 6*a^2*b^2*x^6 + 4*a^3*b*x^3 + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(7/2), x)

maple [B] time = 0.06, size = 1793, normalized size = 2.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x)

[Out]
$$g \cdot \left(\frac{-2}{15} (bx^3+a)^{1/2} / (x^3+a/b)^{3/2} b^4 x^2 + \frac{8}{135} (bx^3+a)^{1/2} / (x^3+a/b)^2 a/b^3 x^2 + \frac{8}{81} / ((x^3+a/b) \cdot b)^{1/2} / a^2 b x^2 + \frac{8}{243} I/a^2/b^2 \cdot 3^{1/2} \cdot (-ab^2)^{1/3} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-ab^2)^{1/3}/b) / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b))^{1/2} \cdot (-I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} / (bx^3+a)^{1/2} \cdot ((-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) + (-ab^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) \right) + f \cdot \left(\frac{-2}{15} (bx^3+a)^{1/2} / (x^3+a/b)^{3/2} b^4 x + \frac{4}{135} (bx^3+a)^{1/2} / (x^3+a/b)^2 a/b^3 x + \frac{28}{405} / ((x^3+a/b) \cdot b)^{1/2} / a^2 b x - \frac{8}{1215} I/a^2/b^2 \cdot 3^{1/2} \cdot (-ab^2)^{1/3} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-ab^2)^{1/3}/b) / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b))^{1/2} \cdot (-I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} / (bx^3+a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) - \frac{2}{15} e/b / (bx^3+a)^{5/2} + d \cdot \left(\frac{2}{15} (bx^3+a)^{1/2} / (x^3+a/b)^{3/2} a/b^3 x^2 + \frac{2}{135} (bx^3+a)^{1/2} / (x^3+a/b)^2 a^2/b^2 x^2 + \frac{22}{81} / ((x^3+a/b) \cdot b)^{1/2} / a^3 x^2 + \frac{22}{243} I/a^3 \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / b \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-ab^2)^{1/3}/b) / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b))^{1/2} \cdot (-I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} / (bx^3+a)^{1/2} \cdot ((-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) + (-ab^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) \right) + c \cdot \left(\frac{2}{15} (bx^3+a)^{1/2} / (x^3+a/b)^{3/2} a/b^3 x + \frac{26}{135} (bx^3+a)^{1/2} / (x^3+a/b)^2 a^2/b^2 x + \frac{182}{405} / ((x^3+a/b) \cdot b)^{1/2} / a^3 x - \frac{182}{1215} I/a^3 \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / b \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-ab^2)^{1/3}/b) / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b))^{1/2} \cdot (-I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2} / (bx^3+a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-ab^2)^{1/3}/b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) \cdot 3^{1/2}) / (-ab^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-ab^2)^{1/3} / (-3/2 \cdot (-ab^2)^{1/3}/b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-ab^2)^{1/3}/b) / b)^{1/2} \right) \right)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(7/2),x)

[Out] Timed out

3.70 $\int \frac{(a+bx)^2}{c+dx^3} dx$

Optimal. Leaf size=186

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c}-\sqrt[3]{d}x}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}d^{2/3}}$$

[Out] $-1/3*a*(2*b*c^{(1/3)}-a*d^{(1/3)})*\ln(c^{(1/3)}+d^{(1/3)*x}/c^{(2/3)}/d^{(2/3)}+1/6*a*(2*b*c^{(1/3)}-a*d^{(1/3)})*\ln(c^{(2/3)}-c^{(1/3)*d^{(1/3)*x}+d^{(2/3)*x^2}}/c^{(2/3)}/d^{(2/3)}+1/3*b^2*\ln(d*x^3+c)/d-1/3*a*(2*b*c^{(1/3)}+a*d^{(1/3)})*\arctan(1/3*(c^{(1/3)}-2*d^{(1/3)*x}/c^{(1/3)*3^{(1/2)}})/c^{(2/3)}/d^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.18, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c}-\sqrt[3]{d}x}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}d^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2/(c + d*x^3), x]

[Out] $-((a*(2*b*c^{(1/3)} + a*d^{(1/3)})*ArcTan[(c^{(1/3)} - 2*d^{(1/3)*x}/(Sqrt[3]*c^{(1/3)})])/(Sqrt[3]*c^{(2/3)*d^{(2/3)}})) - (a*(2*b*c^{(1/3)} - a*d^{(1/3)})*Log[c^{(1/3)} + d^{(1/3)*x}]/(3*c^{(2/3)*d^{(2/3)}}) + (a*(2*b*c^{(1/3)} - a*d^{(1/3)})*Log[c^{(2/3)} - c^{(1/3)*d^{(1/3)*x} + d^{(2/3)*x^2}}]/(6*c^{(2/3)*d^{(2/3)}}) + (b^2*Log[c + d*x^3])/(3*d)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+bx)^2}{c+dx^3} dx &= b^2 \int \frac{x^2}{c+dx^3} dx + \int \frac{a^2+2abx}{c+dx^3} dx \\ &= \frac{b^2 \log(c+dx^3)}{3d} + \frac{\int \frac{\sqrt[3]{c}(2ab\sqrt[3]{c}+2a^2\sqrt[3]{d})+(2ab\sqrt[3]{c}-a^2\sqrt[3]{d})\sqrt[3]{d}x}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2} dx}{3c^{2/3}\sqrt[3]{d}} - \frac{(2ab\sqrt[3]{c}-a^2\sqrt[3]{d}) \int \frac{1}{\sqrt[3]{c}+\sqrt[3]{d}x} dx}{3c^{2/3}\sqrt[3]{d}} \\ &= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} + \frac{1}{2} \left(a \left(\frac{a}{\sqrt[3]{c}} + \frac{2b}{\sqrt[3]{d}} \right) \right) \int \frac{1}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x} dx \\ &= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} \\ &= -\frac{a(2b\sqrt[3]{c}+a\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} \end{aligned}$$

Mathematica [A] time = 0.09, size = 200, normalized size = 1.08

$$\frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}+2abc^{2/3}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6cd^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2/(c + d*x^3), x]

[Out] ((2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*ArcTan[(-c^(1/3) + 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c*d^(2/3)) + ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(1/3) + d^(1/3)*x]/(3*c*d^(2/3)) - ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c*d^(2/3)) + (b^2*Log[c + d*x^3])/(3*d)

fricas [C] time = 3.16, size = 5014, normalized size = 26.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="fricas")
[Out] -1/12*(2*(2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3)
+ 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*
b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(
1/3)*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*
b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(
3) + 1) - 2*b^2/d)*d*log(2*b^5*c^2 + 7*a^3*b^2*c*d + 1/2*(2*(1/2)^(2/3)*(b^
4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^6/d^3 + (8*b^3*c
+ a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*
a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(1/3)*(2*b^6/d^3 + (8*b^3*c
+ a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*
a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(3) + 1) - 2*b^2/d)^2*b*c^2*
d^2 + 1/2*(4*b^3*c^2*d - a^3*c*d^2)*(2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^
3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^
2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2
)/(c^2*d^3))^(1/3) + (1/2)^(1/3)*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^
2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2
)/(c^2*d^3))^(1/3)*(I*sqrt(3) + 1) - 2*b^2/d) + (8*a^2*b^3*c*d + a^5*d^2)*x
) - (6*b^2 + (2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sq
rt(3) + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b
*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1
/2)^(1/3)*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b
*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*s
qrt(3) + 1) - 2*b^2/d)*d + 3*sqrt(1/3)*d*sqrt(-(4*b^4*c + 32*a^3*b*d + 4*(2
*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^
6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3)
+ (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(1/3)*(2*b^
6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3)
+ (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(3) + 1) - 2
*b^2/d)*b^2*c*d + (2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-
I*sqrt(3) + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*
a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)
+ (1/2)^(1/3)*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*
a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)
*(I*sqrt(3) + 1) - 2*b^2/d)^2*c*d^2)/(c*d^2)))*log(-2*b^5*c^2 - 7*a^3*b^2*c
*d - 1/2*(2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3)
+ 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*
b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(
1/3)*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*
b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(
3) + 1) - 2*b^2/d)^2*b*c^2*d^2 - 1/2*(4*b^3*c^2*d - a^3*c*d^2)*(2*(1/2)^(2/
3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^6/d^3 + (8
*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^
2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(1/3)*(2*b^6/d^3 + (8
*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^
2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(3) + 1) - 2*b^2/d) +
2*(8*a^2*b^3*c*d + a^5*d^2)*x + 3/2*sqrt(1/3)*(2*b^3*c^2*d + a^3*c*d^2 + (2
*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^
6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3)
+ (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3) + (1/2)^(1/3)*(2*b^
6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3)
+ (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^(1/3)*(I*sqrt(3) + 1) - 2
*b^2/d)*b*c^2*d^2)*sqrt(-(4*b^4*c + 32*a^3*b*d + 4*(2*(1/2)^(2/3)*(b^4/d^2
```


giac [A] time = 0.18, size = 175, normalized size = 0.94

$$\frac{b^2 \log(|dx^3 + c|)}{3d} - \frac{\sqrt{3} \left(a^2 d - 2 \left(-cd^2 \right)^{\frac{1}{3}} ab \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3 \left(-cd^2 \right)^{\frac{2}{3}}} - \frac{\left(a^2 d + 2 \left(-cd^2 \right)^{\frac{1}{3}} ab \right) \log \left(x^2 + x \left(-\frac{c}{d} \right)^{\frac{1}{3}} + \left(-\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 \left(-cd^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="giac")

[Out] 1/3*b^2*log(abs(d*x^3 + c))/d - 1/3*sqrt(3)*(a^2*d - 2*(-c*d^2)^(1/3)*a*b)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/(-c/d)^(1/3))/(-c*d^2)^(2/3) - 1/6*(a^2*d + 2*(-c*d^2)^(1/3)*a*b)*log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/(-c*d^2)^(2/3) - 1/3*(2*a*b*d*(-c/d)^(1/3) + a^2*d)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(c*d)

maple [A] time = 0.05, size = 211, normalized size = 1.13

$$\frac{\sqrt{3} a^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{a^2 \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} - \frac{a^2 \ln \left(x^2 - \left(\frac{c}{d} \right)^{\frac{1}{3}} x + \left(\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{2\sqrt{3} ab \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}} d} + \frac{2ab \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2/(d*x^3+c),x)

[Out] 1/3*a^2/d/(c/d)^(2/3)*ln(x+(c/d)^(1/3))-1/6*a^2/d/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))+1/3*a^2/d/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))-2/3*a*b/d/(c/d)^(1/3)*ln(x+(c/d)^(1/3))+1/3*a*b/d/(c/d)^(1/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))+2/3*a*b*3^(1/2)/d/(c/d)^(1/3)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))+1/3*b^2*ln(d*x^3+c)/d

maxima [A] time = 2.92, size = 192, normalized size = 1.03

$$\frac{\sqrt{3} \left(2b^2c - \left(6ab \left(\frac{c}{d} \right)^{\frac{2}{3}} + 3a^2 \left(\frac{c}{d} \right)^{\frac{1}{3}} + \frac{2b^2c}{d} \right) d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{9cd} + \frac{\left(2b^2 \left(\frac{c}{d} \right)^{\frac{2}{3}} + 2ab \left(\frac{c}{d} \right)^{\frac{1}{3}} - a^2 \right) \log \left(x^2 - x \left(\frac{c}{d} \right)^{\frac{1}{3}} + \left(\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6d \left(\frac{c}{d} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*b^2*c - (6*a*b*(c/d)^(2/3) + 3*a^2*(c/d)^(1/3) + 2*b^2*c/d)*d)*arctan(1/3*sqrt(3)*(2*x - (c/d)^(1/3))/(c/d)^(1/3))/(c*d) + 1/6*(2*b^2*(c/d)^(2/3) + 2*a*b*(c/d)^(1/3) - a^2)*log(x^2 - x*(c/d)^(1/3) + (c/d)^(2/3))/(d*(c/d)^(2/3)) + 1/3*(b^2*(c/d)^(2/3) - 2*a*b*(c/d)^(1/3) + a^2)*log(x + (c/d)^(1/3))/(d*(c/d)^(2/3))

mupad [B] time = 0.26, size = 357, normalized size = 1.92

$$\sum_{k=1}^3 \ln \left(b^4 c + \text{root} \left(27 c^2 d^3 z^3 - 27 b^2 c^2 d^2 z^2 + 18 a^3 b c d^2 z + 9 b^4 c^2 d z + 2 a^3 b^3 c d - b^6 c^2 - a^6 d^2, z, k \right)^2 c d^2 9 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x)^2/(c + d*x^3),x)`

[Out] `symsum(log(b^4*c + 9*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)^2*c*d^2 + 2*a^3*b*d - 6*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)*b^2*c*d + 3*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)*a^2*d^2*x + 3*a^2*b^2*d*x)*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k), k, 1, 3)`

sympy [A] time = 1.38, size = 156, normalized size = 0.84

$$\text{RootSum}\left(27t^3c^2d^3 - 27t^2b^2c^2d^2 + t(18a^3bcd^2 + 9b^4c^2d) - a^6d^2 + 2a^3b^3cd - b^6c^2, \left(t \mapsto t \log\left(x + \frac{18t^2bc^2d^2}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**2/(d*x**3+c),x)`

[Out] `RootSum(27*_t**3*c**2*d**3 - 27*_t**2*b**2*c**2*d**2 + _t*(18*a**3*b*c*d**2 + 9*b**4*c**2*d) - a**6*d**2 + 2*a**3*b**3*c*d - b**6*c**2, Lambda(_t, _t*log(x + (18*_t**2*b*c**2*d**2 + 3*_t*a**3*c*d**2 - 12*_t*b**3*c**2*d + 7*a**3*b**2*c*d + 2*b**5*c**2)/(a**5*d**2 + 8*a**2*b**3*c*d))))`

3.71 $\int \frac{(a+bx)^3}{c+dx^3} dx$

Optimal. Leaf size=222

$$\frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} - \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}}$$

[Out] $b^3x/d - 1/3*(b^3c + 3a^2b*c^{1/3}*d^{2/3} - a^3*d)*\ln(c^{1/3} + d^{1/3}*x)/c^{2/3}/d^{4/3} + 1/6*(b^3c + 3a^2b*c^{1/3}*d^{2/3} - a^3*d)*\ln(c^{2/3} - c^{1/3}*d^{1/3}*x + d^{2/3}*x^2)/c^{2/3}/d^{4/3} + a*b^2*\ln(d*x^3 + c)/d + 1/3*(b^3c - 3a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\arctan(1/3*(c^{1/3} - 2*d^{1/3}*x)/c^{1/3}*3^{1/2})/c^{2/3}/d^{4/3}*3^{1/2}$

Rubi [A] time = 0.32, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(\sqrt[3]{c} - \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^3/(c + d*x^3), x]

[Out] $(b^3*x)/d + ((b^3*c - 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{ArcTan}[(c^{1/3} - 2*d^{1/3}*x)/(\text{Sqrt}[3]*c^{1/3})]) / (\text{Sqrt}[3]*c^{2/3}*d^{4/3}) - ((b^3*c + 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{Log}[c^{1/3} + d^{1/3}*x]) / (3*c^{2/3}*d^{4/3}) + ((b^3*c + 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{Log}[c^{2/3} - c^{1/3}*d^{1/3}*x + d^{2/3}*x^2]) / (6*c^{2/3}*d^{4/3}) + (a*b^2*\text{Log}[c + d*x^3]) / d$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx)^3}{c + dx^3} dx &= \int \left(\frac{b^3}{d} - \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{d(c + dx^3)} \right) dx \\
 &= \frac{b^3x}{d} - \frac{\int \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{c + dx^3} dx}{d} \\
 &= \frac{b^3x}{d} + (3ab^2) \int \frac{x^2}{c + dx^3} dx - \frac{\int \frac{b^3c - a^3d - 3a^2bdx}{c + dx^3} dx}{d} \\
 &= \frac{b^3x}{d} + \frac{ab^2 \log(c + dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c}(-3a^2b\sqrt[3]{c}d + 2\sqrt[3]{d}(b^3c - a^3d)) + \sqrt[3]{d}(-3a^2b\sqrt[3]{c}d - \sqrt[3]{d}(b^3c - a^3d))x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}d^{4/3}} - \frac{(b^3c}{d} \\
 &= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{ab^2 \log(c + dx^3)}{d} - \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3}}{d} \\
 &= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(c^{2/3} - \sqrt[3]{d}x)}{6c^{2/3}d^{4/3}} \\
 &= \frac{b^3x}{d} + \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 214, normalized size = 0.96

$$(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - 2(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x) + 2$$

$$6c^{2/3}d^{4/3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^3/(c + d*x^3),x]

[Out] $(6*b^3*c^{(2/3)*d^{(1/3)*x} + 2*\text{Sqrt}[3]*(b^3*c - 3*a^2*b*c^{(1/3)*d^{(2/3)} - a^3*d)*\text{ArcTan}[(1 - (2*d^{(1/3)*x})/c^{(1/3)})/\text{Sqrt}[3]] - 2*(b^3*c + 3*a^2*b*c^{(1/3)*d^{(2/3)} - a^3*d)*\text{Log}[c^{(1/3)} + d^{(1/3)*x}] + (b^3*c + 3*a^2*b*c^{(1/3)*d^{(2/3)} - a^3*d)*\text{Log}[c^{(2/3)} - c^{(1/3)*d^{(1/3)*x} + d^{(2/3)*x^2}] + 6*a*b^2*c^{(2/3)*d^{(1/3)*\text{Log}[c + d*x^3]})/(6*c^{(2/3)*d^{(4/3)}}$

fricas [C] time = 5.13, size = 7245, normalized size = 32.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c),x, algorithm="fricas")

[Out] $\frac{1}{12}*(12*b^3*x - 2*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\text{sqrt}(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\text{sqrt}(3) + 1))*d*\log(-3*a*b^8*c^3 + 15*a^4*b^5*c^2*d + 15*a^7*b^2*c*d^2 + 3/4*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\text{sqrt}(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*a^2*b*c^2*d^3 - 1/2*(b^6*c^3*d - 20*a^3*b^3*c^2*d^2 + a^6*c*d^3)*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\text{sqrt}(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\text{sqrt}(3) + 1)) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)*(I*\text{sqrt}(3) + 1)) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)*x) + (18*a*b^2 + (6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\text{sqrt}(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\text{sqrt}(3) + 1))*d + 3*\text{sqrt}(1/3)*d*\text{sqrt}((12*a^2*b^4*c - 48*a^5*b*d - 12*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\text{sqrt}(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\text{sqrt}(3) + 1))$

$$\begin{aligned}
& (2a^2b^4c + a^5bd)/(cd^2) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1) * ab^2cd - (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1))^{2cd^2} / (cd^2)) * \log(3ab^8c^3 - 15a^4b^5c^2d - 15a^7b^2cd^2 - 3/4 * (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1))^{2a^2b^2c^2d^3} + 1/2 * (b^6c^3d - 20a^3b^3c^2d^2 + a^6cd^3) * (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1)) - 2 * (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3) * x - 3/4 * \sqrt{1/3} * (2b^6c^3d + 14a^3b^3c^2d^2 + 2a^6cd^3 + 3 * (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1)) * a^2b^2c^2d^3) * \sqrt{((12a^2b^4c - 48a^5bd - 12 * (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1)) * ab^2cd - (6(1/2)^{2/3} * (3a^2b^4/d^2 - (2a^2b^4c + a^5bd)/(cd^2)) * (-I\sqrt{3} + 1) / (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} - 6ab^2/d + (1/2)^{1/3} * (54a^3b^6/d^3 - 27(2a^2b^4c + a^5bd) * ab^2/(cd^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3cd^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1))^{2cd^2} / (cd^2)))/d
\end{aligned}$$

giac [A] time = 0.19, size = 214, normalized size = 0.96

$$\frac{b^3x}{d} + \frac{ab^2 \log(|dx^3 + c|)}{d} + \frac{\sqrt{3} \left(b^3c - a^3d + 3(-cd^2)^{\frac{1}{3}} a^2b \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3(-cd^2)^{\frac{2}{3}}} + \frac{\left(b^3c - a^3d - 3(-cd^2)^{\frac{1}{3}} a^2b \right)}{6 \left(\frac{c}{d} \right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c),x, algorithm="giac")

[Out] $b^3x/d + a^3 \ln(x + (c/d)^{1/3}) + 1/3 \sqrt{3} (b^3c - a^3d + 3(-cd^2)^{1/3} a^2b) \arctan(1/3 \sqrt{3} (2x + (c/d)^{1/3}) / (-c/d)^{1/3}) / (-cd^2)^{2/3} + 1/6 (b^3c - a^3d - 3(-cd^2)^{1/3} a^2b) \log(x^2 + x(-c/d)^{1/3} + (-c/d)^{2/3}) / (-cd^2)^{2/3} - 1/3 (3a^2b d^3 (-c/d)^{1/3} - b^3c d^2 + a^3 d^3) (-c/d)^{1/3} \log(\text{abs}(x - (-c/d)^{1/3})) / (cd^3)$

maple [A] time = 0.05, size = 325, normalized size = 1.46

$$\frac{\sqrt{3} a^3 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{a^3 \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} - \frac{a^3 \ln \left(x^2 - \left(\frac{c}{d} \right)^{\frac{1}{3}} x + \left(\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{\sqrt{3} a^2 b \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}} d} - \frac{a^2 b \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^3/(d*x^3+c),x)

[Out] $b^3x/d + 1/3 d / (c/d)^{2/3} \ln(x + (c/d)^{1/3}) + a^3 - 1/3 d^2 / (c/d)^{2/3} \ln(x + (c/d)^{1/3}) + b^3c - 1/6 d / (c/d)^{2/3} \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) + a^3 + 1/6 d^2 / (c/d)^{2/3} \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) + b^3c + 1/3 d / (c/d)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(c/d)^{1/3} x - 1)) + a^3 - 1/3 d^2 / (c/d)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(c/d)^{1/3} x - 1)) + b^3c - 1/d a^2 b / (c/d)^{1/3} \ln(x + (c/d)^{1/3}) + 1/2 d a^2 b / (c/d)^{1/3} \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) + 1/d a^2 b 3^{1/2} / (c/d)^{1/3} \arctan(1/3 3^{1/2} (2/(c/d)^{1/3} x - 1)) + a^3 b^2 \ln(d x^3 + c) / d$

maxima [A] time = 2.96, size = 240, normalized size = 1.08

$$\frac{b^3x}{d} - \frac{\sqrt{3} \left(\left(b^3 \left(\frac{c}{d} \right)^{\frac{1}{3}} + 2ab^2 \right) c - \left(3a^2b \left(\frac{c}{d} \right)^{\frac{2}{3}} + a^3 \left(\frac{c}{d} \right)^{\frac{1}{3}} + \frac{2ab^2c}{d} \right) d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3cd} + \frac{\left(b^3c + \left(6ab^2 \left(\frac{c}{d} \right)^{\frac{2}{3}} + 3a^3 \right) d \right) \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c),x, algorithm="maxima")

[Out] $b^3x/d - 1/3 \sqrt{3} ((b^3(c/d)^{1/3} + 2a^2b^2)c - (3a^2b(c/d)^{2/3} + a^3(c/d)^{1/3} + 2ab^2c/d)) \arctan(1/3 \sqrt{3} (2x - (c/d)^{1/3}) / (c/d)^{1/3}) / (cd) + 1/6 (b^3c + (6a^2b^2(c/d)^{2/3} + 3a^3b^2(c/d)^{1/3} - a^3)d) \log(x^2 - x(c/d)^{1/3} + (c/d)^{2/3}) / (d^2(c/d)^{2/3}) - 1/3 (b^3c - (3a^2b^2(c/d)^{2/3} - 3a^2b(c/d)^{1/3} + a^3)d) \log(x + (c/d)^{1/3}) / (d^2(c/d)^{2/3})$

mupad [B] time = 5.14, size = 370, normalized size = 1.67

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(27c^2d^4z^3 - 81ab^2c^2d^3z^2 + 54a^2b^4c^2d^2z + 27a^5bcd^3z + 3a^6b^3cd^2 - 3a^3b^6c^2d + b^9c^3 - a^9d^3, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)^3/(c + d*x^3), x)

[Out] symsum(log(root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k)*(x*(3*a^3*d^2 - 3*b^3*c*d) + 9*root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k))*c*d^2 - 18*a*b^2*c*d) + x*(6*a^4*b^2*d + 3*a*b^5*c) + 6*a^2*b^4*c + 3*a^5*b*d)*root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k), k, 1, 3) + (b^3*x)/d

sympy [A] time = 5.71, size = 245, normalized size = 1.10

$$\frac{b^3x}{d} + \text{RootSum}\left(27t^3c^2d^4 - 81t^2ab^2c^2d^3 + t(27a^5bcd^3 + 54a^2b^4c^2d^2) - a^9d^3 + 3a^6b^3cd^2 - 3a^3b^6c^2d + b^9c^3, (t \mapsto \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**3/(d*x**3+c), x)

[Out] b**3*x/d + RootSum(27*_t**3*c**2*d**4 - 81*_t**2*a*b**2*c**2*d**3 + _t*(27*a**5*b*c*d**3 + 54*a**2*b**4*c**2*d**2) - a**9*d**3 + 3*a**6*b**3*c*d**2 - 3*a**3*b**6*c**2*d + b**9*c**3, Lambda(_t, _t*log(x + (27*_t**2*a**2*b*c**2*d**3 + 3*_t*a**6*c*d**3 - 60*_t*a**3*b**3*c**2*d**2 + 3*_t*b**6*c**3*d + 15*a**7*b**2*c*d**2 + 15*a**4*b**5*c**2*d - 3*a*b**8*c**3)/(a**9*d**3 + 24*a**6*b**3*c*d**2 + 3*a**3*b**6*c**2*d - b**9*c**3))))

$$3.72 \quad \int \frac{(a+bx)^4}{c+dx^3} dx$$

Optimal. Leaf size=282

$$\frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{5/3}} + \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{3c^{2/3}d^{5/3}}$$

[Out] $4*a*b^3*x/d + 1/2*b^4*x^2/d + 1/3*(b*c^{(1/3)}*(-4*a^3*d+b^3*c)-d^{(1/3)}*(-a^4*d+4*a*b^3*c))*\ln(c^{(1/3)}+d^{(1/3)*x}/c^{(2/3)}/d^{(5/3)}-1/6*(b*c^{(1/3)}*(-4*a^3*d+b^3*c)-d^{(1/3)}*(-a^4*d+4*a*b^3*c))*\ln(c^{(2/3)}-c^{(1/3)*d^{(1/3)}*x+d^{(2/3)*x^2})/c^{(2/3)}/d^{(5/3)}+2*a^2*b^2*\ln(d*x^3+c)/d+1/3*(b^4*c^{(4/3)}+4*a*b^3*c*d^{(1/3)}-4*a^3*b*c^{(1/3)*d}-a^4*d^{(4/3)})*\arctan(1/3*(c^{(1/3)}-2*d^{(1/3)*x}/c^{(1/3)}*3^{(1/2)})/c^{(2/3)}/d^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 280, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(-\frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}} + a^4(-d) + 4ab^3c\right) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} + \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{3c^{2/3}d^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^4/(c + d*x^3), x]

[Out] $(4*a*b^3*x)/d + (b^4*x^2)/(2*d) + ((b^4*c^{(4/3)} + 4*a*b^3*c*d^{(1/3)} - 4*a^3*b*c^{(1/3)*d} - a^4*d^{(4/3)})*\text{ArcTan}[(c^{(1/3)} - 2*d^{(1/3)*x})/(\text{Sqrt}[3]*c^{(1/3)})])/(\text{Sqrt}[3]*c^{(2/3)*d^{(5/3)}}) + ((b*c^{(1/3)}*(b^3*c - 4*a^3*d) - d^{(1/3)}*(4*a*b^3*c - a^4*d))*\text{Log}[c^{(1/3)} + d^{(1/3)*x}]/(3*c^{(2/3)*d^{(5/3)}}) + ((4*a*b^3*c - a^4*d - (b*c^{(1/3)}*(b^3*c - 4*a^3*d))/d^{(1/3)})*\text{Log}[c^{(2/3)} - c^{(1/3)*d^{(1/3)*x} + d^{(2/3)*x^2}}]/(6*c^{(2/3)*d^{(4/3)}}) + (2*a^2*b^2*\text{Log}[c + d*x^3])/d$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+bx)^4}{c+dx^3} dx &= \int \left(\frac{4ab^3}{d} + \frac{b^4x}{d} - \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{d(c+dx^3)} \right) dx \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{c+dx^3} dx}{d} \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + (6a^2b^2) \int \frac{x^2}{c+dx^3} dx - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x}{c+dx^3} dx}{d} \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c} (b \sqrt[3]{c} (b^3c - 4a^3d) + 2 \sqrt[3]{d} (4ab^3c - a^4d)) + \sqrt[3]{d} (b \sqrt[3]{c} (b^3c - 4a^3d) - \sqrt[3]{d} (4ab^3c - a^4d))}{c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2} dx}{3c^{2/3}d^{4/3}} \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}}\right) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{(b^4c^{4/3})}{d} \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}}\right) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}}\right)}{6c^{2/3}d^{4/3}} \\ &= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{(b^4c^{4/3} + 4ab^3c \sqrt[3]{d} - 4a^3b \sqrt[3]{c} d - a^4d^{4/3}) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2 \sqrt[3]{d}x}{\sqrt{3} \sqrt[3]{c}}\right)}{\sqrt{3} c^{2/3} d^{5/3}} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}}\right)}{6c^{2/3}d^{4/3}} \end{aligned}$$

Mathematica [A] time = 0.37, size = 277, normalized size = 0.98

$$\frac{12a^2b^2d^{2/3} \log(c + dx^3) - \frac{(a^4d^{4/3} - 4a^3b\sqrt[3]{cd} - 4ab^3c\sqrt[3]{d} + b^4c^{4/3}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{c^{2/3}} + \frac{2(a^4d^{4/3} - 4a^3b\sqrt[3]{cd} - 4ab^3c\sqrt[3]{d} + b^4c^{4/3}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{c^{2/3}}}{6d^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^4/(c + d*x^3), x]

[Out] (24*a*b^3*d^(2/3)*x + 3*b^4*d^(2/3)*x^2 + (2*sqrt[3]*(b^4*c^(4/3) + 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d - a^4*d^(4/3))*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/sqrt[3]])/c^(2/3) + (2*(b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(1/3) + d^(1/3)*x])/c^(2/3) - ((b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/c^(2/3) + 12*a^2*b^2*d^(2/3)*Log[c + d*x^3]/(6*d^(5/3))

fricas [C] time = 13.21, size = 8787, normalized size = 31.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c), x, algorithm="fricas")

[Out] 1/12*(6*b^4*x^2 + 48*a*b^3*x + 2*(12*a^2*b^2/d - 2*(1/2)^(2/3)*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*sqrt(3) + 1))/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3) - (1/2)^(1/3)*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3)*(I*sqrt(3) + 1))*d*log(-8*a*b^11*c^4 - 66*a^4*b^8*c^3*d + 48*a^7*b^5*c^2*d^2 + 26*a^10*b^2*c*d^3 - 1/4*(b^4*c^3*d^3 - 4*a^3*b*c^2*d^4)*(12*a^2*b^2/d - 2*(1/2)^(2/3)*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*sqrt(3) + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3) - (1/2)^(1/3)*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3)*(I*sqrt(3) + 1))^2 + 1/2*(28*a^2*b^6*c^3*d^2 - 56*a^5*b^3*c^2*d^3 + a^8*c*d^4)*(12*a^2*b^2/d - 2*(1/2)^(2/3)*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*sqrt(3) + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3) - (1/2)^(1/3)*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3)*(I*sqrt(3) + 1)) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)*x) + (36*a^2*b^2 - (12*a^2*b^2/d - 2*(1/2)^(2/3)*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*sqrt(3) + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3) - (1/2)^(1/3)*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^(1/3)*(I*sqrt(3) + 1))

$$\begin{aligned} & a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} \\ & - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - \\ & a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))*d + 3\sqrt{1/3} \\ & *d*\sqrt{-(64a^3b^7c^2 - 128a^4b^4cd + 64a^7b^2d^2 - 24*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))*a^2b^2cd^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))^2cd^3/(cd^3)))*\log(8a^3b^{11}c^4 + 66a^4b^8c^3d - 48a^7b^5c^2d^2 - 26a^{10}b^2cd^3 + 1/4*(b^4c^3d^3 - 4a^3b^2c^2d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))^2 - 1/2*(28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + a^8cd^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))^2 - 2*(b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)*x + 3/4*\sqrt{1/3}*(20a^2b^6c^3d^2 + 32a^5b^3c^2d^3 + 2a^8cd^4 + (b^4c^3d^3 - 4a^3b^2c^2d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1)))*\sqrt{-(64a^3b^7c^2 - 128a^4b^4cd + 64a^7b^2d^2 - 24*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)))*(-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)^{(1/3)}*(I\sqrt{3} + 1))} \end{aligned}$$

$$\begin{aligned}
& - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (\\
& b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4 \\
&)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 + 19a^4 \\
& 4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 5 \\
& 2a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6 \\
& b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1) \\
&)*a^2b^2c^3d^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/ \\
& d^3 - 18*(4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d \\
& + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9 \\
& b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 \\
& + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c \\
& *d^3)/(c^3d^3)) + (36a^2b^2 - (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d \\
& ^2 - (4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I*\text{sqrt}(3) + 1) \\
& / (432a^6b^6/d^3 - 18*(4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2 \\
& / (c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2 \\
& *d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + \\
& a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3 \\
& d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d \\
& + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt} \\
& (3) + 1))*d - 3*\text{sqrt}(1/3)*d*\text{sqrt}(-(64a^7b^7c^2 - 128a^4b^4c^3d + 64a^7 \\
& b^3d^2 - 24*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^7b^7c^2 + \\
& 19a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - \\
& 18*(4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d \\
& + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3 \\
& d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 \\
& + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))*a^2b^2c^3d^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 18*(4 \\
& a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52 \\
& a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d \\
& + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 \\
& + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3 \\
& d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 \\
& + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c*d^3)/(c^3d^3)) * \log(8a^7b^7c^2 + 66a^4b^8c^3d - 48a^7b^5c^2d^2 - 26a^{10}b^2 \\
& *c^3d^3 + 1/4*(b^4c^3d^3 - 4a^3b^3c^2d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(\\
& 36a^4b^4/d^2 - (4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I \\
& *\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 18*(4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3 \\
& d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) \\
& / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) \\
& / (c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 + 19a^4b^4c^3d \\
& + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) \\
& / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) \\
& / (c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a^7b^7c^2 + 19a^4b^4c^3d \\
& + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) \\
& / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) \\
& / (c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2 - 1/2*(28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + \\
& a^8c^3d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a^7b^7c^2 + 1 \\
& 9a^4b^4c^3d + 4a^7b^3d^2)/(c^3d^4)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 1 \\
& 8*(4a^7b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c^3d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d \\
& + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))
\end{aligned}$$

$$\begin{aligned}
&^{(1/3)} - (1/2)^{(1/3)} * (432 * a^6 * b^6 / d^3 - 18 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + \\
&4 * a^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * \\
&d^3 - a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 * a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 \\
&- 4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5))^{(1/3)} * (I * \text{sqrt}(3) + 1)) - 2 * (b^{12} * \\
&c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 - a^{12} * d^4) * x - 3/4 * \text{sqrt}(1/3) * (20 \\
&* a^2 * b^6 * c^3 * d^2 + 32 * a^5 * b^3 * c^2 * d^3 + 2 * a^8 * c * d^4 + (b^4 * c^3 * d^3 - 4 * a^3 * \\
&b * c^2 * d^4) * (12 * a^2 * b^2 / d - 2 * (1/2)^{(2/3)} * (36 * a^4 * b^4 / d^2 - (4 * a * b^7 * c^2 + 1 \\
&9 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) / (c * d^3))) * (-I * \text{sqrt}(3) + 1) / (432 * a^6 * b^6 / d^3 - 1 \\
&8 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 \\
&+ 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 - a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 \\
&* a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 - 4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5)) \\
&^{(1/3)} - (1/2)^{(1/3)} * (432 * a^6 * b^6 / d^3 - 18 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + \\
&4 * a^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * \\
&d^3 - a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 * a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 \\
&- 4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5))^{(1/3)} * (I * \text{sqrt}(3) + 1))) * \text{sqrt}(-(64 \\
&* a * b^7 * c^2 - 128 * a^4 * b^4 * c * d + 64 * a^7 * b * d^2 - 24 * (12 * a^2 * b^2 / d - 2 * (1/2)^{(2 \\
&/3)} * (36 * a^4 * b^4 / d^2 - (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) / (c * d^3))) \\
&* (-I * \text{sqrt}(3) + 1) / (432 * a^6 * b^6 / d^3 - 18 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a \\
&^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 \\
&- a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 * a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 - \\
&4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5))^{(1/3)} - (1/2)^{(1/3)} * (432 * a^6 * b^6 / d^3 \\
&- 18 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * \\
&c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 - a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 \\
&- 4 * a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 - 4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d \\
&^5))^{(1/3)} * (I * \text{sqrt}(3) + 1)) * a^2 * b^2 * c * d^2 + (12 * a^2 * b^2 / d - 2 * (1/2)^{(2/3)} * (\\
&36 * a^4 * b^4 / d^2 - (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) / (c * d^3))) * (-I * \\
&\text{sqrt}(3) + 1) / (432 * a^6 * b^6 / d^3 - 18 * (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * \\
&d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 + 52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 - a^{12} * \\
&d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 * a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 - 4 * a^9 * \\
&b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5))^{(1/3)} - (1/2)^{(1/3)} * (432 * a^6 * b^6 / d^3 - 18 \\
&* (4 * a * b^7 * c^2 + 19 * a^4 * b^4 * c * d + 4 * a^7 * b * d^2) * a^2 * b^2 / (c * d^4) - (b^{12} * c^4 + \\
&52 * a^3 * b^9 * c^3 * d - 52 * a^9 * b^3 * c * d^3 - a^{12} * d^4) / (c^2 * d^5) + (b^{12} * c^4 - 4 * \\
&a^3 * b^9 * c^3 * d + 6 * a^6 * b^6 * c^2 * d^2 - 4 * a^9 * b^3 * c * d^3 + a^{12} * d^4) / (c^2 * d^5))^{(1/3)} * (I * \text{sqrt}(3) + 1))^{2 * c * d^3} / (c * d^3))) / d
\end{aligned}$$

giac [A] time = 0.19, size = 294, normalized size = 1.04

$$\frac{2 a^2 b^2 \log(|dx^3 + c|)}{d} + \frac{\sqrt{3} \left(4 a b^3 c d - a^4 d^2 - (-c d^2)^{\frac{1}{3}} b^4 c + 4 (-c d^2)^{\frac{1}{3}} a^3 b d \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-\frac{c}{d})^{\frac{1}{3}} \right)}{3 (-\frac{c}{d})^{\frac{1}{3}}} \right)}{3 (-c d^2)^{\frac{2}{3}} d} + \frac{(4 a b^3 c d - a^4 d^2 - (-c d^2)^{\frac{1}{3}} b^4 c + 4 (-c d^2)^{\frac{1}{3}} a^3 b d) \arctan \left(\frac{\sqrt{3} \left(2 x + (-\frac{c}{d})^{\frac{1}{3}} \right)}{3 (-\frac{c}{d})^{\frac{1}{3}}} \right)}{3 (-c d^2)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c),x, algorithm="giac")

[Out] $2 * a^2 * b^2 * \log(\text{abs}(d * x^3 + c)) / d + 1/3 * \text{sqrt}(3) * (4 * a * b^3 * c * d - a^4 * d^2 - (-c * d^2)^{(1/3)} * b^4 * c + 4 * (-c * d^2)^{(1/3)} * a^3 * b * d) * \arctan(1/3 * \text{sqrt}(3) * (2 * x + (-c/d)^{(1/3)}) / (-c/d)^{(1/3)}) / ((-c * d^2)^{(2/3)} * d) + 1/6 * (4 * a * b^3 * c * d - a^4 * d^2 + (-c * d^2)^{(1/3)} * b^4 * c - 4 * (-c * d^2)^{(1/3)} * a^3 * b * d) * \log(x^2 + x * (-c/d)^{(1/3)} + (-c/d)^{(2/3)}) / ((-c * d^2)^{(2/3)} * d) + 1/2 * (b^4 * d * x^2 + 8 * a * b^3 * d * x) / d^2 + 1/3 * (b^4 * c * d^4 * (-c/d)^{(1/3)} - 4 * a^3 * b * d^5 * (-c/d)^{(1/3)} + 4 * a * b^3 * c * d^4 - a^4 * d^5) * (-c/d)^{(1/3)} * \log(\text{abs}(x - (-c/d)^{(1/3)}) / (c * d^5))$

maple [A] time = 0.05, size = 446, normalized size = 1.58

$$\frac{b^4 x^2}{2d} + \frac{\sqrt{3} a^4 \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} + \frac{a^4 \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} - \frac{a^4 \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6\left(\frac{c}{d}\right)^{\frac{2}{3}}d} + \frac{4\sqrt{3} a^3 b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^4/(d*x^3+c), x)

[Out] 1/2*b^4*x^2/d+4*a*b^3*x/d+1/3/d/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*a^4-4/3/d^2/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*a*b^3*c-1/6/d/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*a^4+2/3/d^2/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*a*b^3*c+1/3/d/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*a^4-4/3/d^2/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*a*b^3*c-4/3/d/(c/d)^(1/3)*ln(x+(c/d)^(1/3))*a^3*b+1/3/d^2/(c/d)^(1/3)*ln(x+(c/d)^(1/3))*b^4*c+2/3/d/(c/d)^(1/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*a^3*b-1/6/d^2/(c/d)^(1/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*b^4*c+4/3/d*3^(1/2)/(c/d)^(1/3)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*a^3*b-1/3/d^2*3^(1/2)/(c/d)^(1/3)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*b^4*c+2*a^2*b^2*ln(d*x^3+c)/d

maxima [A] time = 3.04, size = 303, normalized size = 1.07

$$\frac{\sqrt{3}\left(\left(b^4\left(\frac{c}{d}\right)^{\frac{2}{3}}+4ab^3\left(\frac{c}{d}\right)^{\frac{1}{3}}+4a^2b^2\right)c-\left(4a^3b\left(\frac{c}{d}\right)^{\frac{2}{3}}+a^4\left(\frac{c}{d}\right)^{\frac{1}{3}}+\frac{4a^2b^2c}{d}\right)d\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3cd} + \frac{b^4x^2+8ab^3x}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c), x, algorithm="maxima")

[Out] -1/3*sqrt(3)*((b^4*(c/d)^(2/3)+4*a*b^3*(c/d)^(1/3)+4*a^2*b^2*c-(4*a^3*b*(c/d)^(2/3)+a^4*(c/d)^(1/3)+4*a^2*b^2*c/d)*d)*arctan(1/3*sqrt(3)*(2*x-(c/d)^(1/3))/(c/d)^(1/3))/(c*d)+1/2*(b^4*x^2+8*a*b^3*x)/d-1/6*((b^4*(c/d)^(1/3)-4*a*b^3)*c-(12*a^2*b^2*(c/d)^(2/3)+4*a^3*b*(c/d)^(1/3)-a^4)*d)*log(x^2-x*(c/d)^(1/3)+(c/d)^(2/3))/(d^2*(c/d)^(2/3))+1/3*((b^4*(c/d)^(1/3)-4*a*b^3)*c+(6*a^2*b^2*(c/d)^(2/3)-4*a^3*b*(c/d)^(1/3)+a^4)*d)*log(x+(c/d)^(1/3))/(d^2*(c/d)^(2/3))

mupad [B] time = 4.97, size = 513, normalized size = 1.82

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(27c^2d^5z^3-162a^2b^2c^2d^4z^2+171a^4b^4c^2d^3z+36ab^7c^3d^2z+36a^7bcd^4z-6a^6b^6c^2d^2+\dots\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)^4/(c + d*x^3), x)

[Out] symsum(log(root(27*c^2*d^5*z^3-162*a^2*b^2*c^2*d^4*z^2+171*a^4*b^4*c^2*d^3*z+36*a*b^7*c^3*d^2*z+36*a^7*b*c*d^4*z-6*a^6*b^6*c^2*d^2+4*a^9*b^3*c*d^3+4*a^3*b^9*c^3*d-b^12*c^4-a^12*d^4, z, k))*((x*(3*a^4*d^3-12*a*b^3*c*d^2))/d+9*root(27*c^2*d^5*z^3-162*a^2*b^2*c^2*d^4*z^2+171*a^4*b^4*c^2*d^3*z+36*a*b^7*c^3*d^2*z+36*a^7*b*c*d^4*z-6*a^6*b^6*c^2*d^2+...))

```

+ 4*a^9*b^3*c*d^3 + 4*a^3*b^9*c^3*d - b^12*c^4 - a^12*d^4, z, k)*c*d^2 - 3
6*a^2*b^2*c*d) + (4*a*b^7*c^2 + 4*a^7*b*d^2 + 19*a^4*b^4*c*d)/d + (x*(b^8*c
^2 + 10*a^6*b^2*d^2 + 16*a^3*b^5*c*d))/d)*root(27*c^2*d^5*z^3 - 162*a^2*b^2
*c^2*d^4*z^2 + 171*a^4*b^4*c^2*d^3*z + 36*a*b^7*c^3*d^2*z + 36*a^7*b*c*d^4*
z - 6*a^6*b^6*c^2*d^2 + 4*a^9*b^3*c*d^3 + 4*a^3*b^9*c^3*d - b^12*c^4 - a^12
*d^4, z, k), k, 1, 3) + (b^4*x^2)/(2*d) + (4*a*b^3*x)/d

```

sympy [A] time = 60.25, size = 325, normalized size = 1.15

$$\frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \text{RootSum}\left(27t^3c^2d^5 - 162t^2a^2b^2c^2d^4 + t(36a^7bcd^4 + 171a^4b^4c^2d^3 + 36ab^7c^3d^2) - a^{12}d^4 + 4a^9b^3ca\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**4/(d*x**3+c), x)
```

```
[Out] 4*a*b**3*x/d + b**4*x**2/(2*d) + RootSum(27*_t**3*c**2*d**5 - 162*_t**2*a**
2*b**2*c**2*d**4 + _t*(36*a**7*b*c*d**4 + 171*a**4*b**4*c**2*d**3 + 36*a*b*
*7*c**3*d**2) - a**12*d**4 + 4*a**9*b**3*c*d**3 - 6*a**6*b**6*c**2*d**2 + 4
*a**3*b**9*c**3*d - b**12*c**4, Lambda(_t, _t*log(x + (36*_t**2*a**3*b*c**2
*d**4 - 9*_t**2*b**4*c**3*d**3 + 3*_t*a**8*c*d**4 - 168*_t*a**5*b**3*c**2*d
**3 + 84*_t*a**2*b**6*c**3*d**2 + 26*a**10*b**2*c*d**3 + 48*a**7*b**5*c**2*
d**2 - 66*a**4*b**8*c**3*d - 8*a*b**11*c**4)/(a**12*d**4 + 52*a**9*b**3*c*d
**3 - 52*a**3*b**9*c**3*d - b**12*c**4))))

```

$$3.73 \quad \int \frac{(a+bx+cx^2)^2}{d+ex^3} dx$$

Optimal. Leaf size=272

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{6d^{2/3} e^{5/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}}$$

[Out] $2*b*c*x/e + 1/2*c^2*x^2/e - 1/3*(e^{(1/3)}*(-a^2*e+2*b*c*d) - d^{(1/3)}*(-2*a*b*e+c^2*d))*\ln(d^{(1/3)}+e^{(1/3)*x})/d^{(2/3)}/e^{(5/3)} + 1/6*(e^{(1/3)}*(-a^2*e+2*b*c*d) - d^{(1/3)}*(-2*a*b*e+c^2*d))*\ln(d^{(2/3)}-d^{(1/3)*e^{(1/3)*x}}+e^{(2/3)*x^2})/d^{(2/3)}/e^{(5/3)} + 1/3*(2*a*c+b^2)*\ln(e*x^3+d)/e + 1/3*(c^2*d^{(4/3)}+2*b*c*d*e^{(1/3)}-a*(2*b*d^{(1/3)}+a*e^{(1/3)})*e)*\arctan(1/3*(d^{(1/3)}-2*e^{(1/3)*x})/d^{(1/3)}*3^{(1/2)})/d^{(2/3)}/e^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 270, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) \left(a^2(-e) - \frac{\sqrt[3]{d}(c^2 d - 2abe)}{\sqrt[3]{e}} + 2bcd \right)}{6d^{2/3} e^{4/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] $(2*b*c*x)/e + (c^2*x^2)/(2*e) + ((c^2*d^{(4/3)} + 2*b*c*d*e^{(1/3)} - a*(2*b*d^{(1/3)} + a*e^{(1/3)})*e)*\text{ArcTan}[(d^{(1/3)} - 2*e^{(1/3)*x})/(\text{Sqrt}[3]*d^{(1/3)})])/(3*\text{qrt}[3]*d^{(2/3)}*e^{(5/3)}) - ((e^{(1/3)}*(2*b*c*d - a^2*e) - d^{(1/3)}*(c^2*d - 2*a*b*e))*\text{Log}[d^{(1/3)} + e^{(1/3)*x}]/(3*d^{(2/3)}*e^{(5/3)}) + ((2*b*c*d - a^2*e - (d^{(1/3)}*(c^2*d - 2*a*b*e))/e^{(1/3)})*\text{Log}[d^{(2/3)} - d^{(1/3)*e^{(1/3)*x}} + e^{(2/3)*x^2}]/(6*d^{(2/3)}*e^{(4/3)}) + ((b^2 + 2*a*c)*\text{Log}[d + e*x^3])/(3*e)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^2}{d + ex^3} dx &= \int \left(\frac{2bc}{e} + \frac{c^2x}{e} - \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{e(d + ex^3)} \right) dx \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{d + ex^3} dx}{e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - (-b^2 - 2ac) \int \frac{x^2}{d + ex^3} dx - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x}{d + ex^3} dx}{e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} - \frac{\int \frac{\sqrt[3]{d} (2\sqrt[3]{e} (2bcd - a^2e) + \sqrt[3]{d} (c^2d - 2abe)) + \sqrt[3]{e} (-\sqrt[3]{e} (2bcd - a^2e) + \sqrt[3]{d} (c^2d - 2abe))}{d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2} dx}{3d^{2/3} e^{4/3}} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{4/3}} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{4/3}} + \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(d + ex^3)}{3e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(c^2d^{4/3} + 2bcd\sqrt[3]{e} - a(2b\sqrt[3]{d} + a\sqrt[3]{e})e) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{5/3}} - \frac{(2bcd - a^2e) \log(d + ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 269, normalized size = 0.99

$$\frac{2e^{2/3} (2ac + b^2) \log(d + ex^3) - \frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) (ae(a \sqrt[3]{e} - 2b \sqrt[3]{d}) - 2bcd \sqrt[3]{e} + c^2 d^{4/3})}{d^{2/3}} + \frac{2 \log(\sqrt[3]{d} + \sqrt[3]{e} x) (ae(a \sqrt[3]{e} - 2b \sqrt[3]{d}) - 2bcd \sqrt[3]{e} + c^2 d^{4/3})}{d^{2/3}}}{6e^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] (12*b*c*e^(2/3)*x + 3*c^2*e^(2/3)*x^2 + (2*sqrt[3]*(c*d^(2/3) - a*e^(2/3))*(c*d^(2/3) + 2*b*d^(1/3)*e^(1/3) + a*e^(2/3))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]])/d^(2/3) + (2*(c^2*d^(4/3) - 2*b*c*d*e^(1/3) + a*(-2*b*d^(1/3) + a*e^(1/3))*e)*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - ((c^2*d^(4/3) - 2*b*c*d*e^(1/3) + a*(-2*b*d^(1/3) + a*e^(1/3))*e)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/d^(2/3) + 2*(b^2 + 2*a*c)*e^(2/3)*Log[d + e*x^3])/(6*e^(5/3))

fricas [C] time = 3.92, size = 12827, normalized size = 47.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d), x, algorithm="fricas")

[Out] 1/12*(6*c^2*x^2 + 24*b*c*x - 2*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)*e*log(-4*b*c^5*d^4 - (5*b^4*c^2 - 4*a*b^2*c^3 + 2*a^2*c^4)*d^3*e + 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 + (7*a^4*b^2 - 2*a^5*c)*d*e^3 - 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)^2 - 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)

$$\begin{aligned}
& *c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4 \\
& *c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d \\
& ^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sq \\
& rt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d \\
& *e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6* \\
& d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 \\
& - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^ \\
& 4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d \\
& *e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)*x) + (6*b^2 + 12 \\
& *a*c + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 \\
& + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^ \\
& 4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a \\
& ^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) \\
& *d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}* \\
& (I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^ \\
& ^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + \\
& b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^ \\
& 2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^ \\
& 6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b* \\
& c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*e + 3*sqrt(1/3)*e*sqrt(-(32 \\
& *b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^ \\
& 2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(\\
& b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2 \\
&)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2* \\
& b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a \\
& ^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2* \\
& (4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^ \\
& 2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 \\
& - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 \\
& + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^ \\
& 2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2* \\
& (4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)^2*d*e^ \\
& 3 + 4*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + \\
& b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3 \\
& *(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4 \\
&) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^ \\
& 4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) \\
&)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(\\
& I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^ \\
& 2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b \\
& ^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2 \\
& *e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6 \\
& *d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c \\
&)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 \\
& - 12*a*b^2*c)*d*e)/(d*e^3))*log(4*b*c^5*d^4 + (5*b^4*c^2 - 4*a*b^2*c^3 + \\
& 2*a^2*c^4)*d^3*e - 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 - (7*a^4*b \\
& ^2 - 2*a^5*c)*d*e^3 + 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I* \\
& sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e \\
& + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + \\
& 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3* \\
& d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 \\
& *(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^ \\
& 5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
& 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 \\
& + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^ \\
& 2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
& *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) \\
& - 2*(b^2 + 2*a*c)/e)^2 + 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 \\
& - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*((b^2 + 2* \\
& a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)) \\
& /((2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3* \\
& b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9 \\
& *a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e \\
& ^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 \\
& + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2* \\
& e^5))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c \\
& ^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^ \\
& 6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d \\
& *e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d \\
& ^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e \\
& - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e) - \\
& 2*(c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3* \\
& a^4*b*c)*d*e^3)*x + 3/4*sqrt(1/3)*(4*a*b^3*d^2*e^3 + 2*a^4*d*e^4 + 2*(3*b^2 \\
& *c^2 - 2*a*c^3)*d^3*e^2 - (c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^(2/3)*(-I* \\
& sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e \\
& + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + \\
& 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3* \\
& d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 \\
& *(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^ \\
& 5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
& 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*(b^2 + \\
& 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 \\
& + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^ \\
& 2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
& *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) \\
& - 2*(b^2 + 2*a*c)/e)*sqrt(-(32*b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^(2/3)* \\
& (-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2* \\
& d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d \\
& *e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3* \\
& c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 \\
& + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^ \\
& 2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^ \\
& 3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*(b^ \\
& 2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)* \\
& (b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^ \\
& 2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 \\
& + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4 \\
& *b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(\\
& 1/3) - 2*(b^2 + 2*a*c)/e)^2*d*e^3 + 4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*((b^2 \\
& + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d* \\
& e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2 \\
& *a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^ \\
& 2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^ \\
& 3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^ \\
& 6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/ \\
& (d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(\\
& 2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) \\
& + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4* \\
& b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^ \\
& 4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*
\end{aligned}$$

$$\begin{aligned}
& d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} - 2*(b^2 + 2a*c) \\
& /e)*(b^2 + 2a*c)*d^3e^2 + 4*(b^4 - 12a*b^2*c)*d^3e)/(d^3e^3)) + (6b^2 + 12 \\
& *a*c + (2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*((b^2 + 2a*c)^2/e^2 - (2*b*c^3*d^2 \\
& + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)/(d^3e^3)))/(2*(b^2 + 2a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) \\
& + (c^6*d^4 - 2*b^3*c^3*d^3e + b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e \\
& + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e)*a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} + (1/2)^{(1/3)}* \\
& (I*\sqrt{3}) + 1)*(2*(b^2 + 2a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e \\
& + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e + \\
& b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e) \\
& *a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} - 2*(b^2 + 2a*c)/e)*e - 3*\sqrt{1/3}*e*\sqrt{-(32 \\
& *b*c^3*d^2 + 32a^3*b^3e^2 + (2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*((b^2 + 2a*c)^2/e^2 - \\
& (2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)/(d^3e^3)))/(2*(b^2 + 2a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e + \\
& b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e) \\
& *a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*(b^2 + 2a*c)^3/e^3 - 3*(2*b*c^3*d^2 \\
& + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e + \\
& b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e) \\
& *a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} - 2*(b^2 + 2a*c)/e)^2*d^3e^3 \\
& + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*((b^2 + 2a*c)^2/e^2 - (2*b*c^3*d^2 + \\
& b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)/(d^3e^3)))/(2*(b^2 + 2a*c)^3/e^3 - 3 \\
& *(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) \\
&) + (c^6*d^4 - 2*b^3*c^3*d^3e + b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e \\
& + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e)*a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} + (1/2)^{(1/3)}*(\\
& I*\sqrt{3}) + 1)*(2*(b^2 + 2a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + \\
& 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e + b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e \\
& + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e)*a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6 \\
& *d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4)*d^3e - 2*(4a^3b^3 - 3a^4b^3c) \\
&)*d^3e^3)/(d^2e^5))^{(1/3)} - 2*(b^2 + 2a*c)/e)*(b^2 + 2a*c)*d^3e^2 + 4*(b^4 \\
& - 12a*b^2*c)*d^3e)/(d^3e^3))*\log(4*b*c^5*d^4 + (5*b^4*c^2 - 4a*b^2*c^3 + \\
& 2a^2*c^4)*d^3e - 2*(a*b^5 - 2a^2*b^3*c + 4a^3*b*c^2)*d^2e^2 - (7a^4*b^2 \\
& - 2a^5*c)*d^3e + 1/4*(c^2*d^3e^3 - 2a*b*d^2e^4)*(2*(1/2)^{(2/3)}*(-I* \\
& \sqrt{3}) + 1)*((b^2 + 2a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e \\
& + 2a^3*b^3e^2)/(d^3e^3)))/(2*(b^2 + 2a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d^3e + \\
& 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e \\
& + b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e + a^6e^4 + 2 \\
& *(c^3*d^2e^2 - b^3*d^3e)*a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3*c^3 - 3a*b*c^4) \\
& *d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*(b^2 + \\
& 2a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)*(b^2 \\
& + 2a*c)/(d^3e^4) + (c^6*d^4 - 2*b^3*c^3*d^3e + b^6*d^2e^2 + 9a^2*b^2*c^2*d^2e^2 + 6a^4*b*c*d^3e \\
& + a^6e^4 + 2*(c^3*d^2e^2 - b^3*d^3e)*a^3 + 6*(b*c^4*d^3e - b^4*c*d^2e^2)*a)/(d^2e^5) - (c^6*d^4 - a^6e^4 + 2*(4*b^3 \\
& *c^3 - 3a*b*c^4)*d^3e - 2*(4a^3b^3 - 3a^4b^3c)*d^3e^3)/(d^2e^5))^{(1/3)} \\
& - 2*(b^2 + 2a*c)/e)^2 + 1/2*(a^4*d^3e^4 + 2*(3*b^2*c^2 + 2a*c^3)*d^3e^2 \\
& - 4*(a*b^3 + 3a^2*b*c)*d^2e^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*((b^2 + 2a \\
& *c)^2/e^2 - (2*b*c^3*d^2 + b^4*d^3e + 3a^2*c^2*d^3e + 2a^3*b^3e^2)/(d^3e^3))
\end{aligned}$$

giac [A] time = 0.21, size = 264, normalized size = 0.97

$$\frac{1}{3} (b^2 + 2ac)e^{(-1)} \log(|x^3e + d|) + \frac{\sqrt{3} \left(2bcde - (-de^2)^{\frac{1}{3}} c^2d + 2(-de^2)^{\frac{1}{3}} abe - a^2e^2 \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-de^{(-1)})^{\frac{1}{3}} \right)}{3(-de^{(-1)})^{\frac{1}{3}}} \right) e^{(-1)}}{3(-de^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="giac")

[Out] 1/3*(b^2 + 2*a*c)*e^(-1)*log(abs(x^3*e + d)) + 1/3*sqrt(3)*(2*b*c*d*e - (-d*e^2)^(1/3)*c^2*d + 2*(-d*e^2)^(1/3)*a*b*e - a^2*e^2)*arctan(1/3*sqrt(3)*(2*x + (-d*e^(-1))^(1/3))/(-d*e^(-1))^(1/3))*e^(-1)/(-d*e^2)^(2/3) + 1/6*(2*b*c*d*e + (-d*e^2)^(1/3)*c^2*d - 2*(-d*e^2)^(1/3)*a*b*e - a^2*e^2)*e^(-1)*log(x^2 + (-d*e^(-1))^(1/3)*x + (-d*e^(-1))^(2/3))/(-d*e^2)^(2/3) + 1/3*((-d*e^(-1))^(1/3)*c^2*d*e^4 + 2*b*c*d*e^4 - 2*(-d*e^(-1))^(1/3)*a*b*e^5 - a^2*e^5)*(-d*e^(-1))^(1/3)*e^(-5)*log(abs(x - (-d*e^(-1))^(1/3)))/d + 1/2*(c^2*x^2*e + 4*b*c*x*e)*e^(-2)

maple [B] time = 0.07, size = 444, normalized size = 1.63

$$\frac{c^2x^2}{2e} + \frac{\sqrt{3} a^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} + \frac{a^2 \ln \left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} - \frac{a^2 \ln \left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}} x + \left(\frac{d}{e}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} + \frac{2\sqrt{3} ab \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^2/(e*x^3+d),x)

[Out] 1/2*c^2*x^2/e+2*b*c*x/e+1/3/e/(d/e)^(2/3)*ln(x+(d/e)^(1/3))*a^2-2/3/e^2/(d/e)^(2/3)*ln(x+(d/e)^(1/3))*b*c*d-1/6/e/(d/e)^(2/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))*a^2+1/3/e^2/(d/e)^(2/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))*b*c*d+1/3/e/(d/e)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))*a^2-2/3/e^2/(d/e)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))*b*c*d-2/3/e/(d/e)^(1/3)*ln(x+(d/e)^(1/3))*a*b+1/3/e^2/(d/e)^(1/3)*ln(x+(d/e)^(1/3))*c^2*d+1/3/e/(d/e)^(1/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))*a*b-1/6/e^2/(d/e)^(1/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))*c^2*d+2/3/e*3^(1/2)/(d/e)^(1/3)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))*a*b-1/3/e^2*3^(1/2)/(d/e)^(1/3)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))*c^2*d+2/3/e*ln(e*x^3+d)*a*c+1/3/e*ln(e*x^3+d)*b^2

maxima [A] time = 3.03, size = 314, normalized size = 1.15

$$\frac{\sqrt{3} \left(\left(3c^2 \left(\frac{d}{e}\right)^{\frac{2}{3}} + 2b^2 + 2 \left(3b \left(\frac{d}{e}\right)^{\frac{1}{3}} + 2a \right) c \right) d - \left(6ab \left(\frac{d}{e}\right)^{\frac{2}{3}} + 3a^2 \left(\frac{d}{e}\right)^{\frac{1}{3}} + \frac{2b^2d}{e} + \frac{4acd}{e} \right) e \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{d}{e}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}}} \right)}{9de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="maxima")

[Out]
$$-1/9*\sqrt{3}*((3*c^2*(d/e)^{(2/3)} + 2*b^2 + 2*(3*b*(d/e)^{(1/3)} + 2*a)*c)*d - (6*a*b*(d/e)^{(2/3)} + 3*a^2*(d/e)^{(1/3)} + 2*b^2*d/e + 4*a*c*d/e)*e)*\arctan(1/3*\sqrt{3}*(2*x - (d/e)^{(1/3)})/(d/e)^{(1/3)})/(d*e) + 1/2*(c^2*x^2 + 4*b*c*x)/e - 1/6*((c^2*(d/e)^{(1/3)} - 2*b*c)*d - (2*b^2*(d/e)^{(2/3)} + 4*a*c*(d/e)^{(2/3)} + 2*a*b*(d/e)^{(1/3)} - a^2)*e)*\log(x^2 - x*(d/e)^{(1/3)} + (d/e)^{(2/3)})/(e^2*(d/e)^{(2/3)}) + 1/3*((c^2*(d/e)^{(1/3)} - 2*b*c)*d + (b^2*(d/e)^{(2/3)} + 2*a*c*(d/e)^{(2/3)} - 2*a*b*(d/e)^{(1/3)} + a^2)*e)*\log(x + (d/e)^{(1/3)})/(e^2*(d/e)^{(2/3)})$$

mupad [B] time = 5.13, size = 769, normalized size = 2.83

$$\left(\sum_{k=1}^3 \ln\left(\frac{2a^3 b e^2 + 3a^2 c^2 d e + b^4 d e + 2b c^3 d^2}{e} + \frac{x(-2a^3 c e^2 + 3a^2 b^2 e^2 + 2b^3 c d e + c^4 d^2)}{e}\right) - \text{root}(27 d^2 e^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^2/(d + e*x^3),x)

[Out]
$$\text{symsum}(\log((2*a^3*b*e^2 + 2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e)/e + (x*(c^4*d^2 - 2*a^3*c*e^2 + 3*a^2*b^2*e^2 + 2*b^3*c*d*e))/e - 3*\text{root}(27*d^2*e^5*z^3 - 54*a*c*d^2*e^4*z^2 - 27*b^2*d^2*e^4*z^2 + 27*a^2*c^2*d^2*e^3*z + 18*b*c^3*d^3*e^2*z + 18*a^3*b*d*e^4*z + 9*b^4*d^2*e^3*z + 6*a*b^4*c*d^2*e^2 - 9*a^2*b^2*c^2*d^2*e^2 - 6*a^4*b*c*d*e^3 - 6*a*b*c^4*d^3*e - 2*a^3*c^3*d^2*e^2 + 2*b^3*c^3*d^3*e + 2*a^3*b^3*d*e^3 - b^6*d^2*e^2 - c^6*d^4 - a^6*e^4, z, k)*e*(2*b^2*d - 3*\text{root}(27*d^2*e^5*z^3 - 54*a*c*d^2*e^4*z^2 - 27*b^2*d^2*e^4*z^2 + 27*a^2*c^2*d^2*e^3*z + 18*b*c^3*d^3*e^2*z + 18*a^3*b*d*e^4*z + 9*b^4*d^2*e^3*z + 6*a*b^4*c*d^2*e^2 - 9*a^2*b^2*c^2*d^2*e^2 - 6*a^4*b*c*d*e^3 - 6*a*b*c^4*d^3*e - 2*a^3*c^3*d^2*e^2 + 2*b^3*c^3*d^3*e + 2*a^3*b^3*d*e^3 - b^6*d^2*e^2 - c^6*d^4 - a^6*e^4, z, k))*d*e + 4*a*c*d - a^2*e*x + 2*b*c*d*x))*\text{root}(27*d^2*e^5*z^3 - 54*a*c*d^2*e^4*z^2 - 27*b^2*d^2*e^4*z^2 + 27*a^2*c^2*d^2*e^3*z + 18*b*c^3*d^3*e^2*z + 18*a^3*b*d*e^4*z + 9*b^4*d^2*e^3*z + 6*a*b^4*c*d^2*e^2 - 9*a^2*b^2*c^2*d^2*e^2 - 6*a^4*b*c*d*e^3 - 6*a*b*c^4*d^3*e - 2*a^3*c^3*d^2*e^2 + 2*b^3*c^3*d^3*e + 2*a^3*b^3*d*e^3 - b^6*d^2*e^2 - c^6*d^4 - a^6*e^4, z, k), k, 1, 3) + (c^2*x^2)/(2*e) + (2*b*c*x)/e$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**2/(e*x**3+d),x)

[Out] Timed out

$$3.74 \quad \int \frac{(a+bx+cx^2)^3}{d+ex^3} dx$$

Optimal. Leaf size=416

$$\frac{\log(d+ex^3)(a^2(-c)e-ab^2e+bc^2d)}{e^2} - \frac{\log(d^{2/3}-\sqrt[3]{d}\sqrt[3]{e}x+e^{2/3}x^2)(-e(b^3d-a^3e)+3\sqrt[3]{d}e^{2/3}(a^2(-b)e+ac^2d))}{6d^{2/3}e^{7/3}}$$

[Out] $-(6abc^2e-b^3e+c^3d)x/e^{2+3/2}c(a+c+b^2)x^2/e+b^2c^2x^3/e+1/4c^3x^4/e+1/3(c^3d^2-6abc^2d^2e-e(-a^3e+b^3d)+3d^{1/3}e^{2/3}(-a^2b^2e+a^2c^2d+b^2c^2d))\ln(d^{1/3}+e^{1/3}x)/d^{2/3}/e^{7/3}-1/6(c^3d^2-6abc^2d^2e-e(-a^3e+b^3d)+3d^{1/3}e^{2/3}(-a^2b^2e+a^2c^2d+b^2c^2d))\ln(d^{2/3}-d^{1/3}e^{1/3}x+e^{2/3}x^2)/d^{2/3}/e^{7/3}-(-a^2c^2e-a^2b^2e+b^2c^2d)\ln(e^2x^3+d)/e^2-1/3(c^3d^2-3b^2c^2d^{4/3}e^{2/3}-3a^2c^2d^{4/3}e^{2/3}-b^3d^2e-6abc^2d^2e+3a^2b^2d^{1/3}e^{5/3}+a^3e^2)\arctan(1/3(d^{1/3}-2e^{1/3}x)/d^{1/3})/d^{2/3}/e^{7/3}3^{1/2}$

Rubi [A] time = 0.70, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{\log(d^{2/3}-\sqrt[3]{d}\sqrt[3]{e}x+e^{2/3}x^2)(3\sqrt[3]{d}e^{2/3}(a^2(-b)e+ac^2d+b^2cd)-e(b^3d-a^3e)-6abcde+c^3d^2)}{6d^{2/3}e^{7/3}} + \frac{\log(\sqrt[3]{d}+\sqrt[3]{e}x)}{e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] $-(((c^3d-b^3e-6abc^2e)x)/e^2)+(3c(b^2+ac)x^2)/(2e)+(b^2c^2x^3)/e+(c^3x^4)/(4e)-((c^3d^2-3b^2c^2d^{4/3}e^{2/3}-3a^2c^2d^{4/3}e^{2/3}-b^3d^2e-6abc^2d^2e+3a^2b^2d^{1/3}e^{5/3}+a^3e^2)\text{ArcTan}[(d^{1/3}-2e^{1/3}x)/(\text{Sqrt}[3]d^{1/3})])/(3d^{2/3}e^{7/3})+((c^3d^2-6abc^2d^2e-e(b^3d-a^3e)+3d^{1/3}e^{2/3}(b^2c^2d+ac^2d-a^2b^2e))\text{Log}[d^{1/3}+e^{1/3}x])/(3d^{2/3}e^{7/3})-((c^3d^2-6abc^2d^2e-e(b^3d-a^3e)+3d^{1/3}e^{2/3}(b^2c^2d+ac^2d-a^2b^2e))\text{Log}[d^{2/3}-d^{1/3}e^{1/3}x+e^{2/3}x^2])/(6d^{2/3}e^{7/3})-((b^2c^2d-a^2b^2e-a^2c^2e)\text{Log}[d+e*x^3])/e^2$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^3}{d + ex^3} dx &= \int \left(-\frac{c^3d - b^3e - 6abce}{e^2} + \frac{3c(b^2 + ac)x}{e} + \frac{3bc^2x^2}{e} + \frac{c^3x^3}{e} + \frac{c^3d^2 - 6abcde - e(b^3d - a^3e)}{d + ex^3} \right) dx \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2e)}{d + ex^3} dx}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2e)}{d + ex^3} dx}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(bc^2d - ab^2e - a^2ce) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(c^3d^2 - 3b^2cd^{4/3}e^{2/3} - 3ac^2d^2)}{e^2}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 439, normalized size = 1.06

$$12\sqrt[3]{e} \log(d + ex^3) (a^2ce + ab^2e - bc^2d) - \frac{4\sqrt{3} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{ex}}{\sqrt{3}} \right) \left(e \left(a^3e + 3a^2b\sqrt[3]{d}e^{2/3} - b^3d \right) - 3c(2abde + b^2d^{4/3}e^{2/3}) - 3ac^2d^{4/3}e^{2/3} + c^3d^2 \right)}{d^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] (12*e^(1/3)*(-(c^3*d) + b^3*e + 6*a*b*c*e)*x + 18*c*(b^2 + a*c)*e^(4/3)*x^2 + 12*b*c^2*e^(4/3)*x^3 + 3*c^3*e^(4/3)*x^4 - (4*sqrt[3]*(c^3*d^2 - 3*a*c^2*d^(4/3)*e^(2/3) + e*(-(b^3*d) + 3*a^2*b*d^(1/3)*e^(2/3) + a^3*e) - 3*c*(b^2*d^(4/3)*e^(2/3) + 2*a*b*d*e))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]])/d^(2/3) + (4*(c^3*d^2 + 3*b^2*c*d^(4/3)*e^(2/3) + 3*a*c^2*d^(4/3)*e^(2/3) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^(1/3)*e^(5/3) + a^3*e^2)*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - (2*(c^3*d^2 + 3*b^2*c*d^(4/3)*e^(2/3) + 3*a*c^2*d^(4/3)*e^(2/3) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^(1/3)*e^(5/3) + a^3*e^2)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/d^(2/3) + 12*e^(1/3)*(-(b*c^2*d) + a*b^2*e + a^2*c*e)*Log[d + e*x^3])/(12*e^(7/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 432, normalized size = 1.04

$$\frac{\sqrt{3} \left(c^3 d^2 - b^3 d e - 6 a b c d e + 3 (-d e^2)^{\frac{1}{3}} b^2 c d + 3 (-d e^2)^{\frac{1}{3}} a c^2 d - 3 (-b c^2 d - a b^2 e - a^2 c e) e^{(-2)} \log(|x^3 e + d|) \right)}{3 (-d e^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d),x, algorithm="giac")

[Out] $-(b*c^2*d - a*b^2*e - a^2*c*e)*e^{(-2)}*\log(\text{abs}(x^3*e + d)) - 1/3*\text{sqrt}(3)*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e + 3*(-d*e^2)^{(1/3)}*b^2*c*d + 3*(-d*e^2)^{(1/3)}*a*c^2*d - 3*(-d*e^2)^{(1/3)}*a^2*b*e + a^3*e^2)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-d*e^{(-1)})^{(1/3)})/(-d*e^{(-1)})^{(1/3)})*e^{(-1)}/(-d*e^2)^{(2/3)} - 1/6*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e - 3*(-d*e^2)^{(1/3)}*b^2*c*d - 3*(-d*e^2)^{(1/3)}*a*c^2*d + 3*(-d*e^2)^{(1/3)}*a^2*b*e + a^3*e^2)*e^{(-1)}*\log(x^2 + (-d*e^{(-1)})^{(1/3)}*x + (-d*e^{(-1)})^{(2/3)})/(-d*e^2)^{(2/3)} - 1/3*(c^3*d^2*e^7 - 3*(-d*e^{(-1)})^{(1/3)}*b^2*c*d*e^8 - 3*(-d*e^2)^{(1/3)}*a*c^2*d*e^8 - b^3*d*e^8 - 6*a*b*c*d*e^8 + 3*(-d*e^{(-1)})^{(1/3)}*a^2*b*e^9 + a^3*e^9)*(-d*e^{(-1)})^{(1/3)}*e^{(-9)}*\log(\text{abs}(x - (-d*e^{(-1)})^{(1/3)}))/d + 1/4*(c^3*x^4*e^3 + 4*b*c^2*x^3*e^3 + 6*b^2*c*x^2*e^3 + 6*a*c^2*x^2*e^3 - 4*c^3*d*x*e^2 + 4*b^3*x*e^3 + 24*a*b*c*x*e^3)*e^{(-4)}$

maple [B] time = 0.05, size = 837, normalized size = 2.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^3/(e*x^3+d),x)

[Out] $-2/e^2/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a*b*c*d - 1/2/e^2/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*b^2*c*d+1/e^3*3^{(1/2)}/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a^2*b+1/e^2/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*a*c^2*d+1/e^2/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*b^2*c*d-1/2/e^2/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a*c^2*d-1/3/e^2/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*b^3*d+1/3/e^3/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*c^3*d^2-2/e^2/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*a*b*c*d+1/e^2/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a*b*c*d-1/e^2*3^{(1/2)}/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a*c^2*d-1/e^2*3^{(1/2)}/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*b^2*c*d-1/6/e/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a^3+1/e*\ln(e*x^3+d)*a^2*c+1/e*\ln(e*x^3+d)*a*b^2+1/3/e/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*a^3+3/2/e*x^2*a*c^2+3/2/e*x^2*b^2*c-1/e^2*c^3*d*x+6/e*a*b*c*x-1/e/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*a^2*b+1/2/e/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a^2*b-1/e^2*\ln(e*x^3+d)*b*c^2*d+1/3/e^3/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*c^3*d^2+1/6/e^2/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*b^3*d-1/6/e^3/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*c^3*d^2+1/3/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a^3-1/3/e^2/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*b^3*d+1/e*b^3*x+1/4*c^3*x^4/e+b*c^2*x^3/e$

maxima [A] time = 3.05, size = 520, normalized size = 1.25

$$\sqrt{3} \left(\left(c^3 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2 b c^2 \right) d^2 - \left(b^3 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2 a b^2 + \left(3 a \left(\frac{d}{e} \right)^{\frac{2}{3}} + \frac{2 b d}{e} \right) c^2 + \left(3 b^2 \left(\frac{d}{e} \right)^{\frac{2}{3}} + 6 a b \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2 a^2 \right) c \right) d e + \left(3 a^2 b^2 \right) \right) \frac{1}{3 d e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}\left(\left(c^3\left(\frac{d}{e}\right)^{\frac{1}{3}}+2bc^2\right)d^2-\left(b^3\left(\frac{d}{e}\right)^{\frac{1}{3}}+2ab^2+(3a\left(\frac{d}{e}\right)^{\frac{2}{3}}+2b\frac{d}{e}\right)c^2+(3b^2\left(\frac{d}{e}\right)^{\frac{2}{3}}+6ab\left(\frac{d}{e}\right)^{\frac{1}{3}}+2a^2)c\right)d^2e+(3a^2b\left(\frac{d}{e}\right)^{\frac{2}{3}}+a^3\left(\frac{d}{e}\right)^{\frac{1}{3}}+2ab^2\frac{d}{e}+2a^2c\frac{d}{e})e^2\right)\arctan\left(\frac{1}{3}\sqrt{3}\left(2x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)/\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)/\left(d^2e^2\right)+\frac{1}{4}\left(c^3e^2x^4+4b^2c^2e^2x^3+6(b^2c+ac^2)e^2x^2-4(c^3d-(b^3+6ab^2c)e)x\right)/e^2-\frac{1}{6}\left(c^3d^2-(b^3-3(2b\left(\frac{d}{e}\right)^{\frac{2}{3}}+a\left(\frac{d}{e}\right)^{\frac{1}{3}})c^2-3(b^2\left(\frac{d}{e}\right)^{\frac{1}{3}}-2ab)c\right)d^2e-(6ab^2\left(\frac{d}{e}\right)^{\frac{2}{3}}+6a^2c\left(\frac{d}{e}\right)^{\frac{2}{3}}+3a^2b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a^3)e^2\right)\log\left(x^2-x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)/\left(e^3\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)+\frac{1}{3}\left(c^3d^2-(b^3+3(b\left(\frac{d}{e}\right)^{\frac{2}{3}}-a\left(\frac{d}{e}\right)^{\frac{1}{3}})c^2-3(b^2\left(\frac{d}{e}\right)^{\frac{1}{3}}-2ab)c\right)d^2e+(3ab^2\left(\frac{d}{e}\right)^{\frac{2}{3}}+3a^2c\left(\frac{d}{e}\right)^{\frac{2}{3}}-3a^2b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a^3)e^2\right)\log\left(x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)/\left(e^3\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)$

mupad [B] time = 4.91, size = 1700, normalized size = 4.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^3/(d + e*x^3),x)

[Out] $x\left(\frac{b^3+6ab^2c}{e}-\frac{c^3d}{e^2}\right)+\text{symsum}\left(\log\left(\text{root}\left(27d^2e^7z^3+81b^2c^2d^3e^5z^2-81a^2c^2d^2e^6z^2-81ab^2d^2e^6z^2-27a^3b^2c^2d^2e^5z+27a^2b^3c^2d^3e^4z+27ab^3c^2d^3e^4z+54b^2c^4d^4e^3z+54a^4c^2d^2e^5z+54a^2b^4d^2e^5z+27b^5c^4d^3e^4z-27a^5c^4d^4e^3z+27a^5b^4d^4e^3z+18a^4b^4c^2d^2e^4-18a^4b^4c^4d^3e^3+18ab^4c^4d^4e^2-9ab^7c^4d^3e^3-27a^5b^2c^2d^2e^4+27a^2b^5c^2d^3e^3-27a^2b^2c^5d^4e^2-21a^3b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-3b^6c^3d^4e^2-3a^6c^3d^2e^4-3a^3c^6d^4e^2-3a^3b^6d^2e^4+3b^3c^6d^5e+3a^6b^3d^3e^5+b^9d^3e^3-c^9d^6-a^9e^6,z,k\right)\left(\frac{3x\left(a^3e^4-b^3d^2e^3+c^3d^2e^2-6ab^2c^2d^2e^3\right)}{e^2}-\frac{3\left(6ab^2d^2e^3-6b^2c^2d^2e^2+6a^2c^2d^2e^3\right)}{e^2}+9\text{root}\left(27d^2e^7z^3+81b^2c^2d^3e^5z^2-81a^2c^2d^2e^6z^2-81ab^2d^2e^6z^2-27a^3b^2c^2d^2e^5z+27a^2b^3c^2d^3e^4z+27ab^3c^2d^3e^4z+54b^2c^4d^4e^3z+54a^4c^2d^2e^5z+54a^2b^4d^2e^5z+27b^5c^4d^3e^4z-27a^5c^4d^4e^3z+27a^5b^4d^4e^3z+18a^4b^4c^2d^2e^4-18a^4b^4c^4d^3e^3+18ab^4c^4d^4e^2-9ab^7c^4d^3e^3-27a^5b^2c^2d^2e^4+27a^2b^5c^2d^3e^3-27a^2b^2c^5d^4e^2-21a^3b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-3b^6c^3d^4e^2-3a^6c^3d^2e^4-3a^3c^6d^4e^2-3a^3b^6d^2e^4+3b^3c^6d^5e+3a^6b^3d^3e^5+b^9d^3e^3-c^9d^6-a^9e^6,z,k\right)d^2e^2\right)+\frac{3\left(a^5b^2e^3-ac^5d^3+2b^2c^4d^3+2a^2b^4d^2e^2+2a^4c^2d^2e^2+b^5c^2d^2e+ab^3c^2d^2e+a^2b^2c^3d^2e-a^2b^2c^3d^2e-a^3b^2c^3d^2e\right)}{e^2}+\frac{3x\left(b^5c^3d^3-a^5c^3e^3+2a^4b^2e^3+2a^2c^4d^2e+2b^4c^2d^2e+ab^5d^2e-a^2b^2c^3d^2e+a^2b^3c^3d^2e+a^3b^3c^2d^2e\right)}{e^2}\text{root}\left(27d^2e^7z^3+81b^2c^2d^3e^5z^2-81a^2c^2d^2e^6z^2-81ab^2d^2e^6z^2-27a^3b^2c^2d^2e^5z+27a^2b^3c^2d^3e^4z+27ab^3c^2d^3e^4z+54b^2c^4d^4e^3z+54a^4c^2d^2e^5z+54a^2b^4d^2e^5z+27b^5c^4d^3e^4z-27a^5c^4d^4e^3z+27a^5b^4d^4e^3z+18a^4b^4c^2d^2e^4-18a^4b^4c^4d^3e^3+18ab^4c^4d^4e^2-9ab^7c^4d^3e^3-27a^5b^2c^2d^2e^4+27a^2b^5c^2d^3e^3-27a^2b^2c^5d^4e^2-21a^3b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-9a^7b^3c^3d^3e^3-3b^6c^3d^4e^2-3a^6c^3d^2e^4-3a^3c^6d^4e^2-3a^3b^6d^2e^4+3b^3c^6d^5e+3a^6b^3d^3e^5+b^9d^3e^3-c^9d^6-a^9e^6,z,k\right),k,1,3)+\frac{c^3x^4}{4e}+\frac{b^2c^2x^3}{e}+\frac{3cx^2(ac+b^2)}{2e}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**3/(e*x**3+d), x)

[Out] Timed out

$$3.75 \quad \int \frac{(a+bx+cx^2)^4}{d+ex^3} dx$$

Optimal. Leaf size=645

$$\frac{x^2(-6a^2c^2e - 12ab^2ce + b^4(-e) + 4bc^3d)}{2e^2} - \frac{2x(-6a^2bce - 2ab^3e + 2ac^3d + 3b^2c^2d)}{e^2} + \frac{\log(d+ex^3)(-4ce(b^3d - e^2))}{e^2}$$

[Out] $-2*(-6*a^2*b*c*e-2*a*b^3*e+2*a*c^3*d+3*b^2*c^2*d)*x/e^2-1/2*(-6*a^2*c^2*e-12*a*b^2*c*e-b^4*e+4*b*c^3*d)*x^2/e^2-1/3*c*(-12*a*b*c*e-4*b^3*e+c^3*d)*x^3/e^2+1/2*c^2*(2*a*c+3*b^2)*x^4/e+4/5*b*c^3*x^5/e+1/6*c^4*x^6/e+1/3*(e^(1/3)*(a^4*e^2-12*a^2*b*c*d*e-4*a*b^3*d*e+4*a*c^3*d^2+6*b^2*c^2*d^2)+d^(1/3)*(b^4*d*e+12*a*b^2*c*d*e+6*a^2*c^2*d*e-4*b*(a^3*e^2+c^3*d^2)))*ln(d^(1/3)+e^(1/3)*x)/d^(2/3)/e^(8/3)-1/6*(e^(1/3)*(a^4*e^2-12*a^2*b*c*d*e-4*a*b^3*d*e+4*a*c^3*d^2+6*b^2*c^2*d^2)+d^(1/3)*(b^4*d*e+12*a*b^2*c*d*e+6*a^2*c^2*d*e-4*b*(a^3*e^2+c^3*d^2)))*ln(d^(2/3)-d^(1/3)*e^(1/3)*x+e^(2/3)*x^2)/d^(2/3)/e^(8/3)+1/3*(c^4*d^2-12*a*b*c^2*d*e+6*a^2*b^2*e^2-4*c*e*(-a^3*e+b^3*d))*ln(e*x^3+d)/e^3-1/3*(b*d^(1/3)+a*e^(1/3))*(4*c^3*d^2+6*c^2*(b*d^(5/3)*e^(1/3)-a*d^(4/3)*e^(2/3))-12*a*b*c*d*e-e*(b^3*d+3*a*b^2*d^(2/3)*e^(1/3)-3*a^2*b*d^(1/3)*e^(2/3)-a^3*e))*arctan(1/3*(d^(1/3)-2*e^(1/3)*x)/d^(1/3)*3^(1/2))/d^(2/3)/e^(8/3)*3^(1/2)$

Rubi [A] time = 1.10, antiderivative size = 643, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) \left(\frac{\sqrt[3]{d}(-4b(a^3e^2+c^3d^2)+6a^2c^2de+12ab^2cde+b^4de)}{\sqrt[3]{e}} - 12a^2bcde + a^4e^2 - 4ab^3de + 4ac^3d^2 + 6b^2c^2d^2 \right)}{6d^{2/3}e^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] $(-2*(3*b^2*c^2*d + 2*a*c^3*d - 2*a*b^3*e - 6*a^2*b*c*e)*x)/e^2 - ((4*b*c^3*d - b^4*e - 12*a*b^2*c*e - 6*a^2*c^2*e)*x^2)/(2*e^2) - (c*(c^3*d - 4*b^3*e - 12*a*b*c*e)*x^3)/(3*e^2) + (c^2*(3*b^2 + 2*a*c)*x^4)/(2*e) + (4*b*c^3*x^5)/(5*e) + (c^4*x^6)/(6*e) - ((b*d^(1/3) + a*e^(1/3))*(4*c^3*d^2 + 6*c^2*(b*d^(5/3)*e^(1/3) - a*d^(4/3)*e^(2/3)) - 12*a*b*c*d*e - e*(b^3*d + 3*a*b^2*d^(2/3)*e^(1/3) - 3*a^2*b*d^(1/3)*e^(2/3) - a^3*e))*ArcTan[(d^(1/3) - 2*e^(1/3)*x)/(sqrt[3]*d^(1/3))]/(sqrt[3]*d^(2/3)*e^(8/3)) + ((e^(1/3)*(6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2) + d^(1/3)*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))*Log[d^(1/3) + e^(1/3)*x]/(3*d^(2/3)*e^(8/3)) - ((6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2 + (d^(1/3)*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))/e^(1/3))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2]/(6*d^(2/3)*e^(7/3)) + ((c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 - 4*c*e*(b^3*d - a^3*e))*Log[d + e*x^3]/(3*e^3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && LtQ[n_]

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^4}{d + ex^3} dx &= \int \left(-\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x}{e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{e^2} - \frac{c^2(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{e^2} \right. \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d + 4bc^2d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{2e^2}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 678, normalized size = 1.05

$$15e^{2/3}x^2(6a^2c^2e + 12ab^2ce + b^4e - 4bc^3d) + 60e^{2/3}x(6a^2bce + 2ab^3e - 2ac^3d - 3b^2c^2d) + \frac{10 \log(d+ex^3)(4ce(a^3e-b^3d)+6c^2e^2)}{\sqrt[3]{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] (60*e^(2/3)*(-3*b^2*c^2*d - 2*a*c^3*d + 2*a*b^3*e + 6*a^2*b*c*e)*x + 15*e^(2/3)*(-4*b*c^3*d + b^4*e + 12*a*b^2*c*e + 6*a^2*c^2*e)*x^2 + 10*c*e^(2/3)*(-c^3*d + 4*b^3*e + 12*a*b*c*e)*x^3 + 15*c^2*(3*b^2 + 2*a*c)*e^(5/3)*x^4 + 24*b*c^3*e^(5/3)*x^5 + 5*c^4*e^(5/3)*x^6 + (10*sqrt[3]*(b*d^(1/3) + a*e^(1/3))*(-4*c^3*d^2 + c^2*(-6*b*d^(5/3)*e^(1/3) + 6*a*d^(4/3)*e^(2/3)) + 12*a*b*c*d*e + e*(b^3*d + 3*a*b^2*d^(2/3)*e^(1/3) - 3*a^2*b*d^(1/3)*e^(2/3) - a^3*e))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]]/d^(2/3) + (10*(4*a*c^3*d^2*e^(1/3) + b^4*d^(4/3)*e + 6*a^2*c^2*d^(4/3)*e - 4*a*b^3*d*e^(4/3) + a^4*e^(7/3) + 6*b^2*(c^2*d^2*e^(1/3) + 2*a*c*d^(4/3)*e) - 4*b*(c^3*d^(7/3) + 3*a^2*c*d*e^(4/3) + a^3*d^(1/3)*e^2))*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - (5*(4*a*c^3*d^2*e^(1/3) + b^4*d^(4/3)*e + 6*a^2*c^2*d^(4/3)*e - 4*a*b^3*d*e^(4/3) + a^4*e^(7/3) + 6*b^2*(c^2*d^2*e^(1/3) + 2*a*c*d^(4/3)*e) - 4*b*(c^3*d^(7/3) + 3*a^2*c*d*e^(4/3) + a^3*d^(1/3)*e^2))*Log[d^(2/3) - d^(1/3)*e^(1/3)])/d^(2/3) + (10*(c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 + 4*c*e*(-b^3*d + a^3*e))*Log[d + e*x^3])/e^(1/3))/(30*e^(8/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 723, normalized size = 1.12

$$\frac{1}{3} (c^4 d^2 - 4 b^3 c d e - 12 a b c^2 d e + 6 a^2 b^2 e^2 + 4 a^3 c e^2) e^{(-3)} \log(|x^3 e + d|) - \frac{\sqrt{3} (6 b^2 c^2 d^2 e + 4 a c^3 d^2 e - 4 (-d e^2)^{\frac{1}{3}})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="giac")

[Out] $\frac{1}{3} (c^4 d^2 - 4 b^3 c d e - 12 a b c^2 d e + 6 a^2 b^2 e^2 + 4 a^3 c e^2) e^{(-3)} \log(\text{abs}(x^3 e + d)) - \frac{1}{3} \sqrt{3} (6 b^2 c^2 d^2 e + 4 a c^3 d^2 e - 4 (-d e^2)^{\frac{1}{3}}) e^{(-3)} \log(|x^3 e + d|) - \frac{1}{6} (6 b^2 c^2 d^2 e + 4 a c^3 d^2 e + 4 (-d e^2)^{\frac{1}{3}} b c^3 d^2 + (-d e^2)^{\frac{1}{3}} b^4 d e + 12 (-d e^2)^{\frac{1}{3}} a b^2 c d e + 6 (-d e^2)^{\frac{1}{3}} a^2 c^2 d e - 4 a b^3 d e^2 - 12 a^2 b c d e^2 - 4 (-d e^2)^{\frac{1}{3}} a^3 b e^2 + a^4 e^3) \arctan(\frac{1}{3} \sqrt{3} (2 x + (-d e^{-1})^{\frac{1}{3}})) / ((-d e^{-1})^{\frac{1}{3}}) e^{(-2)} / ((-d e^2)^{\frac{2}{3}}) - \frac{1}{6} (6 b^2 c^2 d^2 e + 4 a c^3 d^2 e + 4 (-d e^2)^{\frac{1}{3}} b c^3 d^2 - (-d e^2)^{\frac{1}{3}} b^4 d e - 12 (-d e^2)^{\frac{1}{3}} a b^2 c d e - 6 (-d e^2)^{\frac{1}{3}} a^2 c^2 d e - 4 a b^3 d e^2 - 12 a^2 b c d e^2 + 4 (-d e^2)^{\frac{1}{3}} a^3 b e^2 + a^4 e^3) e^{(-2)} \log(x^2 + (-d e^{-1})^{\frac{1}{3}} x + (-d e^{-1})^{\frac{2}{3}}) / ((-d e^2)^{\frac{2}{3}}) - \frac{1}{3} (4 (-d e^{-1})^{\frac{1}{3}} b c^3 d^2 e^{11} + 6 b^2 c^2 d^2 e^{11} + 4 a c^3 d^2 e^{11} - (-d e^{-1})^{\frac{1}{3}} b^4 d e^{12} - 12 (-d e^{-1})^{\frac{1}{3}} a b^2 c d e^{12} - 6 (-d e^{-1})^{\frac{1}{3}} a^2 c^2 d e^{12} - 4 a b^3 d e^{12} - 12 a^2 b c d e^{12} + 4 (-d e^{-1})^{\frac{1}{3}} a^3 b e^{13} + a^4 e^{13}) (-d e^{-1})^{\frac{1}{3}} e^{(-13)} \log(\text{abs}(x - (-d e^{-1})^{\frac{1}{3}})) / d + \frac{1}{30} (5 c^4 x^6 e^5 + 24 b c^3 x^5 e^5 + 45 b^2 c^2 x^4 e^5 + 30 a c^3 x^4 e^5 - 10 c^4 d x^3 e^4 + 40 b^3 c x^3 e^5 + 120 a b c^2 x^3 e^5 - 60 b c^3 d x^2 e^4 + 15 b^4 x^2 e^5 + 180 a b^2 c x^2 e^5 + 90 a^2 c^2 x^2 e^5 - 180 b^2 c^2 d x e^4 - 120 a c^3 d x e^4 + 120 a b^3 x e^5 + 360 a^2 b c x e^5) e^{(-6)}$

maple [B] time = 0.06, size = 1339, normalized size = 2.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^4/(e*x^3+d),x)

[Out] $-\frac{4}{e^2} (d/e)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) a^2 b c d - \frac{4}{e^2} 3^{\frac{1}{2}} (d/e)^{\frac{1}{3}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) a b^2 c d - \frac{1}{e^2} (d/e)^{\frac{1}{3}} \ln(x^2 - (d/e)^{\frac{1}{3}} x + (d/e)^{\frac{2}{3}}) a^2 c^2 d - \frac{1}{3} e^{\frac{2}{3}} 3^{\frac{1}{2}} (d/e)^{\frac{1}{3}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) b^4 d - \frac{4}{e^2} \ln(e x^3 + d) a b c^2 d + \frac{2}{3} e^{\frac{3}{3}} (d/e)^{\frac{1}{3}} \ln(x^2 - (d/e)^{\frac{1}{3}} x + (d/e)^{\frac{2}{3}}) b c^3 d^2 + \frac{4}{3} e^{\frac{3}{3}} (d/e)^{\frac{1}{3}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) a^3 b + \frac{2}{e^2} (d/e)^{\frac{1}{3}} \ln(x + (d/e)^{\frac{1}{3}}) a^2 c^2 d - \frac{4}{3} e^{\frac{3}{3}} (d/e)^{\frac{1}{3}} \ln(x + (d/e)^{\frac{1}{3}}) b c^3 d^2 + \frac{2}{e^3} (d/e)^{\frac{2}{3}} \ln(x + (d/e)^{\frac{1}{3}}) b^2 c^2 d^2 + \frac{2}{3} e^{\frac{2}{3}} (d/e)^{\frac{2}{3}} \ln(x^2 - (d/e)^{\frac{1}{3}} x + (d/e)^{\frac{2}{3}}) a b^3 d - \frac{2}{3} e^{\frac{3}{3}} (d/e)^{\frac{2}{3}} \ln(x^2 - (d/e)^{\frac{1}{3}} x + (d/e)^{\frac{2}{3}}) b^2 c^2 d^2 - \frac{4}{3} e^{\frac{2}{3}} (d/e)^{\frac{2}{3}} \ln(x + (d/e)^{\frac{1}{3}}) a b^3 d + \frac{4}{3} e^{\frac{3}{3}} (d/e)^{\frac{2}{3}} \ln(x + (d/e)^{\frac{1}{3}}) a c^3 d^2 + \frac{1}{2} e x^2 b^4 - \frac{4}{3} e^{\frac{2}{3}} (d/e)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) a b^3 d + \frac{4}{3} e^{\frac{3}{3}} (d/e)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) a c^3 d^2 + \frac{2}{e^3} (d/e)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1)) b^2 c^2 d^2 + \frac{4}{e^2} (d/e)^{\frac{1}{3}} \ln(x + (d/e)^{\frac{1}{3}}) a b^2 c d - \frac{2}{e^2} (d/e)^{\frac{1}{3}} \ln(x^2 - (d/e)^{\frac{1}{3}} x + (d/e)^{\frac{2}{3}}) a b^2 c d - \frac{2}{e^2} 3^{\frac{1}{2}} (d/e)^{\frac{1}{3}} \arctan(\frac{1}{3} 3^{\frac{1}{2}} (2/(d/e)^{\frac{1}{3}} x - 1))$

$$2) * (2 / (d / e)^{(1/3)} * x - 1)) * a^2 * c^2 * d + 4/3 / e^3 * 3^{(1/2)} / (d / e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (d / e)^{(1/3)} * x - 1)) * b * c^3 * d^2 - 4 / e^2 / (d / e)^{(2/3)} * \ln(x + (d / e)^{(1/3)}) * a^2 * b * c * d + 2 / e^2 / (d / e)^{(2/3)} * \ln(x^2 - (d / e)^{(1/3)} * x + (d / e)^{(2/3)}) * a^2 * b * c * d + 4/3 / e * x^3 * b^3 * c + 3 / e * x^2 * a^2 * c^2 + 4 / e * a * b^3 * x + 1 / e * x^4 * a * c^3 + 3/2 / e * x^4 * b^2 * c^2 + 4/3 / e * \ln(e * x^3 + d) * a^3 * c + 2 / e * \ln(e * x^3 + d) * a^2 * b^2 + 1/3 / e^3 * \ln(e * x^3 + d) * c^4 * d^2 + 1/3 / e / (d / e)^{(2/3)} * \ln(x + (d / e)^{(1/3)}) * a^4 - 1/3 / e^2 * x^3 * c^4 * d - 1/6 / e / (d / e)^{(2/3)} * \ln(x^2 - (d / e)^{(1/3)} * x + (d / e)^{(2/3)}) * a^4 + 1/6 * c^4 * x^6 / e + 2/3 / e / (d / e)^{(1/3)} * \ln(x^2 - (d / e)^{(1/3)} * x + (d / e)^{(2/3)}) * a^3 * b - 1/6 / e^2 / (d / e)^{(1/3)} * \ln(x^2 - (d / e)^{(1/3)} * x + (d / e)^{(2/3)}) * b^4 * d - 4/3 / e / (d / e)^{(1/3)} * \ln(x + (d / e)^{(1/3)}) * a^3 * b - 4/3 / e^2 * \ln(e * x^3 + d) * b^3 * c * d + 1/3 / e^2 / (d / e)^{(1/3)} * \ln(x + (d / e)^{(1/3)}) * b^4 * d - 2 / e^2 * x^2 * b * c^3 * d + 12 / e * a^2 * b * c * x - 4 / e^2 * a * c^3 * d * x - 6 / e^2 * b^2 * c^2 * d * x + 4 / e * x^3 * a * b * c^2 + 6 / e * x^2 * a * b^2 * c + 1/3 / e / (d / e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2 / (d / e)^{(1/3)} * x - 1)) * a^4 + 4/5 * b * c^3 * x^5 / e$$

maxima [A] time = 3.13, size = 833, normalized size = 1.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="maxima")

[Out] $1/30 * (5 * c^4 * e * x^6 + 24 * b * c^3 * e * x^5 + 15 * (3 * b^2 * c^2 + 2 * a * c^3) * e * x^4 - 10 * (c^4 * d - 4 * (b^3 * c + 3 * a * b * c^2) * e) * x^3 - 15 * (4 * b * c^3 * d - (b^4 + 12 * a * b^2 * c + 6 * a^2 * c^2) * e) * x^2 - 60 * ((3 * b^2 * c^2 + 2 * a * c^3) * d - 2 * (a * b^3 + 3 * a^2 * b * c) * e) * x) / e^2 - 1/9 * \sqrt{3} * (2 * c^4 * d^3 - 2 * (4 * b^3 * c + 6 * (b * (d/e)^{(2/3)} + a * (d/e)^{(1/3)}) * c^3 + c^4 * d/e + 3 * (3 * b^2 * (d/e)^{(1/3)} + 4 * a * b) * c^2) * d^2 * e + (3 * b^4 * (d/e)^{(2/3)} + 12 * a * b^3 * (d/e)^{(1/3)} + 12 * a^2 * b^2 + 6 * (3 * a^2 * (d/e)^{(2/3)} + 4 * a * b * d/e) * c^2 + 4 * (9 * a * b^2 * (d/e)^{(2/3)} + 9 * a^2 * b * (d/e)^{(1/3)} + 2 * a^3 + 2 * b^3 * d/e) * c) * d * e^2 - (12 * a^3 * b * (d/e)^{(2/3)} + 3 * a^4 * (d/e)^{(1/3)} + 12 * a^2 * b^2 * d/e + 8 * a^3 * c * d/e) * e^3) * \arctan(1/3 * \sqrt{3} * (2 * x - (d/e)^{(1/3)}) / (d/e)^{(1/3)}) / (d * e^3) + 1/6 * (2 * (c^4 * (d/e)^{(2/3)} - 3 * b^2 * c^2 + 2 * (b * (d/e)^{(1/3)} - a) * c^3) * d^2 - (b^4 * (d/e)^{(1/3)} - 4 * a * b^3 + 6 * (4 * a * b * (d/e)^{(2/3)} + a^2 * (d/e)^{(1/3)}) * c^2 + 4 * (2 * b^3 * (d/e)^{(2/3)} + 3 * a * b^2 * (d/e)^{(1/3)} - 3 * a^2 * b) * c) * d * e + (12 * a^2 * b^2 * (d/e)^{(2/3)} + 8 * a^3 * c * (d/e)^{(2/3)} + 4 * a^3 * b * (d/e)^{(1/3)} - a^4) * e^2) * \log(x^2 - x * (d/e)^{(1/3)} + (d/e)^{(2/3)}) / (e^3 * (d/e)^{(2/3)}) + 1/3 * ((c^4 * (d/e)^{(2/3)} + 6 * b^2 * c^2 - 4 * (b * (d/e)^{(1/3)} - a) * c^3) * d^2 + (b^4 * (d/e)^{(1/3)} - 4 * a * b^3 - 6 * (2 * a * b * (d/e)^{(2/3)} - a^2 * (d/e)^{(1/3)}) * c^2 - 4 * (b^3 * (d/e)^{(2/3)} - 3 * a * b^2 * (d/e)^{(1/3)} + 3 * a^2 * b) * c) * d * e + (6 * a^2 * b^2 * (d/e)^{(2/3)} + 4 * a^3 * c * (d/e)^{(2/3)}) - 4 * a^3 * b * (d/e)^{(1/3)} + a^4) * e^2) * \log(x + (d/e)^{(1/3)}) / (e^3 * (d/e)^{(2/3)})$

mupad [B] time = 5.05, size = 2971, normalized size = 4.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^4/(d + e*x^3),x)

[Out] $x^2 * ((b^4 + 6 * a^2 * c^2 + 12 * a * b^2 * c) / (2 * e) - (2 * b * c^3 * d) / e^2) - x^3 * ((c^4 * d) / (3 * e^2) - (4 * b * c * (3 * a * c + b^2)) / (3 * e)) + \text{symsum}(\log(\text{root}(27 * d^2 * e^9 * z^3 + 324 * a * b * c^2 * d^3 * e^7 * z^2 + 108 * b^3 * c * d^3 * e^7 * z^2 - 108 * a^3 * c * d^2 * e^8 * z^2 - 162 * a^2 * b^2 * d^2 * e^8 * z^2 - 27 * c^4 * d^4 * e^6 * z^2 - 72 * a * b * c^6 * d^5 * e^4 * z + 216 * a^2 * b^2 * c^4 * d^4 * e^5 * z + 144 * a^3 * b^3 * c^2 * d^3 * e^6 * z - 108 * a^5 * b^2 * c * d^2 * e^7 * z + 108 * a^2 * b^5 * c * d^3 * e^6 * z - 36 * a^4 * b * c^3 * d^3 * e^6 * z + 36 * a * b^4 * c^3 * d^4 * e^5 * z + 144 * b^3 * c^5 * d^5 * e^4 * z + 90 * b^6 * c^2 * d^4 * e^5 * z - 144 * a^3 * c^5 * d^4 * e^5 * z + 90 * a^6 * c^2 * d^2 * e^7 * z + 171 * a^4 * b^4 * d^2 * e^7 * z + 36 * a * b^7 * d^3 * e^6 * z + 36 * a^7 * b * d * e^8 * z + 9 * c^8 * d^6 * e^3 * z + 36 * a^7 * b^4 * c * d^2 * e^6 - 36 * a^7 * b * c^4 * d^3 * e^5 - 36 * a^4 * b^7 * c * d^3 * e^5 - 36 * a^4 * b * c^7 * d^5 * e^3 - 36 * a * b^7 * c^4 * d^5 * e^3 + 36 * a * b^4 * c^7 * d^6 * e^2 + 12 * a * b^10 * c * d^4 * e^4 + 108 * a^5 * b^5 * c^2 * d^3 * e^5 - 108 * a^5 * b^2 * c^5 * d^4 * e^4 + 108 * a^2 * b^5 * c^5 * d^5 * e^3 - 96 * a^6 * b^3 * c^3 * d^3 * e^5 + 96 * a^3 * b^6 * c^3 * d^4 * e^4 - 96 * a^3 * b^3 * c^6 * d^5 * e^3 - 54 * a^8 * b^2 * c^2 * d^2 * e^6 - 54 * a^2 * b^$

$$\begin{aligned}
& 8c^2d^4e^4 - 54a^2b^2c^8d^6e^2 - 9a^4b^4c^4d^4e^4 - 12a^{10}b^* \\
& c^*d^*e^7 - 12a^*b^*c^{10}d^7e - 6b^6c^6d^6e^2 + 4b^9c^3d^5e^3 - 6a^6 \\
& c^6d^4e^4 - 4a^9c^3d^2e^6 - 4a^3c^9d^6e^2 - 6a^6b^6d^2e^6 + \\
& 4a^3b^9d^3e^5 + 4b^3c^9d^7e + 4a^9b^3d^*e^7 - b^{12}d^4e^4 - c^{12} \\
& d^8 - a^{12}e^8, z, k) * ((x*(3a^4e^5 + 12a^*c^3d^2e^3 + 18b^2c^2d^2e^ \\
& ^3 - 12a^*b^3d^*e^4 - 36a^2b^*c^*d^*e^4))/e^3 - (6c^4d^3e^3 + 36a^2b^2* \\
& d^*e^5 - 24b^3c^*d^2e^4 + 24a^3c^*d^*e^5 - 72a^*b^*c^2d^2e^4)/e^4 + 9\text{root} \\
& (27d^2e^9z^3 + 324a^*b^*c^2d^3e^7z^2 + 108b^3c^*d^3e^7z^2 - 108a^ \\
& 3c^*d^2e^8z^2 - 162a^2b^2d^2e^8z^2 - 27c^4d^4e^6z^2 - 72a^*b^*c^6 \\
& d^5e^4z + 216a^2b^2c^4d^4e^5z + 144a^3b^3c^2d^3e^6z - 108a^ \\
& 5b^2c^*d^2e^7z + 108a^2b^5c^*d^3e^6z - 36a^4b^*c^3d^3e^6z + 36a^ \\
& *b^4c^3d^4e^5z + 144b^3c^5d^5e^4z + 90b^6c^2d^4e^5z - 144a^3 \\
& c^5d^4e^5z + 90a^6c^2d^2e^7z + 171a^4b^4d^2e^7z + 36a^*b^7d^ \\
& 3e^6z + 36a^7b^*d^*e^8z + 9c^8d^6e^3z + 36a^7b^4c^*d^2e^6 - 36a^ \\
& 7b^*c^4d^3e^5 - 36a^4b^7c^*d^3e^5 - 36a^4b^*c^7d^5e^3 - 36a^*b^7c^ \\
& 4d^5e^3 + 36a^*b^4c^7d^6e^2 + 12a^*b^{10}c^*d^4e^4 + 108a^5b^5c^2d^ \\
& 3e^5 - 108a^5b^2c^5d^4e^4 + 108a^2b^5c^5d^5e^3 - 96a^6b^3c^3* \\
& d^3e^5 + 96a^3b^6c^3d^4e^4 - 96a^3b^3c^6d^5e^3 - 54a^8b^2c^2* \\
& d^2e^6 - 54a^2b^8c^2d^4e^4 - 54a^2b^2c^8d^6e^2 - 9a^4b^4c^4d^ \\
& ^4e^4 - 12a^{10}b^*c^*d^*e^7 - 12a^*b^*c^{10}d^7e - 6b^6c^6d^6e^2 + 4b^9* \\
& c^3d^5e^3 - 6a^6c^6d^4e^4 - 4a^9c^3d^2e^6 - 4a^3c^9d^6e^2 - 6 \\
& a^6b^6d^2e^6 + 4a^3b^9d^3e^5 + 4b^3c^9d^7e + 4a^9b^3d^*e^7 - \\
& b^{12}d^4e^4 - c^{12}d^8 - a^{12}e^8, z, k)*d^*e^2) + (c^8d^5 + 4a^7b^*e^5 + \\
& 4a^*b^7d^2e^3 + 19a^4b^4d^*e^4 + 10a^6c^2d^*e^4 + 16b^3c^5d^4e - \\
& 16a^3c^5d^3e^2 + 10b^6c^2d^3e^2 - 8a^*b^*c^6d^4e + 24a^2b^2c^4 \\
& d^3e^2 + 16a^3b^3c^2d^2e^3 - 12a^5b^2c^*d^*e^4 + 4a^*b^4c^3d^3e^ \\
& 2 + 12a^2b^5c^*d^2e^3 - 4a^4b^*c^3d^2e^3)/e^4 + (x*(10a^6b^2e^4 - \\
& 4a^7c^*e^4 - 4a^*c^7d^4 + 10b^2c^6d^4 + b^8d^2e^2 + 16a^3b^5d^*e^3 \\
& + 16b^5c^3d^3e + 19a^4c^4d^2e^2 + 24a^2b^4c^2d^2e^2 - 16a^3* \\
& b^2c^3d^2e^2 - 4a^*b^3c^4d^3e + 8a^*b^6c^*d^2e^2 + 12a^2b^*c^5d^3* \\
& e - 4a^4b^3c^*d^*e^3 + 12a^5b^*c^2d^*e^3))/e^3)*\text{root}(27d^2e^9z^3 + 324 \\
& a^*b^*c^2d^3e^7z^2 + 108b^3c^*d^3e^7z^2 - 108a^3c^*d^2e^8z^2 - 162* \\
& a^2b^2d^2e^8z^2 - 27c^4d^4e^6z^2 - 72a^*b^*c^6d^5e^4z + 216a^2b^ \\
& ^2c^4d^4e^5z + 144a^3b^3c^2d^3e^6z - 108a^5b^2c^*d^2e^7z + 10 \\
& 8a^2b^5c^*d^3e^6z - 36a^4b^*c^3d^3e^6z + 36a^*b^4c^3d^4e^5z + 1 \\
& 44b^3c^5d^5e^4z + 90b^6c^2d^4e^5z - 144a^3c^5d^4e^5z + 90a^ \\
& 6c^2d^2e^7z + 171a^4b^4d^2e^7z + 36a^*b^7d^3e^6z + 36a^7b^*d^*e^ \\
& ^8z + 9c^8d^6e^3z + 36a^7b^4c^*d^2e^6 - 36a^7b^*c^4d^3e^5 - 36a^ \\
& 4b^7c^*d^3e^5 - 36a^4b^*c^7d^5e^3 - 36a^*b^7c^4d^5e^3 + 36a^*b^4c^ \\
& ^7d^6e^2 + 12a^*b^{10}c^*d^4e^4 + 108a^5b^5c^2d^3e^5 - 108a^5b^2c^ \\
& ^5d^4e^4 + 108a^2b^5c^5d^5e^3 - 96a^6b^3c^3d^3e^5 + 96a^3b^6c^ \\
& ^3d^4e^4 - 96a^3b^3c^6d^5e^3 - 54a^8b^2c^2d^2e^6 - 54a^2b^8c^ \\
& ^2d^4e^4 - 54a^2b^2c^8d^6e^2 - 9a^4b^4c^4d^4e^4 - 12a^{10}b^*c^*d^ \\
& *e^7 - 12a^*b^*c^{10}d^7e - 6b^6c^6d^6e^2 + 4b^9c^3d^5e^3 - 6a^6c^ \\
& 6d^4e^4 - 4a^9c^3d^2e^6 - 4a^3c^9d^6e^2 - 6a^6b^6d^2e^6 + 4a^ \\
& ^3b^9d^3e^5 + 4b^3c^9d^7e + 4a^9b^3d^*e^7 - b^{12}d^4e^4 - c^{12}d^ \\
& 8 - a^{12}e^8, z, k), k, 1, 3) - x*((d*(4a^*c^3 + 6b^2c^2))/e^2 - (4a^*b^*(\\
& 3a^*c + b^2))/e) + (c^4x^6)/(6e) + (x^4*(4a^*c^3 + 6b^2c^2))/(4e) + (4 \\
& *b^*c^3x^5)/(5e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**4/(e*x**3+d),x)

[Out] Timed out

$$3.76 \quad \int \frac{2x^2+x^4}{1+x^3} dx$$

Optimal. Leaf size=43

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/2*x^2+ln(1+x)+1/2*ln(x^2-x+1)+1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1593, 1887, 1874, 31, 634, 618, 204, 628}

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 + x^3), x]

[Out] x^2/2 + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x] + Log[1 - x + x^2]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 + x^3} dx &= \int \frac{x^2(2 + x^2)}{1 + x^3} dx \\
&= \int \left(x + \frac{x(-1 + 2x)}{1 + x^3} \right) dx \\
&= \frac{x^2}{2} + \int \frac{x(-1 + 2x)}{1 + x^3} dx \\
&= \frac{x^2}{2} + \frac{1}{3} \int \frac{-3 + 3x}{1 - x + x^2} dx + \int \frac{1}{1 + x} dx \\
&= \frac{x^2}{2} + \log(1 + x) - \frac{1}{2} \int \frac{1}{1 - x + x^2} dx + \frac{1}{2} \int \frac{-1 + 2x}{1 - x + x^2} dx \\
&= \frac{x^2}{2} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, -1 + 2x \right) \\
&= \frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{-1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 54, normalized size = 1.26

$$\frac{1}{6} \left(4 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*x^2 + x^4)/(1 + x^3), x]
```

```
[Out] (3*x^2 - 2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 2*Log[1 + x] - Log[1 - x + x^2] + 4*Log[1 + x^3])/6
```

fricas [A] time = 0.78, size = 37, normalized size = 0.86

$$\frac{1}{2} x^2 - \frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+2*x^2)/(x^3+1), x, algorithm="fricas")
```

```
[Out] 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/2*log(x^2 - x + 1) + log(x + 1)
```

giac [A] time = 0.15, size = 38, normalized size = 0.88

$$\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="giac")

[Out] 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/2*log(x^2 - x + 1) + log(abs(x + 1))

maple [A] time = 0.05, size = 38, normalized size = 0.88

$$\frac{x^2}{2} - \frac{\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x+1) + \frac{\ln(x^2-x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(x^3+1),x)

[Out] 1/2*x^2+ln(x+1)+1/2*ln(x^2-x+1)-1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.86, size = 37, normalized size = 0.86

$$\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="maxima")

[Out] 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/2*log(x^2 - x + 1) + log(x + 1)

mupad [B] time = 0.10, size = 49, normalized size = 1.14

$$\ln(x+1) + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + x^4)/(x^3 + 1),x)

[Out] log(x + 1) + log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 + 1/2) - log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 - 1/2) + x^2/2

sympy [A] time = 0.25, size = 44, normalized size = 1.02

$$\frac{x^2}{2} + \log(x+1) + \frac{\log(x^2-x+1)}{2} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+2*x**2)/(x**3+1),x)

[Out] x**2/2 + log(x + 1) + log(x**2 - x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.77 \quad \int \frac{2x^2+x^4}{1-x^3} dx$$

Optimal. Leaf size=46

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/2*x^2 - \ln(1-x) - 1/2*\ln(x^2+x+1) - 1/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1593, 1887, 1875, 31, 634, 618, 204, 628}

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 - x^3), x]

[Out] $-x^2/2 - \text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3] - \text{Log}[1 - x] - \text{Log}[1 + x + x^2]/2$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n_, x_Symbol] :> Int[u*x^(n*p)*(a + b*x^(q-p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1875

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 - x^3} dx &= \int \frac{x^2(2 + x^2)}{1 - x^3} dx \\
&= \int \left(-x + \frac{x(1 + 2x)}{1 - x^3} \right) dx \\
&= -\frac{x^2}{2} + \int \frac{x(1 + 2x)}{1 - x^3} dx \\
&= -\frac{x^2}{2} + \frac{1}{3} \int \frac{-3 - 3x}{1 + x + x^2} dx + \int \frac{1}{1 - x} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \int \frac{1}{1 + x + x^2} dx - \frac{1}{2} \int \frac{1 + 2x}{1 + x + x^2} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 + 2x \right) \\
&= -\frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 54, normalized size = 1.17

$$\frac{1}{6} \left(-4 \log(1 - x^3) - 3x^2 + \log(x^2 + x + 1) - 2 \log(1 - x) - 2\sqrt{3} \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*x^2 + x^4)/(1 - x^3), x]
```

```
[Out] (-3*x^2 - 2*Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - 2*Log[1 - x] + Log[1 + x + x^2] - 4*Log[1 - x^3])/6
```

fricas [A] time = 0.55, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right) - \frac{1}{2} \log(x^2 + x + 1) - \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+2*x^2)/(-x^3+1), x, algorithm="fricas")
```

```
[Out] -1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)
```


giac [A] time = 0.16, size = 38, normalized size = 0.83

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="giac")

[Out] -1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(abs(x - 1))

maple [A] time = 0.05, size = 38, normalized size = 0.83

$$-\frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2+x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(-x^3+1),x)

[Out] -1/2*x^2-ln(x-1)-1/2*ln(x^2+x+1)-1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.90, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="maxima")

[Out] -1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)

mupad [B] time = 0.09, size = 51, normalized size = 1.11

$$-\ln(x-1) + \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} \operatorname{li}}{2}\right) \left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{6}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right) \left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{6}\right) - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + x^4)/(x^3 - 1),x)

[Out] log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/6 - 1/2) - log(x - 1) - log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/6 + 1/2) - x^2/2

sympy [A] time = 0.31, size = 46, normalized size = 1.00

$$-\frac{x^2}{2} - \log(x-1) - \frac{\log(x^2+x+1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+2*x**2)/(-x**3+1),x)

[Out] -x**2/2 - log(x - 1) - log(x**2 + x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3

$$3.78 \quad \int \frac{1-x+4x^3}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 4*x-2/3*ln(1+x)+1/3*ln(x^2-x+1)+4/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1887, 1860, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] 4*x + (4*ArcTan[(1 - 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r

$- A*s*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] \&\& NeQ[a*B^3 - b*A^3, 0] \&\& PosQ[a/b]$

Rule 1887

$Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] \&\& PolyQ[Pq, x] \&\& IntegerQ[n]$

Rubi steps

$$\begin{aligned} \int \frac{1-x+4x^3}{1+x^3} dx &= \int \left(4 - \frac{3+x}{1+x^3} \right) dx \\ &= 4x - \int \frac{3+x}{1+x^3} dx \\ &= 4x - \frac{1}{3} \int \frac{7-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\ &= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx - 2 \int \frac{1}{1-x+x^2} dx \\ &= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) + 4 \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= 4x + \frac{4 \tan^{-1} \left(\frac{1-2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) - \frac{4 \tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] 4*x - (4*ArcTan[(-1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

fricas [A] time = 0.67, size = 37, normalized size = 0.84

$$-\frac{4}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x-1) \right) + 4x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="fricas")

[Out] -4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 4*x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$-\frac{4}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x-1) \right) + 4x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="giac")

[Out] $-4/3\sqrt{3}\arctan(1/3\sqrt{3}(2x - 1)) + 4x + 1/3\log(x^2 - x + 1) - 2/3\log(\text{abs}(x + 1))$

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$4x - \frac{4\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2\ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^3-x+1)/(x^3+1),x)`

[Out] $4*x-2/3*\ln(x+1)+1/3*\ln(x^2-x+1)-4/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 2.81, size = 37, normalized size = 0.84

$$-\frac{4}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + 4x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^3-x+1)/(x^3+1),x, algorithm="maxima")`

[Out] $-4/3*\sqrt{3}\arctan(1/3*\sqrt{3}(2*x - 1)) + 4*x + 1/3*\log(x^2 - x + 1) - 2/3*\log(x + 1)$

mupad [B] time = 4.70, size = 49, normalized size = 1.11

$$4x - \frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^3 - x + 1)/(x^3 + 1),x)`

[Out] $4*x - (2*\log(x + 1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*2i)/3 + 1/3) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*2i)/3 - 1/3)$

sympy [A] time = 0.33, size = 48, normalized size = 1.09

$$4x - \frac{2\log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{3} - \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**3-x+1)/(x**3+1),x)`

[Out] $4*x - 2*\log(x + 1)/3 + \log(x**2 - x + 1)/3 - 4*\sqrt{3}*atan(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3$

$$3.79 \quad \int \frac{1 + \sqrt{3} + x}{\sqrt{1 + x^3}} dx$$

Optimal. Leaf size=230

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

[Out] $2*(x^3+1)^{(1/2)}/(1+x+3^{(1/2)})-3^{(1/4)}*(1+x)*\text{EllipticE}((1+x-3^{(1/2)})/(1+x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x+3^{(1/2)})^2)^{(1/2)}/(x^3+1)^{(1/2)}/((1+x)/(1+x+3^{(1/2)})^2)^{(1/2)}+4*3^{(1/4)}*(1+x)*\text{EllipticF}((1+x-3^{(1/2)})/(1+x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((x^2-x+1)/(1+x+3^{(1/2)})^2)^{(1/2)}/(x^3+1)^{(1/2)}/((1+x)/(1+x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] $(2*\text{Sqrt}[1 + x^3])/((1 + \text{Sqrt}[3] + x) - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]])*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 + \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + x)/(1 + \text{Sqrt}[3] + x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 + x)/(1 + \text{Sqrt}[3] + x)^2]*\text{Sqrt}[1 + x^3]) + (4*3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]])*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 + \text{Sqrt}[3] + x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3] + x)/(1 + \text{Sqrt}[3] + x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 + x)/(1 + \text{Sqrt}[3] + x)^2]*\text{Sqrt}[1 + x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} + x}{\sqrt{1 + x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{1 + x^3}} dx + \int \frac{1 - \sqrt{3} + x}{\sqrt{1 + x^3}} dx$$

$$= \frac{2\sqrt{1 + x^3}}{1 + \sqrt{3} + x} - \frac{4\sqrt{3} \sqrt{2 - \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 + \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + x}{1 + \sqrt{3} + x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 + x}{(1 + \sqrt{3} + x)^2}} \sqrt{1 + x^3}} + \frac{4\sqrt{3} \sqrt{2 - \sqrt{3}}}{\sqrt{1 + x^3}}$$

Mathematica [C] time = 0.04, size = 47, normalized size = 0.20

$$(1 + \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(x^3+1)^(1/2),x, algorithm="fricas")

[Out] integral((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(x^3+1)^(1/2),x, algorithm="giac")

[Out] integrate((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.11, size = 407, normalized size = 1.77

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x+3^(1/2))/(x^3+1)^(1/2),x)

[Out] 2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((-3/2-1/2*I*3^(1/2))*EllipticE(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))+(1/2+1/2*I*3^(1/2))*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(x^3+1)^(1/2),x, algorithm="maxima")

[Out] integrate((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

mupad [B] time = 0.15, size = 312, normalized size = 1.36

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3} \operatorname{li}}{2}}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}^{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)}} + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) + 1)/(x^3 + 1)^(1/2),x)

[Out] 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, -x^3) - (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2) + (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)

sympy [A] time = 3.35, size = 92, normalized size = 0.40

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x+3**(1/2))/(x**3+1)**(1/2),x)
```

```
[Out] x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))
```


$$3.80 \quad \int \frac{1 + \sqrt{3} - x}{\sqrt{1 - x^3}} dx$$

Optimal. Leaf size=257

$$\frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}}$$

[Out] $-2*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}-4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] $(-2*\text{Sqrt}[1-x^3])/(1+\text{Sqrt}[3]-x)+(3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3]-x)/(1+\text{Sqrt}[3]-x)], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3]-x)^2]*\text{Sqrt}[1-x^3])-(4*3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1-\text{Sqrt}[3]-x)/(1+\text{Sqrt}[3]-x)], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3]-x)^2]*\text{Sqrt}[1-x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numerator[Rt[b/a, 3]], s = Denominator[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} - x}{\sqrt{1 - x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{1 - x^3}} dx + \int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx$$

$$= -\frac{2\sqrt{1 - x^3}}{1 + \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \middle| -7 - 4\sqrt{3}\right) - 4\sqrt[4]{3} \sqrt{2}}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1-x^3}}$$

Mathematica [C] time = 0.02, size = 43, normalized size = 0.17

$$(1 + \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] (1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, x^3])/2

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3 + 1}(x - \sqrt{3} - 1)}{x^3 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^3 + 1)*(x - sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [A] time = 0.13, size = 368, normalized size = 1.43

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) + 2i\sqrt{3}}{3\sqrt{-x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x+3^(1/2))/(-x^3+1)^(1/2),x)`

[Out]
$$-2/3 \cdot I \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} \cdot ((x-1)/(-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2} \cdot (-I \cdot (x+1/2+1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} / (-x^3+1)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2}, (I \cdot 3^{1/2}) / (-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2} + 2/3 \cdot I \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} \cdot ((x-1)/(-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2} \cdot (-I \cdot (x+1/2+1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} / (-x^3+1)^{1/2} \cdot ((-3/2+1/2 \cdot I \cdot 3^{1/2}) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2}, (I \cdot 3^{1/2}) / (-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2}) + \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2}, (I \cdot 3^{1/2}) / (-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2} - 2 \cdot I \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} \cdot ((x-1)/(-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2} \cdot (-I \cdot (x+1/2+1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2} / (-x^3+1)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2-1/2 \cdot I \cdot 3^{1/2}) \cdot 3^{1/2})^{1/2}, (I \cdot 3^{1/2}) / (-3/2+1/2 \cdot I \cdot 3^{1/2}))^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x - sqrt(3) - 1)/sqrt(-x^3 + 1), x)`

mupad [B] time = 5.14, size = 342, normalized size = 1.33

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{6 \sqrt{x^3 - 1} \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3} \text{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3} \text{li}}{2}}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} E\left(\text{asin}\left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}^{-\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3^(1/2) - x + 1)/(1 - x^3)^(1/2),x)`

[Out]
$$3^{1/2} \cdot x \cdot \text{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, x^3\right) + (6 \cdot (x^3 - 1)^{1/2} \cdot (-x - (3^{1/2} \cdot \text{li})/2 + 1/2) / ((3^{1/2} \cdot \text{li})/2 - 3/2))^{1/2} \cdot ((x + (3^{1/2} \cdot \text{li})/2 + 1/2) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2} \cdot (-x - 1) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2} \cdot \text{ellipticE}(\text{asin}((-x - 1) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2}, -((3^{1/2} \cdot \text{li})/2 + 3/2) / ((3^{1/2} \cdot \text{li})/2 - 3/2)) / ((1 - x^3)^{1/2} \cdot (((3^{1/2} \cdot \text{li})/2 - 1/2) \cdot ((3^{1/2} \cdot \text{li})/2 + 1/2) - x \cdot (((3^{1/2} \cdot \text{li})/2 - 1/2) \cdot ((3^{1/2} \cdot \text{li})/2 + 1/2) + 1) + x^3)^{1/2}) - (6 \cdot (x^3 - 1)^{1/2} \cdot (-x - (3^{1/2} \cdot \text{li})/2 + 1/2) / ((3^{1/2} \cdot \text{li})/2 - 3/2))^{1/2} \cdot ((x + (3^{1/2} \cdot \text{li})/2 + 1/2) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2} \cdot (-x - 1) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2} \cdot \text{ellipticF}(\text{asin}((-x - 1) / ((3^{1/2} \cdot \text{li})/2 + 3/2))^{1/2}, -((3^{1/2} \cdot \text{li})/2 + 3/2) / ((3^{1/2} \cdot \text{li})/2 - 3/2)) / ((1 - x^3)^{1/2} \cdot (((3^{1/2} \cdot \text{li})/2 - 1/2) \cdot ((3^{1/2} \cdot \text{li})/2 + 1/2) - x \cdot (((3^{1/2} \cdot \text{li})/2 - 1/2) \cdot ((3^{1/2} \cdot \text{li})/2 + 1/2) + 1) + x^3)^{1/2})$$

sympy [A] time = 5.45, size = 97, normalized size = 0.38

$$-\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{2i\pi}\right)}{3 \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x+3**(1/2))/(-x**3+1)**(1/2),x)
```

```
[Out] -x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(2*I*pi))/(3*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3))
```

$$3.81 \quad \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

Optimal. Leaf size=144

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] 2*(x^3-1)^(1/2)/(1-x-3^(1/2))-3^(1/4)*(1-x)*EllipticE((1-x+3^(1/2))/(1-x-3^(1/2)),2*I-I*3^(1/2))*((x^2+x+1)/(1-x-3^(1/2))^2)^(1/2)*(1/2*6^(1/2)+1/2*2^(1/2))/(x^3-1)^(1/2)/((-1+x)/(1-x-3^(1/2))^2)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, number of rules / integrand size = 0.050, Rules used = {1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] (2*Sqrt[-1 + x^3])/(1 - Sqrt[3] - x) - (3^(1/4)*Sqrt[2 + Sqrt[3]]*(1 - x)*Sqrt[(1 + x + x^2)/(1 - Sqrt[3] - x)^2]*EllipticE[ArcSin[(1 + Sqrt[3] - x)/(1 - Sqrt[3] - x)], -7 + 4*Sqrt[3]])/(Sqrt[-((1 - x)/(1 - Sqrt[3] - x)^2)]*Sqrt[-1 + x^3])

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx = \frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}}\sqrt{-1+x^3}}$$

Mathematica [C] time = 0.04, size = 63, normalized size = 0.44

$$\frac{x\sqrt{1-x^3}\left(x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) - 2(1+\sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)\right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] -1/2*(x*Sqrt[1 - x^3]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/Sqrt[-1 + x^3]

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(-(x - sqrt(3) - 1)/sqrt(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) - 1)/sqrt(x^3 - 1), x)

maple [B] time = 0.07, size = 407, normalized size = 2.83

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x+3^(1/2))/(x^3-1)^(1/2), x)

[Out] 2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*EllipticF(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*EllipticE(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*EllipticF(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*EllipticF(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="maxima")

[Out] -integrate((x - sqrt(3) - 1)/sqrt(x^3 - 1), x)

mupad [B] time = 4.87, size = 326, normalized size = 2.26

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} + \frac{6 \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) - x + 1)/(x^3 - 1)^(1/2), x)

[Out] (3^(1/2)*x*(1 - x^3)^(1/2)*hypergeom([1/3, 1/2], 4/3, x^3))/(x^3 - 1)^(1/2) + (6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) + x^3)^(1/2) - (6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) + x^3)^(1/2)

sympy [A] time = 6.19, size = 82, normalized size = 0.57

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3**(1/2))/(x**3-1)**(1/2), x)

[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))

$$3.82 \quad \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

Optimal. Leaf size=135

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x - \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x + \sqrt{3} + 1}{x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{x + 1}{(x - \sqrt{3} + 1)^2}} \sqrt{-x^3 - 1}} - \frac{2\sqrt{-x^3 - 1}}{x - \sqrt{3} + 1}$$

[Out] $-2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1879}

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x - \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x + \sqrt{3} + 1}{x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{x + 1}{(x - \sqrt{3} + 1)^2}} \sqrt{-x^3 - 1}} - \frac{2\sqrt{-x^3 - 1}}{x - \sqrt{3} + 1}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] $(-2*\text{Sqrt}[-1 - x^3])/(1 - \text{Sqrt}[3] + x) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 - \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] + x)/(1 - \text{Sqrt}[3] + x)], -7 + 4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1 + x)/(1 - \text{Sqrt}[3] + x)^2)]*\text{Sqrt}[-1 - x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2])], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx = -\frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 - \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} + x}{1 - \sqrt{3} + x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1 + x}{(1 - \sqrt{3} + x)^2}} \sqrt{-1 - x^3}}$$

Mathematica [C] time = 0.03, size = 67, normalized size = 0.50

$$\frac{x\sqrt{x^3 + 1} \left(2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) \right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] (x*Sqrt[1 + x^3]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3]))/(2*Sqrt[-1 - x^3])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-x^3 - 1} (x + \sqrt{3} + 1)}{x^3 + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(-x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 - 1)*(x + sqrt(3) + 1)/(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(-x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate((x + sqrt(3) + 1)/sqrt(-x^3 - 1), x)

maple [B] time = 0.06, size = 370, normalized size = 2.74

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x+3^(1/2))/(-x^3-1)^(1/2), x)

[Out] -2/3*I*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x+1)/(3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x-1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3-1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(3/2+1/2*I*3^(1/2)))^(1/2))-2/3*I*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x+1)/(3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x-1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3-1)^(1/2)*((3/2+1/2*I*3^(1/2))*EllipticE(1/3*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(3/2+1/2*I*3^(1/2)))^(1/2))-EllipticF(1/3*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(3/2+1/2*I*3^(1/2)))^(1/2))-2*I*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x+1)/(3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x-1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3-1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x-1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(3/2+1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(-x^3-1)^(1/2), x, algorithm="maxima")

[Out] integrate((x + sqrt(3) + 1)/sqrt(-x^3 - 1), x)

mupad [B] time = 4.91, size = 360, normalized size = 2.67

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right)}{\sqrt{-x^3 - 1}} - \frac{6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}\right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}\right)}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) + 1)/(- x^3 - 1)^(1/2), x)

[Out] (3^(1/2)*x*(x^3 + 1)^(1/2)*hypergeom([1/3, 1/2], 4/3, -x^3))/(- x^3 - 1)^(1/2) - (6*(x^3 + 1)^(1/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((- x^3 - 1)^(1/2)*(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)) + (6*(x^3 + 1)^(1/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((- x^3 - 1)^(1/2)*(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2))

sympy [A] time = 3.58, size = 99, normalized size = 0.73

$$\frac{ix^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3**(1/2))/(-x**3-1)**(1/2), x)

[Out] -I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.83 \quad \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx$$

Optimal. Leaf size=468

$$\frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx + (1 - \sqrt{3}) \sqrt[3]{a}}}{\sqrt[3]{bx + (1 + \sqrt{3}) \sqrt[3]{a}}}\right) \mid -7 - 4\sqrt{3}\right) \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $2*(b*x^3+a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)-1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(1/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)+4*3^{(1/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)+1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(1/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}}$

Rubi [A] time = 0.12, antiderivative size = 468, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1878, 218, 1877}

$$\frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx + (1 - \sqrt{3}) \sqrt[3]{a}}}{\sqrt[3]{bx + (1 + \sqrt{3}) \sqrt[3]{a}}}\right) \mid -7 - 4\sqrt{3}\right) \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*\text{Sqrt}[a + b*x^3])/b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})} - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3) + b^{(1/3)*x}})*\text{Sqrt}[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})}], -7 - 4*\text{Sqrt}[3]]/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{Sqrt}[a + b*x^3]) + (4*3^{(1/4)})*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3) + b^{(1/3)*x}})*\text{Sqrt}[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})}], -7 - 4*\text{Sqrt}[3]]/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx = (2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{a + bx^3}} dx + \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx$$

$$= \frac{2\sqrt{a + bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.10, size = 90, normalized size = 0.19

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])
```

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)
```

maple [B] time = 0.27, size = 1003, normalized size = 2.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x)
```

```
[Out] -2/3*I/b^(2/3)*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2*I*a^(1/3)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2/3*I*a^(1/3)*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x + a^{1/3}(\sqrt{3} + 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(a + b*x^3)^(1/2),x)
```

[Out] $\int ((b^{1/3}x + a^{1/3}(3^{1/2} + 1))/(a + b*x^3)^{1/2}, x)$

sympy [A] time = 10.49, size = 122, normalized size = 0.26

$$\frac{\sqrt[3]{b} x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(b*x**3+a)**(1/2),x)`

[Out] `b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))`

$$3.84 \quad \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx$$

Optimal. Leaf size=481

$$\frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}\right) \mid -7 - 4\sqrt{3}\right) \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{b}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

[Out] $-2*(-b*x^3+a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)-b^{(1/3)*x}}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*(a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)-4*3^{(1/4)*a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}*EllipticF((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}*(a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 481, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1878, 218, 1877}

$$\frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}\right) \mid -7 - 4\sqrt{3}\right) \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{b}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[a - b*x^3])/b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})} + (3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3])]/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3]} - (4*3^{(1/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3])]/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3]}}$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{a - bx^3}} dx = (2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{a - bx^3}} dx + \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{a - bx^3}} dx$$

$$= -\frac{2\sqrt{a - bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}}}$$

Mathematica [C] time = 0.09, size = 91, normalized size = 0.19

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) - \sqrt[3]{b}x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]
```

```
[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] - b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[a - b*x^3])
```

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-bx^3 + a} b^{\frac{1}{3}} x - \sqrt{-bx^3 + a} a^{\frac{1}{3}} (\sqrt{3} + 1)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((sqrt(-b*x^3 + a)*b^(1/3)*x - sqrt(-b*x^3 + a)*a^(1/3)*(sqrt(3) + 1))/(b*x^3 - a), x)
```


giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 + a), x)

maple [B] time = 0.29, size = 949, normalized size = 1.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x)

[Out]
$$-2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*EllipticE(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})+1/b*(a*b^2)^{1/3}*EllipticF(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})))+2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} + 1)}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(a - b*x^3)^(1/2), x)`

[Out] `-int((b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(a - b*x^3)^(1/2), x)`

sympy [A] time = 14.66, size = 128, normalized size = 0.27

$$-\frac{\sqrt[3]{b} x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(-b*x**3+a)**(1/2), x)`

[Out] `-b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3))`

$$3.85 \quad \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{-a + bx^3}} dx$$

Optimal. Leaf size=271

$$\frac{2\sqrt{bx^3 - a}}{\sqrt[3]{b} \left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)} \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}} E \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right)}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}} \sqrt{bx^3 - a}}$$

[Out] $2*(b*x^3-a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})-3^{(1/4)*a^{(1/3)*}}$
 $(a^{(1/3)}-b^{(1/3)*x})*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})/(-b^{(1/3)*x+}$
 $a^{(1/3)*(1-3^{(1/2)})}),2*I-I*3^{(1/2)})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}$
 $)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/b^{(1/}$
 $3)/(b*x^3-a)^{(1/2)/(-a^{(1/3)*(a^{(1/3)}-b^{(1/3)*x)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})}$
 $^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1879}

$$\frac{2\sqrt{bx^3 - a}}{\sqrt[3]{b} \left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)} \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}} E \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right)}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] $(2*\text{Sqrt}[-a + b*x^3])/(b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})) - (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2])*\text{Sqrt}[-a + b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[(1 + Sqrt[3])*s + r*x]/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{-a + bx^3}} dx = \frac{2\sqrt{-a + bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.04, size = 92, normalized size = 0.34

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) - \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] - b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[-a + b*x^3])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2), x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

maple [B] time = 0.12, size = 952, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2), x)

[Out] -2/3*I/b^(2/3)*3^(1/2)*(a*b^2)^(1/3)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b^(1/2)*((x-(a*b^2)^(1/3)/b)/(-2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b^(1/2)/(b*x^3-a)^(1/2)

$$3-a)^{1/2} * ((-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2}, (-I * 3^{1/2} * (a*b^2)^{1/3} / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) / b)^{1/2}) + 1/b * (a*b^2)^{1/3} * \text{EllipticF}(1/3 * 3^{1/2} * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2}, (-I * 3^{1/2} * (a*b^2)^{1/3} / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) / b)^{1/2})) + 2 * I * a^{1/3} * (a*b^2)^{1/3} / b * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2} * ((x - (a*b^2)^{1/3} / b) / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b))^{1/2} * (I * (x + 1/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2} / (b*x^3 - a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2}, (-I * 3^{1/2} * (a*b^2)^{1/3} / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) / b)^{1/2}) + 2/3 * I * a^{1/3} * 3^{1/2} * (a*b^2)^{1/3} / b * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2} * ((x - (a*b^2)^{1/3} / b) / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b))^{1/2} * (I * (x + 1/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2} / (b*x^3 - a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (-I * (x + 1/2 * (a*b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) * 3^{1/2} / (a*b^2)^{1/3} * b)^{1/2}, (-I * 3^{1/2} * (a*b^2)^{1/3} / (-3/2 * (a*b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (a*b^2)^{1/3} / b) / b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(b*x^3 - a)^(1/2),x)

[Out] -int((b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(b*x^3 - a)^(1/2), x)

sympy [A] time = 9.21, size = 112, normalized size = 0.41

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(b*x**3-a)**(1/2),x)

[Out] I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3))

$$3.86 \quad \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=266

$$\frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}} \frac{2\sqrt{-a-bx^3}}{\sqrt[3]{b}((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}$$

[Out] $-2*(-b*x^3-a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/b^{(1/3)})/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)})$

Rubi [A] time = 0.06, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1879}

$$\frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}} \frac{2\sqrt{-a-bx^3}}{\sqrt[3]{b}((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[-a - b*x^3])/(b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/(((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2)]*EllipticE[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])*\text{Sqrt}[-a - b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx = -\frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.05, size = 93, normalized size = 0.35

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^3 - a} b^{\frac{1}{3}} x + \sqrt{-bx^3 - a} a^{\frac{1}{3}} (\sqrt{3} + 1)}{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(sqrt(-b*x^3 - a)*b^(1/3)*x + sqrt(-b*x^3 - a)*a^(1/3)*(sqrt(3) + 1))/(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2), x, algorithm="giac")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 - a), x)

maple [B] time = 0.11, size = 1012, normalized size = 3.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2), x)

[Out] -2/3*I/b^(2/3)*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(

$$\begin{aligned}
& -a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(-b*x^3-a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2*I*a^{(1/3)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(-b*x^3-a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*I*a^{(1/3)}*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(-b*x^3-a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{1/3}x + a^{1/3}(\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x + a^{1/3}(\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(-a - b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(-a - b*x^3)^(1/2), x)

sympy [A] time = 8.68, size = 129, normalized size = 0.48

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(-b*x**3-a)**(1/2),x)

[Out] -I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.87 \quad \int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx$$

Optimal. Leaf size=520

$$2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) \\ \frac{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] 2*(b/a)^(1/3)*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^-3^(1/4)*a^(1/3)*(b/a)^(1/3)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)+2/3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(-a^(1/3)*(b/a)^(1/3)*(1-3^(1/2))+b^(1/3)*(1+3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)*3^(3/4)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)

Rubi [A] time = 0.21, antiderivative size = 520, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1878, 218, 1877}

$$2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) \\ \frac{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] (2*(b/a)^(1/3)*Sqrt[a + b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*(b/a)^(1/3)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*((1 + Sqrt[3])*b^(1/3) - (1 - Sqrt[3])*a^(1/3)*(b/a)^(1/3))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 - \sqrt{3}) \sqrt[3]{a + \sqrt[3]{b} x}}{\sqrt{a + bx^3}} dx}{\sqrt[3]{b}} + \left(1 + \sqrt{3} - \frac{(1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a + bx^3}} dx$$

$$= \frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{a + bx^3}}{b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} E\left(\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{\sqrt{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a}\right)}{b^{2/3} \sqrt{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2} \sqrt{a}}$$

Mathematica [C] time = 0.05, size = 89, normalized size = 0.17

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a])/(2*Sqrt[a + b*x^3])
```

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x \left(\frac{b}{a} \right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2), x, algorithm="fricas")
[Out] integral((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(b*x^3 + a), x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.20, size = 1004, normalized size = 1.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x)

[Out]
$$-2/3*I^{3^{1/2}}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I^{3^{1/2}}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2/3*I^{3^{1/2}}*(1/a*b)^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)/b)*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I^{3^{1/2}}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)/b)^{1/2})+(-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I^{3^{1/2}}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I^{3^{1/2}}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I^{3^{1/2}}*(-a*b^2)^{1/3}/b)/b)^{1/2})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3^(1/2) + x*(b/a)^(1/3) + 1)/(a + b*x^3)^(1/2), x)`

[Out] `int((3^(1/2) + x*(b/a)^(1/3) + 1)/(a + b*x^3)^(1/2), x)`

sympy [A] time = 5.13, size = 124, normalized size = 0.24

$$\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+(b/a)**(1/3)*x+3**(1/2))/(b*x**3+a)**(1/2), x)`

[Out] `x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))`

$$3.88 \quad \int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - bx^3}} dx$$

Optimal. Leaf size=533

$$2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right) \\ \frac{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

[Out] $-2*(b/a)^{(1/3)}*(-b*x^3+a)^{(1/2)}/b^{(2/3)}/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+3^{(1/4)}*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)*\text{EllipticE}((-b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}+a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-2/3*(a^{(1/3)}-b^{(1/3)}*x)*\text{EllipticF}((-b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(-a^{(1/3)}*(b/a)^{(1/3)}*(1-3^{(1/2)})+b^{(1/3)}*(1+3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}+a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 533, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {1878, 218, 1877}

$$2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right) \\ \frac{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*(b/a)^{(1/3)}*\text{Sqrt}[a - b*x^3])/(b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x}{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x}], -7 - 4*\text{Sqrt}[3]])/(b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)^2]*\text{Sqrt}[a - b*x^3]) - (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*((1 + \text{Sqrt}[3])*b^{(1/3)} - (1 - \text{Sqrt}[3])*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x}{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x}], -7 - 4*\text{Sqrt}[3]])/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)^2]*\text{Sqrt}[a - b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{\sqrt{a - bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 - \sqrt{3})\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x}{\sqrt{a - bx^3}} dx}{\sqrt[3]{b}} - \left(-1 - \sqrt{3} + \frac{(1 - \sqrt{3})\sqrt[3]{a}\sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a - bx^3}} dx$$

$$= -\frac{2\sqrt[3]{\frac{b}{a}}\sqrt{a - bx^3}}{b^{2/3}\left((1 + \sqrt{3})\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x\right)} + \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{a}\sqrt[3]{\frac{b}{a}}\left(\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x\right)\sqrt{\frac{a^{2/3} + \sqrt[3]{a}\sqrt[3]{\frac{b}{a}}x + b^{2/3}x^2}{\left((1 + \sqrt{3})\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x\right)^2}}}{b^{2/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x\right)}{\left((1 + \sqrt{3})\sqrt[3]{a} - \sqrt[3]{\frac{b}{a}}x\right)^2}}}\sqrt{a}$$

Mathematica [C] time = 0.06, size = 89, normalized size = 0.17

$$\frac{x\sqrt{1 - \frac{bx^3}{a}}\left(x\sqrt[3]{\frac{b}{a}}{}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) - 2(1 + \sqrt{3}){}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[a - b*x^3]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-bx^3 + a}x\left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{-bx^3 + a}(\sqrt{3} + 1)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((sqrt(-b*x^3 + a)*x*(b/a)^(1/3) - sqrt(-b*x^3 + a)*(sqrt(3) + 1))/(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.19, size = 950, normalized size = 1.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*(1/a*b)^{(1/3)}*3^{(1/2)}/b*(a*b^2)^{(1/3)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2 \\ & *I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)} \\ &)/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2* \\ & (a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)} \\ &)/(-b*x^3+a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*E \\ & llipticE(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/ \\ & b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)}*Elliptic \\ & F(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(\\ & 1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b \\ & -1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(\\ & a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)} \\ &)*((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b) \\ &)^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a \\ & *b^2)^{(1/3)*b}^{(1/2)}/(-b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b \\ & ^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(\\ & -I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & b)/b)^{(1/2)}+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I \\ & *3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/ \\ & b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a \\ & *b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)} \\ &)/(-b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{ \\ & (1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(\\ & 1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} - x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3^(1/2) - x*(b/a)^(1/3) + 1)/(a - b*x^3)^(1/2), x)`

[Out] `int((3^(1/2) - x*(b/a)^(1/3) + 1)/(a - b*x^3)^(1/2), x)`

sympy [A] time = 5.97, size = 129, normalized size = 0.24

$$-\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-(b/a)**(1/3)*x+3**(1/2))/(-b*x**3+a)**(1/2), x)`

[Out] `-x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3))`

$$3.89 \quad \int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a + bx^3}} dx$$

Optimal. Leaf size=256

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{bx^3 - a} \sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} \sqrt{bx^3 - a}}$$

[Out] $2*(b/a)^{(2/3)}*(b*x^3-a)^{(1/2)}/b/(1-(b/a)^{(1/3)}*x-3^{(1/2)})-3^{(1/4)}*(1-(b/a)^{(1/3)}*x)*\text{EllipticE}((1-(b/a)^{(1/3)}*x+3^{(1/2)})/(1-(b/a)^{(1/3)}*x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((1+(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1-(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(b/a)^{(1/3)}/(b*x^3-a)^{(1/2)}/((-1+(b/a)^{(1/3)}*x)/(1-(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1879}

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{bx^3 - a} \sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/\text{Sqrt}[-a + b*x^3], x]$

[Out] $(2*(b/a)^{(2/3)}*\text{Sqrt}[-a + b*x^3])/(b*(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)) - (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 - (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2]/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2)*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)], -7 + 4*\text{Sqrt}[3]]/((b/a)^{(1/3)}*\text{Sqrt}[-((1 - (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2)]*\text{Sqrt}[-a + b*x^3])$

Rule 1879

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3], x_Symbol] :> \text{With}[\{r = \text{N umer}[\text{Simplify}[(1 + \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 + \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 - \text{Sqrt}[3])*s + r*x)), x] + \text{Simp}[(3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/(1 - \text{Sqrt}[3])*s + r*x]^2)*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3])*s + r*x]/((1 - \text{Sqrt}[3])*s + r*x)], -7 + 4*\text{Sqrt}[3]]/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[-((s*(s + r*x))/(1 - \text{Sqrt}[3])*s + r*x)^2]), x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{NegQ}[a] \&\& \text{EqQ}[b*c^3 - 2*(5 + 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{\sqrt{-a + bx^3}} dx = \frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{-a + bx^3}}{b\left(1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 - \sqrt[3]{\frac{b}{a}}x\right) \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3}x^2}{\left(1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}}x}{\left(1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)^2}} \sqrt{-a + bx^3}}$$

Mathematica [C] time = 0.04, size = 90, normalized size = 0.35

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(x\sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) - 2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[-a + b*x^3]

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x\left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="fricas")

[Out] integral(-(x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.10, size = 953, normalized size = 3.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x)

[Out] -2/3*I*(1/a*b)^(1/3)*3^(1/2)*(a*b^2)^(1/3)/b*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b^(1/2)*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*

$$\begin{aligned} & (a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3-a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}, (-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}, (-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3-a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}, (-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3-a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}, (-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} - x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(b*x^3 - a)^(1/2),x)

[Out] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(b*x^3 - a)^(1/2), x)

sympy [A] time = 5.17, size = 114, normalized size = 0.45

$$\frac{ix^2 \sqrt{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x+3**(1/2))/(b*x**3-a)**(1/2),x)

[Out] I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3))

$$3.90 \quad \int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx$$

Optimal. Leaf size=251

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1 \right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} \sqrt{-a - bx^3}} - \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b \left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)}$$

[Out] $-2*(b/a)^{(2/3)}*(-b*x^3-a)^{(1/2)}/b/(1+(b/a)^{(1/3)}*x-3^{(1/2)})+3^{(1/4)}*(1+(b/a)^{(1/3)}*x)*\text{EllipticE}((1+(b/a)^{(1/3)}*x+3^{(1/2)})/(1+(b/a)^{(1/3)}*x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((1-(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1+(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(b/a)^{(1/3)}/(-b*x^3-a)^{(1/2)}/((-1-(b/a)^{(1/3)}*x)/(1+(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1879}

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1 \right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} \sqrt{-a - bx^3}} - \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b \left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*(b/a)^{(2/3)}*\text{Sqrt}[-a - b*x^3])/(b*(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 + (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)], -7 + 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[-((1 + (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2])* \text{Sqrt}[-a - b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{\sqrt{-a - bx^3}} dx = -\frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 + \sqrt[3]{\frac{b}{a}}x\right) \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3}x^2}{\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}}x}{\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} \sqrt{-a - bx^3}}$$

Mathematica [C] time = 0.04, size = 92, normalized size = 0.37

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + x\sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)\right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{-bx^3 - a} (\sqrt{3} + 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(sqrt(-b*x^3 - a))*x*(b/a)^(1/3) + sqrt(-b*x^3 - a)*(sqrt(3) + 1))/(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.08, size = 1013, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2), x)

[Out] -2/3*I*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2

$$\begin{aligned} & *(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^{(1/2)}*(-I*(x+1/2*(-a*b^2) \\ &)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(\\ & -b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1 \\ & /2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(\\ & 1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}-2/3*I \\ & *(1/a*b)^{(1/3)}*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{ \\ & (1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/ \\ & b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^{(1/2)}*(-I*(x+1/2 \\ & *(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b) \\ & ^{(1/2)}/(-b*x^3-a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3) \\ &)/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2 \\ &)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2* \\ & (-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b \\ & *EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1 \\ & /3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a* \\ & b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2*I*(-a*b^2)^{(1/3)}/ \\ & b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^ \\ & 2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2) \\ &)*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^ \\ & 2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(-b*x^3-a)^{(1/2)}*EllipticF(1/3* \\ & 3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/ \\ & (-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/ \\ & 2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(- a - b*x^3)^(1/2),x)

[Out] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(- a - b*x^3)^(1/2), x)

sympy [A] time = 6.61, size = 131, normalized size = 0.52

$$\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x+3**(1/2))/(-b*x**3-a)**(1/2),x)

```
[Out] -I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))
```

$$3.91 \quad \int \frac{1-\sqrt{3}+x}{\sqrt{1+x^3}} dx$$

Optimal. Leaf size=127

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

[Out] $2*(x^3+1)^{(1/2)/(1+x+3^{(1/2)})-3^{(1/4)}*(1+x)*\text{EllipticE}((1+x-3^{(1/2)})/(1+x+3^{(1/2)}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*((x^2-x+1)/(1+x+3^{(1/2)})^2)^{(1/2)/(x^3+1)^{(1/2)/((1+x)/(1+x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] $(2*\text{Sqrt}[1 + x^3])/(1 + \text{Sqrt}[3] + x) - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 + \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + x)/(1 + \text{Sqrt}[3] + x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 + x)/(1 + \text{Sqrt}[3] + x)^2]*\text{Sqrt}[1 + x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1-\sqrt{3}+x}{\sqrt{1+x^3}} dx = \frac{2\sqrt{1+x^3}}{1+\sqrt{3}+x} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1+x)\sqrt{\frac{1-x+x^2}{(1+\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}+x}{1+\sqrt{3}+x}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1+x}{(1+\sqrt{3}+x)^2}}\sqrt{1+x^3}}$$

Mathematica [C] time = 0.03, size = 49, normalized size = 0.39

$$(1-\sqrt{3})x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2}x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (1 - Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.11, size = 407, normalized size = 3.20

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x-3^(1/2))/(x^3+1)^(1/2), x)

[Out] 2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((3/2-1/2*I*3^(1/2))*EllipticE(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+((1/2+1/2*I*3^(1/2))*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))-2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(x^3+1)^(1/2), x, algorithm="maxima")

[Out] integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

mupad [B] time = 0.13, size = 313, normalized size = 2.46

$$-\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}} + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 3^(1/2) + 1)/(x^3 + 1)^(1/2), x)

[Out] (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2)^(1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2)^(1/2) - (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2)^(1/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2)^(1/2) - 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, -x^3)

sympy [A] time = 3.52, size = 92, normalized size = 0.72

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3**(1/2))/(x**3+1)**(1/2), x)

[Out] x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.92 \quad \int \frac{1-\sqrt{3}-x}{\sqrt{1-x^3}} dx$$

Optimal. Leaf size=142

$$\frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}} - \frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1}$$

[Out] $-2*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}} - \frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] $(-2*\text{Sqrt}[1-x^3])/(1+\text{Sqrt}[3]-x) + (3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3]-x)/(1+\text{Sqrt}[3]-x)], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3]-x)^2]*\text{Sqrt}[1-x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1-\sqrt{3}-x}{\sqrt{1-x^3}} dx = -\frac{2\sqrt{1-x^3}}{1+\sqrt{3}-x} + \frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1-x^3}}$$

Mathematica [C] time = 0.02, size = 45, normalized size = 0.32

$$(1-\sqrt{3})x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{1}{2}x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] - x)/Sqrt[1 - x^3],x]

[Out] (1 - Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, x^3])/2

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3+1}(x+\sqrt{3}-1)}{x^3-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(-x^3+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^3 + 1)*(x + sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(-x^3+1)^(1/2),x, algorithm="giac")

[Out] integrate(-(x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [B] time = 0.11, size = 368, normalized size = 2.59

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) + 2i\sqrt{3}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x-3^(1/2))/(-x^3+1)^(1/2),x)

[Out] -2/3*I*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))+2/3*I*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*((-3/2+1/2*I*3^(1/2))*EllipticE(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))+EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))+2*I*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(-x^3+1)^(1/2),x, algorithm="maxima")

[Out] -integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

mupad [B] time = 4.74, size = 343, normalized size = 2.42

$$-\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{6\sqrt{x^3-1} \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + 3^(1/2) - 1)/(1 - x^3)^(1/2), x)

[Out] (6*(x^3 - 1)^(1/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((1 - x^3)^(1/2)*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) + x^3)^(1/2)) - 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, x^3) - (6*(x^3 - 1)^(1/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((1 - x^3)^(1/2)*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) + x^3)^(1/2))

sympy [A] time = 4.39, size = 97, normalized size = 0.68

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3**(1/2))/(-x**3+1)**(1/2), x)

[Out] -x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(2*I*pi))/(3*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3))

3.93 $\int \frac{1-\sqrt{3}-x}{\sqrt{-1+x^3}} dx$

Optimal. Leaf size=264

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] $2*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})+4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}-3^{(1/4)}*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, number of rules / integrand size = 0.136, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] $(2*\text{Sqrt}[-1+x^3])/(1-\text{Sqrt}[3]-x) - (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3]) + (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} - x}{\sqrt{-1 + x^3}} dx = -\left((2\sqrt{3}) \int \frac{1}{\sqrt{-1 + x^3}} dx \right) + \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

$$= \frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}} + \frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}}}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.03, size = 63, normalized size = 0.24

$$\frac{x\sqrt{1-x^3} \left(2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - Sqrt[3] - x)/Sqrt[-1 + x^3], x]
```

```
[Out] -1/2*(x*Sqrt[1 - x^3]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/Sqrt[-1 + x^3]
```

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x-3^(1/2))/(x^3-1)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-(x + sqrt(3) - 1)/sqrt(x^3 - 1), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x-3^(1/2))/(x^3-1)^(1/2), x, algorithm="giac")
```

```
[Out] integrate(-(x + sqrt(3) - 1)/sqrt(x^3 - 1), x)
```

maple [A] time = 0.07, size = 407, normalized size = 1.54

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x-3^(1/2))/(x^3-1)^(1/2),x)`

[Out] $2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))-2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x-3^(1/2))/(x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

mupad [B] time = 4.75, size = 327, normalized size = 1.24

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} + \frac{6 \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{x^3 + \left(-\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + 3^(1/2) - 1)/(x^3 - 1)^(1/2),x)`

[Out] $(6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*\text{ellipticE}(\text{asin}((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2) - (3^(1/2)*x*(1 - x^3)^(1/2)*\text{hypergeom}([1/3, 1/2], 4/3, x^3))/(x^3 - 1)^(1/2) - (6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*\text{ellipticF}(\text{asin}((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2)$

sympy [A] time = 5.72, size = 82, normalized size = 0.31

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x-3**(1/2))/(x**3-1)**(1/2),x)
```

```
[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))
```

3.94 $\int \frac{1-\sqrt{3}+x}{\sqrt{-1-x^3}} dx$

Optimal. Leaf size=247

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

[Out] $-2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})-4*3^{(1/4)}*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] $(-2*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x) + (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3]) - (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} + x}{\sqrt{-1 - x^3}} dx = -\left((2\sqrt{3}) \int \frac{1}{\sqrt{-1 - x^3}} dx \right) + \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

$$= -\frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 - \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} + x}{1 - \sqrt{3} + x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1 + x}{(1 - \sqrt{3} + x)^2}} \sqrt{-1 - x^3}} - \frac{4\sqrt[4]{3}}{1 - \sqrt{3} + x}$$

Mathematica [C] time = 0.03, size = 67, normalized size = 0.27

$$\frac{x\sqrt{x^3 + 1} \left(x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) - 2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) \right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] (x*Sqrt[1 + x^3]*(-2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3]))/(2*Sqrt[-1 - x^3])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3 - 1}(x - \sqrt{3} + 1)}{x^3 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(-x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 - 1)*(x - sqrt(3) + 1)/(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(-x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)

maple [A] time = 0.06, size = 370, normalized size = 1.50

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) + 2i\sqrt{3}}{3\sqrt{-x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x-3^(1/2))/(-x^3-1)^(1/2),x)`

[Out] $-2/3 * I * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - 2/3 * I * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * ((3/2 + 1/2 * I * 3^{(1/2)}) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) + 2 * I * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x-3^(1/2))/(-x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)`

mupad [B] time = 4.82, size = 361, normalized size = 1.46

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right)}{\sqrt{-x^3 - 1}} - \frac{6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}\right)\right) - \frac{\frac{3}{2} + \frac{\sqrt{3}}{2}}{-\frac{3}{2} + \frac{\sqrt{3}}{2}}}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x - 3^(1/2) + 1)/(-x^3 - 1)^(1/2),x)`

[Out] $(6 * (x^3 + 1)^{(1/2)} * ((x + (3^{(1/2)} * 1i) / 2 - 1/2) / ((3^{(1/2)} * 1i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * (((3^{(1/2)} * 1i) / 2 - x + 1/2) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * \text{ellipticF}(\text{asin}(((x + 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)}), -((3^{(1/2)} * 1i) / 2 + 3/2) / ((3^{(1/2)} * 1i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * ((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2) + 1) - ((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2))^{(1/2)}) - (6 * (x^3 + 1)^{(1/2)} * ((x + (3^{(1/2)} * 1i) / 2 - 1/2) / ((3^{(1/2)} * 1i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * (((3^{(1/2)} * 1i) / 2 - x + 1/2) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * \text{ellipticE}(\text{asin}(((x + 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)}), -((3^{(1/2)} * 1i) / 2 + 3/2) / ((3^{(1/2)} * 1i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * ((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2) + 1) - ((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2))^{(1/2)}) - (3^{(1/2)} * x * (x^3 + 1)^{(1/2)} * \text{hypergeom}([1/3, 1/2], 4/3, -x^3)) / (-x^3 - 1)^{(1/2)}$

sympy [A] time = 3.36, size = 97, normalized size = 0.39

$$-\frac{ix^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x-3**(1/2))/(-x**3-1)**(1/2),x)
```

```
[Out] -I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))
```

$$3.95 \quad \int \frac{-1 + \sqrt{3} - x}{\sqrt{1+x^3}} dx$$

Optimal. Leaf size=126

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x - \sqrt{3} + 1}{x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt{\frac{x + 1}{(x + \sqrt{3} + 1)^2}} \sqrt{x^3 + 1}} - \frac{2\sqrt{x^3 + 1}}{x + \sqrt{3} + 1}$$

[Out] $-2*(x^3+1)^{(1/2)}/(1+x+3^{(1/2)})+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x-3^{(1/2)})/(1+x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x+3^{(1/2)})^2)^{(1/2)}/(x^3+1)^{(1/2)}/((1+x)/(1+x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x - \sqrt{3} + 1}{x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt{\frac{x + 1}{(x + \sqrt{3} + 1)^2}} \sqrt{x^3 + 1}} - \frac{2\sqrt{x^3 + 1}}{x + \sqrt{3} + 1}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] - x)/Sqrt[1 + x^3], x]

[Out] $(-2*\text{Sqrt}[1 + x^3])/(1 + \text{Sqrt}[3] + x) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 + x)*\text{qrt}[(1 - x + x^2)/(1 + \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + x)/(1 + \text{Sqrt}[3] + x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 + x)/(1 + \text{Sqrt}[3] + x)^2]*\text{Sqrt}[1 + x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{-1 + \sqrt{3} - x}{\sqrt{1+x^3}} dx = -\frac{2\sqrt{1+x^3}}{1 + \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 + x) \sqrt{\frac{1-x+x^2}{(1+\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}+x}{1+\sqrt{3}+x}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1+x}{(1+\sqrt{3}+x)^2}} \sqrt{1+x^3}}$$

Mathematica [C] time = 0.04, size = 47, normalized size = 0.37

$$(\sqrt{3} - 1) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] - x)/Sqrt[1 + x^3], x]

[Out] (-1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(-(x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.07, size = 407, normalized size = 3.23

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1-x+3^(1/2))/(x^3+1)^(1/2), x)

[Out] -2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))-2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((3/2-1/2*I*3^(1/2))*EllipticE(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+((1/2+1/2*I*3^(1/2))*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2), ((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(x^3+1)^(1/2), x, algorithm="maxima")

[Out] -integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

mupad [B] time = 4.82, size = 312, normalized size = 2.48

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\middle| -\frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}\right)}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}} - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 3^(1/2) + 1)/(x^3 + 1)^(1/2), x)

[Out] 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, -x^3) + (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2) - (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)

sympy [A] time = 3.30, size = 92, normalized size = 0.73

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3**(1/2))/(x**3+1)**(1/2), x)

[Out] -x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.96 \quad \int \frac{-1 + \sqrt{3} + x}{\sqrt{1 - x^3}} dx$$

Optimal. Leaf size=143

$$\frac{2\sqrt{1-x^3}}{-x + \sqrt{3} + 1} - \frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}}$$

[Out] $2*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})-3^{(1/4)}*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{2\sqrt{1-x^3}}{-x + \sqrt{3} + 1} - \frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + x)/Sqrt[1 - x^3], x]

[Out] $(2*\text{Sqrt}[1 - x^3])/(1 + \text{Sqrt}[3] - x) - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 + \text{Sqrt}[3] - x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] - x)/(1 + \text{Sqrt}[3] - x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 - x)/(1 + \text{Sqrt}[3] - x)^2]*\text{Sqrt}[1 - x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{-1 + \sqrt{3} + x}{\sqrt{1 - x^3}} dx = \frac{2\sqrt{1-x^3}}{1 + \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} (1-x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1-x^3}}$$

Mathematica [C] time = 0.01, size = 43, normalized size = 0.30

$$\frac{1}{2}x \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] + x)/Sqrt[1 - x^3], x]

[Out] (x*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/2

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3+1}(x+\sqrt{3}-1)}{x^3-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x+3^(1/2))/(-x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 + 1)*(x + sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x+3^(1/2))/(-x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [B] time = 0.06, size = 368, normalized size = 2.57

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+x+3^(1/2))/(-x^3+1)^(1/2), x)

[Out] 2/3*I*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))-2/3*I*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*((-3/2+1/2*I*3^(1/2))*EllipticE(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))+EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))-2*I*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2)*((x-1)/(-3/2+1/2*I*3^(1/2)))^(1/2)*(-I*(x+1/2+1/2*I*3^(1/2))*3^(1/2))^(1/2)/(-x^3+1)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2-1/2*I*3^(1/2))*3^(1/2))^(1/2), (I*3^(1/2)/(-3/2+1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x+3^(1/2))/(-x^3+1)^(1/2), x, algorithm="maxima")

[Out] integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

mupad [B] time = 0.05, size = 342, normalized size = 2.39

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{6\sqrt{x^3-1} \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) - 1)/(1 - x^3)^(1/2), x)

[Out] $3^{1/2} x \operatorname{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, x^3\right) - (6(x^3 - 1)^{1/2} * (-x - (3^{1/2} * 1i)/2 + 1/2) / ((3^{1/2} * 1i)/2 - 3/2))^{1/2} * ((x + (3^{1/2} * 1i)/2 + 1/2) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2} * (-x - 1) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2} * \operatorname{ellipticE}(\operatorname{asin}((-x - 1) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2}), -((3^{1/2} * 1i)/2 + 3/2) / ((3^{1/2} * 1i)/2 - 3/2)) / ((1 - x^3)^{1/2} * (((3^{1/2} * 1i)/2 - 1/2) * ((3^{1/2} * 1i)/2 + 1/2) - x * (((3^{1/2} * 1i)/2 - 1/2) * ((3^{1/2} * 1i)/2 + 1/2) + 1) + x^3)^{1/2}) + (6(x^3 - 1)^{1/2} * (-x - (3^{1/2} * 1i)/2 + 1/2) / ((3^{1/2} * 1i)/2 - 3/2))^{1/2} * ((x + (3^{1/2} * 1i)/2 + 1/2) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2} * (-x - 1) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2} * \operatorname{ellipticF}(\operatorname{asin}((-x - 1) / ((3^{1/2} * 1i)/2 + 3/2))^{1/2}), -((3^{1/2} * 1i)/2 + 3/2) / ((3^{1/2} * 1i)/2 - 3/2)) / ((1 - x^3)^{1/2} * (((3^{1/2} * 1i)/2 - 1/2) * ((3^{1/2} * 1i)/2 + 1/2) - x * (((3^{1/2} * 1i)/2 - 1/2) * ((3^{1/2} * 1i)/2 + 1/2) + 1) + x^3)^{1/2})$

sympy [A] time = 4.89, size = 97, normalized size = 0.68

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x*3**(1/2))/(-x**3+1)**(1/2), x)

[Out] $x^{**2} \operatorname{gamma}(2/3) * \operatorname{hyper}((1/2, 2/3), (5/3,), x^{**3} * \exp_polar(2 * I * \pi)) / (3 * \operatorname{gamma}(5/3)) - x * \operatorname{gamma}(1/3) * \operatorname{hyper}((1/3, 1/2), (4/3,), x^{**3} * \exp_polar(2 * I * \pi)) / (3 * \operatorname{gamma}(4/3)) + \sqrt{3} * x * \operatorname{gamma}(1/3) * \operatorname{hyper}((1/3, 1/2), (4/3,), x^{**3} * \exp_polar(2 * I * \pi)) / (3 * \operatorname{gamma}(4/3))$

$$3.97 \quad \int \frac{-1 + \sqrt{3} + x}{\sqrt{-1 + x^3}} dx$$

Optimal. Leaf size=263

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] $-2*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})-4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + x)/Sqrt[-1 + x^3], x]

[Out] $(-2*\text{Sqrt}[-1 + x^3])/(1 - \text{Sqrt}[3] - x) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 - \text{Sqrt}[3] - x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] - x)/(1 - \text{Sqrt}[3] - x)], -7 + 4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1 - x)/(1 - \text{Sqrt}[3] - x)^2)]*\text{Sqrt}[-1 + x^3]) - (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 - \text{Sqrt}[3] - x)^2]*\text{EllipticF}[\text{ArcSin}[(1 + \text{Sqrt}[3] - x)/(1 - \text{Sqrt}[3] - x)], -7 + 4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1 - x)/(1 - \text{Sqrt}[3] - x)^2)]*\text{Sqrt}[-1 + x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^{(1/4)}*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{-1 + \sqrt{3} + x}{\sqrt{-1 + x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{-1 + x^3}} dx - \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

$$= -\frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}} - \frac{4\sqrt[4]{3}}{2\sqrt{3}}$$

Mathematica [C] time = 0.02, size = 63, normalized size = 0.24

$$\frac{x\sqrt{1-x^3} \left(2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(-1 + Sqrt[3] + x)/Sqrt[-1 + x^3], x]
```

```
[Out] (x*Sqrt[1 - x^3]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/(2*Sqrt[-1 + x^3])
```

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)
```

maple [A] time = 0.06, size = 407, normalized size = 1.55

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1+x+3^(1/2))/(x^3-1)^(1/2),x)`

[Out]
$$-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x+3^(1/2))/(x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

mupad [B] time = 0.06, size = 326, normalized size = 1.24

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} - \frac{6 \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}i}{2}}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}}\right)\right) - \frac{3}{2} + \frac{\sqrt{3}i}{2}}{6 \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + 3^(1/2) - 1)/(x^3 - 1)^(1/2),x)`

[Out]
$$(3^(1/2)*x*(1-x^3)^(1/2)*\text{hypergeom}([1/3, 1/2], 4/3, x^3))/(x^3-1)^(1/2) - (6*(-(x-(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2-3/2))^(1/2)*((x+(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2+3/2))^(1/2)*(-(x-1)/((3^(1/2)*1i)/2+3/2))^(1/2)*\text{ellipticE}(\text{asin}(-(x-1)/((3^(1/2)*1i)/2+3/2))^(1/2), -((3^(1/2)*1i)/2+3/2)/((3^(1/2)*1i)/2-3/2))/(((3^(1/2)*1i)/2-1/2)*((3^(1/2)*1i)/2+1/2)-x*((3^(1/2)*1i)/2-1/2)*((3^(1/2)*1i)/2+1/2)+1+x^3)^(1/2) + (6*(-(x-(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2-3/2))^(1/2)*((x+(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2+3/2))^(1/2)*(-(x-1)/((3^(1/2)*1i)/2+3/2))^(1/2)*\text{ellipticF}(\text{asin}(-(x-1)/((3^(1/2)*1i)/2+3/2))^(1/2)), -((3^(1/2)*1i)/2+3/2)/((3^(1/2)*1i)/2-3/2))/(((3^(1/2)*1i)/2-1/2)*((3^(1/2)*1i)/2+1/2)-x*((3^(1/2)*1i)/2-1/2)*((3^(1/2)*1i)/2+1/2)+1+x^3)^(1/2)$$

sympy [A] time = 3.16, size = 82, normalized size = 0.31

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+x+3**(1/2))/(x**3-1)**(1/2),x)
```

```
[Out] -I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - sqrt(3)
*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) + I*x*gamma(
1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))
```

$$3.98 \quad \int \frac{-1 + \sqrt{3} - x}{\sqrt{-1 - x^3}} dx$$

Optimal. Leaf size=248

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

[Out] $2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+4*3^{(1/4)}*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}-3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] - x)/Sqrt[-1 - x^3], x]

[Out] $(2*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x) - (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3]) + (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880


```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{-1 + \sqrt{3} - x}{\sqrt{-1 - x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{-1 - x^3}} dx - \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

$$= \frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1-x+x^2}{(1-\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}+x}{1-\sqrt{3}+x}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1+x}{(1-\sqrt{3}+x)^2}} \sqrt{-1 - x^3}} + \frac{4\sqrt{3}}{\dots}$$

Mathematica [C] time = 0.02, size = 67, normalized size = 0.27

$$\frac{x\sqrt{x^3+1} \left(x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) - 2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) \right)}{2\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] - x)/Sqrt[-1 - x^3], x]

[Out] -1/2*(x*Sqrt[1 + x^3]*(-2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3]))/Sqrt[-1 - x^3]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3-1}(x-\sqrt{3}+1)}{x^3+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-x^3 - 1)*(x - sqrt(3) + 1)/(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)

maple [A] time = 0.06, size = 370, normalized size = 1.49

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{i}}{3\sqrt{-x^3-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1-x+3^(1/2))/(-x^3-1)^(1/2),x)`

[Out]
$$\frac{2}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2} \left(\frac{x+1}{(3/2+1/2 I^{3/2})^{1/2}} \right)^{1/2} (-I(x-1/2+1/2 I^{3/2})^{3/2})^{1/2} (-x^3-1)^{1/2} \text{EllipticF}\left(\frac{1}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2}, \frac{I^{3/2}}{(3/2+1/2 I^{3/2})^{1/2}}\right)^{1/2} + \frac{2}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2} \left(\frac{x+1}{(3/2+1/2 I^{3/2})^{1/2}} \right)^{1/2} (-I(x-1/2+1/2 I^{3/2})^{3/2})^{1/2} (-x^3-1)^{1/2} \left(\frac{3/2+1/2 I^{3/2}}{I^{3/2}} \text{EllipticE}\left(\frac{1}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2}, \frac{I^{3/2}}{(3/2+1/2 I^{3/2})^{1/2}}\right)^{1/2} - \text{EllipticF}\left(\frac{1}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2}, \frac{I^{3/2}}{(3/2+1/2 I^{3/2})^{1/2}}\right)^{1/2} \right) - 2 I (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2} \left(\frac{x+1}{(3/2+1/2 I^{3/2})^{1/2}} \right)^{1/2} (-I(x-1/2+1/2 I^{3/2})^{3/2})^{1/2} (-x^3-1)^{1/2} \text{EllipticF}\left(\frac{1}{3} I^{3/2} (I(x-1/2-1/2 I^{3/2})^{3/2})^{1/2}, \frac{I^{3/2}}{(3/2+1/2 I^{3/2})^{1/2}}\right)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)`

mupad [B] time = 4.90, size = 360, normalized size = 1.45

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right)}{\sqrt{-x^3 - 1}} + \frac{6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}\right)\right) - \frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 3^(1/2) + 1)/(-x^3 - 1)^(1/2),x)`

[Out]
$$\frac{(3^{1/2})^x (x^3 + 1)^{1/2} \text{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, -x^3\right)}{(-x^3 - 1)^{1/2}} + \frac{6 (x^3 + 1)^{1/2} \left(\frac{x + (3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 - 3/2)}\right)^{1/2} \left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \left(\frac{(3^{1/2} * 1i)/2 - x + 1/2}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \text{ellipticE}\left(\text{asin}\left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)\right)^{1/2}, -\frac{((3^{1/2} * 1i)/2 + 3/2)/((3^{1/2} * 1i)/2 - 3/2)}{(-x^3 - 1)^{1/2}} \left(\frac{x^3 - x \left(\frac{(3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 + 1/2)} + 1\right) - ((3^{1/2} * 1i)/2 - 1/2) \left(\frac{(3^{1/2} * 1i)/2 + 1/2}{((3^{1/2} * 1i)/2 + 1/2)}\right)^{1/2}}{(6 (x^3 + 1)^{1/2} \left(\frac{x + (3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 - 3/2)}\right)^{1/2} \left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \left(\frac{(3^{1/2} * 1i)/2 - x + 1/2}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \text{ellipticF}\left(\text{asin}\left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)\right)^{1/2}, -\frac{((3^{1/2} * 1i)/2 + 3/2)/((3^{1/2} * 1i)/2 - 3/2)}{(-x^3 - 1)^{1/2}} \left(\frac{x^3 - x \left(\frac{(3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 + 1/2)} + 1\right) - ((3^{1/2} * 1i)/2 - 1/2) \left(\frac{(3^{1/2} * 1i)/2 + 1/2}{((3^{1/2} * 1i)/2 + 1/2)}\right)^{1/2}}{(6 (x^3 + 1)^{1/2} \left(\frac{x + (3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 - 3/2)}\right)^{1/2} \left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \left(\frac{(3^{1/2} * 1i)/2 - x + 1/2}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \text{ellipticF}\left(\text{asin}\left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)\right)^{1/2}, -\frac{((3^{1/2} * 1i)/2 + 3/2)/((3^{1/2} * 1i)/2 - 3/2)}{(-x^3 - 1)^{1/2}} \left(\frac{x^3 - x \left(\frac{(3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 + 1/2)} + 1\right) - ((3^{1/2} * 1i)/2 - 1/2) \left(\frac{(3^{1/2} * 1i)/2 + 1/2}{((3^{1/2} * 1i)/2 + 1/2)}\right)^{1/2}}{(6 (x^3 + 1)^{1/2} \left(\frac{x + (3^{1/2} * 1i)/2 - 1/2}{((3^{1/2} * 1i)/2 - 3/2)}\right)^{1/2} \left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \left(\frac{(3^{1/2} * 1i)/2 - x + 1/2}{((3^{1/2} * 1i)/2 + 3/2)}\right)^{1/2} \text{ellipticF}\left(\text{asin}\left(\frac{x + 1}{((3^{1/2} * 1i)/2 + 3/2)}\right)\right)^{1/2}$$

sympy [A] time = 5.22, size = 97, normalized size = 0.39

$$\frac{ix^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-x+3**(1/2))/(-x**3-1)**(1/2),x)
```

```
[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))
```

$$3.99 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=256

$$\frac{2\sqrt{a+bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $2*(b*x^3+a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*(a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}}$

Rubi [A] time = 0.04, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1877}

$$\frac{2\sqrt{a+bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*\text{Sqrt}[a + b*x^3])/ (b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})} - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{EllipticE}[\text{ArcSin}[((1 - \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})]], -7 - 4*\text{Sqrt}[3]])/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3) + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3) + b^{(1/3)*x})^2}]*\text{Sqrt}[a + b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx = \frac{2\sqrt{a + bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)}}$$

Mathematica [C] time = 0.07, size = 90, normalized size = 0.35

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(\sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)

maple [B] time = 0.24, size = 1003, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2), x)

[Out] -2/3*I/b^(2/3)*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)

$1/2)/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)$
 $)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)$
 $*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*E$
 $llipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)$
 $*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+2*I*a^{(1/3)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))-2/3*I*a^{(1/3)}*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(a + b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(a + b*x^3)^(1/2), x)

sympy [A] time = 11.53, size = 122, normalized size = 0.48

$$\frac{\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[3]{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(b*x**3+a)**(1/2),x)

[Out] b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.100 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$$

Optimal. Leaf size=263

$$\frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}\frac{2\sqrt{a-bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a})}$$

[Out] $-2*(-b*x^3+a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)-b^{(1/3)*x}}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*(a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$, Rules used = {1877}

$$\frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}\frac{2\sqrt{a-bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a})}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[a - b*x^3])/(b^{(1/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[(1 - Sqrt[3])*s + r*x]/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx = -\frac{2\sqrt{a - bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.09, size = 90, normalized size = 0.34

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/Sqrt[a - b*x^3]

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-bx^3 + a} b^{\frac{1}{3}} x + \sqrt{-bx^3 + a} a^{\frac{1}{3}} (\sqrt{3} - 1)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((sqrt(-b*x^3 + a)*b^(1/3)*x + sqrt(-b*x^3 + a)*a^(1/3)*(sqrt(3) - 1))/(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} - 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 + a), x)

maple [B] time = 0.22, size = 949, normalized size = 3.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2), x)

[Out] -2/3*I/b^(2/3)*3^(1/2)*(a*b^2)^(1/3)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b^(1/2)*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)

$(1/3)/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b}*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(-b*x^3+a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*\text{EllipticE}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)/b}(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)*b}*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)/b}(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})/b)^{(1/2)}))-2*I*a^{(1/3)}*(a*b^2)^{(1/3)/b}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)})*((x-(a*b^2)^{(1/3)/b})/(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b}))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(-b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)/b}(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})/b)^{(1/2)}+2/3*I*a^{(1/3)}*3^{(1/2)}*(a*b^2)^{(1/3)/b}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)})*((x-(a*b^2)^{(1/3)/b})/(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b}))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(-b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)/b}(-3/2*(a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)/b})/b)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{b^{1/3}x + a^{1/3}(\sqrt{3} - 1)}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(a - b*x^3)^(1/2),x)

[Out] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(a - b*x^3)^(1/2), x)

sympy [A] time = 13.43, size = 128, normalized size = 0.49

$$-\frac{\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(-b*x**3+a)**(1/2),x)

[Out] -b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.101 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$$

Optimal. Leaf size=497

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7+4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{bx^3-a}}$$

[Out] 2*(b*x^3-a)^(1/2)/b^(1/3)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))+4*3^(1/4)*a^(1/3)*(a^(1/3)-b^(1/3)*x)*EllipticF((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)*(1/2*6^(1/2)-1/2*2^(1/2))/b^(1/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)-3^(1/4)*a^(1/3)*(a^(1/3)-b^(1/3)*x)*EllipticE((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)*(1/2*6^(1/2)+1/2*2^(1/2))/b^(1/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)

Rubi [A] time = 0.13, antiderivative size = 497, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {1880, 219, 1879}

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7+4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{bx^3-a}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] (2*Sqrt[-a + b*x^3])/(b^(1/3)*((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)) - (3^(1/4)*Sqrt[2 + Sqrt[3]]*a^(1/3)*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticE[ArcSin[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 + 4*Sqrt[3]]/(b^(1/3)*Sqrt[-((a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)]*Sqrt[-a + b*x^3]) + (4*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticF[ArcSin[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 + 4*Sqrt[3]]/(b^(1/3)*Sqrt[-((a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)]*Sqrt[-a + b*x^3])

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2])*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2])), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{-a + bx^3}} dx = - \left((2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{-a + bx^3}} dx \right) + \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{-a + bx^3}} dx$$

$$= \frac{2\sqrt{-a + bx^3}}{\sqrt[3]{b} \left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x \right)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x \right)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x)}{\left((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x \right)}}}$$

Mathematica [C] time = 0.07, size = 91, normalized size = 0.18

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + \sqrt[3]{b}x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]
```

```
[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/Sqrt[-a + b*x^3]
```

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-b^(1/3)*x + a^(1/3)*(sqrt(3) - 1)/sqrt(b*x^3 - a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 - a), x)

maple [B] time = 0.08, size = 952, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x)

[Out]
$$-2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}),(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+1/b*(a*b^2)^{1/3}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}),(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))-2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}),(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}),(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{b^{1/3}x + a^{1/3}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(b*x^3 - a)^(1/2),x)

[Out] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(b*x^3 - a)^(1/2), x)

sympy [A] time = 12.96, size = 112, normalized size = 0.23

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(b*x**3-a)**(1/2),x)

[Out] I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3))

$$3.102 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=488

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7+4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}$$

[Out] $-2*(-b*x^3-a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})-4*3^{(1/4)*a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}, 2*I-I*3^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2})^{(1/2)}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}/b^{(1/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2})^{(1/2)+3^{(1/4)*a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}, 2*I-I*3^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2})^{(1/2)}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(1/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2})^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 488, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {1880, 219, 1879}

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7+4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[-a - b*x^3])/b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}) + (3^{(1/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}*\text{Sqrt}[-a - b*x^3]) - (4*3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}*\text{Sqrt}[-a - b*x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^{(1/4)*r*Sqrt[a + b*x^3]}*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx = - \left((2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{-a - bx^3}} dx \right) + \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx$$

$$= - \frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)}}}$$

Mathematica [C] time = 0.09, size = 93, normalized size = 0.19

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(\sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a])/(2*Sqrt[-a - b*x^3])
```

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(- \frac{\sqrt{-bx^3 - a} b^{\frac{1}{3}} x - \sqrt{-bx^3 - a} a^{\frac{1}{3}} (\sqrt{3} - 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-(sqrt(-b*x^3 - a)*b^(1/3)*x - sqrt(-b*x^3 - a)*a^(1/3)*(sqrt(3) - 1))/(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 - a), x)

maple [B] time = 0.09, size = 1012, normalized size = 2.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b) \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(-b*x^3-a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2}))+(-a*b^2)^{1/3}/b*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2}))+2*I*a^{1/3}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2}))-2/3*I*a^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}) \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2}))) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} - 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(- a - b*x^3)^(1/2),x)`

[Out] `int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(- a - b*x^3)^(1/2), x)`

sympy [A] time = 9.88, size = 128, normalized size = 0.26

$$-\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right){}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right){}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right){}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(-b*x**3-a)**(1/2),x)`

[Out] `-I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))`

$$3.103 \quad \int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{\sqrt{a + bx^3}} dx$$

Optimal. Leaf size=241

$$\frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3} \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(x\sqrt[3]{\frac{b}{a}} + 1\right) \sqrt{\frac{x^2\left(\frac{b}{a}\right)^{2/3} - x\sqrt[3]{\frac{b}{a}} + 1}{\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}}x - \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}}x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{b\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{x\sqrt[3]{\frac{b}{a}} + 1}{\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} \sqrt{a + bx^3}}$$

[Out] $2*(b/a)^{(2/3)}*(b*x^3+a)^{(1/2)}/b/(1+(b/a)^{(1/3)}*x+3^{(1/2)})-3^{(1/4)}*(1+(b/a)^{(1/3)}*x)*\text{EllipticE}((1+(b/a)^{(1/3)}*x-3^{(1/2)})/(1+(b/a)^{(1/3)}*x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((1-(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1+(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}/(b/a)^{(1/3)}/(b*x^3+a)^{(1/2)}/((1+(b/a)^{(1/3)}*x)/(1+(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.031$, Rules used = {1877}

$$\frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3} \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(x\sqrt[3]{\frac{b}{a}} + 1\right) \sqrt{\frac{x^2\left(\frac{b}{a}\right)^{2/3} - x\sqrt[3]{\frac{b}{a}} + 1}{\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}}x - \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}}x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{b\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{x\sqrt[3]{\frac{b}{a}} + 1}{\left(x\sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*(b/a)^{(2/3)}*\text{Sqrt}[a + b*x^3])/((b*(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)) - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 + (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx = \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3}}{b \left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x\right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 + \sqrt[3]{\frac{b}{a}} x\right) \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}} x + \left(\frac{b}{a}\right)^{2/3} x^2}{\left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x\right)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}}{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}} x}{\left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x\right)^2}} \sqrt{a + bx^3}}$$

Mathematica [C] time = 0.08, size = 89, normalized size = 0.37

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.18, size = 1004, normalized size = 4.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2), x)

[Out] -2/3*I*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b)-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)

$$\begin{aligned} &)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(\\ &b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/ \\ &(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}-2/3*I* \\ &(1/a*b)^{(1/3)*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b \\ &)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2* \\ &(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}* \\ &((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) \\ &b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/ \\ &(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)} \\ &*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2*I*(-a*b^2)^{(1/3)}/b* \\ &(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}* \\ &((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2* \\ &(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}* \\ &EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a \\ &*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{1/3} - \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(a + b*x^3)^(1/2),x)

[Out] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(a + b*x^3)^(1/2), x)

sympy [A] time = 6.50, size = 124, normalized size = 0.51

$$\frac{x^2 \sqrt[3]{b} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x-3**(1/2))/(b*x**3+a)**(1/2),x)

[Out] x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.104 \quad \int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - bx^3}} dx$$

Optimal. Leaf size=248

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} \sqrt{a - bx^3}} - \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a - bx^3}}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)}$$

[Out] $-2*(b/a)^{(2/3)}*(-b*x^3+a)^{(1/2)}/b/(1-(b/a)^{(1/3)}*x+3^{(1/2)})+3^{(1/4)}*(1-(b/a)^{(1/3)}*x)*\text{EllipticE}((1-(b/a)^{(1/3)}*x-3^{(1/2)})/(1-(b/a)^{(1/3)}*x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((1+(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1-(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}/(b/a)^{(1/3)}/(-b*x^3+a)^{(1/2)}/((1-(b/a)^{(1/3)}*x)/(1-(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} \sqrt{a - bx^3}} - \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a - bx^3}}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*(b/a)^{(2/3)}*\text{Sqrt}[a - b*x^3])/(b*(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 - (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2]*\text{Sqrt}[a - b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{\sqrt{a - bx^3}} dx = -\frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{a - bx^3}}{b\left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - \sqrt[3]{\frac{b}{a}}x\right) \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3}x^2}{\left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}}x}{\left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}}x\right)^2}} \sqrt{a - bx^3}}$$

Mathematica [C] time = 0.06, size = 89, normalized size = 0.36

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + x\sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[a - b*x^3]

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-bx^3 + a}x\left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{-bx^3 + a}(\sqrt{3} - 1)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((sqrt(-b*x^3 + a)*x*(b/a)^(1/3) + sqrt(-b*x^3 + a)*(sqrt(3) - 1))/(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.18, size = 950, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2),x)

[Out] -2/3*I*(1/a*b)^(1/3)*3^(1/2)/b*(a*b^2)^(1/3)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b^(1/2)*((x-(a*b^2)^(1/3)

)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*((-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))+1/b*(a*b^2)^(1/3)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))-2*I*(a*b^2)^(1/3)/b*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2))*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))+2/3*I*3^(1/2)*(a*b^2)^(1/3)/b*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2))*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2), x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{1/3} - 1}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(a - b*x^3)^(1/2), x)

[Out] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(a - b*x^3)^(1/2), x)

sympy [A] time = 6.19, size = 129, normalized size = 0.52

$$\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x-3**(1/2))/(-b*x**3+a)**(1/2), x)

[Out] -x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.105 \quad \int \frac{1 - \sqrt{3} - \sqrt{\frac{b}{a}} x}{\sqrt{-a + bx^3}} dx$$

Optimal. Leaf size=549

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \middle| -7 \right) \\ \hline \sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{bx^3 - a}$$

[Out] 2*(b/a)^(1/3)*(b*x^3-a)^(1/2)/b^(2/3)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))-2/3*(a^(1/3)-b^(1/3)*x)*EllipticF((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*(b^(1/3)*(1-3^(1/2))-a^(1/3)*(b/a)^(1/3)*(1+3^(1/2)))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)*(1/2*6^(1/2)-1/2*2^(1/2))*3^(3/4)/b^(2/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)-3^(1/4)*a^(1/3)*(b/a)^(1/3)*(a^(1/3)-b^(1/3)*x)*EllipticE((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)*(1/2*6^(1/2)+1/2*2^(1/2))/b^(2/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^(1/2)

Rubi [A] time = 0.22, antiderivative size = 549, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1880, 219, 1879}

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \middle| -7 \right) \\ \hline \sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{bx^3 - a}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] (2*(b/a)^(1/3)*Sqrt[-a + b*x^3])/(b^(2/3)*((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)) - (3^(1/4)*Sqrt[2 + Sqrt[3]]*a^(1/3)*(b/a)^(1/3)*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticE[ArcSin[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 + 4*Sqrt[3]]/(b^(2/3)*Sqrt[-((a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)]*Sqrt[-a + b*x^3]) - (2*Sqrt[2 - Sqrt[3]]*((1 - Sqrt[3])*b^(1/3) - (1 + Sqrt[3])*a^(1/3)*(b/a)^(1/3))*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticF[ArcSin[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 + 4*Sqrt[3]]/(3^(1/4)*b^(2/3)*Sqrt[-((a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)]*Sqrt[-a + b*x^3])

Rule 219

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2])*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}}x}{\sqrt{-a + bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 + \sqrt{3})\sqrt[3]{a} - \sqrt[3]{bx^3}}{\sqrt{-a + bx^3}} dx}{\sqrt[3]{b}} - \left(-1 + \sqrt{3} + \frac{(1 + \sqrt{3})\sqrt[3]{a}\sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a + bx^3}} dx$$

$$= \frac{2\sqrt[3]{\frac{b}{a}}\sqrt{-a + bx^3}}{b^{2/3}\left((1 - \sqrt{3})\sqrt[3]{a} - \sqrt[3]{bx^3}\right)} - \frac{\sqrt[3]{3}\sqrt{2 + \sqrt{3}}\sqrt[3]{a}\sqrt[3]{\frac{b}{a}}\left(\sqrt[3]{a} - \sqrt[3]{bx^3}\right)\sqrt{\frac{a^{2/3} + \sqrt[3]{a}\sqrt[3]{bx^3} + b^{2/3}x^2}{\left((1 - \sqrt{3})\sqrt[3]{a} - \sqrt[3]{bx^3}\right)^2}}}{b^{2/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a} - \sqrt[3]{bx^3}\right)}{\left((1 - \sqrt{3})\sqrt[3]{a} - \sqrt[3]{bx^3}\right)^2}}}$$

Mathematica [C] time = 0.05, size = 90, normalized size = 0.16

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + x\sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]
```

```
[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[-a + b*x^3]
```

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{x \left(\frac{b}{a} \right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{bx^3 - a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-(x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(b*x^3 - a), x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.08, size = 953, normalized size = 1.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x)

[Out]
$$-2/3*I*(1/a*b)^{(1/3)}*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2$$

$$*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}$$

$$)/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)^{(1/2)}*(I*(x+1/2*$$

$$(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}$$

$$)/(b*x^3-a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*E$$

$$llipticE(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/$$

$$b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/$$

$$b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2))+1/b*(a*b^2)^{(1/3)}*EllipticF$$

$$(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}$$

$$)/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-$$

$$1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)))-2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a$$

$$*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}$$

$$*((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))$$

$$^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*$$

$$b^2)^{(1/3)*b}^{(1/2)}/(b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)$$

$$)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I$$

$$*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b$$

$$/b)^{(1/2))+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3$$

$$^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/b)$$

$$)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)^{(1/2)}*(I*(x+1/2*(a*b$$

$$^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/($$

$$b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}$$

$$*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)$$

$$)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{\frac{1}{3}} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(b*x^3 - a)^(1/2), x)`

[Out] `int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(b*x^3 - a)^(1/2), x)`

sympy [A] time = 6.15, size = 114, normalized size = 0.21

$$\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-(b/a)**(1/3)*x-3**(1/2))/(b*x**3-a)**(1/2), x)`

[Out] `I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3))`

$$3.106 \quad \int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx$$

Optimal. Leaf size=540

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 + \frac{4\sqrt{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{-a - bx^3}} \right.$$

[Out] $-2*(b/a)^{(1/3)*(-b*x^3-a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})+2/3}$
 $*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2))})}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})},2*I-I*3^{(1/2)})*(b^{(1/3)*(1-3^{(1/2)})}-a^{(1/3)*(b/a)^{(1/3)}$
 $*(1+3^{(1/2)}))*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})^2})^{(1/2)*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*3^{(3/4)}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})^2})^{(1/2)}$
 $+3^{(1/4)*a^{(1/3)*(b/a)^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2))})}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})},2*I-I*3^{(1/2)}))*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})^2})^{(1/2)*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2))})^2})^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1880, 219, 1879}

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 + \frac{4\sqrt{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{-a - bx^3}} \right.$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*(b/a)^{(1/3)*Sqrt[-a - b*x^3]}/(b^{(2/3)*((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})) + (3^{(1/4)*Sqrt[2 + Sqrt[3]]*a^{(1/3)*(b/a)^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}$
 $*Sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2]*EllipticE[ArcSin[((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})], -7 + 4*Sqrt[3]]/(b^{(2/3)*Sqrt[-((a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2)]*Sqrt[-a - b*x^3]$
 $]) + (2*Sqrt[2 - Sqrt[3]]*((1 - Sqrt[3])*b^{(1/3)} - (1 + Sqrt[3])*a^{(1/3)*(b/a)^{(1/3)})*(a^{(1/3)} + b^{(1/3)*x})*Sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2]*EllipticF[ArcSin[((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})], -7 + 4*Sqrt[3]]/(3^{(1/4)*b^{(2/3)*Sqrt[-((a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})/((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2)]*Sqrt[-a - b*x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]/(3^{(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x]] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx}{\sqrt[3]{b}} + \left(1 - \sqrt{3} - \frac{(1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a - bx^3}} dx$$

$$= -\frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{-a - bx^3}}{b^{2/3} \left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}}}{b^{2/3} \sqrt{-\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}}}$$

Mathematica [C] time = 0.05, size = 92, normalized size = 0.17

$$\frac{x \sqrt{\frac{bx^3}{a}} + 1 \left(x \sqrt[3]{\frac{b}{a}} {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) - 2(\sqrt{3} - 1) {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} x \left(\frac{b}{a} \right)^{\frac{1}{3}} - \sqrt{-bx^3 - a} (\sqrt{3} - 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="fricas")

[Out] integral(-(sqrt(-b*x^3 - a))*x*(b/a)^(1/3) - sqrt(-b*x^3 - a)*(sqrt(3) - 1))/(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.09, size = 1013, normalized size = 1.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2 \\ & *(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})/(-b*x^3-a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}), (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2/3*I \\ & *(1/a*b)^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2 \\ & *(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})/(-b*x^3-a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}), (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})+(-a*b^2)^{1/3}/b \\ & *EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}), (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))+2*I*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})/(-b*x^3-a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}), (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{1/3} - \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(- a - b*x^3)^(1/2), x)`

[Out] `int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(- a - b*x^3)^(1/2), x)`

sympy [A] time = 3.70, size = 129, normalized size = 0.24

$$-\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+(b/a)**(1/3)*x-3**(1/2))/(-b*x**3-a)**(1/2), x)`

[Out] `-I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))`

$$3.107 \quad \int \frac{c+dx}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=490

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

[Out] 2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3^(1/4)*a^(1/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+2/3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(b^(1/3)*c-a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.15, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a + b*x^3], x]

[Out] (2*d*Sqrt[a + b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c - (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877


```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{a + bx^3}} dx = \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a+bx^3}} dx$$

$$= \frac{2d\sqrt{a+bx^3}}{b^{2/3}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}\sqrt{a+bx^3}\right)\right)$$

Mathematica [C] time = 0.03, size = 75, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[a + b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[a + b*x^3])
```

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(b*x^3+a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((d*x + c)/sqrt(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^3 + a), x)

maple [A] time = 0.05, size = 720, normalized size = 1.47

$$2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{x}{\sqrt{3\sqrt{b}x^3 + ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^(1/2),x)

[Out]
$$-2/3 * I * d * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \operatorname{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}) + (-a * b^2)^{1/3} / b * \operatorname{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) - 2/3 * I * c * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * \operatorname{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^3)^(1/2), x)`

[Out] `int((c + d*x)/(a + b*x^3)^(1/2), x)`

sympy [A] time = 3.92, size = 78, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**(1/2), x)`

[Out] `c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))`

3.108 $\int \frac{c+dx}{\sqrt{a-bx^3}} dx$

Optimal. Leaf size=503

$$2\sqrt{2+\sqrt{3}} (\sqrt[3]{a}-\sqrt[3]{b}x) \sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)$$

$$\frac{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}} \sqrt{a-bx^3}}$$

[Out] 2*d*(-b*x^3+a)^(1/2)/b^(2/3)/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3^(1/4)*a^(1/3)*d*(a^(1/3)-b^(1/3)*x)*EllipticE((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(-b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)-2/3*(a^(1/3)-b^(1/3)*x)*EllipticF((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(b^(1/3)*c+a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(2/3)/(-b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)

Rubi [A] time = 0.15, antiderivative size = 503, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} (\sqrt[3]{a}-\sqrt[3]{b}x) \sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)$$

$$\frac{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}} \sqrt{a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a - b*x^3], x]

[Out] (2*d*Sqrt[a - b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*d*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 - 4*Sqrt[3]]/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)^2]*Sqrt[a - b*x^3]) - (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c + (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) - b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)^2]*Sqrt[a - b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{a - bx^3}} dx = -\frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx}{\sqrt[3]{b}} - \left(-c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a-bx^3}} dx$$

$$= \frac{2d\sqrt{a-bx^3}}{b^{2/3}((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}\sqrt{a-bx^3}\right)}{b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}\right)}{b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}}$$

Mathematica [C] time = 0.04, size = 75, normalized size = 0.15

$$\frac{x\sqrt{1-\frac{bx^3}{a}}\left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{a-bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[a - b*x^3], x]
```

```
[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[a - b*x^3])
```

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^3 + a}(dx + c)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x^3+a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-b*x^3 + a)*(d*x + c)/(b*x^3 - a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x^3+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)/sqrt(-b*x^3 + a), x)
```

```
maple [A] time = 0.05, size = 681, normalized size = 1.35
```

$$2i\sqrt{3} (ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{3} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}}}{3\sqrt{-bx^3 + ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)/(-b*x^3+a)^(1/2),x)
```

```
[Out] 2/3*I*d*3^(1/2)/b*(a*b^2)^(1/3)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*((-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))+1/b*(a*b^2)^(1/3)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2)))+2/3*I*c*3^(1/2)*(a*b^2)^(1/3)/b*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b))^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))
```

```
maxima [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{dx + c}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x^3+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((d*x + c)/sqrt(-b*x^3 + a), x)
```

```
mupad [F] time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{c + dx}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a - b*x^3)^(1/2), x)`

[Out] `int((c + d*x)/(a - b*x^3)^(1/2), x)`

sympy [A] time = 3.29, size = 82, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x**3+a)**(1/2), x)`

[Out] `c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3))`

$$3.109 \quad \int \frac{c+dx}{\sqrt{-a+bx^3}} dx$$

Optimal. Leaf size=515

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} ((1+\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c) F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{bx^3 - a}}$$

[Out] $-2*d*(b*x^3-a)^{(1/2)}/b^{(2/3)}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})-2/3*(a^{(1/3)-b^{(1/3)*x}*EllipticF((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}, 2*I-I*3^{(1/2)})*(b^{(1/3)*c+a^{(1/3)*d*(1+3^{(1/2)})})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2})^{(1/2)*(1/2*6^{(1/2)-1/2*2^{(1/2)}})*3^{(3/4)}/b^{(2/3)}/(b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)-b^{(1/3)*x)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2})^{(1/2)+3^{(1/4)*a^{(1/3)*d*(a^{(1/3)-b^{(1/3)*x}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}, 2*I-I*3^{(1/2)})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2})^{(1/2)*(1/2*6^{(1/2)+1/2*2^{(1/2)}})/b^{(2/3)}/(b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)-b^{(1/3)*x)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 515, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} ((1+\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c) F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a + b*x^3], x]

[Out] $(-2*d*\text{Sqrt}[-a + b*x^3])/b^{(2/3)*((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})} + (3^{(1/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*d*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/b^{(2/3)*\text{Sqrt}[-((a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[-a + b*x^3]) - (2*\text{Sqrt}[2 - \text{Sqrt}[3]]*(b^{(1/3)*c} + (1 + \text{Sqrt}[3])*a^{(1/3)*d})*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/(3^{(1/4)*b^{(2/3)*\text{Sqrt}[-((a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[-a + b*x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[[(1 + Sqrt[3])*s + r*x]/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879


```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-a + bx^3}} dx = -\frac{d \int \frac{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx}{\sqrt[3]{b}} - \left(-c - \frac{(1+\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a+bx^3}} dx$$

$$= -\frac{2d\sqrt{-a+bx^3}}{b^{2/3}((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)} + \frac{\sqrt[3]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)}\right)\right)}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{-a}}$$

Mathematica [C] time = 0.03, size = 76, normalized size = 0.15

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[-a + b*x^3], x]
```

```
[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[-a + b*x^3])
```

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(b*x^3-a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((d*x + c)/sqrt(b*x^3 - a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^3 - a), x)

maple [A] time = 0.05, size = 683, normalized size = 1.33

$$2i\sqrt{3} (ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(ab^2)^{\frac{1}{3}}}{b}}{\frac{3(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{3} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3 - ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3-a)^(1/2),x)

[Out] $\frac{2}{3}I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}/(b*x^3-a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\operatorname{EllipticE}(1/3*\sqrt{3}^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})+1/b*(a*b^2)^{1/3}*\operatorname{EllipticF}(1/3*\sqrt{3}^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})))+2/3I*c*\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}/(b*x^3-a)^{1/2}*\operatorname{EllipticF}(1/3*\sqrt{3}^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)*\sqrt{3}^{1/2}/(a*b^2)^{1/3}*b)^{1/2}, (-I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I\sqrt{3}^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(b*x^3 - a)^(1/2), x)`

[Out] `int((c + d*x)/(b*x^3 - a)^(1/2), x)`

sympy [A] time = 3.71, size = 73, normalized size = 0.14

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3-a)**(1/2), x)`

[Out] `-I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3))`

$$3.110 \quad \int \frac{c+dx}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=508

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (\sqrt[3]{b}c - (1+\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7+4\sqrt{3}\right) \sqrt[4]{b^2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}{+}$$

[Out] $-2*d*(-b*x^3-a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})+2/3*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*(b^{(1/3)*c-a^{(1/3)*d*(1+3^{(1/2))})}*((a^{(2/3)-a^{(1/3)}*b^{(1/3)*x+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*3^{(3/4)}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}+3^{(1/4)}*a^{(1/3)*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)-a^{(1/3)}*b^{(1/3)*x+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 508, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (\sqrt[3]{b}c - (1+\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7+4\sqrt{3}\right) \sqrt[4]{b^2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}{+}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*d*\text{Sqrt}[-a - b*x^3])/b^{(2/3)*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/(b^{(2/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}*\text{Sqrt}[-a - b*x^3]) + (2*\text{Sqrt}[2 - \text{Sqrt}[3]]*(b^{(1/3)*c} - (1 + \text{Sqrt}[3])*a^{(1/3)*d})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/(3^{(1/4)}*b^{(2/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}*\text{Sqrt}[-a - b*x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[\frac{(1 + Sqrt[3])*s + r*x}{(1 - Sqrt[3])*s + r*x}], -7 + 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-a - bx^3}} dx = \frac{d \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1+\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a-bx^3}} dx$$

$$= -\frac{2d\sqrt{-a-bx^3}}{b^{2/3}((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt[3]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}\right)\right)}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a}}$$

Mathematica [C] time = 0.03, size = 78, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[-a - b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[-a - b*x^3])
```

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^3 - a}(dx + c)}{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x^3-a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-b*x^3 - a)*(d*x + c)/(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^3 - a), x)

maple [A] time = 0.05, size = 726, normalized size = 1.43

$$2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{x}{\sqrt{3\sqrt{-bx^3 - a}b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3 * I * d * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (-b * x^3 - a)^{(1/2)} * ((-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * \operatorname{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a * b^2)^{(1/3)} / b * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)})) - 2/3 * I * c * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (-b * x^3 - a)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(- a - b*x^3)^(1/2), x)`

[Out] `int((c + d*x)/(- a - b*x^3)^(1/2), x)`

sympy [A] time = 4.20, size = 83, normalized size = 0.16

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x**3-a)**(1/2), x)`

[Out] `-I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))`

$$3.111 \quad \int \frac{c+dx}{\sqrt{1+x^3}} dx$$

Optimal. Leaf size=246

$$\frac{2\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}(c-(1-\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} + \frac{2d\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}d(x)}{x+\sqrt{3}+1}$$

[Out] 2*d*(x^3+1)^(1/2)/(1+x+3^(1/2))-3^(1/4)*d*(1+x)*EllipticE((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^2)^(1/2)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^2)^(1/2)+2/3*(1+x)*EllipticF((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(c-d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^2)^(1/2)*3^(3/4)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}(c-(1-\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} + \frac{2d\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}d(x)}{x+\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[1 + x^3], x]

[Out] (2*d*Sqrt[1 + x^3])/(1 + Sqrt[3] + x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*d*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3]) + (2*Sqrt[2 + Sqrt[3]]*(c - (1 - Sqrt[3])*d)*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticF[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(3^(1/4)*Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878


```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{1+x^3}} dx = d \int \frac{1-\sqrt{3}+x}{\sqrt{1+x^3}} dx + (c - (1-\sqrt{3})d) \int \frac{1}{\sqrt{1+x^3}} dx$$

$$= \frac{2d\sqrt{1+x^3}}{1+\sqrt{3}+x} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}d(1+x)\sqrt{\frac{1-x+x^2}{(1+\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}+x}{1+\sqrt{3}+x}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1+x}{(1+\sqrt{3}+x)^2}}\sqrt{1+x^3}} + \frac{2\sqrt{2+\sqrt{3}}}{\sqrt{1+x^3}}$$

Mathematica [C] time = 0.01, size = 42, normalized size = 0.17

$$cx {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2} dx^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[1 + x^3], x]

[Out] c*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + (d*x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(x^3 + 1), x)

maple [A] time = 0.05, size = 291, normalized size = 1.18

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} c \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(x^3+1)^(1/2),x)

[Out] $2*d*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((-3/2-1/2*I*3^(1/2))*EllipticE(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+1/2+1/2*I*3^(1/2))*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+2*c*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3+1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(x^3 + 1), x)

mupad [B] time = 4.77, size = 373, normalized size = 1.52

$$\frac{2d \left(\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) F \left(\operatorname{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}} \right) - \left(-\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) E \left(\operatorname{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}} \right) \right) \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right)}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^3 + 1)^(1/2),x)

[Out] $(2*c*((3^(1/2)*1i)/2 + 3/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(\operatorname{asin}(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2) - (2*d*((3^(1/2)*1i)/2 - 1/2)*ellipticF(\operatorname{asin}(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)) - ((3^(1/2)*1i)/2 - 3/2)*ellipticE(\operatorname{asin}(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))*((3^(1/2)*1i)/2 + 3/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)$

sympy [A] time = 3.05, size = 61, normalized size = 0.25

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x**3+1)**(1/2),x)

[Out] $c*x*\gamma(1/3)*\operatorname{hyper}((1/3, 1/2), (4/3,), x**3*\exp_polar(I*pi))/(3*\gamma(4/3)) + d*x**2*\gamma(2/3)*\operatorname{hyper}((1/2, 2/3), (5/3,), x**3*\exp_polar(I*pi))/(3*\gamma(5/3))$

$$3.112 \quad \int \frac{c+dx}{\sqrt{1-x^3}} dx$$

Optimal. Leaf size=271

$$\frac{2\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}(c-\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{2d\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}}{-x+\sqrt{3}+1}$$

[Out] 2*d*(-x^3+1)^(1/2)/(1-x+3^(1/2))-3^(1/4)*d*(1-x)*EllipticE((1-x-3^(1/2))/(1-x+3^(1/2)), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2+x+1)/(1-x+3^(1/2)))^2)^(1/2)/(-x^3+1)^(1/2)/((1-x)/(1-x+3^(1/2)))^2)^(1/2)-2/3*(1-x)*EllipticF((1-x-3^(1/2))/(1-x+3^(1/2)), I*3^(1/2)+2*I)*(c+d-d*3^(1/2))*(1/2*6^(1/2)+1/2*2^(1/2))*((x^2+x+1)/(1-x+3^(1/2)))^2)^(1/2)*3^(3/4)/(-x^3+1)^(1/2)/((1-x)/(1-x+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}(c-\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{2d\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}}{-x+\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[1 - x^3], x]

[Out] (2*d*Sqrt[1 - x^3])/(1 + Sqrt[3] - x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*d*(1 - x)*Sqrt[(1 + x + x^2)/(1 + Sqrt[3] - x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] - x)/(1 + Sqrt[3] - x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 - x)/(1 + Sqrt[3] - x)^2]*Sqrt[1 - x^3]) - (2*Sqrt[2 + Sqrt[3]]*(c + d - Sqrt[3]*d)*(1 - x)*Sqrt[(1 + x + x^2)/(1 + Sqrt[3] - x)^2]*EllipticF[ArcSin[(1 - Sqrt[3] - x)/(1 + Sqrt[3] - x)], -7 - 4*Sqrt[3]])/(3^(1/4)*Sqrt[(1 - x)/(1 + Sqrt[3] - x)^2]*Sqrt[1 - x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numerator[Rt[b/a, 3]], s = Denominator[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{1 - x^3}} dx = - \left(d \int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx \right) + (c + d - \sqrt{3}d) \int \frac{1}{\sqrt{1 - x^3}} dx$$

$$= \frac{2d\sqrt{1 - x^3}}{1 + \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} d(1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1 - x^3}} - \frac{2\sqrt{2 + \sqrt{3}}}{\sqrt{1 - x^3}}$$

Mathematica [C] time = 0.01, size = 38, normalized size = 0.14

$$cx {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{1}{2} dx^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[1 - x^3], x]

[Out] c*x*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + (d*x^2*Hypergeometric2F1[1/2, 2/3, 5/3, x^3])/2

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3+1}(dx+c)}{x^3-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 + 1)*(d*x + c)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-x^3 + 1), x)

maple [A] time = 0.05, size = 267, normalized size = 0.99

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} c \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-x^3+1)^(1/2),x)`

[Out]
$$\begin{aligned} & -2/3*I*d*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I \\ & *3^{(1/2)}))^{(1/2)}*(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*((\\ & -3/2+1/2*I*3^{(1/2)})*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)}) \\ & ^{(1/2)},(I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})+EllipticF(1/3*3^{(1/2)}*(I*(x+ \\ & 1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})) - \\ & 2/3*I*c*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I* \\ & 3^{(1/2)}))^{(1/2)}*(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*Ell \\ & ipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(-3/2 \\ & +1/2*I*3^{(1/2)}))^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((d*x + c)/sqrt(-x^3 + 1), x)`

mupad [B] time = 5.07, size = 406, normalized size = 1.50

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{x^3 - 1} \sqrt{-\frac{x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} F \left(\operatorname{asin} \left(\sqrt{\frac{x-1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \right) - \frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{2d \left(\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x + \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(1 - x^3)^(1/2),x)`

[Out]
$$\begin{aligned} & - (2*c*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 - 1)^{(1/2)}*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/ \\ & ((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + \\ & 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*ellipticF(\operatorname{asin}((-x - \\ & 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -(3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 \\ & - 3/2))/((1 - x^3)^{(1/2)}*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - \\ & x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)}) - (2*d* \\ & (((3^{(1/2)}*1i)/2 - 1/2)*ellipticF(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1 \\ & /2)}, -(3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)) - ((3^{(1/2)}*1i)/2 - 3 \\ & /2)*ellipticE(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -(3^{(1/2)}*1i) \\ & /2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 - 1)^{(1/2)}*(\\ & -(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i \\ &)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(\\ & 1/2)}/((1 - x^3)^{(1/2)}*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x* \\ & (((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)}) \end{aligned}$$

sympy [A] time = 3.54, size = 65, normalized size = 0.24

$$\frac{cx \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \middle| x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{5}{3} \middle| x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-x**3+1)**(1/2),x)
```

```
[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(2*I*pi))/(3*gamma(5/3))
```

$$3.113 \quad \int \frac{c+dx}{\sqrt{-1+x^3}} dx$$

Optimal. Leaf size=275

$$\frac{2\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}(c+\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{2d\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}}{-x-\sqrt{3}+1}$$

[Out] $-2*d*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})-2/3*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(c+d+d*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)*3^{(3/4)}}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*d*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}(c+\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{2d\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}}{-x-\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-1 + x^3], x]

[Out] $(-2*d*\text{Sqrt}[-1+x^3])/(1-\text{Sqrt}[3]-x)+(3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*d*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])-(2*\text{Sqrt}[2-\text{Sqrt}[3]]*(c+d+\text{Sqrt}[3]*d)*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(3^{(1/4)}*\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)]], -7 + 4*Sqrt[3])]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-1 + x^3}} dx = - \left(d \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx \right) + (c + d + \sqrt{3}d) \int \frac{1}{\sqrt{-1 + x^3}} dx$$

$$= - \frac{2d\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} d(1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}} - \frac{2\sqrt{2 - \sqrt{3}}}{\sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.03, size = 58, normalized size = 0.21

$$\frac{x\sqrt{1-x^3} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[-1 + x^3], x]
```

```
[Out] (x*Sqrt[1 - x^3]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/(2*Sqrt[-1 + x^3])
```

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(x^3-1)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((d*x + c)/sqrt(x^3 - 1), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(x^3-1)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((d*x + c)/sqrt(x^3 - 1), x)
```

maple [A] time = 0.05, size = 291, normalized size = 1.06

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} c \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2}}{\frac{3}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(x^3-1)^(1/2),x)

[Out] $2*d*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+2*c*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3-1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(x^3 - 1), x)

mupad [B] time = 0.12, size = 374, normalized size = 1.36

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3} 1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3} 1i}{2}}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} F \left(\text{asin} \left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} \right) \right) - \frac{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x + \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^3 - 1)^(1/2),x)

[Out] $-(2*c*((3^(1/2)*1i)/2 + 3/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-((x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*\text{ellipticF}(\text{asin}((-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2) - (2*d*((3^(1/2)*1i)/2 - 1/2)*\text{ellipticF}(\text{asin}((-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)) - ((3^(1/2)*1i)/2 - 3/2)*\text{ellipticE}(\text{asin}((-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))*((3^(1/2)*1i)/2 + 3/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2)$

sympy [A] time = 2.95, size = 56, normalized size = 0.20

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3}{3\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x**3-1)**(1/2),x)

[Out] $-I*c*x*\text{gamma}(1/3)*\text{hyper}((1/3, 1/2), (4/3,), x**3)/(3*\text{gamma}(4/3)) - I*d*x**2*\text{gamma}(2/3)*\text{hyper}((1/2, 2/3), (5/3,), x**3)/(3*\text{gamma}(5/3))$

3.114 $\int \frac{c+dx}{\sqrt{-1-x^3}} dx$

Optimal. Leaf size=261

$$\frac{2\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}(c-(1+\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{2d\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}d}{x-\sqrt{3}+1}$$

[Out] $-2*d*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+2/3*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(c-d*(1+3^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*3^{(3/4)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*d*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}(c-(1+\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{2d\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}d}{x-\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-1 - x^3], x]

[Out] $(-2*d*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x)+(3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*d*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])+(2*\text{Sqrt}[2-\text{Sqrt}[3]]*(c-(1+\text{Sqrt}[3])*d)*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(3^{(1/4)}*\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-1 - x^3}} dx = d \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx + (c - (1 + \sqrt{3})d) \int \frac{1}{\sqrt{-1 - x^3}} dx$$

$$= -\frac{2d\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} d(1 + x) \sqrt{\frac{1-x+x^2}{(1-\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}+x}{1-\sqrt{3}+x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1+x}{(1-\sqrt{3}+x)^2}} \sqrt{-1 - x^3}} + \dots$$

Mathematica [C] time = 0.02, size = 62, normalized size = 0.24

$$\frac{x\sqrt{x^3 + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)\right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-1 - x^3], x]

[Out] (x*Sqrt[1 + x^3]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3]))/(2*Sqrt[-1 - x^3])

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3 - 1}(dx + c)}{x^3 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 - 1)*(d*x + c)/(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-x^3 - 1), x)

maple [A] time = 0.05, size = 269, normalized size = 1.03

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} c \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right)}{3\sqrt{-x^3 - 1}} + 2i\sqrt{3} \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-x^3-1)^(1/2),x)`

[Out]
$$-2/3*I*d*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*((3/2+1/2*I*3^{(1/2)})*EllipticE(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-EllipticF(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}))-2/3*I*c*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((d*x + c)/sqrt(-x^3 - 1), x)`

mupad [B] time = 4.82, size = 405, normalized size = 1.55

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2} \right) \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}}{-\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} \text{li}}{2}}{\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}}} F \left(\text{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}}} \right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}}{-\frac{3}{2} + \frac{\sqrt{3} \text{li}}{2}} \right)}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2} \right) - 1 \right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(-x^3-1)^(1/2),x)`

[Out]
$$(2*c*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 + 1)^{(1/2)}*((x + (3^{(1/2)}*1i)/2 - 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*((3^{(1/2)}*1i)/2 - x + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*ellipticF(\text{asin}(((x + 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))/((-x^3 - 1)^{(1/2)}*(x^3 - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + 1) - ((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2))^{(1/2)} - (2*d*((3^{(1/2)}*1i)/2 - 1/2)*ellipticF(\text{asin}(((x + 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)) - ((3^{(1/2)}*1i)/2 - 3/2)*ellipticE(\text{asin}(((x + 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 + 1)^{(1/2)}*((x + (3^{(1/2)}*1i)/2 - 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*((3^{(1/2)}*1i)/2 - x + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)})/((-x^3 - 1)^{(1/2)}*(x^3 - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + 1) - ((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2))^{(1/2)})$$

sympy [A] time = 2.74, size = 66, normalized size = 0.25

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \middle| x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \middle| x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-x**3-1)**(1/2),x)
```

```
[Out] -I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3))
```

3.115 $\int \frac{c+dx}{a-bx^4} dx$

Optimal. Leaf size=87

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] $1/2*c*\arctan(b^{(1/4)*x/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}+1/2*c*\operatorname{arctanh}(b^{(1/4)*x/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}+1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1876, 212, 208, 205, 275}

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4), x]

[Out] (c*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(1/4)) + (c*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(1/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]]/(2*Sqrt[a]*Sqrt[b]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{a - bx^4} dx &= \int \left(\frac{c}{a - bx^4} + \frac{dx}{a - bx^4} \right) dx \\
&= c \int \frac{1}{a - bx^4} dx + d \int \frac{x}{a - bx^4} dx \\
&= \frac{c \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{c \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\
&= \frac{c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.54

$$\frac{-\left(\sqrt[4]{a}d + \sqrt[4]{b}c\right)\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right) + \sqrt[4]{b}c\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right) + 2\sqrt[4]{b}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + \sqrt[4]{a}d\log\left(\sqrt{a} + \sqrt{b}x^2\right) - \sqrt[4]{a}d\log\left(\sqrt{a} - \sqrt{b}x^2\right)}{4a^{3/4}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4), x]

[Out] (2*b^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b^(1/4)*c + a^(1/4)*d)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*d*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*a^(3/4)*Sqrt[b])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 225, normalized size = 2.59

$$\frac{\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8ab} + \frac{\sqrt{2}\left(\sqrt{2}\sqrt{-ab}b\right)}{8ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] 1/8*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b) - 1/8*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b) + 1/4*sqrt(2)*(sqrt(2)*sqrt(-a*b)*b*d + (-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^2) + 1/4*sqrt(2)*(sqrt(2)*sqrt(-a*b)*b*d + (-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^2)

maple [A] time = 0.05, size = 101, normalized size = 1.16

$$-\frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-b*x^4+a),x)`

[Out] $\frac{1}{4}c*(a/b)^{(1/4)}/a*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/2*c*(a/b)^{(1/4)}/a*\arctan(x/(a/b)^{(1/4)})-1/4*d/(a*b)^{(1/2)}*\ln((-a+x^2*(a*b)^{(1/2)})/(-a-x^2*(a*b)^{(1/2)}))$

maxima [B] time = 2.88, size = 126, normalized size = 1.45

$$\frac{c \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}} + \frac{d \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{d \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{c \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x^4+a),x,algorithm="maxima")`

[Out] $\frac{1}{2}c*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}) + 1/4*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 1/4*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 1/4*c*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})$

mupad [B] time = 5.01, size = 182, normalized size = 2.09

$$\left\{ \begin{array}{ll} \frac{2c+3dx}{6bx^3} & \text{if } a > 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x-1}{a^{1/4}}\right)\left(2a^{1/4}d+\sqrt{2}(-b)^{1/4}c\right)}{4a^{3/4}\sqrt{-b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x+1}{a^{1/4}}\right)\left(4a^{1/4}d-2\sqrt{2}(-b)^{1/4}c\right)}{8a^{3/4}\sqrt{-b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{-b}x^2+\sqrt{a}+\sqrt{2}a^{1/4}(-b)^{1/4}x}{\sqrt{-b}x^2+\sqrt{a}-\sqrt{2}a^{1/4}(-b)^{1/4}x}\right)}{8a^{3/4}(-b)^{1/4}} & \text{if } a < 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a - b*x^4),x)`

[Out] $\operatorname{piecewise}(a == 0, (2*c + 3*d*x)/(6*b*x^3), a \neq 0, (\operatorname{atan}((2^{(1/2)}*(-b)^{(1/4)}*x)/a^{(1/4)} - 1)*(2*a^{(1/4)}*d + 2^{(1/2)}*(-b)^{(1/4)}*c))/(4*a^{(3/4)}*(-b)^{(1/2)}) - (\operatorname{atan}((2^{(1/2)}*(-b)^{(1/4)}*x)/a^{(1/4)} + 1)*(4*a^{(1/4)}*d - 2*2^{(1/2)}*(-b)^{(1/4)}*c))/(8*a^{(3/4)}*(-b)^{(1/2)}) + (2^{(1/2)}*c*\log(((b)^{(1/2)}*x^2 + a^{(1/2)} + 2^{(1/2)}*a^{(1/4)}*(-b)^{(1/4)}*x)/((-b)^{(1/2)}*x^2 + a^{(1/2)} - 2^{(1/2)}*a^{(1/4)}*(-b)^{(1/4)}*x)))/(8*a^{(3/4)}*(-b)^{(1/4)}))$

sympy [A] time = 1.22, size = 126, normalized size = 1.45

$$-\operatorname{RootSum}\left(256t^4a^3b^2 - 32t^2a^2bd^2 - 16tabc^2d + ad^4 - bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 + 16t^2a^2bc^2d + 8ta^2d^4}{4acd^4 + bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x**4+a),x)`

[Out] $-\operatorname{RootSum}(256*_t**4*a**3*b**2 - 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 - b*c**4, \operatorname{Lambda}(t, *_t*\log(x + (-128*_t**3*a**3*b*d**2 + 16*_t**2*a**2*b*c**2*d + 8*_t*a**2*d**4 - 4*_t*a*b*c**4 + 5*a*c**2*d**3)/(4*a*c*d**4 + b*c**5))))$

3.116 $\int \frac{c+dx}{a+bx^4} dx$

Optimal. Leaf size=219

$$-\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}}$$

[Out] $\frac{1}{4}c \operatorname{arctan}\left(\frac{-1+b^{1/4}x^2/a^{1/4}}{a^{3/4}/b^{1/4}}\right) + \frac{1}{4}c \operatorname{arctan}\left(\frac{1+b^{1/4}x^2/a^{1/4}}{a^{3/4}/b^{1/4}}\right) - \frac{1}{8}c \ln\left(\frac{-a^{1/4}b^{1/4}x^2+a^{1/2}+x^2b^{1/2}}{a^{3/4}/b^{1/4}}\right) + \frac{1}{8}c \ln\left(\frac{a^{1/4}b^{1/4}x^2+a^{1/2}+x^2b^{1/2}}{a^{3/4}/b^{1/4}}\right) + \frac{1}{2}d \operatorname{arctan}\left(\frac{x^2b^{1/2}/a^{1/2}}{a^{1/2}/b^{1/2}}\right)$

Rubi [A] time = 0.17, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$-\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4), x]

[Out] $(d \operatorname{ArcTan}[(\operatorname{Sqrt}[b]x^2)/\operatorname{Sqrt}[a]])/(2 \operatorname{Sqrt}[a] \operatorname{Sqrt}[b]) - (c \operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2]b^{1/4}x)/a^{1/4}])/(2 \operatorname{Sqrt}[2]a^{3/4}b^{1/4}) + (c \operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2]b^{1/4}x)/a^{1/4}])/(2 \operatorname{Sqrt}[2]a^{3/4}b^{1/4}) - (c \operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2]a^{1/4}b^{1/4}x + \operatorname{Sqrt}[b]x^2])/(4 \operatorname{Sqrt}[2]a^{3/4}b^{1/4}) + (c \operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2]a^{1/4}b^{1/4}x + \operatorname{Sqrt}[b]x^2])/(4 \operatorname{Sqrt}[2]a^{3/4}b^{1/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{a + bx^4} dx &= \int \left(\frac{c}{a + bx^4} + \frac{dx}{a + bx^4} \right) dx \\
 &= c \int \frac{1}{a + bx^4} dx + d \int \frac{x}{a + bx^4} dx \\
 &= \frac{c \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{c \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} - \frac{c \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \int \frac{\sqrt{a}}{-\frac{\sqrt{a}}{\sqrt{b}}}}{4\sqrt{b}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{2} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 184, normalized size = 0.84

$$\frac{-2(2\sqrt[4]{a}d + \sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 2(\sqrt{2}\sqrt[4]{b}c - 2\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right) + \sqrt{2}\sqrt[4]{b}c\left(\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x^2 + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt[4]{a}\sqrt[4]{b}\right)\right)}{8a^{3/4}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(1/4)*c + 2*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b^(1/4)*c - 2*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*c*(-Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]))/(8*a^(3/4)*Sqrt[b])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 213, normalized size = 0.97

$$\frac{\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2}\left(\sqrt{2}\sqrt{ab}bd - (ab^3)^{\frac{1}{4}}\right)}{4ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] 1/8*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b) - 1/8*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b) - 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b*d - (a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^2) - 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b*d - (a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^2)

maple [A] time = 0.04, size = 151, normalized size = 0.69

$$\frac{d\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a), x)

[Out] 1/8*c*(a/b)^(1/4)/a*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4*c*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*c*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/2*d/(a*b)^(1/2)*arctan(x^2*(1/a*b)^(1/2))

maxima [A] time = 3.04, size = 207, normalized size = 0.95

$$\frac{\sqrt{2}c \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{\sqrt{2}c \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c - 2\sqrt{a}d\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{b}x + \sqrt{a})}{2\sqrt{b}x + \sqrt{a}}\right)}{4a^{\frac{3}{4}}\sqrt{\sqrt{a}\sqrt{b}}b^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] 1/8*sqrt(2)*c*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(1/4)) - 1/8*sqrt(2)*c*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(1/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(1/4)*c - 2*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(1/4)*c + 2*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4))

mupad [B] time = 4.80, size = 160, normalized size = 0.73

$$\begin{cases} -\frac{2c+3dx}{6bx^3} & \text{if } a = 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}}-1\right)(2a^{1/4}d+\sqrt{2}b^{1/4}c)}{4a^{3/4}\sqrt{b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}}+1\right)(4a^{1/4}d-2\sqrt{2}b^{1/4}c)}{8a^{3/4}\sqrt{b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{a}+\sqrt{b}x^2+\sqrt{2}a^{1/4}b^{1/4}x}{\sqrt{a}+\sqrt{b}x^2-\sqrt{2}a^{1/4}b^{1/4}x}\right)}{8a^{3/4}b^{1/4}} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4),x)

[Out] piecewise(a == 0, -(2*c + 3*d*x)/(6*b*x^3), a ~= 0, (atan((2^(1/2)*b^(1/4)*x)/a^(1/4) - 1)*(2*a^(1/4)*d + 2^(1/2)*b^(1/4)*c))/(4*a^(3/4)*b^(1/2)) - (atan((2^(1/2)*b^(1/4)*x)/a^(1/4) + 1)*(4*a^(1/4)*d - 2*2^(1/2)*b^(1/4)*c))/(8*a^(3/4)*b^(1/2)) + (2^(1/2)*c*log((a^(1/2) + b^(1/2)*x^2 + 2^(1/2)*a^(1/4)*b^(1/4)*x)/(a^(1/2) + b^(1/2)*x^2 - 2^(1/2)*a^(1/4)*b^(1/4)*x)))/(8*a^(3/4)*b^(1/4)))

sympy [A] time = 1.03, size = 124, normalized size = 0.57

$$\operatorname{RootSum}\left(256t^4a^3b^2 + 32t^2a^2bd^2 - 16tabc^2d + ad^4 + bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 - 16t^2a^2bc^2d - 8ta^2d^4 - 8t^4a^3b^2 + 32t^2a^2bd^2 - 16tabc^2d + ad^4 + bc^4}{4acd^4 - bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*b**2 + 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 + b*c**4, Lambda(_t, _t*log(x + (-128*_t**3*a**3*b*d**2 - 16*_t**2*a**2*b*c**2*d - 8*_t*a**2*d**4 - 8*_t**4*a**3*b**2 + 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 + b*c**4)/(4*a*c*d**4 - b*c**5))))

$$3.117 \quad \int \frac{c+dx}{(a-bx^4)^2} dx$$

Optimal. Leaf size=110

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

[Out] $1/4*x*(d*x+c)/a/(-b*x^4+a)+3/8*c*\arctan(b^{(1/4)}*x/a^{(1/4)})/a^{(7/4)}/b^{(1/4)}+3/8*c*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})/a^{(7/4)}/b^{(1/4)}+1/4*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^2, x]

[Out] $(x*(c + d*x))/(4*a*(a - b*x^4)) + (3*c*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(1/4)}) + (3*c*ArcTanh[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(1/4)}) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^{(3/2)}*Sqrt[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{(a - bx^4)^2} dx &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx}{a - bx^4} dx}{4a} \\ &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \left(-\frac{3c}{a - bx^4} - \frac{2dx}{a - bx^4} \right) dx}{4a} \\ &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{(3c) \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} \\ &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{3c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{3c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 168, normalized size = 1.53

$$\frac{\frac{4ax(c+dx)}{a-bx^4} - \frac{(3\sqrt[4]{a}\sqrt[4]{b}c+2\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{(3\sqrt[4]{a}\sqrt[4]{b}c-2\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{6\sqrt[4]{a}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{2\sqrt{a}d\log(\sqrt{a}+\sqrt{b}x^2)}{\sqrt{b}}}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^2, x]

[Out] ((4*a*x*(c + d*x))/(a - b*x^4) + (6*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(1/4) - ((3*a^(1/4)*b^(1/4)*c + 2*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + ((3*a^(1/4)*b^(1/4)*c - 2*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.17, size = 254, normalized size = 2.31

$$\frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{32a^2b} - \frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{32a^2b} - \frac{dx^2 + cx}{4(bx^4 - a)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{3\sqrt{2}(-ab^3)^{1/4}c\log(x^2 + \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})}{(a^2b)} - \frac{3\sqrt{2}(-ab^3)^{1/4}c\log(x^2 - \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})}{(a^2b)} - \frac{1}{4} \frac{(dx^2 + cx)}{(bx^4 - a)a} - \frac{1}{16} \frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}bd - 3(-ab^3)^{1/4}bc)\arctan(1/2\sqrt{2}(2x + \sqrt{2}(-a/b)^{1/4})/(-a/b)^{1/4})}{(a^2b^2)} - \frac{1}{16} \frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}bd - 3(-ab^3)^{1/4}bc)\arctan(1/2\sqrt{2}(2x - \sqrt{2}(-a/b)^{1/4})/(-a/b)^{1/4})}{(a^2b^2)}$

maple [A] time = 0.05, size = 142, normalized size = 1.29

$$-\frac{dx^2}{4(bx^4 - a)a} - \frac{cx}{4(bx^4 - a)a} - \frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}a} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^2,x)

[Out] $-\frac{1}{4} \frac{cx}{a(bx^4 - a)} + \frac{3}{16} \frac{c}{a^2} \left(\frac{a}{b}\right)^{1/4} \ln\left(\frac{x + (a/b)^{1/4}}{x - (a/b)^{1/4}}\right) + \frac{3}{8} \frac{c}{a^2} \left(\frac{a}{b}\right)^{1/4} \arctan\left(\frac{1}{(a/b)^{1/4}}x\right) - \frac{1}{4} \frac{dx^2}{a(bx^4 - a)} - \frac{1}{8} \frac{d}{a} \left(\frac{a}{b}\right)^{1/2} \ln\left(\frac{(a/b)^{1/2}x^2 - a}{-(a/b)^{1/2}x^2 - a}\right)$

maxima [A] time = 3.04, size = 157, normalized size = 1.43

$$-\frac{dx^2 + cx}{4(abx^4 - a^2)} + \frac{\frac{6c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{3c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}}}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{4} \frac{(dx^2 + cx)}{(abx^4 - a^2)} + \frac{1}{16} \frac{(6c \arctan(\sqrt{b}x/\sqrt{a}\sqrt{b}) + 2d \log(\sqrt{b}x^2 + \sqrt{a}) - 2d \log(\sqrt{b}x^2 - \sqrt{a}) - 3c \log((\sqrt{b}x - \sqrt{a}\sqrt{b})/(\sqrt{b}x + \sqrt{a}\sqrt{b}))))}{(a \sqrt{a} \sqrt{b})}$

mupad [B] time = 4.92, size = 283, normalized size = 2.57

$$\left(\sum_{k=1}^4 \ln \left(-\frac{b^2 \left(3cd^2 + 2d^3x + \text{root}\left(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k\right)^2}{(16a^3b^2c - 128\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k))^2 a^3 b^2 c - 128\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k))^2 a^3 b^2 c + 36\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k)) a^2 b^2 c^2 x} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^2,x)

[Out] $\text{symsum}\left(\log\left(-\frac{b^2(3cd^2 + 2d^3x + \text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k))^2}{(16a^3b^2c - 128\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k))^2 a^3 b^2 c - 128\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k))^2 a^3 b^2 c + 36\text{root}(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k)) a^2 b^2 c^2 x}\right), z, k\right)$

$*c^4 + 16*a*d^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) + (c*x)/(4*a))/(a - b*x^4)$

sympy [A] time = 1.80, size = 156, normalized size = 1.42

$\text{RootSum}\left(65536t^4a^7b^2 - 2048t^2a^4bd^2 + 1152ta^2bc^2d + 16ad^4 - 81bc^4, \left(t \mapsto t \log\left(x + \frac{32768t^3a^6bd^2 + 4608t^2a^4b^2c^2d + 4608t^2a^4b^2c^2d - 512ta^3d^4 + 1296ta^2b^2c^4 + 360a^2c^2d^3}{192ac^2d^4 + 243b^2c^5}\right)\right) + (-c*x - d*x^2)/(-4*a^2 + 4*a*b*x^4)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**2 - 2048*_t**2*a**4*b*d**2 + 1152*_t*a**2*b*c**2*d + 16*a*d**4 - 81*b*c**4, Lambda(_t, _t*log(x + (32768*_t**3*a**6*b*d**2 + 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 + 1296*_t*a**2*b*c**4 + 360*a*c**2*d**3)/(192*a*c*d**4 + 243*b*c**5)))) + (-c*x - d*x**2)/(-4*a**2 + 4*a*b*x**4)

$$3.118 \quad \int \frac{c+dx}{(a+bx^4)^2} dx$$

Optimal. Leaf size=241

$$-\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}}$$

[Out] $\frac{1}{4} x (d x + c) / a / (b x^4 + a) + 3 / 16 * c * \arctan(-1 + b^{(1/4)} * x * 2^{(1/2)} / a^{(1/4)}) / a^{(7/4)} / b^{(1/4)} * 2^{(1/2)} + 3 / 16 * c * \arctan(1 + b^{(1/4)} * x * 2^{(1/2)} / a^{(1/4)}) / a^{(7/4)} / b^{(1/4)} * 2^{(1/2)} - 3 / 32 * c * \ln(-a^{(1/4)} * b^{(1/4)} * x * 2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) / a^{(7/4)} / b^{(1/4)} * 2^{(1/2)} + 3 / 32 * c * \ln(a^{(1/4)} * b^{(1/4)} * x * 2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) / a^{(7/4)} / b^{(1/4)} * 2^{(1/2)} + 1 / 4 * d * \arctan(x^2 * b^{(1/2)} / a^{(1/2)}) / a^{(3/2)} / b^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$-\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^2, x]

[Out] $(x * (c + d * x)) / (4 * a * (a + b * x^4)) + (d * \text{ArcTan}[\text{Sqrt}[b] * x^2 / \text{Sqrt}[a]]) / (4 * a^{(3/2)} * \text{Sqrt}[b]) - (3 * c * \text{ArcTan}[1 - (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)})] / (8 * \text{Sqrt}[2] * a^{(7/4)} * b^{(1/4)}) + (3 * c * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)})] / (8 * \text{Sqrt}[2] * a^{(7/4)} * b^{(1/4)}) - (3 * c * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (16 * \text{Sqrt}[2] * a^{(7/4)} * b^{(1/4)}) + (3 * c * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (16 * \text{Sqrt}[2] * a^{(7/4)} * b^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^4)^2} dx &= \frac{x(c+dx)}{4a(a+bx^4)} - \int \frac{-3c-2dx}{a+bx^4} dx \\
&= \frac{x(c+dx)}{4a(a+bx^4)} - \frac{\int \left(-\frac{3c}{a+bx^4} - \frac{2dx}{a+bx^4}\right) dx}{4a} \\
&= \frac{x(c+dx)}{4a(a+bx^4)} + \frac{(3c) \int \frac{1}{a+bx^4} dx}{4a} + \frac{d \int \frac{x}{a+bx^4} dx}{2a} \\
&= \frac{x(c+dx)}{4a(a+bx^4)} + \frac{(3c) \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{8a^{3/2}} + \frac{(3c) \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{8a^{3/2}} + \frac{d \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, x^2\right)}{4a} \\
&= \frac{x(c+dx)}{4a(a+bx^4)} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} - \frac{3c \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} \\
&= \frac{x(c+dx)}{4a(a+bx^4)} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} - \frac{3c \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 224, normalized size = 0.93

$$\frac{8a^{3/4}x(c+dx)}{a+bx^4} - \frac{2\left(4\sqrt[4]{a}d+3\sqrt{2}\sqrt[4]{b}c\right)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{2\left(3\sqrt{2}\sqrt[4]{b}c-4\sqrt[4]{a}d\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{3\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}} + \frac{3\sqrt{2}c\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}}}{32a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^2, x]

[Out] ((8*a^(3/4)*x*(c + d*x))/(a + b*x^4) - (2*(3*Sqrt[2]*b^(1/4)*c + 4*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] + (2*(3*Sqrt[2]*b^(1/4)*c - 4*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] - (3*Sqrt[2]*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4) + (3*Sqrt[2]*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4))/(32*a^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 238, normalized size = 0.99

$$\frac{3\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{32a^2b}-\frac{3\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{32a^2b}+\frac{dx^2+cx}{4(bx^4+a)a}+\frac{\sqrt{2}\left(2\sqrt{2}\right)}{4(bx^4+a)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2+sqrt(2)*x*(a/b)^(1/4)+sqrt(a/b))/(a^2*b)-3/32*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2-sqrt(2)*x*(a/b)^(1/4)+sqrt(a/b))/(a^2*b)+1/4*(d*x^2+c*x)/((b*x^4+a)*a)+1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b*d+3*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x+sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^2*b^2)+1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b*d+3*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x-sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^2*b^2)

maple [A] time = 0.05, size = 188, normalized size = 0.78

$$\frac{dx^2}{4(bx^4+a)a}+\frac{cx}{4(bx^4+a)a}+\frac{d\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{4\sqrt{ab}a}+\frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16a^2}+\frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4*c*x/a/(b*x^4+a)+3/32*c/a^2*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*c/a^2*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*c/a^2*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*d*x^2/a/(b*x^4+a)+1/4*d/a/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)

maxima [A] time = 2.93, size = 238, normalized size = 0.99

$$\frac{dx^2+cx}{4(abx^4+a^2)}+\frac{3\sqrt{2}c\log\left(\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}}-\frac{3\sqrt{2}c\log\left(\sqrt{b}x^2-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}}+\frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c-4\sqrt{ad}\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(d*x^2+c*x)/(a*b*x^4+a^2)+1/32*(3*sqrt(2)*c*log(sqrt(b)*x^2+sqrt(2)*a^(1/4)*b^(1/4)*x+sqrt(a))/(a^(3/4)*b^(1/4))-3*sqrt(2)*c*log(sqrt(b)*x^2-sqrt(2)*a^(1/4)*b^(1/4)*x+sqrt(a))/(a^(3/4)*b^(1/4))+2*(3*sqrt(2)*a^(1/4)*b^(1/4)*c-4*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x+sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4))+2*(3*sqrt(2)*a^(1/4)*b^(1/4)*c+4*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x-sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4))/a

mupad [B] time = 4.94, size = 282, normalized size = 1.17

$$\left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(3 c d^2 + 2 d^3 x - \text{root} \left(65536 a^7 b^2 z^4 + 2048 a^4 b d^2 z^2 - 1152 a^2 b c^2 d z + 81 b c^4 + 16 a d^4, z, k \right)^2 a^7}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^2,x)

[Out] symsum(log((b^2*(3*c*d^2 + 2*d^3*x - 192*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*c + 128*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*d*x - 36*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)*a*b*c^2*x))/(16*a^3*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) + (c*x)/(4*a))/(a + b*x^4)

sympy [A] time = 1.51, size = 155, normalized size = 0.64

$$\text{RootSum} \left(65536 t^4 a^7 b^2 + 2048 t^2 a^4 b d^2 - 1152 t a^2 b c^2 d + 16 a d^4 + 81 b c^4, \left(t \mapsto t \log \left(x + \frac{-32768 t^3 a^6 b d^2 - 4608 t^2 a^4 b c^2 d - 512 t a^3 d^2 - 1296 t a^2 b c^2 d + 360 a c^2 d^3}{192 a c d^4 - 243 b c^5} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**2 + 2048*_t**2*a**4*b*d**2 - 1152*_t*a**2*b*c**2*d + 16*a*d**4 + 81*b*c**4, Lambda(_t, _t*log(x + (-32768*_t**3*a**6*b*d**2 - 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 - 1296*_t*a**2*b*c**4 + 360*a*c**2*d**3)/(192*a*c*d**4 - 243*b*c**5)))) + (c*x + d*x**2)/(4*a**2 + 4*a*b*x**4)

$$3.119 \quad \int \frac{c+dx}{(a-bx^4)^3} dx$$

Optimal. Leaf size=136

$$\frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

[Out] $1/8*x*(d*x+c)/a/(-b*x^4+a)^2+1/32*x*(6*d*x+7*c)/a^2/(-b*x^4+a)+21/64*c*\arctan(b^{(1/4)*x/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}+21/64*c*\arctanh(b^{(1/4)*x/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}+3/16*d*\arctanh(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^3, x]

[Out] $(x*(c + d*x))/(8*a*(a - b*x^4)^2) + (x*(7*c + 6*d*x))/(32*a^2*(a - b*x^4)) + (21*c*\text{ArcTan}[(b^{(1/4)*x}/a^{(1/4)})]/(64*a^{(11/4)*b^{(1/4)}}) + (21*c*\text{ArcTanh}[(b^{(1/4)*x}/a^{(1/4)})]/(64*a^{(11/4)*b^{(1/4)}}) + (3*d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)*\text{Sqrt}[b]})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &

& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{c+dx}{(a-bx^4)^3} dx &= \frac{x(c+dx)}{8a(a-bx^4)^2} - \frac{\int \frac{-7c-6dx}{(a-bx^4)^2} dx}{8a} \\ &= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{\int \frac{21c+12dx}{a-bx^4} dx}{32a^2} \\ &= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{\int \left(\frac{21c}{a-bx^4} + \frac{12dx}{a-bx^4} \right) dx}{32a^2} \\ &= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{(21c) \int \frac{1}{a-bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a-bx^4} dx}{8a^2} \\ &= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{(21c) \int \frac{1}{\sqrt{a}-\sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(21c) \int \frac{1}{\sqrt{a}+\sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(3d) \text{Subst}}{16a^{5/2}\sqrt{b}} \\ &= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.21, size = 193, normalized size = 1.42

$$\frac{16a^2x(c+dx)}{(a-bx^4)^2} + \frac{4ax(7c+6dx)}{a-bx^4} - \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c+4\sqrt{a}d)\log\left(\frac{\sqrt[4]{a}-\sqrt[4]{b}x}{\sqrt{b}}\right)}{\sqrt{b}} + \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c-4\sqrt{a}d)\log\left(\frac{\sqrt[4]{a}+\sqrt[4]{b}x}{\sqrt{b}}\right)}{\sqrt{b}} + \frac{42\sqrt[4]{a}c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{12\sqrt{a}d \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a}}$$

$$128a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^3, x]

[Out] ((16*a^2*x*(c + d*x))/(a - b*x^4)^2 + (4*a*x*(7*c + 6*d*x))/(a - b*x^4) + (42*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(1/4) - (3*(7*a^(1/4)*b^(1/4)*c + 4*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + (3*(7*a^(1/4)*b^(1/4)*c - 4*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (12*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(128*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 272, normalized size = 2.00

$$\frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{256a^3b}-\frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{256a^3b}+\frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{\dots}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] 21/256*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/a^3*b - 21/256*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/a^3*b + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/a^3*b^2 + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/a^3*b^2 - 1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/((b*x^4 - a)^2*a^2)

maple [A] time = 0.05, size = 180, normalized size = 1.32

$$\frac{dx^2}{8(bx^4-a)^2a} + \frac{cx}{8(bx^4-a)^2a} - \frac{3dx^2}{16(bx^4-a)a^2} - \frac{7cx}{32(bx^4-a)a^2} - \frac{3d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{32\sqrt{ab}a^2} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^3,x)

[Out] 1/8*c*x/a/(b*x^4-a)^2-7/32*c/a^2*x/(b*x^4-a)+21/128*c/a^3*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/64*c/a^3*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/8*d*x^2/a/(b*x^4-a)^2-3/16*d/a^2*x^2/(b*x^4-a)-3/32*d/a^2/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))

maxima [A] time = 3.01, size = 186, normalized size = 1.37

$$\frac{6bdx^6+7bcx^5-10adx^2-11acx}{32(a^2b^2x^8-2a^3bx^4+a^4)} + \frac{3\left(\frac{14c\arctan\left(\frac{\sqrt{bx}}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{4d\log(\sqrt{bx^2+\sqrt{a}})}{\sqrt{a}\sqrt{b}} - \frac{4d\log(\sqrt{bx^2-\sqrt{a}})}{\sqrt{a}\sqrt{b}} - \frac{7c\log\left(\frac{\sqrt{bx}-\sqrt{a}\sqrt{b}}{\sqrt{bx}+\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}}\right)}{128a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] -1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/(a^2*b^2*x^8 - 2*a^3*b*x^4 + a^4) + 3/128*(14*c*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/sqrt(a)*sqrt(sqrt(a)*sqrt(b)) + 4*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a)*sqrt(b) - 4*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a)*sqrt(b) - 7*c*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/sqrt(b)*x + sqrt(sqrt(a)*sqrt(b)))/sqrt(a)*sqrt(sqrt(a)*sqrt(b)))/a^2

mupad [B] time = 4.98, size = 315, normalized size = 2.32

$$\frac{\frac{5dx^2}{16a} + \frac{11cx}{32a} - \frac{7bcx^5}{32a^2} - \frac{3bdx^6}{16a^2}}{a^2 - 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln\left(\frac{b^2\left(63cd^2 + 36d^3x + \text{root}\left(268435456a^{11}b^2z^4 - 4718592a^6bd^2z^2 + \dots\right)\right)}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x)/(a - b*x^4)^3,x)
```

```
[Out] ((5*d*x^2)/(16*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + symsum(log(-(3*b^2*(63*c*d^2 + 36*d^3*x + 7168*root(268435456*a^11*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*c + 1176*root(268435456*a^11*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)*a^2*b*c^2*x - 4096*root(268435456*a^11*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*d*x))/(2048*a^6))*root(268435456*a^11*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k), k, 1, 4)
```

sympy [A] time = 1.97, size = 194, normalized size = 1.43

$$-\text{RootSum}\left(268435456t^4a^{11}b^2 - 4718592t^2a^6bd^2 - 2709504ta^3bc^2d + 20736ad^4 - 194481bc^4, \left(t \mapsto t \log(x\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x**4+a)**3,x)
```

```
[Out] -RootSum(268435456*_t**4*a**11*b**2 - 4718592*_t**2*a**6*b*d**2 - 2709504*_t*a**3*b*c**2*d + 20736*a*d**4 - 194481*b*c**4, Lambda(_t, _t*log(x + (-67108864*_t**3*a**9*b*d**2 + 9633792*_t**2*a**6*b*c**2*d + 589824*_t*a**4*d**4 - 2765952*_t*a**3*b*c**4 + 423360*a*c**2*d**3)/(193536*a*c*d**4 + 453789*b*c**5)))) - (-11*a*c*x - 10*a*d*x**2 + 7*b*c*x**5 + 6*b*d*x**6)/(32*a**4 - 64*a**3*b*x**4 + 32*a**2*b**2*x**8)
```

$$3.120 \quad \int \frac{c+dx}{(a+bx^4)^3} dx$$

Optimal. Leaf size=266

$$-\frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}}$$

[Out] $1/8*x*(d*x+c)/a/(b*x^4+a)^2+1/32*x*(6*d*x+7*c)/a^2/(b*x^4+a)+21/128*c*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+21/128*c*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}-21/256*c*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+21/256*c*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+3/16*d*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(7c + 6dx)}{32a^2(a + bx^4)} - \frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^3, x]

[Out] $(x*(c + d*x))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x))/(32*a^2*(a + b*x^4)) + (3*d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)}*\text{Sqrt}[b]) - (21*c*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})]/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) + (21*c*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})]/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) - (21*c*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/((128*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) + (21*c*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/((128*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

x^k , x /; $k \neq 1$ /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^4)^3} dx &= \frac{x(c+dx)}{8a(a+bx^4)^2} - \frac{\int \frac{-7c-6dx}{(a+bx^4)^2} dx}{8a} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{\int \frac{21c+12dx}{a+bx^4} dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{\int \left(\frac{21c}{a+bx^4} + \frac{12dx}{a+bx^4} \right) dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{(21c) \int \frac{1}{a+bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a+bx^4} dx}{8a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{(21c) \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{64a^{5/2}} + \frac{(21c) \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{64a^{5/2}} + \frac{(3d) \text{Subst} \left(\int \frac{1}{1+x^2} dx \right)}{1} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{128a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{128a^{5/2}\sqrt{b}} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{128\sqrt{2}a^{11/4}\sqrt[4]{b}} + \frac{21c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{128\sqrt{2}a^{11/4}\sqrt[4]{b}} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64\sqrt{2}a^{11/4}\sqrt[4]{b}} + \frac{21c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64\sqrt{2}a^{11/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 249, normalized size = 0.94

$$\frac{32a^{7/4}x(c+dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(7c+6dx)}{a+bx^4} - \frac{6(8\sqrt[4]{a}d+7\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6(7\sqrt{2}\sqrt[4]{b}c-8\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{21\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2\right)}{\sqrt[4]{b}}$$

$$256a^{11/4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^3,x]

[Out] ((32*a^(7/4)*x*(c + d*x))/(a + b*x^4)^2 + (8*a^(3/4)*x*(7*c + 6*d*x))/(a + b*x^4) - (6*(7*sqrt[2]*b^(1/4)*c + 8*a^(1/4)*d)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)])/sqrt[b] + (6*(7*sqrt[2]*b^(1/4)*c - 8*a^(1/4)*d)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)])/sqrt[b] - (21*sqrt[2]*c*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4) + (21*sqrt[2]*c*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4))/(256*a^(11/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 256, normalized size = 0.96

$$\frac{21\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{256a^3b}-\frac{21\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{256a^3b}+\frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{ab}bd\right)}{256a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{21}{256}\sqrt{2}\cdot(a\cdot b^3)^{\frac{1}{4}}\cdot c\cdot\log(x^2+\sqrt{2}\cdot x\cdot(a/b)^{\frac{1}{4}}+\sqrt{a/b})/(a^3\cdot b)-\frac{21}{256}\sqrt{2}\cdot(a\cdot b^3)^{\frac{1}{4}}\cdot c\cdot\log(x^2-\sqrt{2}\cdot x\cdot(a/b)^{\frac{1}{4}}+\sqrt{a/b})/(a^3\cdot b)+\frac{3}{128}\sqrt{2}\cdot(4\cdot\sqrt{2}\cdot\sqrt{a\cdot b}\cdot b\cdot d+7\cdot(a\cdot b^3)^{\frac{1}{4}}\cdot b\cdot c)\cdot\arctan(1/2\cdot\sqrt{2}\cdot(2\cdot x+\sqrt{2}\cdot(a/b)^{\frac{1}{4}})/(a/b)^{\frac{1}{4}})/(a^3\cdot b^2)+\frac{3}{128}\sqrt{2}\cdot(4\cdot\sqrt{2}\cdot\sqrt{a\cdot b}\cdot b\cdot d+7\cdot(a\cdot b^3)^{\frac{1}{4}}\cdot b\cdot c)\cdot\arctan(1/2\cdot\sqrt{2}\cdot(2\cdot x-\sqrt{2}\cdot(a/b)^{\frac{1}{4}})/(a/b)^{\frac{1}{4}})/(a^3\cdot b^2)+\frac{1}{32}\cdot(6\cdot b\cdot d\cdot x^6+7\cdot b\cdot c\cdot x^5+10\cdot a\cdot d\cdot x^2+11\cdot a\cdot c\cdot x)/((b\cdot x^4+a)^2\cdot a^2)$

maple [A] time = 0.05, size = 222, normalized size = 0.83

$$\frac{dx^2}{8(bx^4+a)^2a}+\frac{cx}{8(bx^4+a)^2a}+\frac{3dx^2}{16(bx^4+a)a^2}+\frac{7cx}{32(bx^4+a)a^2}+\frac{3d\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{16\sqrt{ab}a^2}+\frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^3,x)

[Out] $\frac{1}{8}\cdot c\cdot x/a/(b\cdot x^4+a)^2+\frac{7}{32}\cdot c/a^2\cdot x/(b\cdot x^4+a)+\frac{21}{256}\cdot c/a^3\cdot(a/b)^{\frac{1}{4}}\cdot 2^{\frac{1}{2}}\cdot\ln((x^2+(a/b)^{\frac{1}{4}}\cdot 2^{\frac{1}{2}}\cdot x+(a/b)^{\frac{1}{2}})/(x^2-(a/b)^{\frac{1}{4}}\cdot 2^{\frac{1}{2}}\cdot x+(a/b)^{\frac{1}{2}}))+\frac{21}{128}\cdot c/a^3\cdot(a/b)^{\frac{1}{4}}\cdot 2^{\frac{1}{2}}\cdot\arctan(2^{\frac{1}{2}}/(a/b)^{\frac{1}{4}}\cdot x+1)+\frac{21}{128}\cdot c/a^3\cdot(a/b)^{\frac{1}{4}}\cdot 2^{\frac{1}{2}}\cdot\arctan(2^{\frac{1}{2}}/(a/b)^{\frac{1}{4}}\cdot x-1)+\frac{1}{8}\cdot d\cdot x^2/a/(b\cdot x^4+a)^2+\frac{3}{16}\cdot d/a^2\cdot x^2/(b\cdot x^4+a)+\frac{3}{16}\cdot d/a^2/(a\cdot b)^{\frac{1}{2}}\cdot\arctan((1/a\cdot b)^{\frac{1}{2}}\cdot x^2)$

maxima [A] time = 3.06, size = 269, normalized size = 1.01

$$\frac{6bdx^6+7bcx^5+10adx^2+11acx}{32(a^2b^2x^8+2a^3bx^4+a^4)}+3\left(\frac{7\sqrt{2}c\log\left(\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}}-\frac{7\sqrt{2}c\log\left(\sqrt{b}x^2-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}}\right)+\frac{2\left(7\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}d\right)}{256a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{32}\cdot(6\cdot b\cdot d\cdot x^6+7\cdot b\cdot c\cdot x^5+10\cdot a\cdot d\cdot x^2+11\cdot a\cdot c\cdot x)/(a^2\cdot b^2\cdot x^8+2\cdot a^3\cdot b\cdot x^4+a^4)+\frac{3}{256}\cdot(7\cdot\sqrt{2}\cdot c\cdot\log(\sqrt{b}\cdot x^2+\sqrt{2}\cdot a^{\frac{1}{4}}\cdot b^{\frac{1}{4}}\cdot x+\sqrt{a}))/a^{\frac{3}{4}}\cdot b^{\frac{1}{4}}-7\cdot\sqrt{2}\cdot c\cdot\log(\sqrt{b}\cdot x^2-\sqrt{2}\cdot a^{\frac{1}{4}}\cdot b^{\frac{1}{4}}\cdot x+\sqrt{a}))/a^{\frac{3}{4}}\cdot b^{\frac{1}{4}}+2\cdot(7\cdot\sqrt{2}\cdot a^{\frac{1}{4}}\cdot b^{\frac{1}{4}}\cdot c-8\cdot\sqrt{a}\cdot d)\cdot\arctan(1/2\cdot\sqrt{2}\cdot(2\cdot\sqrt{b}\cdot x+\sqrt{2}\cdot a^{\frac{1}{4}}\cdot b^{\frac{1}{4}}))/a^3$

$$\frac{\sqrt{\sqrt{a}\sqrt{b}}}{a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{1/4}} + 2(7\sqrt{2}a^{1/4}b^{1/4}c + 8\sqrt{a}d)\arctan\left(\frac{1}{2}\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}}\right)/a^2$$

mupad [B] time = 4.99, size = 315, normalized size = 1.18

$$\frac{\frac{5dx^2}{16a} + \frac{11cx}{32a} + \frac{7bcx^5}{32a^2} + \frac{3bdx^6}{16a^2}}{a^2 + 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(63cd^2 + 36d^3x - \text{root} \left(268435456a^{11}b^2z^4 + 4718592a^6bd^2z^2 - 2709504a^3b^2cdz + 194481b^2c^4 + 20736ad^4, z, k \right)^2 a^5bc - 1176\text{root} \left(268435456a^{11}b^2z^4 + 4718592a^6bd^2z^2 - 2709504a^3b^2cdz + 194481b^2c^4 + 20736ad^4, z, k \right) a^2bc^2x + 4096\text{root} \left(268435456a^{11}b^2z^4 + 4718592a^6bd^2z^2 - 2709504a^3b^2cdz + 194481b^2c^4 + 20736ad^4, z, k \right)^2 a^5bdx \right)}{(2048a^6)\text{root} \left(268435456a^{11}b^2z^4 + 4718592a^6bd^2z^2 - 2709504a^3b^2cdz + 194481b^2c^4 + 20736ad^4, z, k \right)} \right), k, 1, 4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^3, x)

[Out] ((5*d*x^2)/(16*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + symsum(log((3*b^2*(63*c*d^2 + 36*d^3*x - 7168*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*c - 1176*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)*a^2*b*c^2*x + 4096*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*d*x))/(2048*a^6)*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k), k, 1, 4)

sympy [A] time = 1.99, size = 192, normalized size = 0.72

$$\text{RootSum} \left(268435456t^4a^{11}b^2 + 4718592t^2a^6bd^2 - 2709504ta^3bc^2d + 20736ad^4 + 194481bc^4, \left(t \mapsto t \log \left(x + \frac{-67108864t^3a^9bd^2 - 9633792t^2a^6b^2c^2d - 589824t^4d^4 - 2765952t^3a^3b^2c^4 + 423360a^2c^2d^3}{193536a^4cd^4 - 453789b^2c^5} \right) \right) \right) + (11acx + 10ad^2x + 7b^2c^2x^5 + 6bd^2x^6)/(32a^4 + 64a^3bx^4 + 32a^2b^2x^8)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**3, x)

[Out] RootSum(268435456*_t**4*a**11*b**2 + 4718592*_t**2*a**6*b*d**2 - 2709504*_t**3*b*c**2*d + 20736*a*d**4 + 194481*b*c**4, Lambda(_t, _t*log(x + (-67108864*_t**3*a**9*b*d**2 - 9633792*_t**2*a**6*b*c**2*d - 589824*_t*a**4*d**4 - 2765952*_t*a**3*b*c**4 + 423360*a*c**2*d**3)/(193536*a*c*d**4 - 453789*b*c**5)))) + (11*a*c*x + 10*a*d*x**2 + 7*b*c*x**5 + 6*b*d*x**6)/(32*a**4 + 64*a**3*b*x**4 + 32*a**2*b**2*x**8)

$$3.121 \quad \int \frac{c+dx}{(a-bx^4)^4} dx$$

Optimal. Leaf size=162

$$\frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

[Out] 1/12*x*(d*x+c)/a/(-b*x^4+a)^3+1/96*x*(10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(60*d*x+77*c)/a^3/(-b*x^4+a)+77/256*c*arctan(b^(1/4)*x/a^(1/4))/a^(15/4)/b^(1/4)+77/256*c*arctanh(b^(1/4)*x/a^(1/4))/a^(15/4)/b^(1/4)+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^4, x]

[Out] (x*(c + d*x))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x))/(384*a^3*(a - b*x^4)) + (77*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(1/4)) + (77*c*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(1/4)) + (5*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p

+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{(a - bx^4)^4} dx &= \frac{x(c + dx)}{12a(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx}{(a - bx^4)^3} dx}{12a} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{\int \frac{77c + 60dx}{(a - bx^4)^2} dx}{96a^2} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 120dx}{a - bx^4} dx}{384a^3} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a - bx^4)} - \frac{\int \left(-\frac{231c}{a - bx^4} - \frac{120dx}{a - bx^4} \right) dx}{384a^3} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a - bx^4)} + \frac{(77c) \int \frac{1}{a - bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a - bx^4} dx}{16a^3} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a - bx^4)} + \frac{(77c) \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{256a^{7/2}} + \frac{(77c) \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{256a^{7/2}} \\ &= \frac{x(c + dx)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a - bx^4)} + \frac{77c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{256a^{15/4}\sqrt[4]{b}} \end{aligned}$$

Mathematica [A] time = 0.22, size = 217, normalized size = 1.34

$$\frac{128a^3x(c+dx)}{(a-bx^4)^3} + \frac{16a^2x(11c+10dx)}{(a-bx^4)^2} + \frac{4ax(77c+60dx)}{a-bx^4} - \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c+40\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c-40\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{462}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + d*x))/(a - b*x^4)^3 + (16*a^2*x*(11*c + 10*d*x))/(a - b*x^4)^2 + (4*a*x*(77*c + 60*d*x))/(a - b*x^4) + (462*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(1/4) - (3*(77*a^(1/4)*b^(1/4)*c + 40*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + (3*(77*a^(1/4)*b^(1/4)*c - 40*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (120*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 296, normalized size = 1.83

$$\frac{77\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{1024a^4b}-\frac{77\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{1024a^4b}-\frac{\sqrt{2}\left(40\sqrt{2}\right)}{1024a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $\frac{77}{1024}\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)+\frac{77}{1024}\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)-\frac{1}{512}\sqrt{2}(40\sqrt{2})\sqrt{-ab}b^2d-77(-ab^3)^{\frac{1}{4}}b^2c\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}})\right)/(-ab)^{\frac{1}{4}}-77(-ab^3)^{\frac{1}{4}}b^2c\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}})\right)/(-ab)^{\frac{1}{4}}-1/384(60b^2d^2x^{10}+77b^2c^2x^9-160abd^2x^6-198abc^2x^5+132a^2d^2x^2+153a^2c^2x)/((bx^4-a)^3a^3)$

maple [A] time = 0.06, size = 177, normalized size = 1.09

$$-\frac{5d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{64\sqrt{ab}a^3}+\frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256a^4}+\frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4}+\frac{-\frac{5b^2dx^{10}}{32a^3}-\frac{77b^2cx^9}{384a^3}+\frac{5bdx^6}{12a^2}+\frac{33bcx^5}{64a^2}-\frac{11d}{32a}}{(bx^4-a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^4,x)

[Out] $\frac{-5/32d/a^3b^2x^{10}-77/384c/a^3b^2x^9+5/12/a^2d/bx^6+33/64/a^2c/bx^5-11/32d/a^2x^2-51/128c/a^2x}{(bx^4-a)^3}+\frac{77/512/a^4c(a/b)^{1/4}\ln\left(\frac{x+(a/b)^{1/4}}{x-(a/b)^{1/4}}\right)+77/256/a^4c(a/b)^{1/4}\arctan\left(\frac{1}{(a/b)^{1/4}}\right)*x-5/64/a^3d/(ab)^{1/2}\ln\left(\frac{(ab)^{1/2}x^2-a}{-(ab)^{1/2}x^2-a}\right)}{(bx^4-a)^3}$

maxima [A] time = 2.97, size = 223, normalized size = 1.38

$$\frac{60b^2dx^{10}+77b^2cx^9-160abd^2x^6-198abc^2x^5+132a^2d^2x^2+153a^2c^2x}{384(a^3b^3x^{12}-3a^4b^2x^8+3a^5bx^4-a^6)}+\frac{154c\arctan\left(\frac{\sqrt{bx}}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}+\frac{40d\log(\sqrt{bx^2+\sqrt{a}})}{\sqrt{a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{-1/384(60b^2d^2x^{10}+77b^2c^2x^9-160abd^2x^6-198abc^2x^5+132a^2d^2x^2+153a^2c^2x)}{(a^3b^3x^{12}-3a^4b^2x^8+3a^5bx^4-a^6)}+\frac{1/512(154c\arctan(\sqrt{b}x/\sqrt{\sqrt{a}\sqrt{b}}))/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}})+40d\log(\sqrt{bx^2+\sqrt{a}})/(\sqrt{a}\sqrt{b})-40d\log(\sqrt{bx^2-\sqrt{a}})/(\sqrt{a}\sqrt{b})-77c\log((\sqrt{b}x-\sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{b}x+\sqrt{\sqrt{a}\sqrt{b}})))/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}})}{(a^3b^3x^{12}-3a^4b^2x^8+3a^5bx^4-a^6)}$

mupad [B] time = 4.97, size = 351, normalized size = 2.17

$$\left(\sum_{k=1}^4 \ln \left(- \frac{b^2 \left(1925 c d^2 + 1000 d^3 x + \text{root} \left(68719476736 a^{15} b^2 z^4 - 838860800 a^8 b d^2 z^2 + 485703680 a^4 b c^2 d z \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^4,x)

[Out] symsum(log(-(b^2*(1925*c*d^2 + 1000*d^3*x + 315392*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c + 47432*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)*a^3*b*c^2*x - 163840*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x))/(32768*a^9))*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) - (33*b*c*x^5)/(64*a^2) - (5*b*d*x^6)/(12*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)

sympy [A] time = 2.06, size = 231, normalized size = 1.43

$$\text{RootSum} \left(68719476736 t^4 a^{15} b^2 - 838860800 t^2 a^8 b d^2 + 485703680 t a^4 b c^2 d + 2560000 a d^4 - 35153041 b c^4, (t \mapsto t) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**2 - 838860800*_t**2*a**8*b*d**2 + 485703680*_t*a**4*b*c**2*d + 2560000*a*d**4 - 35153041*b*c**4, Lambda(_t, _t*log(x + (429496729600*_t**3*a**12*b*d**2 + 62170071040*_t**2*a**8*b*c**2*d - 2621440000*_t*a**5*d**4 + 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3)/(788480000*a*c*d**4 + 2706784157*b*c**5)))) + (-153*a**2*c*x - 132*a**2*d*x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 - 77*b**2*c*x**9 - 60*b**2*d*x**10)/(-384*a**6 + 1152*a**5*b*x**4 - 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

$$3.122 \quad \int \frac{c+dx}{(a+bx^4)^4} dx$$

Optimal. Leaf size=291

$$\frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} - \frac{77c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}}$$

[Out] $1/12*x*(d*x+c)/a/(b*x^4+a)^3+1/96*x*(10*d*x+11*c)/a^2/(b*x^4+a)^2+1/384*x*(60*d*x+77*c)/a^3/(b*x^4+a)+77/512*c*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))/a^(15/4)/b^(1/4)*2^(1/2)+77/512*c*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))/a^(15/4)/b^(1/4)*2^(1/2)-77/1024*c*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))/a^(15/4)/b^(1/4)*2^(1/2)+77/1024*c*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))/a^(15/4)/b^(1/4)*2^(1/2)+5/32*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)$

Rubi [A] time = 0.27, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(77c + 60dx)}{384a^3 (a + bx^4)} + \frac{x(11c + 10dx)}{96a^2 (a + bx^4)^2} - \frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^4, x]

[Out] $(x*(c + d*x))/(12*a*(a + b*x^4)^3) + (x*(11*c + 10*d*x))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x))/(384*a^3*(a + b*x^4)) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - (77*c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(1/4)) + (77*c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(1/4)) - (77*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(1/4)) + (77*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(1/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^4)^4} dx &= \frac{x(c+dx)}{12a(a+bx^4)^3} - \frac{\int \frac{-11c-10dx}{(a+bx^4)^3} dx}{12a} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{\int \frac{77c+60dx}{(a+bx^4)^2} dx}{96a^2} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} - \frac{\int \frac{-231c-120dx}{a+bx^4} dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} - \frac{\int \left(-\frac{231c}{a+bx^4} - \frac{120dx}{a+bx^4}\right) dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{(77c) \int \frac{1}{a+bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a+bx^4} dx}{16a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{(77c) \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{256a^{7/2}} + \frac{(77c) \int \frac{\sqrt{a}+}{a+bx^4} dx}{256a^{7/2}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{(77c) \int \frac{1}{\frac{\sqrt{a}-\sqrt{2}x^2}{\sqrt{b}} - \frac{\sqrt{2}x^2}{\sqrt{a}}}}{512a^{7/2}\sqrt{b}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} - \frac{77c \log(\sqrt{a} - \frac{\sqrt{b}x^2}{\sqrt{a}})}{512a^{7/2}\sqrt{b}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} - \frac{77c \tan^{-1}\left(1 - \frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{256\sqrt{2}a^{15/4}}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 274, normalized size = 0.94

$$\frac{256a^{11/4}x(c+dx)}{(a+bx^4)^3} + \frac{32a^{7/4}x(11c+10dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(77c+60dx)}{a+bx^4} - \frac{6\left(80\sqrt[4]{a}d+77\sqrt{2}\sqrt[4]{b}c\right)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6\left(77\sqrt{2}\sqrt[4]{b}c-80\sqrt[4]{a}d\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}}$$

3072a^{15/4}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^4, x]

[Out] ((256*a^(11/4)*x*(c + d*x))/(a + b*x^4)^3 + (32*a^(7/4)*x*(11*c + 10*d*x))/(a + b*x^4)^2 + (8*a^(3/4)*x*(77*c + 60*d*x))/(a + b*x^4) - (6*(77*sqrt[2]*b^(1/4)*c + 80*a^(1/4)*d)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)]/sqrt[b] + (6*(77*sqrt[2]*b^(1/4)*c - 80*a^(1/4)*d)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)]/sqrt[b] - (231*sqrt[2]*c*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4) + (231*sqrt[2]*c*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4))/(3072*a^(15/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 280, normalized size = 0.96

$$\frac{77\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{1024a^4b}-\frac{77\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{1024a^4b}+\frac{\sqrt{2}\left(40\sqrt{2}\sqrt{ab}bd+7\right)}{1024a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 77/1024*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b) - 77/1024*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b*d + 77*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^2) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b*d + 77*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^2) + 1/384*(60*b^2*d*x^10 + 77*b^2*c*x^9 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/((b*x^4 + a)^3*a^3)

maple [A] time = 0.07, size = 225, normalized size = 0.77

$$\frac{5d\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{32\sqrt{ab}a^3}+\frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{512a^4}+\frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{512a^4}+\frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{1024a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^4,x)

[Out] (5/32/a^3*b^2*d*x^10+77/384/a^3*b^2*c*x^9+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+11/32/a*d*x^2+51/128/a*c*x)/(b*x^4+a)^3+77/1024/a^4*c*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/a^3*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)

maxima [A] time = 3.20, size = 304, normalized size = 1.04

$$\frac{60b^2dx^{10}+77b^2cx^9+160abdx^6+198abcx^5+132a^2dx^2+153a^2cx}{384\left(a^3b^3x^{12}+3a^4b^2x^8+3a^5bx^4+a^6\right)}+\frac{77\sqrt{2}c\log\left(\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^4b^{\frac{3}{4}}}-\frac{77\sqrt{2}c\log\left(\sqrt{b}x^2-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{a^4b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(60*b^2*d*x^10 + 77*b^2*c*x^9 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^12 + 3*a^4*b^2*x^8 + 3*a^5*b*x^4 + a^6) + 1/1024*(77*sqrt(2)*c*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a)

$$\begin{aligned} & \left. \right) / (a^{3/4} b^{1/4}) - 77 \sqrt{2} c \log(\sqrt{b} x^2 - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}) / (a^{3/4} b^{1/4}) + 2(77 \sqrt{2} a^{1/4} b^{1/4} c - 80 \sqrt{a} d) \arctan(1/2 \sqrt{2} (2 \sqrt{b} x + \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{1/4}) + 2(77 \sqrt{2} a^{1/4} b^{1/4} c + 80 \sqrt{a} d) \arctan(1/2 \sqrt{2} (2 \sqrt{b} x - \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{1/4}) \end{aligned}$$

mupad [B] time = 0.31, size = 350, normalized size = 1.20

$$\left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(1925 c d^2 + 1000 d^3 x - \text{root} \left(68719476736 a^{15} b^2 z^4 + 838860800 a^8 b d^2 z^2 - 485703680 a^4 b c^2 d \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^4, x)

[Out] symsum(log((b^2*(1925*c*d^2 + 1000*d^3*x - 315392*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c - 47432*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)*a^3*b*c^2*x + 163840*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x))/(32768*a^9))*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)

sympy [A] time = 1.81, size = 231, normalized size = 0.79

$$\text{RootSum} \left(68719476736 t^4 a^{15} b^2 + 838860800 t^2 a^8 b d^2 - 485703680 t a^4 b c^2 d + 2560000 a d^4 + 35153041 b c^4, (t + \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**4, x)

[Out] RootSum(68719476736*_t**4*a**15*b**2 + 838860800*_t**2*a**8*b*d**2 - 485703680*_t*a**4*b*c**2*d + 2560000*a*d**4 + 35153041*b*c**4, Lambda(_t, _t*log(x + (-429496729600*_t**3*a**12*b*d**2 - 62170071040*_t**2*a**8*b*c**2*d - 621440000*_t*a**5*d**4 - 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3)/(788480000*a*c*d**4 - 2706784157*b*c**5)))) + (153*a**2*c*x + 132*a**2*d*x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 77*b**2*c*x**9 + 60*b**2*d*x**10)/(384*a**6 + 1152*a**5*b*x**4 + 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

3.123 $\int \frac{c+dx}{1-x^4} dx$

Optimal. Leaf size=24

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

[Out] 1/2*c*arctan(x)+1/2*c*arctanh(x)+1/2*d*arctanh(x^2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1876, 212, 206, 203, 275}

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 - x^4), x]

[Out] (c*ArcTan[x])/2 + (c*ArcTanh[x])/2 + (d*ArcTanh[x^2])/2

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{1-x^4} dx &= \int \left(\frac{c}{1-x^4} + \frac{dx}{1-x^4} \right) dx \\
&= c \int \frac{1}{1-x^4} dx + d \int \frac{x}{1-x^4} dx \\
&= \frac{1}{2}c \int \frac{1}{1-x^2} dx + \frac{1}{2}c \int \frac{1}{1+x^2} dx + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{1-x^2} dx, x, x^2 \right) \\
&= \frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 1.75

$$\frac{1}{4} \left(-(c+d) \log(1-x) + c \log(x+1) + 2c \tan^{-1}(x) + d \log(x^2+1) - d \log(x+1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 - x^4), x]

[Out] (2*c*ArcTan[x] - (c + d)*Log[1 - x] + c*Log[1 + x] - d*Log[1 + x] + d*Log[1 + x^2])/4

fricas [A] time = 0.86, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2+1) + \frac{1}{4}(c-d) \log(x+1) - \frac{1}{4}(c+d) \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1), x, algorithm="fricas")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(x + 1) - 1/4*(c + d)*log(x - 1)

giac [B] time = 0.15, size = 37, normalized size = 1.54

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2+1) + \frac{1}{4}(c-d) \log(|x+1|) - \frac{1}{4}(c+d) \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1), x, algorithm="giac")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(abs(x + 1)) - 1/4*(c + d)*log(abs(x - 1))

maple [B] time = 0.04, size = 44, normalized size = 1.83

$$\frac{c \arctan(x)}{2} - \frac{c \ln(x-1)}{4} + \frac{c \ln(x+1)}{4} - \frac{d \ln(x-1)}{4} - \frac{d \ln(x+1)}{4} + \frac{d \ln(x^2+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-x^4+1), x)

[Out] -1/4*c*ln(x-1)-1/4*ln(x-1)*d+1/4*ln(x+1)*c-1/4*ln(x+1)*d+1/4*d*ln(x^2+1)+1/2*c*arctan(x)

maxima [A] time = 3.04, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2+1) + \frac{1}{4}(c-d) \log(x+1) - \frac{1}{4}(c+d) \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="maxima")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(x + 1) - 1/4*(c + d)*log(x - 1)

mupad [B] time = 4.92, size = 100, normalized size = 4.17

$$\frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x + 1\right) \left(\sqrt{2} c + 2(-1)^{1/4} d\right)}{4} - \frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x - 1\right) \left(2\sqrt{2} c - 4(-1)^{1/4} d\right)}{8} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(c + d*x)/(x^4 - 1),x)

[Out] $\frac{((-1)^{1/4} * 2^{1/2} * c * \log((x^2 + (-1)^{1/4} * 2^{1/2} * x + 1i) / (x^2 - (-1)^{1/4} * 2^{1/2} * x + 1i)))}{8} - \frac{((-1)^{1/4} * \operatorname{atan}((-1)^{3/4} * 2^{1/2} * x - 1) * (2 * 2^{1/2} * c - 4 * (-1)^{1/4} * d))}{8} - \frac{((-1)^{1/4} * \operatorname{atan}((-1)^{3/4} * 2^{1/2} * x + 1) * (2^{1/2} * c + 2 * (-1)^{1/4} * d))}{4}$

sympy [C] time = 0.92, size = 313, normalized size = 13.04

$$\frac{(c - d) \log\left(x + \frac{c^4(c-d) + 5c^2d^3 + c^2d(c-d)^2 - 2d^4(c-d) + 2d^2(c-d)^3}{c^5 + 4cd^4}\right)}{4} - \frac{(c + d) \log\left(x + \frac{-c^4(c+d) + 5c^2d^3 + c^2d(c+d)^2 + 2d^4(c+d) - 2d^2(c+d)^3}{c^5 + 4cd^4}\right)}{4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x**4+1),x)

[Out] $(c - d) * \log(x + (c**4*(c - d) + 5*c**2*d**3 + c**2*d*(c - d)**2 - 2*d**4*(c - d) + 2*d**2*(c - d)**3)/(c**5 + 4*c*d**4))/4 - (c + d) * \log(x + (-c**4*(c + d) + 5*c**2*d**3 + c**2*d*(c + d)**2 + 2*d**4*(c + d) - 2*d**2*(c + d)**3)/(c**5 + 4*c*d**4))/4 - (-I*c/4 - d/4) * \log(x + (-4*c**4*(-I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(-I*c/4 - d/4)**2 + 8*d**4*(-I*c/4 - d/4) - 128*d**2*(-I*c/4 - d/4)**3)/(c**5 + 4*c*d**4)) - (I*c/4 - d/4) * \log(x + (-4*c**4*(I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(I*c/4 - d/4)**2 + 8*d**4*(I*c/4 - d/4) - 128*d**2*(I*c/4 - d/4)**3)/(c**5 + 4*c*d**4))$

3.124 $\int \frac{c+dx}{1+x^4} dx$

Optimal. Leaf size=98

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

[Out] 1/2*d*arctan(x^2)+1/4*c*arctan(-1+x*2^(1/2))*2^(1/2)+1/4*c*arctan(1+x*2^(1/2))*2^(1/2)-1/8*c*ln(1+x^2-x*2^(1/2))*2^(1/2)+1/8*c*ln(1+x^2+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.07, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 + x^4),x]

[Out] (d*ArcTan[x^2])/2 - (c*ArcTan[1 - Sqrt[2]*x])/(2*Sqrt[2]) + (c*ArcTan[1 + Sqrt[2]*x])/(2*Sqrt[2]) - (c*Log[1 - Sqrt[2]*x + x^2])/(4*Sqrt[2]) + (c*Log[1 + Sqrt[2]*x + x^2])/(4*Sqrt[2])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]])/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, 1 + (2*c*x)/b], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{1 + x^4} dx &= \int \left(\frac{c}{1 + x^4} + \frac{dx}{1 + x^4} \right) dx \\
&= c \int \frac{1}{1 + x^4} dx + d \int \frac{x}{1 + x^4} dx \\
&= \frac{1}{2}c \int \frac{1 - x^2}{1 + x^4} dx + \frac{1}{2}c \int \frac{1 + x^2}{1 + x^4} dx + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{1 + x^2} dx, x, x^2 \right) \\
&= \frac{1}{2}d \tan^{-1}(x^2) + \frac{1}{4}c \int \frac{1}{1 - \sqrt{2}x + x^2} dx + \frac{1}{4}c \int \frac{1}{1 + \sqrt{2}x + x^2} dx - \frac{c \int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{4\sqrt{2}} - \frac{c \int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{4\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt{2}x \right)}{2\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(1 + \sqrt{2}x)}{2\sqrt{2}} - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 99, normalized size = 1.01

$$\frac{1}{4} \left(- \left(\left(\sqrt[4]{-1} c + id \right) \log \left(\sqrt[4]{-1} - x \right) \right) + \left(-(-1)^{3/4} c + id \right) \log \left((-1)^{3/4} - x \right) + \left(\sqrt[4]{-1} c - id \right) \log \left(x + \sqrt[4]{-1} \right) + \left((-1)^{3/4} c - id \right) \log \left((-1)^{3/4} + x \right) \right) / 4$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 + x^4), x]

[Out] (-((-1)^(1/4)*c + I*d)*Log[(-1)^(1/4) - x]) + (-((-1)^(3/4)*c) + I*d)*Log[(-1)^(3/4) - x] + ((-1)^(1/4)*c - I*d)*Log[(-1)^(1/4) + x] + ((-1)^(3/4)*c + I*d)*Log[(-1)^(3/4) + x])/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 86, normalized size = 0.88

$$\frac{1}{8} \sqrt{2} c \log(x^2 + \sqrt{2} x + 1) - \frac{1}{8} \sqrt{2} c \log(x^2 - \sqrt{2} x + 1) + \frac{1}{4} (\sqrt{2} c - 2d) \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} (\sqrt{2} c +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="giac")

[Out] 1/8*sqrt(2)*c*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*c*log(x^2 - sqrt(2)*x + 1) + 1/4*(sqrt(2)*c - 2*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*(sqrt(2)*c + 2*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

maple [A] time = 0.05, size = 68, normalized size = 0.69

$$\frac{\sqrt{2} c \arctan(\sqrt{2} x - 1)}{4} + \frac{\sqrt{2} c \arctan(\sqrt{2} x + 1)}{4} + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8} + \frac{d \arctan(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(x^4+1),x)

[Out] 1/4*c*arctan(2^(1/2)*x-1)*2^(1/2)+1/8*c*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/4*c*arctan(2^(1/2)*x+1)*2^(1/2)+1/2*d*arctan(x^2)

maxima [A] time = 3.00, size = 86, normalized size = 0.88

$$\frac{1}{8} \sqrt{2} c \log(x^2 + \sqrt{2} x + 1) - \frac{1}{8} \sqrt{2} c \log(x^2 - \sqrt{2} x + 1) + \frac{1}{4} (\sqrt{2} c - 2d) \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} (\sqrt{2} c +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="maxima")

[Out] 1/8*sqrt(2)*c*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*c*log(x^2 - sqrt(2)*x + 1) + 1/4*(sqrt(2)*c - 2*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*(sqrt(2)*c + 2*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

mupad [B] time = 0.09, size = 71, normalized size = 0.72

$$\operatorname{atan}\left(\sqrt{2} x - 1\right) \left(\frac{d}{2} + \frac{\sqrt{2} c}{4}\right) - \operatorname{atan}\left(\sqrt{2} x + 1\right) \left(\frac{d}{2} - \frac{\sqrt{2} c}{4}\right) + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^4 + 1),x)

[Out] atan(2^(1/2)*x - 1)*(d/2 + (2^(1/2)*c)/4) - atan(2^(1/2)*x + 1)*(d/2 - (2^(1/2)*c)/4) + (2^(1/2)*c*log((2^(1/2)*x + x^2 + 1)/(x^2 - 2^(1/2)*x + 1)))/8

sympy [A] time = 0.71, size = 83, normalized size = 0.85

$$\text{RootSum}\left(256t^4 + 32t^2d^2 - 16tc^2d + c^4 + d^4, \left(t \mapsto t \log\left(x + \frac{128t^3d^2 + 16t^2c^2d + 4tc^4 + 8td^4 - 5c^2d^3}{c^5 - 4cd^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x**4+1),x)

[Out] RootSum(256*_t**4 + 32*_t**2*d**2 - 16*_t*c**2*d + c**4 + d**4, Lambda(_t, _t*log(x + (128*_t**3*d**2 + 16*_t**2*c**2*d + 4*_t*c**4 + 8*_t*d**4 - 5*c**2*d**3)/(c**5 - 4*c*d**4))))

$$3.125 \quad \int \frac{c+dx+ex^2}{a-bx^4} dx$$

Optimal. Leaf size=116

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] 1/2*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)+1/2*arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)+1/2*arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)

Rubi [A] time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1876, 275, 208, 1167, 205}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] ((Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{a - bx^4} dx &= \int \left(\frac{dx}{a - bx^4} + \frac{c + ex^2}{a - bx^4} \right) dx \\
&= d \int \frac{x}{a - bx^4} dx + \int \frac{c + ex^2}{a - bx^4} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\sqrt{a}\sqrt{b} + bx^2} dx \\
&= \frac{(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 187, normalized size = 1.61

$$\frac{-\log(\sqrt[4]{a} - \sqrt[4]{b}x) (\sqrt[4]{a} \sqrt[4]{b}d + \sqrt{a}e + \sqrt{bc}) + 2(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) + \sqrt{bc} \log(\sqrt[4]{a} + \sqrt[4]{b}x) + \sqrt[4]{a} \sqrt[4]{b}d \log(\sqrt[4]{a} + \sqrt[4]{b}x)}{4a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] (2*(Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (Sqrt[b]*c + a^(1/4)*b^(1/4)*d + Sqrt[a]*e)*Log[a^(1/4) - b^(1/4)*x] + Sqrt[b]*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*b^(1/4)*d*Log[a^(1/4) + b^(1/4)*x] + Sqrt[a]*e*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*b^(1/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*a^(3/4)*b^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 263, normalized size = 2.27

$$\frac{\sqrt{2} \left(b^2c - \sqrt{2} (-ab^3)^{\frac{1}{4}} bd + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2} \left(b^2c + \sqrt{2} (-ab^3)^{\frac{1}{4}} bd - \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c - sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4)

maple [B] time = 0.04, size = 161, normalized size = 1.39

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a), x)

[Out] 1/4*(a/b)^(1/4)/a*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*(a/b)^(1/4)/a*c*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2*e/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4*e/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 2.91, size = 153, normalized size = 1.32

$$\frac{d \log(\sqrt{b} x^2 + \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{d \log(\sqrt{b} x^2 - \sqrt{a})}{4\sqrt{a}\sqrt{b}} + \frac{(\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="maxima")

[Out] 1/4*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 1/4*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 1/2*(sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - 1/4*(sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.14, size = 725, normalized size = 6.25

$$\sum_{k=1}^4 \ln \left(-b^2 c d^2 + b^2 c^2 e - b^2 d^3 x - a b e^3 - \text{root} \left(256 a^3 b^3 z^4 - 64 a^2 b^2 c e z^2 - 32 a^2 b^2 d^2 z^2 + 16 a^2 b d e^2 z + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4), x)

[Out] symsum(log(b^2*c^2*e - b^2*c*d^2 - b^2*d^3*x - a*b*e^3 - 16*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*b^3*c^2*x + 16*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*d*x - 4*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*a*b^2*e^2*x + 8*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*a*b^2*d*e + 2*b^2*c*d*e*x)*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k), k, 1, 4)

sympy [B] time = 11.04, size = 471, normalized size = 4.06

$$-\text{RootSum}\left(256t^4a^3b^3 + t^2(-64a^2b^2ce - 32a^2b^2d^2) + t(-16a^2bde^2 - 16ab^2c^2d) - a^2e^4 + 2abc^2e^2 - 4abcd^2e + ab\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] -RootSum(256*_t**4*a**3*b**3 + _t**2*(-64*a**2*b**2*c*e - 32*a**2*b**2*d**2) + _t*(-16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) - a**2*e**4 + 2*a*b*c**2*e**2 - 4*a*b*c*d**2*e + a*b*d**4 - b**2*c**4, Lambda(_t, _t*log(x + (-64*_t**3*a**4*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 4*8*_t**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e - 16*_t**2*a**2*b**3*c**3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 + 16*_t*a**2*b**2*c**3*e**2 - 36*_t*a**2*b**2*c**2*d**2*e - 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**5 + 3*a**3*d*e**5 - 5*a**2*b*c*d**3*e**2 + 2*a**2*b*d**5*e + 5*a*b**2*c**4*d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 + a**2*b*c**2*e**4 - 8*a**2*b*c*d**2*e**3 + 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b**2*c**2*d**4 - b**3*c**6))))

$$3.126 \quad \int \frac{c+dx+ex^2}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

[Out] $\frac{1}{2} d \arctan(x^2 b^{1/2} / a^{1/2}) / a^{1/2} b^{1/2} - \frac{1}{8} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + \frac{1}{8} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + \frac{1}{4} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + \frac{1}{4} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] $(d \operatorname{ArcTan}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a]]) / (2 \operatorname{Sqrt}[a] \operatorname{Sqrt}[b]) - ((\operatorname{Sqrt}[b] c + \operatorname{Sqrt}[a] e) \operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (2 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) + ((\operatorname{Sqrt}[b] c + \operatorname{Sqrt}[a] e) \operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (2 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) - ((\operatorname{Sqrt}[b] c - \operatorname{Sqrt}[a] e) \operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (4 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) + ((\operatorname{Sqrt}[b] c - \operatorname{Sqrt}[a] e) \operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (4 \operatorname{Sqrt}[2] a^{3/4} b^{3/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{a + bx^4} dx &= \int \left(\frac{dx}{a + bx^4} + \frac{c + ex^2}{a + bx^4} \right) dx \\
 &= d \int \frac{x}{a + bx^4} dx + \int \frac{c + ex^2}{a + bx^4} dx \\
 &= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a} \sqrt{b} + bx^2}{a + bx^4} dx}{2b} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.12, size = 229, normalized size = 0.83

$$\frac{-2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right) \left(2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c\right) + 2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right) \left(-2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c\right)}{8a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*Sqrt[b]*c + 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*Sqrt[b]*c - 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - Sqrt[2]*(Sqrt[b]*c - Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]))/(8*a^(3/4)*b^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 275, normalized size = 0.99

$$\frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] -1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d - (a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) - 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d - (a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)

maple [A] time = 0.05, size = 280, normalized size = 1.01

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a), x)

[Out] 1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)

) $\cdot x-1)+1/2/(a\cdot b)^{(1/2)}\cdot d\cdot \arctan((1/a\cdot b)^{(1/2)}\cdot x^2)+1/8\cdot e/b/(a/b)^{(1/4)}\cdot 2^{(1/2)}\cdot \ln((x^2-(a/b)^{(1/4)}\cdot 2^{(1/2)}\cdot x+(a/b)^{(1/2))}/(x^2+(a/b)^{(1/4)}\cdot 2^{(1/2)}\cdot x+(a/b)^{(1/2))})+1/4\cdot e/b/(a/b)^{(1/4)}\cdot 2^{(1/2)}\cdot \arctan(2^{(1/2)}/(a/b)^{(1/4)}\cdot x+1)+1/4\cdot e/b/(a/b)^{(1/4)}\cdot 2^{(1/2)}\cdot \arctan(2^{(1/2)}/(a/b)^{(1/4)}\cdot x-1)$

maxima [A] time = 3.04, size = 257, normalized size = 0.93

$$\frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \dots\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $1/8\sqrt{2}\cdot(\sqrt{b}\cdot c - \sqrt{a}\cdot e)\cdot \log(\sqrt{b}\cdot x^2 + \sqrt{2}\cdot a^{(1/4)}\cdot b^{(1/4)}\cdot x + \sqrt{a})/(a^{(3/4)}\cdot b^{(3/4)}) - 1/8\sqrt{2}\cdot(\sqrt{b}\cdot c - \sqrt{a}\cdot e)\cdot \log(\sqrt{b}\cdot x^2 - \sqrt{2}\cdot a^{(1/4)}\cdot b^{(1/4)}\cdot x + \sqrt{a})/(a^{(3/4)}\cdot b^{(3/4)}) + 1/4\cdot(\sqrt{2}\cdot a^{(1/4)}\cdot b^{(3/4)}\cdot c + \sqrt{2}\cdot a^{(3/4)}\cdot b^{(1/4)}\cdot e - 2\cdot \sqrt{a}\cdot \sqrt{b})\cdot d\cdot \arctan(1/2\cdot \sqrt{2}\cdot(2\cdot \sqrt{b}\cdot x + \sqrt{2}\cdot a^{(1/4)}\cdot b^{(1/4)})/\sqrt{a}\cdot \sqrt{b}))/(a^{(3/4)}\cdot \sqrt{a}\cdot \sqrt{b})\cdot b^{(3/4)} + 1/4\cdot(\sqrt{2}\cdot a^{(1/4)}\cdot b^{(3/4)}\cdot c + \sqrt{2}\cdot a^{(3/4)}\cdot b^{(1/4)}\cdot e + 2\cdot \sqrt{a}\cdot \sqrt{b})\cdot d\cdot \arctan(1/2\cdot \sqrt{2}\cdot(2\cdot \sqrt{b}\cdot x - \sqrt{2}\cdot a^{(1/4)}\cdot b^{(1/4)})/\sqrt{a}\cdot \sqrt{b}))/(a^{(3/4)}\cdot \sqrt{a}\cdot \sqrt{b})\cdot b^{(3/4)}$

mupad [B] time = 5.09, size = 712, normalized size = 2.57

$$\sum_{k=1}^4 \ln\left(b^2 c d^2 - b^2 c^2 e + b^2 d^3 x - a b e^3 - \text{root}\left(256 a^3 b^3 z^4 + 64 a^2 b^2 c e z^2 + 32 a^2 b^2 d^2 z^2 + 16 a^2 b d e^2 z - 16 a^2 b^2 c^2 d^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4),x)

[Out] $\text{symsum}(\log(b^2\cdot c\cdot d^2 - b^2\cdot c^2\cdot e + b^2\cdot d^3\cdot x - a\cdot b\cdot e^3 - 16\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k)^2\cdot a\cdot b^3\cdot c - 4\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k)\cdot b^3\cdot c^2\cdot x + 16\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k)^2\cdot a\cdot b^3\cdot d\cdot x + 4\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k)\cdot a\cdot b^2\cdot e^2\cdot x - 8\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k)\cdot a\cdot b^2\cdot d\cdot e - 2\cdot b^2\cdot c\cdot d\cdot e\cdot x)\cdot \text{root}(256\cdot a^3\cdot b^3\cdot z^4 + 64\cdot a^2\cdot b^2\cdot c\cdot e\cdot z^2 + 32\cdot a^2\cdot b^2\cdot d^2\cdot z^2 + 16\cdot a^2\cdot b\cdot d\cdot e^2\cdot z - 16\cdot a^2\cdot b^2\cdot c^2\cdot d^2), z, k), k, 1, 4)$

sympy [A] time = 10.54, size = 466, normalized size = 1.68

$$\text{RootSum}\left(256t^4a^3b^3 + t^2(64a^2b^2ce + 32a^2b^2d^2) + t(16a^2bde^2 - 16ab^2c^2d) + a^2e^4 + 2abc^2e^2 - 4abcd^2e + abd^4 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a),x)

```
[Out] RootSum(256*_t**4*a**3*b**3 + _t**2*(64*a**2*b**2*c*e + 32*a**2*b**2*d**2)
+ _t*(16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) + a**2*e**4 + 2*a*b*c**2*e**2 -
4*a*b*c*d**2*e + a*b*d**4 + b**2*c**4, Lambda(_t, _t*log(x + (64*_t**3*a**4
*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 48*_t
**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e + 16*_t**2*a**2*b**3*c**
3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 - 16*_t*a**2*b**2*c**3*e
**2 + 36*_t*a**2*b**2*c**2*d**2*e + 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**
5 + 3*a**3*d*e**5 + 5*a**2*b*c*d**3*e**2 - 2*a**2*b*d**5*e + 5*a*b**2*c**4*
d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 - a**2*b*c**2*e**4 + 8*a**2*b*c*d**2*e
**3 - 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b*
*2*c**2*d**4 + b**3*c**6))))
```

$$3.127 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$$

Optimal. Leaf size=146

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

[Out] 1/4*x*(e*x^2+d*x+c)/a/(-b*x^4+a)+1/4*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)+1/8*arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)

Rubi [A] time = 0.13, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] (x*(c + d*x + e*x^2))/(4*a*(a - b*x^4)) + ((3*Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + ((3*Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] :> -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &

& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a - bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{(3\sqrt{b}c - e) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx}{8a} + \frac{(3\sqrt{b}c + e) \int \frac{1}{\sqrt{a}\sqrt{b} - bx^2} dx}{8a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{d \tan^{-1} \left(\frac{\sqrt{a}x}{\sqrt{a - bx^4}} \right)}{4a} \end{aligned}$$

Mathematica [A] time = 0.28, size = 211, normalized size = 1.45

$$\frac{\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c + 2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c - 2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} - \frac{2\sqrt[4]{a}\left(\sqrt{a}e - 3\sqrt{b}c\right)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)}{b^{3/4}} + \frac{4ax(c + dx + ex^2)}{a - bx^4} \cdot \frac{1}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] ((4*a*x*(c + x*(d + e*x)))/(a - b*x^4) - (2*a^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - ((3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 311, normalized size = 2.13

$$\frac{\sqrt{2} \left(3b^2c - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + \sqrt{-ab}be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2}(-\frac{a}{b})^{\frac{1}{4}} \right)}{2(-\frac{a}{b})^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - \sqrt{-ab}be \right) a}{16(-ab^3)^{\frac{3}{4}}a} \quad \frac{\sqrt{2} \left(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - \sqrt{-ab}be \right) a}{16(-ab^3)^{\frac{3}{4}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] $-1/16*\sqrt{2}*(3*b^2*c - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(x^3*e + d*x^2 + c*x)/((b*x^4 - a)*a)$

maple [B] time = 0.06, size = 228, normalized size = 1.56

$$\frac{e x^3}{4(b x^4 - a) a} - \frac{d x^2}{4(b x^4 - a) a} - \frac{c x}{4(b x^4 - a) a} - \frac{d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{8 \sqrt{a b} a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] $-1/4/(b*x^4-a)/a*c*x+3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(b*x^4-a)/a*d*x^2-1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4*e*x^3/a/(b*x^4-a)-1/8*e/a/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+1/16*e/a/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 2.94, size = 191, normalized size = 1.31

$$\frac{e x^3 + d x^2 + c x}{4(a b x^4 - a^2)} + \frac{2 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{2 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{2(3 \sqrt{b} c - \sqrt{a} e) \arctan \left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} - \frac{(3 \sqrt{b} c + \sqrt{a} e) \log \left(\frac{\sqrt{b} x - \sqrt{\sqrt{a} \sqrt{b}}}{\sqrt{b} x + \sqrt{\sqrt{a} \sqrt{b}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 - a^2) + 1/16*(2*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/a$

mupad [B] time = 4.98, size = 477, normalized size = 3.27

$$\frac{\frac{d x^2}{4 a} + \frac{e x^3}{4 a} + \frac{c x}{4 a}}{a - b x^4} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 - 3072 a^4 b^2 c e z^2 - 2048 a^4 b^2 d^2 z^2 + 1152 a^2 b^2 c^2 d z + 128 a^3 b a \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a - b*x^4)^2,x)`

[Out] `((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4) + symsum(log(- root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k) *(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3))*root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4)`

sympy [B] time = 13.74, size = 508, normalized size = 3.48

$$\text{RootSum}\left(65536t^4a^7b^3 + t^2(-3072a^4b^2ce - 2048a^4b^2d^2) + t(128a^3bde^2 + 1152a^2b^2c^2d) - a^2e^4 + 18abc^2e^2 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(-b*x**4+a)**2,x)`

[Out] `RootSum(65536*_t**4*a**7*b**3 + _t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a**2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 - 729*b**3*c**6)))) + (-c*x - d*x**2 - e*x**3)/(-4*a**2 + 4*a*b*x**4)`

$$3.128 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$$

Optimal. Leaf size=308

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + 3\sqrt{bc})}{16\sqrt{2} a^{7/4} b^{3/4}}$$

[Out] $\frac{1}{4} x (e x^2 + d x + c) / a / (b x^4 + a) + \frac{1}{4} d \operatorname{arctan}(x^2 b^{1/2} / a^{1/2}) / a^{3/2} / b^{1/2} - \frac{1}{32} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (-e a^{1/2} + 3 c b^{1/2}) / a^{7/4} / b^{3/4} x^{1/2} + \frac{1}{32} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (-e a^{1/2} + 3 c b^{1/2}) / a^{7/4} / b^{3/4} x^{1/2} + \frac{1}{16} \operatorname{arctan}(-1 + b^{1/4} x^2 / a^{1/4}) (e a^{1/2} + 3 c b^{1/2}) / a^{7/4} / b^{3/4} x^{1/2} + \frac{1}{16} \operatorname{arctan}(1 + b^{1/4} x^2 / a^{1/4}) (e a^{1/2} + 3 c b^{1/2}) / a^{7/4} / b^{3/4} x^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + 3\sqrt{bc})}{16\sqrt{2} a^{7/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out] $\frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \operatorname{ArcTan}(\sqrt{b} x^2 / \sqrt{a})}{4a^{3/2} \sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \operatorname{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \operatorname{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]}{8\sqrt{2} a^{7/4} b^{3/4}} - \frac{(3\sqrt{b}c - \sqrt{a}e) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]}{16\sqrt{2} a^{7/4} b^{3/4}}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \& \ \text{EqQ}[cd^2 - ae^2, 0] \ \&\& \ \text{PosQ}[de]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[cd^2 - ae^2, 0] \ \&\& \ \text{NegQ}[de]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[ac, 2]\}, \text{Dist}[(dq + ae)/(2ac), \text{Int}[(q + cx^2)/(a + cx^4), x], x] + \text{Dist}[(dq - ae)/(2ac), \text{Int}[(q - cx^2)/(a + cx^4), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[cd^2 + ae^2, 0] \ \&\& \ \text{NeQ}[cd^2 - ae^2, 0] \ \&\& \ \text{NegQ}[-(ac)]$

Rule 1855

$\text{Int}[(Pq_.)((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow -\text{Simp}[(xPq(a + bx^n)^{(p+1)})/(a^n(p+1)), x] + \text{Dist}[1/(a^n(p+1)), \text{Int}[\text{ExpandToSum}[n(p+1)Pq + D[xPq, x], x](a + bx^n)^{(p+1)}, x], x] \ /; \text{FreeQ}[\{a, b\}, x] \ \& \ \& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1876

$\text{Int}[(Pq_.)/(a_.) + (b_.)x^{(n_.)}, x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[x^{ii}(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]x^{(n/2)})]/(a + bx^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] \ /; \text{SumQ}[v] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{a + bx^4} dx}{8a} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} \\
&= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.55, size = 305, normalized size = 0.99

$$\frac{\sqrt{2}(a^{3/4}e - 3\sqrt[4]{a}\sqrt{b}c) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} + \frac{\sqrt{2}(3\sqrt[4]{a}\sqrt{b}c - a^{3/4}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} - \frac{2\sqrt[4]{a} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(4\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{a}\right)}{32a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out] ((8*a*x*(c + x*(d + e*x)))/(a + b*x^4) - (2*a^(1/4)*(3*Sqrt[2]*Sqrt[b]*c + 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/b^(3/4) + (2*a^(1/4)*(3*Sqrt[2]*Sqrt[b]*c - 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/b^(3/4) + (Sqrt[2]*(-3*a^(1/4)*Sqrt[b]*c + a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(3*a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(32*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 306, normalized size = 0.99

$$\frac{x^3 e + dx^2 + cx}{4(bx^4 + a)a} + \frac{\sqrt{2} \left(2\sqrt{2} \sqrt{ab} b^2 d + 3(ab^3)^{\frac{1}{4}} b^2 c + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 a^2 b^3} + \frac{\sqrt{2} \left(2\sqrt{2} \sqrt{ab} b^2 d + \dots \right)}{16 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(x^3*e + d*x^2 + c*x)/((b*x^4 + a)*a) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.05, size = 344, normalized size = 1.12

$$\frac{e x^3}{4(b x^4 + a) a} + \frac{d x^2}{4(b x^4 + a) a} + \frac{c x}{4(b x^4 + a) a} + \frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{4 \sqrt{a b} a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4/(b*x^4+a)/a*c*x+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(b*x^4+a)/a*d*x^2+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/4*e*x^3/a/(b*x^4+a)+1/32*e/a/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.10, size = 294, normalized size = 0.95

$$\frac{e x^3 + d x^2 + c x}{4(a b x^4 + a^2)} + \frac{\sqrt{2} (3 \sqrt{b} c - \sqrt{a} e) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} - \frac{\sqrt{2} (3 \sqrt{b} c - \sqrt{a} e) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} + \frac{2 \left(3 \sqrt{2} a^{\frac{1}{4}} b^{\frac{3}{4}} c + \sqrt{2} a \right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 + a^2) + 1/32*(sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt

$$\frac{(a*\sqrt{b})*b^{(3/4)} + 2*(3*\sqrt{2})*a^{(1/4)}*b^{(3/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(1/4)}*e + 4*\sqrt{a}*\sqrt{b}*d*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2})*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})}{(a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}})*b^{(3/4)}}/a$$

mupad [B] time = 0.33, size = 472, normalized size = 1.53

$$\frac{\frac{dx^2}{4a} + \frac{ex^3}{4a} + \frac{cx}{4a}}{bx^4 + a} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 + 3072 a^4 b^2 c e z^2 + 2048 a^4 b^2 d^2 z^2 - 1152 a^2 b^2 c^2 d z + 128 a^3 b c^2 d^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4)^2,x)

[Out] ((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a + b*x^4) + symsum(log((x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) - (9*b^2*c^2*e - 12*b^2*c*d^2 + a*b*e^3)/(64*a^3) - root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 - 4*a^2*b^2*e^2))/(16*a^3) + (b^2*d*e)/a))*root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k), k, 1, 4)

sympy [A] time = 11.55, size = 505, normalized size = 1.64

$$\text{RootSum} \left(65536 t^4 a^7 b^3 + t^2 (3072 a^4 b^2 c e + 2048 a^4 b^2 d^2) + t (128 a^3 b d e^2 - 1152 a^2 b^2 c^2 d) + a^2 e^4 + 18 a b c^2 e^2 - 48 a b c^2 d e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 + 729*b**3*c**6)))) + (c*x + d*x**2 + e*x**3)/(4*a**2 + 4*a*b*x**4)

$$3.129 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$$

Optimal. Leaf size=179

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{x}{8a^{5/2}\sqrt{b}}$$

[Out] $1/8*x*(e*x^2+d*x+c)/a/(-b*x^4+a)^2+1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(-b*x^4+a)+3/16*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}+1/64*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(-5*e*a^{(1/2)}+21*c*b^{(1/2)})/a^{(11/4)}/b^{(3/4)}+1/64*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(5*e*a^{(1/2)}+21*c*b^{(1/2)})/a^{(11/4)}/b^{(3/4)}$

Rubi [A] time = 0.17, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x}{8a^{5/2}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2)/(a - b*x^4)^3, x]$

[Out] $(x*(c + d*x + e*x^2))/(8*a*(a - b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + ((21*\operatorname{Sqrt}[b]*c - 5*\operatorname{Sqrt}[a]*e)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(3/4)}) + ((21*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(3/4)}) + (3*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(16*a^{(5/2)}*\operatorname{Sqrt}[b])$

Rule 205

$\operatorname{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] :> \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\operatorname{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] :> \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

$\operatorname{Int}[(x_)^{(m_.)}*(a_ + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] :> \operatorname{With}[\{k = \operatorname{GCD}[m + 1, n]\}, \operatorname{Dist}[1/k, \operatorname{Subst}[\operatorname{Int}[x^{(m+1)/k-1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /;$ k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

$\operatorname{Int}[(d_ + (e_.)*(x_)^2)/((a_ + (c_.)*(x_)^4), x_Symbol] :> \operatorname{With}[\{q = \operatorname{Rt}[-(a*c), 2]\}, \operatorname{Dist}[e/2 + (c*d)/(2*q), \operatorname{Int}[1/(-q + c*x^2), x], x] + \operatorname{Dist}[e/2 - (c*d)/(2*q), \operatorname{Int}[1/(q + c*x^2), x], x]] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1855

$\operatorname{Int}[(Pq_)*((a_ + (b_.)*(x_)^{(n_.)})^{(p_.)}), x_Symbol] :> -\operatorname{Simp}[(x*Pq*(a + b*x^n)^{(p+1)})/(a*n*(p+1)), x] + \operatorname{Dist}[1/(a*n*(p+1)), \operatorname{Int}[\operatorname{ExpandToSum}[n*(p$

+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a - bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\ &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\ &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\ &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\ &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{16a^2} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a - bx^4}} dx}{64a^2} \\ &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c + 5\sqrt{a}e) \text{ta}}{64a^{11/4}b^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.29, size = 244, normalized size = 1.36

$$\frac{\log\left(\frac{\sqrt[4]{a} - \sqrt[4]{b}x}{\sqrt[4]{a} + \sqrt[4]{b}x}\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{bc} + 12\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{\log\left(\frac{\sqrt[4]{a} + \sqrt[4]{b}x}{\sqrt[4]{a} - \sqrt[4]{b}x}\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{bc} - 12\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{16a^2x(c + x(d + ex))}{(a - bx^4)^2} + \frac{2\sqrt[4]{a}(21\sqrt{bc} - 5\sqrt{a}e)}{b^{3/4}}$$

$$128a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] ((16*a^2*x*(c + x*(d + e*x)))/(a - b*x^4)^2 + (4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(3/4) - ((21*a^(1/4)*sqrt[b]*c + 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/b^(3/4) + ((21*a^(1/4)*sqrt[b]*c - 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/b^(3/4) + (12*sqrt[a]*d*Log[sqrt[a] + sqrt[b]*x^2])/sqrt[b])/(128*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 340, normalized size = 1.90

$$\frac{\sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 5 \sqrt{-ab} b e \right)}{128 (-ab^3)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-1/128*\sqrt{2}*(21*b^2*c - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 5*\sqrt{-a*b}*b*e) * \arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/128*\sqrt{2}*(21*b^2*c + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 5*\sqrt{-a*b}*b*e) * \arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/256*\sqrt{2}*(21*b^2*c - 5*\sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) + 1/256*\sqrt{2}*(21*b^2*c - 5*\sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) - 1/32*(5*b*x^7*e + 6*b*d*x^6 + 7*b*c*x^5 - 9*a*x^3*e - 10*a*d*x^2 - 11*a*c*x)/(b*x^4 - a)^2*a^2$$

maple [B] time = 0.05, size = 286, normalized size = 1.60

$$\frac{e x^3}{8(b x^4 - a)^2 a} + \frac{d x^2}{8(b x^4 - a)^2 a} - \frac{5 e x^3}{32(b x^4 - a) a^2} + \frac{c x}{8(b x^4 - a)^2 a} - \frac{3 d x^2}{16(b x^4 - a) a^2} - \frac{7 c x}{32(b x^4 - a) a^2} - \frac{3 d \ln \left(\frac{\sqrt{a b}}{-\sqrt{a}} \right)}{32 \sqrt{a b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out]
$$1/8/(b*x^4-a)^2/a*c*x - 7/32/(b*x^4-a)/a^2*c*x + 21/128*(a/b)^{(1/4)}/a^3*c*\ln((x + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)})) + 21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)}*x) + 1/8/(b*x^4-a)^2/a*d*x^2 - 3/16/(b*x^4-a)/a^2*d*x^2 - 3/32/(a*b)^{(1/2)}/a^2*d*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) + 1/8*e*x^3/a/(b*x^4-a)^2 - 5/32*e/a^2*x^3/(b*x^4-a) - 5/64*e/a^2/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 5/128*e/a^2/b/(a/b)^{(1/4)}*\ln((x + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)}))$$

maxima [A] time = 3.12, size = 230, normalized size = 1.28

$$\frac{5 b e x^7 + 6 b d x^6 + 7 b c x^5 - 9 a e x^3 - 10 a d x^2 - 11 a c x}{32(a^2 b^2 x^8 - 2 a^3 b x^4 + a^4)} + \frac{12 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{12 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{2(21 \sqrt{b} c - 5 \sqrt{a} e) \arctan \left(\frac{\sqrt{a} x}{\sqrt{a} \sqrt{b}} \right)}{128 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out]
$$-1/32*(5*b*e*x^7 + 6*b*d*x^6 + 7*b*c*x^5 - 9*a*e*x^3 - 10*a*d*x^2 - 11*a*c*x)/(a^2*b^2*x^8 - 2*a^3*b*x^4 + a^4) + 1/128*(12*d*\log(\sqrt{b}*x^2 + \sqrt{a}))/(\sqrt{a}*\sqrt{b}) - 12*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*\sqrt{b}*c - 5*\sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}) - (21*\sqrt{b}*c + 5*\sqrt{a}*e)*\log((\sqrt{a}*\sqrt{b}*(x + \sqrt{a/b})/(\sqrt{a}*\sqrt{b}*(x - \sqrt{a/b}))))$$

$$t(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/a^2$$

mupad [B] time = 5.11, size = 826, normalized size = 4.61

$$\frac{\frac{5dx^2}{16a} + \frac{9ex^3}{32a} + \frac{11cx}{32a} - \frac{7bcx^5}{32a^2} - \frac{3bdx^6}{16a^2} - \frac{5bex^7}{32a^2}}{a^2 - 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(-\frac{b \left(125a^3 + 3024bcd^2 - 2205b^2c^2e + 1728bd^3x + \dots \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4)^3,x)

[Out] ((5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/((a^2 + b^2*x^8 - 2*a*b*x^4) + symsum(log(-(b*(125*a*e^3 + 3024*b*c*d^2 - 2205*b*c^2*e + 1728*b*d^3*x + 344064*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*c + 3200*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*e^2*x - 2520*b*c*d*e*x + 56448*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*d*x - 15360*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*d*e))/((32768*a^6))*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4)

sympy [B] time = 45.34, size = 563, normalized size = 3.15

$$-\text{RootSum}\left(268435456t^4a^{11}b^3 + t^2(-6881280a^6b^2ce - 4718592a^6b^2d^2) + t(-153600a^4bde^2 - 2709504a^3b^2c^2d)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] -RootSum(268435456*_t**4*a**11*b**3 + _t**2*(-6881280*a**6*b**2*c*e - 4718592*a**6*b**2*d**2) + _t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) - 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 - 194481*b**2*c**4, Lambda(_t, _t*log(x + (-262144000*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a**5*b*d**2*e**3 + 118540800*_t*a**4*b**2*c**3*e**2 - 365783040*_t*a**4*b**2*c**2*d**2*e - 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 + 112500*a**3*d*e**5 - 4536000*a**2*b*c*d**3*e**2 + 2488320*a**2*b*d**5*e + 58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 + 275625*a**2*b*c**2*e**4 - 3024000*a**2*b*c*d**2*e**3 + 2073600*a**2*b*d**4*e**2 - 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b**2*c**2*d**4 - 85766121*b**3*c**6)) - (-11*a*c*x - 10*a*d*x**2 - 9*a*e*x**3 + 7*b*c*x**5 + 6*b*d*x**6 + 5*b*e*x**7)/(32*a**4 - 64*a**3*b*x**4 + 32*a**2*b**2*x**8)

$$3.130 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$$

Optimal. Leaf size=341

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5)$$

[Out] $1/8*x*(e*x^2+d*x+c)/a/(b*x^4+a)^2+1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(b*x^4+a)+3/16*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)-1/256*\ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/256*\ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*\arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*\arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

[Out] $(x*(c + d*x + e*x^2))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a + b*x^4)) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) - ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right)}{64} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}}} dx}{128\sqrt{2}a^{9/4}b^{3/4}} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}x)}{128\sqrt{2}a^{9/4}} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{b}}x \right)}{64\sqrt{2}a^{11/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 337, normalized size = 0.99

$$\frac{\sqrt{2}(5a^{3/4}e - 21\sqrt[4]{a}\sqrt{b}c) \log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{\sqrt{2}(21\sqrt[4]{a}\sqrt{b}c - 5a^{3/4}e) \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{32a^2x(c + x(d + ex))}{(a + bx^4)^2} - \frac{2\sqrt[4]{a}}{256}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

[Out] ((32*a^2*x*(c + x*(d + e*x)))/(a + b*x^4)^2 + (8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (2*a^(1/4)*(21*sqrt[2]*sqrt[b]*c + 24*a^(1/4)*b^(1/4)*d + 5*sqrt[2]*sqrt[a]*e)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (2*a^(1/4)*(21*sqrt[2]*sqrt[b]*c - 24*a^(1/4)*b^(1/4)*d + 5*sqrt[2]*sqrt[a]*e)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (sqrt[2]*(-21*a^(1/4)*sqrt[b]*c + 5*a^(3/4)*e)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]/b^(3/4) + (sqrt[2]*(21*a^(1/4)*sqrt[b]*c - 5*a^(3/4)*e)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(3/4))/(256*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 336, normalized size = 0.99

$$\frac{5bx^7e + 6bdx^6 + 7bcx^5 + 9ax^3e + 10adx^2 + 11acx}{32(bx^4 + a)^2 a^2} + \frac{\sqrt{2} \left(12\sqrt{2}\sqrt{ab}b^2d + 21(ab^3)^{\frac{1}{4}}b^2c + 5(ab^3)^{\frac{3}{4}}e \right) \arctan\left(\frac{2x + \sqrt{2}\sqrt{a/b}}{\sqrt{2}\sqrt{a/b}}\right)}{128a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/32*(5*b*x^7*e + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*x^3*e + 10*a*d*x^2 + 11*a*c*x)/((b*x^4 + a)^2*a^2) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3)

maple [A] time = 0.05, size = 396, normalized size = 1.16

$$\frac{ex^3}{8(bx^4 + a)^2 a} + \frac{dx^2}{8(bx^4 + a)^2 a} + \frac{5ex^3}{32(bx^4 + a)^2 a^2} + \frac{cx}{8(bx^4 + a)^2 a} + \frac{3dx^2}{16(bx^4 + a)^2 a^2} + \frac{7cx}{32(bx^4 + a)^2 a^2} + \frac{3d \arctan\left(\frac{2x + \sqrt{2}\sqrt{a/b}}{\sqrt{2}\sqrt{a/b}}\right)}{16\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] 1/8/(b*x^4+a)^2/a*c*x+7/32/(b*x^4+a)/a^2*c*x+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/8/(b*x^4+a)^2/a*d*x^2+3/16/(b*x^4+a)/a^2*d*x^2+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+1/8*e*x^3/a/(b*x^4+a)^2+5/32*e/a^2*x^3/(b*x^4+a)+5/256*e/a^2/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128*e/a^2/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128*e/a^2/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.09, size = 336, normalized size = 0.99

$$\frac{5bex^7 + 6bdx^6 + 7bcx^5 + 9aex^3 + 10adx^2 + 11acx}{32(a^2b^2x^8 + 2a^3bx^4 + a^4)} + \frac{\sqrt{2}(21\sqrt{bc}-5\sqrt{ae})\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(21\sqrt{bc}-5\sqrt{ae})\log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")


```
[Out] 1/32*(5*b*e*x^7 + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*e*x^3 + 10*a*d*x^2 + 11*a*c*x
)/(a^2*b^2*x^8 + 2*a^3*b*x^4 + a^4) + 1/256*(sqrt(2)*(21*sqrt(b)*c - 5*sqrt
(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3
/4)) - sqrt(2)*(21*sqrt(b)*c - 5*sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/
4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(3/4)*c
+ 5*sqrt(2)*a^(3/4)*b^(1/4)*e - 24*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*
(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt
(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(3/4)*c + 5*sqrt(2)*a^
(3/4)*b^(1/4)*e + 24*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - s
qrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b
))*b^(3/4))/a^2
```

mupad [B] time = 5.05, size = 826, normalized size = 2.42

$$\frac{\frac{5dx^2}{16a} + \frac{9ex^3}{32a} + \frac{11cx}{32a} + \frac{7bcx^5}{32a^2} + \frac{3bdx^6}{16a^2} + \frac{5bex^7}{32a^2}}{a^2 + 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(-\frac{b \left(125ae^3 - 3024bcd^2 + 2205bc^2e - 1728bd^3x + \dots \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(a + b*x^4)^3,x)
```

```
[Out] ((5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^
2) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^
4) + symsum(log(-(b*(125*a*e^3 - 3024*b*c*d^2 + 2205*b*c^2*e - 1728*b*d^3*x
+ 344064*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a
^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b
*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4
, z, k)^2*a^5*b^2*c - 3200*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*
e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*
e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4
+ 194481*b^2*c^4, z, k)*a^3*b*e^2*x + 2520*b*c*d*e*x + 56448*root(26843545
6*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 270950
4*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^
2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x -
196608*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6
*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c
*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4,
z, k)^2*a^5*b^2*d*x + 15360*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c
*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d
*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^
4 + 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*
z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c
^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 207
36*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k), k, 1, 4)
```

sympy [A] time = 40.86, size = 558, normalized size = 1.64

$$\text{RootSum} \left(268435456t^4a^{11}b^3 + t^2 \left(6881280a^6b^2ce + 4718592a^6b^2d^2 \right) + t \left(153600a^4bde^2 - 2709504a^3b^2c^2d \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**3,x)
```

```
[Out] RootSum(268435456*_t**4*a**11*b**3 + _t**2*(6881280*a**6*b**2*c*e + 4718592
*a**6*b**2*d**2) + _t*(153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) + 6
25*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 +
194481*b**2*c**4, Lambda(_t, _t*log(x + (262144000*_t**3*a**10*b**2*e**3 -
4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 30
9657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e + 18207
```

$$\begin{aligned}
& 86688*_t^{**2}*a^{**6}*b^{**3}*c^{**3}*d + 5040000*_t*a^{**5}*b*c*e^{**4} + 6912000*_t*a^{**5}*b \\
& *d^{**2}*e^{**3} - 118540800*_t*a^{**4}*b^{**2}*c^{**3}*e^{**2} + 365783040*_t*a^{**4}*b^{**2}*c^{**2} \\
& *d^{**2}*e + 111476736*_t*a^{**4}*b^{**2}*c*d^{**4} + 522764928*_t*a^{**3}*b^{**3}*c^{**5} + 112 \\
& 500*a^{**3}*d*e^{**5} + 4536000*a^{**2}*b*c*d^{**3}*e^{**2} - 2488320*a^{**2}*b*d^{**5}*e + 5834 \\
& 4300*a*b^{**2}*c^{**4}*d*e - 80015040*a*b^{**2}*c^{**3}*d^{**3})/(15625*a^{**3}*e^{**6} - 275625 \\
& *a^{**2}*b*c^{**2}*e^{**4} + 3024000*a^{**2}*b*c*d^{**2}*e^{**3} - 2073600*a^{**2}*b*d^{**4}*e^{**2} - \\
& 4862025*a*b^{**2}*c^{**4}*e^{**2} + 53343360*a*b^{**2}*c^{**3}*d^{**2}*e - 36578304*a*b^{**2}*c \\
& **2*d^{**4} + 85766121*b^{**3}*c^{**6})))) + (11*a*c*x + 10*a*d*x^{**2} + 9*a*e*x^{**3} + \\
& 7*b*c*x^{**5} + 6*b*d*x^{**6} + 5*b*e*x^{**7})/(32*a^{**4} + 64*a^{**3}*b*x^{**4} + 32*a^{**2}*b \\
& **2*x^{**8})
\end{aligned}$$

$$3.131 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$$

Optimal. Leaf size=211

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

[Out] 1/12*x*(e*x^2+d*x+c)/a/(-b*x^4+a)^3+1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(-b*x^4+a)+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)

Rubi [A] time = 0.21, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{x(11c + 10dx + 5ex^2)}{96a^2(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] (x*(c + d*x + e*x^2))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + ((77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*sqrt[b]*c + 15*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a - bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \\ &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2} \\ &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a - bx^4} dx}{384a^3} \\ &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \left(\frac{-120dx}{a - bx^4} + \frac{-231c - 45ex^2}{a - bx^4} \right) dx}{384a^3} \\ &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a - bx^4} dx}{384a^3} + \frac{\int \frac{120dx}{a - bx^4} dx}{32a^3} \\ &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \operatorname{arctan}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{b}}\right)}{256a^{15/4}b^3} \end{aligned}$$

Mathematica [A] time = 0.28, size = 276, normalized size = 1.31

$$\frac{3 \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c + 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{3 \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c - 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{128a^3x(c + x(d + ex))}{(a - bx^4)^3} + \frac{16a^2x(11c + x(10d + 9ex))}{(a - bx^4)^2} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \operatorname{arctan}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{b}}\right)}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + x*(d + e*x)))/(a - b*x^4)^3 + (4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 + (6*a^(1/4)*(77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*sqrt[b]*c + 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + (3*(77*a^(1/4)*sqrt[b]*c - 40*sqrt[a]*b^(1/4)

*d + 15*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (120*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.22, size = 377, normalized size = 1.79

$$\frac{\sqrt{2} \left(77 b^2 c - 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 15 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c + 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - \dots \right)}{512 (-ab^3)^{\frac{3}{4}} a^3} \quad 512 \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^2*x^11*e + 60*b^2*d*x^10 + 77*b^2*c*x^9 - 126*a*b*x^7*e - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 113*a^2*x^3*e + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 - a)^3*a^3)

maple [A] time = 0.06, size = 274, normalized size = 1.30

$$\frac{5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{64 \sqrt{ab} a^3} - \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^4} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4} + \frac{-15}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128*e/a^3*b^2*x^11-5/32/a^3*b^2*d*x^10-77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5-113/384/a*e*x^3-11/32/a*d*x^2-51/128/a*c*x)/(b*x^4-a)^3+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/a^3*e/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+15/512/a^3*e/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.02, size = 279, normalized size = 1.32

$$\frac{45 b^2 e x^{11} + 60 b^2 d x^{10} + 77 b^2 c x^9 - 126 a b e x^7 - 160 a b d x^6 - 198 a b c x^5 + 113 a^2 e x^3 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} - 3 a^4 b^2 x^8 + 3 a^5 b x^4 - a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$-1/384*(45*b^2*e*x^{11} + 60*b^2*d*x^{10} + 77*b^2*c*x^9 - 126*a*b*e*x^7 - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 113*a^2*e*x^3 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^{12} - 3*a^4*b^2*x^8 + 3*a^5*b*x^4 - a^6) + 1/512*(40*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 40*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b})) + 2*(77*\sqrt{b}*c - 15*\sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (77*\sqrt{b}*c + 15*\sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})/a^3$$

mupad [B] time = 5.22, size = 874, normalized size = 4.14

$$\frac{\frac{11dx^2}{32a} + \frac{113ex^3}{384a} + \frac{51cx}{128a} + \frac{77b^2cx^9}{384a^3} + \frac{5b^2dx^{10}}{32a^3} + \frac{15b^2ex^{11}}{128a^3} - \frac{33bcx^5}{64a^2} - \frac{5bdx^6}{12a^2} - \frac{21bex^7}{64a^2}}{a^3 - 3a^2bx^4 + 3ab^2x^8 - b^3x^{12}} + \left(\sum_{k=1}^4 \ln \left(-\frac{b(3375ae^3 + 123200b^3c^2d^2 - 88935b^2c^2e + 64000b^2d^3x + 20185088\sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k)^2 a^7 b^2 c + 115200\sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k) a^4 b^2 c^2 d^2 e^2 x - 92400b^2 c^2 d^2 e^2 x + 3035648\sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k) a^3 b^2 c^2 d^2 e^2 x - 10485760\sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k)^2 a^7 b^2 d^2 x - 614400\sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k) a^4 b^2 d^2 e^2 x \right) \sqrt{68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^5b^2c^2e^2 + 2668050a^5b^2d^2z - 35153041b^2c^4 - 50625a^2e^4, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4)^4,x)

[Out]
$$\left(\frac{11*d*x^2}{32*a} + \frac{113*e*x^3}{384*a} + \frac{51*c*x}{128*a} + \frac{77*b^2*c*x^9}{384*a^3} + \frac{5*b^2*d*x^{10}}{32*a^3} + \frac{15*b^2*e*x^{11}}{128*a^3} - \frac{33*b*c*x^5}{64*a^2} - \frac{5*b*d*x^6}{12*a^2} - \frac{21*b*e*x^7}{64*a^2} \right) / (a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log(-(b*(3375*a*e^3 + 123200*b*c*d^2 - 88935*b^2*c^2*e + 64000*b^2*d^3*x + 20185088*\sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k)^2*a^7*b^2*c + 115200*\sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k) a^4 b^2 c^2 d^2 e^2 x - 92400*b^2 c^2 d^2 e^2 x + 3035648*\sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k) a^3 b^2 c^2 d^2 e^2 x - 10485760*\sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k)^2 a^7 b^2 d^2 x - 614400*\sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k) a^4 b^2 d^2 e^2 x) / (2097152*a^9) * \sqrt{68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c^2*e^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^5*b^2*c^2*e^2 + 2668050*a^5*b^2*d^2*z - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k), k, 1, 4)$$

sympy [B] time = 59.74, size = 612, normalized size = 2.90

$$\text{RootSum}\left(68719476736t^4a^{15}b^3 + t^2(-1211105280a^8b^2ce - 838860800a^8b^2d^2) + t(18432000a^5bde^2 + 485703680a^4b^2c^2d^2e^2) + t^3(18432000a^5b^2de^2 + 485703680a^4b^2c^2d^2e^2) + t^4(18432000a^5b^2de^2 + 485703680a^4b^2c^2d^2e^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out]
$$\text{RootSum}(68719476736*_t**4*a**15*b**3 + *_t**2*(-1211105280*a**8*b**2*c*e - 838860800*a**8*b**2*d**2) + *_t*(18432000*a**5*b*d*e**2 + 485703680*a**4*b**2$$

$$\begin{aligned}
& *c^{**2}d) - 50625*a^{**2}e^{**4} + 2668050*a*b*c^{**2}e^{**2} - 7392000*a*b*c*d^{**2}e + \\
& 2560000*a*b*d^{**4} - 35153041*b^{**2}c^{**4}, \text{Lambda}(_t, _t*\log(x + (452984832000 \\
& *_t^{**3}a^{**13}b^{**2}e^{**3} + 11936653639680*_t^{**3}a^{**12}b^{**3}c^{**2}e - 330712481 \\
& 79200*_t^{**3}a^{**12}b^{**3}c*d^{**2} + 544997376000*_t^{**2}a^{**9}b^{**2}c*d*e^{**2} - 503 \\
& 316480000*_t^{**2}a^{**9}b^{**2}d^{**3}e - 4787095470080*_t^{**2}a^{**8}b^{**3}c^{**3}d - 5 \\
& 987520000*_t*a^{**6}b*c*e^{**4} - 8294400000*_t*a^{**6}b*d^{**2}e^{**3} - 210370406400* \\
& _t*a^{**5}b^{**2}c^{**3}e^{**2} + 655699968000*_t*a^{**5}b^{**2}c^{**2}d^{**2}e + 2018508800 \\
& 00*_t*a^{**5}b^{**2}c*d^{**4} - 1385873488384*_t*a^{**4}b^{**3}c^{**5} + 91125000*a^{**3}d* \\
& e^{**5} - 5544000000*a^{**2}b*c*d^{**3}e^{**2} + 3072000000*a^{**2}b*d^{**5}e + 105459123 \\
& 000*a*b^{**2}c^{**4}d*e - 146090560000*a*b^{**2}c^{**3}d^{**3})/(11390625*a^{**3}e^{**6} + \\
& 300155625*a^{**2}b*c^{**2}e^{**4} - 3326400000*a^{**2}b*c*d^{**2}e^{**3} + 2304000000*a^{** \\
& 2}b*d^{**4}e^{**2} - 7909434225*a*b^{**2}c^{**4}e^{**2} + 87654336000*a*b^{**2}c^{**3}d^{**2}* \\
& e - 60712960000*a*b^{**2}c^{**2}d^{**4} - 208422380089*b^{**3}c^{**6})))) + (-153*a^{**2}* \\
& c*x - 132*a^{**2}d*x^{**2} - 113*a^{**2}e*x^{**3} + 198*a*b*c*x^{**5} + 160*a*b*d*x^{**6} + \\
& 126*a*b*e*x^{**7} - 77*b^{**2}c*x^{**9} - 60*b^{**2}d*x^{**10} - 45*b^{**2}e*x^{**11})/(-384 \\
& *a^{**6} + 1152*a^{**5}b*x^{**4} - 1152*a^{**4}b^{**2}x^{**8} + 384*a^{**3}b^{**3}x^{**12})
\end{aligned}$$

$$3.132 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$$

Optimal. Leaf size=372

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

[Out] $1/12*x*(e*x^2+d*x+c)/a/(b*x^4+a)^3+1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(b*x^4+a)+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.38, antiderivative size = 372, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^4, x]

[Out] $(x*(c + d*x + e*x^2))/(12*a*(a + b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \left(\frac{-120dx}{a + bx^4} + \frac{-231c - 45ex^2}{a + bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a + bx^4} dx}{384a^3} + \frac{\int \frac{120dx}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{(5d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx \right)}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} + \frac{\int \frac{120dx}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{\int \frac{120dx}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{\int \frac{120dx}{a + bx^4} dx}{384a^3}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 369, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^{3/4}e^{-77\sqrt[4]{a}\sqrt{b}c})\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} + \frac{3\sqrt{2}(77\sqrt[4]{a}\sqrt{b}c-15a^{3/4}e)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} + \frac{256a^3x(c+x(d+ex))}{(a+bx^4)^3} + \frac{32a^3x(d+ex)}{(a+bx^4)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^4, x]

[Out] ((256*a^3*x*(c + x*(d + e*x)))/(a + b*x^4)^3 + (8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c + 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c - 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (3*Sqrt[2]*(-77*a^(1/4)*Sqrt[b]*c + 15*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (3*Sqrt[2]*(77*a^(1/4)*Sqrt[b]*c - 15*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(3072*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 373, normalized size = 1.00

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} \right)}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^2*x^11*e + 60*b^2*d*x^10 + 77*b^2*c*x^9 + 126*a*b*x^7*e + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 113*a^2*x^3*e + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 + a)^3*a^3

maple [A] time = 0.06, size = 394, normalized size = 1.06

$$\frac{5d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{32 \sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+77/384/a^3*b^2*c*x^9+21/64/a^2*b^2*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+113/384/a^2*b^2*c*x^3+11/32/a^2*d*x^2+51/128/a^2*c*x)/(b*x^4+a)^3+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4))*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4))*2^(1/2)*x+(a/b)^(1/2))+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4))*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4))*2^(1/2)*x+(a/b)^(1/2))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.11, size = 383, normalized size = 1.03

$$\frac{45 b^2 e x^{11} + 60 b^2 d x^{10} + 77 b^2 c x^9 + 126 a b e x^7 + 160 a b d x^6 + 198 a b c x^5 + 113 a^2 e x^3 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} + 3 a^4 b^2 x^8 + 3 a^5 b x^4 + a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{384} \cdot (45 \cdot b^2 \cdot e \cdot x^{11} + 60 \cdot b^2 \cdot d \cdot x^{10} + 77 \cdot b^2 \cdot c \cdot x^9 + 126 \cdot a \cdot b \cdot e \cdot x^7 + 160 \cdot a \cdot b \cdot d \cdot x^6 + 198 \cdot a \cdot b \cdot c \cdot x^5 + 113 \cdot a^2 \cdot e \cdot x^3 + 132 \cdot a^2 \cdot d \cdot x^2 + 153 \cdot a^2 \cdot c \cdot x) / (a^3 \cdot b^3 \cdot x^{12} + 3 \cdot a^4 \cdot b^2 \cdot x^8 + 3 \cdot a^5 \cdot b \cdot x^4 + a^6) + \frac{1}{1024} \cdot (\sqrt{2}) \cdot (77 \cdot \sqrt{2} \cdot \sqrt{b} \cdot c - 15 \cdot \sqrt{2} \cdot \sqrt{a} \cdot e) \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot b^{3/4}) - \sqrt{2} \cdot (77 \cdot \sqrt{2} \cdot \sqrt{b} \cdot c - 15 \cdot \sqrt{2} \cdot \sqrt{a} \cdot e) \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot b^{3/4}) + 2 \cdot (77 \cdot \sqrt{2} \cdot a^{1/4} \cdot b^{3/4} \cdot c + 15 \cdot \sqrt{2} \cdot a^{3/4} \cdot b^{1/4} \cdot e - 80 \cdot \sqrt{a} \cdot \sqrt{b} \cdot d) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}) / (a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot b^{3/4} + 2 \cdot (77 \cdot \sqrt{2} \cdot a^{1/4} \cdot b^{3/4} \cdot c + 15 \cdot \sqrt{2} \cdot a^{3/4} \cdot b^{1/4} \cdot e + 80 \cdot \sqrt{a} \cdot \sqrt{b} \cdot d) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}) / (a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot b^{3/4} / a^3$

mupad [B] time = 5.14, size = 873, normalized size = 2.35

$$\frac{\frac{11dx^2}{32a} + \frac{113ex^3}{384a} + \frac{51cx}{128a} + \frac{77b^2cx^9}{384a^3} + \frac{5b^2dx^{10}}{32a^3} + \frac{15b^2ex^{11}}{128a^3} + \frac{33bcx^5}{64a^2} + \frac{5bdx^6}{12a^2} + \frac{21bex^7}{64a^2}}{a^3 + 3a^2bx^4 + 3ab^2x^8 + b^3x^{12}} + \left(\sum_{k=1}^4 \ln \left(-\frac{b(3375ae^3 - 123200b^3c^2d^2 + 88935b^3c^2e - 64000b^3d^3x + 20185088\sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2z + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000ab^2cd^2e + 2668050ab^2c^2e^2 + 2560000abd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k)^2 a^7 b^2 c - 115200\sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2z + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000ab^2cd^2e + 2668050ab^2c^2e^2 + 2560000abd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k) \cdot a^4 b^2 e^2 x + 92400b^2 c d e x + 3035648\sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2z + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000ab^2cd^2e + 2668050ab^2c^2e^2 + 2560000abd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k) \cdot a^3 b^2 c^2 x - 10485760\sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2z + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000ab^2cd^2e + 2668050ab^2c^2e^2 + 2560000abd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k)}{2097152a^9} \right) \cdot \sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2z + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000ab^2cd^2e + 2668050ab^2c^2e^2 + 2560000abd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k), k, 1, 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4)^4,x)

[Out] $((11 \cdot d \cdot x^2) / (32 \cdot a) + (113 \cdot e \cdot x^3) / (384 \cdot a) + (51 \cdot c \cdot x) / (128 \cdot a) + (77 \cdot b^2 \cdot c \cdot x^9) / (384 \cdot a^3) + (5 \cdot b^2 \cdot d \cdot x^{10}) / (32 \cdot a^3) + (15 \cdot b^2 \cdot e \cdot x^{11}) / (128 \cdot a^3) + (33 \cdot b \cdot c \cdot x^5) / (64 \cdot a^2) + (5 \cdot b \cdot d \cdot x^6) / (12 \cdot a^2) + (21 \cdot b \cdot e \cdot x^7) / (64 \cdot a^2)) / (a^3 + b^3 \cdot x^{12} + 3 \cdot a^2 \cdot b \cdot x^4 + 3 \cdot a \cdot b^2 \cdot x^8) + \text{symsum}(\log(-(b \cdot (3375 \cdot a \cdot e^3 - 123200 \cdot b^3 \cdot c^2 \cdot d^2 + 88935 \cdot b^3 \cdot c^2 \cdot e - 64000 \cdot b^3 \cdot d^3 \cdot x + 20185088 \cdot \sqrt{68719476736 \cdot a^{15} \cdot b^3 \cdot z^4 + 1211105280 \cdot a^8 \cdot b^2 \cdot c^2 \cdot e^2 \cdot z + 838860800 \cdot a^8 \cdot b^2 \cdot d^2 \cdot z^2 - 485703680 \cdot a^4 \cdot b^2 \cdot c^2 \cdot d \cdot z + 18432000 \cdot a^5 \cdot b^2 \cdot d \cdot e^2 \cdot z - 7392000 \cdot a \cdot b^2 \cdot c \cdot d^2 \cdot e + 2668050 \cdot a \cdot b^2 \cdot c^2 \cdot e^2 + 2560000 \cdot a \cdot b \cdot d^4 + 35153041 \cdot b^2 \cdot c^4 + 50625 \cdot a^2 \cdot e^4, z, k)^2 \cdot a^7 \cdot b^2 \cdot c - 115200 \cdot \sqrt{68719476736 \cdot a^{15} \cdot b^3 \cdot z^4 + 1211105280 \cdot a^8 \cdot b^2 \cdot c^2 \cdot e^2 \cdot z + 838860800 \cdot a^8 \cdot b^2 \cdot d^2 \cdot z^2 - 485703680 \cdot a^4 \cdot b^2 \cdot c^2 \cdot d \cdot z + 18432000 \cdot a^5 \cdot b^2 \cdot d \cdot e^2 \cdot z - 7392000 \cdot a \cdot b^2 \cdot c \cdot d^2 \cdot e + 2668050 \cdot a \cdot b^2 \cdot c^2 \cdot e^2 + 2560000 \cdot a \cdot b \cdot d^4 + 35153041 \cdot b^2 \cdot c^4 + 50625 \cdot a^2 \cdot e^4, z, k) \cdot a^4 \cdot b^2 \cdot e^2 \cdot x + 92400 \cdot b^2 \cdot c \cdot d \cdot e \cdot x + 3035648 \cdot \sqrt{68719476736 \cdot a^{15} \cdot b^3 \cdot z^4 + 1211105280 \cdot a^8 \cdot b^2 \cdot c^2 \cdot e^2 \cdot z + 838860800 \cdot a^8 \cdot b^2 \cdot d^2 \cdot z^2 - 485703680 \cdot a^4 \cdot b^2 \cdot c^2 \cdot d \cdot z + 18432000 \cdot a^5 \cdot b^2 \cdot d \cdot e^2 \cdot z - 7392000 \cdot a \cdot b^2 \cdot c \cdot d^2 \cdot e + 2668050 \cdot a \cdot b^2 \cdot c^2 \cdot e^2 + 2560000 \cdot a \cdot b \cdot d^4 + 35153041 \cdot b^2 \cdot c^4 + 50625 \cdot a^2 \cdot e^4, z, k) \cdot a^3 \cdot b^2 \cdot c^2 \cdot x - 10485760 \cdot \sqrt{68719476736 \cdot a^{15} \cdot b^3 \cdot z^4 + 1211105280 \cdot a^8 \cdot b^2 \cdot c^2 \cdot e^2 \cdot z + 838860800 \cdot a^8 \cdot b^2 \cdot d^2 \cdot z^2 - 485703680 \cdot a^4 \cdot b^2 \cdot c^2 \cdot d \cdot z + 18432000 \cdot a^5 \cdot b^2 \cdot d \cdot e^2 \cdot z - 7392000 \cdot a \cdot b^2 \cdot c \cdot d^2 \cdot e + 2668050 \cdot a \cdot b^2 \cdot c^2 \cdot e^2 + 2560000 \cdot a \cdot b \cdot d^4 + 35153041 \cdot b^2 \cdot c^4 + 50625 \cdot a^2 \cdot e^4, z, k)}{2097152 \cdot a^9}) \cdot \sqrt{68719476736 \cdot a^{15} \cdot b^3 \cdot z^4 + 1211105280 \cdot a^8 \cdot b^2 \cdot c^2 \cdot e^2 \cdot z + 838860800 \cdot a^8 \cdot b^2 \cdot d^2 \cdot z^2 - 485703680 \cdot a^4 \cdot b^2 \cdot c^2 \cdot d \cdot z + 18432000 \cdot a^5 \cdot b^2 \cdot d \cdot e^2 \cdot z - 7392000 \cdot a \cdot b^2 \cdot c \cdot d^2 \cdot e + 2668050 \cdot a \cdot b^2 \cdot c^2 \cdot e^2 + 2560000 \cdot a \cdot b \cdot d^4 + 35153041 \cdot b^2 \cdot c^4 + 50625 \cdot a^2 \cdot e^4, z, k), k, 1, 4)$

sympy [A] time = 63.47, size = 610, normalized size = 1.64

$$\text{RootSum}\left(68719476736t^4a^{15}b^3 + t^2(1211105280a^8b^2ce + 838860800a^8b^2d^2) + t(18432000a^5bde^2 - 485703680\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**3 + _t**2*(1211105280*a**8*b**2*c*e + 838860800*a**8*b**2*d**2) + _t*(18432000*a**5*b*d*e**2 - 485703680*a**4*b**2*c**2*d) + 50625*a**2*e**4 + 2668050*a*b*c**2*e**2 - 7392000*a*b*c*d**2*e + 2560000*a*b*d**4 + 35153041*b**2*c**4, Lambda(_t, _t*log(x + (452984832000*_t**3*a**13*b**2*e**3 - 11936653639680*_t**3*a**12*b**3*c**2*e + 33071248179200*_t**3*a**12*b**3*c*d**2 + 544997376000*_t**2*a**9*b**2*c*d*e**2 - 503316480000*_t**2*a**9*b**2*d**3*e + 4787095470080*_t**2*a**8*b**3*c**3*d + 5987520000*_t*a**6*b*c*e**4 + 8294400000*_t*a**6*b*d**2*e**3 - 210370406400*_t*a**5*b**2*c**3*e**2 + 655699968000*_t*a**5*b**2*c**2*d**2*e + 20185088000*_t*a**5*b**2*c*d**4 + 1385873488384*_t*a**4*b**3*c**5 + 91125000*a**3*d*e**5 + 5544000000*a**2*b*c*d**3*e**2 - 3072000000*a**2*b*d**5*e + 105459123000*a*b**2*c**4*d*e - 146090560000*a*b**2*c**3*d**3)/(11390625*a**3*e**6 - 300155625*a**2*b*c**2*e**4 + 3326400000*a**2*b*c*d**2*e**3 - 2304000000*a**2*b*d**4*e**2 - 7909434225*a*b**2*c**4*e**2 + 87654336000*a*b**2*c**3*d**2*e - 60712960000*a*b**2*c**2*d**4 + 208422380089*b**3*c**6))) + (153*a**2*c*x + 132*a**2*d*x**2 + 113*a**2*e*x**3 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 126*a*b*e*x**7 + 77*b**2*c*x**9 + 60*b**2*d*x**10 + 45*b**2*e*x**11)/(384*a**6 + 1152*a**5*b*x**4 + 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

3.133 $\int a(e + fx^4)^2 dx$

Optimal. Leaf size=28

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

[Out] $a e^2 x + 2/5 a e f x^5 + 1/9 a f^2 x^9$

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

Antiderivative was successfully verified.

[In] Int[a*(e + f*x^4)^2,x]

[Out] $a e^2 x + (2 a e f x^5) / 5 + (a f^2 x^9) / 9$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int a(e + fx^4)^2 dx &= a \int (e + fx^4)^2 dx \\ &= a \int (e^2 + 2efx^4 + f^2x^8) dx \\ &= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 \end{aligned}$$

Mathematica [A] time = 0.00, size = 27, normalized size = 0.96

$$a \left(e^2 x + \frac{2}{5} e f x^5 + \frac{f^2 x^9}{9} \right)$$

Antiderivative was successfully verified.

[In] Integrate[a*(e + f*x^4)^2,x]

[Out] $a*(e^2*x + (2*e*f*x^5)/5 + (f^2*x^9)/9)$

fricas [A] time = 0.60, size = 24, normalized size = 0.86

$$\frac{1}{9}x^9f^2a + \frac{2}{5}x^5fea + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/9*x^9*f^2*a + 2/5*x^5*f*e*a + x*e^2*a$

giac [A] time = 0.14, size = 25, normalized size = 0.89

$$\frac{1}{45} (5 f^2 x^9 + 18 f x^5 e + 45 x e^2) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $1/45*(5*f^2*x^9 + 18*f*x^5*e + 45*x*e^2)*a$

maple [A] time = 0.04, size = 24, normalized size = 0.86

$$\left(\frac{1}{9} f^2 x^9 + \frac{2}{5} e f x^5 + e^2 x \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a*(f*x^4+e)^2,x)`

[Out] $a*(1/9*f^2*x^9+2/5*e*f*x^5+e^2*x)$

maxima [A] time = 1.37, size = 25, normalized size = 0.89

$$\frac{1}{45} (5 f^2 x^9 + 18 e f x^5 + 45 e^2 x) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/45*(5*f^2*x^9 + 18*e*f*x^5 + 45*e^2*x)*a$

mupad [B] time = 4.67, size = 25, normalized size = 0.89

$$\frac{a x (45 e^2 + 18 e f x^4 + 5 f^2 x^8)}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a*(e + f*x^4)^2,x)`

[Out] $(a*x*(45*e^2 + 5*f^2*x^8 + 18*e*f*x^4))/45$

sympy [A] time = 0.12, size = 27, normalized size = 0.96

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*(f*x**4+e)**2,x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9$

3.134 $\int bx(e + fx^4)^2 dx$

Optimal. Leaf size=33

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

[Out] $1/2*b*e^2*x^2+1/3*b*e*f*x^6+1/10*b*f^2*x^{10}$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[b*x*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int bx(e + fx^4)^2 dx &= b \int x(e + fx^4)^2 dx \\ &= b \int (e^2x + 2efx^5 + f^2x^9) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 32, normalized size = 0.97

$$b \left(\frac{e^2x^2}{2} + \frac{1}{3}efx^6 + \frac{f^2x^{10}}{10} \right)$$

Antiderivative was successfully verified.

[In] Integrate[b*x*(e + f*x^4)^2,x]

[Out] b*((e^2*x^2)/2 + (e*f*x^6)/3 + (f^2*x^10)/10)

fricas [A] time = 0.49, size = 27, normalized size = 0.82

$$\frac{1}{10}x^{10}f^2b + \frac{1}{3}x^6feb + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/10*x^10*f^2*b + 1/3*x^6*f*e*b + 1/2*x^2*e^2*b

giac [A] time = 0.17, size = 27, normalized size = 0.82

$$\frac{1}{30} (3 f^2 x^{10} + 10 f x^6 e + 15 x^2 e^2) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/30*(3*f^2*x^10 + 10*f*x^6*e + 15*x^2*e^2)*b

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{10} f^2 x^{10} + \frac{1}{3} e f x^6 + \frac{1}{2} e^2 x^2 \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x*(f*x^4+e)^2,x)

[Out] b*(1/10*f^2*x^10+1/3*e*f*x^6+1/2*e^2*x^2)

maxima [A] time = 1.40, size = 27, normalized size = 0.82

$$\frac{1}{30} (3 f^2 x^{10} + 10 e f x^6 + 15 e^2 x^2) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/30*(3*f^2*x^10 + 10*e*f*x^6 + 15*e^2*x^2)*b

mupad [B] time = 0.03, size = 27, normalized size = 0.82

$$\frac{b x^2 (15 e^2 + 10 e f x^4 + 3 f^2 x^8)}{30}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x*(e + f*x^4)^2,x)

[Out] (b*x^2*(15*e^2 + 3*f^2*x^8 + 10*e*f*x^4))/30

sympy [A] time = 0.07, size = 29, normalized size = 0.88

$$\frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x**4+e)**2,x)

[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10

3.135 $\int (a + bx) (e + fx^4)^2 dx$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

[Out] $a*e^{2*x}+1/2*b*e^{2*x^2}+2/5*a*e*f*x^5+1/3*b*e*f*x^6+1/9*a*f^2*x^9+1/10*b*f^2*x^{10}$

Rubi [A] time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)*(e + f*x^4)^2,x]

[Out] $a*e^{2*x} + (b*e^{2*x^2})/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10$

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx) (e + fx^4)^2 dx &= \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)*(e + f*x^4)^2,x]

[Out] $a*e^{2*x} + (b*e^{2*x^2})/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10$

fricas [A] time = 0.58, size = 50, normalized size = 0.83

$$\frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/10*x^{10}*f^2*b + 1/9*x^9*f^2*a + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/2*x^2*e^2*b + x*e^2*a$

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b f x^6 e + \frac{2}{5} a f x^5 e + \frac{1}{2} b x^2 e^2 + a x e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/2*b*x^2*e^2 + a*x*e^2

maple [A] time = 0.05, size = 51, normalized size = 0.85

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b e f x^6 + \frac{2}{5} a e f x^5 + \frac{1}{2} b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*(f*x^4+e)^2,x)

[Out] a*e^2*x+1/2*b*e^2*x^2+2/5*a*e*f*x^5+1/3*b*e*f*x^6+1/9*a*f^2*x^9+1/10*b*f^2*x^10

maxima [A] time = 1.36, size = 50, normalized size = 0.83

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b e f x^6 + \frac{2}{5} a e f x^5 + \frac{1}{2} b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.02, size = 50, normalized size = 0.83

$$\frac{b e^2 x^2}{2} + a e^2 x + \frac{b e f x^6}{3} + \frac{2 a e f x^5}{5} + \frac{b f^2 x^{10}}{10} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x),x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3

sympy [A] time = 0.11, size = 58, normalized size = 0.97

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9} + \frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10

3.136 $\int cx^2 (e + fx^4)^2 dx$

Optimal. Leaf size=33

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $1/3*c*e^2*x^3+2/7*c*e*f*x^7+1/11*c*f^2*x^{11}$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] $\text{Int}[c*x^2*(e + f*x^4)^2, x]$

[Out] $(c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^{11})/11$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 270

$\text{Int}[((c_*)(x_))^{(m_)*((a_)+(b_*)(x_)^{(n_))^{(p_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

Rubi steps

$$\begin{aligned} \int cx^2 (e + fx^4)^2 dx &= c \int x^2 (e + fx^4)^2 dx \\ &= c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\ &= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.00

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[c*x^2*(e + f*x^4)^2, x]$

[Out] $(c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^{11})/11$

fricas [A] time = 0.53, size = 27, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{2}{7}x^7fec + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(c*x^2*(f*x^4+e)^2, x, \text{algorithm}="fricas")$

[Out] $1/11*x^{11}*f^2*c + 2/7*x^7*f*e*c + 1/3*x^3*e^2*c$

giac [A] time = 0.20, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 f x^7 e + 77 x^3 e^2) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c*x^2*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $1/231*(21*f^2*x^{11} + 66*f*x^7*e + 77*x^3*e^2)*c$

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{11} f^2 x^{11} + \frac{2}{7} e f x^7 + \frac{1}{3} e^2 x^3 \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c*x^2*(f*x^4+e)^2,x)`

[Out] $c*(1/11*f^2*x^{11}+2/7*e*f*x^7+1/3*e^2*x^3)$

maxima [A] time = 1.36, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 e f x^7 + 77 e^2 x^3) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c*x^2*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/231*(21*f^2*x^{11} + 66*e*f*x^7 + 77*e^2*x^3)*c$

mupad [B] time = 0.04, size = 27, normalized size = 0.82

$$\frac{c x^3 (77 e^2 + 66 e f x^4 + 21 f^2 x^8)}{231}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c*x^2*(e + f*x^4)^2,x)`

[Out] $(c*x^3*(77*e^2 + 21*f^2*x^8 + 66*e*f*x^4))/231$

sympy [A] time = 0.13, size = 31, normalized size = 0.94

$$\frac{c e^2 x^3}{3} + \frac{2 c e f x^7}{7} + \frac{c f^2 x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c*x**2*(f*x**4+e)**2,x)`

[Out] $c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11$

3.137 $\int (a + cx^2)(e + fx^4)^2 dx$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $a e^{2x} + \frac{1}{3} c e^{2x^3} + \frac{2}{5} a e f x^5 + \frac{2}{7} c e f x^7 + \frac{1}{9} a f^2 x^9 + \frac{1}{11} c f^2 x^{11}$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (c f^2 x^{11})/11$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (a + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\ &= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (c f^2 x^{11})/11$

fricas [A] time = 0.61, size = 50, normalized size = 0.83

$$\frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $\frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7f^2e + \frac{2}{5}x^5f^2e + \frac{1}{3}x^3e^2c + x e^2a$

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/3*c*x^3*e^2 + a*x*e^2

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)*(f*x^4+e)^2,x)

[Out] a*e^2*x+1/3*c*e^2*x^3+2/5*a*e*f*x^5+2/7*c*e*f*x^7+1/9*a*f^2*x^9+1/11*c*f^2*x^11

maxima [A] time = 1.32, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + a*e^2*x

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{ce^2x^3}{3} + ae^2x + \frac{2cef x^7}{7} + \frac{2aef x^5}{5} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2)*(e + f*x^4)^2,x)

[Out] (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (c*f^2*x^11)/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7

sympy [A] time = 0.08, size = 60, normalized size = 1.00

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

$$3.138 \quad \int (bx + cx^2) (e + fx^4)^2 dx$$

Optimal. Leaf size=65

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] 1/2*b*e^2*x^2+1/3*c*e^2*x^3+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/10*b*f^2*x^10+1/11*c*f^2*x^11

Rubi [A] time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rubi steps

$$\begin{aligned} \int (bx + cx^2) (e + fx^4)^2 dx &= \int x(b + cx) (e + fx^4)^2 dx \\ &= \int (be^2x + ce^2x^2 + 2befx^5 + 2cef x^6 + bf^2x^9 + cf^2x^{10}) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.00

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

fricas [A] time = 0.45, size = 53, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b

giac [A] time = 0.15, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2

maple [A] time = 0.04, size = 54, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x)*(f*x^4+e)^2,x)

[Out] 1/2*b*e^2*x^2+1/3*c*e^2*x^3+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/10*b*f^2*x^10+1/11*c*f^2*x^11

maxima [A] time = 1.35, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2

mupad [B] time = 0.03, size = 53, normalized size = 0.82

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + \frac{2cef x^7}{7} + \frac{bef x^6}{3} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2)*(e + f*x^4)^2,x)

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7

sympy [A] time = 0.14, size = 61, normalized size = 0.94

$$\frac{be^2x^2}{2} + \frac{bef x^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x)*(f*x**4+e)**2,x)
```

```
[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x*  
*7/7 + c*f**2*x**11/11
```

$$3.139 \quad \int (a + bx + cx^2)(e + fx^4)^2 dx$$

Optimal. Leaf size=92

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] a*e^2*x+1/2*b*e^2*x^2+1/3*c*e^2*x^3+2/5*a*e*f*x^5+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/9*a*f^2*x^9+1/10*b*f^2*x^10+1/11*c*f^2*x^11

Rubi [A] time = 0.05, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1657}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (a + bx + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + be^2x + ce^2x^2 + 2aefx^4 + 2befx^5 + 2cef x^6 + af^2x^8 + bf^2x^9 + cf^2x^{10}) dx \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

fricas [A] time = 0.46, size = 76, normalized size = 0.83

$$\frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 1/9*x^9*f^2*a + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b + x*e^2*a

giac [A] time = 0.15, size = 76, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)*(f*x^4+e)^2,x)

[Out] a*e^2*x+1/2*b*e^2*x^2+1/3*c*e^2*x^3+2/5*a*e*f*x^5+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/9*a*f^2*x^9+1/10*b*f^2*x^10+1/11*c*f^2*x^11

maxima [A] time = 1.43, size = 76, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.83

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + ae^2x + \frac{2cef x^7}{7} + \frac{bef x^6}{3} + \frac{2aef x^5}{5} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x + c*x^2),x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7

sympy [A] time = 0.16, size = 90, normalized size = 0.98

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

$$3.140 \quad \int dx^3 (e + fx^4)^2 dx$$

Optimal. Leaf size=17

$$\frac{d(e + fx^4)^3}{12f}$$

[Out] 1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 261}

$$\frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[d*x^3*(e + f*x^4)^2,x]

[Out] (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int dx^3 (e + fx^4)^2 dx &= d \int x^3 (e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.94

$$\frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[d*x^3*(e + f*x^4)^2,x]

[Out] (d*e^2*x^4)/4 + (d*e*f*x^8)/4 + (d*f^2*x^12)/12

fricas [A] time = 0.70, size = 27, normalized size = 1.59

$$\frac{1}{12}x^{12}f^2d + \frac{1}{4}x^8fed + \frac{1}{4}x^4e^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/4*x^8*f*e*d + 1/4*x^4*e^2*d

giac [A] time = 0.14, size = 16, normalized size = 0.94

$$\frac{(fx^4 + e)^3 d}{12 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*(f*x^4 + e)^3*d/f

maple [A] time = 0.04, size = 27, normalized size = 1.59

$$\left(\frac{1}{12}f^2x^{12} + \frac{1}{4}efx^8 + \frac{1}{4}e^2x^4\right)d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3*(f*x^4+e)^2,x)

[Out] d*(1/12*f^2*x^12+1/4*e*f*x^8+1/4*e^2*x^4)

maxima [A] time = 1.39, size = 15, normalized size = 0.88

$$\frac{(fx^4 + e)^3 d}{12 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*(f*x^4 + e)^3*d/f

mupad [B] time = 0.03, size = 26, normalized size = 1.53

$$\frac{dx^4 (3e^2 + 3efx^4 + f^2x^8)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3*(e + f*x^4)^2,x)

[Out] (d*x^4*(3*e^2 + f^2*x^8 + 3*e*f*x^4))/12

sympy [B] time = 0.24, size = 29, normalized size = 1.71

$$\frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x**3*(f*x**4+e)**2,x)

[Out] d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

3.141 $\int (a + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=45

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

[Out] a*e^2*x+2/5*a*e*f*x^5+1/9*a*f^2*x^9+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.02, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1582, 12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (2*a*e*f*x^5)/5 + (a*f^2*x^9)/9 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rubi steps

$$\begin{aligned} \int (a + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int a(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + a \int (e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + a \int (e^2 + 2efx^4 + f^2x^8) dx \\ &= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.33

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (d*f^2*x^12)/12

fricas [A] time = 0.57, size = 50, normalized size = 1.11

$$\frac{1}{12}x^{12}f^2d + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + x*e^2*a

giac [A] time = 0.20, size = 50, normalized size = 1.11

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + a*x*e^2

maple [A] time = 0.04, size = 51, normalized size = 1.13

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/5*a*e*f*x^5+1/4*d*e^2*x^4+a*e^2*x

maxima [A] time = 1.31, size = 50, normalized size = 1.11

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + a*e^2*x

mupad [B] time = 0.02, size = 50, normalized size = 1.11

$$\frac{de^2x^4}{4} + ae^2x + \frac{defx^8}{4} + \frac{2aefx^5}{5} + \frac{df^2x^{12}}{12} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(a*f^2*x^9)/9 + (d*e^2*x^4)/4 + (d*f^2*x^{12})/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4$

sympy [A] time = 0.08, size = 58, normalized size = 1.29

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+a)*(f*x**4+e)**2,x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

3.142 $\int (bx + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=50

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

[Out] 1/2*b*e^2*x^2+1/3*b*e*f*x^6+1/10*b*f^2*x^10+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1582, 12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rubi steps

$$\begin{aligned} \int (bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int bx(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + b \int x(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + b \int (e^2x + 2efx^5 + f^2x^9) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

fricas [A] time = 0.60, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/10*x^10*f^2*b + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b

giac [A] time = 0.16, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/10*b*f^2*x^10+1/4*d*e*f*x^8+1/3*b*e*f*x^6+1/4*d*e^2*x^4+1/2*b*e^2*x^2

maxima [A] time = 1.32, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{de^2x^4}{4} + \frac{be^2x^2}{2} + \frac{defx^8}{4} + \frac{befx^6}{3} + \frac{df^2x^{12}}{12} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(b*e^2*x^2)/2 + (b*f^2*x^{10})/10 + (d*e^2*x^4)/4 + (d*f^2*x^{12})/12 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4$

sympy [A] time = 0.12, size = 60, normalized size = 1.20

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x)*(f*x**4+e)**2,x)`

[Out] $b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

3.143 $\int (a + bx + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

[Out] a*e^2*x+1/2*b*e^2*x^2+2/5*a*e*f*x^5+1/3*b*e*f*x^6+1/9*a*f^2*x^9+1/10*b*f^2*x^10+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + bx)(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

fricas [A] time = 0.54, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/10*x^10*f^2*b + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b + x*e^2*a

giac [A] time = 0.15, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{2}{5}afx^5 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/10*b*f^2*x^10+1/9*a*f^2*x^9+1/4*d*e*f*x^8+1/3*b*e*f*x^6+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/2*b*e^2*x^2+a*e^2*x

maxima [A] time = 1.36, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{2}{5}afx^5 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{de^2x^4}{4} + \frac{be^2x^2}{2} + ae^2x + \frac{defx^8}{4} + \frac{befx^6}{3} + \frac{2afx^5}{5} + \frac{df^2x^{12}}{12} + \frac{bf^2x^{10}}{10} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x + d*x^3),x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*e^2*x^4)/4 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4

sympy [A] time = 0.08, size = 88, normalized size = 1.14

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

3.144 $\int (cx^2 + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=50

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] 1/3*c*e^2*x^3+2/7*c*e*f*x^7+1/11*c*f^2*x^11+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1582, 12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned} \int (cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int cx^2(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + c \int x^2(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\ &= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}def x^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.53, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c

giac [A] time = 0.15, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/11*c*f^2*x^11+1/4*d*e*f*x^8+2/7*c*e*f*x^7+1/4*d*e^2*x^4+1/3*c*e^2*x^3

maxima [A] time = 1.36, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{4}def x^8 + \frac{2}{7}cef x^7 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + \frac{defx^8}{4} + \frac{2cef x^7}{7} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(c*x^2 + d*x^3),x)`

[Out] $(c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (c*f^2*x^{11})/11 + (d*f^2*x^{12})/12 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4$

sympy [A] time = 0.08, size = 61, normalized size = 1.22

$$\frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c*x**2)*(f*x**4+e)**2,x)`

[Out] $c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

3.145 $\int (a + cx^2 + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] a*e^2*x+1/3*c*e^2*x^3+2/5*a*e*f*x^5+2/7*c*e*f*x^7+1/9*a*f^2*x^9+1/11*c*f^2*x^11+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.04, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1582, 1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rubi steps

$$\begin{aligned} \int (a + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + cx^2)(e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\ &= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.01, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.44, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c + x*e^2*a

giac [A] time = 0.20, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/11*c*f^2*x^11+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/7*c*e*f*x^7+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/3*c*e^2*x^3+a*e^2*x

maxima [A] time = 1.34, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + ae^2x + \frac{defx^8}{4} + \frac{2cef x^7}{7} + \frac{2aef x^5}{5} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + c*x^2 + d*x^3),x)

[Out] (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4

sympy [A] time = 0.15, size = 90, normalized size = 1.17

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

$$3.146 \quad \int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] $\frac{1}{2}b e^2 x^2 + \frac{1}{3}c e^2 x^3 + \frac{1}{3}b e f x^6 + \frac{2}{7}c e f x^7 + \frac{1}{10}b f^2 x^{10} + \frac{1}{11}c f^2 x^{11} + \frac{1}{12}d (f x^4 + e)^3 / f$

Rubi [A] time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1582, 1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] $(b e^2 x^2) / 2 + (c e^2 x^3) / 3 + (b e f x^6) / 3 + (2 c e f x^7) / 7 + (b f^2 x^{10}) / 10 + (c f^2 x^{11}) / 11 + (d (e + f x^4)^3) / (12 f)$

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rubi steps

$$\begin{aligned}
\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (bx + cx^2)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int x(b + cx)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (be^2x + ce^2x^2 + 2befx^5 + 2cef x^6 + bf^2x^9 + cf^2x^{10}) dx \\
&= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} + \frac{d(e + f}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}def x^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.69, size = 79, normalized size = 0.96

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b

giac [A] time = 0.16, size = 79, normalized size = 0.96

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2

maple [A] time = 0.04, size = 80, normalized size = 0.98

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}def x^8 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/11*c*f^2*x^11+1/10*b*f^2*x^10+1/4*d*e*f*x^8+2/7*c*e*f*x^7+1/3*b*e*f*x^6+1/4*d*e^2*x^4+1/3*c*e^2*x^3+1/2*b*e^2*x^2

maxima [A] time = 1.42, size = 79, normalized size = 0.96

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{1}{3}befx^6 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + \frac{defx^8}{4} + \frac{2cef x^7}{7} + \frac{befx^6}{3} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(b*x + c*x^2 + d*x^3),x)

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*f^2*x^10)/10 + (d*e^2*x^4)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4

sympy [A] time = 0.11, size = 92, normalized size = 1.12

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x)*(f*x**4+e)**2,x)

[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

$$3.147 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] $a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$

Rubi [A] time = 0.08, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] $a^2cx + (a^2dx^2)/2 + (a^2ex^3)/3 + (2abcx^5)/5 + (abdx^6)/3 + (2abex^7)/7 + (b^2cx^9)/9 + (b^2dx^{10})/10 + (b^2ex^{11})/11 + (f(a + b*x^4)^3)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2) (a + bx^4)^2 dx \\ &= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + \dots) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12} \end{aligned}$$

Mathematica [A] time = 0.01, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^{10})/10 + (b^2*e*x^{11})/11 + (b^2*f*x^{12})/12$

fricas [A] time = 0.46, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] $1/12*x^{12}*f*b^2 + 1/11*x^{11}*e*b^2 + 1/10*x^{10}*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.17, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*x^{11}*e + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*e*x^{11} + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*f*a*b*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*f*a^2*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

maxima [A] time = 1.39, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*e*x^{11} + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

mupad [B] time = 4.68, size = 102, normalized size = 0.94

$$\frac{fa^2x^4}{4} + \frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{fabx^8}{4} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{fb^2x^{12}}{12} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a^2*d*x^2)/2 + (b^2*c*x^9)/9 + (a^2*e*x^3)/3 + (b^2*d*x^{10})/10 + (a^2*f*x^4)/4 + (b^2*e*x^{11})/11 + (b^2*f*x^{12})/12 + a^2*c*x + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4$

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)`

[Out] $a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11 + b**2*f*x**12/12$

3.148 $\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{13}b^3cx^{13} + \frac{f(a + bx^4)^4}{16b}$

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] $a^3cx + (a^3dx^2)/2 + (a^3ex^3)/3 + (3a^2bcx^5)/5 + (a^2bdx^6)/2 + (3a^2bex^7)/7 + (ab^2cx^9)/3 + (3ab^2dx^{10})/10 + (3ab^2ex^{11})/11 + (b^3cx^{13})/13 + (b^3dx^{14})/14 + (b^3ex^{15})/15 + (f(a + b*x^4)^4)/(16b)$

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\ &= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 + \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}ab^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16$

fricas [A] time = 0.50, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] $1/16*x^{16}*f*b^3 + 1/15*x^{15}*e*b^3 + 1/14*x^{14}*d*b^3 + 1/13*x^{13}*c*b^3 + 1/4*x^{12}*f*b^2*a + 3/11*x^{11}*e*b^2*a + 3/10*x^{10}*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.17, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*x^{15}*e + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*x^{11}*e + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.05, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*f*a^2*b*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*f*a^3*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

maxima [A] time = 1.34, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

mupad [B] time = 4.86, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a^3*d*x^2)/2 + (b^3*c*x^13)/13 + (a^3*e*x^3)/3 + (b^3*d*x^14)/14 + (a^3*f*x^4)/4 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16 + a^3*c*x + (3*a^2*b*c*x^5)/5 + (a*b^2*c*x^9)/3 + (a^2*b*d*x^6)/2 + (3*a*b^2*d*x^10)/10 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*e*x^11)/11 + (3*a^2*b*f*x^8)/8 + (a*b^2*f*x^12)/4

sympy [A] time = 0.13, size = 180, normalized size = 1.19

$$a^3 c x + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{a^3 f x^4}{4} + \frac{3 a^2 b c x^5}{5} + \frac{a^2 b d x^6}{2} + \frac{3 a^2 b e x^7}{7} + \frac{3 a^2 b f x^8}{8} + \frac{a b^2 c x^9}{3} + \frac{3 a b^2 d x^{10}}{10} + \frac{3 a b^2 e x^{11}}{11} + \frac{a b^2 f x^{12}}{4} + \frac{b^3 c x^{13}}{13} + \frac{b^3 d x^{14}}{14} + \frac{b^3 e x^{15}}{15} + \frac{b^3 f x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16

$$3.149 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$$

Optimal. Leaf size=155

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

[Out] $1/4*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)+1/4*d*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)+1/8*\arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)+1/8*\arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)$

Rubi [A] time = 0.12, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1854, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x]

[Out] $(a*f + b*x*(c + d*x + e*x^2))/(4*a*b*(a - b*x^4)) + ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + (d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*\text{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int

```
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^2} dx &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\ &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\ &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx}{8a} + \\ &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.23, size = 220, normalized size = 1.42

$$\frac{-\sqrt[4]{b} \log(\sqrt[4]{a} - \sqrt[4]{b}x)(a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c + 2\sqrt{a}\sqrt[4]{b}d) + \sqrt[4]{b} \log(\sqrt[4]{a} + \sqrt[4]{b}x)(a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c - 2\sqrt{a}\sqrt[4]{b}d) + \frac{4}{\sqrt[4]{a}}}{16a^2b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2, x]
```

```
[Out] ((4*a*(a*f + b*x*(c + x*(d + e*x)))/(a - b*x^4) - 2*a^(1/4)*b^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)] - b^(1/4)*(3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*(3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x] + 2*Sqrt[a]*Sqrt[b]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^2*b)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```


giac [B] time = 0.23, size = 320, normalized size = 2.06

$$\frac{\sqrt{2} \left(3b^2c - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + \sqrt{-ab}be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - \sqrt{-ab}be \right)}{16(-ab^3)^{\frac{3}{4}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] $-1/16*\sqrt{2}*(3*b^2*c - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(b*x^3*e + b*d*x^2 + b*c*x + a*f)/((b*x^4 - a)*a*b)$

maple [B] time = 0.05, size = 248, normalized size = 1.60

$$\frac{f x^4}{4(b x^4 - a) a} \frac{e x^3}{4(b x^4 - a) a} \frac{d x^2}{4(b x^4 - a) a} \frac{c x}{4(b x^4 - a) a} \frac{d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{8 \sqrt{a b} a} \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] $-1/4/(b*x^4-a)/a*c*x+3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(b*x^4-a)/a*d*x^2-1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4/(b*x^4-a)/a*e*x^3-1/8/(a/b)^{(1/4)}/a/b*e*\arctan(1/(a/b)^{(1/4)}*x)+1/16/(a/b)^{(1/4)}/a/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/4*f*x^4/a/(b*x^4-a)$

maxima [A] time = 3.00, size = 200, normalized size = 1.29

$$\frac{bex^3 + bdx^2 + bcx + af}{4(ab^2x^4 - a^2b)} + \frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(3\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x + \sqrt{a}}{\sqrt{b}x - \sqrt{a}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/4*(b*e*x^3 + b*d*x^2 + b*c*x + a*f)/(a*b^2*x^4 - a^2*b) + 1/16*(2*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 2*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(3*\sqrt{b}*c - \sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (3*\sqrt{b}*c + \sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})/a$

mupad [B] time = 0.41, size = 483, normalized size = 3.12

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 - 3072 a^4 b^2 c e z^2 - 2048 a^4 b^2 d^2 z^2 + 1152 a^2 b^2 c^2 d z + 128 a^3 b d e^2 z - 48 a b c \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x)`

[Out] `symsum(log(- root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3))*root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4)`

sympy [B] time = 24.17, size = 520, normalized size = 3.35

$\text{RootSum}\left(65536t^4a^7b^3 + t^2(-3072a^4b^2ce - 2048a^4b^2d^2) + t(128a^3bde^2 + 1152a^2b^2c^2d) - a^2e^4 + 18abc^2e^2 - 48\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)`

[Out] `RootSum(65536*_t**4*a**7*b**3 + _t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a**2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 - 729*b**3*c**6)))) + (-a*f - b*c*x - b*d*x**2 - b*e*x**3)/(-4*a**2*b + 4*a*b**2*x**4)`

$$3.150 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$$

Optimal. Leaf size=188

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af}{32a^2(a - bx^4)}$$

[Out] $1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(-b*x^4+a)+1/8*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)^2+3/16*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)+1/64*arctan(b^(1/4)*x/a^(1/4))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)$

Rubi [A] time = 0.15, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{af}{32a^2(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

[Out] $(x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(8*a*b*(a - b*x^4)^2) + ((21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + ((21*sqrt[b]*c + 5*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + (3*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*sqrt[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Module[{q = Expon[Pq, x], i}, Simp[(a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^

```
q, x]]*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^3} dx &= \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{(3d) \text{Subst}\left(\int \frac{1}{a - bx^2} dx, x, x^2\right)}{16a^2} - \frac{(21c + 5e)}{16a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e\right) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c - 5e)}{16a^2}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 253, normalized size = 1.35

$$\frac{\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{b}c + 12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{b}c - 12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{16a^2(af + bx(c + x(d + ex)))}{b(a - bx^4)^2} + \frac{2\sqrt[4]{a}(21\sqrt{b}c - 5e)}{128a^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]
```

```
[Out] ((4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (16*a^2*(a*f + b*x*(c + x*(d
+ e*x))))/(b*(a - b*x^4)^2) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcT
```

$$\frac{\text{an}[(b^{1/4}x)/a^{1/4}]/b^{3/4} - ((21a^{1/4}\sqrt{b}c + 12\sqrt{a}b^{1/4}d + 5a^{3/4}e)\text{Log}[a^{1/4} - b^{1/4}x])/b^{3/4} + ((21a^{1/4}\sqrt{b}c - 12\sqrt{a}b^{1/4}d + 5a^{3/4}e)\text{Log}[a^{1/4} + b^{1/4}x])/b^{3/4} + (12\sqrt{a}d\text{Log}[\sqrt{a} + \sqrt{b}x^2])/\sqrt{b}}{(128a^3)}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 358, normalized size = 1.90

$$\frac{\sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 5 \sqrt{-ab} b e \right)}{128 (-ab^3)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$\frac{-1/128\sqrt{2}(21b^2c - 12\sqrt{2}(-ab^3)^{1/4}bd + 5\sqrt{-ab}be) \arctan(1/2\sqrt{2}(2x + \sqrt{2}(-a/b)^{1/4})/(-a/b)^{1/4})/((-ab^3)^{3/4}a^2) - 1/128\sqrt{2}(21b^2c + 12\sqrt{2}(-ab^3)^{1/4}bd - 5\sqrt{-ab}be) \arctan(1/2\sqrt{2}(2x - \sqrt{2}(-a/b)^{1/4})/(-a/b)^{1/4})/((-ab^3)^{3/4}a^2) - 1/256\sqrt{2}(21b^2c - 5\sqrt{-ab}be) \log(x^2 + \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/((-ab^3)^{3/4}a^2) + 1/256\sqrt{2}(21b^2c - 5\sqrt{-ab}be) \log(x^2 - \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/((-ab^3)^{3/4}a^2) - 1/32(5b^2x^7e + 6b^2dx^6 + 7b^2cx^5 - 9abx^3e - 10abd^2x^2 - 11abc^2x - 4a^2f)/((bx^4 - a)^2a^2b)}$$

maple [B] time = 0.05, size = 326, normalized size = 1.73

$$\frac{f x^4}{8(b x^4 - a)^2 a} + \frac{e x^3}{8(b x^4 - a)^2 a} - \frac{f x^4}{8(b x^4 - a) a^2} + \frac{d x^2}{8(b x^4 - a)^2 a} - \frac{5 e x^3}{32(b x^4 - a) a^2} + \frac{c x}{8(b x^4 - a)^2 a} - \frac{3 d x^2}{16(b x^4 - a) a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out]
$$\frac{1}{8} \frac{1}{(bx^4 - a)^2} \frac{1}{a} c x - \frac{7}{32} \frac{1}{(bx^4 - a)} \frac{1}{a^2} c x + \frac{21}{128} \frac{1}{(a/b)^{1/4}} \frac{1}{a^3} c \ln \left(\frac{x + (a/b)^{1/4}}{x - (a/b)^{1/4}} \right) + \frac{21}{64} \frac{1}{(a/b)^{1/4}} \frac{1}{a^3} c \arctan \left(\frac{1}{(a/b)^{1/4}} \frac{1}{x} \right) + \frac{1}{8} \frac{1}{(bx^4 - a)^2} \frac{1}{a} d x^2 - \frac{3}{16} \frac{1}{(bx^4 - a)} \frac{1}{a^2} d x^2 - \frac{3}{32} \frac{1}{(a/b)^{1/2}} \frac{1}{a^2} d \ln \left(\frac{(a/b)^{1/2} x^2 - a}{-(a/b)^{1/2} x^2 - a} \right) + \frac{1}{8} \frac{1}{(bx^4 - a)^2} \frac{1}{a} e x^3 - \frac{5}{32} \frac{1}{(bx^4 - a)} \frac{1}{a^2} e x^3 - \frac{5}{64} \frac{1}{(a/b)^{1/4}} \frac{1}{a^2} b e \arctan \left(\frac{1}{(a/b)^{1/4}} \frac{1}{x} \right) + \frac{5}{128} \frac{1}{(a/b)^{1/4}} \frac{1}{a^2} b e \ln \left(\frac{x + (a/b)^{1/4}}{x - (a/b)^{1/4}} \right) + \frac{1}{8} \frac{f x^4}{a} \frac{1}{(bx^4 - a)^2} - \frac{1}{8} \frac{f x^4}{a^2} \frac{1}{(bx^4 - a)}$$

maxima [A] time = 2.96, size = 249, normalized size = 1.32

$$\frac{5 b^2 e x^7 + 6 b^2 d x^6 + 7 b^2 c x^5 - 9 a b e x^3 - 10 a b d x^2 - 11 a b c x - 4 a^2 f}{32 (a^2 b^3 x^8 - 2 a^3 b^2 x^4 + a^4 b)} + \frac{12 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{12 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out]
$$-1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 7*b^2*c*x^5 - 9*a*b*e*x^3 - 10*a*b*d*x^2 - 11*a*b*c*x - 4*a^2*f)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(12*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 12*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*\sqrt{b}*c - 5*\sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}})/(\sqrt{a}*\sqrt{b}) - (21*\sqrt{b}*c + 5*\sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{a*\sqrt{b}})/(\sqrt{b}*x + \sqrt{a*\sqrt{b}})))/(\sqrt{a}*\sqrt{b})/a^2$$

mupad [B] time = 5.18, size = 832, normalized size = 4.43

$$\left(\sum_{k=1}^4 \ln \left(-\frac{b \left(125 a e^3 + 3024 b c d^2 - 2205 b c^2 e + 1728 b d^3 x + \text{root} \left(268435456 a^{11} b^3 z^4 - 6881280 a^6 b^2 c e z^2 - \dots \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3,x)

[Out]
$$\text{symsum}(\log(-(b*(125*a*e^3 + 3024*b*c*d^2 - 2205*b*c^2*e + 1728*b*d^3*x + 344064*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*c + 3200*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*e^2*x - 2520*b*c*d*e*x + 56448*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*d*e))/((32768*a^6))*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4) + (f/(8*b) + (5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4)$$

sympy [B] time = 116.92, size = 583, normalized size = 3.10

$$-\text{RootSum} \left(268435456 t^4 a^{11} b^3 + t^2 \left(-6881280 a^6 b^2 c e - 4718592 a^6 b^2 d^2 \right) + t \left(-153600 a^4 b d e^2 - 2709504 a^3 b^2 c^2 d \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out]
$$-\text{RootSum}(268435456*_t**4*a**11*b**3 + *_t**2*(-6881280*a**6*b**2*c*e - 4718592*a**6*b**2*d**2) + *_t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) - 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 - 194481*b**2*c**4, \text{Lambda}(*_t, *_t*\log(x + (-262144000*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1$$

$$\begin{aligned}
& 820786688*_t^{**2}*a^{**6}*b^{**3}*c^{**3}*d + 5040000*_t*a^{**5}*b*c*e^{**4} + 6912000*_t*a^{**5}*b*d^{**2}*e^{**3} + 118540800*_t*a^{**4}*b^{**2}*c^{**3}*e^{**2} - 365783040*_t*a^{**4}*b^{**2}*c^{**2}*d^{**2}*e - 111476736*_t*a^{**4}*b^{**2}*c*d^{**4} + 522764928*_t*a^{**3}*b^{**3}*c^{**5} + 112500*a^{**3}*d*e^{**5} - 4536000*a^{**2}*b*c*d^{**3}*e^{**2} + 2488320*a^{**2}*b*d^{**5}*e + 58344300*a*b^{**2}*c^{**4}*d*e - 80015040*a*b^{**2}*c^{**3}*d^{**3})/(15625*a^{**3}*e^{**6} + 275625*a^{**2}*b*c^{**2}*e^{**4} - 3024000*a^{**2}*b*c*d^{**2}*e^{**3} + 2073600*a^{**2}*b*d^{**4}*e^{**2} - 4862025*a*b^{**2}*c^{**4}*e^{**2} + 53343360*a*b^{**2}*c^{**3}*d^{**2}*e - 36578304*a*b^{**2}*c^{**2}*d^{**4} - 85766121*b^{**3}*c^{**6})) - (-4*a^{**2}*f - 11*a*b*c*x - 10*a*b*d*x^{**2} - 9*a*b*e*x^{**3} + 7*b^{**2}*c*x^{**5} + 6*b^{**2}*d*x^{**6} + 5*b^{**2}*e*x^{**7})/(32*a^{**4}*b - 64*a^{**3}*b^{**2}*x^{**4} + 32*a^{**2}*b^{**3}*x^{**8})
\end{aligned}$$

$$3.151 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$$

Optimal. Leaf size=220

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

[Out] 1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(-b*x^4+a)+1/12*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)^3+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)

Rubi [A] time = 0.19, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(12*a*b*(a - b*x^4)^3) + ((77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*sqrt[b]*c + 15*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854


```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &&
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^4} dx = \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a}$$

$$= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2}$$

$$= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a}$$

$$= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a}$$

$$= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \quad (5d)$$

$$= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \quad (77)$$

Mathematica [A] time = 0.50, size = 286, normalized size = 1.30

$$\frac{3 \log\left(\frac{\sqrt[4]{a} - \sqrt[4]{b}x}{\sqrt[4]{a} + \sqrt[4]{b}x}\right) \left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{bc} + 40\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{3 \log\left(\frac{\sqrt[4]{a} + \sqrt[4]{b}x}{\sqrt[4]{a} - \sqrt[4]{b}x}\right) \left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{bc} - 40\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} - \frac{128a^3(af + bx(c + x(d + ex)))}{b(bx^4 - a)^3} + \frac{16}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] ((4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 - (128*a^3*(a*f + b*x*(c + x*(d + e*x)))/(b*(-a + b*x^4)^3) + (6*a^(1/4)*(77*Sqrt[b]*c - 15*Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*Sqrt[b]*c + 40*Sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/b^(3/4) + (3*(77*a^(1/4)*Sqrt[b]*c - 40*Sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/b^(3/4) + (120*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 395, normalized size = 1.80

$$\frac{\sqrt{2} \left(77 b^2 c - 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 15 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c + 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 15 \sqrt{-ab} b e \right)}{512 (-ab^3)^{\frac{3}{4}} a^3} + \frac{512 (-ab^3)^{\frac{1}{4}} b d - 15 \sqrt{-ab} b e}{512 (-ab^3)^{\frac{1}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 32*a^3*f)/((b*x^4 - a)^3*a^3*b)

maple [A] time = 0.06, size = 280, normalized size = 1.27

$$\frac{5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{64 \sqrt{ab} a^3} - \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^4} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4} + \frac{-15b^2 e x^11 + 60b^3 d x^10 + 77b^3 c x^9 - 126a b^2 x^7 e - 160a b^2 d x^6 - 198a b^2 c x^5 + 113a^2 b x^3 e + 132a^2 b d x^2 + 153a^2 b c x + 32a^3 f}{128a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128/a^3*b^2*e*x^11-5/32/a^3*b^2*d*x^10-77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5-113/384/a*e*x^3-11/32/a*d*x^2-51/128/a*c*x-1/12*f/b)/(b*x^4-a)^3+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/(a/b)^(

$$\frac{1/4}{a^3/b} \arctan\left(\frac{1}{(a/b)^{1/4}} x\right) + \frac{15/512}{(a/b)^{1/4}} \frac{1}{a^3/b} \ln\left(\frac{x+(a/b)^{1/4}}{x-(a/b)^{1/4}}\right)$$

maxima [A] time = 3.06, size = 297, normalized size = 1.35

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} + 77 b^3 c x^9 - 126 a b^2 e x^7 - 160 a b^2 d x^6 - 198 a b^2 c x^5 + 113 a^2 b e x^3 + 132 a^2 b d x^2 + 153 a^2 b^2 c x + 32 a^3 f}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$\frac{-1/384*(45*b^3*e*x^{11} + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 153*a^2*b^2*c*x + 32*a^3*f)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(40*d*\log(\sqrt{b}*x^2 + \sqrt{a}))/(\sqrt{a}*\sqrt{b}) - 40*d*\log(\sqrt{b}*x^2 - \sqrt{a}))/(\sqrt{a}*\sqrt{b}) + 2*(77*\sqrt{b}*c - 15*\sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (77*\sqrt{b}*c + 15*\sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})}{a^3}$$

mupad [B] time = 5.25, size = 880, normalized size = 4.00

$$\left(\sum_{k=1}^4 \ln \left(\frac{b \left(3375 a e^3 + 123200 b c d^2 - 88935 b c^2 e + 64000 b d^3 x + \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right)^2 a^7 b^2 c + 115200 \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right) a^4 b e^2 x - 92400 b c d e x + 3035648 \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right) a^3 b^2 c^2 x - 10485760 \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right)^2 a^7 b^2 d x - 614400 \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right) a^4 b d e \right) \right) / (2097152 a^9) \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k \right), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (33*b*c*x^5)/(64*a^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4,x)

[Out]
$$\frac{\text{symsum}(\log(-(b*(3375*a*e^3 + 123200*b*c*d^2 - 88935*b*c^2*e + 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))^2*a^7*b^2*c + 115200*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))a^4*b*e^2*x - 92400*b*c*d*e*x + 3035648*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))a^3*b^2*c^2*x - 10485760*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))^2*a^7*b^2*d*x - 614400*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))a^4*b*d*e)/(2097152*a^9)*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (33*b*c*x^5)/(64*a^2)$$

$$- \frac{(5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2)}{(a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

3.152 $\int \frac{a}{2+3x^4} dx$

Optimal. Leaf size=101

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)

Rubi [A] time = 0.10, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$, Rules used = {12, 211, 1165, 628, 1162, 617, 204}

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Int[a/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned} \int \frac{a}{2+3x^4} dx &= a \int \frac{1}{2+3x^4} dx \\ &= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} \\ &= \frac{a \int \frac{1}{\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}+2x}{-\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}-2x}{-\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} \\ &= \frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt[4]{6}x\right)}{4\sqrt{6}} \\ &= \frac{a \tan^{-1}\left(1-\sqrt[4]{6}x\right)}{4\sqrt{6}} + \frac{a \tan^{-1}\left(1+\sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 78, normalized size = 0.77

$$\frac{a\left(-\log\left(\sqrt{6}x^2-2\sqrt[4]{6}x+2\right)+\log\left(\sqrt{6}x^2+2\sqrt[4]{6}x+2\right)-2\tan^{-1}\left(1-\sqrt[4]{6}x\right)+2\tan^{-1}\left(\sqrt[4]{6}x+1\right)\right)}{8\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Integrate[a/(2 + 3*x^4), x]

[Out] (a*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] - Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*6^(1/4))

fricas [B] time = 0.82, size = 284, normalized size = 2.81

$$-\frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} \arctan \left(\frac{4a^3 + 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^4)^{\frac{3}{4}} x - 24^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} \sqrt{\frac{12a^2x^2 + 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} ax + 4 \sqrt{6} \sqrt{a^4}}{a^2}}}{4a^3} \right) - \frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} \arctan \left(\frac{4a^3 + 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^4)^{\frac{3}{4}} x + 24^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} \sqrt{\frac{12a^2x^2 + 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} ax + 4 \sqrt{6} \sqrt{a^4}}{a^2}}}{4a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2), x, algorithm="fricas")

[Out] -1/48*24^(3/4)*sqrt(2)*(a^4)^(1/4)*arctan(-1/4*(4*a^3 + 2*24^(1/4)*sqrt(2)*(a^4)^(3/4)*x - 24^(1/4)*sqrt(2)*sqrt(1/3)*(a^4)^(3/4)*sqrt((12*a^2*x^2 + 2

$$4^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4} / a^2) / a^3 - 1/48 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \arctan(1/4 (4a^3 - 2 \cdot 24^{1/4} \sqrt{2} (a^4)^{3/4} x + 24^{1/4} \sqrt{2} \sqrt{1/3} (a^4)^{3/4} \sqrt{(12a^2 x^2 - 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}) / a^2)) / a^3 + 1/192 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \log(12a^2 x^2 + 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}) - 1/192 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \log(12a^2 x^2 - 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}))$$

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{48} \left(2 \cdot 6^{\frac{3}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + 2 \cdot 6^{\frac{3}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + 6^{\frac{3}{4}} \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{2/3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="giac")

[Out] 1/48*(2*6^(3/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 2*6^(3/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 6^(3/4)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 6^(3/4)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)))a

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}} \right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4+2),x)

[Out] 1/24*a*3^(1/2)*6^(1/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*a*3^(1/2)*6^(1/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*a*3^(1/2)*6^(1/4)*2^(1/2)*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 2.94, size = 123, normalized size = 1.22

$$\frac{1}{48} \left(2 \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + 2 \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + 3^{\frac{3}{4}} 2^{\frac{3}{4}} \log \left(\sqrt{3} x^2 + \sqrt{2} x + \sqrt{2/3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="maxima")

[Out] 1/48*(2*3^(3/4)*2^(3/4)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 2*3^(3/4)*2^(3/4)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 3^(3/4)*2^(3/4)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) - 3^(3/4)*2^(3/4)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)))a

mupad [B] time = 0.12, size = 36, normalized size = 0.36

$$\frac{(-1)^{1/4} 6144^{3/4} a \left(\operatorname{atan} \left(\frac{(-1)^{1/4} 6144^{1/4} x}{8} \right) \operatorname{li} + \operatorname{atanh} \left(\frac{(-1)^{1/4} 6144^{1/4} x}{8} \right) \operatorname{li} \right)}{3072}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4 + 2),x)

[Out] $-\left((-1)^{1/4} \cdot 6144^{3/4} \cdot a \cdot \left(\operatorname{atan}\left(\frac{(-1)^{1/4} \cdot 6144^{1/4} \cdot x}{8}\right) \cdot 1i + \operatorname{atanh}\left(\frac{(-1)^{1/4} \cdot 6144^{1/4} \cdot x}{8}\right) \cdot 1i\right)\right) / 3072$

sympy [A] time = 0.44, size = 88, normalized size = 0.87

$$a \left(-\frac{6^{\frac{3}{4}} \log\left(x^2 - \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{\frac{3}{4}} \log\left(x^2 + \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{\frac{3}{4}} \operatorname{atan}\left(\sqrt[4]{6}x - 1\right)}{24} + \frac{6^{\frac{3}{4}} \operatorname{atan}\left(\sqrt[4]{6}x + 1\right)}{24} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x**4+2),x)

[Out] $a \cdot \left(-6^{3/4} \cdot \log(x^2 - 6^{3/4}x/3 + \sqrt{6}/3)/48 + 6^{3/4} \cdot \log(x^2 + 6^{3/4}x/3 + \sqrt{6}/3)/48 + 6^{3/4} \cdot \operatorname{atan}(6^{1/4}x - 1)/24 + 6^{3/4} \cdot \operatorname{atan}(6^{1/4}x + 1)/24\right)$

$$3.153 \quad \int \frac{bx}{2+3x^4} dx$$

Optimal. Leaf size=22

$$\frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}}$$

[Out] 1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {12, 275, 203}

$$\frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{bx}{2+3x^4} dx &= b \int \frac{x}{2+3x^4} dx \\ &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

fricas [A] time = 0.78, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

giac [A] time = 0.17, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="giac")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

maple [A] time = 0.04, size = 16, normalized size = 0.73

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x/(3*x^4+2), x)

[Out] 1/12*b*arctan(1/2*6^(1/2)*x^2)*6^(1/2)

maxima [A] time = 2.88, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="maxima")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

mupad [B] time = 4.77, size = 15, normalized size = 0.68

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)/(3*x^4 + 2), x)

[Out] (6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12

sympy [A] time = 0.13, size = 19, normalized size = 0.86

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(b*x/(3*x**4+2),x)
```

```
[Out] sqrt(6)*b*atan(sqrt(6)*x**2/2)/12
```

3.154 $\int \frac{a+bx}{2+3x^4} dx$

Optimal. Leaf size=123

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{a+bx}{2+3x^4} dx &= \int \left(\frac{a}{2+3x^4} + \frac{bx}{2+3x^4} \right) dx \\ &= a \int \frac{1}{2+3x^4} dx + b \int \frac{x}{2+3x^4} dx \\ &= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} - \frac{a \int \frac{1}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \text{Subst} \left(\int \frac{1}{-1-x^2} dx, -1-x^2, -1-x^2 \right)}{4\sqrt[4]{6}} \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 107, normalized size = 0.87

$$\frac{-2 \left(\sqrt[4]{6} a + 2b \right) \tan^{-1} \left(1 - \sqrt[4]{6} x \right) + 2 \left(\sqrt[4]{6} a - 2b \right) \tan^{-1} \left(\sqrt[4]{6} x + 1 \right) + \sqrt[4]{6} a \left(\log \left(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2 \right) - \log \left(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2 \right) \right)}{8\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(2 + 3*x^4), x]

[Out] $(-2*(6^{1/4}*a + 2*b)*\text{ArcTan}[1 - 6^{1/4}*x] + 2*(6^{1/4}*a - 2*b)*\text{ArcTan}[1 + 6^{1/4}*x] + 6^{1/4}*a*(-\text{Log}[2 - 2*6^{1/4}*x + \text{Sqrt}[6]*x^2] + \text{Log}[2 + 2*6^{1/4}*x + \text{Sqrt}[6]*x^2]))/(8*\text{Sqrt}[6])$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)/(3*x^4+2),x, algorithm="fricas")`

[Out] Timed out

giac [A] time = 0.19, size = 115, normalized size = 0.93

$$\frac{1}{48} \cdot 6^{\frac{3}{4}} a \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) - \frac{1}{48} \cdot 6^{\frac{3}{4}} a \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a - 2 \sqrt{6} b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)/(3*x^4+2),x, algorithm="giac")`

[Out] $1/48*6^{3/4}*a*\log(x^2 + \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3)) - 1/48*6^{3/4}*a*\log(x^2 - \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3)) + 1/24*(6^{3/4}*a - 2*\text{sqrt}(6)*b)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x + \text{sqrt}(2)*(2/3)^{1/4})) + 1/24*(6^{3/4}*a + 2*\text{sqrt}(6)*b)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x - \text{sqrt}(2)*(2/3)^{1/4}))$

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}} \right)}{48} + \frac{\sqrt{6} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} \right)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)/(3*x^4+2),x)`

[Out] $1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/48*3^{1/2}*6^{1/4}*2^{1/2}*a*\ln((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))/((x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))+1/12*6^{1/2}*b*\arctan(1/2*6^{1/2}*x^2)$

maxima [A] time = 2.91, size = 147, normalized size = 1.20

$$\frac{1}{48} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) - \frac{1}{48} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{24} \sqrt{3} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} a - 2 \sqrt{2} b \right) \arctan \left(\frac{1}{6} \sqrt{3} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)/(3*x^4+2),x, algorithm="maxima")`

[Out] $1/48*3^{3/4}*2^{3/4}*a*\log(\text{sqrt}(3)*x^2 + 3^{1/4}*2^{3/4}*x + \text{sqrt}(2)) - 1/48*3^{3/4}*2^{3/4}*a*\log(\text{sqrt}(3)*x^2 - 3^{1/4}*2^{3/4}*x + \text{sqrt}(2)) + 1/24*\text{sqrt}(3)*(3^{1/4}*2^{3/4}*a - 2*\text{sqrt}(2)*b)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\text{sqrt}(3)*x + 3^{1/4}*2^{3/4})) + 1/24*\text{sqrt}(3)*(3^{1/4}*2^{3/4}*a + 2*\text{sqrt}(2)*b)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\text{sqrt}(3)*x - 3^{1/4}*2^{3/4}))$

mupad [B] time = 0.20, size = 119, normalized size = 0.97

$$\frac{2^{3/4} 3^{3/4} a \ln\left(x^2 + \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} - \frac{2^{3/4} 3^{3/4} a \ln\left(x^2 - \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4}x - 1\right)}{24} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4}x + 1\right)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)/(3*x^4 + 2), x)

[Out] $(2^{3/4} * 3^{3/4} * a * \log((6^{3/4} * x) / 3 + 6^{1/2} / 3 + x^2)) / 48 - (2^{3/4} * 3^{3/4} * a * \log(6^{1/2} / 3 - (6^{3/4} * x) / 3 + x^2)) / 48 + (2^{3/4} * 3^{3/4} * a * \operatorname{atan}(6^{1/4} * x - 1)) / 24 + (2^{3/4} * 3^{3/4} * a * \operatorname{atan}(6^{1/4} * x + 1)) / 24 + (2^{1/2} * 3^{1/2} * b * \operatorname{atan}(6^{1/4} * x - 1)) / 12 - (2^{1/2} * 3^{1/2} * b * \operatorname{atan}(6^{1/4} * x + 1)) / 12$

sympy [A] time = 0.72, size = 88, normalized size = 0.72

$$\operatorname{RootSum}\left(18432t^4 + 384t^2b^2 - 96ta^2b + 3a^4 + 2b^4, \left(t \mapsto t \log\left(x + \frac{3072t^3b^2 + 192t^2a^2b + 24ta^4 + 32tb^4 - 1}{3a^5 - 8ab^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x**4+2), x)

[Out] $\operatorname{RootSum}(18432*_t**4 + 384*_t**2*b**2 - 96*_t*a**2*b + 3*a**4 + 2*b**4, \operatorname{LambertW}(_t, _t * \log(x + (3072*_t**3*b**2 + 192*_t**2*a**2*b + 24*_t*a**4 + 32*_t*b**4 - 10*a**2*b**3) / (3*a**5 - 8*a*b**4))))$

$$3.155 \quad \int \frac{cx^2}{2+3x^4} dx$$

Optimal. Leaf size=101

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)

Rubi [A] time = 0.08, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {12, 297, 1162, 617, 204, 1165, 628}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162


```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned} \int \frac{cx^2}{2+3x^4} dx &= c \int \frac{x^2}{2+3x^4} dx \\ &= -\frac{c \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} \\ &= \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}+2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}}} dx}{4 \cdot 6^{3/4}} \\ &= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{c \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} - \frac{c}{4 \cdot 6^{3/4}} \\ &= -\frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 78, normalized size = 0.77

$$\frac{c \left(\log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2 \tan^{-1}\left(1 - \sqrt[4]{6}x\right) + 2 \tan^{-1}\left(\sqrt[4]{6}x + 1\right) \right)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2)/(2 + 3*x^4), x]

[Out] (c*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] + Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(4*6^(3/4))

fricas [B] time = 1.02, size = 278, normalized size = 2.75

$$-\frac{1}{108} \cdot 54^{\frac{3}{4}} \sqrt{2} (c^4)^{\frac{1}{4}} \arctan \left(\frac{54^{\frac{3}{4}} \sqrt{2} (c^4)^{\frac{1}{4}} x - 54^{\frac{3}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (c^4)^{\frac{1}{4}} \sqrt{\frac{3c^3x^2 + 54^{\frac{1}{4}} \sqrt{2} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}} + 18c}{18c} \right) - \frac{1}{108} \cdot 54^{\frac{3}{4}} \sqrt{2} (c^4)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2), x, algorithm="fricas")

[Out] -1/108*54^(3/4)*sqrt(2)*(c^4)^(1/4)*arctan(-1/18*(54^(3/4)*sqrt(2)*(c^4)^(1/4)*x - 54^(3/4)*sqrt(2)*sqrt(1/3)*(c^4)^(1/4)*sqrt((3*c^3*x^2 + 54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + sqrt(6)*sqrt(c^4)*c)/c^3)) - 1/108*54^(3/4)*sqrt(2)*(c^4)^(1/4)

$$\sqrt[4]{2} \cdot (c^4)^{3/4} \cdot x + \sqrt{6} \cdot \sqrt{c^4} \cdot c / c^3 + 18 \cdot c / c - 1/108 \cdot 54^{3/4} \cdot \sqrt[4]{2} \cdot (c^4)^{1/4} \cdot \arctan(-1/18 \cdot (54^{3/4} \cdot \sqrt[4]{2} \cdot (c^4)^{1/4} \cdot x - 54^{3/4} \cdot \sqrt[4]{2} \cdot \sqrt[4]{1/3} \cdot (c^4)^{1/4} \cdot \sqrt{(3 \cdot c^3 \cdot x^2 - 54^{1/4} \cdot \sqrt[4]{2} \cdot (c^4)^{3/4} \cdot x + \sqrt{6} \cdot \sqrt{c^4} \cdot c) / c^3 - 18 \cdot c) / c) - 1/432 \cdot 54^{3/4} \cdot \sqrt[4]{2} \cdot (c^4)^{1/4} \cdot \log(9 \cdot c^3 \cdot x^2 + 3 \cdot 54^{1/4} \cdot \sqrt[4]{2} \cdot (c^4)^{3/4} \cdot x + 3 \cdot \sqrt[4]{6} \cdot \sqrt{c^4} \cdot c) + 1/432 \cdot 54^{3/4} \cdot \sqrt[4]{2} \cdot (c^4)^{1/4} \cdot \log(9 \cdot c^3 \cdot x^2 - 3 \cdot 54^{1/4} \cdot \sqrt[4]{2} \cdot (c^4)^{3/4} \cdot x + 3 \cdot \sqrt[4]{6} \cdot \sqrt{c^4} \cdot c)$$

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{24} \left(2 \cdot 6^{1/4} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right) + 2 \cdot 6^{1/4} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right) - 6^{1/4} \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) + 6^{1/4} \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) \right) \cdot c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(2*6^(1/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 2*6^(1/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) - 6^(1/4)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 6^(1/4)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)))*c

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \arctan \left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} - 1 \right)}{72} + \frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \arctan \left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} + 1 \right)}{72} + \frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \ln \left(\frac{x^2 - \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}{x^2 + \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}} \right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2/(3*x^4+2),x)

[Out] 1/72*c*3^(1/2)*6^(3/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*c*3^(1/2)*6^(3/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*c*3^(1/2)*6^(3/4)*2^(1/2)*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 3.04, size = 123, normalized size = 1.22

$$\frac{1}{24} \left(2 \cdot 3^{1/4} \cdot 2^{1/4} \arctan \left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \left(2 \sqrt{3} x + 3^{1/4} \cdot 2^{3/4} \right) \right) + 2 \cdot 3^{1/4} \cdot 2^{1/4} \arctan \left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \left(2 \sqrt{3} x - 3^{1/4} \cdot 2^{3/4} \right) \right) - 3^{1/4} \cdot 2^{1/4} \log \left(\sqrt{3} x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) + 3^{1/4} \cdot 2^{1/4} \log \left(\sqrt{3} x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) \right) \cdot c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="maxima")

[Out] 1/24*(2*3^(1/4)*2^(1/4)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 2*3^(1/4)*2^(1/4)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) - 3^(1/4)*2^(1/4)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 3^(1/4)*2^(1/4)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)))*c

mupad [B] time = 4.97, size = 32, normalized size = 0.32

$$\frac{(-1)^{1/4} \cdot 24^{1/4} \cdot c \left(\operatorname{atan} \left(\frac{(-1)^{1/4} \cdot 24^{1/4} x}{2} \right) - \operatorname{atanh} \left(\frac{(-1)^{1/4} \cdot 24^{1/4} x}{2} \right) \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2)/(3*x^4 + 2),x)

[Out] $((-1)^{1/4} * 24^{1/4} * c * (\operatorname{atan}(((-1)^{1/4} * 24^{1/4} * x) / 2) - \operatorname{atanh}(((-1)^{1/4} * 24^{1/4} * x) / 2))) / 12$

sympy [A] time = 0.43, size = 88, normalized size = 0.87

$$c \left(\frac{\sqrt[4]{6} \log\left(x^2 - \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{24} - \frac{\sqrt[4]{6} \log\left(x^2 + \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{24} + \frac{\sqrt[4]{6} \operatorname{atan}\left(\sqrt[4]{6}x - 1\right)}{12} + \frac{\sqrt[4]{6} \operatorname{atan}\left(\sqrt[4]{6}x + 1\right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c*x**2/(3*x**4+2), x)`

[Out] $c * (6^{1/4} * \log(x^2 - 6^{3/4} * x / 3 + \sqrt{6} / 3) / 24 - 6^{1/4} * \log(x^2 + 6^{3/4} * x / 3 + \sqrt{6} / 3) / 24 + 6^{1/4} * \operatorname{atan}(6^{1/4} * x - 1) / 12 + 6^{1/4} * \operatorname{atan}(6^{1/4} * x + 1) / 12)$

$$3.156 \quad \int \frac{a+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=141

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

[Out] $-1/48 \cdot \ln(-6^{(3/4)} \cdot x + 3 \cdot x^2 + 6^{(1/2)}) \cdot (-2 \cdot c + a \cdot 6^{(1/2)}) \cdot 6^{(1/4)} + 1/48 \cdot \ln(6^{(3/4)} \cdot x + 3 \cdot x^2 + 6^{(1/2)}) \cdot (-2 \cdot c + a \cdot 6^{(1/2)}) \cdot 6^{(1/4)} + 1/24 \cdot \arctan(-1 + 6^{(1/4)} \cdot x) \cdot (2 \cdot c + a \cdot 6^{(1/2)}) \cdot 6^{(1/4)} + 1/24 \cdot \arctan(1 + 6^{(1/4)} \cdot x) \cdot (2 \cdot c + a \cdot 6^{(1/2)}) \cdot 6^{(1/4)}$

Rubi [A] time = 0.10, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(2 + 3*x^4), x]

[Out] $-\left(\frac{\sqrt{6}a + 2c}{4 \cdot 6^{3/4}} \operatorname{ArcTan}\left[\frac{1 - 6^{1/4}x}{\sqrt{6} - 6^{3/4}x + 3x^2}\right]\right) + \left(\frac{\sqrt{6}a + 2c}{4 \cdot 6^{3/4}} \operatorname{ArcTan}\left[\frac{1 + 6^{1/4}x}{\sqrt{6} + 6^{3/4}x + 3x^2}\right]\right) - \left(\frac{\sqrt{6}a - 2c}{8 \cdot 6^{3/4}} \operatorname{Log}\left[\frac{\sqrt{6} - 6^{3/4}x + 3x^2}{\sqrt{6} + 6^{3/4}x + 3x^2}\right]\right) + \left(\frac{\sqrt{6}a - 2c}{8 \cdot 6^{3/4}} \operatorname{Log}\left[\frac{\sqrt{6} + 6^{3/4}x + 3x^2}{\sqrt{6} - 6^{3/4}x + 3x^2}\right]\right)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{2 + 3x^4} dx &= \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\ &= -\frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} (\sqrt{6}a + 2c) \int \frac{\sqrt{2}}{\sqrt{3}} - \dots \\ &= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \operatorname{S} \dots}{8 \cdot 6^{3/4}} \\ &= -\frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x)}{8 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 113, normalized size = 0.80

$$\frac{-(\sqrt{6}a - 2c) (\log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2)) - 2(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x) + 2(\sqrt{6}a - 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(2 + 3*x^4), x]

[Out] (-2*(Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x] + 2*(Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x] - (Sqrt[6]*a - 2*c)*(Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*6^(3/4))

fricas [B] time = 0.75, size = 2278, normalized size = 16.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2), x, algorithm="fricas")

[Out] 1/144*(2*sqrt(6)*sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*arctan(-1/12*(sqrt(2)*sqrt(1/3)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*a - 2*sqrt(6)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*c^3))*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*sqrt((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 + sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x))*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4*c^4) - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4))

```

*c^2 + 4*c^4)*a*x - 2*sqrt(6)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2
*c^3)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24
*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + 2*sqrt(6)*sqrt(54*a^4 + 72*a^2*c
^2 + 24*c^4)*(9*a^4 + 12*a^2*c^2 + 4*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)
/(81*a^8 + 108*a^6*c^2 - 48*a^2*c^6 - 16*c^8)) + 2*sqrt(6)*sqrt(2)*(54*a^4
+ 72*a^2*c^2 + 24*c^4)^(3/4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*sqrt((9*a^4 +
12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12
*a^2*c^2 + 4*c^4))*arctan(-1/12*(sqrt(2)*sqrt(1/3)*(54*a^4 + 72*a^2*c^2 + 2
4*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^
2*c^2 + 4*c^4)*a - 2*sqrt(6)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*
c^3))*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^
4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*sqrt((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*
x^2 - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^
2 + 24*c^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 +
2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) +
sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4
*c^4)) - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4
+ 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*a*x - 2*sqrt(6)*sq
rt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*c^3)*x)*sqrt((9*a^4 + 12*a^2*c^2
+ 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 +
4*c^4)) - 2*sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(9*a^4 + 12*a^2*c^2
+ 4*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4))/(81*a^8 + 108*a^6*c^2 - 48*a^2*c
^6 - 16*c^8)) - 3*sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(9*a^4 + 12*
a^2*c^2 + 4*c^4 - 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)*sqrt((9*a^4 + 1
2*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a
^2*c^2 + 4*c^4))*log(3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 + sqrt(2)*(54*a^4 +
72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*c*x - 3*(3*
a^3 + 2*a*c^2)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2
*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + sqrt(54*a^4 + 72*a^2*c^
2 + 24*c^4)*(3*a^2 + 2*c^2)) + 3*sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/
4)*(9*a^4 + 12*a^2*c^2 + 4*c^4 - 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)*
sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c
)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*log(3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 - sq
rt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^2 + 24*c
^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(
54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + sqrt(54*
a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2)))/(9*a^4 + 12*a^2*c^2 + 4*c^4)

```

giac [A] time = 0.20, size = 131, normalized size = 0.93

$$\frac{1}{24} \left(6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [B] time = 0.04, size = 226, normalized size = 1.60

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}} \right)}{48} + \sqrt{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(3*x^4+2),x)`

[Out] $\frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x + 1\right) + \frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x - 1\right) + \frac{1}{48} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \ln\left(\frac{x^2 + \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}{x^2 - \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}\right) + \frac{1}{72} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x + 1\right) + \frac{1}{72} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x - 1\right) + \frac{1}{144} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \ln\left(\frac{x^2 - \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}{x^2 + \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}\right)$

maxima [A] time = 3.04, size = 167, normalized size = 1.18

$$\frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \left(\sqrt{3} a + \sqrt{2} c \right) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \right)\right) + \frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \left(\sqrt{3} a + \sqrt{2} c \right) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \left(2 \sqrt{3} x - \dots \right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(3*x^4+2),x, algorithm="maxima")`

[Out] $\frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3} a + \sqrt{2} c) \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \cdot (2 \cdot \sqrt{3} x + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3} a + \sqrt{2} c) \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \cdot (2 \cdot \sqrt{3} x - 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{48} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3} a - \sqrt{2} c) \cdot \log(\sqrt{3} x^2 + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} x + \sqrt{2}) - \frac{1}{48} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3} a - \sqrt{2} c) \cdot \log(\sqrt{3} x^2 - 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} x + \sqrt{2})$

mupad [B] time = 5.11, size = 315, normalized size = 2.23

$$-2 \operatorname{atanh}\left(\frac{216 a^2 x \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48} + \frac{1i \sqrt{6} c^2}{288}}}{9i \sqrt{6} a^3 + 18 a^2 c - 6i \sqrt{6} a c^2 - 12 c^3} - \frac{144 c^2 x \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48} + \frac{1i \sqrt{6} c^2}{288}}}{9i \sqrt{6} a^3 + 18 a^2 c - 6i \sqrt{6} a c^2 - 12 c^3}\right) \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/(3*x^4 + 2),x)`

[Out] $2 \cdot \operatorname{atanh}\left(\frac{216 a^2 x \left(\left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48 - \left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288\right)^{\frac{1}{2}}}{\left(6^{\frac{1}{2}} a^3 \cdot 9i - 18 a^2 c + 12 c^3 - 6^{\frac{1}{2}} a \cdot c^2 \cdot 6i\right) - \left(144 c^2 x \left(\left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48 - \left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288\right)^{\frac{1}{2}}}{\left(6^{\frac{1}{2}} a^3 \cdot 9i - 18 a^2 c + 12 c^3 - 6^{\frac{1}{2}} a \cdot c^2 \cdot 6i\right)}\right) \cdot \left(\left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48 - \left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288\right)^{\frac{1}{2}} - 2 \cdot \operatorname{atanh}\left(\frac{216 a^2 x \left(\left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288 - \left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48\right)^{\frac{1}{2}}}{\left(6^{\frac{1}{2}} a^3 \cdot 9i + 18 a^2 c - 12 c^3 - 6^{\frac{1}{2}} a \cdot c^2 \cdot 6i\right) - \left(144 c^2 x \left(\left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288 - \left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48\right)^{\frac{1}{2}}}{\left(6^{\frac{1}{2}} a^3 \cdot 9i + 18 a^2 c - 12 c^3 - 6^{\frac{1}{2}} a \cdot c^2 \cdot 6i\right)}\right) \cdot \left(\left(6^{\frac{1}{2}} c^2 \cdot 1i\right)/288 - \left(6^{\frac{1}{2}} a^2 \cdot 1i\right)/192 - (a \cdot c)/48\right)^{\frac{1}{2}}$

sympy [A] time = 0.57, size = 68, normalized size = 0.48

$$\operatorname{RootSum}\left(55296 t^4 + 2304 t^2 a c + 9 a^4 + 12 a^2 c^2 + 4 c^4, \left(t \mapsto t \log\left(x + \frac{-4608 t^3 c + 72 t a^3 - 144 t a c^2}{9 a^4 - 4 c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(3*x**4+2),x)`

[Out] `RootSum(55296*_t**4 + 2304*_t**2*a*c + 9*a**4 + 12*a**2*c**2 + 4*c**4, Lambda(_t, _t*log(x + (-4608*_t**3*c + 72*_t*a**3 - 144*_t*a*c**2)/(9*a**4 - 4*c**4))))`

$$3.157 \quad \int \frac{bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=123

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.12, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1831, 275, 203, 297, 1162, 617, 204, 1165, 628}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*c*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1831

Int[((Pq)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{bx + cx^2}{2 + 3x^4} dx &= \int \frac{x(b + cx)}{2 + 3x^4} dx \\
 &= \int \left(\frac{bx}{2 + 3x^4} + \frac{cx^2}{2 + 3x^4} \right) dx \\
 &= b \int \frac{x}{2 + 3x^4} dx + c \int \frac{x^2}{2 + 3x^4} dx \\
 &= \frac{1}{2} b \operatorname{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}}} dx}{4 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{4 \cdot 6^{3/4}} - \frac{c \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{4 \cdot 6^{3/4}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{-1 - x^2} dx \right)}{2 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{4 \cdot 6^{3/4}} - \frac{c \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{4 \cdot 6^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 99, normalized size = 0.80

$$\frac{-2\left(\sqrt[4]{6}b+c\right)\tan^{-1}\left(1-\sqrt[4]{6}x\right)+2\left(c-\sqrt[4]{6}b\right)\tan^{-1}\left(\sqrt[4]{6}x+1\right)+c\log\left(\sqrt{6}x^2-2\sqrt[4]{6}x+2\right)-c\log\left(\sqrt{6}x^2+2\sqrt[4]{6}x+2\right)}{4\cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(2 + 3*x^4),x]

[Out] (-2*(6^(1/4)*b + c)*ArcTan[1 - 6^(1/4)*x] + 2*(-(6^(1/4)*b) + c)*ArcTan[1 + 6^(1/4)*x] + c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2])/(4*6^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 114, normalized size = 0.93

$$-\frac{1}{24}\cdot 6^{1/4}c\log\left(x^2+\sqrt{2}\left(\frac{2}{3}\right)^{1/4}x+\sqrt{\frac{2}{3}}\right)+\frac{1}{24}\cdot 6^{1/4}c\log\left(x^2-\sqrt{2}\left(\frac{2}{3}\right)^{1/4}x+\sqrt{\frac{2}{3}}\right)-\frac{1}{12}\left(\sqrt{6}b-6^{1/4}c\right)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{1/4}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] -1/24*6^(1/4)*c*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/24*6^(1/4)*c*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/12*(sqrt(6)*b - 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*(sqrt(6)*b + 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4)))

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{6}b\arctan\left(\frac{\sqrt{6}x^2}{2}\right)}{12}+\frac{\sqrt{3}6^{3/4}\sqrt{2}c\arctan\left(\frac{\sqrt{2}\sqrt{3}6^{3/4}x}{6}-1\right)}{72}+\frac{\sqrt{3}6^{3/4}\sqrt{2}c\arctan\left(\frac{\sqrt{2}\sqrt{3}6^{3/4}x}{6}+1\right)}{72}+\frac{\sqrt{3}6^{3/4}\sqrt{2}c\ln\left(\frac{x^2-1/3}{x^2+1/3}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x)/(3*x^4+2),x)

[Out] 1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3)/(x^2+1/3))

maxima [A] time = 3.09, size = 147, normalized size = 1.20

$$\frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c-2\sqrt{3}b\right)\arctan\left(\frac{1}{6}\cdot 3^{3/4}2^{1/4}\left(2\sqrt{3}x+3^{1/4}2^{3/4}\right)\right)+\frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c+2\sqrt{3}b\right)\arctan\left(\frac{1}{6}\cdot 3^{3/4}2^{1/4}\left(2\sqrt{3}x-3^{1/4}2^{3/4}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c - 2\sqrt{3}b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x + 3^{1/4}2^{3/4}\right)\right) + \frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c + 2\sqrt{3}b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x - 3^{1/4}2^{3/4}\right)\right) - \frac{1}{24}3^{1/4}2^{1/4}c\log\left(\sqrt{3}x^2 + 3^{1/4}2^{3/4}x + \sqrt{2}\right) + \frac{1}{24}3^{1/4}2^{1/4}c\log\left(\sqrt{3}x^2 - 3^{1/4}2^{3/4}x + \sqrt{2}\right)$

mupad [B] time = 0.22, size = 162, normalized size = 1.32

$$\sum_{k=1}^4 \ln\left(9b^3x - 6c^3 - \text{root}\left(z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k\right)bc144 + \text{root}\left(z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k\right)bc144\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2)/(3*x^4 + 2),x)

[Out] $\text{symsum}\left(\log\left(9b^3x - 6c^3 - 144\sqrt[4]{z^4 + (b^2z^2)/48 + (bc^2z)/288 + c^4/13824 + b^4/9216}, z, k\right)bc + 864\sqrt[4]{z^4 + (b^2z^2)/48 + (bc^2z)/288 + c^4/13824 + b^4/9216}, z, k\right)^2bx + 72\sqrt[4]{z^4 + (b^2z^2)/48 + (bc^2z)/288 + c^4/13824 + b^4/9216}, z, k)c^2x\sqrt[4]{z^4 + (b^2z^2)/48 + (bc^2z)/288 + c^4/13824 + b^4/9216}, z, k), k, 1, 4)$

sympy [A] time = 0.77, size = 85, normalized size = 0.69

$$\text{RootSum}\left(27648t^4 + 576t^2b^2 + 96tbc^2 + 3b^4 + 2c^4, \left(t \mapsto t \log\left(x + \frac{-1152t^3c^2 + 288t^2b^3 - 36tb^2c^2 + 3b^5 - 3c^5}{6b^4c - c^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x)/(3*x**4+2),x)

[Out] $\text{RootSum}\left(27648*_t**4 + 576*_t**2*b**2 + 96*_t*b*c**2 + 3*b**4 + 2*c**4, \text{LambertW}\left(_t*_t*\log\left(x + \frac{-1152*_t**3*c**2 + 288*_t**2*b**3 - 36*_t*b**2*c**2 + 3*b**5 - 3*b*c**4}{6*b**4*c - c**5}\right)\right)\right)$

$$3.158 \quad \int \frac{a+bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=163

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

[Out] 1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 203, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{2 + 3x^4} dx &= \int \left(\frac{bx}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\ &= b \int \frac{x}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\ &= \frac{1}{2} b \operatorname{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} \int \frac{1}{2 + 3x^4} dx \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 129, normalized size = 0.79

$$\frac{-2 \tan^{-1} \left(1 - \sqrt[4]{6}x \right) \left(\sqrt{6}a + 2 \left(\sqrt[4]{6}bx + c \right) \right) + 2 \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) \left(\sqrt{6}a - 2 \sqrt[4]{6}bx + 2c \right) - \left(\sqrt{6}a - 2c \right) \left(\log(\sqrt{6} - 6^{3/4}x + 3x^2) - \log(\sqrt{6} + 6^{3/4}x + 3x^2) \right)}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(2 + 3*x^4),x]

[Out] $(-2*(\sqrt{6}*a + 2*(6^{1/4}*b + c))*\text{ArcTan}[1 - 6^{1/4}*x] + 2*(\sqrt{6}*a - 2*6^{1/4}*b + 2*c))*\text{ArcTan}[1 + 6^{1/4}*x] - (\sqrt{6}*a - 2*c)*(\text{Log}[2 - 2*6^{1/4}*x + \sqrt{6}*x^2] - \text{Log}[2 + 2*6^{1/4}*x + \sqrt{6}*x^2]))/(8*6^{3/4})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 143, normalized size = 0.88

$$\frac{1}{24} \left(6^{\frac{3}{4}} a - 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24} * (6^{3/4} * a - 2 * \text{sqrt}(6) * b + 2 * 6^{1/4} * c) * \text{arctan}(3/4 * \text{sqrt}(2) * (2/3)^{3/4} * (2 * x + \text{sqrt}(2) * (2/3)^{1/4})) + \frac{1}{24} * (6^{3/4} * a + 2 * \text{sqrt}(6) * b + 2 * 6^{1/4} * c) * \text{arctan}(3/4 * \text{sqrt}(2) * (2/3)^{3/4} * (2 * x - \text{sqrt}(2) * (2/3)^{1/4})) + \frac{1}{48} * (6^{3/4} * a - 2 * 6^{1/4} * c) * \log(x^2 + \text{sqrt}(2) * (2/3)^{1/4} * x + \text{sqrt}(2/3)) - \frac{1}{48} * (6^{3/4} * a - 2 * 6^{1/4} * c) * \log(x^2 - \text{sqrt}(2) * (2/3)^{1/4} * x + \text{sqrt}(2/3))$

maple [B] time = 0.05, size = 241, normalized size = 1.48

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \sqrt{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(3*x^4+2),x)

[Out] $\frac{1}{24} * 3^{1/2} * 6^{1/4} * 2^{1/2} * a * \text{arctan}(1/6 * 2^{1/2} * 3^{1/2} * 6^{3/4} * x + 1) + \frac{1}{24} * 3^{1/2} * 6^{1/4} * 2^{1/2} * a * \text{arctan}(1/6 * 2^{1/2} * 3^{1/2} * 6^{3/4} * x - 1) + \frac{1}{48} * 3^{1/2} * 6^{1/4} * 2^{1/2} * a * \ln\left(\frac{(x^2 + 1/3 * 3^{1/2} * 6^{1/4} * 2^{1/2} * x + 1/3 * 6^{1/2})}{(x^2 - 1/3 * 3^{1/2} * 6^{1/4} * 2^{1/2} * x + 1/3 * 6^{1/2})}\right) + \frac{1}{12} * 6^{1/2} * b * \text{arctan}(1/2 * 6^{1/2} * x^2) + \frac{1}{72} * 3^{1/2} * 6^{3/4} * 2^{1/2} * c * \text{arctan}(1/6 * 2^{1/2} * 3^{1/2} * 6^{3/4} * x + 1) + \frac{1}{72} * 3^{1/2} * 6^{3/4} * 2^{1/2} * c * \text{arctan}(1/6 * 2^{1/2} * 3^{1/2} * 6^{3/4} * x - 1) + \frac{1}{144} * 3^{1/2} * 6^{3/4} * 2^{1/2} * c * \ln\left(\frac{(x^2 - 1/3 * 3^{1/2} * 6^{1/4} * 2^{1/2} * x + 1/3 * 6^{1/2})}{(x^2 + 1/3 * 3^{1/2} * 6^{1/4} * 2^{1/2} * x + 1/3 * 6^{1/2})}\right)$

maxima [A] time = 3.06, size = 187, normalized size = 1.15

$$\frac{1}{48} \cdot 3^{\frac{1}{2}} 2^{\frac{3}{4}} \left(\sqrt{3} a - \sqrt{2} c \right) \log\left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) - \frac{1}{48} \cdot 3^{\frac{1}{2}} 2^{\frac{3}{4}} \left(\sqrt{3} a - \sqrt{2} c \right) \log\left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) + \frac{1}{24} \left(3^{\frac{3}{4}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{48} * 3^{1/4} * 2^{3/4} * (\text{sqrt}(3) * a - \text{sqrt}(2) * c) * \log(\text{sqrt}(3) * x^2 + 3^{1/4} * 2^{3/4} * x + \text{sqrt}(2)) - \frac{1}{48} * 3^{1/4} * 2^{3/4} * (\text{sqrt}(3) * a - \text{sqrt}(2) * c) * \log(\text{sqrt}(3) * x^2 - 3^{1/4} * 2^{3/4} * x + \text{sqrt}(2))$

$*x^2 - 3^{(1/4)}*2^{(3/4)}*x + \text{sqrt}(2)) + 1/24*(3^{(3/4)}*2^{(3/4)}*a - 2*\text{sqrt}(3)*\text{sqrt}(2)*b + 2*3^{(1/4)}*2^{(1/4)}*c)*\text{arctan}(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x + 3^{(1/4)}*2^{(3/4)})) + 1/24*(3^{(3/4)}*2^{(3/4)}*a + 2*\text{sqrt}(3)*\text{sqrt}(2)*b + 2*3^{(1/4)}*2^{(1/4)}*c)*\text{arctan}(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x - 3^{(1/4)}*2^{(3/4)}))$

mupad [B] time = 5.52, size = 270, normalized size = 1.66

$$\sum_{k=1}^4 \ln \left(9ab^2 - 9a^2c - \text{root} \left(z^4 + \frac{z^2(2304ac + 1152b^2)}{55296} - \frac{z(288a^2b - 192bc^2)}{55296} - \frac{ab^2c}{2304} + \frac{a^2c^2}{4608} + \frac{c^4}{13824} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)/(3*x^4 + 2), x)

[Out] symsum(log(9*a*b^2 - 9*a^2*c - root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*(root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*(864*a - 864*b*x) + 144*b*c + x*(108*a^2 - 72*c^2)) - 6*c^3 + x*(9*b^3 - 18*a*b*c))*root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k), k, 1, 4)

sympy [B] time = 5.07, size = 292, normalized size = 1.79

$$\text{RootSum} \left(55296t^4 + t^2(2304ac + 1152b^2) + t(-288a^2b + 192bc^2) + 9a^4 + 12a^2c^2 - 24ab^2c + 6b^4 + 4c^4, (t + \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(3*x**4+2), x)

[Out] RootSum(55296*_t**4 + _t**2*(2304*a*c + 1152*b**2) + _t*(-288*a**2*b + 192*b*c**2) + 9*a**4 + 12*a**2*c**2 - 24*a*b**2*c + 6*b**4 + 4*c**4, Lambda(_t, _t*log(x + (-13824*_t**3*a**2*c + 27648*_t**3*a*b**2 + 9216*_t**3*c**3 + 1728*_t**2*a**3*b + 3456*_t**2*a*b*c**2 - 2304*_t**2*b**3*c + 216*_t*a**5 - 576*_t*a**3*c**2 + 1296*_t*a**2*b**2*c + 288*_t*a*b**4 + 288*_t*a*c**4 + 288*_t*b**2*c**3 + 90*a**4*b*c - 90*a**3*b**3 + 60*a*b**3*c**2 - 24*b**5*c + 24*b*c**5)/(27*a**6 - 18*a**4*c**2 + 144*a**3*b**2*c - 72*a**2*b**4 - 12*a**2*c**4 + 96*a*b**2*c**3 - 48*b**4*c**2 + 8*c**6))))

$$3.159 \quad \int \frac{dx^3}{2+3x^4} dx$$

Optimal. Leaf size=13

$$\frac{1}{12}d\log(3x^4 + 2)$$

[Out] 1/12*d*ln(3*x^4+2)

Rubi [A] time = 0.00, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 260}

$$\frac{1}{12}d\log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(d*x^3)/(2 + 3*x^4),x]

[Out] (d*Log[2 + 3*x^4])/12

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \frac{dx^3}{2+3x^4} dx &= d \int \frac{x^3}{2+3x^4} dx \\ &= \frac{1}{12}d\log(2+3x^4) \end{aligned}$$

Mathematica [A] time = 0.00, size = 13, normalized size = 1.00

$$\frac{1}{12}d\log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(d*x^3)/(2 + 3*x^4),x]

[Out] (d*Log[2 + 3*x^4])/12

fricas [A] time = 0.80, size = 11, normalized size = 0.85

$$\frac{1}{12}d\log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="fricas")

[Out] 1/12*d*log(3*x^4 + 2)

giac [A] time = 0.16, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="giac")

[Out] 1/12*d*log(3*x^4 + 2)

maple [A] time = 0.05, size = 12, normalized size = 0.92

$$\frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3/(3*x^4+2),x)

[Out] 1/12*d*ln(3*x^4+2)

maxima [A] time = 1.32, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="maxima")

[Out] 1/12*d*log(3*x^4 + 2)

mupad [B] time = 0.03, size = 9, normalized size = 0.69

$$\frac{d \ln\left(x^4 + \frac{2}{3}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3)/(3*x^4 + 2),x)

[Out] (d*log(x^4 + 2/3))/12

sympy [A] time = 0.09, size = 10, normalized size = 0.77

$$\frac{d \log(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x**3/(3*x**4+2),x)

[Out] d*log(3*x**4 + 2)/12

$$3.160 \quad \int \frac{a+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=114

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)+1/12*d*ln(3*x^4+2)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)

Rubi [A] time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 260}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{a + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\ &= a \int \frac{1}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\ &= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\ &= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt{6}} \\ &= -\frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1 - \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx\right)}{8\sqrt{6}} \\ &= -\frac{a \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{4\sqrt{6}} + \frac{a \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{48} \left(-6^{3/4} a \log(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2) + 6^{3/4} a \log(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2) - 2 \cdot 6^{3/4} a \tan^{-1}\left(1 - \sqrt[4]{6} x\right) + 2 \cdot 6^{3/4} a \tan^{-1}\left(1 + \sqrt[4]{6} x\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(3/4)*a*ArcTan[1 - 6^(1/4)*x] + 2*6^(3/4)*a*ArcTan[1 + 6^(1/4)*x] - 6^(3/4)*a*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(3/4)*a*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [B] time = 0.85, size = 359, normalized size = 3.15

$$4 \cdot 6^{\frac{1}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{1}{4}} a^4 \arctan \left(-\frac{6^{\frac{3}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{3}{4}} a^4 x - 6^{\frac{3}{4}} \sqrt{3} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} a^4 \sqrt{\frac{3a^2x^2 + 6^{\frac{1}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{1}{4}} ax + \sqrt{6} \sqrt{a^4}}{a^2}} + 6a^7}{6a^7}} \right) + 4 \cdot 6^{\frac{1}{4}} \sqrt{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="fricas")

[Out]
$$-1/48*(4*6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4*arctan(-1/6*(6^{3/4})*sqrt(3)*sqrt(2)*(a^4)^{3/4}*a^4*x - 6^{3/4}*sqrt(3)*sqrt(2)*sqrt(1/3)*(a^4)^{3/4})*a^4*sqrt((3*a^2*x^2 + 6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) + 6*a^7/a^7) + 4*6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4*arctan(-1/6*(6^{3/4})*sqrt(3)*sqrt(2)*(a^4)^{3/4}*a^4*x - 6^{3/4}*sqrt(3)*sqrt(2)*sqrt(1/3)*(a^4)^{3/4}*a^4*sqrt((3*a^2*x^2 - 6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) - 6*a^7/a^7) - (6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4 + 4*a^4*d)*log(3*a^2*x^2 + 6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4)) + (6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4 - 4*a^4*d)*log(3*a^2*x^2 - 6^{1/4})*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^4$$

giac [A] time = 0.20, size = 109, normalized size = 0.96

$$\frac{1}{24} \cdot 6^{\frac{3}{4}} a \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} \cdot 6^{\frac{3}{4}} a \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48} (6^{\frac{3}{4}} a + 4d) \log\left(\frac{x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2/3}}{x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2/3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="giac")

[Out]
$$1/24*6^{3/4}*a*arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x + sqrt(2)*(2/3)^{1/4})) + 1/24*6^{3/4}*a*arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x - sqrt(2)*(2/3)^{1/4})) + 1/48*(6^{3/4}*a + 4*d)*log(x^2 + sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3)) - 1/48*(6^{3/4}*a - 4*d)*log(x^2 - sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3))$$

maple [A] time = 0.05, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+a)/(3*x^4+2),x)

[Out]
$$1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/48*3^{1/2}*6^{1/4}*2^{1/2}*a*\ln((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))/((x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))+1/12*d*\ln(3*x^4+2)$$

maxima [A] time = 3.06, size = 149, normalized size = 1.31

$$\frac{1}{24} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2\sqrt{3}x + 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{24} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2\sqrt{3}x - 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}}\right) \log\left(\frac{x^2 + \sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{x^2 - \sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="maxima")

[Out]
$$1/24*3^{3/4}*2^{3/4}*a*arctan(1/6*3^{3/4}*2^{1/4}*(2*sqrt(3)*x + 3^{1/4})*2^{3/4})) + 1/24*3^{3/4}*2^{3/4}*a*arctan(1/6*3^{3/4}*2^{1/4}*(2*sqrt(3)*x - 3^{1/4})*2^{3/4})) + 1/144*3^{3/4}*2^{3/4}*(2*3^{1/4})*2^{1/4}*d + 3*a)*log(sqrt(3)*x^2 + 3^{1/4})*2^{3/4}*x + sqrt(2)) + 1/144*3^{3/4}*2^{3/4}*(2*3^{1/4})*2^{1/4}*d - 3*a)*log(sqrt(3)*x^2 - 3^{1/4})*2^{3/4}*x + sqrt(2))$$

mupad [B] time = 0.28, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right) + \ln\left(x + \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right) + \ln\left(x - \frac{(-1)^{3/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right) + \ln\left(x + \frac{(-1)^{3/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + d*x^3)/(3*x^4 + 2), x)

[Out] log(x - ((-1)^(1/4)*2^(1/4)*3^(3/4))/3)*(d/12 - (6^(1/4)*(3i/4)^(1/2)*a)/12) + log(x + ((-1)^(1/4)*2^(1/4)*3^(3/4))/3)*(d/12 + (6^(1/4)*(3i/4)^(1/2)*a)/12) + log(x - ((-1)^(3/4)*2^(1/4)*3^(3/4))/3)*(d/12 + (6^(1/4)*(-3i/4)^(1/2)*a)/12) + log(x + ((-1)^(3/4)*2^(1/4)*3^(3/4))/3)*(d/12 - (6^(1/4)*(-3i/4)^(1/2)*a)/12)

sympy [A] time = 0.42, size = 51, normalized size = 0.45

$$\text{RootSum}\left(165888t^4 - 55296t^3d + 6912t^2d^2 - 384td^3 + 27a^4 + 8d^4, \left(t \mapsto t \log\left(x + \frac{24t - 2d}{3a}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+a)/(3*x**4+2), x)

[Out] RootSum(165888*_t**4 - 55296*_t**3*d + 6912*_t**2*d**2 - 384*_t*d**3 + 27*a**4 + 8*d**4, Lambda(_t, _t*log(x + (24*_t - 2*d)/(3*a))))

$$3.161 \quad \int \frac{bx+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=36

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

[Out] 1/12*d*ln(3*x^4+2)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.03, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1593, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)/(2 + 3*x^4),x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rubi steps

$$\begin{aligned}
\int \frac{bx + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{2} d \text{Subst} \left(\int \frac{x}{2 + 3x^2} dx, x, x^2 \right) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} d \log(2 + 3x^4)
\end{aligned}$$

Mathematica [C] time = 0.04, size = 65, normalized size = 1.81

$$\frac{1}{24} (2d + i\sqrt{6}b) \log(\sqrt{6} - 3ix^2) + \frac{1}{24} (2d - i\sqrt{6}b) \log(\sqrt{6} + 3ix^2)$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)/(2 + 3*x^4), x]

[Out] ((I*Sqrt[6]*b + 2*d)*Log[Sqrt[6] - (3*I)*x^2])/24 + (((-I)*Sqrt[6]*b + 2*d)*Log[Sqrt[6] + (3*I)*x^2])/24

fricas [A] time = 0.78, size = 27, normalized size = 0.75

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right) + \frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2) + 1/12*d*log(3*x^4 + 2)

giac [B] time = 0.18, size = 93, normalized size = 2.58

$$-\frac{1}{12} \sqrt{6} b \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} \sqrt{6} b \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} d \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2/3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2), x, algorithm="giac")

[Out] -1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/12*d*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/12*d*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 28, normalized size = 0.78

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x)/(3*x^4+2), x)

[Out] 1/12*d*ln(3*x^4+2)+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)

maxima [B] time = 3.06, size = 113, normalized size = 3.14

$$-\frac{1}{12} \sqrt{3} \sqrt{2} b \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{12} \sqrt{3} \sqrt{2} b \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{12} d \log\left(\sqrt{3} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] -1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 1/12*d*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/12*d*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

mupad [B] time = 0.06, size = 25, normalized size = 0.69

$$\frac{d \ln\left(x^4 + \frac{2}{3}\right)}{12} + \frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + d*x^3)/(3*x^4 + 2),x)

[Out] (d*log(x^4 + 2/3))/12 + (6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12

sympy [C] time = 0.41, size = 53, normalized size = 1.47

$$\left(-\frac{\sqrt{6} i b}{24} + \frac{d}{12}\right) \log\left(x^2 - \frac{\sqrt{6} i}{3}\right) + \left(\frac{\sqrt{6} i b}{24} + \frac{d}{12}\right) \log\left(x^2 + \frac{\sqrt{6} i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x)/(3*x**4+2),x)

[Out] (-sqrt(6)*I*b/24 + d/12)*log(x**2 - sqrt(6)*I/3) + (sqrt(6)*I*b/24 + d/12)*log(x**2 + sqrt(6)*I/3)

3.162 $\int \frac{a+bx+dx^3}{2+3x^4} dx$

Optimal. Leaf size=136

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}\right)}{2\sqrt{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)+1/12*d*ln(3*x^4+2)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.12, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 1248, 635, 203, 260}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - b^2e, 0]$

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-ac]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2d)/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1248

$\text{Int}[x^p \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}^{(q_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + ex)^q (a + cx^2)^p, x], x, x^2], x] \ /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1876

$\text{Int}[\frac{Pq}{(a_.) + (b_.)x^n}, x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[x^{ii}(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]x^{n/2})]/(a + bx^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] \ /; \text{SumQ}[v] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= a \int \frac{1}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\
&= \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8\sqrt{6}} + \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt{6}} + \frac{1}{12} d \log \left(2 + \right. \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt{6}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 128, normalized size = 0.94

$$\frac{1}{48} \left(-2\sqrt{6} \left(\sqrt[4]{6}a + 2b \right) \tan^{-1} \left(1 - \sqrt[4]{6}x \right) + 2\sqrt{6} \left(\sqrt[4]{6}a - 2b \right) \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) - 6^{3/4}a \log \left(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2 \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*Sqrt[6]*(6^(1/4)*a + 2*b)*ArcTan[1 - 6^(1/4)*x] + 2*Sqrt[6]*(6^(1/4)*a - 2*b)*ArcTan[1 + 6^(1/4)*x] - 6^(3/4)*a*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(3/4)*a*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 125, normalized size = 0.92

$$\frac{1}{24} \left(6^{3/4}a - 2\sqrt{6}b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right) + \frac{1}{24} \left(6^{3/4}a + 2\sqrt{6}b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2), x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a - 2*sqrt(6)*b)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2))*(2/3)^(1/4)) + 1/24*(6^(3/4)*a + 2*sqrt(6)*b)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a + 4*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 4*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.04, size = 140, normalized size = 1.03

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}\right)}{48} + \sqrt{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x+a)/(3*x^4+2),x)

[Out] 1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/12*d*ln(3*x^4+2)

maxima [A] time = 3.05, size = 171, normalized size = 1.26

$$\frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d + 3a\right) \log\left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3a\right) \log\left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/144*3^(3/4)*2^(3/4)*(2*3^(1/4)*2^(1/4)*d + 3*a)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/144*3^(3/4)*2^(3/4)*(2*3^(1/4)*2^(1/4)*d - 3*a)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/24*sqrt(3)*(3^(1/4)*2^(3/4)*a - 2*sqrt(2)*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/24*sqrt(3)*(3^(1/4)*2^(3/4)*a + 2*sqrt(2)*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4)))

mupad [B] time = 5.50, size = 307, normalized size = 2.26

$$\sum_{k=1}^4 \ln\left(x \left(9a^2d + 9b^3 + 6bd^2\right) + 9ab^2 - 6ad^2 - \text{root}\left(z^4 - \frac{dz^3}{3} + \frac{z^2(3456b^2 + 6912d^2)}{165888} - \frac{z(864a^2b + 576b^2d + 384d^3)}{165888}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + d*x^3)/(3*x^4 + 2),x)

[Out] symsum(log(x*(9*a^2*d + 6*b*d^2 + 9*b^3) + 9*a*b^2 - 6*a*d^2 - root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k)*(root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k)*(864*a - 864*b*x) - 144*a*d + x*(144*b*d + 108*a^2)))*root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k), k, 1, 4)

sympy [A] time = 1.68, size = 199, normalized size = 1.46

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(3456b^2 + 6912d^2) + t(-864a^2b - 576b^2d - 384d^3) + 27a^4 + 72a^2bd + 18b^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x+a)/(3*x**4+2),x)

```
[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(3456*b**2 + 6912*d**2) + _t*(
-864*a**2*b - 576*b**2*d - 384*d**3) + 27*a**4 + 72*a**2*b*d + 18*b**4 + 24
*b**2*d**2 + 8*d**4, Lambda(_t, _t*log(x + (27648*_t**3*b**2 + 1728*_t**2*a
**2*b - 6912*_t**2*b**2*d + 216*_t*a**4 - 288*_t*a**2*b*d + 288*_t*b**4 + 5
76*_t*b**2*d**2 - 18*a**4*d - 90*a**2*b**3 + 12*a**2*b*d**2 - 24*b**4*d - 1
6*b**2*d**3)/(27*a**5 - 72*a*b**4))))
```

$$3.163 \quad \int \frac{cx^2 + dx^3}{2 + 3x^4} dx$$

Optimal. Leaf size=114

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/12*d*ln(3*x^4+2)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1593, 1831, 297, 1162, 617, 204, 1165, 628, 260}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[
e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)
))/ (c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}], Int[v, x] /; SumQ[v]] /; FreeQ[{
a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x^2(c + dx)}{2 + 3x^4} dx \\ &= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\ &= c \int \frac{x^2}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\ &= \frac{1}{12} d \log(2 + 3x^4) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\ &= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + \frac{2^3}{-\sqrt{\frac{2}{3}} - \frac{2^3}{\sqrt[4]{3}}}}{4 \cdot 6^{3/4}} dx}{4 \cdot 6^{3/4}} \\ &= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{c \text{Subst}\left(\int \frac{1}{-1 - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx\right)}{2 \cdot 6^{3/4}} \\ &= -\frac{c \tan^{-1}\left(1 - \frac{\sqrt[4]{6}x}{\sqrt{6}}\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(1 + \frac{\sqrt[4]{6}x}{\sqrt{6}}\right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{24} \left(\sqrt[4]{6} c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \sqrt[4]{6} c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2\sqrt[4]{6} c \tan^{-1}\left(1 - \frac{\sqrt[4]{6}x}{\sqrt{6}}\right) + 2\sqrt[4]{6} c \tan^{-1}\left(\frac{\sqrt[4]{6}x}{\sqrt{6}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)/(2 + 3*x^4),x]

[Out] $(-2*6^{(1/4)}*c*\text{ArcTan}[1 - 6^{(1/4)}*x] + 2*6^{(1/4)}*c*\text{ArcTan}[1 + 6^{(1/4)}*x] + 6^{(1/4)}*c*\text{Log}[2 - 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2] - 6^{(1/4)}*c*\text{Log}[2 + 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2] + 2*d*\text{Log}[2 + 3*x^4])/24$

fricas [B] time = 0.90, size = 272, normalized size = 2.39

$$4 \cdot 6^{\frac{1}{4}} (c^4)^{\frac{1}{4}} c^4 \arctan \left(-\frac{c^5 + 6^{\frac{1}{4}} (c^4)^{\frac{5}{4}} x - 6^{\frac{1}{4}} \sqrt{\frac{1}{3}} (c^4)^{\frac{5}{4}} \sqrt{\frac{3c^3 x^2 + 6^{\frac{3}{4}} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}}}{c^5} \right) + 4 \cdot 6^{\frac{1}{4}} (c^4)^{\frac{1}{4}} c^4 \arctan \left(\frac{c^5 - 6^{\frac{1}{4}} (c^4)^{\frac{5}{4}} x + 6^{\frac{1}{4}} \sqrt{\frac{1}{3}} (c^4)^{\frac{5}{4}} \sqrt{\frac{3c^3 x^2 + 6^{\frac{3}{4}} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}}}{c^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="fricas")`

[Out] $-1/24*(4*6^{(1/4)}*(c^4)^{(1/4)}*c^4*\arctan(-(c^5 + 6^{(1/4)}*(c^4)^{(5/4)}*x - 6^{(1/4)}*\text{sqrt}(1/3)*(c^4)^{(5/4)}*\text{sqrt}((3*c^3*x^2 + 6^{(3/4)}*(c^4)^{(3/4)}*x + \text{sqrt}(6)*\text{sqrt}(c^4)*c)/c^3))/c^5 + 4*6^{(1/4)}*(c^4)^{(1/4)}*c^4*\arctan((c^5 - 6^{(1/4)}*(c^4)^{(5/4)}*x + 6^{(1/4)}*\text{sqrt}(1/3)*(c^4)^{(5/4)}*\text{sqrt}((3*c^3*x^2 - 6^{(3/4)}*(c^4)^{(3/4)}*x + \text{sqrt}(6)*\text{sqrt}(c^4)*c)/c^3))/c^5 - (2*c^4*d - 6^{(1/4)}*(c^4)^{(1/4)}*c^4)*\log(3*c^3*x^2 + 6^{(3/4)}*(c^4)^{(3/4)}*x + \text{sqrt}(6)*\text{sqrt}(c^4)*c) - (2*c^4*d + 6^{(1/4)}*(c^4)^{(1/4)}*c^4)*\log(3*c^3*x^2 - 6^{(3/4)}*(c^4)^{(3/4)}*x + \text{sqrt}(6)*\text{sqrt}(c^4)*c))/c^4$

giac [A] time = 0.28, size = 109, normalized size = 0.96

$$\frac{1}{12} \cdot 6^{\frac{1}{4}} c \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{12} \cdot 6^{\frac{1}{4}} c \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) - \frac{1}{24} (6^{\frac{1}{4}} c - 2d) \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="giac")`

[Out] $1/12*6^{(1/4)}*c*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x + \text{sqrt}(2)*(2/3)^{(1/4)})) + 1/12*6^{(1/4)}*c*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x - \text{sqrt}(2)*(2/3)^{(1/4)})) - 1/24*(6^{(1/4)}*c - 2*d)*\log(x^2 + \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3)) + 1/24*(6^{(1/4)}*c + 2*d)*\log(x^2 - \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3))$

maple [A] time = 0.04, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln \left(\frac{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}} \right)}{144} + \frac{d \ln}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c*x^2)/(3*x^4+2),x)`

[Out] $1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x+1)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/144*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\ln((x^2-1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)})/(x^2+1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)}))+1/12*d*\ln(3*x^4+2)$

maxima [A] time = 3.03, size = 152, normalized size = 1.33

$$\frac{1}{72} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} d - \sqrt{3} c \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{72} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} d + \sqrt{3} c \right) \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{12} \cdot 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{72}3^{3/4}2^{1/4}(3^{1/4}2^{3/4}d - \sqrt{3}c)\log(\sqrt{3}x^2 + 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{72}3^{3/4}2^{1/4}(3^{1/4}2^{3/4}d + \sqrt{3}c)\log(\sqrt{3}x^2 - 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{12}3^{1/4}2^{1/4}c\arctan(1/63^{3/4}2^{1/4}(2\sqrt{3}x + 3^{1/4}2^{3/4})) + \frac{1}{12}3^{1/4}2^{1/4}c\arctan(1/63^{3/4}2^{1/4}(2\sqrt{3}x - 3^{1/4}2^{3/4}))$

mupad [B] time = 0.37, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} + \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right) + \ln\left(x + \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} - \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right) + \ln\left(x - \frac{(-1)^{3/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} + \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right) + \ln\left(x + \frac{(-1)^{3/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} - \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\log(x - ((-1)^{1/4}2^{1/4}3^{3/4})/3)*(d/12 + (6^{1/4}*(-1i/2)^{1/2}*c)/12) + \log(x + ((-1)^{1/4}2^{1/4}3^{3/4})/3)*(d/12 - (6^{1/4}*(-1i/2)^{1/2}*c)/12) + \log(x - ((-1)^{3/4}2^{1/4}3^{3/4})/3)*(d/12 - (6^{1/4}*(1i/2)^{1/2}*c)/12) + \log(x + ((-1)^{3/4}2^{1/4}3^{3/4})/3)*(d/12 + (6^{1/4}*(1i/2)^{1/2}*c)/12)$

sympy [A] time = 0.42, size = 70, normalized size = 0.61

$$\text{RootSum}\left(41472t^4 - 13824t^3d + 1728t^2d^2 - 96td^3 + 3c^4 + 2d^4, \left(t \mapsto t \log\left(x + \frac{3456t^3 - 864t^2d + 72td^2 - 2d^4}{3c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2)/(3*x**4+2),x)

[Out] $\text{RootSum}(41472*_t**4 - 13824*_t**3*d + 1728*_t**2*d**2 - 96*_t*d**3 + 3*c**4 + 2*d**4, \text{Lambda}(_t, _t*\log(x + (3456*_t**3 - 864*_t**2*d + 72*_t*d**2 - 2*d**3)/(3*c**3))))$

$$3.164 \quad \int \frac{a+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=154

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

[Out] 1/12*d*ln(3*x^4+2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1876, 260, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{a + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{dx^3}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\ &= d \int \frac{x^3}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\ &= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\ &= \frac{1}{12} d \log(2 + 3x^4) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \\ &= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{1}{12} d \log \\ &= -\frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6}}{8 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 148, normalized size = 0.96

$$\frac{1}{48} \left(-\sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + \sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2\sqrt[4]{6} (\sqrt{6}a + 2c) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x] - 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [B] time = 1.17, size = 2326, normalized size = 15.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="fricas")

[Out]
$$\frac{1}{144} \cdot (2\sqrt{6})\sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{3/4} \sqrt{9a^4 - 12a^2c^2 + 4c^4} \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4) \arctan(-1/12(\sqrt{2})\sqrt{1/3}(54a^4 + 72a^2c^2 + 24c^4)^{3/4}(\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4})\sqrt{9a^4 - 12a^2c^2 + 4c^4})a - 2\sqrt{6})\sqrt{9a^4 - 12a^2c^2 + 4c^4}(3a^2c + 2c^3))\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)}\sqrt{((3(9a^4 + 12a^2c^2 + 4c^4)x^2 + \sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4})(\sqrt{54a^4 + 72a^2c^2 + 24c^4})cx - 3(3a^3 + 2ac^2)x)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + \sqrt{54a^4 + 72a^2c^2 + 24c^4}(3a^2 + 2c^2)) / (9a^4 + 12a^2c^2 + 4c^4)} - \sqrt{2}(54a^4 + 72a^2c^2 + 24c^4)^{3/4}(\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4})\sqrt{9a^4 - 12a^2c^2 + 4c^4})ax - 2\sqrt{6})\sqrt{9a^4 - 12a^2c^2 + 4c^4}(3a^2c + 2c^3)x)\sqrt{((9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + 2\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4}(9a^4 + 12a^2c^2 + 4c^4)\sqrt{9a^4 - 12a^2c^2 + 4c^4}) / (81a^8 + 108a^6c^2 - 48a^2c^6 - 16c^8)} + 2\sqrt{6})\sqrt{2}(54a^4 + 72a^2c^2 + 24c^4)^{3/4}\sqrt{9a^4 - 12a^2c^2 + 4c^4})\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)}\arctan(-1/12(\sqrt{2})\sqrt{1/3}(54a^4 + 72a^2c^2 + 24c^4)^{3/4}(\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4})\sqrt{9a^4 - 12a^2c^2 + 4c^4})a - 2\sqrt{6})\sqrt{9a^4 - 12a^2c^2 + 4c^4}(3a^2c + 2c^3))\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)}\sqrt{((3(9a^4 + 12a^2c^2 + 4c^4)x^2 - \sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4})(\sqrt{54a^4 + 72a^2c^2 + 24c^4})cx - 3(3a^3 + 2ac^2)x)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + \sqrt{54a^4 + 72a^2c^2 + 24c^4}(3a^2 + 2c^2)) / (9a^4 + 12a^2c^2 + 4c^4)} - \sqrt{2}(54a^4 + 72a^2c^2 + 24c^4)^{3/4}(\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4})\sqrt{9a^4 - 12a^2c^2 + 4c^4})ax - 2\sqrt{6})\sqrt{9a^4 - 12a^2c^2 + 4c^4}(3a^2c + 2c^3)x)\sqrt{((9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} - 2\sqrt{6})\sqrt{54a^4 + 72a^2c^2 + 24c^4}(9a^4 + 12a^2c^2 + 4c^4)\sqrt{9a^4 - 12a^2c^2 + 4c^4}) / (81a^8 + 108a^6c^2 - 48a^2c^6 - 16c^8)} - 3(\sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4}(9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} - 4(9a^4 + 12a^2c^2 + 4c^4)d)\log(3(9a^4 + 12a^2c^2 + 4c^4)x^2 + \sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4}(\sqrt{54a^4 + 72a^2c^2 + 24c^4})cx - 3(3a^3 + 2ac^2)x)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + \sqrt{54a^4 + 72a^2c^2 + 24c^4}(3a^2 + 2c^2)) + 3(\sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4}(9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + 4(9a^4 + 12a^2c^2 + 4c^4)d)\log(3(9a^4 + 12a^2c^2 + 4c^4)x^2 - \sqrt{2})(54a^4 + 72a^2c^2 + 24c^4)^{1/4}(\sqrt{54a^4 + 72a^2c^2 + 24c^4})cx - 3(3a^3 + 2ac^2)x)\sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4})ac} / (9a^4 - 12a^2c^2 + 4c^4)} + \sqrt{54a^4 + 72a^2c^2 + 24c^4}(3a^2 + 2c^2))) / (9a^4 + 12a^2c^2 + 4c^4)$$

giac [A] time = 0.21, size = 137, normalized size = 0.89

$$\frac{1}{24} \left(6^{\frac{3}{4}}a + 2 \cdot 6^{\frac{1}{4}}c\right) \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} \left(6^{\frac{3}{4}}a + 2 \cdot 6^{\frac{1}{4}}c\right) \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24} \cdot (6^{3/4} \cdot a + 2 \cdot 6^{1/4} \cdot c) \cdot \arctan\left(\frac{3/4 \cdot \sqrt{2} \cdot (2/3)^{3/4} \cdot (2x + \sqrt{2}) \cdot (2/3)^{1/4}}{1}\right) + \frac{1}{24} \cdot (6^{3/4} \cdot a + 2 \cdot 6^{1/4} \cdot c) \cdot \arctan\left(\frac{3/4 \cdot \sqrt{2} \cdot (2/3)^{3/4} \cdot (2x - \sqrt{2}) \cdot (2/3)^{1/4}}{1}\right) + \frac{1}{48} \cdot (6^{3/4} \cdot a - 2 \cdot 6^{1/4} \cdot c + 4 \cdot d) \cdot \log(x^2 + \sqrt{2} \cdot (2/3)^{1/4} \cdot x + \sqrt{2/3}) - \frac{1}{48} \cdot (6^{3/4} \cdot a - 2 \cdot 6^{1/4} \cdot c - 4 \cdot d) \cdot \log(x^2 - \sqrt{2} \cdot (2/3)^{1/4} \cdot x + \sqrt{2/3})$

maple [B] time = 0.05, size = 237, normalized size = 1.54

$$\frac{\sqrt{3} \cdot 6^{1/4} \cdot \sqrt{2} \cdot a \cdot \arctan\left(\frac{\sqrt{2} \cdot \sqrt{3} \cdot 6^{3/4} \cdot x}{6} - 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{1/4} \cdot \sqrt{2} \cdot a \cdot \arctan\left(\frac{\sqrt{2} \cdot \sqrt{3} \cdot 6^{3/4} \cdot x}{6} + 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{1/4} \cdot \sqrt{2} \cdot a \cdot \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{1/4} \cdot \sqrt{2} \cdot x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{1/4} \cdot \sqrt{2} \cdot x + \sqrt{6}}{3}}\right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)/(3*x^4+2),x)

[Out] $\frac{1}{48} \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot a \cdot \ln\left(\frac{(x^2 + 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2})}{(x^2 - 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2})}\right) + \frac{1}{24} \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot a \cdot \arctan\left(\frac{1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x + 1}{1}\right) + \frac{1}{24} \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot a \cdot \arctan\left(\frac{1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x - 1}{1}\right) + \frac{1}{72} \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot c \cdot \arctan\left(\frac{1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x + 1}{1}\right) + \frac{1}{72} \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot c \cdot \arctan\left(\frac{1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x - 1}{1}\right) + \frac{1}{144} \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot c \cdot \ln\left(\frac{(x^2 - 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2})}{(x^2 + 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2})}\right) + \frac{1}{12} \cdot d \cdot \ln(3 \cdot x^4 + 2)$

maxima [A] time = 2.99, size = 195, normalized size = 1.27

$$-\frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot \left(\sqrt{3} \cdot \sqrt{2} \cdot c - 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d - 3 \cdot a\right) \cdot \log\left(\sqrt{3} \cdot x^2 + 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}\right) + \frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot \left(\sqrt{3} \cdot \sqrt{2} \cdot c + 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d - 3 \cdot a\right) \cdot \log\left(\sqrt{3} \cdot x^2 - 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $-\frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot (\sqrt{3} \cdot \sqrt{2} \cdot c - 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d - 3 \cdot a) \cdot \log(\sqrt{3} \cdot x^2 + 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) + \frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot (\sqrt{3} \cdot \sqrt{2} \cdot c + 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d - 3 \cdot a) \cdot \log(\sqrt{3} \cdot x^2 - 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) + \frac{1}{72} \cdot \sqrt{3} \cdot (3 \cdot 3^{1/4} \cdot 2^{3/4} \cdot a + 2 \cdot 3^{3/4} \cdot 2^{1/4} \cdot c) \cdot \arctan\left(\frac{1/6 \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x + 3^{1/4} \cdot 2^{3/4})}{1}\right) + \frac{1}{72} \cdot \sqrt{3} \cdot (3 \cdot 3^{1/4} \cdot 2^{3/4} \cdot a + 2 \cdot 3^{3/4} \cdot 2^{1/4} \cdot c) \cdot \arctan\left(\frac{1/6 \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x - 3^{1/4} \cdot 2^{3/4})}{1}\right)$

mupad [B] time = 5.81, size = 286, normalized size = 1.86

$$\ln\left(-2c + \sqrt{6} \cdot a \cdot 1i + x \sqrt{3i \sqrt{6} \cdot a^2 - 12ac - 2i \sqrt{6} \cdot c^2}\right) \left(\frac{d}{12} + \frac{\sqrt{\frac{3i \sqrt{6} \cdot a^2}{4} - 3ac - \frac{1i \sqrt{6} \cdot c^2}{2}}}{12}\right) + \ln\left(2c - \sqrt{6} \cdot a \cdot 1i + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\log(6^{1/2} \cdot a \cdot 1i - 2 \cdot c + x \cdot (6^{1/2} \cdot a^2 \cdot 3i - 12 \cdot a \cdot c - 6^{1/2} \cdot c^2 \cdot 2i)^{1/2}) \cdot (d/12 + ((6^{1/2} \cdot a^2 \cdot 3i)/4 - 3 \cdot a \cdot c - (6^{1/2} \cdot c^2 \cdot 1i)/2)^{1/2}/12) + \log(2 \cdot c - 6^{1/2} \cdot a \cdot 1i + x \cdot (6^{1/2} \cdot a^2 \cdot 3i - 12 \cdot a \cdot c - 6^{1/2} \cdot c^2 \cdot 2i)^{1/2}) \cdot (d/12 - ((6^{1/2} \cdot a^2 \cdot 3i)/4 - 3 \cdot a \cdot c - (6^{1/2} \cdot c^2 \cdot 1i)/2)^{1/2}/12) + \log(2 \cdot c + 6^{1/2} \cdot a \cdot 1i + x \cdot (6^{1/2} \cdot a^2 \cdot 3i - 12 \cdot a \cdot c - 6^{1/2} \cdot c^2 \cdot 2i)^{1/2}) \cdot (d/12 + ((6^{1/2} \cdot a^2 \cdot 3i)/4 - 3 \cdot a \cdot c - (6^{1/2} \cdot c^2 \cdot 1i)/2)^{1/2}/12) + \log(2 \cdot c - 6^{1/2} \cdot a \cdot 1i + x \cdot (6^{1/2} \cdot a^2 \cdot 3i - 12 \cdot a \cdot c - 6^{1/2} \cdot c^2 \cdot 2i)^{1/2}) \cdot (d/12 - ((6^{1/2} \cdot a^2 \cdot 3i)/4 - 3 \cdot a \cdot c - (6^{1/2} \cdot c^2 \cdot 1i)/2)^{1/2}/12)$

$$c + 6^{(1/2)}*a*1i + x*(6^{(1/2)}*c^2*2i - 6^{(1/2)}*a^2*3i - 12*a*c)^{(1/2)}*(d/12 - ((6^{(1/2)}*c^2*1i)/2 - (6^{(1/2)}*a^2*3i)/4 - 3*a*c)^{(1/2)}/12) + \log(2*c + 6^{(1/2)}*a*1i - x*(6^{(1/2)}*c^2*2i - 6^{(1/2)}*a^2*3i - 12*a*c)^{(1/2)}*(d/12 + ((6^{(1/2)}*c^2*1i)/2 - (6^{(1/2)}*a^2*3i)/4 - 3*a*c)^{(1/2)}/12)$$

sympy [A] time = 1.38, size = 148, normalized size = 0.96

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(6912ac + 6912d^2) + t(-1152acd - 384d^3) + 27a^4 + 36a^2c^2 + 48acd^2 + 12c^3d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)/(3*x**4+2),x)

[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(6912*a*c + 6912*d**2) + _t*(-1152*a*c*d - 384*d**3) + 27*a**4 + 36*a**2*c**2 + 48*a*c*d**2 + 12*c**4 + 8*d**4, Lambda(_t, _t*log(x + (-13824*_t**3*c + 3456*_t**2*c*d + 216*_t*a**3 - 432*_t*a*c**2 - 288*_t*c*d**2 - 18*a**3*d + 36*a*c**2*d + 8*c*d**3)/(27*a**4 - 12*c**4))))

$$3.165 \quad \int \frac{bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=136

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log\left(3x^2 - 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \log\left(3x^2 + 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(\sqrt[4]{6}x + 1\right)}{2 \cdot 6^{3/4}}$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/12*d*ln(3*x^4+2)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.14, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1594, 1831, 297, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log\left(3x^2 - 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \log\left(3x^2 + 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(\sqrt[4]{6}x + 1\right)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - b^2e, 0]$

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-ac]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1248

$\text{Int}[x^m \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}^{(q_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + ex)^q (a + cx^2)^p, x], x, x^2], x] \ /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1594

$\text{Int}[(u_.) \frac{(a_.)x^{(p_.)} + (b_.)x^{(q_.)} + (c_.)x^{(r_.)}}{(a_.) + (b_.)x^{(n_.)}}, x_Symbol] \rightarrow \text{Int}[u x^{(n*p)} (a + bx^{(q-p)} + cx^{(r-p)})^n, x] \ /; \text{FreeQ}[\{a, b, c, p, q, r\}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p] \ \&\& \ \text{PosQ}[r - p]$

Rule 1831

$\text{Int}[\frac{(Pq_.) \frac{(c_.)x^{(m_.)}}{(a_.) + (b_.)x^{(n_.)}}}{(c^{ii} (a + bx^n))}, x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(c^x)^{(m+ii)} (\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2+ii] x^{(n/2)})] / (c^{ii} (a + bx^n)), \{ii, 0, n/2-1\}\}, \text{Int}[v, x] \ /; \text{SumQ}[v] \ /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + cx + dx^2)}{2 + 3x^4} dx \\
&= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= c \int \frac{x^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 125, normalized size = 0.92

$$\frac{1}{24} \left(-2\sqrt[4]{6} (\sqrt[4]{6}b + c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right) + 2\sqrt[4]{6} (c - \sqrt[4]{6}b) \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) + \sqrt[4]{6}c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \sqrt[4]{6}c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(6^(1/4)*b + c)*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(-(6^(1/4)*b) + c)*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - 6^(1/4)*c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 2*d*Log[2 + 3*x^4])/24

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 124, normalized size = 0.91

$$-\frac{1}{12} \left(\sqrt{6}b - 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{12} \left(\sqrt{6}b + 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="giac")

[Out] -1/12*(sqrt(6)*b - 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*(sqrt(6)*b + 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4)))

)*(2*x - sqrt(2)*(2/3)^(1/4))) - 1/24*(6^(1/4)*c - 2*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/24*(6^(1/4)*c + 2*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 140, normalized size = 1.03

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{144} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x)/(3*x^4+2), x)

[Out] 1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*d*ln(3*x^4+2)

maxima [A] time = 3.02, size = 174, normalized size = 1.28

$$\frac{1}{72} \sqrt{3} \sqrt{2} \left(3^{\frac{3}{4}} 2^{\frac{3}{4}} c - 6b\right) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{72} \sqrt{3} \sqrt{2} \left(3^{\frac{3}{4}} 2^{\frac{3}{4}} c + 6b\right) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="maxima")

[Out] 1/72*sqrt(3)*sqrt(2)*(3^(3/4)*2^(3/4)*c - 6*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/72*sqrt(3)*sqrt(2)*(3^(3/4)*2^(3/4)*c + 6*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 1/72*3^(3/4)*2^(1/4)*(3^(1/4)*2^(3/4)*d - sqrt(3)*c)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/72*3^(3/4)*2^(1/4)*(3^(1/4)*2^(3/4)*d + sqrt(3)*c)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

mupad [B] time = 5.39, size = 300, normalized size = 2.21

$$\sum_{k=1}^4 \ln\left(-\text{root}\left(z^4 - \frac{d z^3}{3} + \frac{z^2 (1728 b^2 + 3456 d^2)}{82944} - \frac{z (-288 b c^2 + 288 b^2 d + 192 d^3)}{82944} - \frac{b c^2 d}{3456} + \frac{b^2 d^2}{6912} + \frac{d^4}{20736}\right), z, k\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2 + d*x^3)/(3*x^4 + 2), x)

[Out] symsum(log(x*(6*b*d^2 - 6*c^2*d + 9*b^3) - root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k)*(144*b*c + x*(144*b*d - 72*c^2) - 864*root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k)*b*x) - 6*c^3 + 12*b*c*d)*root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k), k, 1, 4)

sympy [A] time = 1.99, size = 189, normalized size = 1.39

$$\text{RootSum}\left(82944t^4 - 27648t^3d + t^2(1728b^2 + 3456d^2) + t(-288b^2d + 288bc^2 - 192d^3) + 9b^4 + 12b^2d^2 - 24bc^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x)/(3*x**4+2),x)

[Out] RootSum(82944*_t**4 - 27648*_t**3*d + _t**2*(1728*b**2 + 3456*d**2) + _t*(-288*b**2*d + 288*b*c**2 - 192*d**3) + 9*b**4 + 12*b**2*d**2 - 24*b*c**2*d + 6*c**4 + 4*d**4, Lambda(_t, _t*log(x + (-3456*_t**3*c**2 + 864*_t**2*b**3 + 864*_t**2*c**2*d - 144*_t*b**3*d - 108*_t*b**2*c**2 - 72*_t*c**2*d**2 + 9*b**5 + 6*b**3*d**2 + 9*b**2*c**2*d - 9*b*c**4 + 2*c**2*d**3)/(18*b**4*c - 3*c**5))))

$$3.166 \quad \int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=176

$$-\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

[Out] 1/12*d*ln(3*x^4+2)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.14, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$-\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a + cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= \int \frac{a + cx^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 164, normalized size = 0.93

$$\frac{1}{48} \left(-2\sqrt[4]{6} \tan^{-1} \left(1 - \sqrt[4]{6}x \right) \left(\sqrt{6}a + 2 \left(\sqrt[4]{6}b + c \right) \right) + 2\sqrt[4]{6} \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) \left(\sqrt{6}a - 2\sqrt[4]{6}b + 2c \right) - \sqrt[4]{6} \left(\sqrt{6}a - 2c \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(Sqrt[6]*a + 2*(6^(1/4)*b + c))*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(Sqrt[6]*a - 2*6^(1/4)*b + 2*c)*ArcTan[1 + 6^(1/4)*x] - 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 149, normalized size = 0.85

$$\frac{1}{24} \left(6^{\frac{3}{4}}a - 2\sqrt{6}b + 2 \cdot 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}}a + 2\sqrt{6}b + 2 \cdot 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a - 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c + 4*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/

$48*(6^{(3/4)*a} - 2*6^{(1/4)*c} - 4*d)*\log(x^2 - \sqrt{2}*(2/3)^{(1/4)*x} + \sqrt{2}/3)$

maple [A] time = 0.05, size = 252, normalized size = 1.43

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x)

[Out] $\frac{1}{48} 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} a \ln((x^2 + 1/3 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} x + 1/3 6^{(1/2)}) / (x^2 - 1/3 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} x + 1/3 6^{(1/2)})) + 1/24 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} a \arctan(1/6 2^{(1/2)} 3^{(1/2)} 6^{(3/4)} x + 1) + 1/24 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} a \arctan(1/6 2^{(1/2)} 3^{(1/2)} 6^{(3/4)} x - 1) + 1/12 6^{(1/2)} b \arctan(1/2 6^{(1/2)} x^2) + 1/72 3^{(1/2)} 6^{(3/4)} 2^{(1/2)} c \arctan(1/6 2^{(1/2)} 3^{(1/2)} 6^{(3/4)} x + 1) + 1/72 3^{(1/2)} 6^{(3/4)} 2^{(1/2)} c \arctan(1/6 2^{(1/2)} 3^{(1/2)} 6^{(3/4)} x - 1) + 1/144 3^{(1/2)} 6^{(3/4)} 2^{(1/2)} c \ln((x^2 - 1/3 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} x + 1/3 6^{(1/2)}) / (x^2 + 1/3 3^{(1/2)} 6^{(1/4)} 2^{(1/2)} x + 1/3 6^{(1/2)})) + 1/12 d \ln(3 x^4 + 2)$

maxima [A] time = 2.99, size = 207, normalized size = 1.18

$$-\frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c - 2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3 a \right) \log\left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c + 2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3 a \right) \log\left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $-1/144 3^{(3/4)} 2^{(3/4)} (\sqrt{3} \sqrt{2} c - 2 \cdot 3^{(1/4)} 2^{(1/4)} d - 3 a) \log(\sqrt{3} x^2 + 3^{(1/4)} 2^{(3/4)} x + \sqrt{2}) + 1/144 3^{(3/4)} 2^{(3/4)} (\sqrt{3} \sqrt{2} c + 2 \cdot 3^{(1/4)} 2^{(1/4)} d - 3 a) \log(\sqrt{3} x^2 - 3^{(1/4)} 2^{(3/4)} x + \sqrt{2}) + 1/72 \sqrt{3} (3 \cdot 3^{(1/4)} 2^{(3/4)} a + 2 \cdot 3^{(3/4)} 2^{(1/4)} c - 6 \sqrt{3} b) \arctan(1/6 3^{(1/4)} 2^{(3/4)} (2 \sqrt{3} x + 3^{(1/4)} 2^{(3/4)})) + 1/72 \sqrt{3} (3 \cdot 3^{(1/4)} 2^{(3/4)} a + 2 \cdot 3^{(3/4)} 2^{(1/4)} c + 6 \sqrt{3} b) \arctan(1/6 3^{(1/4)} 2^{(3/4)} (2 \sqrt{3} x - 3^{(1/4)} 2^{(3/4)}))$

mupad [B] time = 5.64, size = 1168, normalized size = 6.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\text{symsum}(\log(9 a b^2 - 864 \text{root}(z^4 - (d z^3)/3 + (a c z^2)/24 + (d^2 z^2)/24 + (b^2 z^2)/48 - (a c d z)/144 - (b^2 d z)/288 + (b c^2 z)/288 - (a^2 b z)/192 - (d^3 z)/432 - (b c^2 d)/3456 + (a c d^2)/3456 + (a^2 b d)/2304 - (a b^2 c)/2304 + (b^2 d^2)/6912 + (a^2 c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)^2 a - 9 a^2 c - 6 a d^2 + 9 b^3 x - 6 c^3 + 144 \text{root}(z^4 - (d z^3)/3 + (a c z^2)/24 + (d^2 z^2)/24 + (b^2 z^2)/48 - (a c d z)/144 - (b^2 d z)/288 + (b c^2 z)/288 - (a^2 b z)/192 - (d^3 z)/432 - (b c^2 d)/3456 + (a c d^2)/3456 + (a^2 b d)/2304 - (a b^2 c)/2304 + (b^2 d^2)/6912 + (a^2 c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k) a d - 144 \text{root}(z^4 - (d z^3)/3 + (a c z^2)/24 + (d^2 z^2)/24 + (b^2 z^2)/48 - (a c d z)/144 - (b^2 d z)/288 + (b c^2 z)/288 - (a^2 b z)/192 - (d^3 z)/432 - (b c^2 d)/3456 + (a c d^2)/3456 + (a^2 b d)/2304 - (a b^2 c)/2304 + (b^2 d^2)/6912 + (a^2 c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z$

```
, k)*b*c + 12*b*c*d - 108*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*a^2*x + 864*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)^2*b*x + 72*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*c^2*x + 9*a^2*d*x + 6*b*d^2*x - 6*c^2*d*x - 144*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*b*d*x - 18*a*b*c*x)*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k), k, 1, 4)
```

sympy [B] time = 13.07, size = 580, normalized size = 3.30

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(6912ac + 3456b^2 + 6912d^2) + t(-864a^2b - 1152acd - 576b^2d + 576bc^2 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x+a)/(3*x**4+2),x)

```
[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(6912*a*c + 3456*b**2 + 6912*d**2) + _t*(-864*a**2*b - 1152*a*c*d - 576*b**2*d + 576*b*c**2 - 384*d**3) + 27*a**4 + 72*a**2*b*d + 36*a**2*c**2 - 72*a*b**2*c + 48*a*c*d**2 + 18*b**4 + 24*b**2*d**2 - 48*b*c**2*d + 12*c**4 + 8*d**4, Lambda(_t, _t*log(x + (-41472*_t**3*a**2*c + 82944*_t**3*a*b**2 + 27648*_t**3*c**3 + 5184*_t**2*a**3*b + 10368*_t**2*a**2*c*d - 20736*_t**2*a*b**2*d + 10368*_t**2*a*b*c**2 - 6912*_t**2*b**3*c - 6912*_t**2*c**3*d + 648*_t*a**5 - 864*_t*a**3*b*d - 1728*_t*a**3*c**2 + 3888*_t*a**2*b**2*c - 864*_t*a**2*c*d**2 + 864*_t*a*b**4 + 1728*_t*a*b**2*d**2 - 1728*_t*a*b*c**2*d + 864*_t*a*c**4 + 1152*_t*b**3*c*d + 864*_t*b**2*c**3 + 576*_t*c**3*d**2 - 54*a**5*d + 270*a**4*b*c - 270*a**3*b**3 + 36*a**3*b*d**2 + 144*a**3*c**2*d - 324*a**2*b**2*c*d + 24*a**2*c*d**3 - 72*a*b**4*d + 180*a*b**3*c**2 - 48*a*b**2*d**3 + 72*a*b*c**2*d**2 - 72*a*c**4*d - 72*b**5*c - 48*b**3*c*d**2 - 72*b**2*c**3*d + 72*b*c**5 - 16*c**3*d**3))/(81*a**6 - 54*a**4*c**2 + 432*a**3*b**2*c - 216*a**2*b**4 - 36*a**2*c**4 + 288*a*b**2*c**3 - 144*b**4*c**2 + 24*c**6)))
```


$$3.167 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

fricas [A] time = 0.74, size = 6, normalized size = 0.75

$$-\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-x^4+1),x)

[Out] -ln(x-1)

maxima [A] time = 1.35, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="maxima")

[Out] -log(x - 1)

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + x^3 + 1)/(x^4 - 1),x)

[Out] -log(x - 1)

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)/(-x**4+1),x)

[Out] -log(x - 1)

$$3.168 \quad \int \frac{1+x+x^2+x^3}{1+x^4} dx$$

Optimal. Leaf size=53

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

[Out] 1/2*arctan(x^2)+1/4*ln(x^4+1)+1/2*arctan(-1+x*2^(1/2))*2^(1/2)+1/2*arctan(1+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.04, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 1162, 617, 204, 1248, 635, 203, 260}

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] ArcTan[x^2]/2 - ArcTan[1 - Sqrt[2]*x]/Sqrt[2] + ArcTan[1 + Sqrt[2]*x]/Sqrt[2] + Log[1 + x^4]/4

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &

& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
  [Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
  }]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{1+x+x^2+x^3}{1+x^4} dx &= \int \left(\frac{1+x^2}{1+x^4} + \frac{x(1+x^2)}{1+x^4} \right) dx \\ &= \int \frac{1+x^2}{1+x^4} dx + \int \frac{x(1+x^2)}{1+x^4} dx \\ &= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x+x^2} dx + \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{1+x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{1+x^2} dx, x, x^2 \right) + \frac{\text{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1-x^2 \right)}{\sqrt{2}} \\ &= \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{\sqrt{2}} + \frac{1}{4} \log(1+x^4) \end{aligned}$$

Mathematica [A] time = 0.04, size = 50, normalized size = 0.94

$$\frac{1}{4} \left(\log(x^4 + 1) - 2(1 + \sqrt{2}) \tan^{-1}(1 - \sqrt{2}x) + 2(\sqrt{2} - 1) \tan^{-1}(\sqrt{2}x + 1) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x + x^2 + x^3)/(1 + x^4), x]
```

```
[Out] (-2*(1 + Sqrt[2])*ArcTan[1 - Sqrt[2]*x] + 2*(-1 + Sqrt[2])*ArcTan[1 + Sqrt[2]*x] + Log[1 + x^4])/4
```

fricas [B] time = 0.72, size = 145, normalized size = 2.74

$$-\sqrt{-2\sqrt{2} + 3} \arctan \left(\sqrt{x^2 + \sqrt{2}x + 1} (\sqrt{2} + 2) \sqrt{-2\sqrt{2} + 3} - (\sqrt{2}(x + 1) + 2x + 1) \sqrt{-2\sqrt{2} + 3} \right) + \sqrt{2\sqrt{2} + 3} \arctan \left(\sqrt{x^2 + \sqrt{2}x + 1} (\sqrt{2} - 2) \sqrt{2\sqrt{2} + 3} - (\sqrt{2}(x + 1) - 2x - 1) \sqrt{2\sqrt{2} + 3} \right) + \frac{1}{4} \log(x^2 + \sqrt{2}x + 1) + \frac{1}{4} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^3+x^2+x+1)/(x^4+1), x, algorithm="fricas")
```

```
[Out] -sqrt(-2*sqrt(2) + 3)*arctan(sqrt(x^2 + sqrt(2)*x + 1)*(sqrt(2) + 2)*sqrt(-2*sqrt(2) + 3) - (sqrt(2)*(x + 1) + 2*x + 1)*sqrt(-2*sqrt(2) + 3)) + sqrt(2*sqrt(2) + 3)*arctan(-sqrt(2)*(x + 1) - sqrt(x^2 - sqrt(2)*x + 1)*(sqrt(2) - 2) - 2*x - 1)*sqrt(2*sqrt(2) + 3)) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)
```

giac [A] time = 0.15, size = 70, normalized size = 1.32

$$\frac{1}{2}(\sqrt{2}-1)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{2}(\sqrt{2}+1)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{4}\log(x^2+\sqrt{2}x+1)+\frac{1}{4}\log(x^2-\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="giac")

[Out] 1/2*(sqrt(2) - 1)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/2*(sqrt(2) + 1)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)

maple [B] time = 0.05, size = 102, normalized size = 1.92

$$\frac{\arctan(x^2)}{2} + \frac{\sqrt{2}\arctan(\sqrt{2}x-1)}{2} + \frac{\sqrt{2}\arctan(\sqrt{2}x+1)}{2} + \frac{\sqrt{2}\ln\left(\frac{x^2-\sqrt{2}x+1}{x^2+\sqrt{2}x+1}\right)}{8} + \frac{\sqrt{2}\ln\left(\frac{x^2+\sqrt{2}x+1}{x^2-\sqrt{2}x+1}\right)}{8} + \frac{\ln(x^4+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(x^4+1),x)

[Out] 1/2*2^(1/2)*arctan(2^(1/2)*x-1)+1/8*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/2*2^(1/2)*arctan(2^(1/2)*x+1)+1/2*arctan(x^2)+1/8*2^(1/2)*ln((x^2-2^(1/2)*x+1)/(x^2+2^(1/2)*x+1))+1/4*ln(x^4+1)

maxima [A] time = 3.00, size = 76, normalized size = 1.43

$$-\frac{1}{4}\sqrt{2}(\sqrt{2}-2)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{4}\sqrt{2}(\sqrt{2}+2)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{4}\log(x^2+\sqrt{2}x+1)+\frac{1}{4}\log(x^2-\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="maxima")

[Out] -1/4*sqrt(2)*(sqrt(2) - 2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*sqrt(2)*(sqrt(2) + 2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)

mupad [B] time = 0.40, size = 156, normalized size = 2.94

$$\ln\left((16x-16)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}+\frac{1}{4}\right)-8x\right)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}+\frac{1}{4}\right)-\ln\left(8x+(16x-16)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}-\frac{1}{4}\right)\right)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}-\frac{1}{4}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(x^4 + 1),x)

[Out] log((16*x - 16)*((- 2*2^(1/2) - 3)^(1/2)/4 + 1/4) - 8*x)*((- 2*2^(1/2) - 3)^(1/2)/4 + 1/4) - log(8*x + (16*x - 16)*((- 2*2^(1/2) - 3)^(1/2)/4 - 1/4))*((- 2*2^(1/2) - 3)^(1/2)/4 - 1/4) - log(8*x + (16*x - 16)*((2*2^(1/2) - 3)^(1/2)/4 - 1/4))*((2*2^(1/2) - 3)^(1/2)/4 - 1/4) + log(8*x - (16*x - 16)*((2*2^(1/2) - 3)^(1/2)/4 + 1/4))*((2*2^(1/2) - 3)^(1/2)/4 + 1/4)

sympy [A] time = 0.43, size = 73, normalized size = 1.38

$$\frac{\log(x^2-\sqrt{2}x+1)}{4}+\frac{\log(x^2+\sqrt{2}x+1)}{4}+2\left(\frac{1}{4}+\frac{\sqrt{2}}{4}\right)\operatorname{atan}\left(\sqrt{2}x-1\right)+2\left(-\frac{1}{4}+\frac{\sqrt{2}}{4}\right)\operatorname{atan}\left(\sqrt{2}x+1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**3+x**2+x+1)/(x**4+1),x)
```

```
[Out] log(x**2 - sqrt(2)*x + 1)/4 + log(x**2 + sqrt(2)*x + 1)/4 + 2*(1/4 + sqrt(2)/4)*atan(sqrt(2)*x - 1) + 2*(-1/4 + sqrt(2)/4)*atan(sqrt(2)*x + 1)
```

$$3.169 \quad \int \frac{1+x+x^2+x^3}{a-bx^4} dx$$

Optimal. Leaf size=124

$$-\frac{(\sqrt{a}-\sqrt{b})\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b})\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a-bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] $-1/4*\ln(-b*x^4+a)/b-1/2*\arctan(b^{(1/4)}*x/a^{(1/4)})*(a^{(1/2)}-b^{(1/2)})/a^{(3/4)}/b^{(3/4)}+1/2*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(a^{(1/2)}+b^{(1/2)})/a^{(3/4)}/b^{(3/4)}$

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$-\frac{(\sqrt{a}-\sqrt{b})\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b})\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a-bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a - b*x^4), x]

[Out] $-((\text{Sqrt}[a] - \text{Sqrt}[b])*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + ((\text{Sqrt}[a] + \text{Sqrt}[b])*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + \text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]]/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - \text{Log}[a - b*x^4]/(4*b)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ

[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned} \int \frac{1+x+x^2+x^3}{a-bx^4} dx &= \int \left(\frac{1+x^2}{a-bx^4} + \frac{x(1+x^2)}{a-bx^4} \right) dx \\ &= \int \frac{1+x^2}{a-bx^4} dx + \int \frac{x(1+x^2)}{a-bx^4} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a-bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(1 - \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b}-bx^2} dx + \frac{1}{2} \left(1 + \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{\sqrt{a}} \\ &= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{a-bx^2} dx, x, x^2 \right) \\ &= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{\tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{\log(a-bx^4)}{4b} \end{aligned}$$

Mathematica [A] time = 0.06, size = 203, normalized size = 1.64

$$\frac{(a^{3/4} + \sqrt{a}\sqrt[4]{b} + \sqrt[4]{a}\sqrt{b}) \log(\sqrt[4]{a} - \sqrt[4]{b}x)}{4ab^{3/4}} - \frac{(-a^{3/4} + \sqrt{a}\sqrt[4]{b} - \sqrt[4]{a}\sqrt{b}) \log(\sqrt[4]{a} + \sqrt[4]{b}x)}{4ab^{3/4}} + \frac{(\sqrt[4]{a}\sqrt{b} - a^{3/4}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2ab^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(a - b*x^4), x]

[Out] ((-a^(3/4) + a^(1/4)*Sqrt[b])*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a*b^(3/4)) - ((a^(3/4) + Sqrt[a]*b^(1/4) + a^(1/4)*Sqrt[b])*Log[a^(1/4) - b^(1/4)*x]/(4*a*b^(3/4)) - ((-a^(3/4) + Sqrt[a]*b^(1/4) - a^(1/4)*Sqrt[b])*Log[a^(1/4) + b^(1/4)*x]/(4*a*b^(3/4)) + Log[Sqrt[a] + Sqrt[b]*x^2]/(4*Sqrt[a]*Sqrt[b]) - Log[a - b*x^4]/(4*b))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.17, size = 290, normalized size = 2.34

$$-\frac{\log(|bx^4 - a|)}{4b} + \frac{\sqrt{2} \left((-ab^3)^{\frac{1}{4}} b^2 - \sqrt{2} \sqrt{-ab^3} b + (-ab^3)^{\frac{3}{4}} \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \frac{\sqrt{2} \left((-ab^3)^{\frac{1}{4}} b^2 + \sqrt{2} \sqrt{-ab^3} b + (-ab^3)^{\frac{3}{4}} \right) \operatorname{arctanh} \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a),x, algorithm="giac")

[Out]
$$-1/4*\log(\text{abs}(b*x^4 - a))/b + 1/4*\sqrt{2}*((-a*b^3)^{(1/4)}*b^2 - \sqrt{2}*\sqrt{-a*b^3}*b + (-a*b^3)^{(3/4)})*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a*b^3) + 1/4*\sqrt{2}*((-a*b^3)^{(1/4)}*b^2 + \sqrt{2}*\sqrt{-a*b^3}*b + (-a*b^3)^{(3/4)})*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a*b^3) + 1/8*\sqrt{2}*((-a*b^3)^{(1/4)}*b^2 - (-a*b^3)^{(3/4)})*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a*b^3) - 1/8*\sqrt{2}*((-a*b^3)^{(1/4)}*b^2 - (-a*b^3)^{(3/4)})*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a*b^3)$$

maple [B] time = 0.05, size = 171, normalized size = 1.38

$$\frac{\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} - \frac{\ln(bx^4-a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-b*x^4+a),x)

[Out]
$$1/4*(a/b)^{(1/4)}/a*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/2*(a/b)^{(1/4)}/a*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/2/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+1/4/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/4/b*\ln(b*x^4-a)$$

maxima [A] time = 3.02, size = 160, normalized size = 1.29

$$\frac{(\sqrt{a} - \sqrt{b}) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a} + \sqrt{b}) \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a} + \sqrt{b}) \ln(bx^4 - a)}{4\sqrt{a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a),x, algorithm="maxima")

[Out]
$$-1/2*(\sqrt{a} - \sqrt{b})*\arctan(\sqrt{b}*x/\sqrt{(\sqrt{a}\sqrt{b})})/(\sqrt{a}\sqrt{(\sqrt{a}\sqrt{b})}) - 1/4*(\sqrt{a} - \sqrt{b})*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}\sqrt{b}) - 1/4*(\sqrt{a} + \sqrt{b})*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}\sqrt{b}) - 1/4*(\sqrt{a} + \sqrt{b})*\log((\sqrt{b}*x - \sqrt{(\sqrt{a}\sqrt{b})})/(\sqrt{b}*x + \sqrt{(\sqrt{a}\sqrt{b})}))/(\sqrt{a}\sqrt{(\sqrt{a}\sqrt{b})})$$

mupad [B] time = 5.03, size = 312, normalized size = 2.52

$$\sum_{k=1}^4 \ln\left(-\text{root}\left(256a^3b^4z^4 + 256a^3b^3z^3 + 96a^3b^2z^2 - 96a^2b^3z^2 + 16a^3bz + 16ab^3z - 32a^2b^2z - 3a^2b + b^3 + a^3, z, k\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(a - b*x^4),x)

[Out]
$$\text{symsum}(\log(-\text{root}(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3 + a^3, z, k))*(\text{root}(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3 + a^3, z, k))*(16*a*b^3 - 16*a*b^3*x) - x*(4*a*b^2 - 4*b^3)))/\text{root}(256$$

```
*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b
*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3 + a^3, z, k), k, 1
, 4)
```

```
sympy [A] time = 2.28, size = 187, normalized size = 1.51
```

$$-\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 - 96a^2b^3) + t(-16a^3b + 32a^2b^2 - 16ab^3) + a^3 - 3a^2b + 3ab^2 - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**3+x**2+x+1)/(-b*x**4+a),x)
```

```
[Out] -RootSum(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + _t**2*(96*a**3*b**2 -
96*a**2*b**3) + _t*(-16*a**3*b + 32*a**2*b**2 - 16*a*b**3) + a**3 - 3*a**2*
b + 3*a*b**2 - b**3, Lambda(_t, _t*log(x + (-64*_t**3*a**3*b**3 + 48*_t**2*
a**3*b**2 + 16*_t**2*a**2*b**3 - 12*_t*a**3*b + 16*_t*a**2*b**2 - 4*_t*a*b*
**3 + a**3 - 2*a**2*b + a*b**2)/(a**2*b - 2*a*b**2 + b**3))))
```

$$3.170 \quad \int \frac{1+x+x^2+x^3}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \arctan\left(\frac{\sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}\right)}{2\sqrt{2} a^{3/4} b^{3/4}}$$

[Out] 1/4*ln(b*x^4+a)/b+1/8*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(a^(1/2)-b^(1/2))/a^(3/4)/b^(3/4)*2^(1/2)-1/8*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(a^(1/2)-b^(1/2))/a^(3/4)/b^(3/4)*2^(1/2)+1/2*arctan(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)+1/4*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(a^(1/2)+b^(1/2))/a^(3/4)/b^(3/4)*2^(1/2)+1/4*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(a^(1/2)+b^(1/2))/a^(3/4)/b^(3/4)*2^(1/2)

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.579$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \arctan\left(\frac{\sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}\right)}{2\sqrt{2} a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] ArcTan[(Sqrt[b]*x^2)/Sqrt[a]]/(2*Sqrt[a]*Sqrt[b]) - ((Sqrt[a] + Sqrt[b])*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[a] + Sqrt[b])*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[a] - Sqrt[b])*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) - ((Sqrt[a] - Sqrt[b])*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) + Log[a + b*x^4]/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)^((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n]
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x+x^2+x^3}{a+bx^4} dx &= \int \left(\frac{1+x^2}{a+bx^4} + \frac{x(1+x^2)}{a+bx^4} \right) dx \\
&= \int \frac{1+x^2}{a+bx^4} dx + \int \frac{x(1+x^2)}{a+bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a+bx^2} dx, x, x^2 \right) - \frac{\left(1 - \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}-bx^2}{a+bx^4} dx}{2b} + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}+bx^2}{a+bx^4} dx}{2b} \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{a+bx^2} dx, x, x^2 \right) + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}x}{\sqrt{a}}} dx}{4b} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} + \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} - \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{a}+\sqrt{b}) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} +
\end{aligned}$$

Mathematica [A] time = 0.24, size = 283, normalized size = 1.02

$$\sqrt{2}\sqrt[4]{b}(a^{3/4}-\sqrt[4]{a}\sqrt{b})\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)+\sqrt{2}\sqrt[4]{b}(\sqrt[4]{a}\sqrt{b}-a^{3/4})\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] (-2*a^(1/4)*(Sqrt[2]*Sqrt[a] + 2*a^(1/4)*b^(1/4) + Sqrt[2]*Sqrt[b])*b^(1/4) *ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*a^(1/4)*(Sqrt[2]*Sqrt[a] - 2*a^(1/4)*b^(1/4) + Sqrt[2]*Sqrt[b])*b^(1/4)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(a^(3/4) - a^(1/4)*Sqrt[b])*b^(1/4)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(-a^(3/4) + a^(1/4)*Sqrt[b])*b^(1/4)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a*Log[a + b*x^4]/(8*a*b)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 270, normalized size = 0.97

$$\frac{\log(|bx^4 + a|)}{4b} + \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 - \sqrt{2}\sqrt{ab^3}b + (ab^3)^{\frac{3}{4}}\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3} + \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 + \sqrt{2}\sqrt{ab^3}b + (ab^3)^{\frac{3}{4}}\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4} \log(\text{abs}(b*x^4 + a))/b + \frac{1}{4} \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 - \sqrt{2} * \sqrt{a} * b^3) * b + (a*b^3)^{(3/4)} * \arctan(1/2 * \sqrt{2} * (2*x + \sqrt{2} * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a*b^3) + \frac{1}{4} \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 + \sqrt{2} * \sqrt{a} * b^3) * b + (a*b^3)^{(3/4)} * \arctan(1/2 * \sqrt{2} * (2*x - \sqrt{2} * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a*b^3) + \frac{1}{8} \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 - (a*b^3)^{(3/4)}) * \log(x^2 + \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a*b^3) - \frac{1}{8} \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 - (a*b^3)^{(3/4)}) * \log(x^2 - \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a*b^3)$

maple [A] time = 0.05, size = 286, normalized size = 1.03

$$\frac{\arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a} + \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(b*x^4+a),x)

[Out] $\frac{1}{8} * (a/b)^{(1/4)} / a * 2^{(1/2)} * \ln((x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + \frac{1}{4} * (a/b)^{(1/4)} / a * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + \frac{1}{4} * (a/b)^{(1/4)} / a * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + \frac{1}{2} / (a*b)^{(1/2)} * \arctan((1/a*b)^{(1/2)} * x^2) + \frac{1}{8} * b / (a/b)^{(1/4)} * 2^{(1/2)} * \ln((x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + \frac{1}{4} * b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + \frac{1}{4} * b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + \frac{1}{4} * \ln(b*x^4+a) / b$

maxima [A] time = 2.98, size = 296, normalized size = 1.07

$$\frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} - \sqrt{a} \sqrt{b} + b \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} + \sqrt{a} \sqrt{b} - b \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8} * \sqrt{2} * (\sqrt{2} * a^{(3/4)} * b^{(1/4)} - \sqrt{a} * \sqrt{b} + b) * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(5/4)}) + \frac{1}{8} * \sqrt{2} * (\sqrt{2} * a^{(3/4)} * b^{(1/4)} + \sqrt{a} * \sqrt{b} - b) * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(5/4)}) + \frac{1}{4} * ((\sqrt{2} * a^{(1/4)} * b^{(1/4)} - 2 * \sqrt{a}) * b + (\sqrt{2} * a^{(3/4)} * b^{(1/4)} + 2 * a) * \sqrt{b} - 2 * a * \sqrt{b}) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a} * \sqrt{b}) / (a^{(3/4)} * \sqrt{a} * \sqrt{b}) * b^{(5/4)} + \frac{1}{4} * ((\sqrt{2} * a^{(1/4)} * b^{(1/4)} + 2 * \sqrt{a}) * b + (\sqrt{2} * a^{(3/4)} * b^{(1/4)} - 2 * a) * \sqrt{b} + 2 * a * \sqrt{b}) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a} * \sqrt{b}) / (a^{(3/4)} * \sqrt{a} * \sqrt{b}) * b^{(5/4)}$

mupad [B] time = 5.04, size = 305, normalized size = 1.10

$$\sum_{k=1}^4 \ln \left(-\text{root} \left(256 a^3 b^4 z^4 - 256 a^3 b^3 z^3 + 96 a^3 b^2 z^2 + 96 a^2 b^3 z^2 - 16 a^3 b z - 16 a b^3 z - 32 a^2 b^2 z + 3 a^2 b + 3 a \right), z \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(a + b*x^4),x)

```
[Out] symsum(log(-root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k)*(root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k)*(16*a*b^3 - 16*a*b^3*x) + x*(4*a*b^2 + 4*b^3)))*root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k), k, 1, 4)
```

sympy [A] time = 2.27, size = 187, normalized size = 0.68

$$\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 + 96a^2b^3) + t(-16a^3b - 32a^2b^2 - 16ab^3) + a^3 + 3a^2b + 3ab^2 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**3+x**2+x+1)/(b*x**4+a),x)
```

```
[Out] RootSum(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + _t**2*(96*a**3*b**2 + 96*a**2*b**3) + _t*(-16*a**3*b - 32*a**2*b**2 - 16*a*b**3) + a**3 + 3*a**2*b + 3*a*b**2 + b**3, Lambda(_t, _t*log(x + (64*_t**3*a**3*b**3 - 48*_t**2*a**3*b**2 + 16*_t**2*a**2*b**3 + 12*_t*a**3*b + 16*_t*a**2*b**2 + 4*_t*a*b**3 - a**3 - 2*a**2*b - a*b**2)/(a**2*b + 2*a*b**2 + b**3))))
```

$$3.171 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$$

Optimal. Leaf size=148

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

[Out] $-g*x/b-1/4*f*\ln(-b*x^4+a)/b+1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}+1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}$

Rubi [A] time = 0.20, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {1885, 1248, 635, 208, 260, 1887, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]

[Out] $-\left(\frac{g*x}{b}\right) + \left(\frac{(b*c - \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e + a*g)*\operatorname{ArcTan}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{(2*a^{(3/4)}*b^{(5/4)})} + \left(\frac{(b*c + \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e + a*g)*\operatorname{ArcTanh}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{(2*a^{(3/4)}*b^{(5/4)})} + \frac{(d*\operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[b]*x^2}{\operatorname{Sqrt}[a]}\right])}{(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[b])} - \frac{(f*\operatorname{Log}[a - b*x^4])}{(4*b)}\right)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrt[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248


```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
  2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
  x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
  + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a - bx^4} + \frac{c + ex^2 + gx^4}{a - bx^4} \right) dx \\ &= \int \frac{x(d + fx^2)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4}{a - bx^4} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\ &= -\frac{gx}{b} + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\ &= -\frac{gx}{b} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a}\sqrt{b}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - (a - bx^4)} dx \\ &= -\frac{gx}{b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 249, normalized size = 1.68

$$-a^{3/4}\sqrt[4]{b}f \log(a - bx^4) - 4a^{3/4}\sqrt[4]{b}gx - \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(\sqrt[4]{a}b^{3/4}d + \sqrt{a}\sqrt{b}e + ag + bc\right) + \sqrt[4]{a}b^{3/4}d \log\left(\sqrt{a} - \sqrt{b}x\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]
```

```
[Out] (-4*a^(3/4)*b^(1/4)*g*x + 2*(b*c - Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)
*x)/a^(1/4)] - (b*c + a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e + a*g)*Log[a^(1
/4) - b^(1/4)*x] + b*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*b^(3/4)*d*Log[a^(
1/4) + b^(1/4)*x] + Sqrt[a]*Sqrt[b]*e*Log[a^(1/4) + b^(1/4)*x] + a*g*Log[a^(
1/4) + b^(1/4)*x] + a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2] - a^(3/4)
*b^(1/4)*f*Log[a - b*x^4])/(4*a^(3/4)*b^(5/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 303, normalized size = 2.05

$$\frac{\sqrt{2} \left(b^2 c + a b g - \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(b^2 c + a b g + \sqrt{2} (-a b^3)^{\frac{1}{4}} b d - \sqrt{-a b} b e \right)}{4 (-a b^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c + a*b*g - sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + a*b*g + sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - g*x/b - 1/4*f*log(abs(b*x^4 - a))/b

maple [B] time = 0.05, size = 244, normalized size = 1.65

$$\frac{d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{4 \sqrt{a b}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} - \frac{f \ln (b x^4 - a)}{4 b} - \frac{g x}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out] -g*x/b+1/2/b*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*g+1/2*c*(a/b)^(1/4)/a*arctan(1/(a/b)^(1/4)*x)+1/4/b*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+1/4*c*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4*d/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2*e/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4*e/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4/b*f*ln(b*x^4-a)

maxima [A] time = 3.10, size = 202, normalized size = 1.36

$$\frac{2 \left(b^{\frac{3}{2}} c - \sqrt{a} b e + a \sqrt{b} g \right) \arctan \left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}} \right) + \left(b^{\frac{3}{2}} d - \sqrt{a} b f \right) \log(\sqrt{b} x^2 + \sqrt{a}) - \left(b^{\frac{3}{2}} d + \sqrt{a} b f \right) \log(\sqrt{b} x^2 - \sqrt{a}) - \left(b^{\frac{3}{2}} c + \sqrt{a} b e + a \sqrt{b} g \right) \log \left(\frac{x + \sqrt{\sqrt{a} \sqrt{b}}}{x - \sqrt{\sqrt{a} \sqrt{b}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} + \frac{\left(b^{\frac{3}{2}} d - \sqrt{a} b f \right) \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} b} - \frac{\left(b^{\frac{3}{2}} d + \sqrt{a} b f \right) \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} b} - \frac{\left(b^{\frac{3}{2}} c + \sqrt{a} b e + a \sqrt{b} g \right) \log \left(\frac{x + \sqrt{\sqrt{a} \sqrt{b}}}{x - \sqrt{\sqrt{a} \sqrt{b}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} - \frac{g x}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] -g*x/b + 1/4*(2*(b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + (b^(3/2)*d - sqrt(a)*b*f)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - (b^(3/2)*d + sqrt(a)*b*f)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (b^(3/2)*c + sqrt(a)*b*e + a

$$\begin{aligned}
& *g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d* \\
& f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2 \\
& *a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 \\
& - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a^2*b*g^2*x + 2*a*b*c*e*g + 2*a* \\
& b*d*e*f - 8*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - \\
& 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2* \\
& e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16 \\
& *a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z \\
& + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c* \\
& e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2 \\
& *d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 \\
& - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3 \\
& *d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a*b^2*c*f + 8*root(256*a^3*b^5 \\
& *z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3 \\
& *b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f* \\
& z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b \\
& ^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2 \\
& *b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - \\
& 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4* \\
& a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3 \\
& *b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - \\
& b^4*c^4, z, k)*a*b^2*d*e - 8*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - \\
& 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2 \\
& *z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16 \\
& *a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d \\
& *z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d \\
& *e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b* \\
& d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g \\
& - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 \\
& + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a^2*b*f* \\
& g + a*b*d*f^2*x - a*b*e^2*f*x + 2*b^2*c*d*e*x - 8*root(256*a^3*b^5*z^4 + 25 \\
& 6*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2* \\
& z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2 \\
& *b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z \\
& + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2* \\
& e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e \\
& *f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 \\
& - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 \\
& + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, \\
& z, k)*a*b^2*c*g*x + 8*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3 \\
& *e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - \\
& 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2 \\
& *d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16* \\
& a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + \\
& 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 \\
& + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2 \\
& *b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b \\
& *f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a*b^2*d*f*x - 2* \\
& a*b*c*f*g*x + 2*a*b*d*e*g*x)*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64* \\
& a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2* \\
& z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3 \\
& *b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + \\
& 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2 \\
& *f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f* \\
& g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6 \\
& *a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + \\
& a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k), k, 1, 4) - \\
& (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.172 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$$

Optimal. Leaf size=172

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bx^2)}{4ab(a-bx^4)}$$

[Out] 1/4*x*(b*f*x^3+b*e*x^2+b*d*x+a*g+b*c)/a/b/(-b*x^4+a)+1/4*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)+1/8*arctan(b^(1/4)*x/a^(1/4))*(3*b*c-a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(3*b*c-a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)

Rubi [A] time = 0.16, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bx^2)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D

```
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^2} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + 2bdx + bex^2}{a - bx^4} dx}{4ab} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \left(\frac{2bdx}{a - bx^4} + \frac{3bc - ag + bex^2}{a - bx^4} \right) dx}{4ab} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + bex^2}{a - bx^4} dx}{4ab} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{(3bc - \sqrt{a})}{16a^{7/4}b^{5/4}} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(3bc - \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{5/4}} + \dots \end{aligned}$$

Mathematica [A] time = 0.43, size = 221, normalized size = 1.28

$$\frac{4a^{3/4} \sqrt[4]{b} (a(f+gx)+bx(c+x(d+ex)))}{a-bx^4} - \log(\sqrt[4]{a} - \sqrt[4]{b}x) (2\sqrt[4]{a}b^{3/4}d + \sqrt{a}\sqrt{b}e - ag + 3bc) + \log(\sqrt[4]{a} + \sqrt[4]{b}x) (-2\sqrt[4]{a}b^3 + 3bc - \sqrt{a})$$

$$16a^{7/4}b^{5/4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2,x]
```

```
[Out] ((4*a^(3/4)*b^(1/4)*(a*(f + g*x) + b*x*(c + x*(d + e*x)))/(a - b*x^4) - 2*
(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (3*b*c + 2
*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) - b^(1/4)*x] + (3
*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) + b^(1/4)
*x] + 2*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^(7/4)*b^(5/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 0.18, size = 344, normalized size = 2.00

$$\frac{\sqrt{2} \left(3 b^2 c - a b g - 2 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3 b^2 c - a b g + 2 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d - \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 (-a b^3)^{\frac{3}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - a*b*g - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/16*sqrt(2)*(3*b^2*c - a*b*g + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) + 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) - 1/4*(b*x^3*e + b*d*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)

maple [B] time = 0.05, size = 289, normalized size = 1.68

$$\frac{d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{8 \sqrt{a b} a} + \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 a b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 a b} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] (-1/4/a*e*x^3-1/4/a*d*x^2-1/4*(a*g+b*c)/a/b*x-1/4/b*f)/(b*x^4-a)-1/8/b/a*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*g+3/8*(a/b)^(1/4)/a^2*c*arctan(1/(a/b)^(1/4)*x)-1/16/b/a*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+3/16*(a/b)^(1/4)/a^2*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/8/(a*b)^(1/2)/a*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/8/(a/b)^(1/4)/a/b*e*arctan(1/(a/b)^(1/4)*x)+1/16/(a/b)^(1/4)/a/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.11, size = 224, normalized size = 1.30

$$\frac{b e x^3 + b d x^2 + a f + (b c + a g) x}{4 (a b^2 x^4 - a^2 b)} + \frac{2 \sqrt{b} d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a}} - \frac{2 \sqrt{b} d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a}} + \frac{2 \left(3 b^{\frac{3}{2}} c - \sqrt{a} b e - a \sqrt{b} g \right) \arctan \left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} - \frac{3 b^{\frac{3}{2}} c + \sqrt{a} b e - a \sqrt{b} g}{16 a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(b*e*x^3 + b*d*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*sqrt(b)*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a) - 2*sqrt(b)*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a) + 2*(3*b^(3/2)*c - sqrt(a)*b*e - a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*b^(3/2)*c + sqrt(a)*b*e - a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a*b)

mupad [B] time = 5.56, size = 1393, normalized size = 8.10

$$\left(\sum_{k=1}^4 \ln \left(-\frac{-a^2 e g^2 + 6 a b c e g - 4 a b d^2 g + a b e^3 - 9 b^2 c^2 e + 12 b^2 c d^2}{64 a^3} - \frac{\text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 - 3072 a^4 b^4 c e z^2 - 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z + 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z + 1152 a^2 b^4 c^2 d z + 16 a^2 b^2 d^2 e g - 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 - 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 - 81 b^4 c^4 - a^2 b^2 e^4 - a^4 g^4, z, k) * b * (9 b^2 c^2 x + a^2 g^2 x - 16 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 - 3072 a^4 b^4 c e z^2 - 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z + 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z + 1152 a^2 b^4 c^2 d z + 16 a^2 b^2 d^2 e g - 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 - 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 - 81 b^4 c^4 - a^2 b^2 e^4 - a^4 g^4, z, k) * a^3 * b * g + a * b * e^2 * x + 48 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 - 3072 a^4 b^4 c e z^2 - 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z + 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z + 1152 a^2 b^4 c^2 d z + 16 a^2 b^2 d^2 e g - 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 - 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 - 81 b^4 c^4 - a^2 b^2 e^4 - a^4 g^4, z, k) * a^2 * b^2 * c - 4 a * b * d * e - 32 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 - 3072 a^4 b^4 c e z^2 - 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z + 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z + 1152 a^2 b^4 c^2 d z + 16 a^2 b^2 d^2 e g - 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 - 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 - 81 b^4 c^4 - a^2 b^2 e^4 - a^4 g^4, z, k) * a^2 * b^2 * d * x - 6 a * b * c * g * x) \right) / (4 a^2) - (b * d * x * (2 * b * d^2 - 3 * b * c * e + a * e * g)) / (16 a^3) * \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 - 3072 a^4 b^4 c e z^2 - 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z + 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z + 1152 a^2 b^4 c^2 d z + 16 a^2 b^2 d^2 e g - 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 - 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 - 81 b^4 c^4 - a^2 b^2 e^4 - a^4 g^4, z, k), k, 1, 4) + (f / (4 * b) + (d * x^2) / (4 * a) + (e * x^3) / (4 * a) + (x * (b * c + a * g)) / (4 * a * b)) / (a - b * x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2,x)

[Out] symsum(log(- (12*b^2*c*d^2 - 9*b^2*c^2*e - a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*b*(9*b^2*c^2*x + a^2*g^2*x - 16*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^3*b*g + a*b*e^2*x + 48*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^2*b^2*c - 4*a*b*d*e - 32*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^2*b^2*d*x - 6*a*b*c*g*x))/(4*a^2) - (b*d*x*(2*b*d^2 - 3*b*c*e + a*e*g))/(16*a^3))*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (x*(b*c + a*g))/(4*a*b))/(a - b*x^4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.173 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$$

Optimal. Leaf size=221

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(-ag+7bc+6bdx+5bex^2)}{32a^2b(a-bx^4)}$$

[Out] 1/8*x*(b*f*x^3+b*e*x^2+b*d*x+a*g+b*c)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(5*b*e*x^2+6*b*d*x-a*g+7*b*c))/a^2/b/(-b*x^4+a)+3/16*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)+1/64*arctan(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)

Rubi [A] time = 0.26, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{x(-ag+7bc+6bdx+5bex^2)}{32a^2b(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + (3*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]]/(16*a^(5/2)*sqrt[b]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^3} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{\int \frac{7bc - ag + 6bdx + 5bex^2 + 4bfx^3}{(a - bx^4)^2} dx}{8ab} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \int \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} dx \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \int \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} dx \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \int \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} dx \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \int \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} dx \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \int \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} dx \end{aligned}$$

Mathematica [A] time = 0.77, size = 263, normalized size = 1.19

$$\frac{4a^{3/4} \sqrt[4]{b} (a^2(4f + 3gx) + abx(11c + x(10d + 9ex + gx^3)) - b^2x^5(7c + x(6d + 5ex)))}{(a - bx^4)^2} - \log(\sqrt[4]{a} - \sqrt[4]{b}x) (12\sqrt[4]{a}b^{3/4}d + 5\sqrt{a}\sqrt{b}e - 3ag + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x]

[Out] ((4*a^(3/4)*b^(1/4)*(a^2*(4*f + 3*g*x) - b^2*x^5*(7*c + x*(6*d + 5*e*x)) + a*b*x*(11*c + x*(10*d + 9*e*x + g*x^3))))/(a - b*x^4)^2 + 2*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (21*b*c + 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) - b^(1/4)*x] + (21*b*c - 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) + b^(1/4)*x] + 12*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(128*a^(11/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 393, normalized size = 1.78

$$\frac{\sqrt{2} \left(21 b^2 c - 3 a b g - 12 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 5 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c - 3 a b g + 12 \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} b d + 5 \sqrt{-a b} b e \right)}{128 \left(-a b^3 \right)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] -1/128*sqrt(2)*(21*b^2*c - 3*a*b*g - 12*sqrt(2)*(-a*b^3)^(1/4)*b*d + 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/128*sqrt(2)*(21*b^2*c - 3*a*b*g + 12*sqrt(2)*(-a*b^3)^(1/4)*b*d - 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 - a*b*g*x^5 - 9*a*b*x^3*e - 10*a*b*d*x^2 - 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b)

maple [A] time = 0.07, size = 328, normalized size = 1.48

$$\frac{3d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{32 \sqrt{ab} a^2} + \frac{5e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^2 b} + \frac{21 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] -(5/32/a^2*b*e*x^7+3/16/a^2*b*d*x^6-1/32*(a*g-7*b*c)/a^2*x^5-9/32/a*e*x^3-5/16/a*d*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a)^2-3/64/a^2/b*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*g+21/64*(a/b)^(1/4)/a^3*c*arctan(1/(a/b)^(1/4)*x)-3/128/a^2/b*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-3/32/(a*b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a/b)^(1/4)/a^2/b*e*arc

$\tan(1/(a/b)^{(1/4)}*x)+5/128/(a/b)^{(1/4)/a^2/b*e*\ln((x+(a/b)^{(1/4)))/(x-(a/b)^{(1/4))})$

maxima [A] time = 3.00, size = 284, normalized size = 1.29

$$\frac{5b^2ex^7 + 6b^2dx^6 - 9abex^3 + (7b^2c - abg)x^5 - 10abdx^2 - 4a^2f - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{12\sqrt{b}d\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 - 9*a*b*e*x^3 + (7*b^2*c - a*b*g)*x^5 - 10*a*b*d*x^2 - 4*a^2*f - (11*a*b*c + 3*a^2*g)*x)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(12*\sqrt{b}*d*\log(\sqrt{b}*x^2 + \sqrt{a})/\sqrt{a} - 12*\sqrt{b}*d*\log(\sqrt{b}*x^2 - \sqrt{a})/\sqrt{a} + 2*(21*b^{(3/2)}*c - 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}})/(\sqrt{a}*\sqrt{b}) - (21*b^{(3/2)}*c + 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g)*\log((\sqrt{b}*x - \sqrt{a*\sqrt{b}})/(\sqrt{b}*x + \sqrt{a*\sqrt{b}})))/(\sqrt{a}*\sqrt{b})$

mupad [B] time = 5.44, size = 1002, normalized size = 4.53

$$\frac{\frac{f}{8b} + \frac{5dx^2}{16a} + \frac{9ex^3}{32a} - \frac{x^5(7bc-ag)}{32a^2} + \frac{x(11bc+3ag)}{32ab} - \frac{3bdx^6}{16a^2} - \frac{5bex^7}{32a^2}}{a^2 - 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(268435456 a^{11} b^5 z^4 + 983040 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x)

[Out] $(f/(8*b) + (5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) - (x^5*(7*b*c - a*g))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + \text{symsum}(\log(-\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k)*(\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k)*((344064*a^5*b^3*c - 49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a^2*b^3*c^2 + 400*a^3*b^2*e^2 - 2016*a^3*b^2*c*g))/(4096*a^6) - (15*b^2*d*e)/(32*a^3) - (3024*b^2*c*d^2 - 2205*b^2*c^2*e - 45*a^2*e*g^2 + 125*a*b*e^3 - 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(216*b^2*d^3 - 315*b^2*c*d*e + 45*a*b*d*e*g))/(4096*a^6))*\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k), k, 1, 4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.174 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$$

Optimal. Leaf size=266

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(7c+dx+ex^2+fx^3+gx^4)}{96a^2b(a-bx^4)}$$

[Out] $1/12*x*(b*f*x^3+b*e*x^2+b*d*x+a*g+b*c)/a/b/(-b*x^4+a)^3+1/384*x*(45*b*e*x^2+60*b*d*x-7*a*g+77*b*c)/a^3/b/(-b*x^4+a)+1/96*(8*a*f+x*(9*b*e*x^2+10*b*d*x-a*g+11*b*c))/a^2/b/(-b*x^4+a)^2+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)$

Rubi [A] time = 0.32, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{x(-ag+11bc+10bdx+96a^2b(a-bx^4))}{96a^2b(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

[Out] $(x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 60*b*d*x + 45*b*e*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 10*b*d*x + 9*b*e*x^2))/(96*a^2*b*(a - b*x^4)^2) + ((77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((77*b*c + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^4} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)^3} dx}{12ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 10bdx + 9bex^2)}{96a^2b(a - bx^4)^2} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 313, normalized size = 1.18

$$\frac{128a^{11/4} \sqrt[4]{b}(a(f+gx)+bx(c+x(d+ex)))}{(a-bx^4)^3} + \frac{16a^{7/4} \sqrt[4]{b}x(-ag+11bc+bx(10d+9ex))}{(a-bx^4)^2} + \frac{4a^{3/4} \sqrt[4]{b}x(-7ag+77bc+15bx(4d+3ex))}{a-bx^4} - 3 \log(\sqrt[4]{a} - \sqrt[4]{bx^4})$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

[Out] ((4*a^(3/4)*b^(1/4)*x*(77*b*c - 7*a*g + 15*b*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^(7/4)*b^(1/4)*x*(11*b*c - a*g + b*x*(10*d + 9*e*x)))/(a - b*x^4)^2 + (128*a^(11/4)*b^(1/4)*(a*(f + g*x) + b*x*(c + x*(d + e*x)))/(a - b*x^4)^3 + 6*(77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(77*b*c + 40*a^(1/4)*b^(3/4)*d + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*Log[a^(1/4) - b^(1/4)*x] + 3*(77*b*c - 40*a^(1/4)*b^(3/4)*d + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*Log[a^(1/4) + b^(1/4)*x] + 120*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(1536*a^(15/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 442, normalized size = 1.66

$$\frac{\sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 15 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c - 7 a b g + 40 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 15 \sqrt{-a b} b e \right)}{512 \left(-a b^3 \right)^{\frac{3}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 21*a^3*g*x + 32*a^3*f)/((b*x^4 - a)^3*a^3*b)

maple [A] time = 0.06, size = 368, normalized size = 1.38

$$\frac{5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{64 \sqrt{ab} a^3} + \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^3 b} + \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c}{256 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128/a^3*b^2*e*x^11-5/32/a^3*b^2*d*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6-3/64/a^2*(a*g-11*b*c)*x^5-113/384/a*e*x^3-11/32/a*d*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/256/a^3/b*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*g+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512/a^3/b*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+7/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.18, size = 345, normalized size = 1.30

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} - 126 a b^2 e x^7 - 160 a b^2 d x^6 + 7 (11 b^3 c - a b^2 g) x^9 + 113 a^2 b e x^3 + 132 a^2 b d x^2 - 18 (11 a b^2 c - a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] -1/384*(45*b^3*e*x^11 + 60*b^3*d*x^10 - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 + 7*(11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 - 18*(11*a

$$b^2c - a^2b^3g)x^5 + 32a^3f + 3(51a^2b^3c + 7a^3g)x)/(a^3b^4x^{12} - 3a^4b^3x^8 + 3a^5b^2x^4 - a^6b) + 1/512(40\sqrt{b}d\log(\sqrt{b}x^2 + \sqrt{a})/\sqrt{a} - 40\sqrt{b}d\log(\sqrt{b}x^2 - \sqrt{a})/\sqrt{a} + 2(77b^{3/2}c - 15\sqrt{a}b^2e - 7a\sqrt{b}g)\arctan(\sqrt{b}x/\sqrt{\sqrt{a}\sqrt{b}}))/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}) - (77b^{3/2}c + 15\sqrt{a}b^2e - 7a\sqrt{b}g)\log((\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}})))/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b})/(a^3b)$$

mupad [B] time = 5.66, size = 1056, normalized size = 3.97

$$\left(\sum_{k=1}^4 \ln\left(-\text{root}\left(68719476736 a^{15} b^5 z^4 - 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 - 838860800 a^8 b^4 d^2 z^2\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x)

[Out] symsum(log(- root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k)*(root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k)*((20185088*a^7*b^3*c - 1835008*a^8*b^2*g)/(2097152*a^9) - (5*b^3*d*x)/a^2) + (x*(1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 + 7200*a^4*b^2*e^2 - 34496*a^4*b^2*c*g))/(131072*a^9) - (75*b^2*d*e)/(256*a^5)) - (123200*b^2*c*d^2 - 88935*b^2*c^2*e - 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200*a*b*d^2*g + 16170*a*b*c*e*g)/(2097152*a^9) - (x*(4000*b^2*d^3 - 5775*b^2*c*d*e + 525*a*b*d*e*g))/(131072*a^9))*root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) - (3*x^5*(11*b*c - a*g))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4, x)

[Out] Timed out

$$3.175 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$$

Optimal. Leaf size=319

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

[Out] $g*x/b+1/4*f*\ln(b*x^4+a)/b+1/2*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)$
 $-1/8*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*$
 $b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/8*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x$
 $^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/4*\arctan(-$
 $1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2$
 $^(1/2)+1/4*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/$
 $a^(3/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.35, antiderivative size = 319, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1885, 1248, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] $(g*x)/b + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) - ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[\{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]/b, x\} /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-(a*c)]$

Rule 1162

$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[-(a*c)]$

Rule 1248

$\text{Int}[(x_)*\{(d_)+(e_)*(x_)^2\}^{(q_)*\{(a_)+(c_)*(x_)^4\}^{(p_)}], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1885

$\text{Int}[(Pq_)*\{(a_)+(b_)*(x_)^{(n_)}\}^{(p_)}], x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{(k*n)/2}, \{k, 0, (2*(q - j))/n + 1\}]*\{(a + b*x^n)\}^p, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{!PolyQ}[Pq, x^{(n/2)}]$

Rule 1887

$\text{Int}[(Pq_)/\{(a_)+(b_)*(x_)^{(n_)}\}], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a + bx^4} + \frac{c + ex^2 + gx^4}{a + bx^4} \right) dx \\
&= \int \frac{x(d + fx^2)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{f \log(a + bx^4)}{4b} + \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{2\sqrt{a}b^{3/2}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{f \log(a + bx^4)}{4b} - \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{\frac{\sqrt{2}\sqrt[4]{a} + 2x}{\sqrt[4]{b}}}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}b^{5/4}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{5/4}} + \dots \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(bc + \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 311, normalized size = 0.97

$$2a^{3/4}\sqrt[4]{b} f \log(a + bx^4) + 8a^{3/4}\sqrt[4]{b} gx - 2 \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) (2\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e - \sqrt{2}ag + \sqrt{2}bc) + 2 \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) (2\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e - \sqrt{2}ag + \sqrt{2}bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] (8*a^(3/4)*b^(1/4)*g*x - 2*(Sqrt[2]*b*c + 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a^(3/4)*b^(1/4)*f*Log[a + b*x^4])/(8*a^(3/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.27, size = 340, normalized size = 1.07

$$\frac{gx}{b} + \frac{f \log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d + (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{1}{4}} abg + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \sqrt{2} \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] g*x/b + 1/4*f*log(abs(b*x^4 + a))/b + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)

maple [A] time = 0.06, size = 429, normalized size = 1.34

$$\frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] 1/b*g*x-1/4/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+1/4*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*c-1/8/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+1/4*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*c+1/2*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+1/8/b*e/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/b*e/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*f*ln(b*x^4+a)/b

maxima [A] time = 3.03, size = 328, normalized size = 1.03

$$\frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - abg \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + abg \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{gx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] g*x/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f + b^2*c - sqrt(a)*b^(3/2)*e - a*b*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - b^2*c + sqrt(a)*b^(3/2)*e +

$$a*b*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(5/4)}) + 2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g - 2*\sqrt{a}*b^2*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/(a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}})*b^{(5/4)}) + 2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g + 2*\sqrt{a}*b^2*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/(a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}})*b^{(5/4)})/b$$

mupad [B] time = 5.59, size = 5042, normalized size = 15.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x)

[Out] symsum(log(b^2*c*d^2 - b^2*c^2*e - a^2*e*g^2 + a^2*f^2*g + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - a*b*d^2*g - 16*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*b^3*c^2*x + b^2*c^2*f*x + a^2*f*g^2*x + 16*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)^2*a^2*b^2*g + 16*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)^2*a*b^3*d*x + 4*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)^2*a*b^3*d*x + 4*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)^2*a*b^3*d*x

$$\begin{aligned}
&^2 + a^2b^2e^4 + a^3b^2f^4 + a^2b^3d^4 + a^4g^4 + b^4c^4, z, k) * a^2b^2e \\
&^2 * x - 4 * \text{root}(256 * a^3 * b^5 * z^4 - 256 * a^3 * b^4 * f * z^3 - 64 * a^3 * b^3 * e * g * z^2 + 64 \\
&* a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * d^2 * z^2 + 32 * a^3 * b^2 * e * f \\
&* g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 * b^3 * c * d * g * z - 16 * a^3 * b^2 * d * g^2 * z - 16 * a^ \\
&2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d * z - 16 * a^3 * b^2 * f^3 * z - \\
&8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d * e^2 * f - 4 * a^2 * b^2 * c * e^2 \\
&* g + 4 * a^2 * b^2 * c * e * f^2 - 4 * a^3 * b * e * f^2 * g + 4 * a^3 * b * d * f * g^2 + 4 * a * b^3 * c^2 * d * \\
&f - 4 * a * b^3 * c * d^2 * e - 4 * a^3 * b * c * g^3 - 4 * a * b^3 * c^3 * g + 6 * a^2 * b^2 * c^2 * g^2 + 2 \\
&* a^2 * b^2 * d^2 * f^2 + 2 * a^3 * b * e^2 * g^2 + 2 * a * b^3 * c^2 * e^2 + a^2 * b^2 * e^4 + a^3 * b * \\
&f^4 + a * b^3 * d^4 + a^4 * g^4 + b^4 * c^4, z, k) * a^2 * b * g^2 * x + 2 * a * b * c * e * g + 2 * a * \\
&b * d * e * f + 8 * \text{root}(256 * a^3 * b^5 * z^4 - 256 * a^3 * b^4 * f * z^3 - 64 * a^3 * b^3 * e * g * z^2 + \\
&64 * a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * d^2 * z^2 + 32 * a^3 * b^2 * \\
&e * f * g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 * b^3 * c * d * g * z - 16 * a^3 * b^2 * d * g^2 * z - 16 \\
&* a^2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d * z - 16 * a^3 * b^2 * f^3 * z - \\
&8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d * e^2 * f - 4 * a^2 * b^2 * c * \\
&e^2 * g + 4 * a^2 * b^2 * c * e * f^2 - 4 * a^3 * b * e * f^2 * g + 4 * a^3 * b * d * f * g^2 + 4 * a * b^3 * c^2 \\
&* d * f - 4 * a * b^3 * c * d^2 * e - 4 * a^3 * b * c * g^3 - 4 * a * b^3 * c^3 * g + 6 * a^2 * b^2 * c^2 * g^2 \\
&+ 2 * a^2 * b^2 * d^2 * f^2 + 2 * a^3 * b * e^2 * g^2 + 2 * a * b^3 * c^2 * e^2 + a^2 * b^2 * e^4 + a^3 \\
&* b * f^4 + a * b^3 * d^4 + a^4 * g^4 + b^4 * c^4, z, k) * a * b^2 * c * f - 8 * \text{root}(256 * a^3 * b^ \\
&5 * z^4 - 256 * a^3 * b^4 * f * z^3 - 64 * a^3 * b^3 * e * g * z^2 + 64 * a^2 * b^4 * c * e * z^2 + 96 * a^ \\
&3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * d^2 * z^2 + 32 * a^3 * b^2 * e * f * g * z - 32 * a^2 * b^3 * c * e * f * \\
&z + 32 * a^2 * b^3 * c * d * g * z - 16 * a^3 * b^2 * d * g^2 * z - 16 * a^2 * b^3 * d^2 * f * z + 16 * a^2 * b \\
&^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d * z - 16 * a^3 * b^2 * f^3 * z - 8 * a^2 * b^2 * c * d * f * g + 4 * a^ \\
&2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d * e^2 * f - 4 * a^2 * b^2 * c * e^2 * g + 4 * a^2 * b^2 * c * e * f^2 - \\
&4 * a^3 * b * e * f^2 * g + 4 * a^3 * b * d * f * g^2 + 4 * a * b^3 * c^2 * d * f - 4 * a * b^3 * c * d^2 * e - 4 * \\
&a^3 * b * c * g^3 - 4 * a * b^3 * c^3 * g + 6 * a^2 * b^2 * c^2 * g^2 + 2 * a^2 * b^2 * d^2 * f^2 + 2 * a^3 \\
&* b * e^2 * g^2 + 2 * a * b^3 * c^2 * e^2 + a^2 * b^2 * e^4 + a^3 * b * f^4 + a * b^3 * d^4 + a^4 * g^ \\
&4 + b^4 * c^4, z, k) * a * b^2 * d * e - 8 * \text{root}(256 * a^3 * b^5 * z^4 - 256 * a^3 * b^4 * f * z^3 - \\
&64 * a^3 * b^3 * e * g * z^2 + 64 * a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * \\
&d^2 * z^2 + 32 * a^3 * b^2 * e * f * g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 * b^3 * c * d * g * z - 16 \\
&* a^3 * b^2 * d * g^2 * z - 16 * a^2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d \\
&* z - 16 * a^3 * b^2 * f^3 * z - 8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d \\
&* e^2 * f - 4 * a^2 * b^2 * c * e^2 * g + 4 * a^2 * b^2 * c * e * f^2 - 4 * a^3 * b * e * f^2 * g + 4 * a^3 * b * \\
&d * f * g^2 + 4 * a * b^3 * c^2 * d * f - 4 * a * b^3 * c * d^2 * e - 4 * a^3 * b * c * g^3 - 4 * a * b^3 * c^3 * g \\
&+ 6 * a^2 * b^2 * c^2 * g^2 + 2 * a^2 * b^2 * d^2 * f^2 + 2 * a^3 * b * e^2 * g^2 + 2 * a * b^3 * c^2 * e^ \\
&2 + a^2 * b^2 * e^4 + a^3 * b * f^4 + a * b^3 * d^4 + a^4 * g^4 + b^4 * c^4, z, k) * a^2 * b * f * \\
&g + a * b * d * f^2 * x - a * b * e^2 * f * x - 2 * b^2 * c * d * e * x + 8 * \text{root}(256 * a^3 * b^5 * z^4 - 25 \\
&6 * a^3 * b^4 * f * z^3 - 64 * a^3 * b^3 * e * g * z^2 + 64 * a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * \\
&z^2 + 32 * a^2 * b^4 * d^2 * z^2 + 32 * a^3 * b^2 * e * f * g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 \\
&* b^3 * c * d * g * z - 16 * a^3 * b^2 * d * g^2 * z - 16 * a^2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z \\
&- 16 * a * b^4 * c^2 * d * z - 16 * a^3 * b^2 * f^3 * z - 8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * \\
&e * g - 4 * a^2 * b^2 * d * e^2 * f - 4 * a^2 * b^2 * c * e^2 * g + 4 * a^2 * b^2 * c * e * f^2 - 4 * a^3 * b * e \\
&* f^2 * g + 4 * a^3 * b * d * f * g^2 + 4 * a * b^3 * c^2 * d * f - 4 * a * b^3 * c * d^2 * e - 4 * a^3 * b * c * g^ \\
&3 - 4 * a * b^3 * c^3 * g + 6 * a^2 * b^2 * c^2 * g^2 + 2 * a^2 * b^2 * d^2 * f^2 + 2 * a^3 * b * e^2 * g^2 \\
&+ 2 * a * b^3 * c^2 * e^2 + a^2 * b^2 * e^4 + a^3 * b * f^4 + a * b^3 * d^4 + a^4 * g^4 + b^4 * c^ \\
&4, z, k) * a * b^2 * c * g * x - 8 * \text{root}(256 * a^3 * b^5 * z^4 - 256 * a^3 * b^4 * f * z^3 - 64 * a^3 * \\
&b^3 * e * g * z^2 + 64 * a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * d^2 * z^2 \\
&+ 32 * a^3 * b^2 * e * f * g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 * b^3 * c * d * g * z - 16 * a^3 * b^2 \\
&* d * g^2 * z - 16 * a^2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d * z - 16 * \\
&a^3 * b^2 * f^3 * z - 8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d * e^2 * f - \\
&4 * a^2 * b^2 * c * e^2 * g + 4 * a^2 * b^2 * c * e * f^2 - 4 * a^3 * b * e * f^2 * g + 4 * a^3 * b * d * f * g^2 \\
&+ 4 * a * b^3 * c^2 * d * f - 4 * a * b^3 * c * d^2 * e - 4 * a^3 * b * c * g^3 - 4 * a * b^3 * c^3 * g + 6 * a^2 \\
&* b^2 * c^2 * g^2 + 2 * a^2 * b^2 * d^2 * f^2 + 2 * a^3 * b * e^2 * g^2 + 2 * a * b^3 * c^2 * e^2 + a^2 * \\
&b^2 * e^4 + a^3 * b * f^4 + a * b^3 * d^4 + a^4 * g^4 + b^4 * c^4, z, k) * a * b^2 * d * f * x - 2 * \\
&a * b * c * f * g * x + 2 * a * b * d * e * g * x) * \text{root}(256 * a^3 * b^5 * z^4 - 256 * a^3 * b^4 * f * z^3 - 64 * \\
&a^3 * b^3 * e * g * z^2 + 64 * a^2 * b^4 * c * e * z^2 + 96 * a^3 * b^3 * f^2 * z^2 + 32 * a^2 * b^4 * d^2 * \\
&z^2 + 32 * a^3 * b^2 * e * f * g * z - 32 * a^2 * b^3 * c * e * f * z + 32 * a^2 * b^3 * c * d * g * z - 16 * a^3 \\
&* b^2 * d * g^2 * z - 16 * a^2 * b^3 * d^2 * f * z + 16 * a^2 * b^3 * d * e^2 * z - 16 * a * b^4 * c^2 * d * z - \\
&16 * a^3 * b^2 * f^3 * z - 8 * a^2 * b^2 * c * d * f * g + 4 * a^2 * b^2 * d^2 * e * g - 4 * a^2 * b^2 * d * e^2
\end{aligned}$$

```
*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*
g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6
*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 +
a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k), k, 1, 4) +
(g*x)/b
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.176 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$$

Optimal. Leaf size=341

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-\sqrt{a}\sqrt{b}e+ag+3bc\right)}{16\sqrt{2}a^{7/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-\sqrt{a}\sqrt{b}e+ag\right)}{16\sqrt{2}a^{7/4}b^{5/4}}$$

[Out] $1/4*x*(b*f*x^3+b*e*x^2+b*d*x-a*g+b*c)/a/b/(b*x^4+a)+1/4*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)-1/32*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(3*b*c+a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/32*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(3*b*c+a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/16*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(3*b*c+a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/16*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(3*b*c+a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-\sqrt{a}\sqrt{b}e+ag+3bc\right)}{16\sqrt{2}a^{7/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-\sqrt{a}\sqrt{b}e+ag\right)}{16\sqrt{2}a^{7/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x]

[Out] $(x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*\text{Sqrt}[b]) - ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) + ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) - ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) + ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^2} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - 2bdx - bex^2}{a + bx^4} dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2bdx}{a + bx^4} + \frac{-3bc - ag - bex^2}{a + bx^4} \right) dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - bex^2}{a + bx^4} dx}{4ab} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{(3bc - \sqrt{a})}{16\sqrt{2}a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3bc - \sqrt{a}\sqrt{b}e + ag)}{16\sqrt{2}a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3bc - \sqrt{a}\sqrt{b}e + ag)}{16\sqrt{2}a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3bc + \sqrt{a}\sqrt{b}e + ag)}{8\sqrt{2}a^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 319, normalized size = 0.94

$$-\frac{8a^{3/4}\sqrt[4]{b}(a(f+gx)-bx(c+x(d+ex)))}{a+bx^4} - 2 \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt{a}} \right) \left(4\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e + \sqrt{2}ag + 3\sqrt{2}bc \right) + 2 \tan^{-1} \left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt{a}} \right) \left(4\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e + \sqrt{2}ag + 3\sqrt{2}bc \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2,x]

[Out] $((-8a^{3/4}b^{1/4}(a(f+gx)-bx(c+x(d+ex))))/(a+b*x^4) - 2*(3*sqrt[2]*b*c + 4*a^{1/4}*b^{3/4}*d + sqrt[2]*sqrt[a]*sqrt[b]*e + sqrt[2]*a*g)*ArcTan[1 - (sqrt[2]*b^{1/4}*x)/a^{1/4}] + 2*(3*sqrt[2]*b*c - 4*a^{1/4}*b^{3/4}*d + sqrt[2]*sqrt[a]*sqrt[b]*e + sqrt[2]*a*g)*ArcTan[1 + (sqrt[2]*b^{1/4}*x)/a^{1/4}] + sqrt[2]*(-3*b*c + sqrt[a]*sqrt[b]*e - a*g)*Log[sqrt[a] - sqrt[2]*a^{1/4}*b^{1/4}*x + sqrt[b]*x^2] + sqrt[2]*(3*b*c - sqrt[a]*sqrt[b]*e + a*g)*Log[sqrt[a] + sqrt[2]*a^{1/4}*b^{1/4}*x + sqrt[b]*x^2])/(32*a^{7/4}*b^{5/4})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 365, normalized size = 1.07

$$\frac{bx^3e + bdx^2 + bcx - agx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{1}{4}}abg + (ab^3)^{\frac{3}{4}}e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")
```

```
[Out] 1/4*(b*x^3*e + b*d*x^2 + b*c*x - a*g*x - a*f)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)
```

maple [A] time = 0.05, size = 482, normalized size = 1.41

$$\frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{4\sqrt{ab} a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1 \right)}{16 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{32 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} g \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)
```

```
[Out] (1/4/a*e*x^3+1/4/a*d*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32/b/a*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)
```

maxima [A] time = 3.00, size = 350, normalized size = 1.03

$$\frac{bex^3 + bdx^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2} \left(3b^2c - \sqrt{a}be + a\sqrt{b}g \right) \log \left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2} \left(3b^2c - \sqrt{a}be + a\sqrt{b}g \right) \log \left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")
```

```
[Out] 1/4*(b*e*x^3 + b*d*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g - 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)
```

mupad [B] time = 5.59, size = 1383, normalized size = 4.06

$$\left(\sum_{k=1}^4 \ln \left(-\frac{a^2 e g^2 + 6 a b c e g - 4 a b d^2 g + a b e^3 + 9 b^2 c^2 e - 12 b^2 c d^2}{64 a^3} - \frac{\text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 + 3072 a^4 b^4 c e z^2 + 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z - 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z - 1152 a^2 b^4 c^2 d z - 16 a^2 b^2 d^2 e g + 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 + 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 + 81 b^4 c^4 + a^2 b^2 e^4 + a^4 g^4, z, k) * b * (9 b^2 c^2 x + a^2 g^2 x + 16 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 + 3072 a^4 b^4 c e z^2 + 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z - 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z - 1152 a^2 b^4 c^2 d z - 16 a^2 b^2 d^2 e g + 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 + 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 + 81 b^4 c^4 + a^2 b^2 e^4 + a^4 g^4, z, k) * a^3 b g - a b e^2 x + 48 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 + 3072 a^4 b^4 c e z^2 + 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z - 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z - 1152 a^2 b^4 c^2 d z - 16 a^2 b^2 d^2 e g + 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 + 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 + 81 b^4 c^4 + a^2 b^2 e^4 + a^4 g^4, z, k) * a^2 b^2 c + 4 a b d e - 32 \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 + 3072 a^4 b^4 c e z^2 + 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z - 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z - 1152 a^2 b^4 c^2 d z - 16 a^2 b^2 d^2 e g + 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 + 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 + 81 b^4 c^4 + a^2 b^2 e^4 + a^4 g^4, z, k)}{4 a^2} - (b d x (3 b c e - 2 b d^2 + a e g)) / (16 a^3) \right) * \text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2 + 3072 a^4 b^4 c e z^2 + 2048 a^4 b^4 d^2 z^2 - 768 a^3 b^3 c d g z - 128 a^4 b^2 d g^2 z + 128 a^3 b^3 d e^2 z - 1152 a^2 b^4 c^2 d z - 16 a^2 b^2 d^2 e g + 12 a^2 b^2 c e^2 g - 48 a b^3 c d^2 e + 108 a b^3 c^3 g + 12 a^3 b c g^3 + 54 a^2 b^2 c^2 g^2 + 2 a^3 b e^2 g^2 + 18 a b^3 c^2 e^2 + 16 a b^3 d^4 + 81 b^4 c^4 + a^2 b^2 e^4 + a^4 g^4, z, k), k, 1, 4) + ((d x^2) / (4 a) - f / (4 b) + (e x^3) / (4 a) + (x (b c - a g)) / (4 a b)) / (a + b x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2,x)
```

```
[Out] symsum(log(- (9*b^2*c^2*e - 12*b^2*c*d^2 + a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))*b*(9*b^2*c^2*x + a^2*g^2*x + 16*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))*a^3*b*g - a*b*e^2*x + 48*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))*a^2*b^2*c + 4*a*b*d*e - 32*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))/(4*a^2) - (b*d*x*(3*b*c*e - 2*b*d^2 + a*e*g))/(16*a^3))*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (x*(b*c - a*g))/(4*a*b))/(a + b*x^4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] Timed out
```


$$3.177 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$$

Optimal. Leaf size=394

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e + 3ag + 21bc)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

[Out] $1/8*x*(b*f*x^3+b*e*x^2+b*d*x-a*g+b*c)/a/b/(b*x^4+a)^2+1/32*(-4*a*f+x*(5*b*e*x^2+6*b*d*x+a*g+7*b*c))/a^2/b/(b*x^4+a)+3/16*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)-1/256*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/256*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.44, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e + 3ag + 21bc)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x]

[Out] $(x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a + b*x^4)) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) - ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$\wedge k$, x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1)/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff

[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))/(a + b*x^n), {ii, 0, n/2 - 1 }]], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^3} dx = \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx}{8ab}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx$$

Mathematica [A] time = 0.39, size = 366, normalized size = 0.93

$$\frac{-\frac{32a^{7/4}\sqrt[4]{b}(a(f+gx)-bx(c+x(d+ex)))}{(a+bx^4)^2} + \frac{8a^{3/4}\sqrt[4]{b}x(ag+7bc+bx(6d+5ex))}{a+bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(24\sqrt[4]{a}b^{3/4}d + 5\sqrt{2}\sqrt{a}\sqrt{b}e + \dots)}{(a+bx^4)^2} + \frac{8a^{3/4}\sqrt[4]{b}x(ag+7bc+bx(6d+5ex))}{a+bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(24\sqrt[4]{a}b^{3/4}d + 5\sqrt{2}\sqrt{a}\sqrt{b}e + \dots)}{(a+bx^4)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3,x]

[Out] ((8*a^(3/4)*b^(1/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^(7/4)*b^(1/4)*(a*(f + g*x) - b*x*(c + x*(d + e*x)))/(a + b*x^4)^2 - 2*(2*1*sqrt[2]*b*c + 24*a^(1/4)*b^(3/4)*d + 5*sqrt[2]*sqrt[a]*sqrt[b]*e + 3*sqrt[2]*a*g)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*sqrt[2]*b*c - 24*a^(1/4)*b^(3/4)*d + 5*sqrt[2]*sqrt[a]*sqrt[b]*e + 3*sqrt[2]*a*g)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)] + sqrt[2]*(-21*b*c + 5*sqrt[a]*sqrt[b]*e - 3*a*g)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2] + sqrt[2]*(21*b*c - 5*sqrt[a]*sqrt[b]*e + 3*a*g)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2))/(256*a^(11/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 416, normalized size = 1.06

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 3 (ab^3)^{\frac{1}{4}} abg + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + \dots \right)}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 + 9*a*b*x^3*e + 10*a*b*d*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)

maple [A] time = 0.06, size = 519, normalized size = 1.32

$$\frac{3d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{16 \sqrt{ab} a^2} + \frac{5\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (5/32/a^2*b*e*x^7+3/16/a^2*b*d*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*e*x^3+5/16/a*d*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256/a^2/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+21/256*c/a^3*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/256/a^2/b*e/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.03, size = 412, normalized size = 1.05

$$\frac{5b^2ex^7 + 6b^2dx^6 + 9abex^3 + (7b^2c + abg)x^5 + 10abdx^2 - 4a^2f + (11abc - 3a^2g)x}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)} + \frac{\sqrt{2} \left(21b^2c - 5\sqrt{a}be + 3a\sqrt{b}g \right)}{a^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*g)*x^5 + 10*a*b*d*x^2 - 4*a^2*f + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g - 24*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4)))/sqrt(sqrt(a)*sqrt(b))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 24*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4)))/sqrt(sqrt(a)*sqrt(b))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a^2*b)

mupad [B] time = 0.71, size = 1001, normalized size = 2.54

$$\frac{\frac{5dx^2}{16a} - \frac{f}{8b} + \frac{9ex^3}{32a} + \frac{x^5(7bc+ag)}{32a^2} + \frac{x(11bc-3ag)}{32ab} + \frac{3bdx^6}{16a^2} + \frac{5bex^7}{32a^2}}{a^2 + 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(268435456 a^{11} b^5 z^4 + 983040 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3,x)

[Out] ((5*d*x^2)/(16*a) - f/(8*b) + (9*e*x^3)/(32*a) + (x^5*(7*b*c + a*g))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + symsum(log(-root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k)*(root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k)*((344064*a^5*b^3*c + 49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a^2*b^3*c^2 - 400*a^3*b^2*e^2 + 2016*a^3*b^2*c*g))/(4096*a^6) + (15*b^2*d*e)/(32*a^3) - (2205*b^2*c^2*e - 3024*b^2*c*d^2 + 45*a^2*e*g^2 + 125*a*b*e^3 - 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(315*b^2*c*d*e - 216*b^2*d^3 + 45*a*b*d*e*g))/(4096*a^6))*root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450

```
*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 +  
81*a^4*g^4 + 194481*b^4*c^4, z, k), k, 1, 4)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)
```

```
[Out] Timed out
```

$$3.178 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$$

Optimal. Leaf size=437

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

[Out] $1/12*x*(b*f*x^3+b*e*x^2+b*d*x-a*g+b*c)/a/b/(b*x^4+a)^3+1/384*x*(45*b*e*x^2+60*b*d*x+7*a*g+77*b*c)/a^3/b/(b*x^4+a)+1/96*(-8*a*f+x*(9*b*e*x^2+10*b*d*x+a*g+11*b*c))/a^2/b/(b*x^4+a)^2+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.53, antiderivative size = 437, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

[Out] $(x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 60*b*d*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 10*b*d*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) - ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot)(x_) + (c_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \neg \text{RationalQ}[b^2 - 4 \cdot a \cdot c])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot)(x_))/(a_ + (b_ \cdot)(x_) + (c_ \cdot)(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \&\& \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[-(a \cdot c)]$

Rule 1854

$\text{Int}[(Pq_)((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a \cdot \text{Coeff}[Pq, x, q] - b \cdot x \cdot \text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q] \cdot x^q, x]) \cdot (a + b \cdot x^n)^{(p+1)})/(a \cdot b \cdot n \cdot (p+1)), x] + \text{Dist}[1/(a \cdot n \cdot (p+1)), \text{Int}[\text{Sum}[(n \cdot (p+1) + i + 1) \cdot \text{Coeff}[Pq, x, i] \cdot x^i, \{i, 0, q-1\}] \cdot (a + b \cdot x^n)^{(p+1)}, x], x] /; q == n - 1] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1855

$\text{Int}[(Pq_)((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(x \cdot Pq \cdot (a + b \cdot x^n)^{(p+1)})/(a \cdot n \cdot (p+1)), x] + \text{Dist}[1/(a \cdot n \cdot (p+1)), \text{Int}[\text{ExpandToSum}[n \cdot (p+1) \cdot Pq + D[x \cdot Pq, x], x] \cdot (a + b \cdot x^n)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1858

$\text{Int}[(Pq_)((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1) \cdot Pq}, a + b \cdot x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1) \cdot Pq}, a + b \cdot x^n, x]\}, \text{Dist}[1/(a \cdot n \cdot (p+1) \cdot b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b \cdot x^n)^{(p+1)} \cdot \text{Expan}$

dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^4} dx = \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx}{12ab}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11bc + ag + 10bdx + 9bex^2)}{96a^2b(a + bx^4)^2} +$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

$$= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8a}{384a^3b(a + bx^4)}$$

Mathematica [A] time = 0.52, size = 411, normalized size = 0.94

$$-\frac{256a^{11/4}\sqrt[4]{b}(a(f+gx)-bx(c+x(d+ex)))}{(a+bx^4)^3} + \frac{32a^{7/4}\sqrt[4]{b}x(ag+11bc+bx(10d+9ex))}{(a+bx^4)^2} + \frac{8a^{3/4}\sqrt[4]{b}x(7ag+77bc+15bx(4d+3ex))}{a+bx^4} - 6 \tan^{-1}\left(1 - \frac{\sqrt{2}}{\sqrt[4]{b}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

[Out] ((8*a^(3/4)*b^(1/4)*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^(7/4)*b^(1/4)*x*(11*b*c + a*g + b*x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (256*a^(11/4)*b^(1/4)*(a*(f + g*x) - b*x*(c + x*(d + e*x)))/(a + b*x^4)^3 - 6*(77*Sqrt[2]*b*c + 80*a^(1/4)*b^(3/4)*d + 15*Sqrt[2]*Sqrt[a]*Sqrt[b]*e + 7*Sqrt[2]*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*Sqrt[2]*b*c - 80*a^(1/4)*b^(3/4)*d + 15*Sqrt[2]*Sqrt[a]*Sqrt[b]*e + 7*Sqrt[2]*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(3072*a^(15/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 466, normalized size = 1.07

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \log \left(\frac{x^2 + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} x + \sqrt{\frac{a}{b}}}{x^2 - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} x + \sqrt{\frac{a}{b}}} \right)}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/(b*x^4 + a)^3*a^3*b)

maple [A] time = 0.06, size = 560, normalized size = 1.28

$$\frac{5d \arctan \left(\sqrt{\frac{b}{a}} x \right)}{32 \sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}}}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+3/64/a^2*(a*g+11*b*c)*x^5+113/384/a*e*x^3+1

$$\frac{1}{32}a^3d^2x^{-2} - \frac{1}{128}(7ag - 51b^2c)/abx - \frac{1}{12}bf/(bx^4 + a)^3 + \frac{7}{512}a^3/b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(a/b)^{1/4} * x + 1) * g + \frac{77}{512}(a/b)^{1/4} * 2^{1/2} / a^4 * c * \arctan(2^{1/2}/(a/b)^{1/4} * x + 1) + \frac{7}{512}a^3/b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(a/b)^{1/4} * x - 1) * g + \frac{77}{512}(a/b)^{1/4} * 2^{1/2} / a^4 * c * \arctan(2^{1/2}/(a/b)^{1/4} * x - 1) + \frac{7}{1024}a^3/b * (a/b)^{1/4} * 2^{1/2} * \ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) * g + \frac{77}{1024} * (a/b)^{1/4} * 2^{1/2} / a^4 * c * \ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) + \frac{5}{32}(a^3d^2 * \arctan((1/a^3b)^{1/2} * x^2) + \frac{15}{1024}a^3e/b / (a/b)^{1/4} * 2^{1/2} * \ln((x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) + \frac{15}{512}a^3e/b / (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(a/b)^{1/4} * x + 1) + \frac{15}{512}(a/b)^{1/4} * 2^{1/2} / a^3/b * e * \arctan(2^{1/2}/(a/b)^{1/4} * x - 1)$$

maxima [A] time = 3.12, size = 472, normalized size = 1.08

$$\frac{45b^3ex^{11} + 60b^3dx^{10} + 126ab^2ex^7 + 160ab^2dx^6 + 7(11b^3c + ab^2g)x^9 + 113a^2bex^3 + 132a^2bdx^2 + 18(11ab^2c + a^2b^2g)x^5 - 32a^3f + 3(51a^2b^2c - 7a^3g)x}{384(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{384}(45b^3e^2x^{11} + 60b^3d^2x^{10} + 126a^2b^2e^2x^7 + 160a^2b^2d^2x^6 + 7(11b^3c + a^2b^2g)x^9 + 113a^2b^2e^2x^3 + 132a^2b^2d^2x^2 + 18(11a^2b^2c + a^2b^2g)x^5 - 32a^3f + 3(51a^2b^2c - 7a^3g)x) / (a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b) + \frac{1}{1024}(\sqrt{2})(77b^{3/2}c - 15\sqrt{a}b^2e + 7a\sqrt{b}g) * \log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}) / (a^{3/4}b^{3/4}) - \sqrt{2}(77b^{3/2}c - 15\sqrt{a}b^2e + 7a\sqrt{b}g) * \log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}) / (a^{3/4}b^{3/4}) + 2(77\sqrt{2}a^{1/4}b^{7/4}c + 15\sqrt{2}a^{3/4}b^{5/4}e + 7\sqrt{2}a^{5/4}b^{3/4}g - 80\sqrt{a}b^{3/2}d) * \arctan(1/2\sqrt{2} * (2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4}) / \sqrt{\sqrt{a}\sqrt{b}}) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}) * b^{3/4}) + 2(77\sqrt{2}a^{1/4}b^{7/4}c + 15\sqrt{2}a^{3/4}b^{5/4}e + 7\sqrt{2}a^{5/4}b^{3/4}g + 80\sqrt{a}b^{3/2}d) * \arctan(1/2\sqrt{2} * (2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}) / \sqrt{\sqrt{a}\sqrt{b}}) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}) * b^{3/4}) / (a^3b)$

mupad [B] time = 5.56, size = 1053, normalized size = 2.41

$$\sum_{k=1}^4 \ln\left(-\sqrt[4]{68719476736 a^{15} b^5 z^4 + 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 + 838860800 a^8 b^4 d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4,x)

[Out] $\text{symsum}(\log(-\sqrt[4]{68719476736 a^{15} b^5 z^4 + 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 + 838860800 a^8 b^4 d^2} + 10100480 a^9 b^3 e g z^2 + 838860800 a^8 b^4 d^2 z^2 - 88309760 a^5 b^3 c d * g z - 485703680 a^4 b^4 c^2 d z - 4014080 a^6 b^2 d g^2 z + 18432000 a^5 b^3 d e^2 z - 672000 a^2 b^2 d^2 e g + 485100 a^2 b^2 c e^2 g - 7392000 a^3 c d^2 e + 12782924 a^3 c^3 g + 105644 a^3 b c g^3 + 1743126 a^2 b^2 c^2 * g^2 + 22050 a^3 b e^2 g^2 + 2668050 a^3 c^2 e^2 + 50625 a^2 b^2 e^4 + 2560000 a^3 d^4 + 2401 a^4 g^4 + 35153041 b^4 c^4, z, k) * (\sqrt[4]{68719476736 a^{15} b^5 z^4 + 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 + 838860800 a^8 b^4 d^2 z^2 - 88309760 a^5 b^3 c d * g z - 485703680 a^4 b^4 c^2 d z * z - 4014080 a^6 b^2 d g^2 z + 18432000 a^5 b^3 d e^2 z - 672000 a^2 b^2 d^2 e g + 485100 a^2 b^2 c e^2 g - 7392000 a^3 c d^2 e + 12782924 a^3 c^3 g + 105644 a^3 b c g^3 + 1743126 a^2 b^2 c^2 * g^2 + 22050 a^3 b e^2 g^2 + 2668050 a^3 c^2 e^2 + 50625 a^2 b^2 e^4 + 2560000 a^3 d^4 + 2401 a^4 g^4 + 35153041 b^4 c^4, z, k)$

```

2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3
*g + 105644*a^3*b*c*g^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2
668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4
+ 35153041*b^4*c^4, z, k)*((20185088*a^7*b^3*c + 1835008*a^8*b^2*g)/(20971
52*a^9) - (5*b^3*d*x)/a^2) + (x*(1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 - 7200
*a^4*b^2*e^2 + 34496*a^4*b^2*c*g))/(131072*a^9) + (75*b^2*d*e)/(256*a^5) -
(88935*b^2*c^2*e - 123200*b^2*c*d^2 + 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200
*a*b*d^2*g + 16170*a*b*c*e*g)/(2097152*a^9) - (x*(5775*b^2*c*d*e - 4000*b^2
*d^3 + 525*a*b*d*e*g))/(131072*a^9)*root(68719476736*a^15*b^5*z^4 + 121110
5280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^
2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2*
d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^
2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g
^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2
+ 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4,
z, k), k, 1, 4) + ((11*d*x^2)/(32*a) - f/(12*b) + (113*e*x^3)/(384*a) + (3*
x^5*(11*b*c + a*g))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384*a^3) + (x*(51*
b*c - 7*a*g))/(128*a*b) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^
3) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*
b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.179 \quad \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$$

Optimal. Leaf size=11

$$-\frac{1}{4}(1-x)^4$$

[Out] -1/4*(1-x)^4

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{4}(1-x)^4$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^3/(1 + x + x^2 + x^3)^3, x]

[Out] -(1 - x)^4/4

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx &= \int (1-x)^3 dx \\ &= -\frac{1}{4}(1-x)^4 \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{4}(x-1)^4$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^3/(1 + x + x^2 + x^3)^3, x]

[Out] -1/4*(-1 + x)^4

fricas [B] time = 0.58, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="fricas")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

giac [B] time = 0.24, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="giac")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

maple [A] time = 0.05, size = 8, normalized size = 0.73

$$-\frac{(x-1)^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^3/(x^3+x^2+x+1)^3,x)

[Out] -1/4*(x-1)^4

maxima [B] time = 1.29, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="maxima")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

mupad [B] time = 0.03, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)^3/(x + x^2 + x^3 + 1)^3,x)

[Out] x - (3*x^2)/2 + x^3 - x^4/4

sympy [B] time = 0.09, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)**3/(x**3+x**2+x+1)**3,x)

[Out] -x**4/4 + x**3 - 3*x**2/2 + x

$$3.180 \quad \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$$

Optimal. Leaf size=11

$$-\frac{1}{3}(1-x)^3$$

[Out] -1/3*(1-x)^3

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{3}(1-x)^3$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] -(1 - x)^3/3

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx &= \int (1-x)^2 dx \\ &= -\frac{1}{3}(1-x)^3 \end{aligned}$$

Mathematica [A] time = 0.00, size = 14, normalized size = 1.27

$$\frac{x^3}{3} - x^2 + x$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] x - x^2 + x^3/3

fricas [A] time = 0.70, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="fricas")

[Out] 1/3*x^3 - x^2 + x

giac [A] time = 0.16, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="giac")

[Out] 1/3*x^3 - x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{(x-1)^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^2/(x^3+x^2+x+1)^2,x)

[Out] 1/3*(x-1)^3

maxima [A] time = 1.29, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="maxima")

[Out] 1/3*x^3 - x^2 + x

mupad [B] time = 0.02, size = 11, normalized size = 1.00

$$\frac{x(x^2 - 3x + 3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 - 1)^2/(x + x^2 + x^3 + 1)^2,x)

[Out] (x*(x^2 - 3*x + 3))/3

sympy [A] time = 0.08, size = 8, normalized size = 0.73

$$\frac{x^3}{3} - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)**2/(x**3+x**2+x+1)**2,x)

[Out] x**3/3 - x**2 + x

$$3.181 \quad \int \frac{1-x^4}{1+x+x^2+x^3} dx$$

Optimal. Leaf size=9

$$x - \frac{x^2}{2}$$

[Out] x-1/2*x^2

Rubi [A] time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1586}

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1-x^4}{1+x+x^2+x^3} dx = \int (1-x) dx = x - \frac{x^2}{2}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 1.00

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

fricas [A] time = 0.50, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1), x, algorithm="fricas")

[Out] -1/2*x^2 + x

giac [A] time = 0.15, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="giac")

[Out] -1/2*x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.89

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^3+x^2+x+1),x)

[Out] x-1/2*x^2

maxima [A] time = 1.29, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="maxima")

[Out] -1/2*x^2 + x

mupad [B] time = 0.02, size = 6, normalized size = 0.67

$$-\frac{x(x-2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x + x^2 + x^3 + 1),x)

[Out] -(x*(x - 2))/2

sympy [A] time = 0.07, size = 5, normalized size = 0.56

$$-\frac{x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**3+x**2+x+1),x)

[Out] -x**2/2 + x

$$3.182 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

fricas [A] time = 0.41, size = 6, normalized size = 0.75

$$-\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-x^4+1),x)

[Out] -ln(x-1)

maxima [A] time = 1.37, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="maxima")

[Out] -log(x - 1)

mupad [B] time = 0.00, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + x^3 + 1)/(x^4 - 1),x)

[Out] -log(x - 1)

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)/(-x**4+1),x)

[Out] -log(x - 1)

$$3.183 \quad \int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$$

Optimal. Leaf size=7

$$\frac{1}{1-x}$$

[Out] 1/(1-x)

Rubi [A] time = 0.02, antiderivative size = 7, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{1-x}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] (1 - x)^(-1)

Rule 32

Int[(a_.) + (b_.)*(x_)^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx = \int \frac{1}{(1-x)^2} dx = \frac{1}{1-x}$$

Mathematica [A] time = 0.00, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] -(-1 + x)^(-1)

fricas [A] time = 0.40, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="fricas")

[Out] $-1/(x - 1)$

giac [A] time = 0.21, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="giac")`

[Out] $-1/(x - 1)$

maple [A] time = 0.04, size = 8, normalized size = 1.14

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3+x^2+x+1)^2/(-x^4+1)^2,x)`

[Out] $-1/(x-1)$

maxima [A] time = 1.30, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="maxima")`

[Out] $-1/(x - 1)$

mupad [B] time = 0.03, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)^2/(x^4 - 1)^2,x)`

[Out] $-1/(x - 1)$

sympy [A] time = 0.11, size = 5, normalized size = 0.71

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**2/(-x**4+1)**2,x)`

[Out] $-1/(x - 1)$

$$3.184 \quad \int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$$

Optimal. Leaf size=11

$$\frac{1}{2(1-x)^2}$$

[0ut] 1/2/(1-x)^2

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{2(1-x)^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[0ut] 1/(2*(1 - x)^2)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx &= \int \frac{1}{(1-x)^3} dx \\ &= \frac{1}{2(1-x)^2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$\frac{1}{2(x-1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[0ut] 1/(2*(-1 + x)^2)

fricas [A] time = 0.38, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="fricas")

[Out] 1/2/(x^2 - 2*x + 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="giac")

[Out] 1/2/(x - 1)^2

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^3/(-x^4+1)^3,x)

[Out] 1/2/(x-1)^2

maxima [A] time = 1.30, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="maxima")

[Out] 1/2/(x^2 - 2*x + 1)

mupad [B] time = 4.84, size = 7, normalized size = 0.64

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + x^3 + 1)^3/(x^4 - 1)^3,x)

[Out] 1/(2*(x - 1)^2)

sympy [A] time = 0.21, size = 10, normalized size = 0.91

$$\frac{1}{2x^2 - 4x + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)**3/(-x**4+1)**3,x)

[Out] 1/(2*x**2 - 4*x + 2)

$$3.185 \quad \int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$$

Optimal. Leaf size=11

$$\frac{1}{3(1-x)^3}$$

[Out] 1/3/(1-x)^3

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{3(1-x)^3}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] 1/(3*(1 - x)^3)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx &= \int \frac{1}{(1-x)^4} dx \\ &= \frac{1}{3(1-x)^3} \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{3(x-1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] -1/3*1/(-1 + x)^3

fricas [B] time = 0.39, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="fricas")

[Out] -1/3/(x^3 - 3*x^2 + 3*x - 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="giac")

[Out] -1/3/(x - 1)^3

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^4/(-x^4+1)^4,x)

[Out] -1/3/(x-1)^3

maxima [B] time = 1.32, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="maxima")

[Out] -1/3/(x^3 - 3*x^2 + 3*x - 1)

mupad [B] time = 4.81, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)^4/(x^4 - 1)^4,x)

[Out] -1/(3*(x - 1)^3)

sympy [B] time = 0.15, size = 17, normalized size = 1.55

$$-\frac{1}{3x^3 - 9x^2 + 9x - 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)**4/(-x**4+1)**4,x)

[Out] -1/(3*x**3 - 9*x**2 + 9*x - 3)

$$3.186 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$$

Optimal. Leaf size=165

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

[Out] $-g*x/b-1/2*h*x^2/b-1/4*f*\ln(-b*x^4+a)/b+1/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}+1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}$

Rubi [A] time = 0.26, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

[Out] $-\left(\frac{g*x}{b}\right) - \frac{h*x^2}{2*b} + \frac{\left(\frac{b*c - \sqrt{a}*\sqrt{b}*e + a*g}{a}\right)*\operatorname{ArcTan}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{2*a^{(3/4)}*b^{(5/4)}} + \frac{\left(\frac{b*c + \sqrt{a}*\sqrt{b}*e + a*g}{a}\right)*\operatorname{ArcTanh}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{2*a^{(3/4)}*b^{(5/4)}} + \frac{(b*d + a*h)*\operatorname{ArcTanh}\left[\frac{\sqrt{b}*x^2}{\sqrt{a}}\right]}{2*\sqrt{a}*b^{(3/2)}} - \frac{f*\operatorname{Log}[a - b*x^4]}{4*b}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a - bx^4} + \frac{x(d + fx^2 + hx^4)}{a - bx^4} \right) dx \\
 &= \int \frac{c + ex^2 + gx^4}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\
 &= -\frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a}\sqrt{b}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b}} dx \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}}
 \end{aligned}$$

Mathematica [A] time = 0.43, size = 256, normalized size = 1.55

$$-\log \left(\sqrt[4]{a} - \sqrt[4]{b}x \right) \left(a^{5/4}h + \sqrt{a}b^{3/4}e + \sqrt[4]{a}bd + a\sqrt[4]{b}g + b^{5/4}c \right) + \log \left(\sqrt[4]{a} + \sqrt[4]{b}x \right) \left(a^{5/4}(-h) + \sqrt{a}b^{3/4}e - \sqrt[4]{a}bd + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

```
[Out] (-4*a^(3/4)*Sqrt[b]*g*x - 2*a^(3/4)*Sqrt[b]*h*x^2 + 2*b^(1/4)*(b*c - Sqrt[a]
]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b^(5/4)*c + a^(1/4)*b*d +
Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g + a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (b
^(5/4)*c - a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g - a^(5/4)*h)*Log[a
^(1/4) + b^(1/4)*x] + a^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2] - a^(3
/4)*Sqrt[b]*f*Log[a - b*x^4)]/(4*a^(3/4)*b^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 0.20, size = 342, normalized size = 2.07

$$\frac{\sqrt{2} \left(b^2 c + abg - \sqrt{2} (-ab^3)^{\frac{1}{4}} bd - \sqrt{2} (-ab^3)^{\frac{1}{4}} ah + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(b^2 c + abg + \sqrt{-ab} be \right)}{4 \left(-ab^3 \right)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")
```

```
[Out] -1/4*sqrt(2)*(b^2*c + a*b*g - sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(2)*(-a*b^3)
^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)
)/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + a*b*g + sqrt(2)*(-a*b
^3)^(1/4)*b*d + sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sq
rt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)
*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(
-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^
2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*f*log(abs(b*x
^4 - a))/b - 1/2*(b*h*x^2 + 2*b*g*x)/b^2
```

maple [B] time = 0.05, size = 296, normalized size = 1.79

$$\frac{ah \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab} b} - \frac{hx^2}{2b} - \frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)
```

```
[Out] -1/2*h*x^2/b-1/b*g*x+1/2*(a/b)^(1/4)/b*g*arctan(1/(a/b)^(1/4)*x)+1/2*(a/b)^(
1/4)/a*c*arctan(1/(a/b)^(1/4)*x)+1/4*(a/b)^(1/4)/b*g*ln((x+(a/b)^(1/4))/(x
-(a/b)^(1/4)))+1/4*(a/b)^(1/4)/a*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4/
b/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))*a*h-1/4/(a*b)^(1
/2)*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2/(a/b)^(1/4)/b*e*arct
an(1/(a/b)^(1/4)*x)+1/4/(a/b)^(1/4)/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))
-1/4/b*f*ln(b*x^4-a)
```

maxima [A] time = 3.04, size = 222, normalized size = 1.35

$$-\frac{hx^2 + 2gx}{2b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right) + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{ab}} - \frac{\left(b^{\frac{3}{2}}d + \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{ab}}}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] -1/2*(h*x^2 + 2*g*x)/b + 1/4*(2*(b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*arc tan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + (b^(3/2)*d - sqrt(a)*b*f + a*sqrt(b)*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - (b^(3/2)*d + sqrt(a)*b*f + a*sqrt(b)*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (b^(3/2)*c + sqrt(a)*b*e + a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/b

mupad [B] time = 5.54, size = 2478, normalized size = 15.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4),x)

[Out] symsum(log(- root(256*a^3*b^6*z^4 + 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 - 64*a^2*b^5*c*e*z^2 - 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f^2*z^2 - 32*a^2*b^5*d^2*z^2 - 32*a^3*b^3*e*f*g*z - 32*a^3*b^3*d*f*h*z + 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^2*g^2*h*z - 16*a^4*b^2*f*h^2*z + 16*a^3*b^3*e^2*h*z + 16*a^3*b^3*d*g^2*z + 16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z + 16*a*b^5*c^2*d*z + 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h + 8*a^2*b^3*c*d*f*g - 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 + 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 - 4*a^2*b^3*d^2*e*g + 4*a^2*b^3*d*e^2*f + 4*a^2*b^3*c*e^2*g - 4*a^2*b^3*c*e*f^2 + 4*a^4*b*f*g^2*h - 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e + 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 6*a^2*b^3*c^2*g^2 - 2*a^2*b^3*d^2*f^2 - 2*a^4*b*f^2*h^2 + 4*a^2*b^3*d^3*h - 4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a*b^4*d^4 + a^5*h^4 - a^2*b^3*e^4 - a^4*b*g^4 - b^5*c^4, z, k)*((8*a*b^3*c*f - 8*a*b^3*d*e - 8*a^2*b^2*e*h + 8*a^2*b^2*f*g)/b + root(256*a^3*b^6*z^4 + 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 - 64*a^2*b^5*c*e*z^2 - 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f^2*z^2 - 32*a^2*b^5*d^2*z^2 - 32*a^3*b^3*e*f*g*z - 32*a^3*b^3*d*f*h*z + 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^2*g^2*h*z - 16*a^4*b^2*f*h^2*z + 16*a^3*b^3*e^2*h*z + 16*a^3*b^3*d*g^2*z + 16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z + 16*a*b^5*c^2*d*z + 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h + 8*a^2*b^3*c*d*f*g - 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 + 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 - 4*a^2*b^3*d^2*e*g + 4*a^2*b^3*d*e^2*f + 4*a^2*b^3*c*e^2*g - 4*a^2*b^3*c*e*f^2 + 4*a^4*b*f*g^2*h - 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e + 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 6*a^2*b^3*c^2*g^2 - 2*a^2*b^3*d^2*f^2 - 2*a^4*b*f^2*h^2 + 4*a^2*b^3*d^3*h - 4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a*b^4*d^4 + a^5*h^4 - a^2*b^3*e^4 - a^4*b*g^4 - b^5*c^4, z, k)*((16*a^2*b^3*g + 16*a*b^4*c)/b - (x*(16*a^2*b^3*h + 16*a*b^4*d))/b) + (x*(4*b^4*c^2 + 4*a*b^3*e^2 + 4*a^2*b^2*g^2 + 8*a*b^3*c*g - 8*a*b^3*d*f - 8*a^2*b^2*f*h))/b) - (a*b^2*e^3 + b^3*c*d^2 - b^3*c^2*e + a^3*g*h^2 + a*b^2*c*f^2 + a*b^2*d^2*g + a^2*b*c*h^2 - a^2*b*e*g^2 + a^2*b*f^2*g + 2*a*b^2*c*d*h - 2*a*b^2*c*e*g - 2*a*b^2*d*e

$$\frac{f + 2a^2bdgh - 2a^2b*efh}{b} - \frac{(x(b^3d^3 + a^3h^3 + b^3c^2f - 2b^3cde - ab^2df^2 + ab^2e^2f + 3ab^2d^2h + 3a^2b*dh^2 + a^2b*fg^2 - a^2b*f^2h - 2ab^2c*eh + 2ab^2c*fg - 2ab^2d*eg - 2a^2b*egh))}{b} \cdot \text{root}(256a^3b^6z^4 + 256a^3b^5fz^3 - 64a^3b^4egz^2 - 64a^3b^4d*hz^2 - 64a^2b^5c*ez^2 - 32a^4b^3h^2z^2 + 96a^3b^4f^2z^2 - 32a^2b^5d^2z^2 - 32a^3b^3*efgz - 32a^3b^3d*fhz + 32a^3b^3c*ghz - 32a^2b^4c*efz + 32a^2b^4c*d*gz + 16a^4b^2g^2hz - 16a^4b^2f*h^2z + 16a^3b^3e^2hz + 16a^3b^3d*g^2z + 16a^2b^4c^2hz - 16a^2b^4d^2fz + 16a^2b^4d*e^2z + 16a*b^5c^2dz + 16a^3b^3f^3z - 8a^3b^2d*egh + 8a^3b^2c*f*gh + 8a^2b^3c*d*fg - 8a^2b^3c*d*eh + 4a^3b^2e^2f*h - 4a^3b^2e*ef^2g - 4a^3b^2d*f^2h + 4a^3b^2d*df*g^2 + 4a^2b^3c^2f*h - 4a^3b^2c*eh^2 - 4a^2b^3d^2*eg + 4a^2b^3d*e^2f + 4a^2b^3c*e^2g - 4a^2b^3c*ef^2 + 4a^4b*f*g^2h - 4a^4b*eg*h^2 + 4a*b^4c^2df - 4a*b^4c*d^2e + 4a^4b*d*h^3 - 4a*b^4c^3g + 6a^3b^2d^2h^2 + 2a^3b^2e^2g^2 - 6a^2b^3c^2g^2 - 2a^2b^3d^2f^2 - 2a^4b*f^2h^2 + 4a^2b^3d^3h - 4a^3b^2c*g^3 + 2a*b^4c^2e^2 + a^3b^2f^4 + a*b^4d^4 + a^5h^4 - a^2b^3e^4 - a^4b*g^4 - b^5c^4, z, k), k, 1, 4) - (hx^2)/(2b) - (gx)/b$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.187 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$$

Optimal. Leaf size=188

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

[Out] $-g*x/b-1/2*h*x^2/b-1/3*i*x^3/b-1/4*f*\ln(-b*x^4+a)/b+1/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{1/2}/a^{1/2})/b^{3/2}/a^{1/2}-1/2*\operatorname{arctan}(b^{1/4}*x/a^{1/4})*(b*e+a*i-(a*g+b*c)*b^{1/2}/a^{1/2})/a^{1/4}/b^{7/4}+1/2*\operatorname{arctanh}(b^{1/4}*x/a^{1/4})*(b*e+a*i+(a*g+b*c)*b^{1/2}/a^{1/2})/a^{1/4}/b^{7/4}$

Rubi [A] time = 0.33, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.220$, Rules used = {1885, 1819, 1810, 635, 208, 260, 1887, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

[Out] $-\left(\frac{g*x}{b}\right) - \frac{h*x^2}{2*b} - \frac{i*x^3}{3*b} - \frac{(b*e - (\operatorname{Sqrt}[b]*(b*c + a*g)))/\operatorname{Sqrt}[a] + a*i}{2*a^{1/4}*b^{7/4}} \operatorname{ArcTan}\left[\frac{b^{1/4}*x}{a^{1/4}}\right] + \frac{(b*e + (\operatorname{Sqrt}[b]*(b*c + a*g))/\operatorname{Sqrt}[a] + a*i)}{2*a^{1/4}*b^{7/4}} \operatorname{ArcTanh}\left[\frac{b^{1/4}*x}{a^{1/4}}\right] + \frac{(b*d + a*h)*\operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[b]*x^2}{\operatorname{Sqrt}[a]}\right]}{2*\operatorname{Sqrt}[a]*b^{3/2}} - \frac{f*\operatorname{Log}[a - b*x^4]}{4*b}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1810

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 187x^6}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a - bx^4} + \frac{c + ex^2 + gx^4 + 187x^6}{a - bx^4} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4 + 187x^6}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{187x^2}{b} + \frac{bc}{b} \right) dx \\
&= -\frac{gx}{b} - \frac{187x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{(187a + be)}{2b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} - \frac{\left(187a + be - \frac{\sqrt{b(bc + ag)}}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a}b^{7/4}} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} - \frac{\left(187a + be - \frac{\sqrt{b(bc + ag)}}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a}b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.55, size = 301, normalized size = 1.60

$$\frac{3 \log \left(\sqrt[4]{a} - \sqrt[4]{b}x \right) \left(a^{5/4} \sqrt[4]{b} h + a^{3/2} i + \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{3 \log \left(\sqrt[4]{a} + \sqrt[4]{b}x \right) \left(-a^{5/4} \sqrt[4]{b} h + a^{3/2} i - \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{6}{11}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4),x]
[Out] (-12*b^(3/4)*g*x - 6*b^(3/4)*h*x^2 - 4*b^(3/4)*i*x^3 + (6*(b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)]/a^(3/4) - (3*(b^(3/2)*c + a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g + a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x])/a^(3/4) + (3*(b^(3/2)*c - a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g - a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x])/a^(3/4) + (3*b^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[a] - 3*b^(3/4)*f*Log[a - b*x^4])/(12*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 0.21, size = 541, normalized size = 2.88

$$\frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{b^4} \right) + \frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}}}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")
```

```
[Out] 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/b^4 - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 + 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/b^4 + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 - 1/4*sqrt(2)*(b^2*c + a*b*g - sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(2)*(-a*b^3)^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + a*b*g + sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*f*log(abs(b*x^4 - a))/b - 1/6*(2*b^2*i*x^3 + 3*b^2*h*x^2 + 6*b^2*g*x)/b^3
```

maple [B] time = 0.05, size = 367, normalized size = 1.95

$$\frac{ix^3}{3b} - \frac{ah \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{4\sqrt{ab}} - \frac{ai \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{ai \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)
```

```
[Out] -1/3*i*x^3/b-1/2/b*h*x^2-1/b*g*x+1/4*(a/b)^(1/4)/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/4*(a/b)^(1/4)/a*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*(a/b)^(1/4)/b*g*arctan(1/(a/b)^(1/4)*x)+1/2*(a/b)^(1/4)/a*c*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*a/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/4/(a*b)^(1/2)*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+1/4/b^2/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*a*i+1/4/(a/b)^(1/4)/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/2/b^2/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*a*i-1/2/(a/b)^(1/4)/b*e*arctan(1/(a/b)^(1/4)*x)-1/4/b*f*ln(b*x^4-a)
```

maxima [A] time = 3.03, size = 240, normalized size = 1.28

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{\left(b^{\frac{3}{2}}d + \sqrt{a}bf + a\sqrt{b}h\right)}{\sqrt{a}b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")
```

```
[Out] -1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/4*(2*(b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g - a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + (b^(3/2)*d - sqrt(a)*b*f + a*sqrt(b)*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - (b^(3/2)*d + sqrt(a)*b*f + a*sqrt(b)*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (b^(3/2)*c + sqrt(a)*b*e + a*sqrt(b)*g + a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/b
```

mupad [B] time = 5.07, size = 3810, normalized size = 20.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4),x)
```

```
[Out] symsum(log(- (a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i + a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + 3*a^3*b*e*i^2 + a^3*b*g*h^2 - a^3*b*g^2*i - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h - 2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*f*h*i)/b^2 - root(256*a^3*b^7*z^4 + 256*a^3*b^6*f*z^3 - 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 - 64*a^2*b^6*c*e*z^2 - 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 - 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h*i*z - 32*a^3*b^4*e*f*g*z - 32*a^3*b^4*d*f*h*z + 32*a^3*b^4*d*e*i*z + 32*a^3*b^4*c*g*h*z - 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z + 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^3*d*i^2*z + 16*a^3*b^4*e^2*h*z + 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z + 16*a*b^6*c^2*d*z + 16*a^3*b^4*f^3*z + 8*a^4*b^2*e*f*h*i - 8*a^4*b^2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i + 8*a^2*b^4*c*d*f*g - 8*a^2*b^4*c*d*e*h - 4*a^4*b^2*f^2*g*i + 4*a^4*b^2*f*g^2*h + 4*a^4*b^2*e*g^2*i - 4*a^4*b^2*e*g*h^2 - 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g*i + 4*a^4*b^2*d*f*i^2 + 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 + 4*a^2*b^4*c^2*f*h + 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 - 4*a^2*b^4*d^2*e*g - 4*a^2*b^4*c*d^2*i + 4*a^2*b^4*d*e^2*f + 4*a^2*b^4*c*e^2*g - 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d*f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g - 6*a^4*b^2*e^2*i^2 - 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i^2 - 6*a^2*b^4*c^2*g^2
```

$$\begin{aligned}
& 2 - 2a^2b^4d^2f^2 + 2a^5b^2g^2i^2 - 4a^3b^3e^3i + 4a^4b^2d^3h^3 \\
& + 4a^2b^4d^3h - 4a^3b^3c^2g^3 + 2a^2b^5c^2e^2 + a^3b^3f^4 + a^5b^2 \\
& b^4h^4 + a^2b^5d^4 - a^4b^2g^4 - a^2b^4e^4 - a^6i^4 - b^6c^4, z, 1) \cdot (\text{root}(256a^3b^7z^4 + 256a^3b^6fz^3 - 64a^4b^4gz^2 - 64a^3b^5e \\
& *gz^2 - 64a^3b^5d^3hz^2 - 64a^3b^5c^2iz^2 - 64a^2b^6c^2ez^2 - 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 - 32a^2b^6d^2z^2 - 32a^4b^3fg \\
& *iz + 32a^4b^3ehiz - 32a^3b^4efgz - 32a^3b^4dfhz + 32a^3 \\
& *b^4deiz + 32a^3b^4c^2ghz - 32a^3b^4cfiz - 32a^2b^5c^2efz \\
& + 32a^2b^5c^2d^2gz + 16a^5b^2h^2iz + 16a^4b^3g^2hz - 16a^4b^3 \\
& *f^2h^2z + 16a^4b^3d^2iz + 16a^3b^4e^2hz + 16a^3b^4d^2gz + \\
& 16a^2b^5c^2hz - 16a^2b^5d^2fz + 16a^2b^5d^2ez + 16a^2b^6c^2 \\
& *dz + 16a^3b^4f^3z + 8a^4b^2efhi - 8a^4b^2d^2ghz - 8a^3b^3 \\
& *degh + 8a^3b^3d^2efi + 8a^3b^3c^2fgh + 8a^3b^3c^2egz - 8a^3 \\
& *b^3c^2d^2hi + 8a^2b^4c^2d^2fg - 8a^2b^4c^2d^2eh - 4a^4b^2f^2gz + \\
& 4a^4b^2f^2g^2h + 4a^4b^2e^2g^2i - 4a^4b^2e^2gh^2 - 4a^4b^2c^2h^2 \\
& *i - 4a^3b^3d^2gz + 4a^4b^2d^2fi^2 + 4a^4b^2c^2gi^2 + 4a^3b^3 \\
& *e^2f^2h - 4a^3b^3e^2f^2g - 4a^3b^3d^2f^2h - 4a^3b^3c^2f^2i + 4a^3 \\
& *b^3d^2fg^2 + 4a^2b^4c^2f^2h + 4a^2b^4c^2e^2i - 4a^3b^3c^2eh^2 - \\
& 4a^2b^4d^2e^2g - 4a^2b^4c^2d^2i + 4a^2b^4d^2e^2f + 4a^2b^4c^2e^2 \\
& *g - 4a^2b^4c^2e^2f - 4a^5b^2g^2h^2i + 4a^5b^2f^2hi^2 + 4a^2b^5c^2d^2 \\
& *f - 4a^2b^5c^2d^2e - 4a^5b^2e^2i^3 - 4a^2b^5c^3g - 6a^4b^2e^2i^2 - \\
& 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 \\
& - 6a^2b^4c^2g^2 - 2a^2b^4d^2f^2 + 2a^5b^2g^2i^2 - 4a^3b^3e^3 \\
& *i + 4a^4b^2d^3h^3 + 4a^2b^4d^3h - 4a^3b^3c^2g^3 + 2a^2b^5c^2e^2 \\
& + a^3b^3f^4 + a^5b^2h^4 + a^2b^5d^4 - a^4b^2g^4 - a^2b^4e^4 - a^6i^4 \\
& - b^6c^4, z, 1) \cdot ((16a^2b^4g + 16a^2b^5c)/b^2 - (x(16a^2b^3h + 16 \\
& *a^2b^4d))/b) - (8a^2b^4de - 8a^2b^4cf + 8a^2b^3di + 8a^2b^3eh \\
& - 8a^2b^3fg + 8a^3b^2hi)/b^2 + (x(4b^4c^2 + 4a^2b^3e^2 + 4a^3b^3 \\
& *i^2 + 4a^2b^2g^2 + 8a^2b^3c^2g - 8a^2b^3d^2f + 8a^2b^2e^2i - 8a^2b^2 \\
& *f^2h))/b) - (x(b^3d^3 + a^3h^3 + b^3c^2f + a^3f^2i^2 - 2b^3c^2de - \\
& 2a^3g^2hi - a^2b^2d^2f^2 + a^2b^2e^2f + 3a^2b^2d^2h + 3a^2b^2d^2h^2 + \\
& a^2b^2f^2g^2 - a^2b^2f^2h - 2a^2b^2c^2di - 2a^2b^2c^2eh + 2a^2b^2c^2fg - \\
& 2a^2b^2d^2eg - 2a^2b^2c^2hi - 2a^2b^2d^2gi + 2a^2b^2efi - 2a^2b^2e^2 \\
& *gh))/b) \cdot \text{root}(256a^3b^7z^4 + 256a^3b^6fz^3 - 64a^4b^4gz^2 - 64 \\
& *a^3b^5e^2gz^2 - 64a^3b^5d^3hz^2 - 64a^3b^5c^2iz^2 - 64a^2b^6c^2e \\
& *z^2 - 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 - 32a^2b^6d^2z^2 - 32a^4 \\
& *b^3fg^2iz + 32a^4b^3ehiz - 32a^3b^4efgz - 32a^3b^4dfhz + 32a^3 \\
& *b^4deiz + 32a^3b^4c^2ghz - 32a^3b^4cfiz - 32a^2b^5c^2efz \\
& + 32a^2b^5c^2d^2gz + 16a^5b^2h^2iz + 16a^4b^3g^2hz - 16a^4b^3 \\
& *f^2h^2z + 16a^4b^3d^2iz + 16a^3b^4e^2hz + 16a^3b^4d^2gz + \\
& 16a^2b^5c^2hz - 16a^2b^5d^2fz + 16a^2b^5d^2ez + 16a^2b^6c^2 \\
& *dz + 16a^3b^4f^3z + 8a^4b^2efhi - 8a^4b^2d^2ghz - 8a^3b^3 \\
& *degh + 8a^3b^3d^2efi + 8a^3b^3c^2fgh + 8a^3b^3c^2egz - 8a^3 \\
& *b^3c^2d^2hi + 8a^2b^4c^2d^2fg - 8a^2b^4c^2d^2eh - 4a^4b^2 \\
& *f^2gz + 4a^4b^2f^2g^2h + 4a^4b^2e^2g^2i - 4a^4b^2e^2gh^2 - 4a^4 \\
& *b^2c^2h^2i - 4a^3b^3d^2gz + 4a^4b^2d^2fi^2 + 4a^4b^2c^2gi^2 + \\
& 4a^3b^3e^2f^2h - 4a^3b^3e^2f^2g - 4a^3b^3d^2f^2h - 4a^3b^3c^2f^2 \\
& *i + 4a^3b^3d^2fg^2 + 4a^2b^4c^2f^2h + 4a^2b^4c^2e^2i - 4a^3b^3 \\
& *c^2eh^2 - 4a^2b^4d^2e^2g - 4a^2b^4c^2d^2i + 4a^2b^4d^2e^2f + 4a^2 \\
& *b^4c^2e^2g - 4a^2b^4c^2e^2f - 4a^5b^2g^2h^2i + 4a^5b^2f^2hi^2 + 4a^2 \\
& *b^5c^2d^2f - 4a^2b^5c^2d^2e - 4a^5b^2e^2i^3 - 4a^2b^5c^3g - 6a^4b^2 \\
& *e^2i^2 - 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3 \\
& *b^3c^2i^2 - 6a^2b^4c^2g^2 - 2a^2b^4d^2f^2 + 2a^5b^2g^2i^2 - 4a^3 \\
& *b^3e^3i + 4a^4b^2d^3h^3 + 4a^2b^4d^3h - 4a^3b^3c^2g^3 + 2a^2b^5 \\
& *c^2e^2 + a^3b^3f^4 + a^5b^2h^4 + a^2b^5d^4 - a^4b^2g^4 - a^2b^4e^4 \\
& - a^6i^4 - b^6c^4, z, 1), 1, 1, 4) - (hx^2)/(2b) - (ix^3)/(3b) - (g \\
& *x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.188 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$$

Optimal. Leaf size=205

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)(aj+bf)\ln(-bx^4+a)}{2\sqrt{a}b^{3/2}}$$

[Out] $-\frac{g*x}{b}-\frac{1}{2}*\frac{h*x^2}{b}-\frac{1}{3}*\frac{i*x^3}{b}-\frac{1}{4}*\frac{j*x^4}{b}-(a*j+b*f)*\ln(-b*x^4+a)/b^{2+1}/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i-(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i+(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}$

Rubi [A] time = 0.31, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.196$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)(aj+bf)\ln(-bx^4+a)}{2\sqrt{a}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] $-\frac{(g*x)}{b}-\frac{(h*x^2)}{(2*b)}-\frac{(i*x^3)}{(3*b)}-\frac{(j*x^4)}{(4*b)}-\frac{(b*e-(\operatorname{Sqrt}[b]*(b*c+a*g))/\operatorname{Sqrt}[a]+a*i)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)})]}{(2*a^{(1/4)}*b^{(7/4)})}+\frac{(b*e+(\operatorname{Sqrt}[b]*(b*c+a*g))/\operatorname{Sqrt}[a]+a*i)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)})]}{(2*a^{(1/4)}*b^{(7/4)})}+\frac{(b*d+a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]]}{(2*\operatorname{Sqrt}[a]*b^{(3/2)})}-\frac{(b*f+a*j)*\operatorname{Log}[a-b*x^4]}{(4*b^2)}$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 188x^6 + jx^7}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 188x^6}{a - bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} \right) dx \\
 &= \int \frac{c + ex^2 + gx^4 + 188x^6}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{188x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} - \frac{jx}{b} + \frac{bd + ah + (bf + aj)x}{b(a - bx^2)} dx \right) \right) \right) dx \\
 &= -\frac{gx}{b} - \frac{188x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} - \frac{jx}{b} + \frac{bd + ah + (bf + aj)x}{b(a - bx^2)} dx \right) \right) dx \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd + ah + (bf + aj)x}{a - bx^2} dx \right)}{2b} \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} - \frac{\left(188a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \text{atanh} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{2\sqrt[4]{a}b^{7/4}} \\
 &= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} - \frac{\left(188a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \text{atanh} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{2\sqrt[4]{a}b^{7/4}}
 \end{aligned}$$

Mathematica [A] time = 0.51, size = 318, normalized size = 1.55

$$\frac{3 \log \left(\sqrt[4]{a} - \sqrt[4]{bx} \right) \left(a^{5/4} \sqrt[4]{b} h + a^{3/2} i + \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{3 \log \left(\sqrt[4]{a} + \sqrt[4]{bx} \right) \left(-a^{5/4} \sqrt[4]{b} h + a^{3/2} i - \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] (-12*b^(3/4)*g*x - 6*b^(3/4)*h*x^2 - 4*b^(3/4)*i*x^3 - 3*b^(3/4)*j*x^4 + (6*(b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*(b^(3/2)*c + a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g + a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x])/a^(3/4) + (3*(b^(3/2)*c - a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g - a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x])/a^(3/4) + (3*b^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[a] - (3*(b*f + a*j)*Log[a - b*x^4])/b^(1/4))/(12*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 556, normalized size = 2.71

$$\frac{1}{8} i \left(\frac{2 \sqrt{2} (-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{b^4} \right) + \frac{1}{8} i \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/b^4 - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 + 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/b^4 + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 - 1/4*sqrt(2)*(b^2*c + a*b*g - sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(2)*(-a*b^3)^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + a*b*g + sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*(b*f + a*j)*log(abs(b*x^4 - a))/b^2 - 1/12*(3*b^3*j*x^4 + 4*b^3*i*x^3 + 6*b^3*h*x^2 + 12*b^3*g*x)/b^4

maple [B] time = 0.05, size = 393, normalized size = 1.92

$$\frac{jx^4}{4b} - \frac{ix^3}{3b} - \frac{ah \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} - \frac{ai \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{ai \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} - \frac{aj \ln(bx^4 - a)}{4b^2} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out]
$$-1/4*j*x^4/b-1/3/b*i*x^3-1/2/b*h*x^2-1/b*g*x+1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)*x})+1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)*x})+1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/4/(a*b)^{(1/2)}*a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/2/(a/b)^{(1/4)}*a/b^2*i*\arctan(1/(a/b)^{(1/4)*x})-1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)*x})+1/4/(a/b)^{(1/4)}*a/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/4/b^2*\ln(b*x^4-a)*a*j-1/4/b*f*\ln(b*x^4-a)$$

maxima [A] time = 3.07, size = 257, normalized size = 1.25

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx}{12b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right) + \left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h - a^{\frac{3}{2}}j\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h - a^{\frac{3}{2}}j\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h - a^{\frac{3}{2}}j\right)\log(\sqrt{b}x^2 + \sqrt{a})}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out]
$$-1/12*(3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g - a^{(3/2)}*i)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) + (b^{(3/2)}*d - \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h - a^{(3/2)}*j)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*d + \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h + a^{(3/2)}*j)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*c + \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g + a^{(3/2)}*i)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/b$$

mupad [B] time = 5.16, size = 5673, normalized size = 27.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4),x)

[Out]
$$\text{symsum}(\log(- (a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j + a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + a^3*b*c*j^2 + 3*a^3*b*e*i^2 + a^3*b*g*h^2 - a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h - 2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*d*i*j - 2*a^3*b*e*h*j + 2*a^3*b*f*g*j - 2*a^3*b*f*h*i)/b^2 - \text{root}(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 + 256*a^3*b^7*f*z^3 + 192*a^4*b^5*f*j*z^2 - 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 - 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 - 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 - 32*a^2*b^7*d^2*z^2 - 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z - 32*a^3*b^5*e*f*g*z - 32*a^3*b^5*d*f*h*z + 32*a^3*b^5*d*e*i*z + 32*a^3*b^5*c*g*h*z - 32*a^3*b^5*c*f*i*z - 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z - 16*a^5*b^3*h^2*j*z + 16*a^5*b^3*h*i^2*z + 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z - 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z + 16*a^3*b^5*e^2*h*z + 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z + 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z + 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j + 8*a^4*b^3*$$

$$\begin{aligned}
& e f h i - 8 a^4 b^3 e f g j - 8 a^4 b^3 d g h i - 8 a^4 b^3 d f h j + 8 a^4 \\
& b^3 d e i j + 8 a^4 b^3 c g h j - 8 a^4 b^3 c f i j - 8 a^3 b^4 d e g h + \\
& 8 a^3 b^4 d e f i + 8 a^3 b^4 c f g h + 8 a^3 b^4 c e g i - 8 a^3 b^4 c e f j \\
& - 8 a^3 b^4 c d h i + 8 a^3 b^4 c d g j + 8 a^2 b^5 c d f g - 8 a^2 b^5 c \\
& d e h + 4 a^5 b^2 g^2 h j - 4 a^5 b^2 g h^2 i - 4 a^5 b^2 f h^2 j + 4 a^5 \\
& b^2 f h i^2 + 4 a^5 b^2 d i^2 j + 4 a^4 b^3 e^2 h j - 4 a^5 b^2 e g j^2 - \\
& 4 a^5 b^2 d h j^2 - 4 a^5 b^2 c i j^2 - 4 a^4 b^3 f^2 g i + 4 a^4 b^3 f g^2 \\
& h + 4 a^4 b^3 e g^2 i + 4 a^4 b^3 d g^2 j + 4 a^3 b^4 c^2 h j - 4 a^4 b^3 e \\
& g h^2 - 4 a^4 b^3 c h^2 i - 4 a^3 b^4 d^2 g i - 4 a^3 b^4 d^2 f j + 4 a^4 \\
& b^3 d f i^2 + 4 a^4 b^3 c g i^2 + 4 a^3 b^4 e^2 f h + 4 a^3 b^4 d e^2 j - \\
& 4 a^4 b^3 c e j^2 - 4 a^3 b^4 e f^2 g - 4 a^3 b^4 d f^2 h - 4 a^3 b^4 c f^2 \\
& i + 4 a^3 b^4 d f g^2 + 4 a^2 b^5 c^2 f h + 4 a^2 b^5 c^2 e i + 4 a^2 b^5 c \\
& c^2 d j - 4 a^3 b^4 c e h^2 - 4 a^2 b^5 d^2 e g - 4 a^2 b^5 c d^2 i + 4 a^2 \\
& b^5 d e^2 f + 4 a^2 b^5 c e^2 g - 4 a^2 b^5 c e f^2 + 4 a^6 b h i^2 j - 4 a \\
& a^6 b g i j^2 + 4 a b^6 c^2 d f - 4 a b^6 c d^2 e + 4 a^6 b f j^3 - 4 a b^6 \\
& c^3 g + 6 a^5 b^2 f^2 j^2 + 2 a^5 b^2 g^2 i^2 - 6 a^4 b^3 e^2 i^2 - 2 a^4 b \\
& b^3 f^2 h^2 - 2 a^4 b^3 d^2 j^2 + 6 a^3 b^4 d^2 h^2 + 2 a^3 b^4 e^2 g^2 + 2 \\
& a^3 b^4 c^2 i^2 - 6 a^2 b^5 c^2 g^2 - 2 a^2 b^5 d^2 f^2 - 2 a^6 b h^2 j^2 \\
& + 4 a^4 b^3 f^3 j - 4 a^5 b^2 e i^3 - 4 a^3 b^4 e^3 i + 4 a^4 b^3 d h^3 + 4 \\
& a^2 b^5 d^3 h - 4 a^3 b^4 c g^3 + 2 a b^6 c^2 e^2 + a^5 b^2 h^4 + a^3 b^4 f \\
& f^4 + a b^6 d^4 + a^7 j^4 - a^4 b^3 g^4 - a^2 b^5 e^4 - a^6 b i^4 - b^7 c^4 \\
& , z, m) * ((8 a^4 b^3 c f - 8 a^4 b^3 d e + 8 a^2 b^3 c j - 8 a^2 b^3 d i - 8 a^2 \\
& b^3 e h + 8 a^2 b^3 f g + 8 a^3 b^2 g j - 8 a^3 b^2 h i) / b^2 + \text{root}(256 a^4 \\
& 3 b^8 z^4 + 256 a^4 b^6 j z^3 + 256 a^3 b^7 f z^3 + 192 a^4 b^5 f j z^2 - 6 \\
& 4 a^4 b^5 g i z^2 - 64 a^3 b^6 e g z^2 - 64 a^3 b^6 d h z^2 - 64 a^3 b^6 c \\
& i z^2 - 64 a^2 b^7 c e z^2 + 96 a^5 b^4 j^2 z^2 - 32 a^4 b^5 h^2 z^2 + 96 a \\
& ^3 b^6 f^2 z^2 - 32 a^2 b^7 d^2 z^2 - 32 a^5 b^3 g i j z - 32 a^4 b^4 f g i \\
& z + 32 a^4 b^4 e h i z - 32 a^4 b^4 e g j z - 32 a^4 b^4 d h j z - 32 a^4 b \\
& ^4 c i j z - 32 a^3 b^5 e f g z - 32 a^3 b^5 d f h z + 32 a^3 b^5 d e i z \\
& + 32 a^3 b^5 c g h z - 32 a^3 b^5 c f i z - 32 a^3 b^5 c e j z - 32 a^2 b^6 \\
& c e f z + 32 a^2 b^6 c d g z - 16 a^5 b^3 h^2 j z + 16 a^5 b^3 h i^2 z + 4 \\
& 8 a^5 b^3 f j^2 z + 48 a^4 b^4 f^2 j z + 16 a^4 b^4 g^2 h z - 16 a^4 b^4 f h \\
& h^2 z - 16 a^3 b^5 d^2 j z + 16 a^4 b^4 d i^2 z + 16 a^3 b^5 e^2 h z + 16 a \\
& ^3 b^5 d g^2 z + 16 a^2 b^6 c^2 h z - 16 a^2 b^6 d^2 f z + 16 a^2 b^6 d e^2 \\
& z + 16 a b^7 c^2 d z + 16 a^6 b^2 j^3 z + 16 a^3 b^5 f^3 z - 8 a^5 b^2 f g \\
& i j + 8 a^5 b^2 e h i j + 8 a^4 b^3 e f h i - 8 a^4 b^3 e f g j - 8 a^4 b^3 \\
& d g h i - 8 a^4 b^3 d f h j + 8 a^4 b^3 d e i j + 8 a^4 b^3 c g h j - 8 a \\
& ^4 b^3 c f i j - 8 a^3 b^4 d e g h + 8 a^3 b^4 d e f i + 8 a^3 b^4 c f g h \\
& + 8 a^3 b^4 c e g i - 8 a^3 b^4 c e f j - 8 a^3 b^4 c d h i + 8 a^3 b^4 c d \\
& g j + 8 a^2 b^5 c d f g - 8 a^2 b^5 c d e h + 4 a^5 b^2 g^2 h j - 4 a^5 b^2 \\
& g h^2 i - 4 a^5 b^2 f h^2 j + 4 a^5 b^2 f h i^2 + 4 a^5 b^2 d i^2 j + 4 a \\
& ^4 b^3 e^2 h j - 4 a^5 b^2 e g j^2 - 4 a^5 b^2 d h j^2 - 4 a^5 b^2 c i j^2 \\
& - 4 a^4 b^3 f^2 g i + 4 a^4 b^3 f g^2 h + 4 a^4 b^3 e g^2 i + 4 a^4 b^3 d g \\
& ^2 j + 4 a^3 b^4 c^2 h j - 4 a^4 b^3 e g h^2 - 4 a^4 b^3 c h^2 i - 4 a^3 b^4 \\
& d^2 g i - 4 a^3 b^4 d^2 f j + 4 a^4 b^3 d f i^2 + 4 a^4 b^3 c g i^2 + 4 a \\
& ^3 b^4 e^2 f h + 4 a^3 b^4 d e^2 j - 4 a^4 b^3 c e j^2 - 4 a^3 b^4 e f^2 g \\
& - 4 a^3 b^4 d f^2 h - 4 a^3 b^4 c f^2 i + 4 a^3 b^4 d f g^2 + 4 a^2 b^5 c^2 \\
& f h + 4 a^2 b^5 c^2 e i + 4 a^2 b^5 c^2 d j - 4 a^3 b^4 c e h^2 - 4 a^2 b^5 \\
& d^2 e g - 4 a^2 b^5 c d^2 i + 4 a^2 b^5 d e^2 f + 4 a^2 b^5 c e^2 g - 4 a \\
& ^2 b^5 c e f^2 + 4 a^6 b h i^2 j - 4 a^6 b g i j^2 + 4 a b^6 c^2 d f - 4 a b \\
& ^6 c d^2 e + 4 a^6 b f j^3 - 4 a b^6 c^3 g + 6 a^5 b^2 f^2 j^2 + 2 a^5 b^2 \\
& g^2 i^2 - 6 a^4 b^3 e^2 i^2 - 2 a^4 b^3 f^2 h^2 - 2 a^4 b^3 d^2 j^2 + 6 a^3 \\
& b^4 d^2 h^2 + 2 a^3 b^4 e^2 g^2 + 2 a^3 b^4 c^2 i^2 - 6 a^2 b^5 c^2 g^2 - \\
& 2 a^2 b^5 d^2 f^2 - 2 a^6 b h^2 j^2 + 4 a^4 b^3 f^3 j - 4 a^5 b^2 e i^3 - \\
& 4 a^3 b^4 e^3 i + 4 a^4 b^3 d h^3 + 4 a^2 b^5 d^3 h - 4 a^3 b^4 c g^3 + 2 a \\
& b^6 c^2 e^2 + a^5 b^2 h^4 + a^3 b^4 f^4 + a b^6 d^4 + a^7 j^4 - a^4 b^3 g^4 \\
& - a^2 b^5 e^4 - a^6 b i^4 - b^7 c^4, z, m) * ((16 a^2 b^4 g + 16 a b^5 c) / b \\
& ^2 - (x * (16 a^2 b^4 h + 16 a b^5 d)) / b^2) + (x * (4 b^5 c^2 + 4 a b^4 e^2 + 4 \\
& a^2 b^3 g^2 + 4 a^3 b^2 i^2 + 8 a b^4 c g - 8 a b^4 d f - 8 a^2 b^3 d j +
\end{aligned}$$

$$\begin{aligned} & (8a^2b^3e^i - 8a^2b^3f^h - 8a^3b^2h^j)/b^2) - (x(b^4d^3 + a^3bh^3 + b^4c^2f - a^4h^j^2 + a^4i^2j + 3a^2b^2d^2h^2 + a^2b^2f^2g^2 - \\ & a^2b^2f^2h + a^2b^2e^2j - 2b^4c^2d^2e - ab^3d^2f^2 + ab^3e^2f + \\ & 3ab^3d^2h + ab^3c^2j - a^3b^2d^2j^2 + a^3b^2f^2i^2 + a^3b^2g^2j + 2a^2b^2c^2g^2j - 2a^2b^2c^2h^i - 2a^2b^2d^2f^2j - 2a^2b^2d^2g^2i + 2a^2b^2b^2e^2f^2i - 2a^2b^2e^2g^2h - 2ab^3c^2d^2i - 2ab^3c^2e^2h + 2ab^3c^2f^2g - \\ & 2ab^3d^2e^2g + 2a^3b^2e^2i^2j - 2a^3b^2f^2h^2j - 2a^3b^2g^2h^2i))/b^2) \text{root}(256a^3b^8z^4 + 256a^4b^6j^2z^3 + 256a^3b^7f^2z^3 + 192a^4b^5f^2j^2z^2 - 64a^4b^5g^2i^2z^2 - 64a^3b^6e^2g^2z^2 - 64a^3b^6d^2h^2z^2 - 64a^3b^6c^2i^2z^2 - 64a^2b^7c^2e^2z^2 + 96a^5b^4j^2z^2 - 32a^4b^5h^2z^2 + 96a^3b^6f^2z^2 - 32a^2b^7d^2z^2 - 32a^5b^3g^2i^2z - 32a^4b^4f^2g^2i^2z + 32a^4b^4e^2h^2i^2z - 32a^4b^4e^2g^2j^2z - 32a^4b^4d^2h^2j^2z - 32a^4b^4c^2i^2j^2z - 32a^3b^5e^2f^2g^2z - 32a^3b^5d^2f^2h^2z + 32a^3b^5d^2e^2i^2z + 32a^3b^5c^2g^2h^2z - 32a^3b^5c^2f^2i^2z - 32a^3b^5c^2e^2j^2z - 32a^2b^6c^2e^2f^2z + 32a^2b^6c^2d^2g^2z - 16a^5b^3h^2j^2z + 16a^5b^3h^2i^2z + 48a^5b^3f^2j^2z + 48a^4b^4f^2j^2z + 16a^4b^4g^2h^2z - 16a^4b^4f^2h^2z - 16a^3b^5d^2j^2z + 16a^4b^4d^2i^2z + 16a^3b^5e^2h^2z + 16a^3b^5d^2g^2z + 16a^2b^6c^2h^2z - 16a^2b^6d^2f^2z + 16a^2b^6d^2e^2z + 16ab^7c^2d^2z + 16a^6b^2j^3z + 16a^3b^5f^3z - 8a^5b^2f^2g^2i^2j + 8a^5b^2e^2h^2i^2j + 8a^4b^3e^2f^2h^2i - 8a^4b^3e^2f^2g^2j - 8a^4b^3d^2g^2h^2i - 8a^4b^3d^2f^2h^2j + 8a^4b^3d^2e^2i^2j + 8a^4b^3c^2g^2h^2j - 8a^4b^3c^2f^2i^2j - 8a^3b^4d^2e^2g^2h + 8a^3b^4d^2e^2f^2i + 8a^3b^4c^2f^2g^2h + 8a^3b^4c^2e^2g^2i - 8a^3b^4c^2e^2f^2j - 8a^3b^4c^2d^2h^2i + 8a^3b^4c^2d^2g^2j + 8a^2b^5c^2d^2f^2g - 8a^2b^5c^2d^2e^2h + 4a^5b^2g^2h^2j - 4a^5b^2g^2h^2i - 4a^5b^2f^2h^2j + 4a^5b^2f^2h^2i^2 + 4a^5b^2d^2i^2j + 4a^4b^3e^2h^2j - 4a^5b^2e^2g^2j^2 - 4a^5b^2d^2h^2j^2 - 4a^5b^2c^2i^2j^2 - 4a^4b^3f^2g^2i + 4a^4b^3f^2g^2h + 4a^4b^3e^2g^2i + 4a^4b^3d^2g^2j + 4a^3b^4c^2h^2j - 4a^4b^3e^2g^2h^2 - 4a^4b^3c^2h^2i - 4a^3b^4d^2g^2i - 4a^3b^4d^2f^2j + 4a^4b^3d^2f^2i^2 + 4a^4b^3c^2g^2i^2 + 4a^3b^4e^2f^2h + 4a^3b^4d^2e^2j - 4a^4b^3c^2e^2j^2 - 4a^3b^4e^2e^2f^2g - 4a^3b^4d^2f^2h - 4a^3b^4c^2f^2i + 4a^3b^4d^2f^2g^2 + 4a^2b^5c^2f^2h + 4a^2b^5c^2e^2i + 4a^2b^5c^2d^2j - 4a^3b^4c^2e^2h^2 - 4a^2b^5d^2e^2g - 4a^2b^5c^2d^2i + 4a^2b^5d^2e^2f + 4a^2b^5c^2e^2g - 4a^2b^5c^2e^2f^2 + 4a^6b^2h^2i^2j - 4a^6b^2g^2i^2j^2 + 4ab^6c^2d^2f - 4ab^6c^2d^2e + 4a^6b^2f^2j^3 - 4ab^6c^3g + 6a^5b^2f^2j^2 + 2a^5b^2g^2i^2 - 6a^4b^3e^2i^2 - 2a^4b^3f^2h^2 - 2a^4b^3d^2j^2 + 6a^3b^4d^2h^2 + 2a^3b^4e^2g^2 + 2a^3b^4c^2i^2 - 6a^2b^5c^2g^2 - 2a^2b^5d^2f^2 - 2a^6b^2h^2j^2 + 4a^4b^3f^3j - 4a^5b^2e^2i^3 - 4a^3b^4e^3i + 4a^4b^3d^2h^3 + 4a^2b^5d^3h - 4a^3b^4c^2g^3 + 2ab^6c^2e^2 + a^5b^2h^4 + a^3b^4f^4 + ab^6d^4 + a^7j^4 - a^4b^3g^4 - a^2b^5e^4 - a^6b^2i^4 - b^7c^4, z, m), m, 1, 4) - (hx^2)/(2b) - (ix^3)/(3b) - (jx^4)/(4b) - (gx)/b \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.189 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/4*f*\ln(b*x^4+a)/b+1/2*(-a*h+b*d)*\arctan(x^2*b^(1/2)/a^(1/2))/b^(3/2)/a^(1/2)-1/8*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/8*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/4*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/4*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.40, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^(3/2)) - ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) - ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)\}/\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[\{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]\}/b, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[\{(d_)+(e_)*(x_)\}/\{(a_)+(c_)*(x_)^2\}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-(a*c)]$

Rule 1162

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[-(a*c)]$

Rule 1810

$\text{Int}[(Pq_)*\{(a_)+(b_)*(x_)^2\}^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^2)^p, x], x] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[p, -2]$

Rule 1819

$\text{Int}[(Pq_)*(x_)^{(m_)}*\{(a_)+(b_)*(x_)^{(n_)}\}^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, Pq, x]*(a + b*x^{\text{Simplify}[n/(m + 1)])}^p, x], x, x^{(m + 1)}], x] \ /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{IGtQ}[\text{Simplify}[n/(m + 1)], 0] \ \&\& \ \text{PolyQ}[Pq, x^{(m + 1)}]$

Rule 1885

$\text{Int}[(Pq_)*\{(a_)+(b_)*(x_)^{(n_)}\}^{(p_)}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\}]*\{(a + b*x^n)\}^p, \{j, 0, n/2 - 1\}], x] \ /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{!PolyQ}[Pq, x^{(n/2)}]$

Rule 1887

$\text{Int}[(Pq_)/\{(a_)+(b_)*(x_)^{(n_)}\}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a + bx^4} + \frac{x(d + fx^2 + hx^4)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} + \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b}}{a + bx^4} dx}{2\sqrt{a} b^{3/2}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{-\sqrt{a} \sqrt{b}}{a + bx^4} dx}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \log(\sqrt{a} - \sqrt{b} x)}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc + \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2}}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 342, normalized size = 1.01

$$-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (-2a^{5/4} h + \sqrt{2} \sqrt{a} b^{3/4} e + 2\sqrt[4]{a} bd - \sqrt{2} a \sqrt[4]{b} g + \sqrt{2} b^{5/4} c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (2a^{5/4} h + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(5/4)*c + 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g - 2*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g + 2*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + b^(1/4)*(Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a^(3/4)*b^(1/4)*(2*x*(2*g + h*x) + f*Log[a + b*x^4]))/(8*a^(3/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 375, normalized size = 1.11

$$\frac{f \log(|bx^4 + a|)}{4b} + \frac{bhx^2 + 2bgx}{2b^2} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d + \sqrt{2} \sqrt{ab} abh + (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{1}{4}} abg + (ab^3)^{\frac{3}{4}} e \right) \arctan\left(\frac{\sqrt{2} x}{\sqrt{ab}}\right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] 1/4*f*log(abs(b*x^4 + a))/b + 1/2*(b*h*x^2 + 2*b*g*x)/b^2 + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)

maple [A] time = 0.05, size = 462, normalized size = 1.37

$$-\frac{ah \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab} b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] 1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/8*(a/b)^(1/4)*2^(1/2)/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/2/b/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)*a*h+1/2/(a*b)^(1/2)*d*arctan((1/a*b)^(1/2)*x^2)+1/8/(a/b)^(1/4)*2^(1/2)/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/b*f*ln(b*x^4+a)

maxima [A] time = 3.05, size = 351, normalized size = 1.04

$$\frac{hx^2 + 2gx}{2b} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - abg \right) \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + abg \right) \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

```
[Out] 1/2*(h*x^2 + 2*g*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f + b^2*c - s
sqrt(a)*b^(3/2)*e - a*b*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqr
t(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - b^2*c + sqrt
(a)*b^(3/2)*e + a*b*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a
))/(a^(3/4)*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/
4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g - 2*sqrt(a)*b^2*d + 2*a^(3/2)*b*h)*arctan(
1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/
(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sq
rt(2)*a^(3/4)*b^(7/4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g + 2*sqrt(a)*b^2*d - 2*a
^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt
(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))/b
```

mupad [B] time = 5.54, size = 2469, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4),x)
```

```
[Out] symsum(log(root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 -
64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f
^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d*f*h*z - 32*
a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^2*g^2*
h*z - 16*a^4*b^2*f*h^2*z - 16*a^3*b^3*e^2*h*z - 16*a^3*b^3*d*g^2*z + 16*a^2
*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z - 16*a*b^5*c^2*d*z -
16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h - 8*a^2*b^3*c*d*f
*g + 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^3*b^2*
d*f^2*h + 4*a^3*b^2*d*f*g^2 - 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 + 4*a^2
*b^3*d^2*e*g - 4*a^2*b^3*d*e^2*f - 4*a^2*b^3*c*e^2*g + 4*a^2*b^3*c*e*f^2 -
4*a^4*b*f*g^2*h + 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e - 4*a
^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 6*a^2*
b^3*c^2*g^2 + 2*a^2*b^3*d^2*f^2 + 2*a^4*b*f^2*h^2 - 4*a^2*b^3*d^3*h - 4*a^3
*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a^2*b^3*e^4 + a^4*b*g^4 + a*b^
4*d^4 + a^5*h^4 + b^5*c^4, z, k)*((8*a*b^3*c*f - 8*a*b^3*d*e + 8*a^2*b^2*e*
h - 8*a^2*b^2*f*g)/b + root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^
4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 +
96*a^3*b^4*f^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d
*f*h*z - 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*
a^4*b^2*g^2*h*z - 16*a^4*b^2*f*h^2*z - 16*a^3*b^3*e^2*h*z - 16*a^3*b^3*d*g^
2*z + 16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z - 16*a*b
^5*c^2*d*z - 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h - 8*a
^2*b^3*c*d*f*g + 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g
- 4*a^3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 - 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e
*h^2 + 4*a^2*b^3*d^2*e*g - 4*a^2*b^3*d*e^2*f - 4*a^2*b^3*c*e^2*g + 4*a^2*b^
3*c*e*f^2 - 4*a^4*b*f*g^2*h + 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c
*d^2*e - 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*
g^2 + 6*a^2*b^3*c^2*g^2 + 2*a^2*b^3*d^2*f^2 + 2*a^4*b*f^2*h^2 - 4*a^2*b^3*d
^3*h - 4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a^2*b^3*e^4 + a^4*
b*g^4 + a*b^4*d^4 + a^5*h^4 + b^5*c^4, z, k)*((16*a^2*b^3*g - 16*a*b^4*c)/b
- (x*(16*a^2*b^3*h - 16*a*b^4*d))/b) - (x*(4*b^4*c^2 - 4*a*b^3*e^2 + 4*a^2
*b^2*g^2 - 8*a*b^3*c*g + 8*a*b^3*d*f - 8*a^2*b^2*f*h))/b) - (a*b^2*e^3 - b^
3*c*d^2 + b^3*c^2*e + a^3*g*h^2 + a*b^2*c*f^2 + a*b^2*d^2*g - a^2*b*c*h^2 +
a^2*b*e*g^2 - a^2*b*f^2*g + 2*a*b^2*c*d*h - 2*a*b^2*c*e*g - 2*a*b^2*d*e*f
- 2*a^2*b*d*g*h + 2*a^2*b*e*f*h)/b + (x*(b^3*d^3 - a^3*h^3 + b^3*c^2*f - 2*
b^3*c*d*e + a*b^2*d*f^2 - a*b^2*e^2*f - 3*a*b^2*d^2*h + 3*a^2*b*d*h^2 + a^2
*b*f*g^2 - a^2*b*f^2*h + 2*a*b^2*c*e*h - 2*a*b^2*c*f*g + 2*a*b^2*d*e*g - 2*
a^2*b*e*g*h))/b)*root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*
z^2 - 64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 + 96*a^3
*b^4*f^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d*f*h*z
- 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^
```


$$\begin{aligned}
& 2g^2hz - 16a^4b^2fh^2z - 16a^3b^3e^2hz - 16a^3b^3d^2g^2z + \\
& 16a^2b^4c^2hz - 16a^2b^4d^2fz + 16a^2b^4de^2z - 16a^5c^2 \\
& dz - 16a^3b^3f^3z - 8a^3b^2d^2egh + 8a^3b^2c^2fgh - 8a^2b^3 \\
& cd^2fg + 8a^2b^3c^2deh + 4a^3b^2e^2fh - 4a^3b^2e^2fg - 4a^ \\
& 3b^2d^2fh + 4a^3b^2d^2fg^2 - 4a^2b^3c^2fh - 4a^3b^2c^2eh^2 + \\
& 4a^2b^3d^2eg - 4a^2b^3d^2ef - 4a^2b^3c^2eg + 4a^2b^3c^2ef \\
& f^2 - 4a^4b^2fg^2h + 4a^4b^2eg^2h^2 + 4a^4b^2c^2df - 4a^4b^2c^2d^2e \\
& - 4a^4b^2d^2h^3 - 4a^4b^2c^3g + 6a^3b^2d^2h^2 + 2a^3b^2e^2g^2 + \\
& 6a^2b^3c^2g^2 + 2a^2b^3d^2f^2 + 2a^4b^2f^2h^2 - 4a^2b^3d^3h - \\
& 4a^3b^2c^2g^3 + 2a^4b^2c^2e^2 + a^3b^2f^4 + a^2b^3e^4 + a^4b^2g^4 \\
& + a^4b^2d^4 + a^5h^4 + b^5c^4, z, k), k, 1, 4) + (hx^2)/(2b) + (gx)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.190 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$$

Optimal. Leaf size=384

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/3*i*x^3/b+1/4*f*\ln(b*x^4+a)/b+1/2*(-a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/8*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.325$, Rules used = {1885, 1819, 1810, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^{(3/2)}) - ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) - ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1810

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1819

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n]^p, {j, 0, n/2 - 1}, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

`Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]`

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 190x^6}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a + bx^4} + \frac{c + ex^2 + gx^4 + 190x^6}{a + bx^4} \right) dx \\
 &= \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4 + 190x^6}{a + bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{190x^2}{b} + \frac{bc - ag}{b} \right) dx \\
 &= \frac{gx}{b} + \frac{190x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \int \frac{bc - ag}{b} dx \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} - \frac{(190a - bc)x}{b} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(190a - bc)x}{b} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} - \frac{(190a - bc + \sqrt{b}x^2)}{b} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} + \frac{(190a - bc - \sqrt{b}x^2)}{b}
 \end{aligned}$$

Mathematica [A] time = 0.37, size = 427, normalized size = 1.11

$$\frac{6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) \left(2a^{5/4} \sqrt[4]{b} h + \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d - \sqrt{2} \sqrt{a} b e + \sqrt{2} a \sqrt{b} g - \sqrt{2} b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) \left(2a^{5/4} \sqrt[4]{b} h - \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d + \sqrt{2} \sqrt{a} b e - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/2} c \right)}{a^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + (6*(-(Sqrt[2]*b^(3/2))*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e - Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*Sqrt[2]*(b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4) + (3*Sqrt[2]*(b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4) + 6*b^(3/4)*f*Log[a + b*x^4]/(24*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 562, normalized size = 1.46

$$\frac{1}{8}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right) - \frac{1}{8}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 - 1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 + 1/4*f*log(abs(b*x^4 + a))/b + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) + 1/6*(2*b^2*i*x^3 + 3*b^2*h*x^2 + 6*b^2*g*x)/b^3 \end{aligned}$$

maple [B] time = 0.06, size = 603, normalized size = 1.57

$$\frac{ix^3}{3b} - \frac{ah \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab} b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} a}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out]
$$\begin{aligned} & 1/3/b*i*x^3+1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1) - 1/8*(a/b)^(1/4)*2^(1/2)/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))) - 1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/2/(a*b)^(1/2)*a/b*h*arctan((1/a*b)^(1/2)*x^2)+1/2/(a*b)^(1/2)*d*arctan((1/a*b)^(1/2)*x^2)-1/8/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*a*i+1/8/(a/b)^(1/4)*2^(1/2)/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b^2/(a/b)^(1/4)*2^(1/2) \end{aligned}$$

$$\frac{a/b^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x - 1) \cdot a^{1/4} / (a/b)^{1/4} \cdot 2^{1/2} / b \cdot e \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x - 1) - 1/4/b^2 / (a/b)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x + 1) \cdot a^{1/4} / (a/b)^{1/4} \cdot 2^{1/2} / b \cdot e \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x + 1) + 1/4/b \cdot f \cdot \ln(b \cdot x^4 + a)}{}$$

maxima [A] time = 3.08, size = 399, normalized size = 1.04

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{\sqrt{2} \left(\sqrt{2a^3 b^5 f + b^2 c} - \sqrt{a b^2 e - abg + a^2} \sqrt{b i} \right) \log \left(\sqrt{b} x^2 + \sqrt{2a^4 b^4} x + \sqrt{a} \right)}{a^3 b^5} + \frac{\sqrt{2} \left(\sqrt{2a^3 b^5 f - b^2 c} + \sqrt{a b^2 e + abg - a^2} \sqrt{b i} \right)}{a^3 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")
```

```
[Out] 1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f + b^2*c - sqrt(a)*b^(3/2)*e - a*b*g + a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - b^2*c + sqrt(a)*b^(3/2)*e + a*b*g - a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g - sqrt(2)*a^(7/4)*b^(3/4)*i - 2*sqrt(a)*b^2*d + 2*a^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g - sqrt(2)*a^(7/4)*b^(3/4)*i + 2*sqrt(a)*b^2*d - 2*a^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))/b
```

mupad [B] time = 5.05, size = 3798, normalized size = 9.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4),x)
```

```
[Out] symsum(log((a^4*i^3 - a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - a*b^3*c*f^2 - a*b^3*d^2*g + a*b^3*c^2*i - 3*a^3*b*e*i^2 - a^3*b*g*h^2 + a^3*b*g^2*i - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h - 2*a*b^3*c*d*h + 2*a*b^3*c*e*g + 2*a*b^3*d*e*f + 2*a^3*b*f*h*i)/b^2 + root(256*a^3*b^7*z^4 - 256*a^3*b^6*f*z^3 + 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 + 64*a^2*b^6*c*e*z^2 + 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 + 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h*i*z + 32*a^3*b^4*e*f*g*z + 32*a^3*b^4*d*f*h*z - 32*a^3*b^4*d*e*i*z - 32*a^3*b^4*c*g*h*z + 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z - 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^3*d*i^2*z - 16*a^3*b^4*e^2*h*z - 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z - 16*a*b^6*c^2*d*z - 16*a^3*b^4*f^3*z - 8*a^4*b^2*e*f*h*i + 8*a^4*b^2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i - 8*a^2*b^4*c*d*f*g + 8*a^2*b^4*c*d*e*h + 4*a^4*b^2*f^2*g*i - 4*a^4*b^2*f*g^2*h - 4*a^4*b^2*e*g^2*i + 4*a^4*b^2*e*g*h^2 + 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g*i - 4*a^4*b^2*d*f*i^2 - 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 - 4*a^2*b^4*c^2*f*h - 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 + 4*a^2*b^4*d^2*e*g + 4*a^2*b^4*c*d^2*i - 4*a^2*b^4*d*e^2*f - 4*a^2*b^4*c*e^2*g + 4*a^2*b^4*c*e*f^2)
```

$$\begin{aligned}
& - 4a^5b^*g^*h^2i + 4a^5b^*f^*h^2i + 4a^*b^5c^2d^*f - 4a^*b^5c^2d^*e - \\
& 4a^5b^*e^*i^3 - 4a^*b^5c^3g + 6a^4b^2e^2i^2 + 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 + 6a^2b^4c^2g^2 \\
& + 2a^2b^4d^2f^2 + 2a^5b^*g^2i^2 - 4a^3b^3e^3i - 4a^4b^2d^*h^3 - 4a^2b^4d^3h - 4a^3b^3c^*g^3 + 2a^*b^5c^2e^2 + a^4b^2g^4 + a^3b^3f^4 \\
& + a^2b^4e^4 + a^5b^*h^4 + a^*b^5d^4 + a^6i^4 + b^6c^4, z, 1) * ((8a^*b^4c^*f - 8a^*b^4d^*e + 8a^2b^3d^*i + 8a^2b^3e^*h - 8a^2b^3f^*g - 8a^3b^2h^*i) / b^2 + \text{root}(256a^3b^7z^4 - 256a^3b^6f^*z^3 + 64a^4b^4g^*i^2z^2 - 64a^3b^5e^*g^*z^2 - 64a^3b^5d^*h^*z^2 - 64a^3b^5c^*i^2z^2 + 64a^2b^6c^*e^*z^2 + 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 + 32a^2b^6d^2z^2 - 32a^4b^3f^*g^*i^2z + 32a^4b^3e^*h^*i^2z + 32a^3b^4e^*f^*g^*z + 32a^3b^4d^*f^*h^*z - 32a^3b^4d^*e^*i^2z - 32a^3b^4c^*g^*h^*z + 32a^3b^4c^*f^*i^2z - 32a^2b^5c^*e^*f^*z + 32a^2b^5c^*d^*g^*z - 16a^5b^2h^*i^2z + 16a^4b^3g^2h^*z - 16a^4b^3f^*h^2z + 16a^4b^3d^*i^2z - 16a^3b^4e^2h^*z - 16a^3b^4d^*g^2z + 16a^2b^5c^2h^*z - 16a^2b^5d^2f^*z + 16a^2b^5d^*e^2z - 16a^*b^6c^2d^*z - 16a^3b^4f^3z - 8a^4b^2e^*f^*h^*i + 8a^4b^2d^*g^*h^*i - 8a^3b^3d^*e^*g^*h + 8a^3b^3d^*e^*f^*i + 8a^3b^3c^*f^*g^*h + 8a^3b^3c^*e^*g^*i - 8a^3b^3c^*d^*h^*i - 8a^2b^4c^*d^*f^*g + 8a^2b^4c^*d^*e^*h + 4a^4b^2f^2g^*i - 4a^4b^2f^*g^2h - 4a^4b^2e^*g^2i + 4a^4b^2e^*g^*h^2 + 4a^4b^2c^*h^2i - 4a^3b^3d^2g^*i - 4a^4b^2d^*f^*i^2 - 4a^4b^2c^*g^*i^2 + 4a^3b^3e^2f^*h - 4a^3b^3e^*f^2g - 4a^3b^3d^*f^2h - 4a^3b^3c^*f^2i + 4a^3b^3d^*f^*g^2 - 4a^2b^4c^2f^*h - 4a^2b^4c^2e^*i - 4a^3b^3c^*e^*h^2 + 4a^2b^4d^2e^*g + 4a^2b^4c^*d^2i - 4a^2b^4d^*e^2f - 4a^2b^4c^*e^2g + 4a^2b^4c^*e^*f^2 - 4a^5b^*g^*h^2i + 4a^5b^*f^*h^2i + 4a^*b^5c^2d^*f - 4a^*b^5c^2d^*e - 4a^5b^*e^*i^3 - 4a^*b^5c^3g + 6a^4b^2e^2i^2 + 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 + 6a^2b^4c^2g^2 + 2a^2b^4d^2f^2 + 2a^5b^*g^2i^2 - 4a^3b^3e^3i - 4a^4b^2d^*h^3 - 4a^2b^4d^3h - 4a^3b^3c^*g^3 + 2a^*b^5c^2e^2 + a^4b^2g^4 + a^3b^3f^4 + a^2b^4e^4 + a^5b^*h^4 + a^*b^5d^4 + a^6i^4 + b^6c^4, z, 1) * ((16a^2b^4g - 16a^*b^5c) / b^2 - (x*(16a^2b^3h - 16a^*b^4d)) / b) - (x*(4b^4c^2 - 4a^*b^3e^2 - 4a^3b^*i^2 + 4a^2b^2g^2 - 8a^*b^3c^*g + 8a^*b^3d^*f + 8a^2b^2e^*i - 8a^2b^2f^*h)) / b) + (x*(b^3d^3 - a^3h^3 + b^3c^2f - a^3f^*i^2 - 2b^3c^*d^*e + 2a^3g^*h^*i + a^*b^2d^*f^2 - a^*b^2e^2f - 3a^*b^2d^2h + 3a^2b^*d^*h^2 + a^2b^*f^*g^2 - a^2b^*f^2h + 2a^*b^2c^*d^*i + 2a^*b^2c^*e^*h - 2a^*b^2c^*f^*g + 2a^*b^2d^*e^*g - 2a^2b^*c^*h^*i - 2a^2b^*d^*g^*i + 2a^2b^*e^*f^*i - 2a^2b^*e^*g^*h)) / b) * \text{root}(256a^3b^7z^4 - 256a^3b^6f^*z^3 + 64a^4b^4g^*i^2z^2 - 64a^3b^5e^*g^*z^2 - 64a^3b^5d^*h^*z^2 - 64a^3b^5c^*i^2z^2 + 64a^2b^6c^*e^*z^2 + 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 + 32a^2b^6d^2z^2 - 32a^4b^3f^*g^*i^2z + 32a^4b^3e^*h^*i^2z + 32a^3b^4e^*f^*g^*z + 32a^3b^4d^*f^*h^*z - 32a^3b^4d^*e^*i^2z - 32a^3b^4c^*g^*h^*z + 32a^3b^4c^*f^*i^2z - 32a^2b^5c^*e^*f^*z + 32a^2b^5c^*d^*g^*z - 16a^5b^2h^*i^2z + 16a^4b^3g^2h^*z - 16a^4b^3f^*h^2z + 16a^4b^3d^*i^2z - 16a^3b^4e^2h^*z - 16a^3b^4d^*g^2z + 16a^2b^5c^2h^*z - 16a^2b^5d^2f^*z + 16a^2b^5d^*e^2z - 16a^*b^6c^2d^*z - 16a^3b^4f^3z - 8a^4b^2e^*f^*h^*i + 8a^4b^2d^*g^*h^*i - 8a^3b^3d^*e^*g^*h + 8a^3b^3d^*e^*f^*i + 8a^3b^3c^*f^*g^*h + 8a^3b^3c^*e^*g^*i - 8a^3b^3c^*d^*h^*i - 8a^2b^4c^*d^*f^*g + 8a^2b^4c^*d^*e^*h + 4a^4b^2f^2g^*i - 4a^4b^2f^*g^2h - 4a^4b^2e^*g^2i + 4a^4b^2e^*g^*h^2 + 4a^4b^2c^*h^2i - 4a^3b^3d^2g^*i - 4a^4b^2d^*f^*i^2 - 4a^4b^2c^*g^*i^2 + 4a^3b^3e^2f^*h - 4a^3b^3e^*f^2g - 4a^3b^3d^*f^2h - 4a^3b^3c^*f^2i + 4a^3b^3d^*f^*g^2 - 4a^2b^4c^2f^*h - 4a^2b^4c^2e^*i - 4a^3b^3c^*e^*h^2 + 4a^2b^4d^2e^*g + 4a^2b^4c^*d^2i - 4a^2b^4d^*e^2f - 4a^2b^4c^*e^2g + 4a^2b^4c^*e^*f^2 - 4a^5b^*g^*h^2i + 4a^5b^*f^*h^2i + 4a^*b^5c^2d^*f - 4a^*b^5c^2d^*e - 4a^5b^*e^*i^3 - 4a^*b^5c^3g + 6a^4b^2e^2i^2 + 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 + 6a^2b^4c^2g^2 + 2a^2b^4d^2f^2 + 2a^5b^*g^2i^2 - 4a^3b^3e^3i - 4a^4b^2d^*h^3 - 4a^2b^4d^3h - 4a^3b^3c^*g^3 + 2a^*b^5c^2e^2 + a^4b^2g^4 + a^3b^3f^4 + a^2b^4e^4 + a^5b^*h^4 + a^*b^5d^4 + a^6i^4 + b^6c^4, z, 1), 1, 1, 4) + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (g*x
\end{aligned}$$

)/b

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.191 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$$

Optimal. Leaf size=402

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/3*i*x^3/b+1/4*j*x^4/b+1/4*(-a*j+b*f)*\ln(b*x^4+a)/b^2+1/2*(-a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/8*\ln(-a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(-1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (j*x^4)/(4*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^{(3/2)}) - ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) - ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((b*f - a*j)*\text{Log}[a + b*x^4])/(4*b^2)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*
(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m+1), Pq, x]*(a + b*x^Simplify[n/(m+1)])^p
, x], x, x^(m+1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m+1)], 0] && PolyQ[Pq, x^(m+1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}, x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 191x^6 + jx^7}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 191x^6}{a + bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} \right) dx \\
 &= \int \frac{c + ex^2 + gx^4 + 191x^6}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{gx}{b} + \frac{191x^3}{3b} \right) dx \\
 &= \frac{gx}{b} + \frac{191x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{jx}{b} + \frac{bd - ah + (bf - aj)x}{b(a + bx^2)} \right) dx, x, x^2 \right) \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd - ah + (bf - aj)x}{a + bx^2} dx, x, x^2 \right)}{2b} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} - \frac{\left(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{1}{a + bx^4} dx}{4b^2} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} - \frac{\left(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{1}{a + bx^4} dx}{4b^2} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} + \frac{\left(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{1}{a + bx^4} dx}{4b^2}
 \end{aligned}$$

Mathematica [A] time = 0.42, size = 445, normalized size = 1.11

$$\frac{6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) \left(2a^{5/4} \sqrt[4]{b} h + \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d - \sqrt{2} \sqrt{a} b e + \sqrt{2} a \sqrt{b} g - \sqrt{2} b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) \left(2a^{5/4} \sqrt[4]{b} h - \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d + \sqrt{2} \sqrt{a} b e - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/2} c \right)}{a^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + 6*b^(3/4)*j*x^4 + (6*(-(Sqrt[2]*b^(3/2)*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e - Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*Sqrt[2]*(b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4) + (3*Sqrt[2]*(b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4) + (6*(b*f - a*j)*Log[a + b*x^4])/b^(1/4))/(24*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 578, normalized size = 1.44

$$\frac{1}{8}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right) - \frac{1}{8}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $-1/8*i*(2*\sqrt{2}*(a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 - \sqrt{2}*(a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/b^4) - 1/8*i*(2*\sqrt{2}*(a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 + \sqrt{2}*(a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/b^4) + 1/4*(b*f - a*j)*\log(\text{abs}(b*x^4 + a))/b^2 + 1/4*\sqrt{2}*(\sqrt{2}*\sqrt{a*b}*b^2*d + \sqrt{2}*\sqrt{a*b}*a*b*h + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^3) + 1/4*\sqrt{2}*(\sqrt{2}*\sqrt{a*b}*b^2*d + \sqrt{2}*\sqrt{a*b}*a*b*h + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^3) + 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a*b^3) - 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)}*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a*b^3) + 1/12*(3*b^3*j*x^4 + 4*b^3*i*x^3 + 6*b^3*h*x^2 + 12*b^3*g*x)/b^4$

maple [B] time = 0.05, size = 627, normalized size = 1.56

$$\frac{jx^4}{4b} + \frac{ix^3}{3b} - \frac{ah \arctan\left(\sqrt{\frac{b}{a}} x\right)}{2\sqrt{ab} b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x\right)}{2\sqrt{ab}} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] $1/4/b*j*x^4+1/3/b*i*x^3+1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)-1/8*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/8*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))-1/4*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)-1/2/(a*b)^{(1/2)}*a/b*h*\arctan((1/a*b)^{(1/2)}*x^2)+1/2/(a*b)^{(1/2)}*d*\arctan((1/a*b)^{(1/2)}*x^2)-1/4/(a/b)^{(1/4)}*2^{(1/2)}*a/b^2*i*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)-1/4/(a/b)^{(1/4)}*2^{(1/2)}*a/b^2*i*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x)$

$$\frac{(1/2)/(a/b)^{(1/4)*x+1)-1/8/(a/b)^{(1/4)*2^{(1/2)*a/b^2*i*\ln((x^2-(a/b)^{(1/4)*2^{(1/2)*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)*2^{(1/2)*x+(a/b)^{(1/2)})})+1/8/(a/b)^{(1/4)*2^{(1/2)/b}*e*\ln((x^2-(a/b)^{(1/4)*2^{(1/2)*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)*2^{(1/2)*x+(a/b)^{(1/2)})})-1/4/b^2*\ln(b*x^4+a)*a*j+1/4/b*f*\ln(b*x^4+a)$$

maxima [A] time = 3.16, size = 429, normalized size = 1.07

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx}{12b} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f - \sqrt{2} a^{\frac{7}{4}} b^{\frac{1}{4}} j + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g + a^{\frac{3}{2}} \sqrt{b} i \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f - \sqrt{2} a^{\frac{7}{4}} b^{\frac{1}{4}} j + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g + a^{\frac{3}{2}} \sqrt{b} i \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm m="maxima")

[Out] $\frac{1}{12} * (3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x) / b + \frac{1}{8} * (\sqrt{2} * (\sqrt{2} * a^{(3/4)} * b^{(5/4)} * f - \sqrt{2} * a^{(7/4)} * b^{(1/4)} * j + b^2 * c - \sqrt{a} * b^{(3/2)} * e - a * b * g + a^{(3/2)} * \sqrt{b} * i) * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(5/4)}) + \sqrt{2} * (\sqrt{2} * a^{(3/4)} * b^{(5/4)} * f - \sqrt{2} * a^{(7/4)} * b^{(1/4)} * j - b^2 * c + \sqrt{a} * b^{(3/2)} * e + a * b * g - a^{(3/2)} * \sqrt{b} * i) * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(5/4)}) + 2 * (\sqrt{2} * a^{(1/4)} * b^{(9/4)} * c + \sqrt{2} * a^{(3/4)} * b^{(7/4)} * e - \sqrt{2} * a^{(5/4)} * b^{(5/4)} * g - \sqrt{2} * a^{(7/4)} * b^{(3/4)} * i - 2 * \sqrt{a} * b^2 * d + 2 * a^{(3/2)} * b * h) * \arctan(1 / (2 * \sqrt{2} * (\sqrt{2} * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)})) / \sqrt{a * b})) / (a^{(3/4)} * \sqrt{a * b} * b^{(5/4)}) + 2 * (\sqrt{2} * a^{(1/4)} * b^{(9/4)} * c + \sqrt{2} * a^{(3/4)} * b^{(7/4)} * e - \sqrt{2} * a^{(5/4)} * b^{(5/4)} * g - \sqrt{2} * a^{(7/4)} * b^{(3/4)} * i + 2 * \sqrt{a} * b^2 * d - 2 * a^{(3/2)} * b * h) * \arctan(1 / (2 * \sqrt{2} * (\sqrt{2} * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)})) / \sqrt{a * b})) / (a^{(3/4)} * \sqrt{a * b} * b^{(5/4)}) / b$

mupad [B] time = 5.20, size = 5664, normalized size = 14.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4),x)

[Out] $\text{symsum}(\log((a^4*i^3 - a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j - a*b^3*c*f^2 - a*b^3*d^2*g + a*b^3*c^2*i - a^3*b*c*j^2 - 3*a^3*b*e*i^2 - a^3*b*g*h^2 + a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h - 2*a*b^3*c*d*h + 2*a*b^3*c*e*g + 2*a*b^3*d*e*f + 2*a^3*b*d*i*j + 2*a^3*b*e*h*j - 2*a^3*b*f*g*j + 2*a^3*b*f*h*i) / b^2 + \text{root}(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 - 256*a^3*b^7*f*z^3 - 192*a^4*b^5*f*j*z^2 + 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 + 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 + 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 + 32*a^2*b^7*d^2*z^2 + 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z + 32*a^3*b^5*e*f*g*z + 32*a^3*b^5*d*f*h*z - 32*a^3*b^5*d*e*i*z - 32*a^3*b^5*c*g*h*z + 32*a^3*b^5*c*f*i*z + 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z + 16*a^5*b^3*h^2*j*z - 16*a^5*b^3*h*i^2*z - 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z + 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z - 16*a^3*b^5*e^2*h*z - 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z - 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z - 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j - 8*a^4*b^3*e$

$$\begin{aligned}
& f*h*i + 8*a^4*b^3*e*f*g*j + 8*a^4*b^3*d*g*h*i + 8*a^4*b^3*d*f*h*j - 8*a^4*b^3*d*e*i*j - 8*a^4*b^3*c*g*h*j + 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d*g*j - 8*a^2*b^5*c*d*f*g + 8*a^2*b^5*c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j - 4*a^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 - 4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 + 4*a^4*b^3*f^2*g*i - 4*a^4*b^3*f*g^2*h - 4*a^4*b^3*e*g^2*i - 4*a^4*b^3*d*g^2*j + 4*a^3*b^4*c^2*h*j + 4*a^4*b^3*e*g*h^2 + 4*a^4*b^3*c*h^2*i - 4*a^3*b^4*d^2*g*i - 4*a^3*b^4*d^2*f*j - 4*a^4*b^3*d*f*i^2 - 4*a^4*b^3*c*g*i^2 + 4*a^3*b^4*e^2*f*h + 4*a^3*b^4*d*e^2*j + 4*a^4*b^3*c*e*j^2 - 4*a^3*b^4*e*f^2*g - 4*a^3*b^4*d*f^2*h - 4*a^3*b^4*c*f^2*i + 4*a^3*b^4*d*f*g^2 - 4*a^2*b^5*c^2*f*h - 4*a^2*b^5*c^2*e*i - 4*a^2*b^5*c^2*d*j - 4*a^3*b^4*c*e*h^2 + 4*a^2*b^5*d^2*e*g + 4*a^2*b^5*c*d^2*i - 4*a^2*b^5*d*e^2*f - 4*a^2*b^5*c*e^2*g + 4*a^2*b^5*c*e*f^2 - 4*a^6*b*h*i^2*j + 4*a^6*b*g*i*j^2 + 4*a*b^6*c^2*d*f - 4*a*b^6*c*d^2*e - 4*a^6*b*f*j^3 - 4*a*b^6*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a^5*b^2*g^2*i^2 + 6*a^4*b^3*e^2*i^2 + 2*a^4*b^3*f^2*h^2 + 2*a^4*b^3*d^2*j^2 + 6*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2*a^3*b^4*c^2*i^2 + 6*a^2*b^5*c^2*g^2 + 2*a^2*b^5*d^2*f^2 + 2*a^6*b*h^2*j^2 - 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*i^3 - 4*a^3*b^4*e^3*i - 4*a^4*b^3*d*h^3 - 4*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3 + 2*a*b^6*c^2*e^2 + a^5*b^2*h^4 + a^4*b^3*g^4 + a^3*b^4*f^4 + a^2*b^5*e^4 + a^6*b*i^4 + a*b^6*d^4 + a^7*j^4 + b^7*c^4, \\
& z, m)*((8*a*b^4*c*f - 8*a*b^4*d*e - 8*a^2*b^3*c*j + 8*a^2*b^3*d*i + 8*a^2*b^3*e*h - 8*a^2*b^3*f*g + 8*a^3*b^2*g*j - 8*a^3*b^2*h*i)/b^2 + \text{root}(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 - 256*a^3*b^7*f*z^3 - 192*a^4*b^5*f*j*z^2 + 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 + 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 + 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 + 32*a^2*b^7*d^2*z^2 + 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z + 32*a^3*b^5*e*f*g*z + 32*a^3*b^5*d*f*h*z - 32*a^3*b^5*d*e*i*z - 32*a^3*b^5*c*g*h*z + 32*a^3*b^5*c*f*i*z + 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z + 16*a^5*b^3*h^2*j*z - 16*a^5*b^3*h*i^2*z - 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z + 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z - 16*a^3*b^5*e^2*h*z - 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z - 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z - 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j - 8*a^4*b^3*e*f*h*i + 8*a^4*b^3*e*f*g*j + 8*a^4*b^3*d*g*h*i + 8*a^4*b^3*d*f*h*j - 8*a^4*b^3*d*e*i*j - 8*a^4*b^3*c*g*h*j + 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d*g*j - 8*a^2*b^5*c*d*f*g + 8*a^2*b^5*c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j - 4*a^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 - 4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 + 4*a^4*b^3*f^2*g*i - 4*a^4*b^3*f*g^2*h - 4*a^4*b^3*e*g^2*i - 4*a^4*b^3*d*g^2*j + 4*a^3*b^4*c^2*h*j + 4*a^4*b^3*e*g*h^2 + 4*a^4*b^3*c*h^2*i - 4*a^3*b^4*d^2*g*i - 4*a^3*b^4*d^2*f*j - 4*a^4*b^3*d*f*i^2 - 4*a^4*b^3*c*g*i^2 + 4*a^3*b^4*e^2*f*h + 4*a^3*b^4*d*e^2*j + 4*a^4*b^3*c*e*j^2 - 4*a^3*b^4*e*f^2*g - 4*a^3*b^4*d*f^2*h - 4*a^3*b^4*c*f^2*i + 4*a^3*b^4*d*f*g^2 - 4*a^2*b^5*c^2*f*h - 4*a^2*b^5*c^2*e*i - 4*a^2*b^5*c^2*d*j - 4*a^3*b^4*c*e*h^2 + 4*a^2*b^5*d^2*e*g + 4*a^2*b^5*c*d^2*i - 4*a^2*b^5*d*e^2*f - 4*a^2*b^5*c*e^2*g + 4*a^2*b^5*c*e*f^2 - 4*a^6*b*h*i^2*j + 4*a^6*b*g*i*j^2 + 4*a*b^6*c^2*d*f - 4*a*b^6*c*d^2*e - 4*a^6*b*f*j^3 - 4*a*b^6*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a^5*b^2*g^2*i^2 + 6*a^4*b^3*e^2*i^2 + 2*a^4*b^3*f^2*h^2 + 2*a^4*b^3*d^2*j^2 + 6*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2*a^3*b^4*c^2*i^2 + 6*a^2*b^5*c^2*g^2 + 2*a^2*b^5*d^2*f^2 + 2*a^6*b*h^2*j^2 - 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*i^3 - 4*a^3*b^4*e^3*i - 4*a^4*b^3*d*h^3 - 4*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3 + 2*a*b^6*c^2*e^2 + a^5*b^2*h^4 + a^4*b^3*g^4 + a^3*b^4*f^4 + a^2*b^5*e^4 + a^6*b*i^4 + a*b^6*d^4 + a^7*j^4 + b^7*c^4, z, m)*((16*a^2*b^4*g - 16*a*b^5*c)/b^2 - (x*(16*a^2*b^4*h - 16*a*b^5*d))/b^2) - (x*(4*b^5*c^2 - 4*a*b^4*e^2 + 4*a^2*b^3*g^2 - 4*a^3*b^2*i^2 - 8*a*b^4*c*g + 8*a*b^4*d*f - 8*a^2*b^3*d*j + 8*
\end{aligned}$$

$$\begin{aligned} & a^2 b^3 e^i - 8 a^2 b^3 f^h + 8 a^3 b^2 h^j) / b^2) + (x(b^4 d^3 - a^3 b^h^3 + b^4 c^2 f - a^4 h^j^2 + a^4 i^2 j + 3 a^2 b^2 d^h^2 + a^2 b^2 f^g^2 - a^2 b^2 f^2 h + a^2 b^2 e^2 j - 2 b^4 c^d e + a b^3 d^f^2 - a b^3 e^2 f - 3 a b^3 d^2 h - a b^3 c^2 j + a^3 b^d j^2 - a^3 b^f i^2 - a^3 b^g^2 j + 2 a^2 b^2 c^g j - 2 a^2 b^2 c^h i - 2 a^2 b^2 d^f j - 2 a^2 b^2 d^g i + 2 a^2 b^2 e^f i - 2 a^2 b^2 e^g h + 2 a^2 b^3 c^d i + 2 a^2 b^3 c^e h - 2 a^2 b^3 c^f g + 2 a^2 b^3 d^e g - 2 a^3 b^e i j + 2 a^3 b^f h j + 2 a^3 b^g h i)) / b^2) \text{root}(\\ & 256 a^3 b^8 z^4 + 256 a^4 b^6 j z^3 - 256 a^3 b^7 f z^3 - 192 a^4 b^5 f j z^2 + 64 a^4 b^5 g i z^2 - 64 a^3 b^6 e g z^2 - 64 a^3 b^6 d h z^2 - 64 a^3 b^6 c i z^2 + 64 a^2 b^7 c e z^2 + 96 a^5 b^4 j^2 z^2 + 32 a^4 b^5 h^2 z^2 + 96 a^3 b^6 f^2 z^2 + 32 a^2 b^7 d^2 z^2 + 32 a^5 b^3 g i j z - 32 a^4 b^4 f g i z + 32 a^4 b^4 e h i z - 32 a^4 b^4 e g j z - 32 a^4 b^4 d h j z - 32 a^4 b^4 c i j z + 32 a^3 b^5 e f g z + 32 a^3 b^5 d f h z - 32 a^3 b^5 d e i z - 32 a^3 b^5 c g h z + 32 a^3 b^5 c f i z + 32 a^3 b^5 c e j z - 32 a^2 b^6 c e f z + 32 a^2 b^6 c d g z + 16 a^5 b^3 h^2 j z - 16 a^5 b^3 h i^2 z - 48 a^5 b^3 f j^2 z + 48 a^4 b^4 f^2 j z + 16 a^4 b^4 g^2 h z - 16 a^4 b^4 f h^2 z + 16 a^3 b^5 d^2 j z + 16 a^4 b^4 d i^2 z - 16 a^3 b^5 e^2 h z - 16 a^3 b^5 d g^2 z + 16 a^2 b^6 c^2 h z - 16 a^2 b^6 d^2 f z + 16 a^2 b^6 d e^2 z - 16 a^2 b^7 c^2 d z + 16 a^6 b^2 j^3 z - 16 a^3 b^5 f^3 z - 8 a^5 b^2 f g i j + 8 a^5 b^2 e h i j - 8 a^4 b^3 e f h i + 8 a^4 b^3 e f g j + 8 a^4 b^3 d g h i + 8 a^4 b^3 d f h j - 8 a^4 b^3 d e i j - 8 a^4 b^3 c g h j + 8 a^4 b^3 c f i j - 8 a^3 b^4 d e g h + 8 a^3 b^4 d e f i + 8 a^3 b^4 c f g h + 8 a^3 b^4 c e g i - 8 a^3 b^4 c e f j - 8 a^3 b^4 c d h i + 8 a^3 b^4 c d g j - 8 a^2 b^5 c d f g + 8 a^2 b^5 c d e h + 4 a^5 b^2 g^2 h j - 4 a^5 b^2 g h^2 i - 4 a^5 b^2 f h^2 j + 4 a^5 b^2 f h i^2 + 4 a^5 b^2 d i^2 j - 4 a^4 b^3 e^2 h j - 4 a^5 b^2 e g j^2 - 4 a^5 b^2 d h j^2 - 4 a^5 b^2 c i j^2 + 4 a^4 b^3 f^2 g i - 4 a^4 b^3 f g^2 h - 4 a^4 b^3 e g^2 i - 4 a^4 b^3 d g^2 j + 4 a^3 b^4 c^2 h j + 4 a^4 b^3 e g h^2 + 4 a^4 b^3 c h^2 i - 4 a^3 b^4 d^2 g i - 4 a^3 b^4 d^2 f j - 4 a^4 b^3 d f i^2 - 4 a^4 b^3 c g i^2 + 4 a^3 b^4 e^2 f h + 4 a^3 b^4 d e^2 j + 4 a^4 b^3 c e j^2 - 4 a^3 b^4 e f^2 g - 4 a^3 b^4 d f^2 h - 4 a^3 b^4 c f^2 i + 4 a^3 b^4 d f g^2 - 4 a^2 b^5 c^2 f h - 4 a^2 b^5 c^2 e i - 4 a^2 b^5 c^2 d j - 4 a^3 b^4 c e h^2 + 4 a^2 b^5 d^2 e g + 4 a^2 b^5 c d^2 i - 4 a^2 b^5 d e^2 f - 4 a^2 b^5 c e^2 g + 4 a^2 b^5 c e f^2 - 4 a^6 b^h i^2 j + 4 a^6 b^g i j^2 + 4 a^2 b^6 c^2 d f - 4 a^2 b^6 c^2 d e - 4 a^6 b^f j^3 - 4 a^2 b^6 c^3 g + 6 a^5 b^2 f^2 j^2 + 2 a^5 b^2 g^2 i^2 + 6 a^4 b^3 e^2 i^2 + 2 a^4 b^3 f^2 h^2 + 2 a^4 b^3 d^2 j^2 + 6 a^3 b^4 d^2 h^2 + 2 a^3 b^4 e^2 g^2 + 2 a^3 b^4 c^2 i^2 + 6 a^2 b^5 c^2 g^2 + 2 a^2 b^5 d^2 f^2 + 2 a^6 b^h^2 j^2 - 4 a^4 b^3 f^3 j - 4 a^5 b^2 e i^3 - 4 a^3 b^4 e^3 i - 4 a^4 b^3 d h^3 - 4 a^2 b^5 d^3 h - 4 a^3 b^4 c g^3 + 2 a^2 b^6 c^2 e^2 + a^5 b^2 h^4 + a^4 b^3 g^4 + a^3 b^4 f^4 + a^2 b^5 e^4 + a^6 b^i^4 + a^2 b^6 d^4 + a^7 j^4 + b^7 c^4, z, m), m, 1, 4) + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (j*x^4)/(4*b) + (g*x)/b \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.192 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$$

Optimal. Leaf size=184

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(ax+bx^4)}{a^2}$$

[Out] 1/4*x*(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)+1/8*arctan(b^(1/4)*x/a^(1/4))*(3*b*c-a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(3*b*c-a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)

Rubi [A] time = 0.20, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(ax+bx^4)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(8*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(8*a^(7/4)*b^(5/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,


```
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc - ag) - 2b(bd - ah)x - b^2ex^2}{a - bx^4} dx}{4ab^2} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2b(bd - ah)x}{a - bx^4} + \frac{-b(3bc - ag) - b^2ex^2}{a - bx^4} \right) dx}{4ab^2} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc - ag) - b^2ex^2}{a - bx^4} dx}{4ab^2} + \frac{(bd - ah)x}{ab} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{1}{-\sqrt{a - bx^4}} dx}{8a^{3/2}\sqrt{b}} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \tan^{-1}\left(\frac{\sqrt{a - bx^4}}{\sqrt{a}}\right)}{8a^{7/4}b^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.28, size = 257, normalized size = 1.40

$$\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}h - \sqrt{a}b^{3/4}e - 2\sqrt[4]{a}bd + a\sqrt[4]{b}g - 3b^{5/4}c\right) + \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(2a^{5/4}h + \sqrt{a}b^{3/4}e - 2\sqrt[4]{a}bd + a\sqrt[4]{b}g - 3b^{5/4}c\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]
```

```
[Out] ((4*a^(3/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x))))/(a - b*x^4) - 2*b^(1/4)*(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(5/4)*c - 2*a^(1/4)*b*d - Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (3*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e - a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*(-b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(16*a^(7/4)*b^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 0.19, size = 380, normalized size = 2.07

$$\frac{\sqrt{2} \left(3b^2c - abg - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}ah + \sqrt{-ab}be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c - abg \right)}{16 \left(-ab^3 \right)^{\frac{3}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - a*b*g - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + 2*sqrt(2)*(-a*b^3)^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/16*sqrt(2)*(3*b^2*c - a*b*g + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d - 2*sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) + 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) - 1/4*(b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/(b*x^4 - a)*a*b

maple [B] time = 0.05, size = 340, normalized size = 1.85

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} a} + \frac{h \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} b} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] (-1/4/a*e*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4/b*f)/(b*x^4-a)-1/8*(a/b)^(1/4)/a/b*g*arctan(1/(a/b)^(1/4)*x)+3/8*(a/b)^(1/4)/a^2*c*arctan(1/(a/b)^(1/4)*x)-1/16/b/a*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+3/16/a^2*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*c+1/8/b/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))*h-1/8/(a*b)^(1/2)/a*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/8/b/a*e/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/16/(a/b)^(1/4)/a/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.08, size = 243, normalized size = 1.32

$$\frac{bex^3 + (bd + ah)x^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{2(bd-ah) \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{2(bd-ah) \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{2 \left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g \right) \arctan \left(\frac{x}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b} \sqrt{b}}} \right)}{16 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(b*e*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*(b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*(b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*b^(3/2)*c - sqrt(a)*b*g - a*b*g)*arctan(x/(sqrt(a)*sqrt(sqrt(a)*sqrt(b)*sqrt(b))))

$$\frac{t(a)*b*e - a*\sqrt{b}*g)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (3*b^{(3/2)}*c + \sqrt{a}*b*e - a*\sqrt{b}*g)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})}{(a*b)}$$

mupad [B] time = 5.61, size = 1626, normalized size = 8.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2,x)

[Out] symsum(log(- root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*(root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*((768*a^3*b^4*c - 256*a^4*b^3*g)/(64*a^3*b) - (x*(128*a^3*b^4*d - 128*a^4*b^3*h))/(16*a^3*b)) - (64*a^2*b^3*d*e - 64*a^3*b^2*e*h)/(64*a^3*b) + (x*(36*a*b^4*c^2 + 4*a^2*b^3*e^2 + 4*a^3*b^2*g^2 - 24*a^2*b^3*c*g))/(16*a^3*b)) - (a*b^2*e^3 + 12*b^3*c*d^2 - 9*b^3*c^2*e - 4*a^3*g*h^2 - 4*a*b^2*d^2*g + 12*a^2*b*c*h^2 - a^2*b*e*g^2 - 24*a*b^2*c*d*h + 6*a*b^2*c*e*g + 8*a^2*b*d*g*h)/(64*a^3*b) - (x*(2*b^3*d^3 - 2*a^3*h^3 - 3*b^3*c*d*e - 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 + 3*a*b^2*c*e*h + a*b^2*d*e*g - a^2*b*e*g*h))/(16*a^3*b))*root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k), k, 1, 4) + (f/(4*b) + (e*x^3)/(4*a) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b))/(a - b*x^4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.193 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$$

Optimal. Leaf size=203

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + x(x(ah$$

[Out] 1/4*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)-1/8*arctan(b^(1/4)*x/a^(1/4))*(b*e-3*a*i-(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(b*e-3*a*i+(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)

Rubi [A] time = 0.27, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + x(x(ah$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,

```
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 193x^6}{(a - bx^4)^2} dx = \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - \dots)}{a - bx^4} dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \left(-\frac{2b(ba - \dots)}{a - bx^4} \right) dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - \dots)}{a - bx^4} dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(579a - \dots)}{4ab(a - bx^4)}$$

$$= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(579a - \dots)}{4ab(a - bx^4)}$$

Mathematica [A] time = 0.28, size = 302, normalized size = 1.49

$$\frac{4a^{3/4}b^{3/4}(a(f+x(g+x(h+ix)))+bx(c+x(d+ex)))}{a-bx^4} + \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d - \sqrt{a}be + a\sqrt{b}g - 3b^{3/2}i\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]
```

```
[Out] ((4*a^(3/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x)))))/(
(a - b*x^4) + 2*(3*b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*Arc
Tan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d - Sqrt[a]*b*
e + a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*
x] + (3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e - a*Sqrt[b]*g + 2*a^(
5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*b^(1/4)*
(-b*d) + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(16*a^(7/4)*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 583, normalized size = 2.87

$$-\frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) - \frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -3/32*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^4) - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b^4) - 3/32*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^4) + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b^4) - 1/16*sqrt(2)*(3*b^2*c - a*b*g - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + 2*sqrt(2)*(-a*b^3)^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/16*sqrt(2)*(3*b^2*c - a*b*g + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d - 2*sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) + 1/32*sqrt(2)*(3*b^2*c - a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) - 1/4*(a*i*x^3 + b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)

maple [B] time = 0.05, size = 409, normalized size = 2.01

$$-\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} a} + \frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} b} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] (-1/4*(a*i+b*e)/a/b*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4/b*f)/(b*x^4-a)-1/8*(a/b)^(1/4)/a/b*g*arctan(1/(a/b)^(1/4)*x)+3/8*(a/b)^(1/4)/a^2*c*arctan(1/(a/b)^(1/4)*x)-1/16*(a/b)^(1/4)/a/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+3/16*(a/b)^(1/4)/a^2*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/8/(a*b)^(1/2)/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/8/(a*b)^(1/2)/a*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+3/8/b^2/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*i-1/8/(a/b)^(1/4)/a/b*e*arctan(1/(a/b)^(1/4)*x)-3/16/b^2/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*i+1/16/(a/b)^(1/4)/a/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*i

maxima [A] time = 3.06, size = 260, normalized size = 1.28

$$\frac{(be + ai)x^3 + (bd + ah)x^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{\frac{2(bd-ah)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2(bd-ah)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}}}{\sqrt{a}\sqrt{b}} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}\right)}{16a\sqrt{a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*((b*e + a*i)*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*(b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*(b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*b^(3/2)*c - sqrt(a)*b*e - a*sqrt(b)*g + 3*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*b^(3/2)*c + sqrt(a)*b*e - a*sqrt(b)*g - 3*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a*b)

mupad [B] time = 5.67, size = 2611, normalized size = 12.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2,x)

[Out] symsum(log((27*a^4*i^3 - a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i - 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e*g)/(64*a^3*b^2) - root(65536*a^7*b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 - 3072*a^4*b^6*c*e*z^2 - 2048*a^6*b^4*h^2*z^2 - 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z - 768*a^4*b^4*d*e*i*z + 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z - 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z - 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z + 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z + 1152*a^2*b^6*c^2*d*z + 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h + 96*a^2*b^4*c*d*e*h - 12*a^4*b^2*e*g^2*i + 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i + 16*a^4*b^2*e*g*h^2 - 108*a^4*b^2*c*g*i^2 - 108*a^2*b^4*c^2*e*i + 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 + 16*a^2*b^4*d^2*e*g - 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g - 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 - 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i - 64*a^4*b^2*d*h^3 - 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 - 81*a^6*i^4 - 81*b^6*c^4 - a^4*b^2*g^4 - a^2*b^4*e^4, z, 1)*(root(65536*a^7*b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 - 3072*a^4*b^6*c*e*z^2 - 2048*a^6*b^4*h^2*z^2 - 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z - 768*a^4*b^4*d*e*i*z + 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z - 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z - 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z + 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z + 1152*a^2*b^6*c^2*d*z + 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h + 96*a^2*b^4*c*d*e*h - 12*a^4*b^2*e*g^2*i + 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i + 16*a^4*b^2*e*g*h^2 - 108*a^4*b^2*c*g*i^2 - 108*a^2*b^4*c^2*e*i + 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 + 16*a^2*b^4*d^2*e*g - 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g - 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2

$$\begin{aligned}
& 2i^2 + 96a^3b^3d^2h^2 + 2a^3b^3e^2g^2 - 54a^2b^4c^2g^2 + 18a^5b^2g^2i^2 + 12a^3b^3e^3i - 64a^4b^2d^2h^3 - 64a^2b^4d^3h + 12a^3b^3c^2g^3 + 18a^2b^5c^2e^2 + 16a^5b^2h^4 + 16a^2b^5d^4 - 81a^6i^4 - 81b^6c^4 - a^4b^2g^4 - a^2b^4e^4, z, 1) * ((768a^3b^5c - 256a^4b^4g) / (64a^3b^2) - (x * (128a^3b^4d - 128a^4b^3h)) / (16a^3b)) - (64a^2b^4d^2e - 192a^3b^3d^2i - 64a^3b^3e^2h + 192a^4b^2h^2i) / (64a^3b^2) + (x * (36a^2b^4c^2 + 36a^4b^2i^2 + 4a^2b^3e^2 + 4a^3b^2g^2 - 24a^2b^3c^2g - 24a^3b^2e^2i)) / (16a^3b) - (x * (2b^3d^3 - 2a^3h^3 - 3b^3c^2d^2e + 3a^3g^2h^2i - 6a^2b^2d^2h + 6a^2b^2d^2h^2 + 9a^2b^2c^2d^2i + 3a^2b^2c^2e^2h + a^2b^2d^2e^2g - 9a^2b^2c^2h^2i - 3a^2b^2d^2g^2i - a^2b^2e^2g^2h)) / (16a^3b) * \text{root}(65536a^7b^7z^4 - 3072a^6b^4g^2i^2z^2 + 9216a^5b^5c^2i^2z^2 + 4096a^5b^5d^2h^2z^2 + 1024a^5b^5e^2g^2z^2 - 3072a^4b^6c^2e^2z^2 - 2048a^6b^4h^2z^2 - 2048a^4b^6d^2z^2 + 768a^5b^3e^2h^2i^2z - 768a^4b^4d^2e^2i^2z + 768a^4b^4c^2g^2h^2z - 768a^3b^5c^2d^2g^2z - 1152a^6b^2h^2i^2z - 128a^5b^3g^2h^2z + 1152a^5b^3d^2i^2z - 128a^4b^4e^2h^2z - 1152a^3b^5c^2h^2z + 128a^4b^4d^2g^2z + 128a^3b^5d^2e^2z + 1152a^2b^6c^2d^2z + 96a^4b^2d^2g^2h^2i - 288a^3b^3c^2d^2h^2i + 72a^3b^3c^2e^2g^2i - 32a^3b^3d^2e^2g^2h + 96a^2b^4c^2d^2e^2h - 12a^4b^2e^2g^2i + 144a^4b^2c^2h^2i - 48a^3b^3d^2g^2i + 16a^4b^2e^2g^2h^2 - 108a^4b^2c^2g^2i^2 - 108a^2b^4c^2e^2i + 144a^2b^4c^2d^2i - 48a^3b^3c^2e^2h^2 + 16a^2b^4d^2e^2g - 12a^2b^4c^2e^2g - 48a^5b^2g^2h^2i - 48a^2b^5c^2d^2e + 108a^5b^2e^2i^3 + 108a^2b^5c^2g - 54a^4b^2e^2i^2 + 162a^3b^3c^2i^2 + 96a^3b^3d^2h^2 + 2a^3b^3e^2g^2 - 54a^2b^4c^2g^2 + 18a^5b^2g^2i^2 + 12a^3b^3e^3i - 64a^4b^2d^2h^3 - 64a^2b^4d^3h + 12a^3b^3c^2g^3 + 18a^2b^5c^2e^2 + 16a^5b^2h^4 + 16a^2b^5d^4 - 81a^6i^4 - 81b^6c^4 - a^4b^2g^4 - a^2b^4e^4, z, 1), 1, 1, 4) + (f / (4*b) + (x * (b*c + a*g)) / (4*a*b) + (x^2 * (b*d + a*h)) / (4*a*b) + (x^3 * (b*e + a*i)) / (4*a*b)) / (a - b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.194 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$$

Optimal. Leaf size=225

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + j \log$$

[Out] $1/4*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)+1/4*j*\ln(-b*x^4+a)/b^2-1/8*\arctan(b^(1/4)*x/a^(1/4))*(b*e-3*a*i-(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)+1/8*\arctanh(b^(1/4)*x/a^(1/4))*(b*e-3*a*i+(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)$

Rubi [A] time = 0.31, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + j \log$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (\text{Sqrt}[b]*(3*b*c - a*g))/\text{Sqrt}[a] - 3*a*i)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*e + (\text{Sqrt}[b]*(3*b*c - a*g))/\text{Sqrt}[a] - 3*a*i)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*d - a*h)*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*b^(3/2)) + (j*\text{Log}[a - b*x^4])/(4*b^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2

$-(c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[-(a*c)]$

Rule 1248

$\text{Int}[(x_*)*((d_*) + (e_*)*(x_*)^2)^(q_*)*((a_*) + (c_*)*(x_*)^4)^(p_*), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1858

$\text{Int}[(Pq_*)*((a_*) + (b_*)*(x_*)^(n_*))^(p_*), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_*)/((a_*) + (b_*)*(x_*)^(n_*)), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] /; \text{SumQ}[v]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 194x^6 + jx^7}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} + \\ &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} + \end{aligned}$$

Mathematica [A] time = 0.25, size = 338, normalized size = 1.50

$$\frac{\sqrt[4]{b} \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d - \sqrt{a}be + a\sqrt{b}g - 3b^{3/2}c\right)}{a^{7/4}} + \frac{\sqrt[4]{b} \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h - 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d + \sqrt{a}be - a\sqrt{b}g + 3b^{3/2}c\right)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2,x]

[Out]
$$\frac{\left(4a^2j + b^2x(c + x(d + ex)) + ab(f + x(g + x(h + ix)))\right)}{(a - bx^4)} + \frac{2b^{1/4}(3b^{3/2}c - \sqrt{a}be - a\sqrt{b}g + 3a^{3/2}i)\operatorname{ArcTan}\left(\frac{b^{1/4}x}{a^{1/4}}\right)}{a^{7/4}} + \frac{b^{1/4}(-3b^{3/2}c - 2a^{1/4}b^{5/4}d - \sqrt{a}be + a\sqrt{b}g + 2a^{5/4}b^{1/4}h + 3a^{3/2}i)\operatorname{Log}\left[a^{1/4} - b^{1/4}x\right]}{a^{7/4}} + \frac{b^{1/4}(3b^{3/2}c - 2a^{1/4}b^{5/4}d + \sqrt{a}be - a\sqrt{b}g + 2a^{5/4}b^{1/4}h - 3a^{3/2}i)\operatorname{Log}\left[a^{1/4} + b^{1/4}x\right]}{a^{7/4}} + \frac{(2\sqrt{b}(bd - ah)\operatorname{Log}\left[\sqrt{a} + \sqrt{b}x^2\right])}{a^{3/2}} + 4j\operatorname{Log}\left[a - bx^4\right]}{16b^2}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 610, normalized size = 2.71

$$-\frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) - \frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-\frac{3}{32}i(2\sqrt{2})(-ab^3)^{3/4}\arctan\left(\frac{1/2\sqrt{2}(2x + \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)/(ab^4) - \sqrt{2}(-ab^3)^{3/4}\log(x^2 + \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/(ab^4) - \frac{3}{32}i(2\sqrt{2})(-ab^3)^{3/4}\arctan\left(\frac{1/2\sqrt{2}(2x - \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)/(ab^4) + \sqrt{2}(-ab^3)^{3/4}\log(x^2 - \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/(ab^4) - \frac{1}{16}\sqrt{2}(3b^2c - abg - 2\sqrt{2}(-ab^3)^{1/4}bd + 2\sqrt{2}(-ab^3)^{1/4}ah + \sqrt{-ab}be)\arctan\left(\frac{1/2\sqrt{2}(2x + \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)/((-ab^3)^{3/4}a) - \frac{1}{16}\sqrt{2}(3b^2c - abg + 2\sqrt{2}(-ab^3)^{1/4}bd - 2\sqrt{2}(-ab^3)^{1/4}ah - \sqrt{-ab}be)\arctan\left(\frac{1/2\sqrt{2}(2x - \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)/((-ab^3)^{3/4}a) - \frac{1}{32}\sqrt{2}(3b^2c - abg - \sqrt{-ab}be)\log(x^2 + \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/((-ab^3)^{3/4}a) + \frac{1}{32}\sqrt{2}(3b^2c - abg - \sqrt{-ab}be)\log(x^2 - \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/((-ab^3)^{3/4}a) + \frac{1}{4}j\log(\operatorname{abs}(bx^4 - a))/b^2 - \frac{1}{4}((ai + bex^3 + (bd + ah)x^2 + (bc + ag)x + (abf + a^2j))/b)/((bx^4 - a)ab)$$

maple [B] time = 0.06, size = 431, normalized size = 1.92

$$\frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}a} + \frac{h \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}b} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)
[Out] (-1/4*(a*i+b*e)/a/b*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4*(a*j+
b*f)/b^2)/(b*x^4-a)-1/8*(a/b)^(1/4)/a/b*g*arctan(1/(a/b)^(1/4)*x)+3/8*(a/b)
^(1/4)/a^2*c*arctan(1/(a/b)^(1/4)*x)-1/16*(a/b)^(1/4)/a/b*g*ln((x+(a/b)^(1/4))
/(x-(a/b)^(1/4)))+3/16*(a/b)^(1/4)/a^2*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))
+1/8/(a*b)^(1/2)/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/8/(
a*b)^(1/2)/a*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+3/8/(a/b)^(1/4)
/b^2*i*arctan(1/(a/b)^(1/4)*x)-1/8/(a/b)^(1/4)/a/b*e*arctan(1/(a/b)^(1/4)*x)
)-3/16/(a/b)^(1/4)/b^2*i*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/16/(a/b)^(1/4)
/a/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/4/b^2*j*ln(b*x^4-a)
```

maxima [A] time = 3.15, size = 299, normalized size = 1.33

$$\frac{(b^2e + abi)x^3 + abf + a^2j + (b^2d + abh)x^2 + (b^2c + abg)x}{4(ab^3x^4 - a^2b^2)} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g + 3a^{\frac{3}{2}}i\right) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{2\left(b^{\frac{3}{2}}d - a\sqrt{b}h\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algor
ithm="maxima")
[Out] -1/4*((b^2*e + a*b*i)*x^3 + a*b*f + a^2*j + (b^2*d + a*b*h)*x^2 + (b^2*c +
a*b*g)*x)/(a*b^3*x^4 - a^2*b^2) + 1/16*(2*(3*b^(3/2)*c - sqrt(a)*b*e - a*sq
rt(b)*g + 3*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sq
rt(sqrt(a)*sqrt(b))*sqrt(b)) + 2*(b^(3/2)*d - a*sqrt(b)*h + 2*a^(3/2)*j)*log
(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - 2*(b^(3/2)*d - a*sqrt(b)*h - 2*a^(3/2)
*j)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (3*b^(3/2)*c + sqrt(a)*b*e -
a*sqrt(b)*g - 3*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)
*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a*b)
```

mupad [B] time = 5.91, size = 3943, normalized size = 17.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2
,x)
[Out] ((b*f + a*j)/(4*b^2) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b)
+ (x^3*(b*e + a*i))/(4*a*b))/(a - b*x^4) + symsum(log((27*a^4*i^3 - a*b^3*e
^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 - 12*a^2*b^2*c*h^2 + a^2*b^2
*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i -
48*a^3*b*c*j^2 - 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^
2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e
*g + 48*a^3*b*d*i*j + 16*a^3*b*e*h*j)/(64*a^3*b^2) - root(65536*a^7*b^8*z^4
- 65536*a^7*b^6*j*z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096
*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*
b^4*j^2*z^2 - 2048*a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*
i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z -
512*a^5*b^4*e*g*j*z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4
*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*
i^2*z - 128*a^5*b^4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z -
128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3
*b^6*d*e^2*z + 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*
i*j + 192*a^4*b^3*d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3*d*g*h*i - 288*
```

$$\begin{aligned}
& a^3b^4c^2d^2h^2i + 192a^3b^4c^2d^2g^2h^2j + 72a^3b^4c^2e^2g^2h^2i - 32a^3b^4c^2d^2e^2g^2h^2i + 96a^2b^5c^2d^2e^2h^2i + 32a^5b^2g^2h^2j - 48a^5b^2g^2h^2i - 288a^5b^2d^2i^2j + 32a^4b^3e^2h^2j + 576a^5b^2c^2i^2j^2 + 256a^5b^2d^2h^2j^2 + 64a^5b^2e^2g^2j^2 + 288a^3b^4c^2h^2j - 32a^4b^3d^2g^2j - 12a^4b^3e^2g^2i + 144a^4b^3c^2h^2i - 48a^3b^4d^2g^2i + 16a^4b^3e^2g^2h^2 - 108a^4b^3c^2g^2i^2 - 32a^3b^4d^2e^2j - 192a^4b^3c^2e^2j^2 - 288a^2b^5c^2d^2j - 108a^2b^5c^2e^2i + 144a^2b^5c^2d^2i - 48a^3b^4c^2e^2h^2 + 16a^2b^5d^2e^2g - 12a^2b^5c^2e^2g + 288a^6b^2h^2i^2j - 192a^6b^2g^2i^2j^2 - 48a^2b^6c^2d^2e + 108a^2b^6c^2g + 18a^5b^2g^2i^2 - 128a^4b^3d^2j^2 - 54a^4b^3e^2i^2 + 162a^3b^4c^2i^2 + 96a^3b^4d^2h^2 + 2a^3b^4e^2g^2 - 54a^2b^5c^2g^2 - 128a^6b^2h^2j^2 + 108a^5b^2e^2i^3 + 12a^3b^4e^2i^3 - 64a^4b^3d^2h^3 - 64a^2b^5d^2h^3 + 12a^3b^4c^2g^3 + 18a^2b^6c^2e^2 + 16a^5b^2h^4 - 81a^6b^2i^4 + 16a^2b^6d^4 + 256a^7j^4 - 81b^7c^4 - a^4b^3g^4 - a^2b^5e^4, z, m) \cdot (\text{root}(65536a^7b^8z^4 - 65536a^7b^6jz^3 - 3072a^6b^5g^2i^2z^2 + 9216a^5b^6c^2i^2z^2 + 4096a^5b^6d^2h^2z^2 + 1024a^5b^6e^2g^2z^2 - 3072a^4b^7c^2e^2z^2 + 24576a^7b^4j^2z^2 - 2048a^6b^5h^2z^2 - 2048a^4b^7d^2z^2 + 1536a^6b^3g^2i^2z - 4608a^5b^4c^2i^2jz - 2048a^5b^4d^2h^2jz + 768a^5b^4e^2h^2i^2z - 512a^5b^4e^2g^2jz + 1536a^4b^5c^2e^2jz - 768a^4b^5d^2e^2i^2z + 768a^4b^5c^2g^2h^2z - 768a^3b^6c^2d^2g^2z + 1024a^6b^3h^2j^2z - 1152a^6b^3h^2i^2z - 128a^5b^4g^2h^2z + 1024a^4b^5d^2j^2z + 1152a^5b^4d^2i^2z - 128a^4b^5e^2h^2z - 1152a^3b^6c^2h^2z + 128a^4b^5d^2g^2z + 128a^3b^6d^2e^2z + 1152a^2b^7c^2d^2z - 4096a^7b^2j^3z - 192a^5b^2e^2h^2i^2j + 192a^4b^3d^2e^2i^2j - 192a^4b^3c^2g^2h^2j + 96a^4b^3d^2g^2h^2i - 288a^3b^4c^2d^2h^2i + 192a^3b^4c^2d^2g^2j + 72a^3b^4c^2e^2g^2i - 32a^3b^4d^2e^2g^2h^2i + 96a^2b^5c^2d^2e^2h^2i + 32a^5b^2g^2h^2j - 48a^5b^2g^2h^2i - 288a^5b^2d^2i^2j + 32a^4b^3e^2h^2j + 576a^5b^2c^2i^2j^2 + 256a^5b^2d^2h^2j^2 + 64a^5b^2e^2g^2j^2 + 288a^3b^4c^2h^2j - 32a^4b^3d^2g^2j - 12a^4b^3e^2g^2i + 144a^4b^3c^2h^2i - 48a^3b^4d^2g^2i + 16a^4b^3e^2g^2h^2 - 108a^4b^3c^2g^2i^2 - 32a^3b^4d^2e^2j - 192a^4b^3c^2e^2j^2 - 288a^2b^5c^2d^2j - 108a^2b^5c^2e^2i + 144a^2b^5c^2d^2i - 48a^3b^4c^2e^2h^2 + 16a^2b^5d^2e^2g - 12a^2b^5c^2e^2g + 288a^6b^2h^2i^2j - 192a^6b^2g^2i^2j^2 - 48a^2b^6c^2d^2e + 108a^2b^6c^2g + 18a^5b^2g^2i^2 - 128a^4b^3d^2j^2 - 54a^4b^3e^2i^2 + 162a^3b^4c^2i^2 + 96a^3b^4d^2h^2 + 2a^3b^4e^2g^2 - 54a^2b^5c^2g^2 - 128a^6b^2h^2j^2 + 108a^5b^2e^2i^3 + 12a^3b^4e^2i^3 - 64a^4b^3d^2h^3 - 64a^2b^5d^2h^3 + 12a^3b^4c^2g^3 + 18a^2b^6c^2e^2 + 16a^5b^2h^4 - 81a^6b^2i^4 + 16a^2b^6d^4 + 256a^7j^4 - 81b^7c^4 - a^4b^3g^4 - a^2b^5e^4, z, m) \cdot ((768a^3b^5c - 256a^4b^4g)/(64a^3b^2) - (x*(128a^3b^5d - 128a^4b^4h))/(16a^3b^2)) - (64a^2b^4d^2e + 384a^3b^3c^2j - 192a^3b^3d^2i - 64a^3b^3e^2h - 128a^4b^2g^2j + 192a^4b^2h^2i)/(64a^3b^2) + (x*(36a^2b^5c^2 + 4a^2b^4e^2 + 4a^3b^3g^2 + 36a^4b^2i^2 - 24a^2b^4c^2g + 64a^3b^3d^2j - 24a^3b^3e^2i - 64a^4b^2h^2j))/(16a^3b^2) + (x*(2a^3b^4h^3 - 2b^4d^3 - 8a^4h^2j^2 + 9a^4i^2j - 6a^2b^2d^2h^2 + a^2b^2e^2j + 3b^4c^2d^2e + 6a^2b^3d^2h + 9a^2b^3c^2j + 8a^3b^2d^2j^2 + a^3b^2g^2j - 6a^2b^2c^2g^2j + 9a^2b^2c^2h^2i + 3a^2b^2d^2g^2i + a^2b^2e^2g^2h - 9a^2b^3c^2d^2i - 3a^2b^3c^2e^2h - a^2b^3d^2e^2g - 6a^3b^2e^2i^2j - 3a^3b^2g^2h^2i))/(16a^3b^2)) \cdot \text{root}(65536a^7b^8z^4 - 65536a^7b^6jz^3 - 3072a^6b^5g^2i^2z^2 + 9216a^5b^6c^2i^2z^2 + 4096a^5b^6d^2h^2z^2 + 1024a^5b^6e^2g^2z^2 - 3072a^4b^7c^2e^2z^2 + 24576a^7b^4j^2z^2 - 2048a^6b^5h^2z^2 - 2048a^4b^7d^2z^2 + 1536a^6b^3g^2i^2z - 4608a^5b^4c^2i^2jz - 2048a^5b^4d^2h^2jz + 768a^5b^4e^2h^2i^2z - 512a^5b^4e^2g^2jz + 1536a^4b^5c^2e^2jz - 768a^4b^5d^2e^2i^2z + 768a^4b^5c^2g^2h^2z - 768a^3b^6c^2d^2g^2z + 1024a^6b^3h^2j^2z - 1152a^6b^3h^2i^2z - 128a^5b^4g^2h^2z + 1024a^4b^5d^2j^2z + 1152a^5b^4d^2i^2z - 128a^4b^5e^2h^2z - 1152a^3b^6c^2h^2z + 128a^4b^5d^2g^2z + 128a^3b^6d^2e^2z + 1152a^2b^7c^2d^2z - 4096a^7b^2j^3z - 192a^5b^2e^2h^2i^2j + 192a^4b^3d^2e^2i^2j - 192a^4b^3c^2g^2h^2j + 96a^4b^3d^2g^2h^2i - 288a^3b^4c^2d^2h^2i + 192a^3b^4c^2d^2g^2j + 72a^3b^4c^2e^2g^2i - 32a^3b^4d^2e^2g^2h^2i + 96a^2b^5c^2d^2e^2h^2i + 32a^5b^2g^2h^2j - 48a^5b^2g^2h^2i - 288a^5b^2d^2i^2j + 32a^4b^3e^2h^2j + 576a^5b^2c^2i^2j^2 + 256a^5b^2d^2h^2j^2 + 64a^5b^2e^2g^2j^2 + 288a^3b^4c^2h^2j - 32a^4b^3d^2g^2j - 12a^4b^3e^2g^2i + 144a^4b^3c^2h^2i - 48a^3b^4d^2g^2i + 16a^4b^3e^2g^2h^2 - 108a^4b^3c^2g^2i^2 - 32a^3b^4d^2e^2j - 192a^4b^3c^2e^2j^2 - 288a^2b^5c^2d^2j - 108a^2b^5c^2e^2i + 144a^2b^5c^2d^2i - 48a^3b^4c^2e^2h^2 + 16a^2b^5d^2e^2g - 12a^2b^5c^2e^2g + 288a^6b^2h^2i^2j - 192a^6b^2g^2i^2j^2 - 48a^2b^6c^2d^2e + 108a^2b^6c^2g + 18a^5b^2g^2i^2 - 128a^4b^3d^2j^2 - 54a^4b^3e^2i^2 + 162a^3b^4c^2i^2 + 96a^3b^4d^2h^2 + 2a^3b^4e^2g^2 - 54a^2b^5c^2g^2 - 128a^6b^2h^2j^2 + 108a^5b^2e^2i^3 + 12a^3b^4e^2i^3 - 64a^4b^3d^2h^3 - 64a^2b^5d^2h^3 + 12a^3b^4c^2g^3 + 18a^2b^6c^2e^2 + 16a^5b^2h^4 - 81a^6b^2i^4 + 16a^2b^6d^4 + 256a^7j^4 - 81b^7c^4 - a^4b^3g^4 - a^2b^5e^4, z, m)
\end{aligned}$$

$$\begin{aligned}
& c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 288*a^5*b^2*d*i^2*j + 3 \\
& 2*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2* \\
& e*g*j^2 + 288*a^3*b^4*c^2*h*j - 32*a^4*b^3*d*g^2*j - 12*a^4*b^3*e*g^2*i + 1 \\
& 44*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i + 16*a^4*b^3*e*g*h^2 - 108*a^4*b^3* \\
& c*g*i^2 - 32*a^3*b^4*d*e^2*j - 192*a^4*b^3*c*e*j^2 - 288*a^2*b^5*c^2*d*j - \\
& 108*a^2*b^5*c^2*e*i + 144*a^2*b^5*c*d^2*i - 48*a^3*b^4*c*e*h^2 + 16*a^2*b^5 \\
& *d^2*e*g - 12*a^2*b^5*c*e^2*g + 288*a^6*b*h*i^2*j - 192*a^6*b*g*i*j^2 - 48* \\
& a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 - 128*a^4*b^3*d^2*j^2 \\
& - 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4 \\
& *e^2*g^2 - 54*a^2*b^5*c^2*g^2 - 128*a^6*b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12* \\
& a^3*b^4*e^3*i - 64*a^4*b^3*d*h^3 - 64*a^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18 \\
& *a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 \\
& - 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, z, m), m, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2, x)

[Out] Timed out

$$3.195 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$$

Optimal. Leaf size=353

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

[Out] $1/4*x*(b*c-a*g+(-a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(b*x^4+a)+1/4*(a*h+b*d)*\arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)-1/32*\ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(3*b*c+a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/32*\ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(3*b*c+a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/16*\arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(3*b*c+a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)+1/16*\arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(3*b*c+a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.34, antiderivative size = 353, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*b^(3/2)) - ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) + ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) - ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(5/4)) + ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-2b(bd+ah)x-b^2ex^2}{a+bx^4}}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2b(bd+ah)x}{a+bx^4} + \frac{-b(3bc+ag)-b^2ex^2}{a+bx^4}\right)}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-b^2ex^2}{a+bx^4} dx}{4ab^2} + \frac{(bd - ah)}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \int \frac{\sqrt{a}}{a+bx^4}}{8a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 359, normalized size = 1.02

$$-2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}}\right) \left(4a^{5/4}h + \sqrt{2} \sqrt{a} b^{3/4}e + 4\sqrt[4]{a} bd + \sqrt{2} a \sqrt[4]{b} g + 3\sqrt{2} b^{5/4}c\right) + 2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} + 1\right) \left(-4a^{5/4}h + \sqrt{2} \sqrt{a} b^{3/4}e + 4\sqrt[4]{a} bd + \sqrt{2} a \sqrt[4]{b} g + 3\sqrt{2} b^{5/4}c\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x]

[Out] $\left(\frac{(-8a^{3/4}\sqrt{b}(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))}{(a + b*x^4)} - 2*(3*\sqrt{2}*b^{5/4}*c + 4*a^{1/4}*b*d + \sqrt{2}*\sqrt{a}*b^{3/4}*e + \sqrt{2}*a*b^{1/4}*g + 4*a^{5/4}*h)*\text{ArcTan}\left[1 - \frac{(\sqrt{2}*b^{1/4}*x)/a^{1/4}}{1}\right] + 2*(3*\sqrt{2}*b^{5/4}*c - 4*a^{1/4}*b*d + \sqrt{2}*\sqrt{a}*b^{3/4}*e + \sqrt{2}*a*b^{1/4}*g - 4*a^{5/4}*h)*\text{ArcTan}\left[1 + \frac{(\sqrt{2}*b^{1/4}*x)/a^{1/4}}{1}\right] + \sqrt{2}*b^{1/4}*(-3*b*c + \sqrt{a}*\sqrt{b}*e - a*g)*\text{Log}\left[\frac{\sqrt{a} - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2}{\sqrt{a} + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2}\right] + \sqrt{2}*b^{1/4}*(3*b*c - \sqrt{a}*\sqrt{b}*e + a*g)*\text{Log}\left[\frac{\sqrt{a} + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2}{\sqrt{a} - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2}\right]\right)}{(32*a^{7/4}*b^{3/2})}$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 398, normalized size = 1.13

$$\frac{bx^3e + bdx^2 - ahx^2 + bcx - agx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 2\sqrt{2}\sqrt{ab}abh + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{1}{4}}abg + (ab^3)^{\frac{3}{4}}e \right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{4} \cdot (b \cdot x^3 \cdot e + b \cdot d \cdot x^2 - a \cdot h \cdot x^2 + b \cdot c \cdot x - a \cdot g \cdot x - a \cdot f) / ((b \cdot x^4 + a) \cdot a \cdot b) + \frac{1}{16} \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{a \cdot b} \cdot b^2 \cdot d + 2 \cdot \sqrt{2} \cdot \sqrt{a \cdot b} \cdot a \cdot b \cdot h + 3 \cdot (a \cdot b^3)^{\frac{1}{4}} \cdot b^2 \cdot c + (a \cdot b^3)^{\frac{1}{4}} \cdot a \cdot b \cdot g + (a \cdot b^3)^{\frac{3}{4}} \cdot e) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x + \sqrt{2} \cdot (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a^2 \cdot b^3) + \frac{1}{16} \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{a \cdot b} \cdot b^2 \cdot d + 2 \cdot \sqrt{2} \cdot \sqrt{a \cdot b} \cdot a \cdot b \cdot h + 3 \cdot (a \cdot b^3)^{\frac{1}{4}} \cdot b^2 \cdot c + (a \cdot b^3)^{\frac{1}{4}} \cdot a \cdot b \cdot g + (a \cdot b^3)^{\frac{3}{4}} \cdot e) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x - \sqrt{2} \cdot (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a^2 \cdot b^3) + \frac{1}{32} \cdot \sqrt{2} \cdot (3 \cdot (a \cdot b^3)^{\frac{1}{4}} \cdot b^2 \cdot c + (a \cdot b^3)^{\frac{1}{4}} \cdot a \cdot b \cdot g - (a \cdot b^3)^{\frac{3}{4}} \cdot e) \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^2 \cdot b^3) - \frac{1}{32} \cdot \sqrt{2} \cdot (3 \cdot (a \cdot b^3)^{\frac{1}{4}} \cdot b^2 \cdot c + (a \cdot b^3)^{\frac{1}{4}} \cdot a \cdot b \cdot g - (a \cdot b^3)^{\frac{3}{4}} \cdot e) \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^2 \cdot b^3)$

maple [A] time = 0.06, size = 515, normalized size = 1.46

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a/b}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a/b}}\right)}{32 \left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] $\frac{1}{4} \cdot \frac{h \cdot x^5 + g \cdot x^4 + f \cdot x^3 + e \cdot x^2 + d \cdot x + c}{(b \cdot x^4 + a)^2} + \frac{1}{16} \cdot \frac{b}{a} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{(a/b)^{\frac{1}{4}}} \cdot x + 1\right) \cdot g + \frac{3}{16} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{(a/b)^{\frac{1}{4}}} \cdot x - 1\right) \cdot g + \frac{3}{16} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{(a/b)^{\frac{1}{4}}} \cdot x - 1\right) \cdot f + \frac{1}{32} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \ln\left(\frac{x^2 + (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}{x^2 - (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}\right) + \frac{3}{32} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \ln\left(\frac{x^2 + (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}{x^2 - (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}\right) + \frac{1}{4} \cdot \frac{h}{b} \cdot \frac{1}{(a \cdot b)^{\frac{1}{2}}} \cdot \arctan\left(\frac{1}{a \cdot b} \cdot x^2\right) \cdot h + \frac{1}{4} \cdot \frac{d}{(a \cdot b)^{\frac{1}{2}}} \cdot \arctan\left(\frac{1}{a \cdot b} \cdot x^2\right) + \frac{1}{32} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \frac{1}{a \cdot b} \cdot e \cdot \ln\left(\frac{x^2 - (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}{x^2 + (a/b)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/b)^{\frac{1}{2}}}\right) + \frac{1}{16} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \frac{1}{a \cdot b} \cdot e \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{(a/b)^{\frac{1}{4}}} \cdot x + 1\right) + \frac{1}{16} \cdot \frac{1}{(a/b)^{\frac{1}{4}}} \cdot 2^{\frac{1}{2}} \cdot \frac{1}{a \cdot b} \cdot e \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{(a/b)^{\frac{1}{4}}} \cdot x - 1\right)$

maxima [A] time = 3.19, size = 374, normalized size = 1.06

$$\frac{bex^3 + (bd - ah)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2} \left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g \right) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2} \left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g \right) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")
```

```
[Out] 1/4*(b*e*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) +
1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 +
sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)
*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x
+ sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(
3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g - 4*sqrt(a)*b^(3/2)*d - 4*a^(3/
2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sq
rt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)
*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g
+ 4*sqrt(a)*b^(3/2)*d + 4*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*
x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*s
qrt(b))*b^(3/4))/(a*b)
```

mupad [B] time = 5.58, size = 1623, normalized size = 4.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x)
```

```
[Out] symsum(log((12*b^3*c*d^2 - a*b^2*e^3 - 9*b^3*c^2*e + 4*a^3*g*h^2 + 4*a*b^2*
d^2*g + 12*a^2*b*c*h^2 - a^2*b*e*g^2 + 24*a*b^2*c*d*h - 6*a*b^2*c*e*g + 8*a
^2*b*d*g*h)/(64*a^3*b) - root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 10
24*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z^2 + 2048*a^4
*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*
h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3*d*g^2*z + 12
8*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h - 96*a^2*b^3*
c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3*c*e^2*g - 16
*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a
^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d^3*h
+ 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81*b^5*
c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k)*(root(65536*a^7*b^6*z^4 + 4096*a^5*b^4
*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z
^2 + 2048*a^4*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128
*a^5*b^2*g^2*h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3
*d*g^2*z + 128*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h
- 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3
*c*e^2*g - 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4
*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a
^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*
h^4 + 81*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k)*((768*a^3*b^4*c + 256*a^4
*b^3*g)/(64*a^3*b) - (x*(128*a^3*b^4*d + 128*a^4*b^3*h))/(16*a^3*b)) + (64*
a^2*b^3*d*e + 64*a^3*b^2*e*h)/(64*a^3*b) + (x*(36*a*b^4*c^2 - 4*a^2*b^3*e^2
+ 4*a^3*b^2*g^2 + 24*a^2*b^3*c*g))/(16*a^3*b) + (x*(2*b^3*d^3 + 2*a^3*h^3
- 3*b^3*c*d*e + 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 - 3*a*b^2*c*e*h - a*b^2*d*e*
g - a^2*b*e*g*h))/(16*a^3*b))*root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2
+ 1024*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z^2 + 204
8*a^4*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2
*g^2*h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3*d*g^2*z
+ 128*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h - 96*a^2
*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3*c*e^2*g
- 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g +
96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d
^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81
*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k), k, 1, 4) + ((e*x^3)/(4*a) - f/(4
*b) + (x*(b*c - a*g))/(4*a*b) + (x^2*(b*d - a*h))/(4*a*b))/(a + b*x^4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.196 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$$

Optimal. Leaf size=395

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}}$$

[Out] $\frac{1}{4}x(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+b*f*x^3)/a/b/(b*x^4+a)+\frac{1}{4}*(a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}-1/32*\ln(-a^{(1/4)}*b^{(1/4)}*x^{2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)}}*(-(3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)}))/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/32*\ln(a^{(1/4)}*b^{(1/4)}*x^{2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)}}*(-(3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)}))/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/16*\arctan(-1+b^{(1/4)}*x^{2^{(1/2)}/a^{(1/4)}}*((3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)}))/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/16*\arctan(1+b^{(1/4)}*x^{2^{(1/2)}/a^{(1/4)}}*((3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)}))/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 395, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(4*a^{(3/2)}*b^{(3/2)}) - ((\text{Sqrt}[b]*(3*b*c + a*g) + \text{Sqrt}[a]*(b*e + 3*a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(3*b*c + a*g) + \text{Sqrt}[a]*(b*e + 3*a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) - ((\text{Sqrt}[b]*(3*b*c + a*g) - \text{Sqrt}[a]*(b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(3*b*c + a*g) - \text{Sqrt}[a]*(b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 196x^6}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \frac{-b(3bc+a)}{a+b} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \left(-\frac{2b(bd-}{a+b}\right. \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \frac{-b(3bc+a)}{a+b} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{(588a + b)}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)}{4ab}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 415, normalized size = 1.05

$$-\frac{8a^{3/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{a+bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right) (4a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 4\sqrt[4]{a}b^{5/4}d + \sqrt{2}\sqrt{a}be +$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]

[Out] ((-8*a^(3/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x))))/(a + b*x^4) - 2*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(3*Sqrt[2]*b^(3/2)*c - 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g - 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-3*b^(3/2)*c + Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(3*b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(32*a^(7/4)*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.60, size = 589, normalized size = 1.49

$$\frac{3}{32}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right) + \frac{3}{32}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)) + 3/32*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)) - 1/4*(a*i*x^3 - b*x^3*e - b*d*x^2 + a*h*x^2 - b*c*x + a*g*x + a*f)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [B] time = 0.05, size = 654, normalized size = 1.66

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4*(a*i-b*e)/a/b*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32*(a/b)^(1/4)*2^(1/2)/a/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a*b)^(1/2)/b*h*arctan((1/a*b)^(1/2)*x^2)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+3/32/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*i+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*i+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)

maxima [A] time = 3.19, size = 416, normalized size = 1.05

$$\frac{(be - ai)x^3 + (bd - ah)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - 3a^{\frac{3}{2}}i\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - 3a^{\frac{3}{2}}i\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*((b*e - a*i)*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 4*sqrt(a)*b^(3/2)*d - 4*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i + 4*sqrt(a)*b^(3/2)*d + 4*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)

mupad [B] time = 5.70, size = 2605, normalized size = 6.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x)

[Out] symsum(log(- root(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 81*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1)*(root(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 81*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1)

```

2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5
*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*
b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2
+ 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h
^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4
+ 16*a*b^5*d^4 + 81*a^6*i^4 + 81*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1)
*((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^4*d + 128*a^
4*b^3*h))/(16*a^3*b)) + (64*a^2*b^4*d*e + 192*a^3*b^3*d*i + 64*a^3*b^3*e*h
+ 192*a^4*b^2*h*i)/(64*a^3*b^2) + (x*(36*a*b^4*c^2 - 36*a^4*b*i^2 - 4*a^2*b
^3*e^2 + 4*a^3*b^2*g^2 + 24*a^2*b^3*c*g - 24*a^3*b^2*e*i))/(16*a^3*b)) - (2
7*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^2*c*h^2 + a^2
*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 4*a*b^3*d^2*g + 27*a*b^3*c^2*i + 27*a^3*b*e*
i^2 - 4*a^3*b*g*h^2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2*b^2*d*g*h -
24*a*b^3*c*d*h + 6*a*b^3*c*e*g)/(64*a^3*b^2) - (x*(3*b^3*c*d*e - 2*a^3*h^3
- 2*b^3*d^3 + 3*a^3*g*h*i - 6*a*b^2*d^2*h - 6*a^2*b*d*h^2 + 9*a*b^2*c*d*i +
3*a*b^2*c*e*h + a*b^2*d*e*g + 9*a^2*b*c*h*i + 3*a^2*b*d*g*i + a^2*b*e*g*h)
)/(16*a^3*b))*root(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*
c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^
2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768
*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2
*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z
- 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*
a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e
*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a
^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*
i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a
^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e +
108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i
^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b
*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*
b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 8
1*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1), 1, 1, 4) + ((x*(b*c - a*g))/(
4*a*b) - f/(4*b) + (x^2*(b*d - a*h))/(4*a*b) + (x^3*(b*e - a*i))/(4*a*b))/(
a + b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.197 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$$

Optimal. Leaf size=417

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(ag + 3bc) - \sqrt{a}(3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(ag + 3bc) + \sqrt{a}(3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

[Out] $1/4*x*(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+(-a*j+b*f)*x^3)/a/b/(b*x^4+a)+1/4*(a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}+1/4*j*\ln(b*x^4+a)/b^2-1/32*\ln(-a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)})/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/32*\ln(a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)})/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/16*\arctan(-1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)})/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}+1/16*\arctan(1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((3*a*i+b*e)*a^{(1/2)}+(a*g+3*b*c)*b^{(1/2)})/a^{(7/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.54, antiderivative size = 417, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1858, 1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(ag + 3bc) - \sqrt{a}(3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(ag + 3bc) + \sqrt{a}(3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(4*a^{(3/2)}*b^{(3/2)}) - ((\text{Sqrt}[b]*(3*b*c + a*g) + \text{Sqrt}[a]*(b*e + 3*a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(3*b*c + a*g) + \text{Sqrt}[a]*(b*e + 3*a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) - ((\text{Sqrt}[b]*(3*b*c + a*g) - \text{Sqrt}[a]*(b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(3*b*c + a*g) - \text{Sqrt}[a]*(b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(7/4)}) + (j*\text{Log}[a + b*x^4])/(4*b^2)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 197x^6 + jx^7}{(a + bx^4)^2} dx = \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}$$

Mathematica [A] time = 0.44, size = 460, normalized size = 1.10

$$\frac{2\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right)\left(4a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 4\sqrt[4]{a}b^{5/4}d + \sqrt{2}\sqrt{a}be + \sqrt{2}a\sqrt{b}g + 3\sqrt{2}b^{3/2}c\right)}{a^{7/4}} + \frac{2\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}} + 1\right)\left(-4a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i\right)}{a^{7/4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]
```

```
[Out] ((8*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b*(f + x*(g + x*(h + i*x))))/(a*(a + b*x^4)) - (2*b^(1/4)*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*b^(1/4)*(3*Sqrt[2]*b^(3/2)*c - 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g - 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (Sqrt[2]*b^(1/4)*(-3*b^(3/2)*c + Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + (Sqrt[2]*b^(1/4)*(3*b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + 8*j*Log[a + b*x^4])/(32*b^2)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 617, normalized size = 1.48

$$\frac{3}{32} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right) + \frac{3}{32} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)) + 3/32*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)) + 1/4*j*log(abs(b*x^4 + a))/b^2 - 1/4*((a*i - b*e)*x^3 - (b*d - a*h)*x^2 - (b*c - a*g)*x + (a*b*f - a^2*j)/b)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [B] time = 0.06, size = 675, normalized size = 1.62

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4*(a*i-b*e)/a/b*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x+1/4*(a*j-b*f)/b^2)/(b*x^4+a)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32*(a/b)^(1/4)*2^(1/2)/a/b

*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/(a*b)^(1/2)/b*h*arctan((1/a*b)^(1/2)*x^2)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+3/16/(a/b)^(1/4)*2^(1/2)/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/32/(a/b)^(1/4)*2^(1/2)/b^2*i*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/(a/b)^(1/4)*2^(1/2)/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*j*ln(b*x^4+a)/b^2

maxima [A] time = 3.21, size = 458, normalized size = 1.10

$$\frac{(b^2e - abi)x^3 - abf + a^2j + (b^2d - abh)x^2 + (b^2c - abg)x}{4(ab^3x^4 + a^2b^2)} + \frac{\sqrt{2} \left(4\sqrt{2}a^{\frac{7}{4}}b^{\frac{1}{4}}j + 3b^2c - \sqrt{a}b^{\frac{3}{2}}e + abg - 3a^{\frac{3}{2}}\sqrt{b}i \right) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*((b^2*e - a*b*i)*x^3 - a*b*f + a^2*j + (b^2*d - a*b*h)*x^2 + (b^2*c - a*b*g)*x)/(a*b^3*x^4 + a^2*b^2) + 1/32*(sqrt(2)*(4*sqrt(2)*a^(7/4)*b^(1/4)*j + 3*b^2*c - sqrt(a)*b^(3/2)*e + a*b*g - 3*a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(4*sqrt(2)*a^(7/4)*b^(1/4)*j - 3*b^2*c + sqrt(a)*b^(3/2)*e - a*b*g + 3*a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e + sqrt(2)*a^(5/4)*b^(5/4)*g + 3*sqrt(2)*a^(7/4)*b^(3/4)*i - 4*sqrt(a)*b^2*d - 4*a^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e + sqrt(2)*a^(5/4)*b^(5/4)*g + 3*sqrt(2)*a^(7/4)*b^(3/4)*i + 4*sqrt(a)*b^2*d + 4*a^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))/(a*b)

mupad [B] time = 5.84, size = 3939, normalized size = 9.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x)

[Out] ((x*(b*c - a*g))/(4*a*b) - (b*f - a*j)/(4*b^2) + (x^2*(b*d - a*h))/(4*a*b) + (x^3*(b*e - a*i))/(4*a*b))/(a + b*x^4) + symsum(log(- root(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 + 2048*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 - 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5*d*e*i*z - 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z + 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z + 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z - 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e

$$\begin{aligned}
& *h*i*j - 192*a^4*b^3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4*b^3*d*g*h*i - 2 \\
& 88*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4* \\
& d*e*g*h - 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 28 \\
& 8*a^5*b^2*d*i^2*j - 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2* \\
& d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4*b^3*d*g^2*j + 1 \\
& 2*a^4*b^3*e*g^2*i - 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i - 16*a^4*b^3*e \\
& *g*h^2 + 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4*b^3*c*e*j^2 + 2 \\
& 88*a^2*b^5*c^2*d*j + 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2*i - 48*a^3*b^4 \\
& *c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6*b*h*i^2*j + 19 \\
& 2*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 + \\
& 128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^ \\
& 4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6*b*h^2*j^2 + 10 \\
& 8*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a^2*b^5*d^3*h + \\
& 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^6*b*i^4 + 16*a* \\
& b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e^4, z, m)*(root \\
& (65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5* \\
& b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c* \\
& e*z^2 + 24576*a^7*b^4*j^2*z^2 + 2048*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 \\
& - 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768 \\
& *a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5 \\
& *d*e*i*z - 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z \\
& + 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152 \\
& *a^5*b^4*d*i^2*z + 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5 \\
& *d*g^2*z + 128*a^3*b^6*d*e^2*z - 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z \\
& - 192*a^5*b^2*e*h*i*j - 192*a^4*b^3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4* \\
& b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g* \\
& i - 32*a^3*b^4*d*e*g*h - 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b \\
& ^2*g*h^2*i - 288*a^5*b^2*d*i^2*j - 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 \\
& + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4* \\
& b^3*d*g^2*j + 12*a^4*b^3*e*g^2*i - 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i \\
& - 16*a^4*b^3*e*g*h^2 + 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4* \\
& b^3*c*e*j^2 + 288*a^2*b^5*c^2*d*j + 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2 \\
& *i - 48*a^3*b^4*c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6 \\
& *b*h*i^2*j + 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^ \\
& 5*b^2*g^2*i^2 + 128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2* \\
& i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6 \\
& *b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a \\
& ^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^ \\
& 6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e \\
& ^4, z, m)*((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^5*d \\
& + 128*a^4*b^4*h))/(16*a^3*b^2)) + (64*a^2*b^4*d*e - 384*a^3*b^3*c*j + 192* \\
& a^3*b^3*d*i + 64*a^3*b^3*e*h - 128*a^4*b^2*g*j + 192*a^4*b^2*h*i)/(64*a^3*b \\
& ^2) + (x*(36*a*b^5*c^2 - 4*a^2*b^4*e^2 + 4*a^3*b^3*g^2 - 36*a^4*b^2*i^2 + 2 \\
& 4*a^2*b^4*c*g + 64*a^3*b^3*d*j - 24*a^3*b^3*e*i + 64*a^4*b^2*h*j))/(16*a^3* \\
& b^2) - (27*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 \\
& - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j - 4*a* \\
& b^3*d^2*g + 27*a*b^3*c^2*i + 48*a^3*b*c*j^2 + 27*a^3*b*e*i^2 - 4*a^3*b*g*h^ \\
& 2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h - \\
& 24*a*b^3*c*d*h + 6*a*b^3*c*e*g - 48*a^3*b*d*i*j - 16*a^3*b*e*h*j)/(64*a^3* \\
& b^2) - (x*(9*a^4*i^2*j - 2*a^3*b*h^3 - 8*a^4*h*j^2 - 2*b^4*d^3 - 6*a^2*b^2* \\
& d*h^2 + a^2*b^2*e^2*j + 3*b^4*c*d*e - 6*a*b^3*d^2*h - 9*a*b^3*c^2*j - 8*a^3 \\
& *b*d*j^2 - a^3*b*g^2*j - 6*a^2*b^2*c*g*j + 9*a^2*b^2*c*h*i + 3*a^2*b^2*d*g* \\
& i + a^2*b^2*e*g*h + 9*a*b^3*c*d*i + 3*a*b^3*c*e*h + a*b^3*d*e*g + 6*a^3*b*e \\
& *i*j + 3*a^3*b*g*h*i))/(16*a^3*b^2))*root(65536*a^7*b^8*z^4 - 65536*a^7*b^6 \\
& *j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 \\
& + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 + 20 \\
& 48*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 - 1536*a^6*b^3*g*i*j*z - 4608*a^5 \\
& *b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g \\
& *j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5*d*e*i*z - 768*a^4*b^5*c*g*h*z - 7
\end{aligned}$$

$$\begin{aligned}
& 68a^3b^6cdgz - 1024a^6b^3h^2jz + 1152a^6b^3hi^2z - 128a^5b^4g^2hz - 1024a^4b^5d^2jz + 1152a^5b^4di^2z + 128a^4b^5e^2hz \\
& - 1152a^3b^6c^2hz - 128a^4b^5d^2g^2z + 128a^3b^6d^2e^2z - 152a^2b^7c^2dz - 4096a^7b^2j^3z - 192a^5b^2eh^2ij - 192a^4b^3d^2e^2ij \\
& + 192a^4b^3c^2gh^2j - 96a^4b^3d^2gh^2i - 288a^3b^4cd^2hi + 192a^3b^4cd^2gh^2j + 72a^3b^4c^2eg^2i - 32a^3b^4d^2eg^2h - 96a^2b^5cd^2eh \\
& + 32a^5b^2g^2h^2j - 48a^5b^2g^2h^2i - 288a^5b^2di^2j - 32a^4b^3e^2h^2j + 576a^5b^2c^2ij^2 + 256a^5b^2d^2hj^2 + 64a^5b^2e^2gj^2 \\
& + 288a^3b^4c^2h^2j + 32a^4b^3d^2g^2j + 12a^4b^3e^2g^2i - 144a^4b^3c^2h^2i - 48a^3b^4d^2g^2i - 16a^4b^3e^2gh^2 + 108a^4b^3c^2gi^2 \\
& - 32a^3b^4d^2e^2j + 192a^4b^3c^2ej^2 + 288a^2b^5c^2dj + 108a^2b^5c^2ei - 144a^2b^5cd^2i - 48a^3b^4c^2eh^2 - 16a^2b^5d^2eg \\
& + 12a^2b^5c^2e^2g - 288a^6b^2hi^2j + 192a^6b^2g^2ij^2 - 48a^6b^2cd^2e + 108a^6b^2c^3g + 18a^5b^2g^2i^2 + 128a^4b^3d^2j^2 \\
& + 54a^4b^3e^2i^2 + 162a^3b^4c^2i^2 + 96a^3b^4d^2h^2 + 2a^3b^4e^2g^2 + 54a^2b^5c^2g^2 + 128a^6b^2h^2j^2 + 108a^5b^2e^2i^3 + 12a^3b^4e^3i \\
& + 64a^4b^3d^2h^3 + 64a^2b^5d^3h + 12a^3b^4c^2g^3 + 18a^6b^2c^2e^2 + 16a^5b^2h^4 + 81a^6b^2i^4 + 16a^6b^2d^4 + 256a^7j^4 \\
& + 81b^7c^4 + a^4b^3g^4 + a^2b^5e^4, z, m), m, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.198 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$$

Optimal. Leaf size=241

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

[Out] $1/8*x*(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(7*b*c-a*g+2*(-a*h+3*b*d)*x+5*b*e*x^2))/a^2/b/(-b*x^4+a)+1/16*(-a*h+3*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)+1/64*\arctan(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)+1/64*\arctanh(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)$

Rubi [A] time = 0.34, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3, x]$

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 3*a*g)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 3*a*g)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((3*b*d - a*h)*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^(5/2)*b^(3/2))$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k-1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} - \frac{\int \frac{-b(7bc - ag) - 2b(3bd - ah)x - 5b^2ex}{(a - bx^4)^2} dx}{8ab^2} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2e)}{32a^2b(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2e)}{32a^2b(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2e)}{32a^2b(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2e)}{32a^2b(a - bx^4)} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2e)}{32a^2b(a - bx^4)} \end{aligned}$$

Mathematica [A] time = 0.42, size = 309, normalized size = 1.28

$$\log(\sqrt[4]{a} - \sqrt[4]{b}x)(4a^{5/4}h - 5\sqrt{a}b^{3/4}e - 12\sqrt[4]{a}bd + 3a\sqrt[4]{b}g - 21b^{5/4}c) + \log(\sqrt[4]{a} + \sqrt[4]{b}x)(4a^{5/4}h + 5\sqrt{a}b^{3/4}e -$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3,x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x) - a*(g + 2*h*x)))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^2 + 2*b^(1/4)*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(5/4)*c - 12*a^(1/4)*b*d - 5*Sqrt[a]*b^(3/4)*e + 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(5/4)*c - 12*a^(1/4)*b*d + 5*Sqrt[a]*b^(3/4)*e - 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2)]/(128*a^(11/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 440, normalized size = 1.83

$$\frac{\sqrt{2} \left(21 b^2 c - 3 a b g - 12 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 4 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} a h + 5 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c - 3 a b g - 12 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 4 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} a h + 5 \sqrt{-a b} b e \right)}{128 \left(-a b^3 \right)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] -1/128*sqrt(2)*(21*b^2*c - 3*a*b*g - 12*sqrt(2)*(-a*b^3)^(1/4)*b*d + 4*sqrt(2)*(-a*b^3)^(1/4)*a*h + 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/128*sqrt(2)*(21*b^2*c - 3*a*b*g + 12*sqrt(2)*(-a*b^3)^(1/4)*b*d - 4*sqrt(2)*(-a*b^3)^(1/4)*a*h - 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 - 2*a*b*h*x^6 + 7*b^2*c*x^5 - a*b*g*x^5 - 9*a*b*x^3*e - 10*a*b*d*x^2 - 2*a^2*h*x^2 - 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b)

maple [A] time = 0.06, size = 389, normalized size = 1.61

$$\frac{h \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{32 \sqrt{a b} a b} - \frac{3 d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{32 \sqrt{a b} a^2} - \frac{5 e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5 e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] -(5/32/a^2*b*e*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-9/32/a*e*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a)^2-3/64*(a/b)^(1/4)/a^2/b*g*arctan(1/(a/b)^(1/4)*x)+21/64*(a/b)^(1/4)/a^3*c*arctan(1/(a/b)^(1/4)*x)-3/128*(a/b)^(1/4)/a^2/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

$$\frac{a/b)^{(1/4)))+21/128*(a/b)^{(1/4)/a^3*c*\ln((x+(a/b)^{(1/4)))/(x-(a/b)^{(1/4)))+1/32/a/b/(a*b)^{(1/2)*\ln(((a*b)^{(1/2)*x^2-a)/(-(a*b)^{(1/2)*x^2-a))*h-3/32/(a*b)^{(1/2)/a^2*d*\ln(((a*b)^{(1/2)*x^2-a)/(-(a*b)^{(1/2)*x^2-a))-5/64/(a/b)^{(1/4)/a^2/b*e*\arctan(1/(a/b)^{(1/4)*x)+5/128/(a/b)^{(1/4)/a^2/b*e*\ln((x+(a/b)^{(1/4)))/(x-(a/b)^{(1/4))}}$$

maxima [A] time = 2.96, size = 316, normalized size = 1.31

$$\frac{5b^2ex^7 + 2(3b^2d - abh)x^6 - 9abex^3 + (7b^2c - abg)x^5 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out]
$$-1/32*(5*b^2*e*x^7 + 2*(3*b^2*d - a*b*h)*x^6 - 9*a*b*e*x^3 + (7*b^2*c - a*b*g)*x^5 - 4*a^2*f - 2*(5*a*b*d + a^2*h)*x^2 - (11*a*b*c + 3*a^2*g)*x)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*b^{(3/2)*c} - 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b}) - (21*b^{(3/2)*c} + 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b})/(a^2*b)$$

mupad [B] time = 5.73, size = 1687, normalized size = 7.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3,x)

[Out]
$$(f/(8*b) + (9*e*x^3)/(32*a) - (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d - a*h))/(16*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) + (x^2*(5*b*d + a*h))/(16*a*b) - (5*b*e*x^7)/(32*a^2))/a^2 + b^2*x^8 - 2*a*b*x^4 + \text{symsum}(\log(-\text{root}(268435456*a^{11}*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 - 6881280*a^6*b^5*c*e*z^2 - 524288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2 + 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z - 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z + 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z + 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h + 40320*a^2*b^3*c*d*e*h + 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 - 6300*a^2*b^3*c*e^2*g + 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e - 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 - 23814*a^2*b^3*c^2*g^2 - 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 - 625*a^2*b^3*e^4 - 81*a^4*b*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 - 194481*b^5*c^4, z, k)*(\text{root}(268435456*a^{11}*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 - 6881280*a^6*b^5*c*e*z^2 - 524288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2 + 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z - 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z + 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z + 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h + 40320*a^2*b^3*c*d*e*h + 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 - 6300*a^2*b^3*c*e^2*g + 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e - 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 - 23814*a^2*b^3*c^2*g^2 - 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 - 625*a^2*b^3*e^4 - 81*a^4*b*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 - 194481*b^5*c^4, z, k))*((344064*a^5*b^4*c - 49152*a^6*b^3*g)/(32768*a^6*b) - (x*(24576*a^5*b^4*d - 8192*a^6*b^3*h))/(4096*a^6$$

$$\begin{aligned}
 & *b)) - (15360*a^3*b^3*d*e - 5120*a^4*b^2*e*h)/(32768*a^6*b) + (x*(7056*a^2* \\
 & b^4*c^2 + 400*a^3*b^3*e^2 + 144*a^4*b^2*g^2 - 2016*a^3*b^3*c*g))/(4096*a^6* \\
 & b)) - (125*a*b^2*e^3 + 3024*b^3*c*d^2 - 2205*b^3*c^2*e - 48*a^3*g*h^2 - 432 \\
 & *a*b^2*d^2*g + 336*a^2*b*c*h^2 - 45*a^2*b*e*g^2 - 2016*a*b^2*c*d*h + 630*a* \\
 & b^2*c*e*g + 288*a^2*b*d*g*h)/(32768*a^6*b) - (x*(216*b^3*d^3 - 8*a^3*h^3 - \\
 & 315*b^3*c*d*e - 216*a*b^2*d^2*h + 72*a^2*b*d*h^2 + 105*a*b^2*c*e*h + 45*a*b \\
 & ^2*d*e*g - 15*a^2*b*e*g*h))/(4096*a^6*b))*\text{root}(268435456*a^{11}*b^6*z^4 + 314 \\
 & 5728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 - 6881280*a^6*b^5*c*e*z^2 - 5 \\
 & 24288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2 + 258048*a^5*b^3*c*g*h*z - \\
 & 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z - 51200*a^5*b^3*e^2*h*z - 90 \\
 & 3168*a^4*b^4*c^2*h*z + 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z + 270 \\
 & 9504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h + 40320*a^2*b^3*c*d*e*h + 8640* \\
 & a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 - 6300*a^2*b^3*c*e^2*g + 960*a^4*b*e \\
 & *g*h^2 - 60480*a*b^4*c*d^2*e - 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 1382 \\
 & 4*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 - 23814*a^2*b^3*c^2*g^2 - 27648*a^2 \\
 & *b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 - 625*a^2*b^3*e^4 - 8 \\
 & 1*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 - 194481*b^5*c^4, z, k), k, 1, \\
 & 4)
 \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.199 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$$

Optimal. Leaf size=268

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}}$$

[Out] 1/8*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(7*b*c-a*g+2*(-a*h+3*b*d)*x+(-3*a*i+5*b*e)*x^2))/a^2/b/(-b*x^4+a)+1/16*(-a*h+3*b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/64*arctan(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i-3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i+3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)

Rubi [A] time = 0.43, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + (5*b*e - 3*a*i)*x^2))/(32*a^2*b*(a - b*x^4)) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 199x^6}{(a - bx^4)^3} dx = \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} - \frac{\int \frac{-b(7bc-ag)-}{(a - bx^4)^3} dx}{8ab(a - bx^4)^2}$$

$$= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}$$

$$= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}$$

$$= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}$$

$$= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}$$

$$= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}$$

Mathematica [A] time = 0.40, size = 359, normalized size = 1.34

$$\frac{16a^{7/4}b^{3/4}(af+x(g+x(h+ix))+bx(c+x(d+ex)))}{(a-bx^4)^2} - \frac{4a^{3/4}b^{3/4}x(a(g+x(2h+3ix))-b(7c+x(6d+5ex)))}{a-bx^4} + \log(\sqrt[4]{a} - \sqrt[4]{b}x)(4a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x]
```

```
[Out] ((-4*a^(3/4)*b^(3/4)*x*(-(b*(7*c + x*(6*d + 5*e*x))) + a*(g + x*(2*h + 3*i*x))))/(a - b*x^4) + (16*a^(7/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^2 + 2*(21*b^(3/2)*c - 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*b^(1/4)*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(128*a^(11/4)*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 0.28, size = 652, normalized size = 2.43

$$-\frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) - \frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] -3/256*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(a^2*b^4) - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^2*b^4) - 3/256*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(a^2*b^4) + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^2*b^4) - 1/128*sqrt(2)*(21*b^2*c - 3*a*b*g - 12*sqrt(2)*(-a*b^3)^(1/4)*b*d + 4*sqrt(2)*(-a*b^3)^(1/4)*a*h + 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/128*sqrt(2)*(21*b^2*c - 3*a*b*g + 12*sqrt(2)*(-a*b^3)^(1/4)*b*d - 4*sqrt(2)*(-a*b^3)^(1/4)*a*h - 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/256*sqrt(2)*(21*b^2*c - 3*a*b*g - 5*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/32*(3*a*b*i*x^7 - 5*b^2*x^7*e - 6*b^2*d*x^6 + 2*a*b*h*x^6 - 7*b^2*c*x^5 + a*b*g*x^5 + a^2*i*x^3 + 9*a*b*x^3*e + 10*a*b*d*x^2 + 2*a^2*h*x^2 + 11*a*b*c*x + 3*a^2*g*x + 4*a^2*f)/((b*x^4 - a)^2*a^2*b)
```

maple [B] time = 0.06, size = 472, normalized size = 1.76

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} ab} - \frac{3d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} a^2} + \frac{3i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{3i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{5e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} - \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] $-(1/32*(3*a*i-5*b*e)/a^2*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-1/32*(a*i+9*b*e)/a/b*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a)^2-3/64*(a/b)^{(1/4)}/a^2/b*g*\arctan(1/(a/b)^{(1/4)}*x)+21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)}*x)-3/128*(a/b)^{(1/4)}/a^2/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+21/128*(a/b)^{(1/4)}/a^3*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/32/(a*b)^{(1/2)}/a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-3/32/(a*b)^{(1/2)}/a^2*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+3/64/a/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*i-5/64/(a/b)^{(1/4)}/a^2/b*e*\arctan(1/(a/b)^{(1/4)}*x)-3/128/a/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*i+5/128/(a/b)^{(1/4)}/a^2/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.08, size = 343, normalized size = 1.28

$$\frac{(5b^2e - 3abi)x^7 + 2(3b^2d - abh)x^6 + (7b^2c - abg)x^5 - (9abe + a^2i)x^3 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + a^3d)}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*((5*b^2*e - 3*a*b*i)*x^7 + 2*(3*b^2*d - a*b*h)*x^6 + (7*b^2*c - a*b*g)*x^5 - (9*a*b*e + a^2*i)*x^3 - 4*a^2*f - 2*(5*a*b*d + a^2*h)*x^2 - (11*a*b*c + 3*a^2*g)*x)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*b^{(3/2)}*c - 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g + 3*a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a})*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (21*b^{(3/2)}*c + 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g - 3*a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a})*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})/(a^2*b)$

mupad [B] time = 5.80, size = 2680, normalized size = 10.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x)

[Out] $\text{symsum}(\log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g - 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g)/(32768*a^6*b^2) - \text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + \dots))$

$$\begin{aligned}
& 61440a^6b^3e^*h^*i^*z + 258048a^5b^4c^*g^*h^*z - 184320a^5b^4d^*e^*i^*z - \\
& 774144a^4b^5c^*d^*g^*z - 18432a^7b^2h^*i^2z - 18432a^6b^3g^2h^*z + 55 \\
& 296a^6b^3d^*i^2z - 51200a^5b^4e^2h^*z - 903168a^4b^5c^2h^*z + 5529 \\
& 6a^5b^4d^*g^2z + 153600a^4b^5d^*e^2z + 2709504a^3b^6c^2d^*z + 3456 \\
& a^4b^2d^*g^*h^*i - 24192a^3b^3c^*d^*h^*i + 7560a^3b^3c^*e^*g^*i - 5760a^3b^3 \\
& b^3d^*e^*g^*h + 40320a^2b^4c^*d^*e^*h - 540a^4b^2e^*g^2i - 5184a^3b^3d^ \\
& 2g^*i + 4032a^4b^2c^*h^2i + 960a^4b^2e^*g^*h^2 - 2268a^4b^2c^*g^*i^2 - \\
& 26460a^2b^4c^2e^*i + 36288a^2b^4c^*d^2i + 8640a^2b^4d^2e^*g - 672 \\
& 0a^3b^3c^*e^*h^2 - 6300a^2b^4c^*e^2g - 576a^5b^*g^*h^2i - 60480a^*b^5* \\
& c^*d^2e + 540a^5b^*e^*i^3 + 111132a^*b^5*c^3g - 1350a^4b^2e^2i^2 + 138 \\
& 24a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + 450a^3b^3e^2g^2 - 23814a^2 \\
& b^4c^2g^2 + 162a^5b^*g^2i^2 + 1500a^3b^3e^3i - 27648a^2b^4d^3h \\
& - 3072a^4b^2d^*h^3 + 2268a^3b^3c^*g^3 + 22050a^*b^5*c^2e^2 - 81a^4b \\
& ^2g^4 - 625a^2b^4e^4 + 256a^5b^*h^4 + 20736a^*b^5*d^4 - 81a^6i^4 - 1 \\
& 94481b^6c^4, z, 1)*(root(268435456a^11b^7z^4 - 589824a^8b^4g^*i^*z^2 \\
& + 4128768a^7b^5c^*i^*z^2 + 3145728a^7b^5d^*h^*z^2 + 983040a^7b^5e^*g^*z^ \\
& 2 - 6881280a^6b^6c^*e^*z^2 - 524288a^8b^4h^2z^2 - 4718592a^6b^6d^2* \\
& z^2 + 61440a^6b^3e^*h^*i^*z + 258048a^5b^4c^*g^*h^*z - 184320a^5b^4d^*e^*i^ \\
& *z - 774144a^4b^5c^*d^*g^*z - 18432a^7b^2h^*i^2z - 18432a^6b^3g^2h^*z \\
& + 55296a^6b^3d^*i^2z - 51200a^5b^4e^2h^*z - 903168a^4b^5c^2h^*z + \\
& 55296a^5b^4d^*g^2z + 153600a^4b^5d^*e^2z + 2709504a^3b^6c^2d^*z + \\
& 3456a^4b^2d^*g^*h^*i - 24192a^3b^3c^*d^*h^*i + 7560a^3b^3c^*e^*g^*i - 5760 \\
& a^3b^3d^*e^*g^*h + 40320a^2b^4c^*d^*e^*h - 540a^4b^2e^*g^2i - 5184a^3b \\
& ^3d^2g^*i + 4032a^4b^2c^*h^2i + 960a^4b^2e^*g^*h^2 - 2268a^4b^2c^*g^* \\
& i^2 - 26460a^2b^4c^2e^*i + 36288a^2b^4c^*d^2i + 8640a^2b^4d^2e^*g \\
& - 6720a^3b^3c^*e^*h^2 - 6300a^2b^4c^*e^2g - 576a^5b^*g^*h^2i - 60480a^ \\
& *b^5*c^*d^2e + 540a^5b^*e^*i^3 + 111132a^*b^5*c^3g - 1350a^4b^2e^2i^2 \\
& + 13824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + 450a^3b^3e^2g^2 - 2381 \\
& 4a^2b^4c^2g^2 + 162a^5b^*g^2i^2 + 1500a^3b^3e^3i - 27648a^2b^4* \\
& d^3h - 3072a^4b^2d^*h^3 + 2268a^3b^3c^*g^3 + 22050a^*b^5*c^2e^2 - 81* \\
& a^4b^2g^4 - 625a^2b^4e^4 + 256a^5b^*h^4 + 20736a^*b^5*d^4 - 81a^6i^ \\
& 4 - 194481b^6c^4, z, 1)*((344064a^5b^5c - 49152a^6b^4g)/(32768a^6* \\
& b^2) - (x*(24576a^5b^4d - 8192a^6b^3h))/(4096a^6b)) - (15360a^3b^ \\
& 4d^*e - 9216a^4b^3d^*i - 5120a^4b^3e^*h + 3072a^5b^2h^*i)/(32768a^6* \\
& b^2) + (x*(144a^5b^i^2 + 7056a^2b^4c^2 + 400a^3b^3e^2 + 144a^4b^2 \\
& *g^2 - 2016a^3b^3c^*g - 480a^4b^2e^*i))/(4096a^6b) - (x*(216b^3d^3 \\
& - 8a^3h^3 - 315b^3c^*d^*e + 9a^3g^*h^*i - 216a^*b^2*d^2h + 72a^2b^*d^*h \\
& ^2 + 189a^*b^2*c^*d^*i + 105a^*b^2*c^*e^*h + 45a^*b^2*d^*e^*g - 63a^2b^*c^*h^*i - \\
& 27a^2b^*d^*g^*i - 15a^2b^*e^*g^*h))/(4096a^6b))*root(268435456a^11b^7z^4 \\
& - 589824a^8b^4g^*i^*z^2 + 4128768a^7b^5c^*i^*z^2 + 3145728a^7b^5d^*h^*z \\
& ^2 + 983040a^7b^5e^*g^*z^2 - 6881280a^6b^6c^*e^*z^2 - 524288a^8b^4h^2* \\
& z^2 - 4718592a^6b^6d^2z^2 + 61440a^6b^3e^*h^*i^*z + 258048a^5b^4c^*g^* \\
& h^*z - 184320a^5b^4d^*e^*i^*z - 774144a^4b^5c^*d^*g^*z - 18432a^7b^2h^*i^2 \\
& *z - 18432a^6b^3g^2h^*z + 55296a^6b^3d^*i^2z - 51200a^5b^4e^2h^*z \\
& - 903168a^4b^5c^2h^*z + 55296a^5b^4d^*g^2z + 153600a^4b^5d^*e^2z + \\
& 2709504a^3b^6c^2d^*z + 3456a^4b^2d^*g^*h^*i - 24192a^3b^3c^*d^*h^*i + 7 \\
& 560a^3b^3c^*e^*g^*i - 5760a^3b^3d^*e^*g^*h + 40320a^2b^4c^*d^*e^*h - 540a^ \\
& 4b^2e^*g^2i - 5184a^3b^3d^2g^*i + 4032a^4b^2c^*h^2i + 960a^4b^2e^ \\
& *g^*h^2 - 2268a^4b^2c^*g^*i^2 - 26460a^2b^4c^2e^*i + 36288a^2b^4c^*d^2 \\
& *i + 8640a^2b^4d^2e^*g - 6720a^3b^3c^*e^*h^2 - 6300a^2b^4c^*e^2g - 5 \\
& 76a^5b^*g^*h^2i - 60480a^*b^5*c^*d^2e + 540a^5b^*e^*i^3 + 111132a^*b^5*c^3 \\
& *g - 1350a^4b^2e^2i^2 + 13824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + \\
& 450a^3b^3e^2g^2 - 23814a^2b^4c^2g^2 + 162a^5b^*g^2i^2 + 1500a^3b^3 \\
& e^3i - 27648a^2b^4d^3h - 3072a^4b^2d^*h^3 + 2268a^3b^3c^*g^3 + \\
& 22050a^*b^5*c^2e^2 - 81a^4b^2g^4 - 625a^2b^4e^4 + 256a^5b^*h^4 + 2 \\
& 0736a^*b^5*d^4 - 81a^6i^4 - 194481b^6c^4, z, 1), 1, 1, 4) + (f/(8*b) - \\
& (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d - a*h))/(16*a^2) - (x^7*(5*b*e - \\
& 3*a*i))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) + (x^2*(5*b*d + a*h))/(16 \\
& *a*b) + (x^3*(9*b*e + a*i))/(32*a*b))/(a^2 + b^2*x^8 - 2*a*b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.200 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$$

Optimal. Leaf size=285

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}}$$

[Out] $1/8*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*(-a*j+b*f)+x*(b*(-a*g+7*b*c)+2*b*(-a*h+3*b*d)*x+b*(-3*a*i+5*b*e)*x^2)/a^2/b^2/(-b*x^4+a)+1/16*(-a*h+3*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/64*\arctan(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i-3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)+1/64*\arctanh(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i+3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)$

Rubi [A] time = 0.39, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{x(b(7bc-ag) + 2bx(3bd-ah) + bx^2(5be-3ai)) + 4a(bf-aj)}{32a^2b^2(a-bx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*(b*f - a*j) + x*(b*(7*b*c - a*g) + 2*b*(3*b*d - a*h)*x + b*(5*b*e - 3*a*i)*x^2))/(32*a^2*b^2*(a - b*x^4)) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[

$c*d^2 - a*e^2, 0]$ && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 200x^6 + jx^7}{(a - bx^4)^3} dx = \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} -$$

$$= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +$$

$$= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +$$

$$= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +$$

$$= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +$$

$$= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +$$

Mathematica [A] time = 0.34, size = 380, normalized size = 1.33

$$\sqrt[4]{b} \log(\sqrt[4]{a} - \sqrt[4]{b}x) (4a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i - 12\sqrt[4]{a}b^{5/4}d - 5\sqrt{a}be + 3a\sqrt{b}g - 21b^{3/2}c) + \sqrt[4]{b} \log(\sqrt[4]{a} + \sqrt[4]{b}x) (4$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

[Out]
$$\frac{((-4a^{3/4})(8a^2j - b^2x(7c + x(6d + 5ex))) + abx(g + x(2h + 3ix))) / (a - bx^4) + (16a^{7/4})(a^2j + b^2x(c + x(d + ex))) + ab(f + x(g + x(h + ix))) / (a - bx^4)^2 + 2b^{1/4}(21b^{3/2}c - 5\text{Sqrt}[a]b^2e - 3a\text{Sqrt}[b]g + 3a^{3/2}i)\text{ArcTan}[(b^{1/4}x)/a^{1/4}] + b^{1/4}(-21b^{3/2}c - 12a^{1/4}b^{5/4}d - 5\text{Sqrt}[a]b^2e + 3a\text{Sqrt}[b]g + 4a^{5/4}b^{1/4}h + 3a^{3/2}i)\text{Log}[a^{1/4} - b^{1/4}x] + b^{1/4}(21b^{3/2}c - 12a^{1/4}b^{5/4}d + 5\text{Sqrt}[a]b^2e - 3a\text{Sqrt}[b]g + 4a^{5/4}b^{1/4}h - 3a^{3/2}i)\text{Log}[a^{1/4} + b^{1/4}x] - 4a^{1/4}\text{Sqrt}[b](-3bd + ah)\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]x^2]) / (128a^{11/4}b^2)}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 684, normalized size = 2.40

$$-\frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{3/4} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{1/4}\right)}{2\left(-\frac{a}{b}\right)^{1/4}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{3/4} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{1/4} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) - \frac{3}{256}i \left(\frac{2\sqrt{2}}{a^2b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-3/256*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^2*b^4) - \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/(a^2*b^4)) - 3/256*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^2*b^4) + \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/(a^2*b^4)) - 1/128*\text{sqrt}(2)*(21*b^2*c - 3*a*b*g - 12*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d + 4*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*a*h + 5*\text{sqrt}(-a*b)*b^2*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/128*\text{sqrt}(2)*(21*b^2*c - 3*a*b*g + 12*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d - 4*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*a*h - 5*\text{sqrt}(-a*b)*b^2*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/256*\text{sqrt}(2)*(21*b^2*c - 3*a*b*g - 5*\text{sqrt}(-a*b)*b^2*e)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^2) + 1/256*\text{sqrt}(2)*(21*b^2*c - 3*a*b*g - 5*\text{sqrt}(-a*b)*b^2*e)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^2) + 1/32*(3*a*b^2*i$$

$$*x^7 - 5*b^3*x^7*e - 6*b^3*d*x^6 + 2*a*b^2*h*x^6 - 7*b^3*c*x^5 + a*b^2*g*x^5 + 8*a^2*b*j*x^4 + a^2*b*i*x^3 + 9*a*b^2*x^3*e + 10*a*b^2*d*x^2 + 2*a^2*b*h*x^2 + 11*a*b^2*c*x + 3*a^2*b*g*x + 4*a^2*b*f - 4*a^3*j)/((b*x^4 - a)^2*a^2*b^2)$$

maple [B] time = 0.06, size = 488, normalized size = 1.71

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} ab} - \frac{3d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} a^2} + \frac{3i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{3i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{5e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} - \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)
[Out] -(1/32*(3*a*i-5*b*e)/a^2*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-1/4/b*j*x^4-1/32*(a*i+9*b*e)/a/b*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x+1/8*(a*j-b*f)/b^2)/(b*x^4-a)^2-3/64*(a/b)^(1/4)/a^2/b*g*arctan(1/(a/b)^(1/4)*x)+21/64*(a/b)^(1/4)/a^3*c*arctan(1/(a/b)^(1/4)*x)-3/128*(a/b)^(1/4)/a^2/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/32/(a*b)^(1/2)/a/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-3/32/(a*b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+3/64/(a/b)^(1/4)/a/b^2*i*arctan(1/(a/b)^(1/4)*x)-5/64/(a/b)^(1/4)/a^2/b*e*arctan(1/(a/b)^(1/4)*x)-3/128/(a/b)^(1/4)/a/b^2*i*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+5/128/(a/b)^(1/4)/a^2/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))
```

maxima [A] time = 3.13, size = 377, normalized size = 1.32

$$\frac{8 a^2 b j x^4 - (5 b^3 e - 3 a b^2 i) x^7 - 2 (3 b^3 d - a b^2 h) x^6 - (7 b^3 c - a b^2 g) x^5 + 4 a^2 b f - 4 a^3 j + (9 a b^2 e + a^2 b i) x^3 + 2 (5 a b^2 c + a^2 b h) x^2 + (11 a b^2 c + 3 a^2 b g) x}{32 (a^2 b^4 x^8 - 2 a^3 b^3 x^4 + a^4 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")
[Out] 1/32*(8*a^2*b*j*x^4 - (5*b^3*e - 3*a*b^2*i)*x^7 - 2*(3*b^3*d - a*b^2*h)*x^6 - (7*b^3*c - a*b^2*g)*x^5 + 4*a^2*b*f - 4*a^3*j + (9*a*b^2*e + a^2*b*i)*x^3 + 2*(5*a*b^2*d + a^2*b*h)*x^2 + (11*a*b^2*c + 3*a^2*b*g)*x)/(a^2*b^4*x^8 - 2*a^3*b^3*x^4 + a^4*b^2) + 1/128*(4*(3*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 4*(3*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(21*b^(3/2)*c - 5*sqrt(a)*b*e - 3*a*sqrt(b)*g + 3*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (21*b^(3/2)*c + 5*sqrt(a)*b*e - 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^2*b)
```

mupad [B] time = 5.91, size = 2696, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3,x)
```



```
[Out] symsum(log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e -
336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g
- 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 37
8*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g)/(
32768*a^6*b^2) - root(268435456*a^11*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 412
8768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6
881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 +
61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z -
774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55
296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 5529
6*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456
*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*
b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^
2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 -
26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 672
0*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*
c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 138
24*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2
*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h
- 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b
^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 1
94481*b^6*c^4, z, m)*(root(268435456*a^11*b^7*z^4 - 589824*a^8*b^4*g*i*z^2
+ 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^
2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*
z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i
*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z
+ 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z +
55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z +
3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760
*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b
^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*
i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g
- 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a
*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2
+ 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 2381
4*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*
d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*
a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^
4 - 194481*b^6*c^4, z, m)*((344064*a^5*b^5*c - 49152*a^6*b^4*g)/(32768*a^6*
b^2) - (x*(24576*a^5*b^4*d - 8192*a^6*b^3*h))/(4096*a^6*b)) - (15360*a^3*b^
4*d*e - 9216*a^4*b^3*d*i - 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6*
b^2) + (x*(144*a^5*b*i^2 + 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 + 144*a^4*b^2
*g^2 - 2016*a^3*b^3*c*g - 480*a^4*b^2*e*i))/(4096*a^6*b)) - (x*(216*b^3*d^3
- 8*a^3*h^3 - 315*b^3*c*d*e + 9*a^3*g*h*i - 216*a*b^2*d^2*h + 72*a^2*b*d*h
^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g - 63*a^2*b*c*h*i -
27*a^2*b*d*g*i - 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^7*z^4
- 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z
^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*
z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*
h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2
*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z
- 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z +
2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7
560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^
4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e
*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2
*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 5
76*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3
*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 +
```

```

450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*
b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 +
  22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 2
0736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, m), m, 1, 4) + ((b*f - a*j
)/(8*b^2) + (j*x^4)/(4*b) - (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d - a*
h))/(16*a^2) - (x^7*(5*b*e - 3*a*i))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*
b) + (x^2*(5*b*d + a*h))/(16*a*b) + (x^3*(9*b*e + a*i))/(32*a*b))/(a^2 + b^
2*x^8 - 2*a*b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,
x)
```

[Out] Timed out

$$3.201 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$$

Optimal. Leaf size=413

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e + 3ag + 21bc)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

[Out] $1/8*x*(b*c-a*g+(-a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(b*x^4+a)^2+1/32*(-4*a*f+x*(7*b*c+a*g+2*(a*h+3*b*d)*x+5*b*e*x^2))/a^2/b/(b*x^4+a)+1/16*(a*h+3*b*d)*\arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/256*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/256*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.49, antiderivative size = 413, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e + 3ag + 21bc)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-5\sqrt{a} \sqrt{b} e)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 2*(3*b*d + a*h)*x + 5*b*e*x^2))/(32*a^2*b*(a + b*x^4)) + ((3*b*d + a*h)*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(16*a^(5/2)*b^(3/2)) - ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) + ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) - ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) + ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$\wedge k, x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_ \text{Symbol}] \text{:>} \text{With}[\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_) + (c_)*(x_)^2), x_ \text{Symbol}] \text{:>} S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_ \text{Symbol}] \text{:>} \text{With}[\{q = \text{Rt}[($
 $2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e$
 $/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&$
 $\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_ \text{Symbol}] \text{:>} \text{With}[\{q = \text{Rt}[($
 $-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x],$
 $x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{Fre}$
 $e\text{Q}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_ \text{Symbol}] \text{:>} \text{With}[\{q = \text{Rt}[($
 $a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{D}$
 $\text{ist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x]] /; \text{FreeQ}[\{a,$
 $c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*$
 $c)]$

Rule 1854

$\text{Int}[(\text{Pq}_*)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_ \text{Symbol}] \text{:>} \text{Module}[\{q = \text{Expon}[\text{Pq},$
 $x], i\}, \text{Simp}[(a*\text{Coeff}[\text{Pq}, x, q] - b*x*\text{ExpandToSum}[\text{Pq} - \text{Coeff}[\text{Pq}, x, q]*x^$
 $q, x])*(a + b*x^n)^{(p + 1)})/(a*b*n*(p + 1)), x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}$
 $[\text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[\text{Pq}, x, i]*x^i, \{i, 0, q - 1\})*(a + b*x^n)^{(p$
 $+ 1), x], x] /; q == n - 1] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[\text{Pq}, x] \&\& \text{IGtQ}[n,$
 $0] \&\& \text{LtQ}[p, -1]$

Rule 1858

$\text{Int}[(\text{Pq}_*)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_ \text{Symbol}] \text{:>} \text{With}[\{q = \text{Expon}[\text{Pq},$
 $x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*\text{Pq}}, a + b*x^n,$
 $x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*\text{Pq}}, a + b*x^n, x]\}, D$
 $\text{ist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)*\text{Expan}$
 $\text{dToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a +$
 $b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n]]$
 $/; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[\text{Pq}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(\text{Pq}_*)/(a_ + (b_)*(x_)^{(n_)}), x_ \text{Symbol}] \text{:>} \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}$

[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))/(a + b*x^n), {ii, 0, n/2 - 1 }]], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \int \frac{-b(7bc+ag)-2b(3bd+ah)x-5b^2ex}{(a+bx^4)^2} dx$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex)}{32a^2b(a + bx^4)}$$

Mathematica [A] time = 0.43, size = 411, normalized size = 1.00

$$-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} \right) (8a^{5/4}h + 5\sqrt{2} \sqrt{a} b^{3/4}e + 24\sqrt[4]{a} bd + 3\sqrt{2} a \sqrt[4]{b} g + 21\sqrt{2} b^{5/4}c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} + 1 \right) ($$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x]

[Out] ((8*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x) + a*(g + 2*h*x)))/(a + b*x^4) - (32*a^(7/4)*Sqrt[b]*(-b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a + b*x^4)^2 - 2*(21*Sqrt[2]*b^(5/4)*c + 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g + 8*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*Sqrt[2]*b^(5/4)*c - 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g - 8*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b*c + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*

$(21*b*c - 5*\sqrt{a}*\sqrt{b}*e + 3*a*g)*\text{Log}[\sqrt{a} + \sqrt{2}*a^{1/4}*b^{1/4})*x + \sqrt{b}*x^2]/(256*a^{11/4}*b^{3/2})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 459, normalized size = 1.11

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 4 \sqrt{2} \sqrt{ab} abh + 21 (ab^3)^{\frac{1}{4}} b^2 c + 3 (ab^3)^{\frac{1}{4}} abg + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(\dots \right)}{128 a^3 b^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 2*a*b*h*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 + 9*a*b*x^3*e + 10*a*b*d*x^2 - 2*a^2*h*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/(b*x^4 + a)^2*a^2*b)

maple [A] time = 0.06, size = 561, normalized size = 1.36

$$\frac{h \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{16 \sqrt{ab} ab} + \frac{3d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{16 \sqrt{ab} a^2} + \frac{5\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (5/32/a^2*b*e*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*e*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/a/b/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)*h+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/...

$$256/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$$

maxima [A] time = 3.07, size = 446, normalized size = 1.08

$$\frac{5b^2ex^7 + 2(3b^2d + abh)x^6 + 9abex^3 + (7b^2c + abg)x^5 - 4a^2f + 2(5abd - a^2h)x^2 + (11abc - 3a^2g)x}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)} + \frac{\sqrt{2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b^2*e*x^7 + 2*(3*b^2*d + a*b*h)*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*g)*x^5 - 4*a^2*f + 2*(5*a*b*d - a^2*h)*x^2 + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g - 24*sqrt(a)*b^(3/2)*d - 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 24*sqrt(a)*b^(3/2)*d + 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a^2*b)

mupad [B] time = 5.69, size = 1686, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3,x)

[Out] ((9*e*x^3)/(32*a) - f/(8*b) + (x^5*(7*b*c + a*g))/(32*a^2) + (x^6*(3*b*d + a*h))/(16*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + symsum(log((3024*b^3*c*d^2 - 125*a*b^2*e^3 - 2205*b^3*c^2*e + 48*a^3*g*h^2 + 432*a*b^2*d^2*g + 336*a^2*b*c*h^2 - 45*a^2*b*e*g^2 + 2016*a*b^2*c*d*h - 630*a*b^2*c*e*g + 288*a^2*b*d*g*h)/(32768*a^6*b) - root(268435456*a^11*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 + 6881280*a^6*b^5*c*e*z^2 + 524288*a^8*b^3*h^2*z^2 + 4718592*a^6*b^5*d^2*z^2 - 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z + 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z - 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^3*c*d*e*h - 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^2*g - 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^2*g^2 + 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 625*a^2*b^3*e^4 + 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c^4, z, k)*(root(268435456*a^11*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 + 6881280*a^6*b^5*c*e*z^2 + 524288*a^8*b^3*h^2*z^2 + 4718592*a^6*b^5*d^2*z^2 - 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z + 51200*a^5*b^3*c^2*d*z - 903168*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z - 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^3*c*d*e*h - 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^2*g - 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^2*g^2 + 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 625*a^2*b^3*e^4 + 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c^4, z, k))

```

*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*
b^4*d*e^2*z - 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^
3*c*d*e*h - 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^
2*g - 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a
*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^
2*g^2 + 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 62
5*a^2*b^3*e^4 + 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c
^4, z, k)*((344064*a^5*b^4*c + 49152*a^6*b^3*g)/(32768*a^6*b) - (x*(24576*a
^5*b^4*d + 8192*a^6*b^3*h))/(4096*a^6*b)) + (15360*a^3*b^3*d*e + 5120*a^4*b
^2*e*h)/(32768*a^6*b) + (x*(7056*a^2*b^4*c^2 - 400*a^3*b^3*e^2 + 144*a^4*b^
2*g^2 + 2016*a^3*b^3*c*g))/(4096*a^6*b) + (x*(216*b^3*d^3 + 8*a^3*h^3 - 31
5*b^3*c*d*e + 216*a*b^2*d^2*h + 72*a^2*b*d*h^2 - 105*a*b^2*c*e*h - 45*a*b^2
*d*e*g - 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^6*z^4 + 31457
28*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 + 6881280*a^6*b^5*c*e*z^2 + 524
288*a^8*b^3*h^2*z^2 + 4718592*a^6*b^5*d^2*z^2 - 258048*a^5*b^3*c*g*h*z - 77
4144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z + 51200*a^5*b^3*e^2*h*z - 9031
68*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z - 27095
04*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^3*c*d*e*h - 8640*a^
2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^2*g - 960*a^4*b*e*g
*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*
a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^2*g^2 + 27648*a^2*b
^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 625*a^2*b^3*e^4 + 81*
a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c^4, z, k), k, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.202 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$$

Optimal. Leaf size=463

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

[Out] $\frac{1}{8} x (b c - a g + (-a h + b d) x + (-a i + b e) x^2 + b f x^3) / a / b / (b x^4 + a)^2 + \frac{1}{32} (-4 a f + x (7 b c + a g + 2 (a h + 3 b d) x + (3 a i + 5 b e) x^2)) / a^2 / b / (b x^4 + a) + \frac{1}{16} (a h + 3 b d) \arctan(x^2 b^{1/2} / a^{1/2}) / a^{5/2} / b^{3/2} - \frac{1}{256} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) b^{1/2} / a^{11/4} / b^{7/4} * 2^{1/2} + \frac{1}{256} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) b^{1/2} / a^{11/4} / b^{7/4} * 2^{1/2} + \frac{1}{128} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2} + \frac{1}{128} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2}$

Rubi [A] time = 0.69, antiderivative size = 463, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.275$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3, x]

[Out] $\frac{x(b c - a g + (b d - a h) x + (b e - a i) x^2 + b f x^3)}{(8 a b (a + b x^4)^2) - (4 a f - x(7 b c + a g + 2(3 b d + a h) x + (5 b e + 3 a i) x^2)) / (32 a^2 b (a + b x^4)) + ((3 b d + a h) \operatorname{ArcTan}[\operatorname{Sqrt}[b] x^2 / \operatorname{Sqrt}[a]]) / (16 a^{5/2} b^{3/2}) - ((3 \operatorname{Sqrt}[b] (7 b c + a g) + \operatorname{Sqrt}[a] (5 b e + 3 a i)) \operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (64 \operatorname{Sqrt}[2] a^{11/4} b^{7/4}) + ((3 \operatorname{Sqrt}[b] (7 b c + a g) + \operatorname{Sqrt}[a] (5 b e + 3 a i)) \operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (64 \operatorname{Sqrt}[2] a^{11/4} b^{7/4}) - ((3 \operatorname{Sqrt}[b] (7 b c + a g) - \operatorname{Sqrt}[a] (5 b e + 3 a i)) \operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (128 \operatorname{Sqrt}[2] a^{11/4} b^{7/4}) + ((3 \operatorname{Sqrt}[b] (7 b c + a g) - \operatorname{Sqrt}[a] (5 b e + 3 a i)) \operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (128 \operatorname{Sqrt}[2] a^{11/4} b^{7/4})$

Rule 204

Int[((a_) + (b_.)(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 202x^6}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-b(7bc + a)}{8ab(a + bx^4)^2} dx}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x}{8ab(a + bx^4)^2}$$

Mathematica [A] time = 0.68, size = 473, normalized size = 1.02

$$\frac{-32a^{7/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{(a+bx^4)^2} + \frac{8a^{3/4}b^{3/4}x(ag+ax(2h+3ix)+7bc+bx(6d+5ex))}{a+bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}}\right) (8a^{5/4} \sqrt[4]{b} h + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x]

[Out] ((8*a^(3/4)*b^(3/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x) + a*x*(2*h + 3*i*x)))/(a + b*x^4) - (32*a^(7/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4)^2 - 2*(21*sqrt[2]*b^(3/2)*c + 24*a^(1/4)*b^(5/4)*d + 5*sqrt[2]*sqrt[a]*b*e + 3*sqrt[2]*a*sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h + 3*sqrt[2]*a^(3/2)*i)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*sqrt[2]*b^(3/2)*c - 24*a^(1/4)*b^(5/4)*d + 5*sqrt[2]*sqrt[a]*b*e + 3*sqrt[2]*

$a*\text{Sqrt}[b]*g - 8*a^{(5/4)}*b^{(1/4)}*h + 3*\text{Sqrt}[2]*a^{(3/2)}*i*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + \text{Sqrt}[2]*(-21*b^{(3/2)}*c + 5*\text{Sqrt}[a]*b*e - 3*a*\text{Sqrt}[b]*g + 3*a^{(3/2)}*i)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*(21*b^{(3/2)}*c - 5*\text{Sqrt}[a]*b*e + 3*a*\text{Sqrt}[b]*g - 3*a^{(3/2)}*i)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(256*a^{(11/4)}*b^{(7/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 661, normalized size = 1.43

$$\frac{3}{256}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2b^4} \right) + \frac{3}{256}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{3}{256}i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)}))/(a/b)^{(1/4)})/(a^2*b^4) - \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^4)) + \frac{3}{256}i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)}))/(a/b)^{(1/4)})/(a^2*b^4) + \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^4)) + 1/128*\text{sqrt}(2)*(12*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 4*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g + 5*(a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)}))/(a/b)^{(1/4)})/(a^3*b^3) + 1/128*\text{sqrt}(2)*(12*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 4*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g + 5*(a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)}))/(a/b)^{(1/4)})/(a^3*b^3) + 1/256*\text{sqrt}(2)*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^3*b^3) - 1/256*\text{sqrt}(2)*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^3*b^3) + 1/32*(3*a*b*i*x^7 + 5*b^2*x^7*e + 6*b^2*d*x^6 + 2*a*b*h*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 - a^2*i*x^3 + 9*a*b*x^3*e + 10*a*b*d*x^2 - 2*a^2*h*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)$

maple [A] time = 0.06, size = 716, normalized size = 1.55

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} ab} + \frac{3d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} a^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

```
[Out] (1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a*b)^(1/2)/a/b*h*arctan((1/a*b)^(1/2)*x^2)+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+3/128/a/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*i+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/a/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*i+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256/a/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+5/256/(a/b)^(1/4)*2^(1/2)/a^2/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))
```

maxima [A] time = 3.17, size = 497, normalized size = 1.07

$$\frac{(5b^2e + 3abi)x^7 + 2(3b^2d + abh)x^6 + (7b^2c + abg)x^5 + (9abe - a^2i)x^3 - 4a^2f + 2(5abd - a^2h)x^2 + (11abc - 3a^2g)x}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")
```

```
[Out] 1/32*((5*b^2*e + 3*a*b*i)*x^7 + 2*(3*b^2*d + a*b*h)*x^6 + (7*b^2*c + a*b*g)*x^5 + (9*a*b*e - a^2*i)*x^3 - 4*a^2*f + 2*(5*a*b*d - a^2*h)*x^2 + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 24*sqrt(a)*b^(3/2)*d - 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i + 24*sqrt(a)*b^(3/2)*d + 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a^2*b)
```

mupad [B] time = 5.75, size = 2680, normalized size = 5.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x)
```

```
[Out] symsum(log(- root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*
```

$$\begin{aligned}
& a^6 b^3 d^i z^2 + 51200 a^5 b^4 e^2 h z - 903168 a^4 b^5 c^2 h z - 55296 a^4 b^4 d^i g^2 z + 153600 a^4 b^5 d^i e^2 z - 2709504 a^3 b^6 c^2 d^i z - 3456 a^4 b^2 d^i g^2 h^i - 24192 a^3 b^3 c^2 d^i h^i + 7560 a^3 b^3 c^2 e^i g^i - 5760 a^3 b^3 d^i e^i g^2 h - 40320 a^2 b^4 c^2 d^i e^i h + 540 a^4 b^2 e^i g^2 i - 5184 a^3 b^3 d^2 g^i i - 4032 a^4 b^2 c^2 h^2 i - 960 a^4 b^2 e^i g^2 h^2 + 2268 a^4 b^2 c^2 g^i i^2 + 26460 a^2 b^4 c^2 e^i i - 36288 a^2 b^4 c^2 d^2 i - 8640 a^2 b^4 d^2 e^i g - 6720 a^3 b^3 c^2 e^i h^2 + 6300 a^2 b^4 c^2 e^2 g - 576 a^5 b^2 g^2 h^2 i - 60480 a^3 b^5 c^2 d^2 e + 540 a^5 b^2 e^i i^3 + 111132 a^3 b^5 c^3 g + 1350 a^4 b^2 e^2 i^2 + 13824 a^3 b^3 d^2 h^2 + 7938 a^3 b^3 c^2 i^2 + 450 a^3 b^3 e^2 g^2 + 23814 a^2 b^4 c^2 g^2 + 162 a^5 b^2 g^2 i^2 + 1500 a^3 b^3 e^3 i + 27648 a^2 b^4 d^3 h + 3072 a^4 b^2 d^2 h^3 + 2268 a^3 b^3 c^2 g^3 + 22050 a^3 b^5 c^2 e^2 + 81 a^4 b^2 g^4 + 625 a^2 b^4 e^4 + 256 a^5 b^2 h^4 + 20736 a^3 b^5 d^4 + 81 a^6 i^4 + 194481 b^6 c^4, z, 1) \cdot (\text{root}(268435456 a^{11} b^7 z^4 + 589824 a^8 b^4 g^i z^2 + 4128768 a^7 b^5 c^i z^2 + 3145728 a^7 b^5 d^i h z^2 + 983040 a^7 b^5 e^i g z^2 + 6881280 a^6 b^6 c^i e z^2 + 524288 a^8 b^4 h^2 z^2 + 4718592 a^6 b^6 d^2 z^2 + 61440 a^6 b^3 e^i h^i z - 258048 a^5 b^4 c^i g^i h z + 184320 a^5 b^4 d^i e^i z - 774144 a^4 b^5 c^i d^i g z + 18432 a^7 b^2 h^i i^2 z - 18432 a^6 b^3 g^2 h z + 55296 a^6 b^3 d^i i^2 z + 51200 a^5 b^4 e^2 h z - 903168 a^4 b^5 c^2 h z - 55296 a^5 b^4 d^i g^2 z + 153600 a^4 b^5 d^i e^2 z - 2709504 a^3 b^6 c^2 d^i z - 3456 a^4 b^2 d^i g^2 h^i - 24192 a^3 b^3 c^2 d^i h^i + 7560 a^3 b^3 c^2 e^i g^i - 5760 a^3 b^3 d^i e^i g^2 h - 40320 a^2 b^4 c^2 d^i e^i h + 540 a^4 b^2 e^i g^2 i - 5184 a^3 b^3 d^2 g^i i - 4032 a^4 b^2 c^2 h^2 i - 960 a^4 b^2 e^i g^2 h^2 + 2268 a^4 b^2 c^2 g^i i^2 + 26460 a^2 b^4 c^2 e^i i - 36288 a^2 b^4 c^2 d^2 i - 8640 a^2 b^4 d^2 e^i g - 6720 a^3 b^3 c^2 e^i h^2 + 6300 a^2 b^4 c^2 e^2 g - 576 a^5 b^2 g^2 h^2 i - 60480 a^3 b^5 c^2 d^2 e + 540 a^5 b^2 e^i i^3 + 111132 a^3 b^5 c^3 g + 1350 a^4 b^2 e^2 i^2 + 13824 a^3 b^3 d^2 h^2 + 7938 a^3 b^3 c^2 i^2 + 450 a^3 b^3 e^2 g^2 + 23814 a^2 b^4 c^2 g^2 + 162 a^5 b^2 g^2 i^2 + 1500 a^3 b^3 e^3 i + 27648 a^2 b^4 d^3 h + 3072 a^4 b^2 d^2 h^3 + 2268 a^3 b^3 c^2 g^3 + 22050 a^3 b^5 c^2 e^2 + 81 a^4 b^2 g^4 + 625 a^2 b^4 e^4 + 256 a^5 b^2 h^4 + 20736 a^3 b^5 d^4 + 81 a^6 i^4 + 194481 b^6 c^4, z, 1) \cdot ((344064 a^5 b^5 c + 49152 a^6 b^4 g) / (32768 a^6 b^2) - (x \cdot (24576 a^5 b^4 d + 8192 a^6 b^3 h)) / (4096 a^6 b)) + (15360 a^3 b^4 d^i e + 9216 a^4 b^3 d^i i + 5120 a^4 b^3 e^i h + 3072 a^5 b^2 h^i i) / (32768 a^6 b^2) - (x \cdot (144 a^5 b^i i^2 - 7056 a^2 b^4 c^2 + 400 a^3 b^3 e^2 - 144 a^4 b^2 g^2 - 2016 a^3 b^3 c^2 g + 480 a^4 b^2 e^i i)) / (4096 a^6 b)) - (27 a^4 i^3 + 125 a^3 b^3 e^3 - 3024 b^4 c^2 d^2 + 2205 b^4 c^2 e - 336 a^2 b^2 c^2 h^2 + 45 a^2 b^2 e^i g^2 + 225 a^2 b^2 e^2 i - 432 a^3 b^3 d^2 g + 1323 a^3 b^3 c^2 i + 135 a^3 b^3 e^i i^2 - 48 a^3 b^3 g^2 h^2 + 27 a^3 b^3 g^2 i + 378 a^2 b^2 c^2 g^i i - 288 a^2 b^2 d^i g^2 h - 2016 a^3 b^3 c^2 d^i h + 630 a^3 b^3 c^2 e^i g) / (32768 a^6 b^2) - (x \cdot (315 b^3 c^2 d^i e - 8 a^3 h^3 - 216 b^3 d^3 + 9 a^3 g^2 h^i - 216 a^3 b^2 d^2 h - 72 a^2 b^2 d^i h^2 + 189 a^3 b^2 c^2 d^i i + 105 a^3 b^2 c^2 e^i h + 45 a^3 b^2 d^i e^i g + 63 a^2 b^2 c^2 h^i i + 27 a^2 b^2 d^i g^2 i + 15 a^2 b^2 e^i g^2 h)) / (4096 a^6 b)) \cdot \text{root}(268435456 a^{11} b^7 z^4 + 589824 a^8 b^4 g^i z^2 + 4128768 a^7 b^5 c^i z^2 + 3145728 a^7 b^5 d^i h z^2 + 983040 a^7 b^5 e^i g z^2 + 6881280 a^6 b^6 c^i e z^2 + 524288 a^8 b^4 h^2 z^2 + 4718592 a^6 b^6 d^2 z^2 + 61440 a^6 b^3 e^i h^i z - 258048 a^5 b^4 c^i g^i h z + 184320 a^5 b^4 d^i e^i z - 774144 a^4 b^5 c^i d^i g z + 18432 a^7 b^2 h^i i^2 z - 18432 a^6 b^3 g^2 h z + 55296 a^6 b^3 d^i i^2 z + 51200 a^5 b^4 e^2 h z - 903168 a^4 b^5 c^2 h z - 55296 a^5 b^4 d^i g^2 z + 153600 a^4 b^5 d^i e^2 z - 2709504 a^3 b^6 c^2 d^i z - 3456 a^4 b^2 d^i g^2 h^i - 24192 a^3 b^3 c^2 d^i h^i + 7560 a^3 b^3 c^2 e^i g^i - 5760 a^3 b^3 d^i e^i g^2 h - 40320 a^2 b^4 c^2 d^i e^i h + 540 a^4 b^2 e^i g^2 i - 5184 a^3 b^3 d^2 g^i i - 4032 a^4 b^2 c^2 h^2 i - 960 a^4 b^2 e^i g^2 h^2 + 2268 a^4 b^2 c^2 g^i i^2 + 26460 a^2 b^4 c^2 e^i i - 36288 a^2 b^4 c^2 d^2 i - 8640 a^2 b^4 d^2 e^i g - 6720 a^3 b^3 c^2 e^i h^2 + 6300 a^2 b^4 c^2 e^2 g - 576 a^5 b^2 g^2 h^2 i - 60480 a^3 b^5 c^2 d^2 e + 540 a^5 b^2 e^i i^3 + 111132 a^3 b^5 c^3 g + 1350 a^4 b^2 e^2 i^2 + 13824 a^3 b^3 d^2 h^2 + 7938 a^3 b^3 c^2 i^2 + 450 a^3 b^3 e^2 g^2 + 23814 a^2 b^4 c^2 g^2 + 162 a^5 b^2 g^2 i^2 + 1500 a^3 b^3 e^3 i + 27648 a^2 b^4 d^3 h + 3072 a^4 b^2 d^2 h^3 + 2268 a^3 b^3 c^2 g^3 + 22050 a^3 b^5 c^2 e^2 + 81 a^4 b^2 g^4 + 625 a^2 b^4 e^4 + 256 a^5 b^2 h^4 + 20736 a^3 b^5 d^4 + 81 a^6 i^4 + 194481 b^6 c^4, z, 1), 1, 1, 4) + ((x^5 \cdot (7 b^3 c + a^2 g)) / (32 a^2) - f / (8 b) + (x^6 \cdot (3 b^3 d + a^2 h)) / (16 a^2) + (x^7 \cdot (5 b^3 e
\end{aligned}$$

$$+ 3*a*i)/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (x^3*(9*b*e - a*i))/(32*a*b)/(a^2 + b^2*x^8 + 2*a*b*x^4)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.203 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$$

Optimal. Leaf size=480

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) - \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) + \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

[Out] 1/8*x*(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+(-a*j+b*f)*x^3)/a/b/(b*x^4+a)^2+1/32*(-4*a*(a*j+b*f)+x*(b*(a*g+7*b*c)+2*b*(a*h+3*b*d)*x+b*(3*a*i+5*b*e)*x^2))/a^2/b^2/(b*x^4+a)+1/16*(a*h+3*b*d)*arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/256*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-(3*a*i+5*b*e)*a^(1/2)+3*(a*g+7*b*c)*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/256*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-(3*a*i+5*b*e)*a^(1/2)+3*(a*g+7*b*c)*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/128*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*((3*a*i+5*b*e)*a^(1/2)+3*(a*g+7*b*c)*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/128*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*((3*a*i+5*b*e)*a^(1/2)+3*(a*g+7*b*c)*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.67, antiderivative size = 480, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.244$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4a(aj+bf) - x(b(ag+7bc) + 2bx(ah+3bd) + bx^2(3ai+5be))}{32a^2b^2(a+bx^4)} - \frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) - \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*(b*f + a*j) - x*(b*(7*b*c + a*g) + 2*b*(3*b*d + a*h)*x + b*(5*b*e + 3*a*i)*x^2))/(32*a^2*b^2*(a + b*x^4)) + ((3*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*b^(3/2)) - ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(7/4)) - ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275


```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]* (a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 203x^6 + jx^7}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} - \dots$$

Mathematica [A] time = 0.51, size = 500, normalized size = 1.04

$$-2\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) (8a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 24\sqrt[4]{a}b^{5/4}d + 5\sqrt{2}\sqrt{a}be + 3\sqrt{2}a\sqrt{b}g + 21\sqrt{2}b^{3/2}c) + 2\sqrt[4]{b} \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*
x^4)^3,x]
[Out] ((8*a^(3/4)*(-8*a^2*j + b^2*x*(7*c + x*(6*d + 5*e*x)) + a*b*x*(g + x*(2*h +
3*i*x))))/(a + b*x^4) + (32*a^(7/4)*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b
*(f + x*(g + x*(h + i*x))))/(a + b*x^4)^2 - 2*b^(1/4)*(21*sqrt[2]*b^(3/2)*
c + 24*a^(1/4)*b^(5/4)*d + 5*sqrt[2]*sqrt[a]*b*e + 3*sqrt[2]*a*sqrt[b]*g +
8*a^(5/4)*b^(1/4)*h + 3*sqrt[2]*a^(3/2)*i)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a
^(1/4)] + 2*b^(1/4)*(21*sqrt[2]*b^(3/2)*c - 24*a^(1/4)*b^(5/4)*d + 5*sqrt[2
```

```
] *Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b^(3/2)*c + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(21*b^(3/2)*c - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^2)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.22, size = 693, normalized size = 1.44

$$\frac{3}{256} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right) + \frac{3}{256} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)) + 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) + 1/32*(3*a*b^2*i*x^7 + 5*b^3*x^7*e + 6*b^3*d*x^6 + 2*a*b^2*h*x^6 + 7*b^3*c*x^5 + a*b^2*g*x^5 - 8*a^2*b*j*x^4 - a^2*b*i*x^3 + 9*a*b^2*x^3*e + 10*a*b^2*d*x^2 - 2*a^2*b*h*x^2 + 11*a*b^2*c*x - 3*a^2*b*g*x - 4*a^2*b*f - 4*a^3*j)/((b*x^4 + a)^2*a^2*b^2)
```

maple [A] time = 0.06, size = 731, normalized size = 1.52

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x\right)}{16\sqrt{ab} ab} + \frac{3d \arctan\left(\sqrt{\frac{b}{a}} x\right)}{16\sqrt{ab} a^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/4/b*j*x^4-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8*(a*j+b*f)/b^2)/(b*x^4+a)^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a*b)^(1/2)/a/b*h*arctan((1/a*b)^(1/2)*x^2)+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+3/256/(a/b)^(1/4)*2^(1/2)/a/b^2*i*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/256/(a/b)^(1/4)*2^(1/2)/a^2/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128/(a/b)^(1/4)*2^(1/2)/a/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/128/(a/b)^(1/4)*2^(1/2)/a/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)

maxima [A] time = 3.09, size = 535, normalized size = 1.11

$$\frac{8a^2bjx^4 - (5b^3e + 3ab^2i)x^7 - 2(3b^3d + ab^2h)x^6 - (7b^3c + ab^2g)x^5 + 4a^2bf + 4a^3j - (9ab^2e - a^2bi)x^3 - 2(5a^2b^4x^8 + 2a^3b^3x^4 + a^4b^2)}{32(a^2b^4x^8 + 2a^3b^3x^4 + a^4b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] -1/32*(8*a^2*b*j*x^4 - (5*b^3*e + 3*a*b^2*i)*x^7 - 2*(3*b^3*d + a*b^2*h)*x^6 - (7*b^3*c + a*b^2*g)*x^5 + 4*a^2*b*f + 4*a^3*j - (9*a*b^2*e - a^2*b*i)*x^3 - 2*(5*a*b^2*d - a^2*b*h)*x^2 - (11*a*b^2*c - 3*a^2*b*g)*x)/(a^2*b^4*x^8 + 2*a^3*b^3*x^4 + a^4*b^2) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 24*sqrt(a)*b^(3/2)*d - 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i + 24*sqrt(a)*b^(3/2)*d + 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a^2*b)

mupad [B] time = 5.79, size = 2695, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3, x)

```
[Out] symsum(log(- root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768
*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 68812
80*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 614
40*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 7741
44*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*
a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 55296*a^
5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 3456*a^4
*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*
d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*
i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 264
60*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^
3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^
2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a
^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4
*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3
072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g
^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 + 19448
1*b^6*c^4, z, m)*(root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 41
28768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 +
6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2
+ 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z -
774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 5
5296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 552
96*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 345
6*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3
*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d
^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2
+ 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 67
20*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5
*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13
824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^
2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3*
h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4*
b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 +
194481*b^6*c^4, z, m)*((344064*a^5*b^5*c + 49152*a^6*b^4*g)/(32768*a^6*b^2)
- (x*(24576*a^5*b^4*d + 8192*a^6*b^3*h))/(4096*a^6*b)) + (15360*a^3*b^4*d*
e + 9216*a^4*b^3*d*i + 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6*b^2)
- (x*(144*a^5*b*i^2 - 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 - 144*a^4*b^2*g^2
- 2016*a^3*b^3*c*g + 480*a^4*b^2*e*i))/(4096*a^6*b)) - (27*a^4*i^3 + 125*a
*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2
*e*g^2 + 225*a^2*b^2*e^2*i - 432*a*b^3*d^2*g + 1323*a*b^3*c^2*i + 135*a^3*b
*e*i^2 - 48*a^3*b*g*h^2 + 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*
d*g*h - 2016*a*b^3*c*d*h + 630*a*b^3*c*e*g)/(32768*a^6*b^2) - (x*(315*b^3*c
*d*e - 8*a^3*h^3 - 216*b^3*d^3 + 9*a^3*g*h*i - 216*a*b^2*d^2*h - 72*a^2*b*d
*h^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g + 63*a^2*b*c*h*i
+ 27*a^2*b*d*g*i + 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^7*z
^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h
*z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^
2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*
g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i
^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*
z - 903168*a^4*b^5*c^2*h*z - 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z
- 2709504*a^3*b^6*c^2*d*z - 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i +
7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*
a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2
*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d
^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g -
576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c
^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2
```

```
+ 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^
3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3
+ 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 +
20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, m), m, 1, 4) + ((x^5*(7*
b*c + a*g))/(32*a^2) - (j*x^4)/(4*b) - (b*f + a*j)/(8*b^2) + (x^6*(3*b*d +
a*h))/(16*a^2) + (x^7*(5*b*e + 3*a*i))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*
a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (x^3*(9*b*e - a*i))/(32*a*b))/(a^2 +
b^2*x^8 + 2*a*b*x^4)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x
)
```

```
[Out] Timed out
```

$$3.204 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$$

Optimal. Leaf size=293

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

[Out] $1/12*x*(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d)*x+45*b*e*x^2)/a^3/b/(-b*x^4+a)+1/96*(8*a*f+x*(11*b*c-a*g+2*(-a*h+5*b*d)*x+9*b*e*x^2))/a^2/b/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)+1/256*\arctan(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)+1/256*\arctanh(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)$

Rubi [A] time = 0.43, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a - b*x^4)^2) + ((77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((77*b*c + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((5*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} - \frac{\int \frac{-b(11bc - ag) - 2b(5bd - ah)x - 9b^2e}{(a - bx^4)^3}}{12ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 2(5bd - ah)x - 9b^2e)}{96a^2b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2e)}{384a^3b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2e)}{384a^3b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2e)}{384a^3b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2e)}{384a^3b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2e)}{384a^3b(a - bx^4)^2}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 360, normalized size = 1.23

$$-3 \log(\sqrt[4]{a} - \sqrt[4]{b}x) (-8a^{5/4}h + 15\sqrt{a}b^{3/4}e + 40\sqrt[4]{a}bd - 7a\sqrt[4]{b}g + 77b^{5/4}c) + 3 \log(\sqrt[4]{a} + \sqrt[4]{b}x) (8a^{5/4}h + 15\sqrt{a}b^{3/4}e + 40\sqrt[4]{a}bd - 7a\sqrt[4]{b}g + 77b^{5/4}c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(77*b*c - 7*a*g + 60*b*d*x - 12*a*h*x + 45*b*e*x^2))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*x*(11*b*c + b*x*(10*d + 9*e*x) - a*(g + 2*h*x)))/(a - b*x^4)^2 + (128*a^(11/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^3 + 6*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(77*b^(5/4)*c + 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g - 8*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + 3*(77*b^(5/4)*c - 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g + 8*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 24*a^(1/4)*(-5*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(1536*a^(15/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.26, size = 501, normalized size = 1.71

$$\frac{\sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + 8 \sqrt{2} (-a b^3)^{\frac{1}{4}} a h + 15 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + 8 \sqrt{2} (-a b^3)^{\frac{1}{4}} a h + 15 \sqrt{-a b} b e \right)}{512 \left(-a b^3 \right)^{\frac{3}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 - 12*a*b^2*h*x^10 + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 - 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 12*a^3*h*x^2 + 153*a^2*b*c*x + 21*a^3*g*x + 32*a^3*f)/((b*x^4 - a)^3*a^3*b)

maple [A] time = 0.06, size = 434, normalized size = 1.48

$$\frac{h \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{64 \sqrt{a b} a^2 b} - \frac{5 d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{64 \sqrt{a b} a^3} - \frac{15 e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15 e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} - \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^3 b} + \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128/a^3*b^2*e*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7-1/12/a^2*(a*h-5*b*d)*x^6-3/64*(a*g-11*b*c)/a^2*x^5-113/384/a*e*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/64/a^2/b/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))*h-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.18, size = 389, normalized size = 1.33

$$\frac{45 b^3 e x^{11} - 126 a b^2 e x^7 + 12 (5 b^3 d - a b^2 h) x^{10} + 7 (11 b^3 c - a b^2 g) x^9 + 113 a^2 b e x^3 - 32 (5 a b^2 d - a^2 b h) x^6 - 18 (11 a^2 b c - a^2 b g) x^5 + 21 a^2 b e x^3 - 12 a^2 (a h - 5 b d) x^2 - 3 (7 a g + 51 b c) x - 113 a e x^3 - 126 a b^2 e x^7 + 12 (5 b^3 d - a b^2 h) x^{10} + 7 (11 b^3 c - a b^2 g) x^9 + 113 a^2 b e x^3 - 32 (5 a b^2 d - a^2 b h) x^6 - 18 (11 a^2 b c - a^2 b g) x^5 + 21 a^2 b e x^3 - 12 a^2 (a h - 5 b d) x^2 - 3 (7 a g + 51 b c) x - 113 a e x^3}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

```
[Out] -1/384*(45*b^3*e*x^11 - 126*a*b^2*e*x^7 + 12*(5*b^3*d - a*b^2*h)*x^10 + 7*(
11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 - 32*(5*a*b^2*d - a^2*b*h)*x^6 -
18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*
(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^12 - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a
^6*b) + 1/512*(8*(5*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b))
- 8*(5*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*b^(
3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt
(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*
b*e - 7*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + s
qrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)
```

mupad [B] time = 5.99, size = 1747, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x)
```

```
[Out] symsum(log(- root(68719476736*a^15*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2 + 3
35544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^5*d^
2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952*a^6
*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 80281
6*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z + 184
32000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*h +
672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*g +
26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782924*
a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*a^2*
b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*
c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5
*h^4 - 35153041*b^5*c^4, z, k)*(root(68719476736*a^15*b^6*z^4 - 1211105280*
a^8*b^5*c*e*z^2 + 335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 8
38860800*a^8*b^5*d^2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d
*g*z + 17661952*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*
b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^
6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800
*a^2*b^3*c*d*e*h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100
*a^2*b^3*c*e^2*g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*
b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2
*g^2 - 1743126*a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g
^3 + 2668050*a*b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a
*b^4*d^4 + 4096*a^5*h^4 - 35153041*b^5*c^4, z, k)*((20185088*a^7*b^4*c - 18
35008*a^8*b^3*g)/(2097152*a^9*b) - (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h)
)/(131072*a^9*b)) - (614400*a^4*b^3*d*e - 122880*a^5*b^2*e*h)/(2097152*a^9*
b) + (x*(189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 - 34496*a
^4*b^3*c*g))/(131072*a^9*b) - (3375*a*b^2*e^3 + 123200*b^3*c*d^2 - 88935*b
^3*c^2*e - 448*a^3*g*h^2 - 11200*a*b^2*d^2*g + 4928*a^2*b*c*h^2 - 735*a^2*b
*e*g^2 - 49280*a*b^2*c*d*h + 16170*a*b^2*c*e*g + 4480*a^2*b*d*g*h)/(2097152
*a^9*b) - (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e - 2400*a*b^2*d^2*h
+ 480*a^2*b*d*h^2 + 1155*a*b^2*c*e*h + 525*a*b^2*d*e*g - 105*a^2*b*e*g*h)
)/(131072*a^9*b))*root(68719476736*a^15*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2
+ 335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^
5*d^2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952
*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 8
02816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z +
18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*
h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*
g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782
924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*
a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*
b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096
```

```
*a^5*h^4 - 35153041*b^5*c^4, z, k), k, 1, 4) + (f/(12*b) + (113*e*x^3)/(384
*a) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) + (7*b
*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^10*(
5*b*d - a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d + a*h))/(
32*a*b) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^
8)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)
```

```
[Out] Timed out
```

$$3.205 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$$

Optimal. Leaf size=331

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

[Out] 1/12*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d)*x+15*(-a*i+3*b*e)*x^2)/a^3/b/(-b*x^4+a)+1/96*(8*a*f+x*(11*b*c-a*g+2*(-a*h+5*b*d)*x+3*(-a*i+3*b*e)*x^2))/a^2/b/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*b*e-5*a*i+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)+1/256*arctan(b^(1/4)*x/a^(1/4))*(5*a*i-15*b*e+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)

Rubi [A] time = 0.57, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 3*(3*b*e - a*i)*x^2))/(96*a^2*b*(a - b*x^4)^2) + (((7*Sqrt[b]*(11*b*c - a*g))/Sqrt[a] - 5*(3*b*e - a*i))*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((15*b*e + (7*Sqrt[b]*(11*b*c - a*g))/Sqrt[a] - 5*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((5*b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[

$c*d^2 - a*e^2, 0]$ && PosQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 205x^6}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} - \int \frac{-b(11bc)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11b)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11b)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11b)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11b)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11b)}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 422, normalized size = 1.27

$$3\sqrt[4]{a} \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right) \left(8a^{5/4}\sqrt[4]{b}h + 5a^{3/2}i - 40\sqrt[4]{a}b^{5/4}d - 15\sqrt{a}be + 7a\sqrt{b}g - 77b^{3/2}c\right) - 3\sqrt[4]{a} \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x
]

[Out] ((-4*a*b^(3/4)*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a - b*x^4) - (16*a^2*b^(3/4)*x*(-(b*(11*c + x*(10*d + 9*e*x))) + a*(g + x*(2*h + 3*i*x)))/(a - b*x^4)^2 + (128*a^3*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^(1/4)*(77*b^(3/2)*c - 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + 3*a^(1/4)*(-77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h + 5*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] - 3*a^(1/4)*(-77*b^(3/2)*c + 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 5*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 24*Sqrt[a]*b^(1/4)*(-5*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(1536*a^4*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 727, normalized size = 2.20

$$-\frac{5}{1024}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^3b^4} \right) - \frac{5}{1024}i \left(\frac{2\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}}{a^3b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^4) - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^4) + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/384*(15*a*b^2*i*x^11 - 45*b^3*x^11*e - 60*b^3*d*x^10 + 12*a*b^2*h*x^10 - 77*b^3*c*x^9 + 7*a*b^2*g*x^9 - 42*a^2*b*i*x^7 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 - 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 - 18*a^2*b*g*x^5 - 5*a^3*i*x^3 - 113*a^2*b*x^3*e - 132*a^2*b*d*x^2 - 12*a^3*h*x^2 - 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/((b*x^4 - a)^3*a^3*b)

maple [A] time = 0.06, size = 522, normalized size = 1.58

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^2 b} - \frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^3} + \frac{5i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{5i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - 7\left(\frac{a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (5/128*(a*i-3*b*e)/a^3*b*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64/a^2*(a*i-3*b*e)*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)+1/64/(a*b)^(1/2)/a^2/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/512/a^2/b^2/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*i+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+5/256/a^2/b^2/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*i-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)

maxima [A] time = 3.16, size = 429, normalized size = 1.30

$$\frac{15(3b^3e - ab^2i)x^{11} + 12(5b^3d - ab^2h)x^{10} + 7(11b^3c - ab^2g)x^9 - 42(3ab^2e - a^2bi)x^7 - 32(5ab^2d - a^2bh)x^6}{384(a^3b^4x^{12} - 3a^4b^3x^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$-1/384*(15*(3*b^3*e - a*b^2*i)*x^{11} + 12*(5*b^3*d - a*b^2*h)*x^{10} + 7*(11*b^3*c - a*b^2*g)*x^9 - 42*(3*a*b^2*e - a^2*b*i)*x^7 - 32*(5*a*b^2*d - a^2*b*h)*x^6 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + (113*a^2*b*e + 5*a^3*i)*x^3 + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(8*(5*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 8*(5*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g + 5*a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b}) - (77*b^{(3/2)}*c + 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g - 5*a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b})/(a^3*b)$$

mupad [B] time = 6.14, size = 2747, normalized size = 8.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x)

[Out]
$$(f/(12*b) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) - (7*x^7*(3*b*e - a*i))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^{10}*(5*b*d - a*h))/(32*a^3) + (5*b*x^{11}*(3*b*e - a*i))/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(113*b*e + 5*a*i))/(384*a*b))/(a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b*e*i^2 + 448*a^3*b*g*h^2 - 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - \text{root}(68719476736*a^{15}*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^{10}*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^{10}*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, 1)*(root(68719476736$$

```

*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 33
5544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i
*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*
b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 1228800
0*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97
140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z +
2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2
*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*
i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*
i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2
- 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i
+ 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g
- 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924
*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*
b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*
g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3
+ 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*
a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b
^6*c^4, z, 1)*((20185088*a^7*b^5*c - 1835008*a^8*b^4*g)/(2097152*a^9*b^2) -
(x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b)) - (614400*a^4*b^
4*d*e - 204800*a^5*b^3*d*i - 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(20971
52*a^9*b^2) + (x*(800*a^6*b*i^2 + 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1
568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g - 4800*a^5*b^2*e*i))/(131072*a^9*b)) -
(x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e + 35*a^3*g*h*i - 2400*a*b^2*
d^2*h + 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 525*a*b^2*d
*e*g - 385*a^2*b*c*h*i - 175*a^2*b*d*g*i - 105*a^2*b*e*g*h))/(131072*a^9*b)
)*root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^
9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 367
00160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*
z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4
*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^
8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400
*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 1843
2000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323
400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14
700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 2688
0*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 24640
00*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 4851
00*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*
b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2
*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2
*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 8
1920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^
4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^
6*i^4 - 35153041*b^6*c^4, z, 1), 1, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.206 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$$

Optimal. Leaf size=349

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

[Out] $1/12*x*(b*c+a*g+(a*h+b*d))*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d))*x+15*(-a*i+3*b*e)*x^2/a^3/b/(-b*x^4+a)+1/96*(4*a*(-a*j+2*b*f)+x*(b*(-a*g+11*b*c)+2*b*(-a*h+5*b*d)*x+3*b*(-a*i+3*b*e)*x^2))/a^2/b^2/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*b*e-5*a*i+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)+1/256*arctan(b^(1/4)*x/a^(1/4))*(5*a*i-15*b*e+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)$

Rubi [A] time = 0.52, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{x(b(11bc - ag) + 2bx(5bd - ah) + 3bx^2(3be - ai) + 4a(2bf - aj))}{96a^2b^2(a - bx^4)^2} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (4*a*(2*b*f - a*j) + x*(b*(11*b*c - a*g) + 2*b*(5*b*d - a*h)*x + 3*b*(3*b*e - a*i)*x^2))/(96*a^2*b^2*(a - b*x^4)^2) + (((7*Sqrt[b]*(11*b*c - a*g))/Sqrt[a] - 5*(3*b*e - a*i))*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((15*b*e + (7*Sqrt[b]*(11*b*c - a*g))/Sqrt[a] - 5*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((5*b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2

$-(c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=$ Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=$ -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x](a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=$ With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

$\text{Int}[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :=$ With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 206x^6 + jx^7}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}
\end{aligned}$$

Mathematica [A] time = 0.52, size = 439, normalized size = 1.26

$$3\sqrt[4]{a}\sqrt[4]{b}\log(\sqrt[4]{a}-\sqrt[4]{b}x)(8a^{5/4}\sqrt[4]{b}h+5a^{3/2}i-40\sqrt[4]{a}b^{5/4}d-15\sqrt{a}be+7a\sqrt{b}g-77b^{3/2}c)+3\sqrt[4]{a}\sqrt[4]{b}\log(\sqrt[4]{a}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4,x]

[Out] ((-4*a*b*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a - b*x^4) - (16*a^2*(12*a^2*j - b^2*x*(11*c + x*(10*d + 9*e*x)) + a*b*x*(g + x*(2*h + 3*i*x)))/(a - b*x^4)^2 + (128*a^3*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^(1/4)*b^(1/4)*(77*b^(3/2)*c - 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + 3*a^(1/4)*b^(1/4)*(-77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h + 5*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + 3*a^(1/4)*b^(1/4)*(77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d + 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h - 5*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 24*Sqrt[a]*Sqrt[b]*(-5*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(1536*a^4*b^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 759, normalized size = 2.17

$$-\frac{5}{1024}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^3b^4} \right) - \frac{5}{1024}i \left(\frac{2\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}}{a^3b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^4) - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^4) + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/384*(15*a*b^3*i*x^11 - 45*b^4*x^11*e - 60*b^4*d*x^10 + 12*a*b^3*h*x^10 - 77*b^4*c*x^9 + 7*a*b^3*g*x^9 - 42*a^2*b^2*i*x^7 + 126*a*b^3*x^7*e + 160*a*b^3*d*x^6 - 32*a^2*b^2*h*x^6 + 198*a*b^3*c*x^5 - 18*a^2*b^2*g*x^5 - 48*a^3*b*j*x^4 - 5*a^3*b*i*x^3 - 113*a^2*b^2*x^3*e - 132*a^2*b^2*d*x^2 - 12*a^3*b*h*x^2 - 153*a^2*b^2*c*x - 21*a^3*b*g*x - 32*a^3*b*f + 16*a^4*j)/((b*x^4 - a)^3*a^3*b^2)

maple [A] time = 0.06, size = 538, normalized size = 1.54

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^2 b} - \frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^3} + \frac{5i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{5i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - 7\left(\frac{a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (5/128*(a*i-3*b*e)/a^3*b*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64*(a*i-3*b*e)/a^2*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/8/b*j*x^4-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x+1/24*(a*j-2*b*f)/b^2)/(b*x^4-a)^3-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/64/(a*b)^(1/2)/a^2/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+5/256/(a/b)^(1/4)/a^2/b^2*i*arctan(1/(a/b)^(1/4)*x)-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)

) * x) - 5/512 / (a/b)^(1/4) / a^2 / b^2 * i * ln((x + (a/b)^(1/4)) / (x - (a/b)^(1/4))) + 15/512 / (a/b)^(1/4) / a^3 / b * e * ln((x + (a/b)^(1/4)) / (x - (a/b)^(1/4)))

maxima [A] time = 3.08, size = 463, normalized size = 1.33

$$\frac{15(3b^4e - ab^3i)x^{11} + 12(5b^4d - ab^3h)x^{10} + 7(11b^4c - ab^3g)x^9 + 48a^3bjx^4 - 42(3ab^3e - a^2b^2i)x^7 - 32(5a^4c - a^3b^3g)x^6 + 18(11a^4b^3c - a^2b^2g)x^5 + 32a^3b^2f - 16a^4j + (113a^2b^2e + 5a^3b^2i)x^3 + 12(11a^2b^2d + a^3b^2h)x^2 + 3(51a^2b^2c + 7a^3b^2g)x}{384(a^3b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorith="maxima")

[Out] -1/384*(15*(3*b^4*e - a*b^3*i)*x^11 + 12*(5*b^4*d - a*b^3*h)*x^10 + 7*(11*b^4*c - a*b^3*g)*x^9 + 48*a^3*b*j*x^4 - 42*(3*a*b^3*e - a^2*b^2*i)*x^7 - 32*(5*a*b^3*d - a^2*b^2*h)*x^6 - 18*(11*a*b^3*c - a^2*b^2*g)*x^5 + 32*a^3*b*f - 16*a^4*j + (113*a^2*b^2*e + 5*a^3*b^2*i)*x^3 + 12*(11*a^2*b^2*d + a^3*b^2*h)*x^2 + 3*(51*a^2*b^2*c + 7*a^3*b^2*g)*x)/(a^3*b^5*x^12 - 3*a^4*b^4*x^8 + 3*a^5*b^3*x^4 - a^6*b^2) + 1/512*(8*(5*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 8*(5*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g + 5*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*b*e - 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)

mupad [B] time = 6.40, size = 2764, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x)

[Out] symsum(log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b*e*i^2 + 448*a^3*b*g*h^2 - 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m)*(root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c

```

i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^
10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 24
57600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z
- 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*
i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4
*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5
*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*
b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*
b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^
2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b
^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b
^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3
+ 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 2
96450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2
450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4
*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^
4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 -
35153041*b^6*c^4, z, m)*(20185088*a^7*b^5*c - 1835008*a^8*b^4*g)/(2097152*
a^9*b^2) - (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b) - (614
400*a^4*b^4*d*e - 204800*a^5*b^3*d*i - 122880*a^5*b^3*e*h + 40960*a^6*b^2*h
*i)/(2097152*a^9*b^2) + (x*(800*a^6*b*i^2 + 189728*a^3*b^4*c^2 + 7200*a^4*b
^3*e^2 + 1568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g - 4800*a^5*b^2*e*i))/(131072*
a^9*b) - (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e + 35*a^3*g*h*i - 2
400*a*b^2*d^2*h + 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 5
25*a*b^2*d*e*g - 385*a^2*b*c*h*i - 175*a^2*b*d*g*i - 105*a^2*b*e*g*h))/(131
072*a^9*b))*root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 40
3701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g
*z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^1
0*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 176619
52*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z -
409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z
- 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^
2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d
*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*
d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^
2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e
*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*
h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e +
7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a
^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a
^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4
*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2
- 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^
4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m), m, 1, 4) + ((2*b*f - a*j)/(24*b^
2) + (j*x^4)/(8*b) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/
(12*a^2) - (7*x^7*(3*b*e - a*i))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a
^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^10*(5*b*d - a*h))/(32*a^3) + (5
*b*x^11*(3*b*e - a*i))/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(11
3*b*e + 5*a*i))/(384*a*b))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4, x)

[Out] Timed out

$$3.207 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$$

Optimal. Leaf size=462

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}}$$

[Out] $\frac{1}{12}x*(b*c-a*g+(-a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(b*x^4+a)^3 + \frac{1}{384}x*(7*a*g+77*b*c+12*(a*h+5*b*d)*x+45*b*e*x^2)/a^3/b/(b*x^4+a) + \frac{1}{96}*(-8*a*f+x*(11*b*c+a*g+2*(a*h+5*b*d)*x+9*b*e*x^2))/a^2/b/(b*x^4+a)^2 + \frac{1}{32}*(a*h+5*b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(7/2)}/b^{(3/2)} - \frac{1}{1024}*\ln(-a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(77*b*c+7*a*g-15*e*a^{(1/2)}*b^{(1/2)})/a^{(15/4)}/b^{(5/4)}*2^{(1/2)} + \frac{1}{1024}*\ln(a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(77*b*c+7*a*g-15*e*a^{(1/2)}*b^{(1/2)})/a^{(15/4)}/b^{(5/4)}*2^{(1/2)} + \frac{1}{512}*\arctan(-1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(77*b*c+7*a*g+15*e*a^{(1/2)}*b^{(1/2)})/a^{(15/4)}/b^{(5/4)}*2^{(1/2)} + \frac{1}{512}*\arctan(1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(77*b*c+7*a*g+15*e*a^{(1/2)}*b^{(1/2)})/a^{(15/4)}/b^{(5/4)}*2^{(1/2)}$

Rubi [A] time = 0.62, antiderivative size = 462, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4, x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(32*a^{(7/2)}*b^{(3/2)}) - ((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(256*\text{Sqrt}[2]*a^{(15/4)}*b^{(5/4)}) + ((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(256*\text{Sqrt}[2]*a^{(15/4)}*b^{(5/4)}) - ((77*b*c - 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(512*\text{Sqrt}[2]*a^{(15/4)}*b^{(5/4)}) + ((77*b*c - 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(512*\text{Sqrt}[2]*a^{(15/4)}*b^{(5/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x](a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,

```
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^4} dx = \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{\int \frac{-b(11bc + ag) - 2b(5bd + ah)x - 9b^2e}{(a + bx^4)^3} dx}{12ab^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11bc + ag + 2(5bd + ah))}{96a^2b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah))}{384a^3b(a + bx^4)^2}$$

Mathematica [A] time = 0.58, size = 461, normalized size = 1.00

$$-6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} \right) (16a^{5/4}h + 15\sqrt{2} \sqrt{a} b^{3/4}e + 80\sqrt[4]{a} bd + 7\sqrt{2} a \sqrt[4]{b} g + 77\sqrt{2} b^{5/4}c) + 6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} + 1 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4,x]
```

```
[Out] ((8*a^(3/4)*Sqrt[b]*x*(77*b*c + 7*a*g + 60*b*d*x + 12*a*h*x + 45*b*e*x^2))/
(a + b*x^4) + (32*a^(7/4)*Sqrt[b]*x*(11*b*c + b*x*(10*d + 9*e*x) + a*(g + 2
*h*x)))/(a + b*x^4)^2 - (256*a^(11/4)*Sqrt[b]*(-(b*x*(c + x*(d + e*x))) + a
*(f + x*(g + h*x))))/(a + b*x^4)^3 - 6*(77*Sqrt[2]*b^(5/4)*c + 80*a^(1/4)*b
*d + 15*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 7*Sqrt[2]*a*b^(1/4)*g + 16*a^(5/4)*h)*A
rcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*Sqrt[2]*b^(5/4)*c - 80*a^(1/
4)*b*d + 15*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 7*Sqrt[2]*a*b^(1/4)*g - 16*a^(5/4)*
h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*b^(1/4)*(77*b*c - 15
*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[
b]*x^2] + 3*Sqrt[2]*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqr
t[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(3072*a^(15/4)*b^(3/2))
```

```
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [A] time = 0.20, size = 521, normalized size = 1.13
```

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 8 \sqrt{2} \sqrt{ab} abh + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2}}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")
```

```
[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*
(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/
2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)
)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*(a*b^3)^(1/4)
)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2
*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^
3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt
(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)
)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a
/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 1
2*a*b^2*h*x^10 + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 126*a*b^2*x^7*e + 160*a*b^2
*d*x^6 + 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*
e + 132*a^2*b*d*x^2 - 12*a^3*h*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)
/((b*x^4 + a)^3*a^3*b)
```

```
maple [A] time = 0.07, size = 607, normalized size = 1.31
```

$$\frac{h \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{32 \sqrt{ab} a^2 b} + \frac{5d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{32 \sqrt{ab} a^3} + \frac{15 \sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15 \sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15 \sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)$

[Out] $(15/128/a^3*b^2*e*x^{11}+1/32*(a*h+5*b*d)/a^3*b*x^{10}+7/384*(a*g+11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+1/12/a^2*(a*h+5*b*d)*x^6+3/64/a^2*(a*g+11*b*c)*x^5+13/384/a*e*x^3-1/32*(a*h-11*b*d)/a/b*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/512/a^3/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*g+77/512/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+7/1024*(a/b)^{(1/4)}*2^{(1/2)}/a^3/b*g*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+77/1024/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+7/512*(a/b)^{(1/4)}*2^{(1/2)}/a^3/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+7/512*(a/b)^{(1/4)}*2^{(1/2)}/a^4*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/32/a^2/b/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)*h+5/32/(a*b)^{(1/2)}/a^3*d*\arctan((1/a*b)^{(1/2)}*x^2)+15/1024/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+15/512/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+15/512/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.13, size = 517, normalized size = 1.12

$$\frac{45b^3ex^{11} + 126ab^2ex^7 + 12(5b^3d + ab^2h)x^{10} + 7(11b^3c + ab^2g)x^9 + 113a^2bex^3 + 32(5ab^2d + a^2bh)x^6 + 18a^2b^3c + a^2b^2g)x^5 - 32a^3f + 12(11a^2b*d - a^3h)x^2 + 3(51a^2b*c - 7a^3g)*x}{384(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b)} + \frac{1/1024*(\sqrt{2}*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e + 7*a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e + 7*a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g - 80*\sqrt{a}*b^{(3/2)}*d - 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}{a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})}} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 80*\sqrt{a}*b^{(3/2)}*d + 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}{a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})}} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 80*\sqrt{a}*b^{(3/2)}*d + 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}{a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, \text{algorithm}="maxima")$

[Out] $1/384*(45*b^3*e*x^{11} + 126*a*b^2*e*x^7 + 12*(5*b^3*d + a*b^2*h)*x^{10} + 7*(11*b^3*c + a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 32*(5*a*b^2*d + a^2*b*h)*x^6 + 18*a^2*b^3*c + a^2*b^2*g)*x^5 - 32*a^3*f + 12*(11*a^2*b*d - a^3*h)*x^2 + 3*(51*a^2*b*c - 7*a^3*g)*x)/(a^3*b^4*x^{12} + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(\sqrt{2}*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e + 7*a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e + 7*a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g - 80*\sqrt{a}*b^{(3/2)}*d - 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}/a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 80*\sqrt{a}*b^{(3/2)}*d + 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}/a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 80*\sqrt{a}*b^{(3/2)}*d + 16*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)}))/\sqrt{(\sqrt{a}*\sqrt{b})}}/a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b})}$

mupad [B] time = 6.08, size = 1743, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4,x)$

[Out] $\text{symsum}(\log((123200*b^3*c*d^2 - 3375*a*b^2*e^3 - 88935*b^3*c^2*e + 448*a^3*g*h^2 + 11200*a*b^2*d^2*g + 4928*a^2*b*c*h^2 - 735*a^2*b*e*g^2 + 49280*a*b^2*c*d*h - 16170*a*b^2*c*e*g + 4480*a^2*b*d*g*h)/(2097152*a^9*b) - \text{root}(68719476736*a^{15}*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 + 335544320*a^9*b^4*d*h*z^2$

```

2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*d^2*z^2 + 33554432*a^10*b
^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a^6*b^3*c*g*h*z - 48570368
0*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z + 368
6400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z -
268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h - 672000*a^2*b^3*d^2*e*g
- 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g - 26880*a^4*b*e*g*h^2 - 7
392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^
3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^2*b^3*c^2*g^2 + 2048000*a
^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*e^2 + 50625*a^2*b^3
*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 + 35153041*b^5*c^4
, z, k)*(root(68719476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 + 33554
4320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*d^2*z^
2 + 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a^6*b^3
*c*g*h*z - 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^
7*b^2*g^2*h*z + 3686400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 1843200
0*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h - 6720
00*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g - 2688
0*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 12782924*a*b^
4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^2*b^3*
c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*
e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4
+ 35153041*b^5*c^4, z, k)*((20185088*a^7*b^4*c + 1835008*a^8*b^3*g)/(20971
52*a^9*b) - (x*(655360*a^7*b^4*d + 131072*a^8*b^3*h))/(131072*a^9*b)) + (61
4400*a^4*b^3*d*e + 122880*a^5*b^2*e*h)/(2097152*a^9*b) + (x*(189728*a^3*b^4
*c^2 - 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 + 34496*a^4*b^3*c*g))/(131072*a^
9*b)) + (x*(4000*b^3*d^3 + 32*a^3*h^3 - 5775*b^3*c*d*e + 2400*a*b^2*d^2*h +
480*a^2*b*d*h^2 - 1155*a*b^2*c*e*h - 525*a*b^2*d*e*g - 105*a^2*b*e*g*h))/(
131072*a^9*b))*root(68719476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 +
335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*
d^2*z^2 + 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a
^6*b^3*c*g*h*z - 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802
816*a^7*b^2*g^2*h*z + 3686400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 1
8432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h
- 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g
- 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 1278292
4*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^
2*b^3*c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^
4*c^2*e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a
^5*h^4 + 35153041*b^5*c^4, z, k), k, 1, 4) + ((113*e*x^3)/(384*a) - f/(12*b
) + (3*x^5*(11*b*c + a*g))/(64*a^2) + (x^6*(5*b*d + a*h))/(12*a^2) + (7*b*x
^9*(11*b*c + a*g))/(384*a^3) + (x*(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5*
b*d + a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d - a*h))/(32
*a*b) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.208 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$$

Optimal. Leaf size=516

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(7\sqrt{b}(ag+11bc)-5\sqrt{a}(ai+3be)\right)}{512\sqrt{2}a^{15/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(7\sqrt{b}(ag+11bc)+5\sqrt{a}(ai+3be)\right)}{512\sqrt{2}a^{15/4}b^{7/4}}$$

[Out] 1/12*x*(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+b*f*x^3)/a/b/(b*x^4+a)^3+1/384*x*(7*a*g+77*b*c+12*(a*h+5*b*d)*x+15*(a*i+3*b*e)*x^2)/a^3/b/(b*x^4+a)+1/96*(-8*a*f+x*(11*b*c+a*g+2*(a*h+5*b*d)*x+3*(a*i+3*b*e)*x^2))/a^2/b/(b*x^4+a)^2+1/32*(a*h+5*b*d)*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.85, antiderivative size = 516, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(7\sqrt{b}(ag+11bc)-5\sqrt{a}(ai+3be)\right)}{512\sqrt{2}a^{15/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(7\sqrt{b}(ag+11bc)+5\sqrt{a}(ai+3be)\right)}{512\sqrt{2}a^{15/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 15*(3*b*e + a*i)*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 3*(3*b*e + a*i)*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]]/(32*a^(7/2)*b^(3/2)) - ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(256*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(256*Sqrt[2]*a^(15/4)*b^(7/4)) - ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
```



```
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 208x^6}{(a + bx^4)^4} dx = \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} - \int \frac{-b(11bc + 7d)}{(a + bx^4)^3} dx$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + 7d))}{12ab(a + bx^4)^3}$$

Mathematica [A] time = 1.01, size = 530, normalized size = 1.03

$$\frac{-256a^{11/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{(a+bx^4)^3} + \frac{32a^{7/4}b^{3/4}x(ag+ax(2h+3ix)+11bc+bx(10d+9ex))}{(a+bx^4)^2} + \frac{8a^{3/4}b^{3/4}x(7ag+3ax(4h+5ix)+77bc+11d)}{a+bx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x]

[Out] ((32*a^(7/4)*b^(3/4)*x*(11*b*c + a*g + b*x*(10*d + 9*e*x) + a*x*(2*h + 3*i*x)))/(a + b*x^4)^2 + (8*a^(3/4)*b^(3/4)*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a + b*x^4) - (256*a^(11/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4)^3 - 6*(77*Sqrt[2]*b^(3/2)*c + 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g + 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*Sqrt[2]*b^(3/2)*c - 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g - 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 3*Sqrt[2]*(-77*b^(3/2)*c + 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*(77*b^(3/2)*c - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g - 5*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(3072*a^(15/4)*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 735, normalized size = 1.42

$$\frac{5}{1024} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^3 b^4} \right) + \frac{5}{1024} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^3 b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 5/1024*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4)) + 5/1024*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4)) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(15*a*b^2*i*x^11 + 45*b^3*x^11*e + 60*b^3*d*x^10 + 12*a*b^2*h*x^10 + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 42*a^2*b*i*x

$$\begin{aligned} &^7 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 + \\ &18*a^2*b*g*x^5 - 5*a^3*i*x^3 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 - 12*a^3* \\ &h*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b) \end{aligned}$$

maple [A] time = 0.07, size = 767, normalized size = 1.49

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^2b} + \frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{5\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2b^2} + \frac{5\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2b^2} + \frac{5\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (5/128*(a*i+3*b*e)/a^3*b*x^11+1/32*(a*h+5*b*d)/a^3*b*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+7/64*(a*i+3*b*e)/a^2*x^7+1/12*(a*h+5*b*d)/a^2*x^6+3/64*(a*g+11*b*c)/a^2*x^5-1/384*(5*a*i-113*b*e)/a/b*x^3-1/32*(a*h-11*b*d)/a/b*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/1024*(a/b)^(1/4)*2^(1/2)/a^3/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/32/(a*b)^(1/2)/a^2/b*h*arctan((1/a*b)^(1/2)*x^2)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+5/1024/a^2/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+15/1024/(a/b)^(1/4)*2^(1/2)/a^3/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/512/a^2/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*i+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/512/a^2/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*i+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)

maxima [A] time = 3.16, size = 579, normalized size = 1.12

$$\frac{15(3b^3e + ab^2i)x^{11} + 12(5b^3d + ab^2h)x^{10} + 7(11b^3c + ab^2g)x^9 + 42(3ab^2e + a^2bi)x^7 + 32(5ab^2d + a^2bh)x^5 + 18(11ab^2c + a^2bgi)x^3 - 32a^3f + (113a^2b^2e - 5a^3i)x^3 + 12(11a^2b^2d - a^3h)x^2 + 3(51a^2b^2c - 7a^3g)x}{384(a^3b^4x^{12} + 3a^4b^3x^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(15*(3*b^3*e + a*b^2*i)*x^11 + 12*(5*b^3*d + a*b^2*h)*x^10 + 7*(11*b^3*c + a*b^2*g)*x^9 + 42*(3*a*b^2*e + a^2*b*i)*x^7 + 32*(5*a*b^2*d + a^2*b*h)*x^6 + 18*(11*a*b^2*c + a^2*b*g)*x^5 - 32*a^3*f + (113*a^2*b^2*e - 5*a^3*i)*x^3 + 12*(11*a^2*b^2*d - a^3*h)*x^2 + 3*(51*a^2*b^2*c - 7*a^3*g)*x)/(a^3*b^4*x^12 + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 5*sqrt(2)*a^(7/4)*b^(1/4)*i - 80*sqrt(a)*b^(3/2)*d - 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*

$$\frac{\sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}}{(a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}} \cdot b^{3/4}) + 2 \cdot (77 \cdot \sqrt{2} \cdot a^{1/4} \cdot b^{7/4} \cdot c + 15 \cdot \sqrt{2} \cdot a^{3/4} \cdot b^{5/4} \cdot e + 7 \cdot \sqrt{2} \cdot a^{5/4} \cdot b^{3/4} \cdot g + 5 \cdot \sqrt{2} \cdot a^{7/4} \cdot b^{1/4} \cdot i + 80 \cdot \sqrt{a} \cdot b^{3/2} \cdot d + 16 \cdot a^{3/2} \cdot \sqrt{b} \cdot h) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}})} / (a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}} \cdot b^{3/4})$$

mupad [B] time = 6.08, size = 2741, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x)
[Out] ((3*x^5*(11*b*c + a*g))/(64*a^2) - f/(12*b) + (x^6*(5*b*d + a*h))/(12*a^2)
+ (7*x^7*(3*b*e + a*i))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384*a^3) + (x*
(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5*b*d + a*h))/(32*a^3) + (5*b*x^11*(
3*b*e + a*i))/(128*a^3) + (x^2*(11*b*d - a*h))/(32*a*b) + (x^3*(113*b*e - 5
*a*i))/(384*a*b))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8) + symsum(log
(- root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a
^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36
700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2
*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^
4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a
^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 368640
0*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 184
32000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 32
3400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 1
4700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 268
80*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464
000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485
100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5
*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^
2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^
2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h +
81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a
^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a
^6*i^4 + 35153041*b^6*c^4, z, 1)*(root(68719476736*a^15*b^7*z^4 + 121110528
0*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 +
110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*
d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^
5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 48570
3680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z -
802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z
- 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*
i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*
h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*
i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 +
1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g
- 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7
392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*
b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b
^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e
^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 +
2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*
h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, 1)*((20185088*
a^7*b^5*c + 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - (x*(655360*a^7*b^4*d + 1
31072*a^8*b^3*h))/(131072*a^9*b)) + (614400*a^4*b^4*d*e + 204800*a^5*b^3*d*
i + 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(2097152*a^9*b^2) - (x*(800*a^6
*b*i^2 - 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 - 1568*a^5*b^2*g^2 - 34496*a
```

$$\begin{aligned} & \left(4b^3cg + 4800a^5b^2ei \right) / (131072a^9b) - (125a^4i^3 + 3375ab^3 \\ & e^3 - 123200b^4cd^2 + 88935b^4c^2e - 4928a^2b^2c^2h^2 + 735a^2b^2 \\ & e^2g^2 + 3375a^2b^2e^2i - 11200ab^3d^2g + 29645ab^3c^2i + 1125 \\ & a^3b^2ei^2 - 448a^3b^2g^2h^2 + 245a^3b^2g^2i + 5390a^2b^2c^2gi - 448 \\ & 0a^2b^2d^2gh - 49280ab^3cd^2h + 16170ab^3c^2eg) / (2097152a^9b^2) \\ & - (x(5775b^3c^2de - 32a^3h^3 - 4000b^3d^3 + 35a^3g^2hi - 2400ab^2 \\ & d^2h - 480a^2b^2d^2h^2 + 1925ab^2c^2di + 1155ab^2c^2eh + 525ab^2 \\ & d^2eg + 385a^2b^2c^2hi + 175a^2b^2d^2gi + 105a^2b^2e^2gh) / (131072a^9 \\ & b)) \cdot \text{root}(68719476736a^{15}b^7z^4 + 1211105280a^8b^6c^2ez^2 + 403701760a^9 \\ & b^5ci^2z^2 + 335544320a^9b^5d^2hz^2 + 110100480a^9b^5e^2gz^2 + 3 \\ & 6700160a^{10}b^4g^2iz^2 + 838860800a^8b^6d^2z^2 + 33554432a^{10}b^4h^2 \\ & z^2 + 2457600a^7b^3e^2hi^2z - 88309760a^5b^5c^2d^2gz - 17661952a^6b^4 \\ & c^2g^2hz + 12288000a^6b^4d^2e^2iz - 485703680a^4b^6c^2d^2z + 409600a^8 \\ & b^2h^2i^2z - 97140736a^5b^5c^2h^2z - 802816a^7b^3g^2h^2z + 36864 \\ & 00a^6b^4e^2h^2z + 2048000a^7b^3d^2i^2z - 4014080a^6b^4d^2g^2z + 18 \\ & 432000a^5b^5d^2e^2z - 89600a^4b^2d^2g^2hi - 985600a^3b^3c^2d^2hi + 3 \\ & 23400a^3b^3c^2e^2gi - 268800a^3b^3d^2e^2gh - 2956800a^2b^4c^2d^2eh + \\ & 14700a^4b^2e^2g^2i - 224000a^3b^3d^2gi - 98560a^4b^2c^2h^2i - 26 \\ & 880a^4b^2e^2g^2h^2 + 53900a^4b^2c^2g^2i^2 + 1778700a^2b^4c^2e^2i - 246 \\ & 4000a^2b^4c^2d^2i - 672000a^2b^4d^2e^2g - 295680a^3b^3c^2e^2h^2 + 48 \\ & 5100a^2b^4c^2e^2g - 8960a^5b^2g^2h^2i - 7392000ab^5c^2d^2e + 7500a^5 \\ & b^2ei^3 + 12782924ab^5c^3g + 33750a^4b^2e^2i^2 + 614400a^3b^3d^2 \\ & h^2 + 296450a^3b^3c^2i^2 + 22050a^3b^3e^2g^2 + 1743126a^2b^4c^2 \\ & g^2 + 2450a^5b^2g^2i^2 + 67500a^3b^3e^3i + 2048000a^2b^4d^3h + \\ & 81920a^4b^2d^2h^3 + 105644a^3b^3c^2g^3 + 2668050ab^5c^2e^2 + 2401a^4 \\ & b^2g^4 + 50625a^2b^4e^4 + 4096a^5b^2h^4 + 2560000ab^5d^4 + 625a^6 \\ & i^4 + 35153041b^6c^4, z, 1), 1, 1, 4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

3.209
$$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$$

Optimal. Leaf size=534

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) + 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

[Out] 1/12*x*(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+(-a*j+b*f)*x^3)/a/b/(b*x^4+a)^3 + 1/384*x*(7*a*g+77*b*c+12*(a*h+5*b*d)*x+15*(a*i+3*b*e)*x^2)/a^3/b/(b*x^4+a) + 1/96*(-4*a*(a*j+2*b*f)+x*(b*(a*g+11*b*c)+2*b*(a*h+5*b*d)*x+3*b*(a*i+3*b*e)*x^2))/a^2/b^2/(b*x^4+a)^2+1/32*(a*h+5*b*d)*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.82, antiderivative size = 534, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4a(aj + 2bf) - x(b(ag + 11bc) + 2bx(ah + 5bd) + 3bx^2(ai + 3be))}{96a^2b^2(a + bx^4)^2} - \frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 15*(3*b*e + a*i)*x^2))/(384*a^3*b*(a + b*x^4)) - (4*a*(2*b*f + a*j) - x*(b*(11*b*c + a*g) + 2*b*(5*b*d + a*h)*x + 3*b*(3*b*e + a*i)*x^2))/(96*a^2*b^2*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2)) - ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) - ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

Mathematica [A] time = 0.71, size = 555, normalized size = 1.04

$$-6\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \left(16a^{5/4}\sqrt[4]{b}h + 5\sqrt{2}a^{3/2}i + 80\sqrt[4]{a}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g + 77\sqrt{2}b^{3/2}c\right) + 6$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out]
$$\frac{\left(\left(8a^{3/4}bx(77bc + 7ag + 15b(4d + 3ex)) + 3a(4h + 5ix)\right)\right)/(a + bx^4) - \left(32a^{7/4}(12a^2j - b^2(11c + x(10d + 9ex)) - abx(g + x(2h + 3ix)))\right)/(a + bx^4)^2 + \left(256a^{11/4}(a^2j + b^2x(c + x(d + ex)) - ab(f + x(g + x(h + ix))))\right)/(a + bx^4)^3 - 6b^{1/4}(77\sqrt{2}b^{3/2}c + 80a^{1/4}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g + 16a^{5/4}b^{1/4}h + 5\sqrt{2}a^{3/2}i)\text{ArcTan}\left[\frac{1 - (\sqrt{2}b^{1/4}x)/a^{1/4}}{1 + (\sqrt{2}b^{1/4}x)/a^{1/4}}\right] + 6b^{1/4}(77\sqrt{2}b^{3/2}c - 80a^{1/4}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g - 16a^{5/4}b^{1/4}h + 5\sqrt{2}a^{3/2}i)\text{ArcTan}\left[\frac{1 + (\sqrt{2}b^{1/4}x)/a^{1/4}}{1 - (\sqrt{2}b^{1/4}x)/a^{1/4}}\right] + 3\sqrt{2}b^{1/4}(-77b^{3/2}c + 15\sqrt{a}be - 7a\sqrt{b}g + 5a^{3/2}i)\text{Log}\left[\frac{\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}{\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}\right] + 3\sqrt{2}b^{1/4}(77b^{3/2}c - 15\sqrt{a}be + 7a\sqrt{b}g - 5a^{3/2}i)\text{Log}\left[\frac{\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}{3072a^{15/4}b^2}\right]\right)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 767, normalized size = 1.44

$$\frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{1/4}\right)}{2\left(\frac{a}{b}\right)^{1/4}}\right)}{a^3b^4} - \frac{\sqrt{2}(ab^3)^{3/4} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{a^3b^4} \right) + \frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4}}{a^3b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4} \arctan\left(\frac{1/2\sqrt{2}(2x + \sqrt{2}(a/b)^{1/4})}{(a/b)^{1/4}}\right)}{a^3b^4} - \frac{\sqrt{2}(ab^3)^{3/4} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{a^3b^4} \right) + \frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4}}{a^3b^4} \right)$$

- sqrt(2)*(a/b)^(1/4)/(a/b)^(1/4)/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(15*a*b^3*i*x^11 + 45*b^4*x^11*e + 60*b^4*d*x^10 + 12*a*b^3*h*x^10 + 77*b^4*c*x^9 + 7*a*b^3*g*x^9 + 42*a^2*b^2*i*x^7 + 126*a*b^3*x^7*e + 160*a*b^3*d*x^6 + 32*a^2*b^2*h*x^6 + 198*a*b^3*c*x^5 + 18*a^2*b^2*g*x^5 - 48*a^3*b*j*x^4 - 5*a^3*b*i*x^3 + 113*a^2*b^2*x^3*e + 132*a^2*b^2*d*x^2 - 12*a^3*b*h*x^2 + 153*a^2*b^2*c*x - 21*a^3*b*g*x - 32*a^3*b*f - 16*a^4*j)/((b*x^4 + a)^3*a^3*b^2)

maple [A] time = 0.07, size = 783, normalized size = 1.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)
[Out] (5/128*(a*i+3*b*e)/a^3*b*x^11+1/32*(a*h+5*b*d)/a^3*b*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+7/64*(a*i+3*b*e)/a^2*x^7+1/12*(a*h+5*b*d)/a^2*x^6+3/64*(a*g+11*b*c)/a^2*x^5-1/8/b*j*x^4-1/384*(5*a*i-113*b*e)/a/b*x^3-1/32*(a*h-11*b*d)/a/b*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/24*(a*j+2*b*f)/b^2)/(b*x^4+a)^3+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/1024*(a/b)^(1/4)*2^(1/2)/a^3/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/32/(a*b)^(1/2)/a^2/b*h*arctan((1/a*b)^(1/2)*x^2)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+5/1024/(a/b)^(1/4)*2^(1/2)/a^2/b^2*i*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/1024/(a/b)^(1/4)*2^(1/2)/a^3/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/512/(a/b)^(1/4)*2^(1/2)/a^2/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/512/(a/b)^(1/4)*2^(1/2)/a^2/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)
```

maxima [A] time = 3.23, size = 613, normalized size = 1.15

$$\frac{15(3b^4e + ab^3i)x^{11} + 12(5b^4d + ab^3h)x^{10} + 7(11b^4c + ab^3g)x^9 - 48a^3bjx^4 + 42(3ab^3e + a^2b^2i)x^7 + 32(5ab^3a - 16a^4j) + (113a^2b^2e - 5a^3bi)x^3 + 12(11a^2b^2d - a^3bh)x^2 + 3(51a^2b^2c - 7a^3bg)x}{(a^3b^5x^{12} + 3a^4b^4x^8 + 3a^5b^3x^4 + a^6b^2) + 1/1024*(sqrt(2)*(77b^(3/2)*c - 15sqrt(a)*b*e + 7a*sqrt(b)*g - 5a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77b^(3/2)*c - 15sqrt(a)*b*e + 7a*sqrt(b)*g - 5a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4))} - sqrt(2)*(77b^(3/2)*c - 15sqrt(a)*b*e + 7a*sqrt(b)*g - 5a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")
[Out] 1/384*(15*(3*b^4*e + a*b^3*i)*x^11 + 12*(5*b^4*d + a*b^3*h)*x^10 + 7*(11*b^4*c + a*b^3*g)*x^9 - 48*a^3*b*j*x^4 + 42*(3*a*b^3*e + a^2*b^2*i)*x^7 + 32*(5*a*b^3*d + a^2*b^2*h)*x^6 + 18*(11*a*b^3*c + a^2*b^2*g)*x^5 - 32*a^3*b*f - 16*a^4*j + (113*a^2*b^2*e - 5*a^3*b*i)*x^3 + 12*(11*a^2*b^2*d - a^3*b*h)*x^2 + 3*(51*a^2*b^2*c - 7*a^3*b*g)*x)/(a^3*b^5*x^12 + 3*a^4*b^4*x^8 + 3*a^5*b^3*x^4 + a^6*b^2) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4))
```

$$\begin{aligned} &) * g - 5 * a^{(3/2)} * i * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (\\ & a^{(3/4)} * b^{(3/4)}) + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a^{(3/4)} * b^{(5/4)} * e \\ & + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2} * a^{(7/4)} * b^{(1/4)} * i - 80 * \sqrt{a} * b^{(3/2)} * d \\ & - 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * b) * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{(\sqrt{a} * \sqrt{b})} \\ &) / (a^{(3/4)} * \sqrt{(\sqrt{a} * \sqrt{b})}) * b^{(3/4)} + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a^{(3/4)} * b^{(5/4)} * e \\ & + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2} * a^{(7/4)} * b^{(1/4)} * i + 80 * \sqrt{a} * b^{(3/2)} * d \\ & + 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * b) * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{(\sqrt{a} * \sqrt{b})} \\ &) / (a^{(3/4)} * \sqrt{(\sqrt{a} * \sqrt{b})}) * b^{(3/4)} \end{aligned}$$

mapad [B] time = 6.48, size = 2757, normalized size = 5.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x)

[Out] symsum(log(- root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m) * (root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m) * ((20185088*a^7*b^5*c + 1835008*a^8*b^4*g) / (2097152*a^9*b^2) - (x*(655360*a^7*b^4*d + 131072*a^8*b^3*h)) / (131072*a^9*b)) + (614400*a^4*b^4*d*e + 204800*a^5*b^3*d*i + 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i) / (2097152*a^9*b^2) - (x*(800*a^6*b*i^2 - 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 - 1568*a^5*b^2*g^2

$$\begin{aligned}
& - 34496a^4b^3c^2g + 4800a^5b^2e^2i) / (131072a^9b) - (125a^4i^3 + 3375a^2b^2e^2g^2 - 123200b^4c^2d^2 + 88935b^4c^2e - 4928a^2b^2c^2h^2 + 735a^2b^2e^2g^2 + 3375a^2b^2e^2i - 11200a^2b^3d^2g + 29645a^2b^3c^2i + 1125a^3b^2e^2i^2 - 448a^3b^2g^2h^2 + 245a^3b^2g^2i + 5390a^2b^2c^2g^2i - 4480a^2b^2d^2g^2h - 49280a^2b^3c^2d^2h + 16170a^2b^3c^2e^2g) / (2097152a^9b^2) - (x(5775b^3c^2d^2e - 32a^3h^3 - 4000b^3d^3 + 35a^3g^2h^2i - 2400a^2b^2d^2h - 480a^2b^2d^2h^2 + 1925a^2b^2c^2d^2i + 1155a^2b^2c^2e^2h + 525a^2b^2d^2e^2g + 385a^2b^2c^2h^2i + 175a^2b^2d^2g^2i + 105a^2b^2e^2g^2h) / (131072a^9b)) * \text{root}(68719476736a^15b^7z^4 + 1211105280a^8b^6c^2e^2z^2 + 403701760a^9b^5c^2i^2z^2 + 335544320a^9b^5d^2h^2z^2 + 110100480a^9b^5e^2g^2z^2 + 36700160a^10b^4g^2i^2z^2 + 838860800a^8b^6d^2z^2 + 33554432a^10b^4h^2z^2 + 2457600a^7b^3e^2h^2i^2z - 88309760a^5b^5c^2d^2g^2z - 17661952a^6b^4c^2g^2h^2z + 12288000a^6b^4d^2e^2i^2z - 485703680a^4b^6c^2d^2z + 409600a^8b^2h^2i^2z - 97140736a^5b^5c^2h^2z - 802816a^7b^3g^2h^2z + 3686400a^6b^4e^2h^2z + 2048000a^7b^3d^2i^2z - 4014080a^6b^4d^2g^2z + 18432000a^5b^5d^2e^2z - 89600a^4b^2d^2g^2h^2i - 985600a^3b^3c^2d^2h^2i + 323400a^3b^3c^2e^2g^2i - 268800a^3b^3d^2e^2g^2h - 2956800a^2b^4c^2d^2e^2h + 14700a^4b^2e^2g^2i - 224000a^3b^3d^2g^2i - 98560a^4b^2c^2h^2i - 26880a^4b^2e^2g^2h^2 + 53900a^4b^2c^2g^2i^2 + 1778700a^2b^4c^2e^2i - 2464000a^2b^4c^2d^2i - 672000a^2b^4d^2e^2g - 295680a^3b^3c^2e^2h^2 + 485100a^2b^4c^2e^2g - 8960a^5b^2g^2h^2i - 7392000a^2b^5c^2d^2e + 7500a^5b^2e^2i^3 + 12782924a^2b^5c^3g + 33750a^4b^2e^2i^2 + 614400a^3b^3d^2h^2 + 296450a^3b^3c^2i^2 + 22050a^3b^3e^2g^2 + 1743126a^2b^4c^2g^2 + 2450a^5b^2g^2i^2 + 67500a^3b^3e^3i + 2048000a^2b^4d^3h + 81920a^4b^2d^3h^3 + 105644a^3b^3c^2g^3 + 2668050a^2b^5c^2e^2 + 2401a^4b^2g^4 + 50625a^2b^4e^4 + 4096a^5b^2h^4 + 2560000a^2b^5d^4 + 625a^6i^4 + 35153041b^6c^4, z, m), m, 1, 4) + ((3x^5(11bc + ag)) / (64a^2) - (jx^4) / (8b) - (2bf + aj) / (24b^2) + (x^6(5bd + ah)) / (12a^2) + (7x^7(3be + ai)) / (64a^2) + (7bx^9(11bc + ag)) / (384a^3) + (x(51bc - 7ag)) / (128ab) + (bx^10(5bd + ah)) / (32a^3) + (5bx^11(3be + ai)) / (128a^3) + (x^2(11bd - ah)) / (32ab) + (x^3(113be - 5ai)) / (384ab)) / (a^3 + b^3x^12 + 3a^2bx^4 + 3ab^2x^8)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.210 \quad \int \frac{c+dx}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=121

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

[Out] $1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})}/b^{(1/2)}+1/2*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {1885, 220, 275, 217, 206}

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a + b*x^4], x]

[Out] $(d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*\operatorname{Sqrt}[b]) + (c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(1/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}, x] /; FreeQ[{a, b, p},

x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{\sqrt{a + bx^4}} dx &= \int \left(\frac{c}{\sqrt{a + bx^4}} + \frac{dx}{\sqrt{a + bx^4}} \right) dx \\
 &= c \int \frac{1}{\sqrt{a + bx^4}} dx + d \int \frac{x}{\sqrt{a + bx^4}} dx \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a + bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2\right) \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a + bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{1 - bx^2} dx, x, \frac{x^2}{\sqrt{a + bx^4}}\right) \\
 &= \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a + bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.06, size = 79, normalized size = 0.65

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{a + bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a + b*x^4], x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/Sqrt[a + b*x^4]

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.15, size = 96, normalized size = 0.79

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}c\operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}+\frac{d\ln\left(\sqrt{b}x^2+\sqrt{bx^4+a}\right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/2*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{bx^4+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x+c)/sqrt(b*x^4+a),x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c+dx}{\sqrt{bx^4+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x)/(a+b*x^4)^(1/2),x)

[Out] int((c+d*x)/(a+b*x^4)^(1/2),x)

sympy [C] time = 2.98, size = 61, normalized size = 0.50

$$\frac{d\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}}+\frac{cx\Gamma\left(\frac{1}{4}\right){}_2F_1\left(\frac{1}{4},\frac{1}{2}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**(1/2),x)

[Out] d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b))+c*x*gamma(1/4)*hyper((1/4,1/2),(5/4,),(b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.211 \quad \int \frac{c+dx}{\sqrt{a-bx^4}} dx$$

Optimal. Leaf size=87

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a-bx^4}}\right)}{2\sqrt{b}}$$

[Out] 1/2*d*arctan(x^2*b^(1/2)/(-b*x^4+a)^(1/2))/b^(1/2)+a^(1/4)*c*EllipticF(b^(1/4)*x/a^(1/4),I)*(1-b*x^4/a)^(1/2)/b^(1/4)/(-b*x^4+a)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1885, 224, 221, 275, 217, 203}

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a-bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a - b*x^4],x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a - b*x^4]])/(2*Sqrt[b]) + (a^(1/4)*c*Sqrt[1 - (b*x^4)/a]*EllipticF[ArcSin[(b^(1/4)*x)/a^(1/4)], -1])/(b^(1/4)*Sqrt[a - b*x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (

$2*(q - j)/n + 1\}*(a + b*x^n)^p, \{j, 0, n/2 - 1\}, x] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{!PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{\sqrt{a - bx^4}} dx &= \int \left(\frac{c}{\sqrt{a - bx^4}} + \frac{dx}{\sqrt{a - bx^4}} \right) dx \\ &= c \int \frac{1}{\sqrt{a - bx^4}} dx + d \int \frac{x}{\sqrt{a - bx^4}} dx \\ &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{\sqrt{a - bx^2}} dx, x, x^2 \right) + \frac{\left(c \sqrt{1 - \frac{bx^4}{a}} \right) \int \frac{1}{\sqrt{1 - \frac{bx^4}{a}}} dx}{\sqrt{a - bx^4}} \\ &= \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{1 + bx^2} dx, x, \frac{x^2}{\sqrt{a - bx^4}} \right) \\ &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a - bx^4}} \right)}{2\sqrt{b}} + \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{a - bx^4}} \end{aligned}$$

Mathematica [C] time = 0.05, size = 81, normalized size = 0.93

$$\frac{cx \sqrt{1 - \frac{bx^4}{a}} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{bx^4}{a} \right)}{\sqrt{a - bx^4}} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a - bx^4}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a - b*x^4], x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a - b*x^4]]/(2*Sqrt[b]) + (c*x*Sqrt[1 - (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, (b*x^4)/a])/Sqrt[a - b*x^4]

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^4 + a} (dx + c)}{bx^4 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^4 + a)*(d*x + c)/(b*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^4 + a), x)

maple [A] time = 0.17, size = 90, normalized size = 1.03

$$\frac{\sqrt{-\frac{\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{\sqrt{b}x^2}{\sqrt{a}}+1}c\operatorname{EllipticF}\left(\sqrt{\frac{\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{\frac{\sqrt{b}}{\sqrt{a}}}\sqrt{-bx^4+a}} + \frac{d\arctan\left(\frac{\sqrt{b}x^2}{\sqrt{-bx^4+a}}\right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-b*x^4+a)^(1/2),x)`

[Out] `1/2*d*arctan(1/(-b*x^4+a)^(1/2)*b^(1/2)*x^2/b^(1/2)+c/(1/a^(1/2)*b^(1/2))^(1/2)*(-1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(-b*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*b^(1/2))^(1/2)*x,I)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{-bx^4+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x^4+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((d*x+c)/sqrt(-b*x^4+a),x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c+dx}{\sqrt{a-bx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x)/(a-b*x^4)^(1/2),x)`

[Out] `int((c+d*x)/(a-b*x^4)^(1/2),x)`

sympy [A] time = 2.96, size = 95, normalized size = 1.09

$$d \left(\begin{array}{l} \left(\begin{array}{l} -\frac{i \operatorname{acosh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \\ \frac{\operatorname{asin}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \end{array} \right) \text{ for } \left| \frac{bx^4}{a} \right| > 1 \\ \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x**4+a)**(1/2),x)`

[Out] `d*Piecewise((-I*acosh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), Abs(b*x**4/a) > 1), (asin(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), True)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(5/4))`

$$3.212 \quad \int \frac{c+dx}{\sqrt{-a+bx^4}} dx$$

Optimal. Leaf size=89

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{bx^4 - a}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{bx^4 - a}}\right)}{2\sqrt{b}}$$

[Out] $1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4-a)^{(1/2)})/b^{(1/2)}+a^{(1/4)}*c*\operatorname{EllipticF}(b^{(1/4)}*x/a^{(1/4)}, I)*(1-b*x^4/a)^{(1/2)}/b^{(1/4)}/(b*x^4-a)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {1885, 224, 221, 275, 217, 206}

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{bx^4 - a}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{bx^4 - a}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a + b*x^4], x]

[Out] $(d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[-a + b*x^4]])/(2*\operatorname{Sqrt}[b]) + (a^{(1/4)}*c*\operatorname{Sqrt}[1 - (b*x^4)/a]*\operatorname{EllipticF}[\operatorname{ArcSin}[(b^{(1/4)}*x)/a^{(1/4)}], -1])/(b^{(1/4)}*\operatorname{Sqrt}[-a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (

$2*(q - j))/n + 1\})*(a + b*x^n)^p, \{j, 0, n/2 - 1\}, x] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{\sqrt{-a + bx^4}} dx &= \int \left(\frac{c}{\sqrt{-a + bx^4}} + \frac{dx}{\sqrt{-a + bx^4}} \right) dx \\ &= c \int \frac{1}{\sqrt{-a + bx^4}} dx + d \int \frac{x}{\sqrt{-a + bx^4}} dx \\ &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{\sqrt{-a + bx^2}} dx, x, x^2 \right) + \frac{\left(c \sqrt{1 - \frac{bx^4}{a}} \right) \int \frac{1}{\sqrt{1 - \frac{bx^4}{a}}} dx}{\sqrt{-a + bx^4}} \\ &= \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{-a + bx^4}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{1 - bx^2} dx, x, \frac{x^2}{\sqrt{-a + bx^4}} \right) \\ &= \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{-a + bx^4}} \right)}{2\sqrt{b}} + \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{-a + bx^4}} \end{aligned}$$

Mathematica [C] time = 0.05, size = 83, normalized size = 0.93

$$\frac{cx \sqrt{1 - \frac{bx^4}{a}} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{bx^4}{a} \right)}{\sqrt{bx^4 - a}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{bx^4 - a}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a + b*x^4],x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[-a + b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 - (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, (b*x^4)/a])/Sqrt[-a + b*x^4]

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{dx + c}{\sqrt{bx^4 - a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^4 - a), x)

maple [A] time = 0.17, size = 95, normalized size = 1.07

$$\frac{\sqrt{\frac{\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{-\frac{\sqrt{b}x^2}{\sqrt{a}}+1}c\operatorname{EllipticF}\left(\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4-a}}+\frac{d\ln\left(\sqrt{b}x^2+\sqrt{bx^4-a}\right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4-a)^(1/2),x)

[Out] 1/2*d*ln(b^(1/2)*x^2+(b*x^4-a)^(1/2))/b^(1/2)+c/(-1/a^(1/2)*b^(1/2))^(1/2)*(1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4-a)^(1/2)*EllipticF(x*(-1/a^(1/2)*b^(1/2))^(1/2),I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{bx^4-a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x+c)/sqrt(b*x^4-a),x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c+dx}{\sqrt{bx^4-a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x)/(b*x^4-a)^(1/2),x)

[Out] int((c+d*x)/(b*x^4-a)^(1/2),x)

sympy [A] time = 2.89, size = 90, normalized size = 1.01

$$d \left(\begin{array}{l} \frac{\operatorname{acosh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \quad \text{for } \left|\frac{bx^4}{a}\right| > 1 \\ -\frac{i\operatorname{asin}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \quad \text{otherwise} \end{array} \right) - \frac{icx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4-a)**(1/2),x)

[Out] d*Piecewise((acosh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), Abs(b*x**4/a) > 1), (-I*asin(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), True)) - I*c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4/a)/(4*sqrt(a)*gamma(5/4))

3.213 $\int \frac{c+dx}{\sqrt{-a-bx^4}} dx$

Optimal. Leaf size=127

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a-bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a-bx^4}}\right)}{2\sqrt{b}}$$

[Out] $\frac{1}{2}d \arctan(x^2 b^{1/2} / (-b x^4 - a)^{1/2}) / b^{1/2} + \frac{1}{2}c (\cos(2 \arctan(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(b^{1/4} x / a^{1/4})) * \text{EllipticF}(\sin(2 \arctan(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / a^{1/4} / b^{1/4} / (-b x^4 - a)^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1885, 220, 275, 217, 203}

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a-bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a-bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a - b*x^4], x]

[Out] $(d \text{ArcTan}[(\text{Sqrt}[b] * x^2) / \text{Sqrt}[-a - b * x^4]]) / (2 * \text{Sqrt}[b]) + (c * (\text{Sqrt}[a] + \text{Sqrt}[b] * x^2) * \text{Sqrt}[(a + b * x^4) / (\text{Sqrt}[a] + \text{Sqrt}[b] * x^2)^2] * \text{EllipticF}[2 * \text{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2]) / (2 * a^{1/4} * b^{1/4} * \text{Sqrt}[-a - b * x^4])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},

x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{\sqrt{-a - bx^4}} dx &= \int \left(\frac{c}{\sqrt{-a - bx^4}} + \frac{dx}{\sqrt{-a - bx^4}} \right) dx \\
 &= c \int \frac{1}{\sqrt{-a - bx^4}} dx + d \int \frac{x}{\sqrt{-a - bx^4}} dx \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{\sqrt{-a - bx^2}} dx, x, x^2\right) \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{1 + bx^2} dx, x, \frac{x^2}{\sqrt{-a - bx^4}}\right) \\
 &= \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a - bx^4}}\right)}{2\sqrt{b}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.05, size = 85, normalized size = 0.67

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{-a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a - bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a - b*x^4], x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[-a - b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/Sqrt[-a - b*x^4]

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(-\frac{\sqrt{-bx^4 - a}(dx + c)}{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^4 - a)*(d*x + c)/(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^4 - a), x)

maple [C] time = 0.18, size = 101, normalized size = 0.80

$$\frac{\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}c\operatorname{EllipticF}\left(\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+\frac{d\arctan\left(\frac{\sqrt{b}x^2}{\sqrt{-bx^4-a}}\right)}{2\sqrt{b}}}{\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{-bx^4-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4-a)^(1/2),x)

[Out] 1/2*d*arctan(x^2*b^(1/2)/(-b*x^4-a)^(1/2))/b^(1/2)+c/(-I/a^(1/2)*b^(1/2))^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(-b*x^4-a)^(1/2)*EllipticF(x*(-I/a^(1/2)*b^(1/2))^(1/2),I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{-bx^4-a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x+c)/sqrt(-b*x^4-a),x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c+dx}{\sqrt{-bx^4-a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x)/(-a-b*x^4)^(1/2),x)

[Out] int((c+d*x)/(-a-b*x^4)^(1/2),x)

sympy [C] time = 3.24, size = 66, normalized size = 0.52

$$-\frac{id\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}}-\frac{icx\Gamma\left(\frac{1}{4}\right){}_2F_1\left(\frac{1}{4},\frac{1}{2}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4-a)**(1/2),x)

[Out] -I*d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b))-I*c*x*gamma(1/4)*hyper((1/4,1/2),(5/4,),(b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)))

$$3.214 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=257

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{1/2} + e x (b x^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4 + a)^{1/2} + 1/2 a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * (e + c b^{1/2} / a^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.12, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x^4], x]

[Out] $(e x \sqrt{a + b x^4}) / (\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)) + (d \operatorname{ArcTanh}[(\sqrt{b} x^2) / \sqrt{a + b x^4}] / (2 \sqrt{b}) - (a^{1/4} e (\sqrt{a} + \sqrt{b} x^2) \sqrt{(a + b x^4) / (\sqrt{a} + \sqrt{b} x^2)^2} * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (b^{3/4} \sqrt{a + b x^4}) + (a^{1/4} ((\sqrt{b} c) / \sqrt{a} + e) (\sqrt{a} + \sqrt{b} x^2) \sqrt{(a + b x^4) / (\sqrt{a} + \sqrt{b} x^2)^2} * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (2 b^{3/4} \sqrt{a + b x^4}))$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$\wedge k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1196

$\text{Int}[(d + e \cdot x^2)/\sqrt{a + c \cdot x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \sqrt{a + c \cdot x^4})/(a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \sqrt{a + c \cdot x^4})/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x, 1/2]]/(q \cdot \sqrt{a + c \cdot x^4}), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d + e \cdot x^2)/\sqrt{a + c \cdot x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q)/q, \text{Int}[1/\sqrt{a + c \cdot x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2)/\sqrt{a + c \cdot x^4}, x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1885

$\text{Int}[(Pq) \cdot ((a + b \cdot x^{(n)})^p), x_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j \cdot \text{Sum}[\text{Coeff}[Pq, x, j + (k \cdot n)/2] \cdot x^{((k \cdot n)/2)}, \{k, 0, (2 \cdot (q - j))/n + 1\}] \cdot (a + b \cdot x^n)^p, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{!PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{\sqrt{a + bx^4}} dx &= \int \left(\frac{dx}{\sqrt{a + bx^4}} + \frac{c + ex^2}{\sqrt{a + bx^4}} \right) dx \\ &= d \int \frac{x}{\sqrt{a + bx^4}} dx + \int \frac{c + ex^2}{\sqrt{a + bx^4}} dx \\ &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a} e) \int \frac{1 - \frac{\sqrt{b} x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \left(c + \frac{\sqrt{a} e}{\sqrt{b}} \right) \int \frac{1}{\sqrt{a + bx^4}} dx \\ &= \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| \frac{1}{2} \right)}{b^{3/4} \sqrt{a + bx^4}} + \frac{(\sqrt{b}c + \sqrt{a}e)}{b^{3/4} \sqrt{a + bx^4}} \\ &= \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \right)}{b^{3/4} \sqrt{a + bx^4}} \end{aligned}$$

Mathematica [C] time = 0.14, size = 131, normalized size = 0.51

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} + \frac{ex^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x^4], x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]]/(2*Sqrt[b])) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/Sqrt[a + b*x^4] + (e

$x^3 \sqrt{1 + (bx^4)/a} \operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -((bx^4)/a)] / (3 \sqrt{a + bx^4})$

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{ex^2 + dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)`

maple [C] time = 0.24, size = 193, normalized size = 0.75

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} c \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) d \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right) + i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{d \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right)}{2\sqrt{b}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)`

[Out] $I * e * a^{1/2} / (I/a^{1/2} * b^{1/2})^{1/2} * (-I/a^{1/2} * b^{1/2} * x^2 + 1)^{1/2} * (I/a^{1/2} * b^{1/2} * x^2 + 1)^{1/2} / (b * x^4 + a)^{1/2} / b^{1/2} * (\operatorname{EllipticF}((I/a^{1/2} * b^{1/2})^{1/2} * x, I) - \operatorname{EllipticE}((I/a^{1/2} * b^{1/2})^{1/2} * x, I)) + 1/2 / b^{1/2} * d * \ln(b^{1/2} * x^2 + (b * x^4 + a)^{1/2}) + c / (I/a^{1/2} * b^{1/2})^{1/2} * (-I/a^{1/2} * b^{1/2} * x^2 + 1)^{1/2} * (I/a^{1/2} * b^{1/2} * x^2 + 1)^{1/2} / (b * x^4 + a)^{1/2} * \operatorname{EllipticF}((I/a^{1/2} * b^{1/2})^{1/2} * x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^4)^(1/2),x)`

[Out] `int((c + d*x + e*x^2)/(a + b*x^4)^(1/2), x)`

sympy [C] time = 3.38, size = 102, normalized size = 0.40

$$\frac{d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)`

[Out] `d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))`

$$3.215 \quad \int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=14

$$\frac{gx}{\sqrt{a + bx^4}}$$

[Out] g*x/(b*x^4+a)^(1/2)

Rubi [A] time = 0.01, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {383}

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] (g*x)/Sqrt[a + b*x^4]

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[c*x*(a + b*x^n)^(p + 1)/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{gx}{\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.01, size = 14, normalized size = 1.00

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] (g*x)/Sqrt[a + b*x^4]

fricas [A] time = 1.06, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] g*x/sqrt(b*x^4 + a)

giac [A] time = 0.20, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] g*x/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 13, normalized size = 0.93

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x)

[Out] g*x/(b*x^4+a)^(1/2)

maxima [A] time = 1.76, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] g*x/sqrt(b*x^4 + a)

mupad [B] time = 5.04, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x)/(a + b*x^4)^(1/2)

sympy [C] time = 9.60, size = 80, normalized size = 5.71

$$\frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+a*g)/(b*x**4+a)**(3/2),x)

[Out] g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.216 \quad \int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=29

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

[Out] 1/2*(2*a*g*x+e*x^2)/a/(b*x^4+a)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1856}

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (2*a*g*x + e*x^2)/(2*a*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] :> With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0]] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.10, size = 27, normalized size = 0.93

$$\frac{x(2ag + ex)}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (x*(2*a*g + e*x))/(2*a*Sqrt[a + b*x^4])

fricas [A] time = 0.70, size = 34, normalized size = 1.17

$$\frac{\sqrt{bx^4 + a}(2agx + ex^2)}{2(abx^4 + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] 1/2*sqrt(b*x^4 + a)*(2*a*g*x + e*x^2)/(a*b*x^4 + a^2)

giac [A] time = 0.24, size = 23, normalized size = 0.79

$$\frac{\left(2g + \frac{xe}{a}\right)x}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] 1/2*(2*g + x*e/a)*x/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 24, normalized size = 0.83

$$\frac{(2ag + ex)x}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x)

[Out] 1/2*x*(2*a*g+e*x)/(b*x^4+a)^(1/2)/a

maxima [A] time = 1.77, size = 25, normalized size = 0.86

$$\frac{2agx + ex^2}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*(2*a*g*x + e*x^2)/(sqrt(b*x^4 + a)*a)

mupad [B] time = 4.91, size = 23, normalized size = 0.79

$$\frac{gx + \frac{ex^2}{2a}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)

sympy [C] time = 12.39, size = 104, normalized size = 3.59

$$\frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+a*g+e*x)/(b*x**4+a)**(3/2),x)

[Out] g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))

$$3.217 \quad \int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=25

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

[Out] 1/2*(2*b*g*x-f)/b/(b*x^4+a)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1856}

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] -(f - 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] :> With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0]] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.04, size = 27, normalized size = 1.08

$$\frac{2bgx - f}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (-f + 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

fricas [A] time = 0.66, size = 33, normalized size = 1.32

$$\frac{\sqrt{bx^4 + a}(2bgx - f)}{2(b^2x^4 + ab)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] 1/2*sqrt(b*x^4 + a)*(2*b*g*x - f)/(b^2*x^4 + a*b)

giac [A] time = 0.20, size = 22, normalized size = 0.88

$$\frac{2gx - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] 1/2*(2*g*x - f/b)/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 24, normalized size = 0.96

$$\frac{2bgx - f}{2\sqrt{bx^4 + a} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x)

[Out] 1/2*(2*b*g*x-f)/b/(b*x^4+a)^(1/2)

maxima [A] time = 1.83, size = 23, normalized size = 0.92

$$\frac{2bgx - f}{2\sqrt{bx^4 + a} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*(2*b*g*x - f)/(sqrt(b*x^4 + a)*b)

mupad [B] time = 4.90, size = 20, normalized size = 0.80

$$\frac{gx - \frac{f}{2b}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x - f/(2*b))/(a + b*x^4)^(1/2)

sympy [A] time = 17.80, size = 109, normalized size = 4.36

$$f \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+f*x**3+a*g)/(b*x**4+a)**(3/2),x)

[Out] f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.218 \quad \int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=38

$$-\frac{2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

[Out] 1/2*(2*a*b*g*x+b*e*x^2-a*f)/a/b/(b*x^4+a)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$, Rules used = {1856}

$$-\frac{2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] -(a*f - 2*a*b*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] :> With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0]] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{af - 2abgx - bex^2}{2ab\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.05, size = 38, normalized size = 1.00

$$\frac{2abgx - af + bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (-(a*f) + 2*a*b*g*x + b*e*x^2)/(2*a*b*Sqrt[a + b*x^4])

fricas [A] time = 0.64, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a}(2abgx + bex^2 - af)}{2(ab^2x^4 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] 1/2*sqrt(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)

giac [A] time = 0.22, size = 31, normalized size = 0.82

$$\frac{\left(2g + \frac{xe}{a}\right)x - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] 1/2*((2*g + x*e/a)*x - f/b)/sqrt(b*x^4 + a)

maple [A] time = 0.04, size = 35, normalized size = 0.92

$$\frac{2abgx + be x^2 - af}{2\sqrt{bx^4 + a} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x)

[Out] 1/2*(2*a*b*g*x+b*e*x^2-a*f)/a/b/(b*x^4+a)^(1/2)

maxima [A] time = 1.85, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a} (2 abgx + be x^2 - af)}{2 (ab^2 x^4 + a^2 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*sqrt(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)

mupad [B] time = 4.84, size = 29, normalized size = 0.76

$$\frac{gx - \frac{f}{2b} + \frac{ex^2}{2a}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x - f/(2*b) + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)

sympy [A] time = 21.51, size = 133, normalized size = 3.50

$$f \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+f*x**3+a*g+e*x)/(b*x**4+a)**(3/2),x)

[Out] f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))

$$3.219 \quad \int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$$

Optimal. Leaf size=12

$$-\frac{x}{\sqrt{x^4+1}}$$

[Out] -x/(x^4+1)^(1/2)

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {383}

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx = -\frac{x}{\sqrt{1+x^4}}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.00

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

fricas [A] time = 0.69, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2), x, algorithm="fricas")

[Out] -x/sqrt(x^4 + 1)

giac [A] time = 0.18, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="giac")

[Out] -x/sqrt(x^4 + 1)

maple [A] time = 0.05, size = 11, normalized size = 0.92

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4-1)/(x^4+1)^(3/2),x)

[Out] -1/(x^4+1)^(1/2)*x

maxima [A] time = 3.24, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="maxima")

[Out] -x/sqrt(x^4 + 1)

mupad [B] time = 4.85, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 - 1)/(x^4 + 1)^(3/2),x)

[Out] -x/(x^4 + 1)^(1/2)

sympy [C] time = 5.21, size = 58, normalized size = 4.83

$$\frac{x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{9}{4} \middle| x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{9}{4}\right)} - \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{5}{4} \middle| x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4-1)/(x**4+1)**(3/2),x)

[Out] x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), x**4*exp_polar(I*pi))/(4*gamma(9/4)) - x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.220 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=385

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \left(\frac{5\sqrt{b}(3bc-ag)}{\sqrt{a}} - 9ai + 15be\right) (2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{(2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{4b^{3/2}}$$

[Out] $\frac{1}{4}(-a*h+2*b*d)*\operatorname{arctanh}(x^2*b^{1/2}/(b*x^4+a)^{1/2})/b^{3/2}+1/2*f*(b*x^4+a)^{1/2}/b+1/3*g*x*(b*x^4+a)^{1/2}/b+1/4*h*x^2*(b*x^4+a)^{1/2}/b+1/5*i*x^3*(b*x^4+a)^{1/2}/b+1/5*(-3*a*i+5*b*e)*x*(b*x^4+a)^{1/2}/b^{3/2}/(a^{1/2}+x^2*b^{1/2})-1/5*a^{1/4}*(-3*a*i+5*b*e)*(\cos(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4})),1/2*2^{1/2})*(a^{1/2}+x^2*b^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^2)^{1/2}/b^{7/4}/(b*x^4+a)^{1/2}+1/30*a^{1/4}*(\cos(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{1/4}*x/a^{1/4})),1/2*2^{1/2})*(a^{1/2}+x^2*b^{1/2})*(15*b*e-9*a*i+5*(-a*g+3*b*c)*b^{1/2}/a^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^2)^{1/2}/b^{7/4}/(b*x^4+a)^{1/2}$

Rubi [A] time = 0.42, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1885, 1819, 1815, 641, 217, 206, 1888, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \left(\frac{5\sqrt{b}(3bc-ag)}{\sqrt{a}} - 9ai + 15be\right) (2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{(2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{4b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/Sqrt[a + b*x^4], x]

[Out] $\frac{f*\operatorname{Sqrt}[a + b*x^4]}{(2*b)} + \frac{g*x*\operatorname{Sqrt}[a + b*x^4]}{(3*b)} + \frac{h*x^2*\operatorname{Sqrt}[a + b*x^4]}{(4*b)} + \frac{i*x^3*\operatorname{Sqrt}[a + b*x^4]}{(5*b)} + \frac{((5*b*e - 3*a*i)*x*\operatorname{Sqrt}[a + b*x^4])}{(5*b^{3/2}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2))} + \frac{((2*b*d - a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])}{(4*b^{3/2})} - \frac{(a^{1/4}*(5*b*e - 3*a*i)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])}{(5*b^{7/4}*\operatorname{Sqrt}[a + b*x^4])} + \frac{(a^{1/4}*(15*b*e + (5*\operatorname{Sqrt}[b]*(3*b*c - a*g))/\operatorname{Sqrt}[a] - 9*a*i)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])}{(30*b^{7/4}*\operatorname{Sqrt}[a + b*x^4])}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]

, 1/2))/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1815

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rule 1819

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 220x^6}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{\sqrt{a + bx^4}} + \frac{c + ex^2 + gx^4 + 220x^6}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{\sqrt{a + bx^4}} dx + \int \frac{c + ex^2 + gx^4 + 220x^6}{\sqrt{a + bx^4}} dx \\
&= \frac{44x^3\sqrt{a + bx^4}}{b} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{\sqrt{a + bx^2}} dx, x, x^2 \right) + \frac{\int \frac{5b}{\sqrt{a + bx^4}} dx}{2} \\
&= \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} + \frac{\int \frac{5b(3bc - ag)}{\sqrt{a + bx^4}} dx}{2} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 281, normalized size = 0.73

$$-20\sqrt{b}x\sqrt{\frac{bx^4}{a}} + 1(ag - 3bc) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 30bd\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}}\right) + 4\sqrt{b}x^3\sqrt{\frac{bx^4}{a}} + 1(5be - 3ac)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/Sqrt[a + b*x^4], x]

[Out] (30*a*Sqrt[b]*f + 20*a*Sqrt[b]*g*x + 15*a*Sqrt[b]*h*x^2 + 12*a*Sqrt[b]*i*x^3 + 30*b^(3/2)*f*x^4 + 20*b^(3/2)*g*x^5 + 15*b^(3/2)*h*x^6 + 12*b^(3/2)*i*x^7 + 30*b*d*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 15*a*h*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*Sqrt[b]*(-3*b*c + a*g)*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 4*Sqrt[b]*(5*b*e - 3*a*i)*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)]/(60*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.20, size = 516, normalized size = 1.34

$$\frac{\sqrt{bx^4+a} ix^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^{\frac{3}{2}} i \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a} b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^{\frac{3}{2}} i \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/5*i*x^3*(b*x^4+a)^(1/2)/b-3/5*I*i*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+3/5*I*i*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*h*x^2*(b*x^4+a)^(1/2)/b-1/4*h*a/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*g*x*(b*x^4+a)^(1/2)/b-1/3*g*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*f*(b*x^4+a)^(1/2)/b+I*e*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2/b^(1/2)*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^(1/2),x)

[Out] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^(1/2), x)`

sympy [A] time = 7.36, size = 260, normalized size = 0.68

$$\frac{\sqrt{a}hx^2\sqrt{1+\frac{bx^4}{a}}}{4b} - \frac{ah\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + f \left(\begin{array}{ll} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{array} \right) + \frac{d\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2), x)`

[Out] `sqrt(a)*h*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*h*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + f*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + g*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + i*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(11/4))`

$$3.221 \quad \int \frac{1+x}{1+x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right)$$

[Out] -1/5*(-1)^(1/5)*(1+(-1)^(1/5))*ln((-1)^(1/5)-x)+1/5*(-1)^(4/5)*(1-(-1)^(4/5))*ln(-(-1)^(4/5)-x)+1/5*(-1)^(2/5)*(1-(-1)^(2/5))*ln((-1)^(2/5)+x)-1/5*(-1)^(3/5)*(1+(-1)^(3/5))*ln(-(-1)^(3/5)+x)

Rubi [A] time = 0.06, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1586, 2068}

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 + x^5), x]

[Out] -((-1)^(1/5)*(1 + (-1)^(1/5))*Log[(-1)^(1/5) - x])/5 + ((-1)^(4/5)*(1 - (-1)^(4/5))*Log[-(-1)^(4/5) - x])/5 + ((-1)^(2/5)*(1 - (-1)^(2/5))*Log[(-1)^(2/5) + x])/5 - ((-1)^(3/5)*(1 + (-1)^(3/5))*Log[-(-1)^(3/5) + x])/5

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] :> With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1+x^5} dx &= \int \frac{1}{1-x+x^2-x^3+x^4} dx \\ &= \int \left(\frac{-1+(-1)^{4/5}}{5(-1+\sqrt[5]{-1}x)} + \frac{-1-(-1)^{3/5}}{5(-1-(-1)^{2/5}x)} + \frac{-1+(-1)^{2/5}}{5(-1+(-1)^{3/5}x)} + \frac{-1-\sqrt[5]{-1}}{5(-1-(-1)^{4/5}x)} \right) dx \\ &= -\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-(-1)^{4/5} - x\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right) \end{aligned}$$

Mathematica [C] time = 0.01, size = 51, normalized size = 0.47

$$\text{RootSum}\left[\#1^4 - \#1^3 + \#1^2 - \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 - 3\#1^2 + 2\#1 - 1} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^5), x]

[Out] RootSum[1 - #1 + #1^2 - #1^3 + #1^4 & , Log[x - #1]/(-1 + 2*#1 - 3*#1^2 + 4*#1^3) &]

fricas [B] time = 2.96, size = 835, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/10*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + 1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 11*x + 1) - \\ & 1/10*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(-3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 11*x - 9/2*\sqrt{5} - 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} - 14) + 1/10*(\sqrt{5} + 5*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*\log(-1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 5/4*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*((3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 8*\sqrt{5} + 40*\sqrt{-2/25*\sqrt{5} - 1/5} + 36) + 22*x + 9/2*\sqrt{5} + 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} + 2) + 1/10*(\sqrt{5} - 5*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*\log(-1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 5/4*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*((3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 8*\sqrt{5} + 40*\sqrt{-2/25*\sqrt{5} - 1/5} + 36) + 22*x + 9/2*\sqrt{5} + 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} + 2) \end{aligned}$$

giac [A] time = 0.22, size = 101, normalized size = 0.93

$$\frac{1}{5} \sqrt{-2\sqrt{5} + 5} \arctan\left(\frac{4x + \sqrt{5} - 1}{\sqrt{2\sqrt{5} + 10}}\right) + \frac{1}{5} \sqrt{2\sqrt{5} + 5} \arctan\left(\frac{4x - \sqrt{5} - 1}{\sqrt{-2\sqrt{5} + 10}}\right) - \frac{1}{10} \sqrt{5} \log\left(x^2 - \frac{1}{2}x(\sqrt{5} + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/5*\sqrt{-2*\sqrt{5} + 5}*\arctan((4*x + \sqrt{5} - 1)/\sqrt{2*\sqrt{5} + 10}) + \\ & 1/5*\sqrt{2*\sqrt{5} + 5}*\arctan((4*x - \sqrt{5} - 1)/\sqrt{-2*\sqrt{5} + 10}) - \\ & 1/10*\sqrt{5}*\log(x^2 - 1/2*x*(\sqrt{5} + 1) + 1) + 1/10*\sqrt{5}*\log(x^2 + 1/2*x*(\sqrt{5} - 1) + 1) \end{aligned}$$

maple [B] time = 0.12, size = 173, normalized size = 1.59

$$\frac{\arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5} \arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \ln(2x^2 - \sqrt{5}x + 1)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)/(x^5+1),x)`

[Out] $\frac{1}{10}5^{1/2}\ln(2x^2+5^{1/2}x-x+2)+1/(10+2*5^{1/2})^{1/2}\arctan((4x+5^{1/2}(1/2)-1)/(10+2*5^{1/2})^{1/2})-1/5/(10+2*5^{1/2})^{1/2}\arctan((4x+5^{1/2}-1)/(10+2*5^{1/2})^{1/2})*5^{1/2}-1/10*5^{1/2}\ln(-5^{1/2}x+2*x^2-x+2)+1/(10-2*5^{1/2})^{1/2}\arctan((4x-5^{1/2}-1)/(10-2*5^{1/2})^{1/2})+1/5/(10-2*5^{1/2})^{1/2}\arctan((4x-5^{1/2}-1)/(10-2*5^{1/2})^{1/2})*5^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x+1}{x^5+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(x^5+1),x, algorithm="maxima")`

[Out] `integrate((x + 1)/(x^5 + 1), x)`

mupad [B] time = 4.92, size = 64, normalized size = 0.59

$$\sum_{k=1}^4 \ln\left(\text{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right)\left(-4x + \text{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right)\left(25 \text{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right) + 15x - 15\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + 1)/(x^5 + 1),x)`

[Out] `symsum(log(root(z^4 - z/25 + 1/125, z, k))*(root(z^4 - z/25 + 1/125, z, k))*(25*root(z^4 - z/25 + 1/125, z, k) + 15*x - 15) - 4*x + 1)*root(z^4 - z/25 + 1/125, z, k), k, 1, 4)`

sympy [B] time = 1.20, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(x**5+1),x)`

[Out] $\sqrt{5}\log(x^2 + x(-48/11 - 21\sqrt{5}/11 + 4\sqrt{10}\sqrt{\sqrt{5} + 3})/11 + 45\sqrt{2}\sqrt{\sqrt{5} + 3})/22 - 1381\sqrt{10}\sqrt{\sqrt{5} + 3}/484 - 3045\sqrt{2}\sqrt{\sqrt{5} + 3}/484 + 2213\sqrt{5}/242 + 5217/242)/10 - \sqrt{5}\log(x^2 + x(-48/11 - 45\sqrt{2}\sqrt{3 - \sqrt{5}})/22 + 4\sqrt{10}\sqrt{3 - \sqrt{5}})/11 + 21\sqrt{5}/11) - 2213\sqrt{5}/242 - 1381\sqrt{10}\sqrt{3 - \sqrt{5}}/484 + 3045\sqrt{2}\sqrt{3 - \sqrt{5}}/484 + 5217/242)/10 + 2\sqrt{-\sqrt{10}\sqrt{3 - \sqrt{5}}/50 + 3/20}\text{atan}(44x/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})) - 96/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})) - 45\sqrt{2}\sqrt{3 - \sqrt{5}}/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})) + 8\sqrt{10}\sqrt{3 - \sqrt{5}}/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})) + 42\sqrt{5}/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})) + 2\sqrt{-\sqrt{10}\sqrt{\sqrt{5} + 3}}/50 + 3/20)\text{atan}(44x/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15} + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})))$

$$\begin{aligned}
& 10) \cdot \sqrt{\sqrt{5} + 3} + 15) + 3 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} \cdot \sqrt{-2 \cdot \sqrt{10}} \\
& \cdot \sqrt{\sqrt{5} + 3} + 15)) - 96 / (8 \cdot \sqrt{5} \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} \\
& + 15) + 18 \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15) + 3 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} \\
& \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15)) - 42 \cdot \sqrt{5} / (8 \cdot \sqrt{5} \\
& \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15) + 18 \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} \\
& + 15) + 3 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} \\
& + 15)) + 8 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} / (8 \cdot \sqrt{5} \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} \\
& + 15) + 18 \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15) + 3 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} \\
& \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15)) + 45 \cdot \sqrt{2} \\
& \cdot \sqrt{\sqrt{5} + 3} / (8 \cdot \sqrt{5} \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15) + 18 \\
& \cdot \sqrt{-2 \cdot \sqrt{10}} \cdot \sqrt{\sqrt{5} + 3} + 15) + 3 \cdot \sqrt{10} \cdot \sqrt{\sqrt{5} + 3} \cdot \sqrt{-2 \cdot \sqrt{10}} \\
& \cdot \sqrt{\sqrt{5} + 3} + 15))
\end{aligned}$$

$$3.222 \quad \int \frac{1-x}{1-x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1})$$

[Out] $-1/5*(-1)^{(2/5)}*(1-(-1)^{(2/5)})*\ln((-1)^{(2/5)}-x)+1/5*(-1)^{(3/5)}*(1+(-1)^{(3/5)})*\ln(-(-1)^{(3/5)}-x)+1/5*(-1)^{(1/5)}*(1+(-1)^{(1/5)})*\ln((-1)^{(1/5)}+x)-1/5*(-1)^{(4/5)}*(1-(-1)^{(4/5)})*\ln(-(-1)^{(4/5)}+x)$

Rubi [A] time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1586, 2068}

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1})$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^5), x]

[Out] $-((-1)^{(2/5)}*(1 - (-1)^{(2/5)})*\text{Log}[(-1)^{(2/5)} - x])/5 + ((-1)^{(3/5)}*(1 + (-1)^{(3/5)}))*\text{Log}[-(-1)^{(3/5)} - x])/5 + ((-1)^{(1/5)}*(1 + (-1)^{(1/5)}))*\text{Log}[(-1)^{(1/5)} + x])/5 - ((-1)^{(4/5)}*(1 - (-1)^{(4/5)}))*\text{Log}[-(-1)^{(4/5)} + x])/5$

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] :> With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1-x^5} dx &= \int \frac{1}{1+x+x^2+x^3+x^4} dx \\ &= \int \left(\frac{1-(-1)^{4/5}}{5(1+\sqrt[5]{-1}x)} + \frac{1+(-1)^{3/5}}{5(1-(-1)^{2/5}x)} + \frac{1-(-1)^{2/5}}{5(1+(-1)^{3/5}x)} + \frac{1+\sqrt[5]{-1}}{5(1-(-1)^{4/5}x)} \right) dx \\ &= -\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-(-1)^{3/5} - x) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1}) \end{aligned}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 0.43

$$\text{RootSum} \left[\#1^4 + \#1^3 + \#1^2 + \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 + 3\#1^2 + 2\#1 + 1} \& \right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^5), x]

[Out] RootSum[1 + #1 + #1^2 + #1^3 + #1^4 & , Log[x - #1]/(1 + 2*#1 + 3*#1^2 + 4*#1^3) &]

fricas [B] time = 2.77, size = 799, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/10*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})*\log(3/8*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^3 + 1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) + 11*x - 1) - 1/10*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*\log(-3/8*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^3 - (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 + 11*x - 9/2*\sqrt{5} - 9/2*\sqrt{2*\sqrt{5} - 5} + 14) + 1/10*(\sqrt{5} + 5*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*\log(-1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) + 5/4*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*((3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 8*\sqrt{5} - 8*\sqrt{2*\sqrt{5} - 5} + 36) + 22*x + 9/2*\sqrt{5} + 9/2*\sqrt{2*\sqrt{5} - 5} - 2) + 1/10*(\sqrt{5} - 5*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*\log(-1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 5/4*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*((3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 8*\sqrt{5} - 8*\sqrt{2*\sqrt{5} - 5} + 36) + 22*x + 9/2*\sqrt{5} + 9/2*\sqrt{2*\sqrt{5} - 5} - 2) \end{aligned}$$

giac [A] time = 0.18, size = 101, normalized size = 0.93

$$\frac{1}{5} \sqrt{-2\sqrt{5} + 5} \arctan\left(\frac{4x - \sqrt{5} + 1}{\sqrt{2\sqrt{5} + 10}}\right) + \frac{1}{5} \sqrt{2\sqrt{5} + 5} \arctan\left(\frac{4x + \sqrt{5} + 1}{\sqrt{-2\sqrt{5} + 10}}\right) + \frac{1}{10} \sqrt{5} \log\left(x^2 + \frac{1}{2}x(\sqrt{5} + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/5*\sqrt{-2*\sqrt{5} + 5}*\arctan((4*x - \sqrt{5} + 1)/\sqrt{2*\sqrt{5} + 10}) + 1/5*\sqrt{2*\sqrt{5} + 5}*\arctan((4*x + \sqrt{5} + 1)/\sqrt{-2*\sqrt{5} + 10}) \\ & + 1/10*\sqrt{5}*\log(x^2 + 1/2*x*(\sqrt{5} + 1) + 1) - 1/10*\sqrt{5}*\log(x^2 - 1/2*x*(\sqrt{5} - 1) + 1) \end{aligned}$$

maple [B] time = 0.11, size = 169, normalized size = 1.55

$$\frac{\arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5} \arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} - \frac{\sqrt{5} \ln(2x^2 - \sqrt{5}x + 1)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^5+1),x)

[Out] $-1/10*5^{(1/2)}*\ln(-5^{(1/2)}*x+2*x^2+x+2)+1/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1-5^{(1/2)})/(10+2*5^{(1/2)})^{(1/2)})-1/5/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1-5^{(1/2)})/(10+2*5^{(1/2)})^{(1/2)})*5^{(1/2)}+1/10*5^{(1/2)}*\ln(5^{(1/2)}*x+2*x^2+x+2)+1/(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1+5^{(1/2)})/(10-2*5^{(1/2)})^{(1/2)})+1/5/(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1+5^{(1/2)})/(10-2*5^{(1/2)})^{(1/2)})*5^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x-1}{x^5-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="maxima")

[Out] integrate((x - 1)/(x^5 - 1), x)

mupad [B] time = 4.98, size = 65, normalized size = 0.60

$$\sum_{k=1}^4 \ln\left(-\operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right)\left(4x + \operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right)\left(25 \operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right) + 15x + 15\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^5 - 1),x)

[Out] $\operatorname{symsum}(\log(-\operatorname{root}(z^4 + z/25 + 1/125, z, k))*(4*x + \operatorname{root}(z^4 + z/25 + 1/125, z, k)*(25*\operatorname{root}(z^4 + z/25 + 1/125, z, k) + 15*x + 15) + 1))*\operatorname{root}(z^4 + z/25 + 1/125, z, k), k, 1, 4)$

sympy [B] time = 1.28, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x**5+1),x)

[Out] $\sqrt{5}*\log(x**2 + x*(-21*\sqrt{5})/11 - 4*\sqrt{10}*\sqrt{3 - \sqrt{5}})/11 + 45*\sqrt{2}*\sqrt{3 - \sqrt{5}}/22 + 48/11) - 2213*\sqrt{5}/242 - 1381*\sqrt{10}*\sqrt{3 - \sqrt{5}}/484 + 3045*\sqrt{2}*\sqrt{3 - \sqrt{5}}/484 + 5217/242)/10 - \sqrt{5}*\log(x**2 + x*(-45*\sqrt{2}*\sqrt{\sqrt{5} + 3})/22 - 4*\sqrt{10}*\sqrt{\sqrt{5} + 3})/11 + 21*\sqrt{5}/11 + 48/11) - 1381*\sqrt{10}*\sqrt{\sqrt{5} + 3}/484 - 3045*\sqrt{2}*\sqrt{\sqrt{5} + 3}/484 + 2213*\sqrt{5}/242 + 5217/242)/10 + 2*\sqrt{-\sqrt{10}*\sqrt{3 - \sqrt{5}}}/50 + 3/20)*\operatorname{atan}(44*x/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) - 42*\sqrt{5}/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) - 8*\sqrt{10}*\sqrt{3 - \sqrt{5}}/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 45*\sqrt{2}*\sqrt{3 - \sqrt{5}}/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 96/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}}) + 15) + 2*\sqrt{-\sqrt{10}*\sqrt{\sqrt{5} + 3}}/50 + 3/20)*\operatorname{atan}(44*x/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3}}}) + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3}} + 15) + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3}} + 15) - 45*\sqrt{2}*\sqrt{\sqrt{5} + 3})/(8*\sqrt{5}*\sqrt{-2$

$$\begin{aligned}
& * \sqrt{10} \sqrt{\sqrt{5} + 3} + 15) + 18 \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
& + 3 \sqrt{10} \sqrt{\sqrt{5} + 3} \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
&)) - 8 \sqrt{10} \sqrt{\sqrt{5} + 3} / (8 \sqrt{5} \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
& + 18 \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} + 3 \sqrt{10} \sqrt{\sqrt{5} + 3} \\
& \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15})) + 42 \sqrt{5} / (8 \sqrt{5} \\
& \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} + 18 \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
& + 3 \sqrt{10} \sqrt{\sqrt{5} + 3} \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
& \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15})) + 96 / (8 \sqrt{5} \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} \\
& + 18 \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15} + 3 \sqrt{10} \sqrt{\sqrt{5} + 3} \sqrt{-2 \sqrt{10} \sqrt{\sqrt{5} + 3} + 15}))
\end{aligned}$$

$$3.223 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=208

$$\frac{x^{12}(a^2f - abe + b^2d)}{12b^3} - \frac{a^3 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7} + \frac{a^2x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^6(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6}$$

[Out] $1/3a^2(-a^3f+a^2b^3e-a^2b^2d+b^3c)*x^3/b^6-1/6a*(-a^3f+a^2b^3e-a^2b^2d+b^3c)*x^6/b^5+1/9*(-a^3f+a^2b^3e-a^2b^2d+b^3c)*x^9/b^4+1/12*(a^2f-a^2b^2e+b^2d)*x^{12}/b^3+1/15*(-a^3f+b^3e)*x^{15}/b^2+1/18*f*x^{18}/b-1/3*a^3*(-a^3f+a^2b^3e-a^2b^2d+b^3c)*\ln(b*x^3+a)/b^7$

Rubi [A] time = 0.32, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^9(a^2be + a^3(-f) - ab^2d + b^3c)}{9b^4} - \frac{ax^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5} + \frac{a^2x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6} - \frac{a^3 \log(a + bx^3)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] $(a^2*(b^3*c - a*b^2*d + a^2*b^3*e - a^3*f)*x^3)/(3*b^6) - (a*(b^3*c - a*b^2*d + a^2*b^3*e - a^3*f)*x^6)/(6*b^5) + ((b^3*c - a*b^2*d + a^2*b^3*e - a^3*f)*x^9)/(9*b^4) + ((b^2*d - a*b^3*e + a^2*f)*x^{12})/(12*b^3) + ((b^3*e - a*f)*x^{15})/(15*b^2) + (f*x^{18})/(18*b) - (a^3*(b^3*c - a*b^2*d + a^2*b^3*e - a^3*f)*\text{Log}[a + b*x^3])/(3*b^7)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(-\frac{a^2(-b^3c+ab^2d-a^2be+a^3f)}{b^6} + \frac{a(-b^3c+ab^2d-a^2be+a^3f)}{b^5} \right) dx, x, x^3 \right) \\ &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x^3}{3b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^6}{6b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^9}{9b^4} + \frac{(b^2d-ab^3e+a^2f)x^{12}}{12b^3} + \frac{(b^3e-af)x^{15}}{15b^2} + \frac{fx^{18}}{18b} - \frac{a^3 \log(a+bx^3)}{3b^7} \end{aligned}$$

Mathematica [A] time = 0.11, size = 187, normalized size = 0.90

$$\frac{60a^3 \log(a + bx^3)(a^3f - a^2be + ab^2d - b^3c) + bx^3(-60a^5f + 30a^4b(2e + fx^3) - 10a^3b^2(6d + 3ex^3 + 2fx^6) + 5a^2b^3e - 5a^2b^2d + 5a^2b^3e - 5a^3f)}{180b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x¹¹*(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³),x]

[Out] (b*x³*(-60*a⁵*f + 30*a⁴*b*(2*e + f*x³) - 10*a³*b²*(6*d + 3*e*x³ + 2*f*x⁶) + 5*a²*b³*(12*c + 6*d*x³ + 4*e*x⁶ + 3*f*x⁹) + b⁵*x⁶*(20*c + 15*d*x³ + 12*e*x⁶ + 10*f*x⁹) - a*b⁴*x³*(30*c + 20*d*x³ + 15*e*x⁶ + 12*f*x⁹) + 60*a³*(-b³*c) + a*b²*d - a²*b*e + a³*f)*Log[a + b*x³]/(180*b⁷)

fricas [A] time = 0.75, size = 210, normalized size = 1.01

$$\frac{10 b^6 f x^{18} + 12 (b^6 e - a b^5 f) x^{15} + 15 (b^6 d - a b^5 e + a^2 b^4 f) x^{12} + 20 (b^6 c - a b^5 d + a^2 b^4 e - a^3 b^3 f) x^9 - 30 (a b^5 c - a^2 b^4 d + a^3 b^3 e - a^4 b^2 f) x^6 + 60 (a^2 b^4 c - a^3 b^3 d + a^4 b^2 e - a^5 b f) x^3 - 60 (a^3 b^3 c - a^4 b^2 d + a^5 b e - a^6 f) \log(a + b x^3)}{180 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a),x, algorithm="fricas")

[Out] 1/180*(10*b⁶*f*x¹⁸ + 12*(b⁶*e - a*b⁵*f)*x¹⁵ + 15*(b⁶*d - a*b⁵*e + a²*b⁴*f)*x¹² + 20*(b⁶*c - a*b⁵*d + a²*b⁴*e - a³*b³*f)*x⁹ - 30*(a*b⁵*c - a²*b⁴*d + a³*b³*e - a⁴*b²*f)*x⁶ + 60*(a²*b⁴*c - a³*b³*d + a⁴*b²*e - a⁵*b*f)*x³ - 60*(a³*b³*c - a⁴*b²*d + a⁵*b*e - a⁶*f)*log(b*x³ + a)/b⁷

giac [A] time = 0.17, size = 246, normalized size = 1.18

$$\frac{10 b^5 f x^{18} - 12 a b^4 f x^{15} + 12 b^5 x^{15} e + 15 b^5 d x^{12} + 15 a^2 b^3 f x^{12} - 15 a b^4 x^{12} e + 20 b^5 c x^9 - 20 a b^4 d x^9 - 20 a^3 b^2 f x^6 + 60 (a^2 b^4 c - a^3 b^3 d + a^4 b^2 e - a^5 b f) x^3 - 60 (a^3 b^3 c - a^4 b^2 d + a^5 b e - a^6 f) \log(a + b x^3)}{180 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a),x, algorithm="giac")

[Out] 1/180*(10*b⁵*f*x¹⁸ - 12*a*b⁴*f*x¹⁵ + 12*b⁵*x¹⁵*e + 15*b⁵*d*x¹² + 15*a²*b³*f*x¹² - 15*a*b⁴*x¹²*e + 20*b⁵*c*x⁹ - 20*a*b⁴*d*x⁹ - 20*a³*b²*f*x⁹ + 20*a²*b³*x⁹*e - 30*a*b⁴*c*x⁶ + 30*a²*b³*d*x⁶ + 30*a⁴*b*f*x⁶ - 30*a³*b²*x⁶*e + 60*a²*b³*c*x³ - 60*a³*b²*d*x³ - 60*a⁵*f*x³ + 60*a⁴*b*x³*e)/b⁶ - 1/3*(a³*b³*c - a⁴*b²*d - a⁶*f + a⁵*b*e)*log(abs(b*x³ + a))/b⁷

maple [A] time = 0.05, size = 266, normalized size = 1.28

$$\frac{f x^{18}}{18 b} - \frac{a f x^{15}}{15 b^2} + \frac{e x^{15}}{15 b} + \frac{a^2 f x^{12}}{12 b^3} - \frac{a e x^{12}}{12 b^2} + \frac{d x^{12}}{12 b} - \frac{a^3 f x^9}{9 b^4} + \frac{a^2 e x^9}{9 b^3} - \frac{a d x^9}{9 b^2} + \frac{c x^9}{9 b} + \frac{a^4 f x^6}{6 b^5} - \frac{a^3 e x^6}{6 b^4} + \frac{a^2 d x^6}{6 b^3} - \frac{a c x^6}{6 b^2} - \frac{a^5 f x^3}{3 b} + \frac{a^4 e x^3}{3 b} + \frac{a^3 d x^3}{3 b} - \frac{a^2 c x^3}{3 b} - \frac{1}{3} (a^3 b^3 c - a^4 b^2 d - a^6 f + a^5 b e) \log(a + b x^3)}{180 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a),x)

[Out] 1/18*f*x¹⁸/b-1/15/b²*x¹⁵*a*f+1/15/b*x¹⁵*e+1/12/b³*x¹²*a²*f-1/12/b²*x¹²*a*e+1/12/b*x¹²*d-1/9/b⁴*x⁹*a³*f+1/9/b³*x⁹*a²*e-1/9/b²*x⁹*a*d+1/9/b*x⁹*c+1/6/b⁵*x⁶*a⁴*f-1/6/b⁴*x⁶*a³*e+1/6/b³*x⁶*a²*d-1/6/b²*x⁶*a*c-1/3/b⁶*x³*a⁵*f+1/3/b⁵*x³*a⁴*e-1/3/b⁴*x³*a³*d+1/3/b³*x³*a²*c+1/3*a⁶/b⁷*ln(b*x³+a)*f-1/3*a⁵/b⁶*ln(b*x³+a)*e+1/3*a⁴/b⁵*ln(b*x³+a)*d-1/3*a³/b⁴*ln(b*x³+a)*c

maxima [A] time = 1.37, size = 209, normalized size = 1.00

$$\frac{10 b^5 f x^{18} + 12 (b^5 e - a b^4 f) x^{15} + 15 (b^5 d - a b^4 e + a^2 b^3 f) x^{12} + 20 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^9 - 30 (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^6 + 60 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x^3 - 60 (a^3 b^2 c - a^4 b d + a^5 e - a^6 f) \log(a + b x^3)}{180 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a),x, algorithm="maxima")

[Out] 1/180*(10*b⁵*f*x¹⁸ + 12*(b⁵*e - a*b⁴*f)*x¹⁵ + 15*(b⁵*d - a*b⁴*e + a²*b³*f)*x¹² + 20*(b⁵*c - a*b⁴*d + a²*b³*e - a³*b²*f)*x⁹ - 30*(a*b⁴*c - a²*b³*d + a³*b²*e - a⁴*b*f)*x⁶ + 60*(a²*b³*c - a³*b²*d + a⁴*b*e - a⁵*f)*x³)/b⁶ - 1/3*(a³*b³*c - a⁴*b²*d + a⁵*b*e - a⁶*f)*log(b*x³ + a)/b⁷

mupad [B] time = 4.92, size = 237, normalized size = 1.14

$$x^{15} \left(\frac{e}{15b} - \frac{af}{15b^2} \right) + x^{12} \left(\frac{d}{12b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{12b} \right) + x^9 \left(\frac{c}{9b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{9b} \right) + \frac{\ln(bx^3 + a) (fa^6 - ea^5b + da^4b^2 - \dots)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x¹¹*(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³),x)

[Out] x¹⁵*(e/(15*b) - (a*f)/(15*b²)) + x¹²*(d/(12*b) - (a*(e/b - (a*f)/b²))/(12*b)) + x⁹*(c/(9*b) - (a*(d/b - (a*(e/b - (a*f)/b²))/b))/(9*b)) + (log(a + b*x³)*(a⁶*f - a³*b³*c + a⁴*b²*d - a⁵*b*e))/(3*b⁷) + (f*x¹⁸)/(18*b) + (a²*x³*(c/b - (a*(d/b - (a*(e/b - (a*f)/b²))/b))/b))/(3*b²) - (a*x⁶*(c/b - (a*(d/b - (a*(e/b - (a*f)/b²))/b))/b))/(6*b)

sympy [A] time = 1.32, size = 216, normalized size = 1.04

$$\frac{a^3 (a^3 f - a^2 b e + a b^2 d - b^3 c) \log(a + b x^3)}{3 b^7} + x^{15} \left(-\frac{a f}{15 b^2} + \frac{e}{15 b} \right) + x^{12} \left(\frac{a^2 f}{12 b^3} - \frac{a e}{12 b^2} + \frac{d}{12 b} \right) + x^9 \left(-\frac{a^3 f}{9 b^4} + \frac{a^2 e}{9 b^3} - \frac{a d}{9 b^2} + \frac{c}{9 b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)

[Out] a**3*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**7) + x**15*(-a*f/(15*b**2) + e/(15*b)) + x**12*(a**2*f/(12*b**3) - a*e/(12*b**2) + d/(12*b)) + x**9*(-a**3*f/(9*b**4) + a**2*e/(9*b**3) - a*d/(9*b**2) + c/(9*b)) + x**6*(a**4*f/(6*b**5) - a**3*e/(6*b**4) + a**2*d/(6*b**3) - a*c/(6*b**2)) + x**3*(-a**5*f/(3*b**6) + a**4*e/(3*b**5) - a**3*d/(3*b**4) + a**2*c/(3*b**3)) + f*x**18/(18*b)

3.224 $\int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$

Optimal. Leaf size=170

$$\frac{x^9(a^2f - abe + b^2d)}{9b^3} + \frac{a^2 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^2f - abe + b^2d)}{3b^5}$$

[Out] $-1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^3/b^5+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^6/b^4+1/9*(a^2*f-a*b*e+b^2*d)*x^9/b^3+1/12*(-a*f+b*e)*x^{12}/b^2+1/15*f*x^{15}/b+1/3*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/b^6$

Rubi [A] time = 0.24, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4} - \frac{ax^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{a^2 \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $-(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6)/(6*b^4) + ((b^2*d - a*b*e + a^2*f)*x^9)/(9*b^3) + ((b*e - a*f)*x^{12})/(12*b^2) + (f*x^{15})/(15*b) + (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*b^6)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_.)*((a_.) + (b_.)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^2(c+dx+ex^2+fx^3)}{a+bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-b^3c+ab^2d-a^2be+a^3f)}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x}{b^4} \right) dx, x, x^3 \right) \\ &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^3}{3b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^6}{6b^4} + \frac{(b^2d-ab^2e+abf)x^9}{9b^3} \end{aligned}$$

Mathematica [A] time = 0.09, size = 154, normalized size = 0.91

$$\frac{bx^3(60a^4f - 30a^3b(2e + fx^3) + 10a^2b^2(6d + 3ex^3 + 2fx^6) - 5ab^3(12c + 6dx^3 + 4ex^6 + 3fx^9) + b^4x^3(30c + 6dx^3 + 3ex^6 + 3fx^9))}{180b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(60*a^4*f - 30*a^3*b*(2*e + f*x^3) + 10*a^2*b^2*(6*d + 3*e*x^3 + 2*f*x^6) - 5*a*b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9) + b^4*x^3*(30*c + 20*d*x^3 + 15*e*x^6 + 12*f*x^9)) - 60*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(180*b^6)

fricas [A] time = 0.64, size = 170, normalized size = 1.00

$$\frac{12b^5fx^{15} + 15(b^5e - ab^4f)x^{12} + 20(b^5d - ab^4e + a^2b^3f)x^9 + 30(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^6 - 60(ab^4c - a^2b^3d - a^3b^2e + a^4bf)}{180b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/180*(12*b^5*f*x^15 + 15*(b^5*e - a*b^4*f)*x^12 + 20*(b^5*d - a*b^4*e + a^2*b^3*f)*x^9 + 30*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^6 - 60*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^3 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*log(b*x^3 + a))/b^6

giac [A] time = 0.19, size = 197, normalized size = 1.16

$$\frac{12b^4fx^{15} - 15ab^3fx^{12} + 15b^4x^{12}e + 20b^4dx^9 + 20a^2b^2fx^9 - 20ab^3x^9e + 30b^4cx^6 - 30ab^3dx^6 - 30a^3bfx^6 + 30a^4f}{180b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/180*(12*b^4*f*x^15 - 15*a*b^3*f*x^12 + 15*b^4*x^12*e + 20*b^4*d*x^9 + 20*a^2*b^2*f*x^9 - 20*a*b^3*x^9*e + 30*b^4*c*x^6 - 30*a*b^3*d*x^6 - 30*a^3*b*f*x^6 + 30*a^2*b^2*x^6*e - 60*a*b^3*c*x^3 + 60*a^2*b^2*d*x^3 + 60*a^4*f*x^3 - 60*a^3*b*x^3*e)/b^5 + 1/3*(a^2*b^3*c - a^3*b^2*d - a^5*f + a^4*b*e)*log(abs(b*x^3 + a))/b^6

maple [A] time = 0.05, size = 218, normalized size = 1.28

$$\frac{fx^{15}}{15b} - \frac{afx^{12}}{12b^2} + \frac{ex^{12}}{12b} + \frac{a^2fx^9}{9b^3} - \frac{aex^9}{9b^2} + \frac{dx^9}{9b} - \frac{a^3fx^6}{6b^4} + \frac{a^2ex^6}{6b^3} - \frac{adx^6}{6b^2} + \frac{cx^6}{6b} + \frac{a^4fx^3}{3b^5} - \frac{a^3ex^3}{3b^4} + \frac{a^2dx^3}{3b^3} - \frac{acx^3}{3b^2} - \frac{a^5f \ln(bx^3+a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/15*f*x^15/b - 1/12/b^2*x^12*a*f + 1/12/b*x^12*e + 1/9/b^3*x^9*a^2*f - 1/9/b^2*x^9*a*e + 1/9/b*x^9*d - 1/6/b^4*x^6*a^3*f + 1/6/b^3*x^6*a^2*e - 1/6/b^2*x^6*a*d + 1/6/b*x^6*c + 1/3/b^5*x^3*a^4*f - 1/3/b^4*x^3*a^3*e + 1/3/b^3*x^3*a^2*d - 1/3/b^2*x^3*a*c - 1/3*a^5/b^6*ln(b*x^3+a)*f + 1/3*a^4/b^5*ln(b*x^3+a)*e - 1/3*a^3/b^4*ln(b*x^3+a)*d + 1/3*a^2/b^3*ln(b*x^3+a)*c

maxima [A] time = 1.38, size = 169, normalized size = 0.99

$$\frac{12b^4fx^{15} + 15(b^4e - ab^3f)x^{12} + 20(b^4d - ab^3e + a^2b^2f)x^9 + 30(b^4c - ab^3d + a^2b^2e - a^3bf)x^6 - 60(ab^3c - a^2b^2d - a^3be + a^4bf)}{180b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/180*(12*b^4*f*x^15 + 15*(b^4*e - a*b^3*f)*x^12 + 20*(b^4*d - a*b^3*e + a^2*b^2*f)*x^9 + 30*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^6 - 60*(a*b^3*c

$- a^2 b^2 d + a^3 b e - a^4 f) x^3 / b^5 + 1/3 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \log(b x^3 + a) / b^6$

mupad [B] time = 4.96, size = 189, normalized size = 1.11

$$x^{12} \left(\frac{e}{12b} - \frac{af}{12b^2} \right) + x^9 \left(\frac{d}{9b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{9b} \right) + x^6 \left(\frac{c}{6b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{6b} \right) - \frac{\ln(bx^3 + a) (fa^5 - ea^4b + da^3b^2)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] $x^{12} (e/(12*b) - (a*f)/(12*b^2)) + x^9 (d/(9*b) - (a*(e/b - (a*f)/b^2))/(9*b)) + x^6 (c/(6*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(6*b)) - (\log(a + b*x^3) * (a^5*f - a^2*b^3*c + a^3*b^2*d - a^4*b*e))/(3*b^6) + (f*x^{15})/(15*b) - (a*x^3 * (c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(3*b)$

sympy [A] time = 1.35, size = 172, normalized size = 1.01

$$-\frac{a^2 (a^3 f - a^2 b e + a b^2 d - b^3 c) \log(a + b x^3)}{3 b^6} + x^{12} \left(-\frac{a f}{12 b^2} + \frac{e}{12 b} \right) + x^9 \left(\frac{a^2 f}{9 b^3} - \frac{a e}{9 b^2} + \frac{d}{9 b} \right) + x^6 \left(-\frac{a^3 f}{6 b^4} + \frac{a^2 e}{6 b^3} - \frac{a d}{6 b^2} + \frac{c}{6 b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] $-a**2*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*\log(a + b*x**3)/(3*b**6) + x**12*(-a*f/(12*b**2) + e/(12*b)) + x**9*(a**2*f/(9*b**3) - a*e/(9*b**2) + d/(9*b)) + x**6*(-a**3*f/(6*b**4) + a**2*e/(6*b**3) - a*d/(6*b**2) + c/(6*b)) + x**3*(a**4*f/(3*b**5) - a**3*e/(3*b**4) + a**2*d/(3*b**3) - a*c/(3*b**2)) + f*x**15/(15*b)$

$$3.225 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=132

$$\frac{x^6(a^2f - abe + b^2d)}{6b^3} - \frac{a \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^9(be - af)}{9b^2}$$

[Out] 1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^3/b^4+1/6*(a^2*f-a*b*e+b^2*d)*x^6/b^3+1/9*(-a*f+b*e)*x^9/b^2+1/12*f*x^12/b-1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(b*x^3+a)/b^5

Rubi [A] time = 0.18, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} - \frac{a \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^2f - abe + b^2d)}{6b^3} + \frac{x^9(be - af)}{9b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^4) + ((b^2*d - a*b*e + a^2*f)*x^6)/(6*b^3) + ((b*e - a*f)*x^9)/(9*b^2) + (f*x^12)/(12*b) - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m*((a_) + (b_.)*(x_))^(n_)]^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x(c+dx+ex^2+fx^3)}{a+bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - ab^2d + a^2be - a^3f}{b^4} + \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^2}{b^2} + \frac{fx^3}{b} \right) dx, x, x^3 \right) \\ &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^4} + \frac{(b^2d - abe + a^2f)x^6}{6b^3} + \frac{(be - af)x^9}{9b^2} + \frac{fx^{12}}{12b} - \frac{a \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} \end{aligned}$$

Mathematica [A] time = 0.07, size = 119, normalized size = 0.90

$$\frac{12a \log(a + bx^3)(a^3f - a^2be + ab^2d - b^3c) + bx^3(-12a^3f + 6a^2b(2e + fx^3) - 2ab^2(6d + 3ex^3 + 2fx^6) + b^3(12e + fx^3))}{36b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(-12*a^3*f + 6*a^2*b*(2*e + f*x^3) - 2*a*b^2*(6*d + 3*e*x^3 + 2*f*x^6) + b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9)) + 12*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(36*b^5)

fricas [A] time = 0.59, size = 130, normalized size = 0.98

$$\frac{3b^4fx^{12} + 4(b^4e - ab^3f)x^9 + 6(b^4d - ab^3e + a^2b^2f)x^6 + 12(b^4c - ab^3d + a^2b^2e - a^3bf)x^3 - 12(ab^3c - a^2b^2d + a^3f)}{36b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/36*(3*b^4*f*x^12 + 4*(b^4*e - a*b^3*f)*x^9 + 6*(b^4*d - a*b^3*e + a^2*b^2*f)*x^6 + 12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^3 - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(b*x^3 + a))/b^5

giac [A] time = 0.17, size = 148, normalized size = 1.12

$$\frac{3b^3fx^{12} - 4ab^2fx^9 + 4b^3x^9e + 6b^3dx^6 + 6a^2bfx^6 - 6ab^2x^6e + 12b^3cx^3 - 12ab^2dx^3 - 12a^3fx^3 + 12a^2bx^3e}{36b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/36*(3*b^3*f*x^12 - 4*a*b^2*f*x^9 + 4*b^3*x^9*e + 6*b^3*d*x^6 + 6*a^2*b*f*x^6 - 6*a*b^2*x^6*e + 12*b^3*c*x^3 - 12*a*b^2*d*x^3 - 12*a^3*f*x^3 + 12*a^2*b*x^3*e)/b^4 - 1/3*(a*b^3*c - a^2*b^2*d - a^4*f + a^3*b*e)*log(abs(b*x^3 + a))/b^5

maple [A] time = 0.05, size = 170, normalized size = 1.29

$$\frac{fx^{12}}{12b} - \frac{afx^9}{9b^2} + \frac{ex^9}{9b} + \frac{a^2fx^6}{6b^3} - \frac{aex^6}{6b^2} + \frac{dx^6}{6b} - \frac{a^3fx^3}{3b^4} + \frac{a^2ex^3}{3b^3} - \frac{adx^3}{3b^2} + \frac{cx^3}{3b} + \frac{a^4f \ln(bx^3 + a)}{3b^5} - \frac{a^3e \ln(bx^3 + a)}{3b^4} + \frac{a^2b \ln(bx^3 + a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/12*f*x^12/b - 1/9/b^2*x^9*a*f + 1/9/b*x^9*e + 1/6/b^3*x^6*a^2*f - 1/6/b^2*x^6*a*e + 1/6/b*x^6*d - 1/3/b^4*x^3*a^3*f + 1/3/b^3*x^3*a^2*e - 1/3/b^2*x^3*a*d + 1/3/b*x^3*c + 1/3*a^4/b^5*ln(b*x^3+a)*f - 1/3*a^3/b^4*ln(b*x^3+a)*e + 1/3*a^2/b^3*ln(b*x^3+a)*d - 1/3*a/b^2*ln(b*x^3+a)*c

maxima [A] time = 1.37, size = 129, normalized size = 0.98

$$\frac{3b^3fx^{12} + 4(b^3e - ab^2f)x^9 + 6(b^3d - ab^2e + a^2bf)x^6 + 12(b^3c - ab^2d + a^2be - a^3f)x^3 + (ab^3c - a^2b^2d + a^3b^2e)}{36b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/36*(3*b^3*f*x^12 + 4*(b^3*e - a*b^2*f)*x^9 + 6*(b^3*d - a*b^2*e + a^2*b*f)*x^6 + 12*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/b^4 - 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(b*x^3 + a)/b^5

mupad [B] time = 4.93, size = 141, normalized size = 1.07

$$x^9 \left(\frac{e}{9b} - \frac{af}{9b^2} \right) + x^6 \left(\frac{d}{6b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{6b} \right) + x^3 \left(\frac{c}{3b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{3b} \right) + \frac{fx^{12}}{12b} + \frac{\ln(bx^3 + a) (fa^4 - ea^3b + da^2b^2)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] x^9*(e/(9*b) - (a*f)/(9*b^2)) + x^6*(d/(6*b) - (a*(e/b - (a*f)/b^2))/(6*b)) + x^3*(c/(3*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(3*b)) + (f*x^12)/(12*b) + (log(a + b*x^3)*(a^4*f + a^2*b^2*d - a*b^3*c - a^3*b*e))/(3*b^5)

sympy [A] time = 1.05, size = 128, normalized size = 0.97

$$\frac{a(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^5} + x^9 \left(-\frac{af}{9b^2} + \frac{e}{9b} \right) + x^6 \left(\frac{a^2f}{6b^3} - \frac{ae}{6b^2} + \frac{d}{6b} \right) + x^3 \left(-\frac{a^3f}{3b^4} + \frac{a^2e}{3b^3} - \frac{ad}{3b^2} + \frac{c}{3b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] a*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**5) + x**9*(-a*f/(9*b**2) + e/(9*b)) + x**6*(a**2*f/(6*b**3) - a*e/(6*b**2) + d/(6*b)) + x**3*(-a**3*f/(3*b**4) + a**2*e/(3*b**3) - a*d/(3*b**2) + c/(3*b)) + f*x**12/(12*b)

$$3.226 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=96

$$\frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

[Out] 1/3*(a^2*f-a*b*e+b^2*d)*x^3/b^3+1/6*(-a*f+b*e)*x^6/b^2+1/9*f*x^9/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(b*x^3+a)/b^4

Rubi [A] time = 0.14, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$\frac{\log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} + \frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] ((b^2*d - a*b*e + a^2*f)*x^3)/(3*b^3) + ((b*e - a*f)*x^6)/(6*b^2) + (f*x^9)/(9*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{x^2(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{a + bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x}{b^2} + \frac{fx^2}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)} \right) dx, x, x^3 \right) \\ &= \frac{(b^2d - abe + a^2f)x^3}{3b^3} + \frac{(be - af)x^6}{6b^2} + \frac{fx^9}{9b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.05, size = 88, normalized size = 0.92

$$\frac{bx^3(6a^2f - 3ab(2e + fx^3) + b^2(6d + 3ex^3 + 2fx^6)) + 6 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{18b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] $(b*x^3*(6*a^2*f - 3*a*b*(2*e + f*x^3) + b^2*(6*d + 3*e*x^3 + 2*f*x^6)) + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(18*b^4)$

fricas [A] time = 0.74, size = 92, normalized size = 0.96

$$\frac{2b^3fx^9 + 3(b^3e - ab^2f)x^6 + 6(b^3d - ab^2e + a^2bf)x^3 + 6(b^3c - ab^2d + a^2be - a^3f)\log(bx^3 + a)}{18b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")`

[Out] $1/18*(2*b^3*f*x^9 + 3*(b^3*e - a*b^2*f)*x^6 + 6*(b^3*d - a*b^2*e + a^2*b*f)*x^3 + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a))/b^4$

giac [A] time = 0.20, size = 101, normalized size = 1.05

$$\frac{2b^2fx^9 - 3abfx^6 + 3b^2x^6e + 6b^2dx^3 + 6a^2fx^3 - 6abx^3e}{18b^3} + \frac{(b^3c - ab^2d - a^3f + a^2be)\log(|bx^3 + a|)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")`

[Out] $1/18*(2*b^2*f*x^9 - 3*a*b*f*x^6 + 3*b^2*x^6*e + 6*b^2*d*x^3 + 6*a^2*f*x^3 - 6*a*b*x^3*e)/b^3 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/b^4$

maple [A] time = 0.04, size = 124, normalized size = 1.29

$$\frac{fx^9}{9b} - \frac{afx^6}{6b^2} + \frac{ex^6}{6b} + \frac{a^2fx^3}{3b^3} - \frac{aex^3}{3b^2} + \frac{dx^3}{3b} - \frac{a^3f\ln(bx^3 + a)}{3b^4} + \frac{a^2e\ln(bx^3 + a)}{3b^3} - \frac{ad\ln(bx^3 + a)}{3b^2} + \frac{c\ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $1/9/b*f*x^9 - 1/6/b^2*x^6*a*f + 1/6/b*x^6*e + 1/3/b^3*x^3*a^2*f - 1/3/b^2*x^3*a*e + 1/3/b*x^3*d - 1/3/b^4*\ln(b*x^3+a)*a^3*f + 1/3/b^3*\ln(b*x^3+a)*a^2*e - 1/3/b^2*\ln(b*x^3+a)*a*d + 1/3*c*\ln(b*x^3+a)/b$

maxima [A] time = 1.39, size = 91, normalized size = 0.95

$$\frac{2b^2fx^9 + 3(b^2e - abf)x^6 + 6(b^2d - abe + a^2f)x^3}{18b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)\log(bx^3 + a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/18*(2*b^2*f*x^9 + 3*(b^2*e - a*b*f)*x^6 + 6*(b^2*d - a*b*e + a^2*f)*x^3)/b^3 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a)/b^4$

mupad [B] time = 4.83, size = 96, normalized size = 1.00

$$x^6 \left(\frac{e}{6b} - \frac{af}{6b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^4} + \frac{fx^9}{9b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

```
[Out] x^6*(e/(6*b) - (a*f)/(6*b^2)) + x^3*(d/(3*b) - (a*(e/b - (a*f)/b^2))/(3*b))
+ (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^4) + (f*x^9)/(9*b)
```

sympy [A] time = 1.13, size = 88, normalized size = 0.92

$$x^6 \left(-\frac{af}{6b^2} + \frac{e}{6b} \right) + x^3 \left(\frac{a^2f}{3b^3} - \frac{ae}{3b^2} + \frac{d}{3b} \right) + \frac{fx^9}{9b} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)
```

```
[Out] x**6*(-a*f/(6*b**2) + e/(6*b)) + x**3*(a**2*f/(3*b**3) - a*e/(3*b**2) + d/(3*b)) + f*x**9/(9*b) - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**4)
```

$$3.227 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$$

Optimal. Leaf size=80

$$-\frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

[Out] $1/3*(-a*f+b*e)*x^3/b^2+1/6*f*x^6/b+c*\ln(x)/a-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a/b^3$

Rubi [A] time = 0.12, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x]

[Out] $((b*e - a*f)*x^3)/(3*b^2) + (f*x^6)/(6*b) + (c*\text{Log}[x])/a - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a*b^3)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be-af}{b^2} + \frac{c}{ax} + \frac{fx}{b} + \frac{-b^3c+ab^2d-a^2be+a^3f}{ab^2(a+bx)} \right) dx, x, x^3 \right) \\ &= \frac{(be-af)x^3}{3b^2} + \frac{fx^6}{6b} + \frac{c \log(x)}{a} - \frac{(b^3c-ab^2d+a^2be-a^3f) \log(a+bx^3)}{3ab^3} \end{aligned}$$

Mathematica [A] time = 0.04, size = 75, normalized size = 0.94

$$\frac{-2 \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)+abx^3(-2af+2be+bfx^3)+6b^3c \log(x)}{6ab^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x]

[Out] $(a*b*x^3*(2*b*e - 2*a*f + b*f*x^3) + 6*b^3*c*\text{Log}[x] - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(6*a*b^3)$

fricas [A] time = 0.77, size = 80, normalized size = 1.00

$$\frac{ab^2fx^6 + 6b^3c\log(x) + 2(ab^2e - a^2bf)x^3 - 2(b^3c - ab^2d + a^2be - a^3f)\log(bx^3 + a)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="fricas")`

[Out] $1/6*(a*b^2*f*x^6 + 6*b^3*c*\log(x) + 2*(a*b^2*e - a^2*b*f)*x^3 - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a))/(a*b^3)$

giac [A] time = 0.21, size = 79, normalized size = 0.99

$$\frac{c\log(|x|)}{a} + \frac{bfx^6 - 2afx^3 + 2bx^3e}{6b^2} - \frac{(b^3c - ab^2d - a^3f + a^2be)\log(|bx^3 + a|)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="giac")`

[Out] $c*\log(\text{abs}(x))/a + 1/6*(b*f*x^6 - 2*a*f*x^3 + 2*b*x^3*e)/b^2 - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a*b^3)$

maple [A] time = 0.05, size = 97, normalized size = 1.21

$$\frac{fx^6}{6b} - \frac{afx^3}{3b^2} + \frac{ex^3}{3b} + \frac{a^2f\ln(bx^3 + a)}{3b^3} - \frac{ae\ln(bx^3 + a)}{3b^2} + \frac{c\ln(x)}{a} - \frac{c\ln(bx^3 + a)}{3a} + \frac{d\ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x)`

[Out] $1/6*f*x^6/b - 1/3/b^2*x^3*a*f + 1/3*e*x^3/b + 1/3*a^2/b^3*\ln(b*x^3+a)*f - 1/3*a*e*\ln(b*x^3+a)/b^2 + 1/3*d*\ln(b*x^3+a)/b - 1/3*c*\ln(b*x^3+a)/a + c*\ln(x)/a$

maxima [A] time = 1.38, size = 77, normalized size = 0.96

$$\frac{c\log(x^3)}{3a} + \frac{bfx^6 + 2(be - af)x^3}{6b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)\log(bx^3 + a)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/3*c*\log(x^3)/a + 1/6*(b*f*x^6 + 2*(b*e - a*f)*x^3)/b^2 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a)/(a*b^3)$

mupad [B] time = 4.93, size = 76, normalized size = 0.95

$$x^3 \left(\frac{e}{3b} - \frac{af}{3b^2} \right) + \frac{fx^6}{6b} + \frac{c\ln(x)}{a} - \frac{\ln(bx^3 + a)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x)`

[Out] $x^3*(e/(3*b) - (a*f)/(3*b^2)) + (f*x^6)/(6*b) + (c*\log(x))/a - (\log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a*b^3)$

sympy [A] time = 5.26, size = 70, normalized size = 0.88

$$x^3 \left(-\frac{af}{3b^2} + \frac{e}{3b} \right) + \frac{fx^6}{6b} + \frac{c \log(x)}{a} + \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a),x)

[Out] x**3*(-a*f/(3*b**2) + e/(3*b)) + f*x**6/(6*b) + c*log(x)/a + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a*b**3)

$$3.228 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=81

$$-\frac{\log(x)(bc-ad)}{a^2} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^2b^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

[Out] $-1/3*c/a/x^3+1/3*f*x^3/b-(-a*d+b*c)*\ln(x)/a^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^2/b^2$

Rubi [A] time = 0.12, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^2b^2} - \frac{\log(x)(bc-ad)}{a^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)), x]

[Out] $-c/(3*a*x^3) + (f*x^3)/(3*b) - ((b*c - a*d)*\text{Log}[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^2*b^2)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_))^(m_.)*((a_.) + (b_.)*(x_))^(n_.)^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b} + \frac{c}{ax^2} + \frac{-bc+ad}{a^2x} + \frac{b^3c-ab^2d+a^2be-a^3f}{a^2b(a+bx)} \right) dx, x, x^3 \right) \\ &= -\frac{c}{3ax^3} + \frac{fx^3}{3b} - \frac{(bc-ad)\log(x)}{a^2} + \frac{(b^3c-ab^2d+a^2be-a^3f)\log(a+bx^3)}{3a^2b^2} \end{aligned}$$

Mathematica [A] time = 0.05, size = 77, normalized size = 0.95

$$\frac{1}{3} \left(\frac{3 \log(x)(ad-bc)}{a^2} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^2b^2} - \frac{c}{ax^3} + \frac{fx^3}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)), x]

[Out] $(-(c/(a*x^3)) + (f*x^3)/b + (3*(-(b*c) + a*d)*\text{Log}[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(a^2*b^2))/3$

fricas [A] time = 0.77, size = 85, normalized size = 1.05

$$\frac{a^2 b f x^6 + (b^3 c - a b^2 d + a^2 b e - a^3 f) x^3 \log(b x^3 + a) - 3 (b^3 c - a b^2 d) x^3 \log(x) - a b^2 c}{3 a^2 b^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="fricas")`

[Out] $1/3*(a^2*b*f*x^6 + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3*\log(b*x^3 + a) - 3*(b^3*c - a*b^2*d)*x^3*\log(x) - a*b^2*c)/(a^2*b^2*x^3)$

giac [A] time = 0.18, size = 95, normalized size = 1.17

$$\frac{f x^3}{3 b} - \frac{(b c - a d) \log(|x|)}{a^2} + \frac{(b^3 c - a b^2 d - a^3 f + a^2 b e) \log(|b x^3 + a|)}{3 a^2 b^2} + \frac{b c x^3 - a d x^3 - a c}{3 a^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="giac")`

[Out] $1/3*f*x^3/b - (b*c - a*d)*\log(\text{abs}(x))/a^2 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^2*b^2) + 1/3*(b*c*x^3 - a*d*x^3 - a*c)/(a^2*x^3)$

maple [A] time = 0.06, size = 94, normalized size = 1.16

$$\frac{f x^3}{3 b} - \frac{a f \ln(b x^3 + a)}{3 b^2} + \frac{d \ln(x)}{a} - \frac{d \ln(b x^3 + a)}{3 a} - \frac{b c \ln(x)}{a^2} + \frac{b c \ln(b x^3 + a)}{3 a^2} + \frac{e \ln(b x^3 + a)}{3 b} - \frac{c}{3 a x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x)`

[Out] $1/3/b*f*x^3-1/3*a/b^2*\ln(b*x^3+a)*f+1/3*e*\ln(b*x^3+a)/b-1/3*d*\ln(b*x^3+a)/a+1/3/a^2*b*\ln(b*x^3+a)*c-1/3/a*c/x^3+d*\ln(x)/a-1/a^2*\ln(x)*b*c$

maxima [A] time = 1.33, size = 77, normalized size = 0.95

$$\frac{f x^3}{3 b} - \frac{(b c - a d) \log(x^3)}{3 a^2} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log(b x^3 + a)}{3 a^2 b^2} - \frac{c}{3 a x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/3*f*x^3/b - 1/3*(b*c - a*d)*\log(x^3)/a^2 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a)/(a^2*b^2) - 1/3*c/(a*x^3)$

mupad [B] time = 4.97, size = 74, normalized size = 0.91

$$\frac{f x^3}{3 b} - \frac{c}{3 a x^3} + \frac{\ln(x) (a d - b c)}{a^2} + \frac{\ln(b x^3 + a) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x)`

[Out] $(f*x^3)/(3*b) - c/(3*a*x^3) + (\log(x)*(a*d - b*c))/a^2 + (\log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2)$

sympy [A] time = 14.56, size = 70, normalized size = 0.86

$$\frac{fx^3}{3b} - \frac{c}{3ax^3} + \frac{(ad - bc) \log(x)}{a^2} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a),x)

[Out] f*x**3/(3*b) - c/(3*a*x**3) + (a*d - b*c)*log(x)/a**2 - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a**2*b**2)

$$3.229 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$$

Optimal. Leaf size=95

$$\frac{bc-ad}{3a^2x^3} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} - \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b} - \frac{c}{6ax^6}$$

[Out] $-1/6*c/a/x^6+1/3*(-a*d+b*c)/a^2/x^3+(a^2*e-a*b*d+b^2*c)*\ln(x)/a^3-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^3/b$

Rubi [A] time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} + \frac{bc-ad}{3a^2x^3} - \frac{c}{6ax^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)), x]

[Out] $-c/(6*a*x^6) + (b*c - a*d)/(3*a^2*x^3) + ((b^2*c - a*b*d + a^2*e)*\text{Log}[x])/a^3 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^3*b)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^3(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^3} + \frac{-bc+ad}{a^2x^2} + \frac{b^2c-abd+a^2e}{a^3x} + \frac{-b^3c+ab^2d-a^2be+a^3f}{a^3(a+bx)} \right) dx, x \right) \\ &= -\frac{c}{6ax^6} + \frac{bc-ad}{3a^2x^3} + \frac{(b^2c-abd+a^2e)\log(x)}{a^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)\log(a+bx)}{3a^3b} \end{aligned}$$

Mathematica [A] time = 0.08, size = 88, normalized size = 0.93

$$\frac{6 \log(x)(a^2e - abd + b^2c) + \log(a + bx^3) \left(\frac{2a^3f}{b} - 2a^2e + 2abd - 2b^2c \right) - \frac{a(ac+2adx^3-2bcx^3)}{x^6}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x]

[Out] $-\left(\frac{a(a^2c - 2b^2c^2 + 2ad^2)}{x^6} + 6(b^2c - ab^2d + a^2e)\text{Log}[x] + (-2b^2c + 2ab^2d - 2a^2e + (2a^3f)/b)\text{Log}[a + b^3x^3]\right)/(6a^3)$

fricas [A] time = 0.57, size = 101, normalized size = 1.06

$$\frac{2(b^3c - ab^2d + a^2be - a^3f)x^6 \log(bx^3 + a) - 6(b^3c - ab^2d + a^2be)x^6 \log(x) + a^2bc - 2(ab^2c - a^2bd)x^3}{6a^3bx^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="fricas")

[Out] $-1/6*(2*(b^3c - a^2b^2d + a^2b^2e - a^3f)*x^6*\log(b*x^3 + a) - 6*(b^3c - a^2b^2d + a^2b^2e)*x^6*\log(x) + a^2b^2c - 2*(a^2b^2c - a^2b^2d)*x^3)/(a^3*b*x^6)$

giac [A] time = 0.16, size = 126, normalized size = 1.33

$$\frac{(b^2c - abd + a^2e) \log(|x|)}{a^3} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3a^3b} - \frac{3b^2cx^6 - 3abdx^6 + 3a^2x^6e - 2abcx^3 + a^2c}{6a^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="giac")

[Out] $(b^2c - a^2bd + a^2e)*\log(\text{abs}(x))/a^3 - 1/3*(b^3c - a^2b^2d - a^3f + a^2b^2e)*\log(\text{abs}(b*x^3 + a))/(a^3*b) - 1/6*(3*b^2c*x^6 - 3*a*b^2d*x^6 + 3*a^2*x^6*e - 2*a*b^2c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^3*x^6)$

maple [A] time = 0.05, size = 116, normalized size = 1.22

$$\frac{e \ln(x)}{a} - \frac{e \ln(bx^3 + a)}{3a} - \frac{bd \ln(x)}{a^2} + \frac{bd \ln(bx^3 + a)}{3a^2} + \frac{b^2c \ln(x)}{a^3} - \frac{b^2c \ln(bx^3 + a)}{3a^3} + \frac{f \ln(bx^3 + a)}{3b} - \frac{d}{3ax^3} + \frac{bc}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x)

[Out] $1/3/b*\ln(b*x^3+a)*f - 1/3*e*\ln(b*x^3+a)/a + 1/3/a^2*b*\ln(b*x^3+a)*d - 1/3/a^3*b^2*\ln(b*x^3+a)*c - 1/6*c/a/x^6 - 1/3/a/x^3*d + 1/3/a^2/x^3*b*c + e*\ln(x)/a - 1/a^2*\ln(x)*b*d + 1/a^3*\ln(x)*b^2*c$

maxima [A] time = 1.36, size = 93, normalized size = 0.98

$$\frac{(b^2c - abd + a^2e) \log(x^3)}{3a^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^3b} + \frac{2(bc - ad)x^3 - ac}{6a^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="maxima")

[Out] $1/3*(b^2c - a^2bd + a^2e)*\log(x^3)/a^3 - 1/3*(b^3c - a^2b^2d + a^2b^2e - a^3f)*\log(b*x^3 + a)/(a^3*b) + 1/6*(2*(b^2c - a^2d)*x^3 - a^2c)/(a^2*x^6)$

mupad [B] time = 4.99, size = 92, normalized size = 0.97

$$\frac{\ln(x) (e a^2 - d a b + c b^2)}{a^3} - \frac{\frac{c}{6a} + \frac{x^3(ad-bc)}{3a^2}}{x^6} - \frac{\ln(bx^3 + a) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x)`

[Out] $(\log(x)(b^2c + a^2e - a^2bd))/a^3 - (c/(6a) + (x^3(ad - bc))/(3a^2))/x^6 - (\log(a + bx^3)(b^3c - a^3f - a^2bd + a^2be))/(3a^3b)$

sympy [A] time = 74.00, size = 85, normalized size = 0.89

$$\frac{-ac + x^3(-2ad + 2bc)}{6a^2x^6} + \frac{(a^2e - abd + b^2c)\log(x)}{a^3} + \frac{(a^3f - a^2be + ab^2d - b^3c)\log\left(\frac{a}{b} + x^3\right)}{3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a),x)`

[Out] $(-a^3c + x^3(-2ad + 2bc))/(6a^2x^6) + (a^2e - abd + b^2c)\log(x)/a^3 + (a^3f - a^2be + ab^2d - b^3c)\log(a/b + x^3)/(3a^3b)$

$$3.230 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$$

Optimal. Leaf size=128

$$\frac{bc-ad}{6a^2x^6} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^4}$$

[Out] $-1/9*c/a/x^9+1/6*(-a*d+b*c)/a^2/x^6+1/3*(-a^2*e+a*b*d-b^2*c)/a^3/x^3-(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^4+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.16, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^4} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{bc-ad}{6a^2x^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)), x]

[Out] $-c/(9*a*x^9) + (b*c - a*d)/(6*a^2*x^6) - (b^2*c - a*b*d + a^2*e)/(3*a^3*x^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^4 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_))^(n_)^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^4(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^4} + \frac{-bc+ad}{a^2x^3} + \frac{b^2c-abd+a^2e}{a^3x^2} + \frac{-b^3c+ab^2d-a^2be+a^3f}{a^4x} - \frac{b^3c-ab^2d+a^2be-a^3f}{a^4} \log(x) \right) dx, x, x^3 \right) \\ &= -\frac{c}{9ax^9} + \frac{bc-ad}{6a^2x^6} - \frac{b^2c-abd+a^2e}{3a^3x^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)\log(x)}{a^4} + \frac{(b^3c-ab^2d+a^2be-a^3f)}{3a^4} \end{aligned}$$

Mathematica [A] time = 0.09, size = 128, normalized size = 1.00

$$\frac{bc-ad}{6a^2x^6} + \frac{a^2(-e)+abd-b^2c}{3a^3x^3} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^4} + \frac{\log(x)(a^3f-a^2be+ab^2d-b^3c)}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x]

[Out] $-\frac{1}{9} \frac{c}{a x^9} + \frac{b c - a d}{6 a^2 x^6} + \frac{-(b^2 c) + a b d - a^2 e}{3 a^3 x^3} + \frac{(-(b^3 c) + a b^2 d - a^2 b e + a^3 f) \operatorname{Log}[x]}{a^4} + \frac{((b^3 c - a b^2 d + a^2 b e - a^3 f) \operatorname{Log}[a + b x^3])}{3 a^4}$

fricas [A] time = 0.72, size = 127, normalized size = 0.99

$$\frac{6(b^3c - ab^2d + a^2be - a^3f)x^9 \log(bx^3 + a) - 18(b^3c - ab^2d + a^2be - a^3f)x^9 \log(x) - 6(ab^2c - a^2bd + a^3e)x^6 - 2a^3f}{18a^4x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{18} \frac{6(b^3c - a b^2 d + a^2 b e - a^3 f) x^9 \log(b x^3 + a) - 18(b^3c - a b^2 d + a^2 b e - a^3 f) x^9 \log(x) - 6(a b^2 c - a^2 b d + a^3 e) x^6 - 2 a^3 c + 3(a^2 b c - a^3 d) x^3}{a^4 x^9}$

giac [A] time = 0.18, size = 184, normalized size = 1.44

$$-\frac{(b^3c - ab^2d - a^3f + a^2be) \log(|x|)}{a^4} + \frac{(b^4c - ab^3d - a^3bf + a^2b^2e) \log(|bx^3 + a|)}{3a^4b} + \frac{11b^3cx^9 - 11ab^2dx^9 - 11a^3fx^9}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{(b^3c - a b^2 d - a^3 f + a^2 b e) \log(\operatorname{abs}(x))}{a^4} + \frac{1}{3} \frac{(b^4c - a b^3 d - a^3 b f + a^2 b^2 e) \log(\operatorname{abs}(b x^3 + a))}{a^4 b} + \frac{1}{18} \frac{(11 b^3 c x^9 - 11 a b^2 d x^9 - 11 a^3 f x^9 + 11 a^2 b c x^6 - 6 a b^2 c x^6 + 6 a^2 b d x^6 - 6 a^3 x^6 e + 3 a^2 b c x^3 - 3 a^3 d x^3 - 2 a^3 c)}{a^4 x^9}$

maple [A] time = 0.05, size = 161, normalized size = 1.26

$$\frac{f \ln(x)}{a} - \frac{f \ln(bx^3 + a)}{3a} - \frac{be \ln(x)}{a^2} + \frac{be \ln(bx^3 + a)}{3a^2} + \frac{b^2 d \ln(x)}{a^3} - \frac{b^2 d \ln(bx^3 + a)}{3a^3} - \frac{b^3 c \ln(x)}{a^4} + \frac{b^3 c \ln(bx^3 + a)}{3a^4} - \frac{e}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x)

[Out] $-\frac{1}{3} \frac{f \ln(b x^3 + a)}{a \ln(b x^3 + a)} + \frac{1}{3} \frac{f}{a^2 \ln(b x^3 + a)} + \frac{b e - 1/3 a^3 \ln(b x^3 + a) b^2 d + 1/3 a^4 \ln(b x^3 + a) b^3 c - 1/9 a c/x^9 - 1/6 a/x^6 d + 1/6 a^2/x^6 b c - 1/3 a/x^3 e + 1/3 a^2/x^3 b d - 1/3 a^3/x^3 b^2 c + 1/a \ln(x) f - 1/a^2 \ln(x) b e + 1/a^3 \ln(x) b^2 d - 1/a^4 \ln(x) b^3 c}{a^4 \ln(x)}$

maxima [A] time = 1.36, size = 125, normalized size = 0.98

$$\frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^4} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(x^3)}{3a^4} - \frac{6(b^2c - abd + a^2e)x^6 - 3(abc - a^2d)}{18a^3x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3} \frac{(b^3c - a b^2 d + a^2 b e - a^3 f) \log(b x^3 + a)}{a^4} - \frac{1}{3} \frac{(b^3c - a b^2 d + a^2 b e - a^3 f) \log(x^3)}{a^4} - \frac{1}{18} \frac{6(b^2c - a b d + a^2 e) x^6 - 3(a b c - a^2 d)}{a^3 x^9}$

mupad [B] time = 5.02, size = 123, normalized size = 0.96

$$\frac{\ln(bx^3 + a) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^4} - \frac{\frac{c}{9a} + \frac{x^3(ad-bc)}{6a^2} + \frac{x^6(ea^2-dab+cb^2)}{3a^3}}{x^9} - \frac{\ln(x) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x)
```

```
[Out] (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^4) - (c/(9*a) + (x^3*(a*d - b*c))/(6*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(3*a^3))/x^9 - (log(x)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^4
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.231 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$$

Optimal. Leaf size=164

$$\frac{bc-ad}{9a^2x^9} - \frac{a^2e-abd+b^2c}{6a^3x^6} - \frac{b \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^5} +$$

[Out] $-1/12*c/a/x^{12}+1/9*(-a*d+b*c)/a^2/x^9+1/6*(-a^2*e+a*b*d-b^2*c)/a^3/x^6+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^3+b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^5-1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.18, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4x^3} - \frac{b \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

[Out] $-c/(12*a*x^{12}) + (b*c - a*d)/(9*a^2*x^9) - (b^2*c - a*b*d + a^2*e)/(6*a^3*x^6) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^5 - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^5)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_) + (b_.)*(x_))^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^5(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^5} + \frac{-bc+ad}{a^2x^4} + \frac{b^2c-abd+a^2e}{a^3x^3} + \frac{-b^3c+ab^2d-a^2be+a^3f}{a^4x^2} - \frac{b(-}{a^5x} \right) dx, x, x^3 \right) \\ &= -\frac{c}{12ax^{12}} + \frac{bc-ad}{9a^2x^9} - \frac{b^2c-abd+a^2e}{6a^3x^6} + \frac{b^3c-ab^2d+a^2be-a^3f}{3a^4x^3} + \frac{b(b^3c-ab^2d+a^2be-a^3f)}{a^5} \ln(a+bx^3) \end{aligned}$$

Mathematica [A] time = 0.09, size = 164, normalized size = 1.00

$$\frac{-a^4(3c+4dx^3+6ex^6+12fx^9)+2a^3bx^3(2c+3dx^3+6ex^6)-6a^2b^2x^6(c+2dx^3)+36bx^{12}\log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{36a^5x^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)),x]

[Out] (12*a*b^3*c*x^9 - 6*a^2*b^2*x^6*(c + 2*d*x^3) + 2*a^3*b*x^3*(2*c + 3*d*x^3 + 6*e*x^6) - a^4*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + 36*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[x] - 12*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[a + b*x^3])/(36*a^5*x^12)

fricas [A] time = 0.91, size = 168, normalized size = 1.02

$$\frac{12(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(bx^3 + a) - 36(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(x) - 12(ab^3c - a^2b^2d + a^3be - a^4f)x^{12} \log(a + bx^3)}{36a^5x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="fricas")

[Out] -1/36*(12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(b*x^3 + a) - 36*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(x) - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 6*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 3*a^4*c - 4*(a^3*b*c - a^4*d)*x^3)/(a^5*x^12)

giac [A] time = 0.17, size = 235, normalized size = 1.43

$$\frac{(b^4c - ab^3d - a^3bf + a^2b^2e) \log(|x|)}{a^5} - \frac{(b^5c - ab^4d - a^3b^2f + a^2b^3e) \log(|bx^3 + a|)}{3a^5b} - \frac{25b^4cx^{12} - 25ab^3dx^{12} - 25a^4ex^{12}}{3a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="giac")

[Out] (b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*log(abs(x))/a^5 - 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*log(abs(b*x^3 + a))/(a^5*b) - 1/36*(25*b^4*c*x^12 - 25*a*b^3*d*x^12 - 25*a^3*b*f*x^12 + 25*a^2*b^2*e*x^12 - 12*a*b^3*c*x^9 + 12*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 12*a^3*b*x^9*e + 6*a^2*b^2*c*x^6 - 6*a^3*b*d*x^6 + 6*a^4*x^6*e - 4*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^5*x^12)

maple [A] time = 0.06, size = 210, normalized size = 1.28

$$\frac{bf \ln(x)}{a^2} + \frac{bf \ln(bx^3 + a)}{3a^2} + \frac{b^2e \ln(x)}{a^3} - \frac{b^2e \ln(bx^3 + a)}{3a^3} - \frac{b^3d \ln(x)}{a^4} + \frac{b^3d \ln(bx^3 + a)}{3a^4} + \frac{b^4c \ln(x)}{a^5} - \frac{b^4c \ln(bx^3 + a)}{3a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x)

[Out] 1/3*b/a^2*ln(b*x^3+a)*f-1/3*b^2/a^3*ln(b*x^3+a)*e+1/3*b^3/a^4*ln(b*x^3+a)*d-1/3*b^4/a^5*ln(b*x^3+a)*c-1/12*c/a/x^12-1/9/a/x^9*d+1/9/a^2/x^9*b*c-1/6/a/x^6*e+1/6/a^2/x^6*b*d-1/6/a^3/x^6*b^2*c-1/3/a/x^3*f+1/3/a^2/x^3*b*e-1/3/a^3/x^3*b^2*d+1/3/a^4/x^3*b^3*c-1/a^2*b*ln(x)*f+1/a^3*b^2*ln(x)*e-1/a^4*b^3*ln(x)*d+1/a^5*b^4*ln(x)*c

maxima [A] time = 1.36, size = 166, normalized size = 1.01

$$\frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log(bx^3 + a)}{3a^5} + \frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log(x^3)}{3a^5} + \frac{12(b^3c - ab^2d + a^2be - a^3f)}{3a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(b*x^3 + a)/a^5 + 1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(x^3)/a^5 + 1/36*(12*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 6*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 3*a^3*c + 4*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{12})$

mupad [B] time = 5.07, size = 161, normalized size = 0.98

$$\frac{\ln(x) \left(-f a^3 b + e a^2 b^2 - d a b^3 + c b^4 \right)}{a^5} - \frac{\ln(b x^3 + a) \left(-f a^3 b + e a^2 b^2 - d a b^3 + c b^4 \right)}{3 a^5} - \frac{c}{12 a} - \frac{x^9 \left(-f a^3 + e a^2 b - d a b^2 + c b^3 \right)}{3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)),x)`

[Out] $(\log(x)*(b^4*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/a^5 - (\log(a + b*x^3)*(b^4*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/(3*a^5) - (c/(12*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^4) + (x^3*(a*d - b*c))/(9*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(6*a^3))/x^{12}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a),x)`

[Out] Timed out

$$3.232 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$$

Optimal. Leaf size=205

$$\frac{bc-ad}{12a^2x^{12}} - \frac{a^2e-abd+b^2c}{9a^3x^9} + \frac{b^2 \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^6} - \frac{b^2 \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^6}$$

[Out] $-1/15*c/a/x^{15}+1/12*(-a*d+b*c)/a^2/x^{12}+1/9*(-a^2*e+a*b*d-b^2*c)/a^3/x^9+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^6-1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^3-b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^6+1/3*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.21, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5x^3} + \frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^4x^6} + \frac{b^2 \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x]

[Out] $-c/(15*a*x^{15}) + (b*c - a*d)/(12*a^2*x^{12}) - (b^2*c - a*b*d + a^2*e)/(9*a^3*x^9) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*x^6) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*x^3) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^6 + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^6)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^6(a+bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^6} + \frac{-bc+ad}{a^2x^5} + \frac{b^2c-abd+a^2e}{a^3x^4} + \frac{-b^3c+ab^2d-a^2be+a^3f}{a^4x^3} - \frac{b^4c-ab^3d+a^2b^2e-a^3f}{a^5x^2} \right) dx, x, x^3 \right) \\ &= -\frac{c}{15ax^{15}} + \frac{bc-ad}{12a^2x^{12}} - \frac{b^2c-abd+a^2e}{9a^3x^9} + \frac{b^3c-ab^2d+a^2be-a^3f}{6a^4x^6} - \frac{b(b^3c-ab^2d+a^2be-a^3f)}{3a^5} \end{aligned}$$

Mathematica [A] time = 0.24, size = 194, normalized size = 0.95

$$-\frac{60b^2 \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)+180b^2 \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)+\frac{a(a^4(12c+15d))}{180a^6}}{180a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x]

[Out]
$$-1/180*((a*(60*b^4*c*x^{12} - 30*a*b^3*x^9*(c + 2*d*x^3) + 10*a^2*b^2*x^6*(2*c + 3*d*x^3 + 6*e*x^6) - 5*a^3*b*x^3*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^4*(12*c + 15*d*x^3 + 20*e*x^6 + 30*f*x^9)))/x^{15} + 180*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x] - 60*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/a^6$$

fricas [A] time = 0.95, size = 210, normalized size = 1.02

$$\frac{60(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(bx^3 + a) - 180(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(x) - 60(ab^4c - a^2b^3d + a^2b^3e - a^3b^2f)}{180}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="fricas")

[Out]
$$1/180*(60*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^{15}*\log(b*x^3 + a) - 180*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^{15}*\log(x) - 60*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^{12} + 30*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^9 - 20*(a^3*b^2*c - a^4*b*d + a^5*e)*x^6 - 12*a^5*c + 15*(a^4*b*c - a^5*d)*x^3)/(a^6*x^{15})$$

giac [A] time = 0.17, size = 287, normalized size = 1.40

$$-\frac{(b^5c - ab^4d - a^3b^2f + a^2b^3e) \log(|x|)}{a^6} + \frac{(b^6c - ab^5d - a^3b^3f + a^2b^4e) \log(|bx^3 + a|)}{3a^6b} + \frac{137b^5cx^{15} - 137ab^4dx^{15}}{3a^6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="giac")

[Out]
$$-(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*\log(\text{abs}(x))/a^6 + 1/3*(b^6*c - a*b^5*d - a^3*b^3*f + a^2*b^4*e)*\log(\text{abs}(b*x^3 + a))/(a^6*b) + 1/180*(137*b^5*c*x^{15} - 137*a*b^4*d*x^{15} - 137*a^3*b^2*f*x^{15} + 137*a^2*b^3*x^{15}*e - 60*a*b^4*c*x^{12} + 60*a^2*b^3*d*x^{12} + 60*a^4*b*f*x^{12} - 60*a^3*b^2*x^{12}*e + 30*a^2*b^3*c*x^9 - 30*a^3*b^2*d*x^9 - 30*a^5*f*x^9 + 30*a^4*b*x^9*e - 20*a^3*b^2*c*x^6 + 20*a^4*b*d*x^6 - 20*a^5*x^6*e + 15*a^4*b*c*x^3 - 15*a^5*d*x^3 - 12*a^5*c)/(a^6*x^{15})$$

maple [A] time = 0.05, size = 260, normalized size = 1.27

$$\frac{b^2f \ln(x)}{a^3} - \frac{b^2f \ln(bx^3 + a)}{3a^3} - \frac{b^3e \ln(x)}{a^4} + \frac{b^3e \ln(bx^3 + a)}{3a^4} + \frac{b^4d \ln(x)}{a^5} - \frac{b^4d \ln(bx^3 + a)}{3a^5} - \frac{b^5c \ln(x)}{a^6} + \frac{b^5c \ln(bx^3 + a)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x)

[Out]
$$-1/3*b^2/a^3*\ln(b*x^3+a)*f+1/3*b^3/a^4*\ln(b*x^3+a)*e-1/3*b^4/a^5*\ln(b*x^3+a)*d+1/3*b^5/a^6*\ln(b*x^3+a)*c-1/15*c/a/x^{15}-1/12/a/x^{12}*d+1/12/a^2/x^{12}*b*c-1/9/a/x^9*e+1/9/a^2/x^9*b*d-1/9/a^3/x^9*b^2*c-1/6/a/x^6*f+1/6/a^2/x^6*b*e-1/6/a^3/x^6*b^2*d+1/6/a^4/x^6*b^3*c+1/a^3*b^2*\ln(x)*f-1/a^4*b^3*\ln(x)*e+1/a^5*b^4*\ln(x)*d-1/a^6*b^5*\ln(x)*c+1/3/a^2*b/x^3*f-1/3/a^3*b^2/x^3*e+1/3/a^4*b^3/x^3*d-1/3/a^5*b^4/x^3*c$$

maxima [A] time = 1.41, size = 208, normalized size = 1.01

$$\frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(bx^3 + a)}{3a^6} - \frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(x^3)}{3a^6} - \frac{60(b^4c - ab^3d + a^2b^2e - a^3b^2f)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(bx^3 + a) / a^6 - \frac{1}{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(x^3) / a^6 - \frac{1}{180}(60(b^4c - ab^3d + a^2b^2e - a^3bf) x^{12} - 30(ab^3c - a^2b^2d + a^3be - a^4f) x^9 + 20(a^2b^2c - a^3bd + a^4e) x^6 + 12a^4c - 15(a^3bc - a^4d) x^3) / (a^5x^{15})$

mupad [B] time = 0.26, size = 200, normalized size = 0.98

$$\frac{\ln(bx^3 + a) (-fa^3b^2 + ea^2b^3 - dab^4 + cb^5)}{3a^6} - \frac{c}{15a} - \frac{x^9(-fa^3 + ea^2b - dab^2 + cb^3)}{6a^4} + \frac{x^3(ad - bc)}{12a^2} + \frac{x^6(ea^2 - dab + cb^2)}{9a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x)

[Out] $(\log(a + bx^3)(b^5c + a^2b^3e - a^3b^2f - ab^4d)) / (3a^6) - (c / (15a) - (x^9(b^3c - a^3f - ab^2d + a^2be)) / (6a^4) + (x^3(ad - bc)) / (12a^2) + (x^6(b^2c + a^2e - abd)) / (9a^3) + (bx^{12}(b^3c - a^3f - ab^2d + a^2be)) / (3a^5)) / x^{15} - (\log(x)(b^5c + a^2b^3e - a^3b^2f - ab^4d)) / a^6$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**16/(b*x**3+a),x)

[Out] Timed out

$$3.233 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=348

$$\frac{x^{10}(a^2f - abe + b^2d)}{10b^3} + \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{b^6} - \frac{ax^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^5} + \frac{x^7(a^3(-f) + a^2be - ab^2d + b^3c)}{7b^4}$$

[Out] $a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^6-1/4*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^4/b^5+1/7*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^7/b^4+1/10*(a^2*f-a*b*e+b^2*d)*x^{10}/b^3+1/13*(-a*f+b*e)*x^{13}/b^2+1/16*f*x^{16}/b-1/3*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(19/3)}+1/6*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(19/3)}+1/3*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 348, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^7(a^2be + a^3(-f) - ab^2d + b^3c)}{7b^4} - \frac{ax^4(a^2be + a^3(-f) - ab^2d + b^3c)}{4b^5} + \frac{a^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $(a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^6 - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^7)/(7*b^4) + ((b^2*d - a*b*e + a^2*f)*x^{10})/(10*b^3) + ((b*e - a*f)*x^{13})/(13*b^2) + (f*x^{16})/(16*b) + (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*b^{(19/3)}) - (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*b^{(19/3)}) + (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*b^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]]

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*(d_ + (e_)*(x_)^(n_)]^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{16}}{16b} + \frac{\int \frac{x^9(16bc+16bdx^3+16(be-af)x^6)}{a+bx^3} dx}{16b} \\ &= \frac{fx^{16}}{16b} + \frac{\int \left(\frac{16a^2(b^3c-ab^2d+a^2be-a^3f)}{b^5} - \frac{16a(b^3c-ab^2d+a^2be-a^3f)x^3}{b^4} + \frac{16(b^3c-ab^2d+a^2be-a^3f)}{b^3} \right) dx}{16b} \\ &= \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{b^6} - \frac{a (b^3c - ab^2d + a^2be - a^3f) x^4}{4b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^7}{7b^3} \\ &= \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{b^6} - \frac{a (b^3c - ab^2d + a^2be - a^3f) x^4}{4b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^7}{7b^3} \\ &= \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{b^6} - \frac{a (b^3c - ab^2d + a^2be - a^3f) x^4}{4b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^7}{7b^3} \\ &= \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{b^6} - \frac{a (b^3c - ab^2d + a^2be - a^3f) x^4}{4b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^7}{7b^3} \end{aligned}$$

Mathematica [A] time = 0.09, size = 351, normalized size = 1.01

$$\frac{x^{10} (a^2 f - a b e + b^2 d)}{10 b^3} - \frac{a^2 x (a^3 f - a^2 b e + a b^2 d - b^3 c)}{b^6} + \frac{a x^4 (a^3 f - a^2 b e + a b^2 d - b^3 c)}{4 b^5} + \frac{x^7 (a^3 (-f) + a^2 b e - a b^2 d)}{7 b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] $-\left(\frac{a^2(-b^3c) + a^2b^2d - a^2b^2e + a^3f}{b^6} + \frac{a(-b^3c) + a^2b^2d - a^2b^2e + a^3f}{4b^5} + \frac{(b^3c - a^2b^2d + a^2b^2e - a^3f)x^7}{7b^4} + \frac{(b^2d - a^2b^2e + a^2f)x^{10}}{10b^3} + \frac{(b^2e - a^2f)x^{13}}{13b^2} + \frac{f x^{16}}{16b} + \frac{a^{7/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f}{\sqrt{3}b^{19/3}} \operatorname{ArcTan}\left[\frac{-a^{1/3} + 2b^{1/3}x}{\sqrt{3}a^{1/3}}\right] + \frac{a^{7/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f}{3b^{19/3}} \operatorname{Log}[a^{1/3} + b^{1/3}x] - \frac{a^{7/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f}{6b^{19/3}} \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]\right)$

fricas [A] time = 0.64, size = 342, normalized size = 0.98

$$1365 b^5 f x^{16} + 1680 (b^5 e - a b^4 f) x^{13} + 2184 (b^5 d - a b^4 e + a^2 b^3 f) x^{10} + 3120 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^7 - 5460 (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^4 - 7280 \sqrt{3} (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{arctan}\left(\frac{1}{3} \sqrt{3} \frac{2 \sqrt{3} b x + (a/b)^{1/3}}{(a/b)^{2/3} - \sqrt{3} a}\right) + 3640 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{log}(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) - 7280 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{log}(x + (a/b)^{1/3}) + 21840 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x / b^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{21840} (1365 b^5 f x^{16} + 1680 (b^5 e - a b^4 f) x^{13} + 2184 (b^5 d - a b^4 e + a^2 b^3 f) x^{10} + 3120 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^7 - 5460 (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^4 - 7280 \sqrt{3} (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{arctan}\left(\frac{1}{3} \sqrt{3} \frac{2 \sqrt{3} b x + (a/b)^{1/3}}{(a/b)^{2/3} - \sqrt{3} a}\right) + 3640 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{log}(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) - 7280 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \operatorname{log}(x + (a/b)^{1/3}) + 21840 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x) / b^6$

giac [A] time = 0.18, size = 454, normalized size = 1.30

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} a^2 b^3 c - (-ab^2)^{\frac{1}{3}} a^3 b^2 d - (-ab^2)^{\frac{1}{3}} a^5 f + (-ab^2)^{\frac{1}{3}} a^4 b e \right) \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b^7} \left((-ab^2)^{\frac{1}{3}} a^2 b^3 c - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3} \sqrt{3} \left((-a^2 b^2)^{1/3} a^2 b^3 c - (-a^2 b^2)^{1/3} a^3 b^2 d - (-a^2 b^2)^{1/3} a^5 f + (-a^2 b^2)^{1/3} a^4 b e \right) \operatorname{arctan}\left(\frac{1}{3} \sqrt{3} \frac{2x + (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) / b^7 - \frac{1}{6} \left((-a^2 b^2)^{1/3} a^2 b^3 c - (-a^2 b^2)^{1/3} a^3 b^2 d - (-a^2 b^2)^{1/3} a^5 f + (-a^2 b^2)^{1/3} a^4 b e \right) \operatorname{log}(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / b^7 + \frac{1}{3} (a^3 b^{13} c - a^4 b^{12} d - a^6 b^{10} f + a^5 b^{11} e) (-a/b)^{1/3} \operatorname{log}(\operatorname{abs}(x - (-a/b)^{1/3})) / (a b^{16}) + \frac{1}{7280} (455 b^{15} f x^{16} - 560 a b^{14} f x^{13} + 560 b^{15} x^{13} e + 728 b^{15} d x^{10} + 728 a^2 b^{13} f x^{10} - 728 a b^{14} x^{10} e + 1040 b^{15} c x^7 - 1040 a b^{14} d x^7 - 1040 a^3 b^{12} f x^7 + 1040 a^2 b^{13} x^7 e - 1820 a b^{14} c x^4 + 1820 a^2 b^{13} d x^4 + 1820 a^4 b^{11} f x^4 - 1820 a^3 b^{12} x^4 e + 7280 a^2 b^{13} c x - 7280 a^3 b^{12} d x - 7280 a^5 b^{10} f x + 7280 a^4 b^{11} x e) / b^{16}$

maple [A] time = 0.05, size = 592, normalized size = 1.70

$$\frac{f x^{16}}{16b} - \frac{af x^{13}}{13b^2} + \frac{e x^{13}}{13b} + \frac{a^2 f x^{10}}{10b^3} - \frac{ae x^{10}}{10b^2} + \frac{d x^{10}}{10b} - \frac{a^3 f x^7}{7b^4} + \frac{a^2 e x^7}{7b^3} - \frac{ad x^7}{7b^2} + \frac{c x^7}{7b} + \frac{a^4 f x^4}{4b^5} - \frac{a^3 e x^4}{4b^4} + \frac{a^2 d x^4}{4b^3} - \frac{ac x^4}{4b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)

[Out] $\frac{1}{3} a^6 b^7 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * f - 1/3 a^5 b^6 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * e + 1/3 a^4 b^5 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * d - 1/3 a^3 b^4 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * c - 1/10 / b^2 x^{10} a e - 1/b^4 a^3 d x - 1/13 b^2 x^{13} a f + 1/10 b^3 x^{10} a^2 f + 1/b^5 a^4 e x + 1/4 b^3 x^4 a^2 d - 1/4 b^2 x^4 a c - 1/b^6 a^5 f x + 1/4 b^5 x^4 a^4 f - 1/4 b^4 x^4 a^3 e - 1/7 b^2 x^7 a d + 1/b^3 a^2 c x - 1/7 b^4 x^7 a^3 f + 1/7 b^3 x^7 a^2 e + 1/3 a^6 b^7 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) * f + 1/3 a^4 b^5 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) * d - 1/3 a^3 b^4 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) * c - 1/6 a^6 b^7 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) * f - 1/3 a^5 b^6 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) * e + 1/6 a^5 b^6 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) * e - 1/6 a^4 b^5 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) * d + 1/6 a^3 b^4 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) * c + 1/7 b x^7 c + 1/13 b x^{13} e + 1/10 b x^{10} d + 1/16 f x^{16} / b$

maxima [A] time = 3.01, size = 351, normalized size = 1.01

$$\frac{455 b^5 f x^{16} + 560 (b^5 e - a b^4 f) x^{13} + 728 (b^5 d - a b^4 e + a^2 b^3 f) x^{10} + 1040 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^7 - 1820 a^2 b^3 f x^4 + 7280 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x}{7280 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $\frac{1}{7280} (455 b^5 f x^{16} + 560 (b^5 e - a b^4 f) x^{13} + 728 (b^5 d - a b^4 e + a^2 b^3 f) x^{10} + 1040 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^7 - 1820 (a^2 b^3 f) x^4 + 7280 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x) / b^6 - \frac{1}{3} \sqrt{3} (a^3 b^3 c - a^4 b^2 d + a^5 b e - a^6 f) \arctan(1/3 \sqrt{3} (2 x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (b^7 (a/b)^{(2/3)}) + \frac{1}{6} (a^3 b^3 c - a^4 b^2 d + a^5 b e - a^6 f) \log(x^2 - x (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^7 (a/b)^{(2/3)}) - \frac{1}{3} (a^3 b^3 c - a^4 b^2 d + a^5 b e - a^6 f) \log(x + (a/b)^{(1/3)}) / (b^7 (a/b)^{(2/3)})$

mupad [B] time = 0.31, size = 358, normalized size = 1.03

$$x^{13} \left(\frac{e}{13b} - \frac{af}{13b^2} \right) + x^{10} \left(\frac{d}{10b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{10b} \right) + x^7 \left(\frac{c}{7b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{7b} \right) + \frac{f x^{16}}{16b} - \frac{a^{7/3} \ln(b^{1/3} x + a^{1/3}) (-f a)}{3 b^{19}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^{13}*(e/(13*b) - (a*f)/(13*b^2)) + x^{10}*(d/(10*b) - (a*(e/b - (a*f)/b^2))/(10*b)) + x^7*(c/(7*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(7*b)) + (f*x^{16})/(16*b) - (a^{7/3}*\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3}) + (a^2*x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/b^2 - (a*x^4*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(4*b) - (a^{7/3}*\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3}) + (a^{7/3}*\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3})$

sympy [A] time = 4.35, size = 469, normalized size = 1.35

$$x^{13} \left(-\frac{af}{13b^2} + \frac{e}{13b} \right) + x^{10} \left(\frac{a^2f}{10b^3} - \frac{ae}{10b^2} + \frac{d}{10b} \right) + x^7 \left(-\frac{a^3f}{7b^4} + \frac{a^2e}{7b^3} - \frac{ad}{7b^2} + \frac{c}{7b} \right) + x^4 \left(\frac{a^4f}{4b^5} - \frac{a^3e}{4b^4} + \frac{a^2d}{4b^3} - \frac{ac}{4b^2} \right) + x \left(-\frac{a^5f}{3b^6} + \frac{a^4e}{3b^5} - \frac{a^3d}{3b^4} + \frac{a^2c}{3b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

[Out] $x^{13}*(-a*f/(13*b**2) + e/(13*b)) + x^{10}*(a**2*f/(10*b**3) - a*e/(10*b**2) + d/(10*b)) + x^7*(-a**3*f/(7*b**4) + a**2*e/(7*b**3) - a*d/(7*b**2) + c/(7*b)) + x^4*(a**4*f/(4*b**5) - a**3*e/(4*b**4) + a**2*d/(4*b**3) - a*c/(4*b**2)) + x*(-a**5*f/b**6 + a**4*e/b**5 - a**3*d/b**4 + a**2*c/b**3) + \text{Root Sum}(27*_t**3*b**19 - a**16*f**3 + 3*a**15*b**e*f**2 - 3*a**14*b**2*d*f**2 - 3*a**14*b**2*e**2*f + 3*a**13*b**3*c*f**2 + 6*a**13*b**3*d*e*f + a**13*b**3*e**3 - 6*a**12*b**4*c*e*f - 3*a**12*b**4*d**2*f - 3*a**12*b**4*d*e**2 + 6*a**11*b**5*c*d*f + 3*a**11*b**5*c*e**2 + 3*a**11*b**5*d**2*e - 3*a**10*b**6*c**2*f - 6*a**10*b**6*c*d*e - a**10*b**6*d**3 + 3*a**9*b**7*c**2*e + 3*a**9*b**7*c*d**2 - 3*a**8*b**8*c**2*d + a**7*b**9*c**3, \text{Lambda}(_t, _t*\log(3*_t*b**6/(a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c) + x))) + f*x**16/(16*b)$

$$3.234 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=316

$$\frac{x^8(a^2f - abe + b^2d)}{8b^3} - \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^5} + \frac{x^5(a^3(-f) + a^2be - ab^2d + b^3c)}{5b^4} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a})}{6b^{17/3}}$$

[Out] $-1/2*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^5+1/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^5/b^4+1/8*(a^2*f-a*b*e+b^2*d)*x^8/b^3+1/11*(-a*f+b*e)*x^{11}/b^2+1/14*f*x^{14}/b-1/3*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(17/3)}+1/6*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(17/3)}-1/3*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^5(a^2be + a^3(-f) - ab^2d + b^3c)}{5b^4} - \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^5} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + b^3c)}{6b^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $-(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + ((b*e - a*f)*x^{11})/(11*b^2) + (f*x^{14})/(14*b) - (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*b^{(17/3)}) - (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (3*b^{(17/3)}) + (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*b^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*(
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx = \frac{fx^{14}}{14b} + \frac{\int \frac{x^7(14bc + 14bdx^3 + 14(be - af)x^6)}{a + bx^3} dx}{14b}$$

$$= \frac{fx^{14}}{14b} + \frac{\int \left(-\frac{14a(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{14(b^3c - ab^2d + a^2be - a^3f)x^4}{b^3} + \frac{14(b^2d - abe + a^2f)x^7}{b^2} + \frac{14(b^2d - abe + a^2f)x^{10}}{b} \right) dx}{14b}$$

$$= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^5}{5b^4} + \frac{(b^2d - abe + a^2f)x^8}{8b^3} + \frac{(b^2d - abe + a^2f)x^{11}}{11b^2}$$

$$= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^5}{5b^4} + \frac{(b^2d - abe + a^2f)x^8}{8b^3} + \frac{(b^2d - abe + a^2f)x^{11}}{11b^2}$$

$$= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^5}{5b^4} + \frac{(b^2d - abe + a^2f)x^8}{8b^3} + \frac{(b^2d - abe + a^2f)x^{11}}{11b^2}$$

$$= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^5}{5b^4} + \frac{(b^2d - abe + a^2f)x^8}{8b^3} + \frac{(b^2d - abe + a^2f)x^{11}}{11b^2}$$

Mathematica [A] time = 0.11, size = 311, normalized size = 0.98

$$\frac{x^8 (a^2 f - a b e + b^2 d)}{8 b^3} + \frac{a x^2 (a^3 f - a^2 b e + a b^2 d - b^3 c)}{2 b^5} + \frac{x^5 (a^3 (-f) + a^2 b e - a b^2 d + b^3 c)}{5 b^4} - \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b})}{3 b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + ((b*e - a*f)*x^11)/(11*b^2) + (f*x^14)/(14*b) + (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b^(17/3)) + (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(17/3)) - (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(17/3))

fricas [A] time = 0.60, size = 321, normalized size = 1.02

$$660 b^4 f x^{14} + 840 (b^4 e - a b^3 f) x^{11} + 1155 (b^4 d - a b^3 e + a^2 b^2 f) x^8 + 1848 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^5 - 4620 a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/9240*(660*b^4*f*x^14 + 840*(b^4*e - a*b^3*f)*x^11 + 1155*(b^4*d - a*b^3*e + a^2*b^2*f)*x^8 + 1848*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^5 - 4620*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2 + 3080*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a^2/b^2)^(1/3) - sqrt(3)*a)/a) + 1540*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*log(a*x^2 - b*x*(a^2/b^2)^(2/3) + a*(a^2/b^2)^(1/3)) - 3080*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*log(a*x + b*(a^2/b^2)^(2/3)))/b^5

giac [A] time = 0.18, size = 441, normalized size = 1.40

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} ab^3c - (-ab^2)^{\frac{2}{3}} a^2b^2d - (-ab^2)^{\frac{2}{3}} a^4f + (-ab^2)^{\frac{2}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^7} + \frac{\left((-ab^2)^{\frac{2}{3}} ab^3c - \right)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(2/3)*a*b^3*c - (-a*b^2)^(2/3)*a^2*b^2*d - (-a*b^2)^(2/3)*a^4*f + (-a*b^2)^(2/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/b^7 + 1/6*((-a*b^2)^(2/3)*a*b^3*c - (-a*b^2)^(2/3)*a^2*b^2*d - (-a*b^2)^(2/3)*a^4*f + (-a*b^2)^(2/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 - 1/3*(a^2*b^12*c*(-a/b)^(1/3) - a^3*b^11*d*(-a/b)^(1/3) - a^5*b^9*f*(-a/b)^(1/3) + a^4*b^10*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^14) + 1/3080*(220*b^13*f*x^14 - 280*a*b^12*f*x^11 + 280*b^13*x^11*e + 385*b^13*d*x^8 + 385*a^2*b^11*f*x^8 - 385*a*b^12*x^8*e + 616*b^13*c*x^5 - 616*a*b^12*d*x^5 - 616*a^3*b^10*f*x^5 + 616*a^2*b^11*x^5

$5e - 1540ab^{12}cx^2 + 1540a^2b^{11}dx^2 + 1540a^4b^9fx^2 - 1540a^3b^{10}x^2e)/b^{14}$

maple [B] time = 0.05, size = 554, normalized size = 1.75

$\sqrt{3} a^5 f a$

$$\frac{fx^{14}}{14b} - \frac{afx^{11}}{11b^2} + \frac{ex^{11}}{11b} + \frac{a^2fx^8}{8b^3} - \frac{aex^8}{8b^2} + \frac{dx^8}{8b} - \frac{a^3fx^5}{5b^4} + \frac{a^2ex^5}{5b^3} - \frac{adx^5}{5b^2} + \frac{cx^5}{5b} + \frac{a^4fx^2}{2b^5} - \frac{a^3ex^2}{2b^4} + \frac{a^2dx^2}{2b^3} - \frac{acx^2}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)`

[Out]
$$-1/3a^5/b^63^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*f - 1/3a^3/b^43^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*d + 1/3a^2/b^33^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*c + 1/3a^4/b^53^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*e - 1/5/b^4x^5a^3f - 1/11/b^2x^{11}af - 1/5/b^2x^5ad + 1/5/b^3x^5a^2e + 1/8/b^3x^8a^2f - 1/8/b^2x^8ae - 1/2/b^4x^2a^3e + 1/2/b^3x^2a^2d + 1/2/b^5x^2a^4f - 1/2/b^2x^2ac + 1/6a^4/b^5/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) * e - 1/6a^3/b^4/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) * d + 1/6a^2/b^3/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) * c + 1/3a^5/b^6/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) * f - 1/3a^4/b^5/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) * e + 1/3a^3/b^4/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) * d - 1/3a^2/b^3/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) * c - 1/6a^5/b^6/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) * f + 1/11/bx^{11}e + 1/8/bx^8d + 1/5/bx^5c + 1/14fx^{14}/b$$

maxima [A] time = 2.95, size = 313, normalized size = 0.99

$$\frac{\sqrt{3}(a^2b^3c - a^3b^2d + a^4be - a^5f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{220b^4fx^{14} + 280(b^4e - ab^3f)x^{11} + 385(b^4d - ab^3e + a^2b^2f)x^8 + 616(b^4c - ab^3d + a^2b^2e - a^3b^2f)x^5 - 1540(a^2b^3c - a^2b^2d + a^3b^2e - a^4f)x^2}{b^5} + \frac{1}{6}(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \log\left(\frac{x^2 - x(a/b)^{1/3} + (a/b)^{2/3}}{(b^6(a/b)^{1/3})}\right) - \frac{1}{3}(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \log\left(\frac{x + (a/b)^{1/3}}{(b^6(a/b)^{1/3})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")`

[Out]
$$1/3\sqrt{3}(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \arctan(1/3\sqrt{3}(2x - (a/b)^{1/3})/(b^6(a/b)^{1/3})) + 1/3080(220b^4fx^{14} + 280(b^4e - ab^3f)x^{11} + 385(b^4d - ab^3e + a^2b^2f)x^8 + 616(b^4c - ab^3d + a^2b^2e - a^3b^2f)x^5 - 1540(a^2b^3c - a^2b^2d + a^3b^2e - a^4f)x^2)/b^5 + 1/6(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \log\left(\frac{x^2 - x(a/b)^{1/3} + (a/b)^{2/3}}{(b^6(a/b)^{1/3})}\right) - 1/3(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \log\left(\frac{x + (a/b)^{1/3}}{(b^6(a/b)^{1/3})}\right)$$

mupad [B] time = 5.16, size = 313, normalized size = 0.99

$$x^{11} \left(\frac{e}{11b} - \frac{af}{11b^2} \right) + x^8 \left(\frac{d}{8b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{8b} \right) + x^5 \left(\frac{c}{5b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{5b} \right) + \frac{fx^{14}}{14b} - \frac{a^{5/3} \ln(b^{1/3}x + a^{1/3}) (-fa^3 + e)}{3b^{17/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^{11} \frac{e}{11b} - \frac{af}{11b^2} + x^8 \frac{d}{8b} - \frac{a(e/b - (af/b^2))}{8b} + x^5 \frac{c}{5b} - \frac{a(d/b - (a(e/b - (af/b^2))/b))}{5b} + \frac{f x^{14}}{(14b)} - \frac{a^{5/3} \log(b^{1/3} x + a^{1/3}) (b^3 c - a^3 f - a b^2 d + a^2 b e)}{(3 b^{17/3})} - \frac{a x^2 (c/b - (a(d/b - (a(e/b - (af/b^2))/b))/b))}{2b} + \frac{a^{5/3} \log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3}) ((3^{1/2} i)/2 + 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e)}{(3 b^{17/3})} - \frac{a^{5/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3}) ((3^{1/2} i)/2 - 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e)}{(3 b^{17/3})}$

sympy [A] time = 4.06, size = 513, normalized size = 1.62

$$x^{11} \left(-\frac{af}{11b^2} + \frac{e}{11b} \right) + x^8 \left(\frac{a^2 f}{8b^3} - \frac{ae}{8b^2} + \frac{d}{8b} \right) + x^5 \left(-\frac{a^3 f}{5b^4} + \frac{a^2 e}{5b^3} - \frac{ad}{5b^2} + \frac{c}{5b} \right) + x^2 \left(\frac{a^4 f}{2b^5} - \frac{a^3 e}{2b^4} + \frac{a^2 d}{2b^3} - \frac{ac}{2b^2} \right) + \text{RootSum} \left(27 _t^3 b^{17} - a^{14} f^3 + 3 a^{13} b e f^2 - 3 a^{12} b^2 d f^2 - 3 a^{12} b^2 e^2 f + 3 a^{11} b^3 c f^2 + 6 a^{11} b^3 d e f + a^{11} b^3 e^3 - 6 a^{10} b^4 c e f - 3 a^{10} b^4 d^2 f - 3 a^{10} b^4 d e^2 + 6 a^9 b^5 c d f + 3 a^9 b^5 c e^2 + 3 a^9 b^5 d^2 e - 3 a^8 b^6 c^2 f - 6 a^8 b^6 c d e - a^8 b^6 d^3 + 3 a^7 b^7 c^2 e + 3 a^7 b^7 c d^2 - 3 a^6 b^8 c^2 d + a^5 b^9 c^3, \text{Lambda}(_t, _t \log(9 _t^2 b^{11} / (a^9 f^2 - 2 a^8 b e f + 2 a^7 b^2 d f + a^7 b^2 e^2 - 2 a^6 b^3 c f - 2 a^6 b^3 d e + 2 a^5 b^4 c e + a^5 b^4 d^2 - 2 a^4 b^5 c d + a^3 b^6 c^2) + x)) \right) + f x^{14} / (14 b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

[Out] $x^{11} (-af/(11b^2) + e/(11b)) + x^8 (a^2 f/(8b^3) - ae/(8b^2) + d/(8b)) + x^5 (-a^3 f/(5b^4) + a^2 e/(5b^3) - ad/(5b^2) + c/(5b)) + x^2 (a^4 f/(2b^5) - a^3 e/(2b^4) + a^2 d/(2b^3) - ac/(2b^2)) + \text{RootSum}(27 _t^3 b^{17} - a^{14} f^3 + 3 a^{13} b e f^2 - 3 a^{12} b^2 d f^2 - 3 a^{12} b^2 e^2 f + 3 a^{11} b^3 c f^2 + 6 a^{11} b^3 d e f + a^{11} b^3 e^3 - 6 a^{10} b^4 c e f - 3 a^{10} b^4 d^2 f - 3 a^{10} b^4 d e^2 + 6 a^9 b^5 c d f + 3 a^9 b^5 c e^2 + 3 a^9 b^5 d^2 e - 3 a^8 b^6 c^2 f - 6 a^8 b^6 c d e - a^8 b^6 d^3 + 3 a^7 b^7 c^2 e + 3 a^7 b^7 c d^2 - 3 a^6 b^8 c^2 d + a^5 b^9 c^3, \text{Lambda}(_t, _t \log(9 _t^2 b^{11} / (a^9 f^2 - 2 a^8 b e f + 2 a^7 b^2 d f + a^7 b^2 e^2 - 2 a^6 b^3 c f - 2 a^6 b^3 d e + 2 a^5 b^4 c e + a^5 b^4 d^2 - 2 a^4 b^5 c d + a^3 b^6 c^2) + x)) + f x^{14} / (14 b)$

$$3.235 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=312

$$\frac{x^7(a^2f - abe + b^2d)}{7b^3} - \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{b^5} + \frac{x^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b})}{b^{16/3}}$$

[Out] $-a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^5+1/4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^4/b^4+1/7*(a^2*f-a*b*e+b^2*d)*x^7/b^3+1/10*(-a*f+b*e)*x^{10}/b^2+1/13*f*x^{13}/b+1/3*a^{4/3}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/b^{16/3}-1/6*a^{4/3}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/b^{16/3}-1/3*a^{4/3}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/b^{16/3}*3^{1/2}$

Rubi [A] time = 0.30, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(a^2be + a^3(-f) - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6b^{16/3}} (a^2be + a^3(-f) - ab^2d + b^3c) - \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $-((a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^{10})/(10*b^2) + (f*x^{13})/(13*b) - (a^{4/3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{1/3} - 2*b^{1/3}*x]/(\text{Sqrt}[3]*a^{1/3}))/(\text{Sqrt}[3]*b^{16/3}) + (a^{4/3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(3*b^{16/3}) - (a^{4/3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(6*b^{16/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁻¹, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁻¹, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁻¹, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁻¹, x_Symbol] := With[{q = 1 - 4*c/b}, Simplify[(a*c)/b^2], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^6(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{13}}{13b} + \frac{\int \frac{x^6(13bc + 13bdx^3 + 13(be - af)x^6)}{a + bx^3} dx}{13b} \\
 &= \frac{fx^{13}}{13b} + \frac{\int \left(-\frac{13a(b^3c - ab^2d + a^2be - a^3f)}{b^4} + \frac{13(b^3c - ab^2d + a^2be - a^3f)x^3}{b^3} + \frac{13(b^2d - abe + a^2f)x^6}{b^2} \right) dx}{13b} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 306, normalized size = 0.98

$$\frac{x^7 (a^2 f - a b e + b^2 d)}{7 b^3} + \frac{a x (a^3 f - a^2 b e + a b^2 d - b^3 c)}{b^5} + \frac{x^4 (a^3 (-f) + a^2 b e - a b^2 d + b^3 c)}{4 b^4} + \frac{a^{4/3} \log (a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + \dots)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/b^5 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^10)/(10*b^2) + (f*x^13)/(13*b) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b^(16/3)) - (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(16/3)) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(16/3))

fricas [A] time = 0.72, size = 304, normalized size = 0.97

$$420 b^4 f x^{13} + 546 (b^4 e - a b^3 f) x^{10} + 780 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 1365 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^4 - 1820 \sqrt{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/5460*(420*b^4*f*x^13 + 546*(b^4*e - a*b^3*f)*x^10 + 780*(b^4*d - a*b^3*e + a^2*b^2*f)*x^7 + 1365*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^4 - 1820*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x)/b^5

giac [A] time = 0.18, size = 401, normalized size = 1.29

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ab^3c - (-ab^2)^{\frac{1}{3}} a^2b^2d - (-ab^2)^{\frac{1}{3}} a^4f + (-ab^2)^{\frac{1}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^6} + \frac{\left((-ab^2)^{\frac{1}{3}} ab^3c - (-ab^2)^{\frac{1}{3}} a^2b^2d - (-ab^2)^{\frac{1}{3}} a^4f + (-ab^2)^{\frac{1}{3}} a^3be \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{b^6} - \frac{1}{6} \frac{\left((-ab^2)^{\frac{1}{3}} ab^3c - (-ab^2)^{\frac{1}{3}} a^2b^2d - (-ab^2)^{\frac{1}{3}} a^4f + (-ab^2)^{\frac{1}{3}} a^3be \right) \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{b^6} + \frac{1}{1820} \frac{\left(140b^{12}fx^13 - 182a^2b^{11}fx^{10} + 182b^{12}x^{10}e + 260b^{12}dx^7 + 260a^2b^{10}fx^7 - 260ab^{11}x^7e + 455b^{12}cx^4 - 455ab^{11}dx^4 - 455a^3b^9fx^4 + 455a^2b^{10}x^4e - 1820ab^{11}cx + 1820a^2b^{10}dx + 1820a^4b^8fx - 1820a^3b^9xe \right)}{b^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 + 1/6*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 - 1/3*(a^2*b^11*c - a^3*b^10*d - a^5*b^8*f + a^4*b^9*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^13) + 1/1820*(140*b^12*f*x^13 - 182*a*b^11*f*x^10 + 182*b^12*x^10*e + 260*b^12*d*x^7 + 260*a^2*b^10*f*x^7 - 260*a*b^11*x^7*e + 455*b^12*c*x^4 - 455*a*b^11*d*x^4 - 455*a^3*b^9*f*x^4 + 455*a^2*b^10*x^4*e - 1820*a*b^11*c*x + 1820*a^2*b^10*d*x + 1820*a^4*b^8*f*x - 1820*a^3*b^9*x*e)/b^13

maple [B] time = 0.04, size = 544, normalized size = 1.74

$$\frac{fx^{13}}{13b} - \frac{afx^{10}}{10b^2} + \frac{ex^{10}}{10b} + \frac{a^2fx^7}{7b^3} - \frac{aex^7}{7b^2} + \frac{dx^7}{7b} - \frac{a^3fx^4}{4b^4} + \frac{a^2ex^4}{4b^3} - \frac{adx^4}{4b^2} + \frac{cx^4}{4b} - \frac{\sqrt{3} a^5 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\frac{a}{b}} - 1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^6} - \frac{a^5 f \ln\left(\frac{2x}{\frac{a}{b}} - 1\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)

[Out] $-1/3*a^5/b^6/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - 1/3*a^3/b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + 1/3*a^2/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c + 1/3*a^4/b^5/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 1/7/b^2*x^7*a*e - 1/4/b^4*x^4*a^3*f - 1/b^4*a^3*e*x + 1/b^3*a^2*d*x - 1/b^2*a*c*x + 1/b^5*a^4*f*x + 1/4/b^3*x^4*a^2*e - 1/4/b^2*x^4*a*d - 1/10/b^2*x^10*a*f + 1/7/b^3*x^7*a^2*f - 1/3*a^5/b^6/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f - 1/6*a^2/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c - 1/3*a^3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d + 1/3*a^2/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c + 1/6*a^5/b^6/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f + 1/3*a^4/b^5/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e - 1/6*a^4/b^5/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e + 1/6*a^3/b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d + 1/10/b*x^10*e + 1/7/b*x^7*d + 1/4/b*x^4*c + 1/13*f*x^13/b$

maxima [A] time = 2.97, size = 311, normalized size = 1.00

$$\frac{140b^4fx^{13} + 182(b^4e - ab^3f)x^{10} + 260(b^4d - ab^3e + a^2b^2f)x^7 + 455(b^4c - ab^3d + a^2b^2e - a^3bf)x^4 - 1820(a^5f \arctan(\frac{\sqrt{3}(2x/b - 1)}{3}))}{1820b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $1/1820*(140*b^4*f*x^{13} + 182*(b^4*e - a*b^3*f)*x^{10} + 260*(b^4*d - a*b^3*e + a^2*b^2*f)*x^7 + 455*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^4 - 1820*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x)/b^5 + 1/3*\sqrt{3}*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)}) - 1/6*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(2/3)}) + 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)})$

mupad [B] time = 5.19, size = 311, normalized size = 1.00

$$x^{10} \left(\frac{e}{10b} - \frac{af}{10b^2} \right) + x^7 \left(\frac{d}{7b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{7b} \right) + x^4 \left(\frac{c}{4b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{4b} \right) + \frac{fx^{13}}{13b} + \frac{a^{4/3} \ln(b^{1/3}x + a^{1/3}) (-fa^3)}{3b^{16/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^{10}*(e/(10*b) - (a*f)/(10*b^2)) + x^7*(d/(7*b) - (a*(e/b - (a*f)/b^2))/(7*b)) + x^4*(c/(4*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(4*b)) + (f*x^{13})/(13*b) + (a^{4/3}*\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{16/3}) - (a*x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b) + (a^{4/3}*\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{16/3}) - (a^{4/3}*\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{16/3})$

sympy [A] time = 3.24, size = 423, normalized size = 1.36

$$x^{10} \left(-\frac{af}{10b^2} + \frac{e}{10b} \right) + x^7 \left(\frac{a^2f}{7b^3} - \frac{ae}{7b^2} + \frac{d}{7b} \right) + x^4 \left(-\frac{a^3f}{4b^4} + \frac{a^2e}{4b^3} - \frac{ad}{4b^2} + \frac{c}{4b} \right) + x \left(\frac{a^4f}{b^5} - \frac{a^3e}{b^4} + \frac{a^2d}{b^3} - \frac{ac}{b^2} \right) + \text{RootSum}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

[Out] $x^{10}*(-a*f/(10*b**2) + e/(10*b)) + x^7*(a**2*f/(7*b**3) - a*e/(7*b**2) + d/(7*b)) + x^4*(-a**3*f/(4*b**4) + a**2*e/(4*b**3) - a*d/(4*b**2) + c/(4*b)) + x*(a**4*f/b**5 - a**3*e/b**4 + a**2*d/b**3 - a*c/b**2) + \text{RootSum}(27*_t**3*b**16 + a**13*f**3 - 3*a**12*b*e*f**2 + 3*a**11*b**2*d*f**2 + 3*a**11*b**2*e**2*f - 3*a**10*b**3*c*f**2 - 6*a**10*b**3*d*e*f - a**10*b**3*e**3 + 6*a**9*b**4*c*e*f + 3*a**9*b**4*d**2*f + 3*a**9*b**4*d*e**2 - 6*a**8*b**5*c*d*f - 3*a**8*b**5*c*e**2 - 3*a**8*b**5*d**2*e + 3*a**7*b**6*c**2*f + 6*a**7*b**6*c*d*e + a**7*b**6*d**3 - 3*a**6*b**7*c**2*e - 3*a**6*b**7*c*d**2 + 3*a**5*b**8*c**2*d - a**4*b**9*c**3, \text{Lambda}(_t, _t*\log(-3*_t*b**5/(a**4*f - a**3*b*e + a**2*b**2*d - a*b**3*c) + x))) + f*x**13/(13*b)$

$$3.236 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=279

$$\frac{x^5(a^2f - abe + b^2d)}{5b^3} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^{14/3}}$$

[Out] $1/2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^4+1/5*(a^2*f-a*b*e+b^2*d)*x^5/b^3+1/8*(-a*f+b*e)*x^8/b^2+1/11*f*x^11/b+1/3*a^(2/3)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^(1/3)+b^(1/3)*x)/b^(14/3)-1/6*a^(2/3)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/b^(14/3)+1/3*a^(2/3)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/b^(14/3)*3^(1/2)$

Rubi [A] time = 0.27, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{14/3}} + \frac{a^{2/3} \log(\sqrt[3]{a^2be + a^3(-f) - ab^2d + b^3c})}{6b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^4) + ((b^2*d - a*b*e + a^2*f)*x^5)/(5*b^3) + ((b*e - a*f)*x^8)/(8*b^2) + (f*x^11)/(11*b) + (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]) / (\text{Sqrt}[3]*b^(14/3)) + (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^(1/3) + b^(1/3)*x]) / (3*b^(14/3)) - (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]) / (6*b^(14/3))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_.)*(
(d_) + (e_.)*(x_)^(n_.))^q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx = \frac{fx^{11}}{11b} + \frac{\int \frac{x^4 (11bc + 11bdx^3 + 11(be-af)x^6)}{a+bx^3} dx}{11b}$$

$$= \frac{fx^{11}}{11b} + \frac{\int \left(\frac{11(b^3c - ab^2d + a^2be - a^3f)x}{b^3} + \frac{11(b^2d - abe + a^2f)x^4}{b^2} + \frac{11(be-af)x^7}{b} + \frac{11(-ab^3c + a^2b^2d - a^3f)}{b^3(a+bx^3)} \right) dx}{11b}$$

$$= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} - \frac{\int \frac{11(-ab^3c + a^2b^2d - a^3f)}{b^3(a+bx^3)} dx}{11b}$$

$$= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{\int \frac{11(-ab^3c + a^2b^2d - a^3f)}{b^3(a+bx^3)} dx}{11b}$$

$$= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{a \int \frac{11(-ab^3c + a^2b^2d - a^3f)}{b^3(a+bx^3)} dx}{11b}$$

$$= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{a \int \frac{11(-ab^3c + a^2b^2d - a^3f)}{b^3(a+bx^3)} dx}{11b}$$

Mathematica [A] time = 0.12, size = 266, normalized size = 0.95

$$264b^{5/3}x^5(a^2f - abe + b^2d) + 660b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c) - 440a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (660*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 + 264*b^(5/3)*(b^2*d - a*b*e + a^2*f)*x^5 + 165*b^(8/3)*(b*e - a*f)*x^8 + 120*b^(11/3)*f*x^11 - 440*sqrt(3)*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] - 440*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1320*b^(14/3))

fricas [A] time = 0.69, size = 281, normalized size = 1.01

$$120b^3fx^{11} + 165(b^3e - ab^2f)x^8 + 264(b^3d - ab^2e + a^2bf)x^5 + 660(b^3c - ab^2d + a^2be - a^3f)x^2 - 440\sqrt{3}(b^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/1320*(120*b^3*f*x^11 + 165*(b^3*e - a*b^2*f)*x^8 + 264*(b^3*d - a*b^2*e + a^2*b*f)*x^5 + 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 - 440*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(2/3)))/b^4

giac [A] time = 0.18, size = 386, normalized size = 1.38

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^3c - (-ab^2)^{\frac{2}{3}} ab^2d - (-ab^2)^{\frac{2}{3}} a^3f + (-ab^2)^{\frac{2}{3}} a^2be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^6} \left((-ab^2)^{\frac{2}{3}} b^3c - (-ab^2)^{\frac{2}{3}} ab^2d - (-ab^2)^{\frac{2}{3}} a^3f + (-ab^2)^{\frac{2}{3}} a^2be \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 - 1/6*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 + 1/3*(a*b^10*c*(-a/b)^(1/3) - a^2*b^9*d*(-a/b)^(1/3) - a^4*b^7*f*(-a/b)^(1/3) + a^3*b^8*e*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^11) + 1/440*(40*b^10*f*x^11 - 55*a*b^9*f*x^8 + 55*b^10*x^8*e + 88*b^10*d*x^5 + 88*a^2*b^8*f*x^5 - 88*a*b^9*x^5*e + 220*b^10*c*x^2 - 220*a*b^9*d*x^2 - 220*a^3*b^7*f*x^2 + 220*a^2*b^8*x^2*e)/b^11

maple [B] time = 0.05, size = 502, normalized size = 1.80

$$\frac{f x^{11}}{11b} - \frac{a f x^8}{8b^2} + \frac{e x^8}{8b} + \frac{a^2 f x^5}{5b^3} - \frac{a e x^5}{5b^2} + \frac{d x^5}{5b} - \frac{a^3 f x^2}{2b^4} + \frac{a^2 e x^2}{2b^3} - \frac{a d x^2}{2b^2} + \frac{c x^2}{2b} + \frac{\sqrt{3} a^4 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^5} - \frac{a^4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/11/b*f*x^11-1/8/b^2*x^8*a*f+1/8/b*x^8*e+1/5/b^3*x^5*a^2*f-1/5/b^2*x^5*a*e+1/5/b*x^5*d-1/2/b^4*x^2*a^3*f+1/2/b^3*x^2*a^2*e-1/2/b^2*x^2*a*d+1/2/b*x^2*c-1/3*a^4/b^5/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+1/3*a^3/b^4/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-1/3*a^2/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/3*a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/6*a^4/b^5/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6*a^3/b^4/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/6*a^2/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/6*a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3*a^4/b^5*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3*a^3/b^4*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3*a^2/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3*a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c

maxima [A] time = 3.02, size = 269, normalized size = 0.96

$$\frac{\sqrt{3}(ab^3c - a^2b^2d + a^3be - a^4f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^5\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40b^3fx^{11} + 55(b^3e - ab^2f)x^8 + 88(b^3d - ab^2e + a^2bf)}{440b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^5*(a/b)^(1/3)) + 1/440*(40*b^3*f*x^11 + 55*(b^3*e - a*b^2*f)*x^8 + 88*(b^3*d - a*b^2*e + a^2*b*f)*x^5 + 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/b^4 - 1/6*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^5*(a/b)^(1/3)) + 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(x + (a/b)^(1/3))/(b^5*(a/b)^(1/3))

mupad [B] time = 5.15, size = 267, normalized size = 0.96

$$x^8\left(\frac{e}{8b} - \frac{af}{8b^2}\right) + x^5\left(\frac{d}{5b} - \frac{a\left(\frac{e}{b} - \frac{af}{b^2}\right)}{5b}\right) + x^2\left(\frac{c}{2b} - \frac{a\left(\frac{d}{b} - \frac{a\left(\frac{e}{b} - \frac{af}{b^2}\right)}{b}\right)}{2b}\right) + \frac{fx^{11}}{11b} + \frac{a^{2/3} \ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2)}{3b^{14/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] x^8*(e/(8*b) - (a*f)/(8*b^2)) + x^5*(d/(5*b) - (a*(e/b - (a*f)/b^2))/(5*b)) + x^2*(c/(2*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(2*b)) + (f*x^11)/(11

$$\begin{aligned} & *b) + (a^{2/3} \log(b^{1/3}x + a^{1/3})) (b^3c - a^3f - ab^2d + a^2be) \\ &) / (3b^{14/3}) - (a^{2/3} \log(3^{1/2}a^{1/3}1i + 2b^{1/3}x - a^{1/3})) (\\ & (3^{1/2}1i)/2 + 1/2) (b^3c - a^3f - ab^2d + a^2be) / (3b^{14/3}) + (\\ & a^{2/3} \log(3^{1/2}a^{1/3}1i - 2b^{1/3}x + a^{1/3})) ((3^{1/2}1i)/2 - 1 \\ & /2) (b^3c - a^3f - ab^2d + a^2be) / (3b^{14/3}) \end{aligned}$$

sympy [A] time = 2.48, size = 469, normalized size = 1.68

$$x^8 \left(-\frac{af}{8b^2} + \frac{e}{8b} \right) + x^5 \left(\frac{a^2f}{5b^3} - \frac{ae}{5b^2} + \frac{d}{5b} \right) + x^2 \left(-\frac{a^3f}{2b^4} + \frac{a^2e}{2b^3} - \frac{ad}{2b^2} + \frac{c}{2b} \right) + \text{RootSum} \left(27t^3b^{14} + a^{11}f^3 - 3a^{10}bef \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**8*(-a*f/(8*b**2) + e/(8*b)) + x**5*(a**2*f/(5*b**3) - a*e/(5*b**2) + d/(5*b)) + x**2*(-a**3*f/(2*b**4) + a**2*e/(2*b**3) - a*d/(2*b**2) + c/(2*b)) + RootSum(27*_t**3*b**14 + a**11*f**3 - 3*a**10*b*e*f**2 + 3*a**9*b**2*d*f**2 + 3*a**9*b**2*e**2*f - 3*a**8*b**3*c*f**2 - 6*a**8*b**3*d*e*f - a**8*b**3*e**3 + 6*a**7*b**4*c*e*f + 3*a**7*b**4*d**2*f + 3*a**7*b**4*d*e**2 - 6*a**6*b**5*c*d*f - 3*a**6*b**5*c*e**2 - 3*a**6*b**5*d**2*e + 3*a**5*b**6*c**2*f + 6*a**5*b**6*c*d*e + a**5*b**6*d**3 - 3*a**4*b**7*c**2*e - 3*a**4*b**7*c*d**2 + 3*a**3*b**8*c**2*d - a**2*b**9*c**3, Lambda(_t, _t*log(9*_t**2*b**9/(a**7*f**2 - 2*a**6*b*e*f + 2*a**5*b**2*d*f + a**5*b**2*e**2 - 2*a**4*b**3*c*f - 2*a**4*b**3*d*e + 2*a**3*b**4*c*e + a**3*b**4*d**2 - 2*a**2*b**5*c*d + a*b**6*c**2) + x)) + f*x**11/(11*b)

$$3.237 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=274

$$\frac{x^4(a^2f - abe + b^2d)}{4b^3} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^{13/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be)}{\sqrt{3}b^{13/3}}$$

[Out] $(-a^3f+a^2b*e-a*b^2*d+b^3*c)*x/b^4+1/4*(a^2*f-a*b*e+b^2*d)*x^4/b^3+1/7*(-a*f+b*e)*x^7/b^2+1/10*f*x^{10}/b-1/3*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(13/3)}+1/6*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(13/3)}+1/3*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{13/3}} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4 + ((b^2*d - a*b*e + a^2*f)*x^4)/(4*b^3) + ((b*e - a*f)*x^7)/(7*b^2) + (f*x^{10})/(10*b) + (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*b^{(13/3)}) - (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*b^{(13/3)}) + (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*b^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{10}}{10b} + \frac{\int \frac{x^3(10bc + 10bdx^3 + 10(be - af)x^6)}{a + bx^3} dx}{10b} \\
 &= \frac{fx^{10}}{10b} + \frac{\int \left(\frac{10(b^3c - ab^2d + a^2be - a^3f)}{b^3} + \frac{10(b^2d - abe + a^2f)x^3}{b^2} + \frac{10(be - af)x^6}{b} + \frac{10(-ab^3c + a^2b^2)}{b^3(a + b)} \right) dx}{10b} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} +
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 264, normalized size = 0.96

$$105b^{4/3}x^4(a^2f - abe + b^2d) + 420\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c) + 140\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (420*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x + 105*b^(4/3)*(b^2*d - a*b*e + a^2*f)*x^4 + 60*b^(7/3)*(b*e - a*f)*x^7 + 42*b^(10/3)*f*x^10 - 140*sqrt[3]*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(420*b^(13/3))

fricas [A] time = 0.64, size = 249, normalized size = 0.91

$$42b^3fx^{10} + 60(b^3e - ab^2f)x^7 + 105(b^3d - ab^2e + a^2bf)x^4 - 140\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)\left(\frac{a}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/420*(42*b^3*f*x^10 + 60*(b^3*e - a*b^2*f)*x^7 + 105*(b^3*d - a*b^2*e + a^2*b*f)*x^4 - 140*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4

giac [A] time = 0.19, size = 346, normalized size = 1.26

$$\frac{\sqrt{3}\left(\left(-ab^2\right)^{\frac{1}{3}}b^3c - \left(-ab^2\right)^{\frac{1}{3}}ab^2d - \left(-ab^2\right)^{\frac{1}{3}}a^3f + \left(-ab^2\right)^{\frac{1}{3}}a^2be\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^5} \left(\left(-ab^2\right)^{\frac{1}{3}}b^3c - \left(-ab^2\right)^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^5 - 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^5 + 1/3*(a*b^9*c - a^2*b^8*d - a^4*b^6*f + a^3*b^7*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^10) + 1/140*(14*b^9*f*x^10 - 20*a*b^8*f*x^7 + 20*b^9*x^7*e + 35*b^9*d*x^4 + 35*a^2*b^7*f*x^4 - 35*a*b^8*x^4*e + 140*b^9*c*x - 140*a*b^8*d*x - 140*a^3*b^6*f*x + 140*a^2*b^7*x*e)/b^10

maple [B] time = 0.05, size = 492, normalized size = 1.80

$$\frac{f x^{10}}{10b} - \frac{a f x^7}{7b^2} + \frac{e x^7}{7b} + \frac{a^2 f x^4}{4b^3} - \frac{a e x^4}{4b^2} + \frac{d x^4}{4b} + \frac{\sqrt{3} a^4 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5} + \frac{a^4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5} - \frac{a^4 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/10*f*x^10/b-1/7/b^2*x^7*a*f+1/7/b*x^7*e+1/4/b^3*x^4*a^2*f-1/4/b^2*x^4*a*e+1/4/b*x^4*d-1/b^4*a^3*f*x+1/b^3*a^2*e*x-1/b^2*a*d*x+1/b*c*x+1/3*a^4/b^5/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f-1/3*a^3/b^4/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/3*a^2/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/3*a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/6*a^4/b^5/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6*a^3/b^4/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6*a^2/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6*a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3*a^4/b^5/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3*a^3/b^4/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3*a^2/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3*a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c

maxima [A] time = 2.93, size = 267, normalized size = 0.97

$$\frac{14 b^3 f x^{10} + 20 (b^3 e - a b^2 f) x^7 + 35 (b^3 d - a b^2 e + a^2 b f) x^4 + 140 (b^3 c - a b^2 d + a^2 b e - a^3 f) x + \sqrt{3} (a b^3 c - a^2 b^2 d)}{140 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/140*(14*b^3*f*x^10 + 20*(b^3*e - a*b^2*f)*x^7 + 35*(b^3*d - a*b^2*e + a^2*b*f)*x^4 + 140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4 - 1/3*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3)))/(a/b)^(1/3))/(b^5*(a/b)^(2/3)) + 1/6*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^5*(a/b)^(2/3)) - 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(x + (a/b)^(1/3))/(b^5*(a/b)^(2/3))

mupad [B] time = 5.10, size = 264, normalized size = 0.96

$$x^7 \left(\frac{e}{7b} - \frac{a f}{7b^2} \right) + x^4 \left(\frac{d}{4b} - \frac{a \left(\frac{e}{b} - \frac{a f}{b^2} \right)}{4b} \right) + x \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{a f}{b^2} \right)}{b} \right)}{b} \right) + \frac{f x^{10}}{10b} - \frac{a^{1/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2)}{3 b^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] x^7*(e/(7*b) - (a*f)/(7*b^2)) + x^4*(d/(4*b) - (a*(e/b - (a*f)/b^2))/(4*b)) + x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b + (f*x^10)/(10*b) - (a^

$$\frac{1}{3} \log(b^{1/3}x + a^{1/3})(b^3c - a^3f - ab^2d + a^2be) / (3b^{13/3}) - (a^{1/3} \log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}))((3^{1/2}i)/2 - 1/2)(b^3c - a^3f - ab^2d + a^2be) / (3b^{13/3}) + (a^{1/3} \log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}))((3^{1/2}i)/2 + 1/2)(b^3c - a^3f - ab^2d + a^2be) / (3b^{13/3})$$

sympy [A] time = 2.51, size = 376, normalized size = 1.37

$$x^7 \left(-\frac{af}{7b^2} + \frac{e}{7b} \right) + x^4 \left(\frac{a^2f}{4b^3} - \frac{ae}{4b^2} + \frac{d}{4b} \right) + x \left(-\frac{a^3f}{b^4} + \frac{a^2e}{b^3} - \frac{ad}{b^2} + \frac{c}{b} \right) + \text{RootSum} \left(27t^3b^{13} - a^{10}f^3 + 3a^9bef^2 - 3a^8t \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**7*(-a*f/(7*b**2) + e/(7*b)) + x**4*(a**2*f/(4*b**3) - a*e/(4*b**2) + d/(4*b)) + x*(-a**3*f/b**4 + a**2*e/b**3 - a*d/b**2 + c/b) + RootSum(27*_t**3*b**13 - a**10*f**3 + 3*a**9*b*e*f**2 - 3*a**8*b**2*d*f**2 - 3*a**8*b**2*e**2*f + 3*a**7*b**3*c*f**2 + 6*a**7*b**3*d*e*f + a**7*b**3*e**3 - 6*a**6*b**4*c*e*f - 3*a**6*b**4*d**2*f - 3*a**6*b**4*d*e**2 + 6*a**5*b**5*c*d*f + 3*a**5*b**5*c*e**2 + 3*a**5*b**5*d**2*e - 3*a**4*b**6*c**2*f - 6*a**4*b**6*c*d*e - a**4*b**6*d**3 + 3*a**3*b**7*c**2*e + 3*a**3*b**7*c*d**2 - 3*a**2*b**8*c**2*d + a*b**9*c**3, Lambda(_t, _t*log(3*_t*b**4/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**10/(10*b)

$$3.238 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=245

$$\frac{x^2(a^2f - abe + b^2d)}{2b^3} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}\sqrt[3]{a}b^{11/3}}$$

[Out] $1/2*(a^2*f-a*b*e+b^2*d)*x^2/b^3+1/5*(-a*f+b*e)*x^5/b^2+1/8*f*x^8/b-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(1/3)}/b^{(11/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(11/3)}-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(11/3)}*3^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6\sqrt[3]{a}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^2*d - a*b*e + a^2*f)*x^2)/(2*b^3) + ((b*e - a*f)*x^5)/(5*b^2) + (f*x^8)/(8*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(1/3)}*b^{(11/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(1/3)}*b^{(11/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(1/3)}*b^{(11/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[
(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[
(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[
(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[
2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*
(d_) + (e_)*(x_)^(n_)]^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := With[
{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^8}{8b} + \frac{\int \frac{x(8bc + 8bdx^3 + 8(be - af)x^6)}{a + bx^3} dx}{8b} \\ &= \frac{fx^8}{8b} + \frac{\int \left(\frac{8(b^2d - abe + a^2f)x}{b^2} + \frac{8(be - af)x^4}{b} + \frac{8(b^3c - ab^2d + a^2be - a^3f)x}{b^2(a + bx^3)} \right) dx}{8b} \\ &= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{x}{a + bx^3} dx}{b^3} \\ &= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a + \sqrt[3]{b}x}} dx}{3\sqrt[3]{a} b^{10/3}} \\ &= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a + \sqrt[3]{b}x})}{3\sqrt[3]{a} b^{11/3}} \\ &= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a + \sqrt[3]{b}x})}{3\sqrt[3]{a} b^{11/3}} \\ &= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\sqrt[3]{\frac{a + \sqrt[3]{b}x}{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{11/3}} \end{aligned}$$

Mathematica [A] time = 0.18, size = 231, normalized size = 0.94

$$\frac{60b^{2/3}x^2(a^2f - abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{bx})(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{20 \log(a^{2/3})}{120b^{11/3}}}{120b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (60*b^(2/3)*(b^2*d - a*b*e + a^2*f)*x^2 + 24*b^(5/3)*(b*e - a*f)*x^5 + 15*b^(8/3)*f*x^8 + (40*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(1/3) + (40*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(120*b^(11/3))

fricas [A] time = 0.79, size = 568, normalized size = 2.32

$$\frac{15ab^4fx^8 + 24(ab^4e - a^2b^3f)x^5 + 60(ab^4d - a^2b^3e + a^3b^2f)x^2 - 60\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)\sqrt{-\frac{(a^3f - a^2be + ab^2d - b^3c)}{a}}}{120b^{11/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] [1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 60*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^5), 1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 120*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^5)]

giac [A] time = 0.20, size = 291, normalized size = 1.19

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(-ab^2\right)^{\frac{1}{3}}b^3 + 6\left(-ab^2\right)^{\frac{1}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="giac")

[Out] $\frac{1}{3}\sqrt{3}(b^3c - a^2b^2d - a^3f + a^2b^2e)\arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)\right) + \frac{1}{6}(b^3c - a^2b^2d - a^3f + a^2b^2e)\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) - \frac{1}{3}(b^8c(-a/b)^{1/3} - a^2b^7d(-a/b)^{1/3} - a^3b^5f(-a/b)^{1/3} + a^2b^6e(-a/b)^{1/3})\log\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) + \frac{1}{40}(5b^7fx^8 - 8a^2b^6fx^5 + 8b^7x^5e + 20b^7dx^2 + 20a^2b^5fx^2 - 20a^2b^6x^2e)/b^8$

maple [B] time = 0.05, size = 450, normalized size = 1.84

$$\frac{\frac{fx^8}{8b} - \frac{afx^5}{5b^2} + \frac{ex^5}{5b} + \frac{a^2fx^2}{2b^3} - \frac{aex^2}{2b^2} + \frac{dx^2}{2b} - \frac{\sqrt{3}a^3f \arctan\left(\frac{\sqrt{3}\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{1/3}b^4} + \frac{a^3f \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}b^4} - \frac{a^3f \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{6\left(\frac{a}{b}\right)^{1/3}b^4}}{3b^4\left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{8}fx^8/b - \frac{1}{5}b^2x^5a^2f + \frac{1}{5}b^2x^5e + \frac{1}{2}b^3x^2a^2f - \frac{1}{2}b^2x^2ae + \frac{1}{2}b^2dx^2 + \frac{1}{3}b^4/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) + \frac{1}{3}b^3/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) + \frac{1}{3}b^2/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) + \frac{1}{3}b/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) + \frac{1}{6}b^4/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + \frac{1}{6}b^3/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + \frac{1}{6}b^2/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + \frac{1}{6}b/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + \frac{1}{3}b^4 \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)\right) + \frac{1}{3}b^3 \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)\right) + \frac{1}{3}b^2 \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)\right) + \frac{1}{3}b \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)\right) + c$

maxima [A] time = 3.01, size = 225, normalized size = 0.92

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}}\right)}{3b^4\left(\frac{a}{b}\right)^{1/3}} + \frac{5b^2fx^8 + 8(b^2e - abf)x^5 + 20(b^2d - abe + a^2f)x^2}{40b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3b^4\left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{3}\sqrt{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)\right) + \frac{1}{40}(5b^2fx^8 + 8(b^2e - abf)x^5 + 20(b^2d - abe + a^2f)x^2)/b^3 + \frac{1}{6}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) - \frac{1}{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) + \frac{1}{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log(x + (a/b)^{1/3}) - \frac{1}{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log\left(\frac{2x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)$

mupad [B] time = 5.14, size = 225, normalized size = 0.92

$$x^5\left(\frac{e}{5b} - \frac{af}{5b^2}\right) + x^2\left(\frac{d}{2b} - \frac{a\left(\frac{e}{b} - \frac{af}{b^2}\right)}{2b}\right) + \frac{fx^8}{8b} - \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - dab^2 + cb^3)}{3a^{1/3}b^{11/3}} + \frac{\ln(2b^{1/3}x - a^{1/3})}{3a^{1/3}b^{11/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)
```

```
[Out] x^5*(e/(5*b) - (a*f)/(5*b^2)) + x^2*(d/(2*b) - (a*(e/b - (a*f)/b^2))/(2*b))
+ (f*x^8)/(8*b) - (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2
*b*e))/(3*a^(1/3)*b^(11/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/
3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(1/3)*
b^(11/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/
2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(1/3)*b^(11/3))
```

sympy [A] time = 2.38, size = 427, normalized size = 1.74

$$x^5 \left(-\frac{af}{5b^2} + \frac{e}{5b} \right) + x^2 \left(\frac{a^2f}{2b^3} - \frac{ae}{2b^2} + \frac{d}{2b} \right) + \text{RootSum} \left(27t^3ab^{11} - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3e^2f^2 - 3a^5b^4c^2e^2f + 3a^5b^4cde^2f - 3a^4b^5c^2de^2f + 3a^4b^5c^2d^2e - 3a^3b^6c^2d^2e - 3a^3b^6c^2d^2e - a^3b^6c^2d^3 + 3a^2b^7c^2d^2e + 3a^2b^7c^2d^2e - 3a^2b^7c^2d^2e + b^9c^3, \text{Lambda}(t, t \log(9t^2ab^7 / (a^6f^2 - 2a^5b^2ef + 2a^4b^2d^2f + a^4b^2e^2 - 2a^3b^3c^2f - 2a^3b^3d^2e + 2a^2b^4c^2e + a^2b^4d^2 - 2ab^5cd + b^6c^2)) + x) \right) + f*x^8/(8*b)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)
```

```
[Out] x**5*(-a*f/(5*b**2) + e/(5*b)) + x**2*(a**2*f/(2*b**3) - a*e/(2*b**2) + d/(
2*b)) + RootSum(27*_t**3*a*b**11 - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**
2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a
*6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2
+ 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6
*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*
b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(9*_t**2*a*b**7
/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3
*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d +
b**6*c**2) + x))) + f*x**8/(8*b)
```

$$3.239 \quad \int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$$

Optimal. Leaf size=240

$$\frac{x(a^2f - abe + b^2d)}{b^3} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{2/3}b^{10/3}}$$

[Out] (a^2*f-a*b*e+b^2*d)*x/b^3+1/4*(-a*f+b*e)*x^4/b^2+1/7*f*x^7/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(10/3)-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(10/3)-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(10/3)*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {1887, 200, 31, 634, 617, 204, 628}

$$-\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{2/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

[Out] ((b^2*d - a*b*e + a^2*f)*x)/b^3 + ((b*e - a*f)*x^4)/(4*b^2) + (f*x^7)/(7*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(10/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(10/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(10/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*c/b}, Simplify[(a*c)/b^2], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628


```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{a + bx^3} dx = \int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x^3}{b^2} + \frac{fx^6}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx^3)} \right) dx$$

$$= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{b^3}$$

$$= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{bx^3}}}{3a^{2/3}b^3}$$

$$= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3a^{2/3}b^{10/3}}$$

$$= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3a^{2/3}b^{10/3}}$$

$$= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{a} + \sqrt[3]{bx^3}}\right)}{\sqrt{3} a^{2/3} b^{10/3}}$$

Mathematica [A] time = 0.17, size = 229, normalized size = 0.95

$$\frac{84\sqrt[3]{b} x (a^2 f - abe + b^2 d) + \frac{28 \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (a^3(-f) + a^2be - ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a}}}{\sqrt{3}}\right) (a^3f - a^2be + ab^2d - b^3c)}{a^{2/3}} + \frac{14 \log(a^2)}{84b^{10/3}}}{84b^{10/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]
```

```
[Out] (84*b^(1/3)*(b^2*d - a*b*e + a^2*f)*x + 21*b^(4/3)*(b*e - a*f)*x^4 + 12*b^(
7/3)*f*x^7 + (28*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 -
(2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (28*(b^3*c - a*b^2*d + a^2*b*e
- a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b^3*c) + a*b^2*d - a^2*
b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(84*b
^(10/3))
```

fricas [A] time = 0.54, size = 600, normalized size = 2.50

$$\frac{12 a^2 b^3 f x^7 + 21 (a^2 b^3 e - a^3 b^2 f) x^4 - 42 \sqrt{\frac{1}{3}} (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 a b x^3 + 3 (-a^2 b)^{\frac{1}{3}} a x - a^2 - 3 \sqrt{\frac{1}{3}} (2 a^2 b x^2 + (-a^2 b)^{\frac{2}{3}} x + (-a^2 b)^{\frac{1}{3}} a) \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}}}{(b x^3 + a)} \right)}{14 (b^3 c - a b^2 d + a^2 b e - a^3 f) (-a^2 b)^{\frac{2}{3}} \log(a b x^2 - (-a^2 b)^{\frac{2}{3}} x - (-a^2 b)^{\frac{1}{3}} a) + 28 (b^3 c - a b^2 d + a^2 b e - a^3 f) (-a^2 b)^{\frac{2}{3}} \log(a b x + (-a^2 b)^{\frac{2}{3}}) + 84 (a^2 b^3 d - a^3 b^2 e + a^4 b f) x / (a^2 b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 - 42*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4), 1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 + 84*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4)]

giac [A] time = 0.19, size = 253, normalized size = 1.05

$$\frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) (b^3 c - a b^2 d - a^3 f + a^2 b e) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 (-ab^2)^{\frac{2}{3}} b^2 \quad 6 (-ab^2)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) - 1/3*(b^7*c - a*b^6*d - a^3*b^4*f + a^2*b^5*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/28*(4*b^6*f*x^7 - 7*a*b^5*f*x^4 + 7*b^6*x^4*e + 28*b^6*d*x + 28*a^2*b^4*f*x - 28*a*b^5*x*e)/b^7

maple [B] time = 0.04, size = 442, normalized size = 1.84

$$\frac{\frac{f x^7}{7b} - \frac{a f x^4}{4b^2} + \frac{e x^4}{4b} - \frac{\sqrt{3} a^3 f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^4} - \frac{a^3 f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^4} + \frac{a^3 f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^4} + \frac{\sqrt{3} a^2 e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^4}}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{7} \frac{f x^7}{b} - \frac{1}{4} \frac{b^2 x^4 a f + 1}{b} \frac{e}{b} + \frac{1}{4} \frac{b^2 x^4 e + 1}{b} \frac{a^2 f x - 1}{b} \frac{a^2 e x + 1}{b} \frac{d x - 1}{b} \frac{c}{b} + \frac{1}{3} \frac{\ln(x + (a/b)^{1/3})}{(a/b)^{2/3}} * a^3 f + \frac{1}{3} \frac{\ln(x + (a/b)^{1/3})}{(a/b)^{2/3}} * a^2 e - \frac{1}{3} \frac{\ln(x + (a/b)^{1/3})}{(a/b)^{2/3}} * a d + \frac{1}{3} \frac{\ln(x + (a/b)^{1/3})}{(a/b)^{2/3}} * c + \frac{1}{6} \frac{\ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3})}{(a/b)^{2/3}} * a^3 f - \frac{1}{6} \frac{\ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3})}{(a/b)^{2/3}} * a^2 e + \frac{1}{6} \frac{\ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3})}{(a/b)^{2/3}} * a d - \frac{1}{6} \frac{\ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3})}{(a/b)^{2/3}} * c - \frac{1}{3} \frac{\arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1))}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * a^3 f + \frac{1}{3} \frac{\arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1))}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * a^2 e - \frac{1}{3} \frac{\arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1))}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * a d + \frac{1}{3} \frac{\arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1))}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c$

maxima [A] time = 3.01, size = 223, normalized size = 0.93

$$\frac{4b^2fx^7 + 7(b^2e - abf)x^4 + 28(b^2d - abe + a^2f)x}{28b^3} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} (b^3c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{28} * (4 * b^2 * f * x^7 + 7 * (b^2 * e - a * b * f) * x^4 + 28 * (b^2 * d - a * b * e + a^2 * f) * x) / b^3 + \frac{1}{3} * \sqrt{3} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \arctan\left(\frac{1}{3} * \sqrt{3} * \left(2 * x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / (b^4 * (a/b)^{\frac{2}{3}}) - \frac{1}{6} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x^2 - x * (a/b)^{\frac{1}{3}} + (a/b)^{\frac{2}{3}}) / (b^4 * (a/b)^{\frac{2}{3}}) + \frac{1}{3} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x + (a/b)^{\frac{1}{3}}) / (b^4 * (a/b)^{\frac{2}{3}})$

mupad [B] time = 5.17, size = 222, normalized size = 0.92

$$x^4 \left(\frac{e}{4b} - \frac{af}{4b^2} \right) + x \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right) + \frac{f x^7}{7b} + \frac{\ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{2/3} b^{10/3}} + \frac{\ln(2 b^{1/3} x - a^{1/3})}{3 a^{2/3} b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3),x)`

[Out] $x^4 * (e / (4 * b) - (a * f) / (4 * b^2)) + x * (d / b - (a * (e / b - (a * f) / b^2)) / b) + (f * x^7) / (7 * b) + \frac{\log(b^{1/3} * x + a^{1/3}) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{2/3} * b^{10/3})} + \frac{\log(3^{1/2} * a^{1/3} * 1i + 2 * b^{1/3} * x - a^{1/3}) * ((3^{1/2} * 1i) / 2 - 1/2) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{2/3} * b^{10/3})} - \frac{\log(3^{1/2} * a^{1/3} * 1i - 2 * b^{1/3} * x + a^{1/3}) * ((3^{1/2} * 1i) / 2 + 1/2) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{2/3} * b^{10/3})}$

sympy [A] time = 3.41, size = 342, normalized size = 1.42

$$x^4 \left(-\frac{af}{4b^2} + \frac{e}{4b} \right) + x \left(\frac{a^2f}{b^3} - \frac{ae}{b^2} + \frac{d}{b} \right) + \text{RootSum} \left(27t^3 a^2 b^{10} + a^9 f^3 - 3a^8 b e f^2 + 3a^7 b^2 d f^2 + 3a^7 b^2 e^2 f - 3a^6 b^3 c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

```
[Out] x**4*(-a*f/(4*b**2) + e/(4*b)) + x*(a**2*f/b**3 - a*e/b**2 + d/b) + RootSum
(27*_t**3*a**2*b**10 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3
*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3
+ 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**
5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*
a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2
+ 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(-3*_t*a*b**3/(a**3*f - a**
2*b*e + a*b**2*d - b**3*c) + x))) + f*x**7/(7*b)
```

$$3.240 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=227

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{4/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{4/3}b^{8/3}}$$

[Out] $-c/a/x + 1/2*(-a*f+b*e)*x^2/b^2 + 1/5*f*x^5/b + 1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(4/3)}/b^{(8/3)} - 1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(4/3)}/b^{(8/3)} + 1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(4/3)}$
 $/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{4/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{4/3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + ((b*e - a*f)*x^2)/(2*b^2) + (f*x^5)/(5*b) + ((b^3*c - a*b^2*d$
 $+ a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}$
 $[3]*a^{(4/3)}*b^{(8/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b$
 $^{(1/3)}*x]/(3*a^{(4/3)}*b^{(8/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a$
 $^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*a^{(4/3)}*b^{(8/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^(m*Pq))/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{b} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{ab^2(a + bx^3)} \right) dx \\ &= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a + bx^3} dx}{ab^2} \\ &= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{4/3}b^{7/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \log(\sqrt[3]{a} + \sqrt[3]{b}x) \\ &= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{8/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \\ &= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{8/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \end{aligned}$$

Mathematica [A] time = 0.21, size = 224, normalized size = 0.99

$$15a^{4/3}b^{2/3}x^3(be - af) + 6a^{4/3}b^{5/3}fx^6 + 10x \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c) + 10\sqrt{3}x \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) - \frac{(b^3c - ab^2d + a^2be - a^3f)}{30a^{4/3}b^{8/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)), x]
```

```
[Out] (-30*a^(1/3)*b^(8/3)*c + 15*a^(4/3)*b^(2/3)*(b*e - a*f)*x^3 + 6*a^(4/3)*b^(5/3)*f*x^6 + 10*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*Log[a^(1/3) + b^(1/3)*x] - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(30*a^(4/3)*b^(8/3)*x)
```

fricas [A] time = 0.64, size = 560, normalized size = 2.47

$$\left[\frac{6a^2b^3fx^6 - 30ab^4c + 15(a^2b^3e - a^3b^2f)x^3 - 15\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x\sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log\left(\frac{2b^2x^3 - ab + 3}{\dots}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(6*a^2*b^3*f*x^6 - 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 15*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^4*x), 1/30*(6*a^2*b^3*f*x^6 - 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 30*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^4*x)]

giac [A] time = 0.18, size = 269, normalized size = 1.19

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{1}{3}}ab^2} - \frac{c}{ax} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{1}{3}}ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^2) - c/(a*x) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a*b^2) + 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^2) + 1/10*(2*b^4*f*x^5 - 5*a*b^3*f*x^2 + 5*b^4*x^2*e)/b^5

maple [B] time = 0.05, size = 419, normalized size = 1.85

$$\frac{fx^5}{5b} - \frac{afx^2}{2b^2} + \frac{ex^2}{2b} + \frac{\sqrt{3}a^2f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3} - \frac{a^2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3} + \frac{a^2f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3} - \frac{\sqrt{3}ae \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x)`

[Out] $\frac{1}{5}bfx^5 - \frac{1}{2}b^2x^2af + \frac{1}{2}e^2x^2/b - \frac{1}{3}a^2/b^3/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * f + \frac{1}{3}a/b^2/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * e - \frac{1}{3}b/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * d + \frac{1}{3}a/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * c + \frac{1}{6}a^2/b^3/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * f - \frac{1}{6}a/b^2/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * e + \frac{1}{6}b/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * d - \frac{1}{6}a/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * c + \frac{1}{3}a^2/b^3 * 3^{1/2}/(a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f - \frac{1}{3}a/b^2 * 3^{1/2}/(a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e + \frac{1}{3}b * 3^{1/2}/(a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d - \frac{1}{3}a * 3^{1/2}/(a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - 1/a * c/x$

maxima [A] time = 2.96, size = 217, normalized size = 0.96

$$\frac{2bfx^5 + 5(be - af)x^2}{10b^2} - \frac{c}{ax} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(\frac{1}{2} + \frac{\sqrt{3}a^{1/3}i}{2}\right)}{6ab^3\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{10} * (2 * b * f * x^5 + 5 * (b * e - a * f) * x^2) / b^2 - c / (a * x) - \frac{1}{3} * \sqrt{3} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b^3 * (a/b)^{1/3}) - \frac{1}{6} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a * b^3 * (a/b)^{1/3}) + \frac{1}{3} * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x + (a/b)^{1/3}) / (a * b^3 * (a/b)^{1/3})$

mupad [B] time = 5.37, size = 204, normalized size = 0.90

$$x^2 \left(\frac{e}{2b} - \frac{af}{2b^2} \right) - \frac{c}{ax} + \frac{fx^5}{5b} + \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - dab^2 + cb^3)}{3a^{4/3}b^{8/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^2} \left(\frac{1}{2} + \frac{\sqrt{3}a^{1/3}i}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x)`

[Out] $x^2 * (e / (2 * b) - (a * f) / (2 * b^2)) - c / (a * x) + (f * x^5) / (5 * b) + \frac{\log(b^{1/3} * x + a^{1/3}) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{4/3} * b^{8/3})} - \frac{\log(3^{1/2} * a^{1/3} * i + 2 * b^{1/3} * x - a^{1/3}) * ((3^{1/2} * i) / 2 + 1/2) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{4/3} * b^{8/3})} + \frac{\log(3^{1/2} * a^{1/3} * i - 2 * b^{1/3} * x + a^{1/3}) * ((3^{1/2} * i) / 2 - 1/2) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)}{(3 * a^{4/3} * b^{8/3})}$

sympy [A] time = 4.72, size = 408, normalized size = 1.80

$$x^2 \left(-\frac{af}{2b^2} + \frac{e}{2b} \right) + \text{RootSum} \left(27t^3a^4b^8 + a^9f^3 - 3a^8bef^2 + 3a^7b^2df^2 + 3a^7b^2e^2f - 3a^6b^3cf^2 - 6a^6b^3def - a^6b^3e^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a),x)`

[Out] $x^{**2} * (-a * f / (2 * b^{**2}) + e / (2 * b)) + \text{RootSum}(27 * t^{**3} * a^{**4} * b^{**8} + a^{**9} * f^{**3} - 3 * a^{**8} * b * e * f^{**2} + 3 * a^{**7} * b^{**2} * d * f^{**2} + 3 * a^{**7} * b^{**2} * e^{**2} * f - 3 * a^{**6} * b^{**3} * c * f^{**2} - 6 * a^{**6} * b^{**3} * d * e * f - a^{**6} * b^{**3} * e^{**3} + 6 * a^{**5} * b^{**4} * c * e * f + 3 * a^{**5} * b^{**4} * d$

$$\begin{aligned}
& **2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a** \\
& 4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3 \\
& *a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, \text{Lambd} \\
& a(_t, _t*\log(9*_t**2*a**3*b**5/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f \\
& + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a* \\
& *2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x)) + f*x**5/(5*b) - c/(a*x)
\end{aligned}$$

$$3.241 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=224

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \tan$$

[Out] $-1/2*c/a/x^2+(-a*f+b*e)*x/b^2+1/4*f*x^4/b-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $)*\ln(a^{(1/3)+b^{(1/3)}*x}/a^{(5/3)}/b^{(7/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(7/3)}+1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}$
 $/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \tan$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) + ((b*e - a*f)*x)/b^2 + (f*x^4)/(4*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*a^{(5/3)}*b^{(7/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(5/3)}*b^{(7/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(5/3)}*b^{(7/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)} dx &= \int \left(\frac{be - af}{b^2} + \frac{c}{ax^3} + \frac{fx^3}{b} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx^3)} \right) dx \\ &= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a + bx^3} dx}{ab^2} \\ &= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{5/3}b^2} - \frac{(b^3c - a^3f)}{3a^{5/3}b^2} \\ &= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} + \frac{(b^3c - a^3f)}{3a^{5/3}b^{7/3}} \\ &= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} + \frac{(b^3c - a^3f)}{3a^{5/3}b^{7/3}} \\ &= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{7/3}} - \frac{(b^3c - a^3f)}{3a^{5/3}b^{7/3}} \end{aligned}$$

Mathematica [A] time = 0.16, size = 218, normalized size = 0.97

$$\frac{1}{12} \left(\frac{2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{a^{5/3}b^{7/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be + ab^2d - b^3c)}{a^{5/3}b^{7/3}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)),x]
```

```
[Out] ((-6*c)/(a*x^2) + (12*(b*e - a*f)*x)/b^2 + (3*f*x^4)/b + (4*Sqrt[3]*(b^3*c
- a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(
a^(5/3)*b^(7/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) +
b^(1/3)*x])/(a^(5/3)*b^(7/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[
a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(5/3)*b^(7/3))/12
```

fricas [A] time = 0.75, size = 565, normalized size = 2.52

$$\left[\frac{3a^3b^2fx^6 - 6a^2b^3c - 6\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^2\sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}} \log\left(\frac{2abx^3 - 3(a^2b)^{\frac{1}{3}}ax - a^2 + 3\sqrt{\frac{1}{3}}\left(2abx^2 + (a^2b)^{\frac{2}{3}}x - \dots\right)}{bx^3 + a}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3/(a^3*b^3*x^2), 1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3/(a^3*b^3*x^2)]

giac [A] time = 0.22, size = 232, normalized size = 1.04

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{2}{3}}ab} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{2}{3}}ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^2) - 1/2*c/(a*x^2) + 1/4*(b^3*f*x^4 - 4*a*b^2*f*x + 4*b^3*x*e)/b^4

maple [B] time = 0.06, size = 414, normalized size = 1.85

$$\frac{fx^4}{4b} + \frac{\sqrt{3}a^2f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} + \frac{a^2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} - \frac{a^2f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} - \frac{\sqrt{3}ae \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x)`

[Out] $\frac{1}{4}f x^4/b - 1/b^2 a f x + e x/b + 1/3 a^2/b^3 (a/b)^{2/3} \ln(x + (a/b)^{1/3}) * f - 1/3 a/b^2 (a/b)^{2/3} \ln(x + (a/b)^{1/3}) * e + 1/3 b (a/b)^{2/3} \ln(x + (a/b)^{1/3}) * d - 1/3 a (a/b)^{2/3} \ln(x + (a/b)^{1/3}) * c - 1/6 a^2/b^3 (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * f + 1/6 a/b^2 (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * e - 1/6 b (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * d + 1/6 a (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * c + 1/3 a^2/b^3 (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f - 1/3 a/b^2 (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e + 1/3 b (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d - 1/3 a (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - 1/2 * c/a/x^2$

maxima [A] time = 2.98, size = 214, normalized size = 0.96

$$\frac{bfx^4 + 4(be - af)x}{4b^2} - \frac{c}{2ax^2} - \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \ln\left(\frac{2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{6ab^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{4}(bfx^4 + 4(b^3c - ab^2d + a^2be - a^3f)x)/b^2 - 1/2c/(ax^2) - 1/3\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan(1/3\sqrt{3}(2x - (a/b)^{1/3})/(a/b)^{1/3})/(ab^3(a/b)^{2/3}) + 1/6(b^3c - ab^2d + a^2be - a^3f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/(ab^3(a/b)^{2/3}) - 1/3(b^3c - ab^2d + a^2be - a^3f) \log(x + (a/b)^{1/3})/(ab^3(a/b)^{2/3})$

mupad [B] time = 0.28, size = 201, normalized size = 0.90

$$x \left(\frac{e}{b} - \frac{af}{b^2} \right) - \frac{c}{2ax^2} + \frac{fx^4}{4b} - \frac{\ln(b^{1/3}x + a^{1/3})}{3a^{5/3}b^{7/3}} \frac{(-fa^3 + eab - dab^2 + cb^3)}{3a^{5/3}b^{7/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^{5/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)),x)`

[Out] $x(e/b - (af)/b^2) - c/(2ax^2) + (fx^4)/(4b) - (\log(b^{1/3}x + a^{1/3})) * (b^3c - a^3f - ab^2d + a^2be) / (3a^{5/3}b^{7/3}) - (\log(3^{1/2} * a^{1/3} * i + 2 * b^{1/3} * x - a^{1/3})) * ((3^{1/2} * i) / 2 - 1/2) * (b^3c - a^3f - ab^2d + a^2be) / (3a^{5/3}b^{7/3}) + (\log(3^{1/2} * a^{1/3} * i - 2 * b^{1/3} * x + a^{1/3})) * ((3^{1/2} * i) / 2 + 1/2) * (b^3c - a^3f - ab^2d + a^2be) / (3a^{5/3}b^{7/3})$

sympy [A] time = 4.36, size = 326, normalized size = 1.46

$$x \left(-\frac{af}{b^2} + \frac{e}{b} \right) + \text{RootSum} \left(27t^3a^5b^7 - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a),x)`

[Out] $x(-af/b^2 + e/b) + \text{RootSum}(27*_t**3*a**5*b**7 - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a$

```

**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2
*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*
c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(3*_t*a**2*b**2/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**4/(4
*b) - c/(2*a*x**2)

```

$$3.242 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$$

Optimal. Leaf size=227

$$\frac{bc-ad}{a^2x} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{7/3}b^{5/3}}$$

[Out] $-1/4*c/a/x^4+(-a*d+b*c)/a^2/x+1/2*f*x^2/b-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(7/3)}/b^{(5/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(7/3)}/b^{(5/3)}-1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(7/3)}$
 $/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{7/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]

[Out] $-c/(4*a*x^4) + (b*c - a*d)/(a^2*x) + (f*x^2)/(2*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(7/3)}*b^{(5/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(7/3)}*b^{(5/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(7/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^5(a + bx^3)} dx &= \int \left(\frac{c}{ax^5} + \frac{-bc + ad}{a^2x^2} + \frac{fx}{b} - \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^2b(a + bx^3)} \right) dx \\ &= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^2b} \\ &= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{7/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} \\ &= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{7/3}b^{5/3}} \end{aligned}$$

Mathematica [A] time = 0.16, size = 220, normalized size = 0.97

$$\frac{1}{12} \left(\frac{12(bc - ad)}{a^2x} + \frac{2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{a^{7/3}b^{5/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be - ab^2d + b^3c)}{a^{7/3}b^{5/3}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]
```

```
[Out] ((-3*c)/(a*x^4) + (12*(b*c - a*d))/(a^2*x) + (6*f*x^2)/b + (4*Sqrt[3]*(-(b^
3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3
]])/(a^(7/3)*b^(5/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/
3) + b^(1/3)*x])/(a^(7/3)*b^(5/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)
*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(7/3)*b^(5/3))/12
```


fricas [A] time = 0.66, size = 556, normalized size = 2.45

$$\left[\frac{6a^3b^2fx^6 - 6\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^4\sqrt{-\frac{(ab^2)^{\frac{1}{3}}}{a}} \log\left(\frac{2b^2x^3 - ab - 3\sqrt{\frac{1}{3}}\left(abx + 2(ab^2)^{\frac{2}{3}}x^2 - (ab^2)^{\frac{1}{3}}a\right)\sqrt{-\frac{(ab^2)^{\frac{1}{3}}}{a}}}{bx^3 + a}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(6*a^3*b^2*f*x^6 - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4), 1/12*(6*a^3*b^2*f*x^6 - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4)]

giac [A] time = 0.18, size = 261, normalized size = 1.15

$$\frac{fx^2}{2b} + \frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{1}{3}}a^2b} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{1}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*f*x^2/b + 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b) - 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/((a^3*b) + 1/4*(4*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^2*x^4))

maple [B] time = 0.06, size = 412, normalized size = 1.81

$$\frac{fx^2}{2b} - \frac{\sqrt{3}af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} + \frac{af \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} - \frac{af \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} - \frac{\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x)
```

```
[Out] 1/2*f*x^2/b+1/3*a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-1/3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+1/3/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/3/a^2*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c-1/6*a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^2*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-1/3*a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+1/3/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-1/3/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/3/a^2*b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/4*c/a/x^4-d/a/x+1/a^2/x*b*c
```

maxima [A] time = 3.04, size = 217, normalized size = 0.96

$$\frac{fx^2}{2b} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="maxima")
```

```
[Out] 1/2*f*x^2/b + 1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(1/3)) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(1/3)) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(1/3)) + 1/4*(4*(b*c - a*d)*x^3 - a*c)/(a^2*x^4)
```

mupad [B] time = 5.16, size = 209, normalized size = 0.92

$$\frac{fx^2}{2b} - \frac{bc}{4a} + \frac{bx^3(ad-bc)}{bx^4a^2} - \frac{\ln(b^{1/3}x + a^{1/3})}{3a^{7/3}b^{5/3}} \left(-fa^3 + ea^2b - dab^2 + cb^3\right) + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^{7/3}b^{5/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)),x)
```

```
[Out] (f*x^2)/(2*b) - ((b*c)/(4*a) + (b*x^3*(a*d - b*c))/a^2)/(b*x^4) - (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3))
```

sympy [A] time = 11.53, size = 411, normalized size = 1.81

$$\text{RootSum}\left(27t^3a^7b^5 - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 - 6a^5b^4cef - 3a^5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*a**7*b**5 - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**5*b**4*e**3)
```

```

*4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*
f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c
*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**5*b**3/(a
**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*
f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**
6*c**2) + x))) + f*x**2/(2*b) + (-a*c + x**3*(-4*a*d + 4*b*c))/(4*a**2*x**4
)

```

$$3.243 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$$

Optimal. Leaf size=225

$$\frac{bc-ad}{2a^2x^2} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{8/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{8/3}b^{4/3}}$$

[Out] $-1/5*c/a/x^5+1/2*(-a*d+b*c)/a^2/x^2+f*x/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $)*\ln(a^{(1/3)+b^{(1/3)}*x}/a^{(8/3)}/b^{(4/3)}-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(4/3)}-1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}$
 $/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{8/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{8/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)), x]

[Out] $-c/(5*a*x^5) + (b*c - a*d)/(2*a^2*x^2) + (f*x)/b - ((b^3*c - a*b^2*d + a^2*b$
 $*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(8/3)}$
 $*b^{(4/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}$
 $*x])/ (3*a^{(8/3)}*b^{(4/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)}$
 $- a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(8/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)} dx &= \int \left(\frac{f}{b} + \frac{c}{ax^6} + \frac{-bc + ad}{a^2x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx^3)} \right) dx \\ &= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{a^2b} \\ &= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{8/3}b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} \\ &= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{8/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 220, normalized size = 0.98

$$\frac{bc - ad}{2a^2x^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f - a^2be + ab^2d - b^3c)}{6a^{8/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{8/3}b^{4/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x]
```

```
[Out] -1/5*c/(a*x^5) + (b*c - a*d)/(2*a^2*x^2) + (f*x)/b + ((- (b^3*c) + a*b^2*d -
a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(
8/3)*b^(4/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*
x])/(3*a^(8/3)*b^(4/3)) + ((- (b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/
3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(8/3)*b^(4/3))
```

fricas [A] time = 0.56, size = 584, normalized size = 2.60

$$\frac{30 a^4 b f x^6 - 15 \sqrt{\frac{1}{3}} (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^5 \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 a b x^3 + 3 (-a^2 b)^{\frac{1}{3}} a x - a^2 - 3 \sqrt{\frac{1}{3}} \left(2 a b x^2 + (-a^2 b)^{\frac{2}{3}} x + (-a^2 b)^{\frac{1}{3}} \right)}{b x^3 + a}} \right)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(30*a^4*b*f*x^6 - 15*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5), 1/30*(30*a^4*b*f*x^6 + 30*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b)/a^2) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5)]

giac [A] time = 0.48, size = 220, normalized size = 0.98

$$\frac{f x}{b} \frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 (-a b^2)^{\frac{2}{3}} a^2} - \frac{(b^3 c - a b^2 d - a^3 f + a^2 b e) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 (-a b^2)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="giac")

[Out] f*x/b - 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b) + 1/10*(5*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^2*x^5)

maple [B] time = 0.05, size = 410, normalized size = 1.82

$$\frac{\sqrt{3} a f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{d \ln \left(\dots \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x)

[Out] 1/b*f*x-1/3*a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+1/3/a^2*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c+1/6*a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/6/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/6/a^2*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-1/3*a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/3/a^2*b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/5/a*c/x^5-1/2*d/a/x^2+1/2/a^2/x^2*b*c

maxima [A] time = 3.08, size = 214, normalized size = 0.95

$$\frac{fx}{b} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="maxima")

[Out] f*x/b + 1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) + 1/10*(5*(b*c - a*d)*x^3 - 2*a*c)/(a^2*x^5)

mupad [B] time = 5.09, size = 207, normalized size = 0.92

$$\frac{fx}{b} - \frac{bc}{5a} + \frac{bx^3(ad-bc)}{2a^2} + \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{8/3}b^{4/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x)

[Out] (f*x)/b - ((b*c)/(5*a) + (b*x^3*(a*d - b*c))/(2*a^2))/(b*x^5) + (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3))

sympy [A] time = 19.68, size = 328, normalized size = 1.46

$$\text{RootSum}\left(27t^3a^8b^4 + a^9f^3 - 3a^8bef^2 + 3a^7b^2df^2 + 3a^7b^2e^2f - 3a^6b^3cf^2 - 6a^6b^3def - a^6b^3e^3 + 6a^5b^4cef + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**8*b**4 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c

```

*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(-3*_t*a**3*b/(a**3*f
- a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x/b + (-2*a*c + x**3*(-5*a*d +
5*b*c))/(10*a**2*x**5)

```


$$3.244 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$$

Optimal. Leaf size=242

$$\frac{bc-ad}{4a^2x^4} - \frac{a^2e-abd+b^2c}{a^3x} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3(-f)+a^2be-ab^2d+b^3c)}{6a^{10/3}b^{2/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^{10/3}b^{2/3}}$$

[Out] $-1/7*c/a/x^7+1/4*(-a*d+b*c)/a^2/x^4+(-a^2*e+a*b*d-b^2*c)/a^3/x+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(10/3)}/b^{(2/3)}-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(10/3)}/b^{(2/3)}+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(10/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^{10/3}b^{2/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^{10/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)), x]

[Out] $-c/(7*a*x^7) + (b*c - a*d)/(4*a^2*x^4) - (b^2*c - a*b*d + a^2*e)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(10/3)}*b^{(2/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(10/3)}*b^{(2/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(10/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)} dx &= \int \left(\frac{c}{ax^8} + \frac{-bc + ad}{a^2x^5} + \frac{b^2c - abd + a^2e}{a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^3(a + bx^3)} \right) dx \\ &= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^3} \\ &= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{10/3}\sqrt[3]{b}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\ &= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\ &= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{10/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 231, normalized size = 0.95

$$\frac{\frac{21a^{4/3}(bc-ad)}{x^4} - \frac{12a^{7/3}c}{x^7} - \frac{84\sqrt[3]{a}(a^2e-abd+b^2c)}{x} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}}}{84a^{10/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)),x]
```

```
[Out] ((-12*a^(7/3)*c)/x^7 + (21*a^(4/3)*(b*c - a*d))/x^4 - (84*a^(1/3)*(b^2*c -
a*b*d + a^2*e))/x + (28*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[
(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (28*(b^3*c - a*b^2*d + a^2*
b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (14*(-(b^3*c) + a*b^2*d -
a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3)/(
84*a^(10/3))
```

fricas [A] time = 0.83, size = 610, normalized size = 2.52

$$\frac{42 \sqrt{\frac{1}{3}} (ab^4c - a^2b^3d + a^3b^2e - a^4bf) x^7 \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log \left(\frac{2b^2x^3 - ab + 3 \sqrt{\frac{1}{3}} \left(abx + 2(-ab^2)^{\frac{2}{3}}x^2 + (-ab^2)^{\frac{1}{3}}a \right) \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} - 3(-ab^2)^{\frac{2}{3}}}{bx^3 + a}} \right)}{bx^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/84*(42*\sqrt{1/3}*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f))*x^7*\sqrt{((-a*b^2)^{(1/3)}/a)}*\log((2*b^2*x^3 - a*b + 3*\sqrt{1/3}*(a*b*x + 2*(-a*b^2)^{(2/3)})*x^2 + (-a*b^2)^{(1/3)}*a)*\sqrt{((-a*b^2)^{(1/3)}/a)} - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^{(2/3)}*x^7*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^{(2/3)}*x^7*\log(b*x - (-a*b^2)^{(1/3)}) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7), \\ & -1/84*(84*\sqrt{1/3}*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f))*x^7*\sqrt{((-a*b^2)^{(1/3)}/a)}*\arctan(\sqrt{1/3}*(2*b*x + (-a*b^2)^{(1/3)}))*\sqrt{((-a*b^2)^{(1/3)}/a)}/b) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^{(2/3)}*x^7*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^{(2/3)}*x^7*\log(b*x - (-a*b^2)^{(1/3)}) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7) \end{aligned}$$

giac [A] time = 0.21, size = 275, normalized size = 1.14

$$\frac{\sqrt{3} (b^3c - ab^2d - a^3f + a^2be) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{1}{3}} a^3} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{1}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3*\sqrt{3}*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^3) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^3) + 1/3*(b^3*c*(-a/b)^{(1/3)} - a*b^2*d*(-a/b)^{(1/3)} - a^3*f*(-a/b)^{(1/3)} + a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^4 - 1/28*(28*b^2*c*x^6 - 28*a*b*d*x^6 + 28*a^2*x^6*e - 7*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^3*x^7) \end{aligned}$$

maple [B] time = 0.05, size = 440, normalized size = 1.82

$$\frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} - \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{\sqrt{3} b d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^2} - \frac{b d \ln \left(\dots \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x)`

[Out]
$$-1/3/b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*f+1/3/a/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*e-1/3/a^2*b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*d+1/3/a^3*b^2/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*c+1/6/b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*f-1/6/a/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*e+1/6/a^2*b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*d-1/6/a^3*b^2/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c+1/3*3^{1/2}/b/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*f-1/3/a*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*e+1/3/a^2*3^{1/2}*b/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*d-1/3/a^3*3^{1/2}*b^2/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c-1/7/a*c/x^7-1/4/a/x^4*d+1/4/a^2/x^4*b*c-e/a/x+1/a^2/x*b*d-1/a^3/x*b^2*c$$

maxima [A] time = 3.07, size = 234, normalized size = 0.97

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}} + 6a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="maxima")`

[Out]
$$-1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^3*b*(a/b)^{1/3}) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^3*b*(a/b)^{1/3}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^3*b*(a/b)^{1/3}) - 1/28*(28*(b^2*c - a*b*d + a^2*e)*x^6 - 7*(a*b*c - a^2*d)*x^3 + 4*a^2*c)/(a^3*x^7)$$

mupad [B] time = 5.20, size = 219, normalized size = 0.90

$$\frac{\ln\left(b^{1/3}x + a^{1/3}\right)\left(-fa^3 + ea^2b - da^2b^2 + cb^3\right)}{3a^{10/3}b^{2/3}} - \frac{\frac{c}{7a} + \frac{x^3(ad-bc)}{4a^2} + \frac{x^6(ea^2-dab+cb^2)}{a^3}}{x^7} - \frac{\ln\left(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)),x)`

[Out]
$$(\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{10/3}*b^{2/3}) - (c/(7*a) + (x^3*(a*d - b*c))/(4*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/a^3)/x^7 - (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{10/3}*b^{2/3}) + (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{10/3}*b^{2/3})$$

sympy [A] time = 46.61, size = 432, normalized size = 1.79

$$\text{RootSum}\left(27t^3a^{10}b^2 + a^9f^3 - 3a^8bef^2 + 3a^7b^2df^2 + 3a^7b^2e^2f - 3a^6b^3cf^2 - 6a^6b^3def - a^6b^3e^3 + 6a^5b^4cef + 3a^4b^5def - 3a^3b^6cef - 3a^2b^7def - 3a^2b^7e^3 - 3ab^8def - 3ab^8e^3 - 3b^9def - 3b^9e^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a),x)`

[Out]
$$\text{RootSum}(27*_t**3*a**10*b**2 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**4*b**5*d*e*f - 3*a**3*b**6*c*e*f - 3*a**3*b**6*d*e*f - 3*a**2*b**7*c*e*f - 3*a**2*b**7*d*e*f - 3*a*b**8*c*e*f - 3*a*b**8*d*e*f - 3*b**9*c*e*f - 3*b**9*d*e*f)$$

$$\begin{aligned}
& *3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a \\
& **4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2 \\
& *f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7* \\
& c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, \text{Lambda}(_t, _t*\log(9*_t**2*a**7*b/(a** \\
& 6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f \\
& - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6* \\
& c**2) + x))) + (-4*a**2*c + x**6*(-28*a**2*e + 28*a*b*d - 28*b**2*c) + x**3 \\
& *(-7*a**2*d + 7*a*b*c))/(28*a**3*x**7)
\end{aligned}$$

$$3.245 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$$

Optimal. Leaf size=244

$$\frac{bc-ad}{5a^2x^5} - \frac{a^2e-abd+b^2c}{2a^3x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}$$

[Out] $-1/8*c/a/x^8+1/5*(-a*d+b*c)/a^2/x^5+1/2*(-a^2*e+a*b*d-b^2*c)/a^3/x^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}/b^{(1/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}/b^{(1/3)}+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{11/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]

[Out] $-c/(8*a*x^8) + (b*c - a*d)/(5*a^2*x^5) - (b^2*c - a*b*d + a^2*e)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(11/3)}))/(\text{Sqrt}[3]*a^{(11/3)}*b^{(1/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/((3*a^{(11/3)}*b^{(1/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]))/(6*a^{(11/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)} dx &= \int \left(\frac{c}{ax^9} + \frac{-bc + ad}{a^2x^6} + \frac{b^2c - abd + a^2e}{a^3x^3} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx^3)} \right) dx \\ &= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a+bx^3} dx}{a^3} \\ &= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{11/3}} \\ &= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} \\ &= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} \\ &= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{11/3}\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.25, size = 231, normalized size = 0.95

$$\frac{24a^{5/3}(bc-ad)}{x^5} - \frac{15a^{8/3}c}{x^8} - \frac{60a^{2/3}(a^2e-abd+b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt[3]{b}}$$

$$120a^{11/3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]
```

```
[Out] ((-15*a^(8/3)*c)/x^8 + (24*a^(5/3)*(b*c - a*d))/x^5 - (60*a^(2/3)*(b^2*c -
a*b*d + a^2*e))/x^2 + (40*Sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTa
n[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(1/3) + (40*(-(b^3*c) + a*b^2*d -
a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20*(b^3*c - a*b^2*d
+ a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3)
/(120*a^(11/3))
```

fricas [A] time = 0.71, size = 595, normalized size = 2.44

$$\frac{60 \sqrt{\frac{1}{3}} (ab^4c - a^2b^3d + a^3b^2e - a^4bf) x^8 \sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}} \log \left(\frac{2abx^3 - 3(a^2b)^{\frac{1}{3}}ax - a^2 + 3\sqrt{\frac{1}{3}} \left(2abx^2 + (a^2b)^{\frac{2}{3}}x - (a^2b)^{\frac{1}{3}}a \right) \sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}}}{bx^3 + a} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="fricas")

[Out] [-1/120*(60*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x + (a^2*b)^(2/3)) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8), -1/120*(120*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x + (a^2*b)^(2/3)) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8)]

giac [A] time = 0.20, size = 297, normalized size = 1.22

$$\frac{(b^3c - ab^2d - a^3f + a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right| \right)}{3a^4} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^3c - (-ab^2)^{\frac{1}{3}} ab^2d - (-ab^2)^{\frac{1}{3}} a^3f + (-ab^2)^{\frac{1}{3}} a^2be \right)}{3a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^4 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/(a^4*b) - 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^4*b) - 1/40*(20*b^2*c*x^6 - 20*a*b*d*x^6 + 20*a^2*e*x^6 - 8*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^3*x^8)

maple [B] time = 0.06, size = 441, normalized size = 1.81

$$\frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{e \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{e \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{\sqrt{3} b d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{b d \ln \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x)
```

```
[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e
+1/3/a^2*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/3/a^3*b^2/(a/b)^(2/3)*ln(x+(a/
b)^(1/3))*c-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/a/(a/
b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^2*b/(a/b)^(2/3)*ln(x^2-(
a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^3*b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a
/b)^(2/3))*c+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-
1))*f-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1
/3/a^2*b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/
a^3*b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/8*c
/a/x^8-1/5/a/x^5*d+1/5/a^2/x^5*b*c-1/2/a/x^2*e+1/2/a^2/x^2*b*d-1/2/a^3/x^2*
b^2*c
```

maxima [A] time = 3.01, size = 234, normalized size = 0.96

$$\frac{\sqrt{3} \left(b^3 c - a b^2 d + a^2 b e - a^3 f \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \left(b^3 c - a b^2 d + a^2 b e - a^3 f \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 a^3 b \left(\frac{a}{b} \right)^{\frac{2}{3}} + 6 a^3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x, algorithm="maxima")
```

```
[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x -
(a/b)^(1/3))/(a/b)^(1/3))/(a^3*b*(a/b)^(2/3)) + 1/6*(b^3*c - a*b^2*d + a^2*
b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1
/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2
/3)) - 1/40*(20*(b^2*c - a*b*d + a^2*e)*x^6 - 8*(a*b*c - a^2*d)*x^3 + 5*a^2
*c)/(a^3*x^8)
```

mupad [B] time = 5.13, size = 220, normalized size = 0.90

$$\frac{\frac{c}{8a} + \frac{x^3(ad-bc)}{5a^2} + \frac{x^6(ea^2-dab+cb^2)}{2a^3}}{x^8} \frac{\ln(b^{1/3}x + a^{1/3}) \left(-fa^3 + ea^2b - dab^2 + cb^3 \right)}{3a^{11/3}b^{1/3}} \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})}{3a^{11/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x)
```

```
[Out] (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^
3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(11/3)*b^(1/3)) - (log(b^(1/3)*x + a
^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(11/3)*b^(1/3)) - (log(3^
(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a
^3*f - a*b^2*d + a^2*b*e))/(3*a^(11/3)*b^(1/3)) - (c/(8*a) + (x^3*(a*d - b*
c))/(5*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(2*a^3))/x^8
```

sympy [A] time = 88.52, size = 348, normalized size = 1.43

$$\text{RootSum} \left(27t^3a^{11}b - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 - 6a^5b^4cef - 3a^5b^4e^2f + 3a^4b^5cef - 3a^4b^5e^2f + 3a^3b^6cef - 3a^3b^6e^2f + 3a^2b^7cef - 3a^2b^7e^2f + 3ab^8cef - 3ab^8e^2f + 3b^9cef - 3b^9e^2f \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a), x)
```

```
[Out] RootSum(27*_t**3*a**11*b - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2
- 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*
e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4
*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f
- 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d
**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(3*_t*a**4/(a**3*f - a
*2*b*e + a*b**2*d - b**3*c) + x))) + (-5*a**2*c + x**6*(-20*a**2*e + 20*a*b
*d - 20*b**2*c) + x**3*(-8*a**2*d + 8*a*b*c))/(40*a**3*x**8)
```

$$3.246 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$$

Optimal. Leaf size=277

$$\frac{bc-ad}{7a^2x^7} - \frac{a^2e-abd+b^2c}{4a^3x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{13/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f))}{\sqrt{3}a^{13/3}}$$

[Out] $-1/10*c/a/x^{10}+1/7*(-a*d+b*c)/a^2/x^7+1/4*(-a^2*e+a*b*d-b^2*c)/a^3/x^4+(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x-1/3*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}+1/6*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}-1/3*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{13/3}} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{a^4x} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt{3}a^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]

[Out] $-c/(10*a*x^{10}) + (b*c - a*d)/(7*a^2*x^7) - (b^2*c - a*b*d + a^2*e)/(4*a^3*x^4) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(a^4*x) - (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{qrt}[3]*a^{(13/3)}) - (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(13/3)}) + (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{11}} + \frac{-bc + ad}{a^2x^8} + \frac{b^2c - abd + a^2e}{a^3x^5} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^2} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{a^4} \right) dx \\ &= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\ &= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{(b^{2/3}(b^3c - ab^2d + a^2be - a^3f))}{a^4} \\ &= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\ &= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\ &= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4} \end{aligned}$$

Mathematica [A] time = 0.13, size = 266, normalized size = 0.96

$$\frac{60a^{7/3}(bc-ad)}{x^7} - \frac{42a^{10/3}c}{x^{10}} - \frac{105a^{4/3}(a^2e-abd+b^2c)}{x^4} + \frac{420\sqrt[3]{a}(a^3(-f)+a^2be-ab^2d+b^3c)}{x} + 140\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2c)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]
```

```
[Out] ((-42*a^(10/3)*c)/x^10 + (60*a^(7/3)*(b*c - a*d))/x^7 - (105*a^(4/3)*(b^2*c
- a*b*d + a^2*e))/x^4 + (420*a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/
x - 140*Sqrt[3]*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*
b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 140*b^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e +
a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e -
a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(420*a^(13/3))
```

fricas [A] time = 0.74, size = 262, normalized size = 0.95

$$140 \sqrt{3} (b^3 c - ab^2 d + a^2 b e - a^3 f) x^{10} \left(\frac{b}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3} \sqrt{3} x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \frac{1}{3} \sqrt{3}\right) + 70 (b^3 c - ab^2 d + a^2 b e - a^3 f) x^{10} \left(\frac{b}{a}\right)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="fricas")

[Out] 1/420*(140*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^10*(b/a)^(1/3)*arc tan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 70*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^10*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^10*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)) + 420*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 105*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 42*a^3*c + 60*(a^2*b*c - a^3*d)*x^3)/(a^4*x^10)

giac [A] time = 0.19, size = 376, normalized size = 1.36

$$\frac{\left(b^4 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - ab^3 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3 b f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3} \left(\left(-ab^2\right)^{\frac{2}{3}} b^3 c - \left(-ab^2\right)^{\frac{2}{3}}\right)}{3 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*(b^4*c*(-a/b)^(1/3) - a*b^3*d*(-a/b)^(1/3) - a^3*b*f*(-a/b)^(1/3) + a^2*b^2*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^5 - 1/3*sqrt(3)*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^5*b + 1/6*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^5*b + 1/140*(140*b^3*c*x^9 - 140*a*b^2*d*x^9 - 140*a^3*f*x^9 + 140*a^2*b*x^9*e - 35*a*b^2*c*x^6 + 35*a^2*b*d*x^6 - 35*a^3*x^6*e + 20*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^4*x^10)

maple [B] time = 0.06, size = 491, normalized size = 1.77

$$\frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{\sqrt{3} b e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} - \frac{b e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x)

[Out] 1/3/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-1/3/a^2*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+1/3/a^3*b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/3/a^4*b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c-1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/a^2*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^3*b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^4*b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-1/3/a^3*(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2))*(2/(a/b)^(1/3)*x-1))*f+1/3/a^2*b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2))*(2/(a/b)

$$\begin{aligned} & \left(\frac{1}{3}x-1 \right) e^{-1/3/a^3 b^2 3^{1/2}} / (a/b)^{1/3} \arctan \left(\frac{1}{3} 3^{1/2} \right) \left(\frac{2}{(a/b)^{1/3}} \right) \\ & \left(\frac{1}{3}x-1 \right) d + \frac{1}{3/a^4 b^3 3^{1/2}} / (a/b)^{1/3} \arctan \left(\frac{1}{3} 3^{1/2} \right) \left(\frac{2}{(a/b)^{1/3}} \right) \\ & \left(\frac{1}{3}x-1 \right) c - \frac{1}{10} c/a/x^{10} - \frac{1}{7} a/x^7 d + \frac{1}{7/a^2/x^7 b^3 c} - \frac{1}{4} a/x^4 e + \frac{1}{4/a^2/x^4 b^3 d} \\ & - \frac{1}{4/a^3/x^4 b^2 c} - \frac{1}{a/x^3 f} + \frac{1/a^2/x^3 b^2 e}{-1/a^3/x^3 b^2 d} + \frac{1/a^4/x^3 b^3 c}{-1/a^4/x^3 b^3 c} \end{aligned}$$

maxima [A] time = 3.05, size = 260, normalized size = 0.94

$$\frac{\sqrt{3} (b^3 c - ab^2 d + a^2 b e - a^3 f) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3}} \right)}{3 a^4 \left(\frac{a}{b} \right)^{1/3}} + \frac{(b^3 c - ab^2 d + a^2 b e - a^3 f) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right)}{6 a^4 \left(\frac{a}{b} \right)^{1/3}} (b^3 c -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3} \sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan \left(\frac{1}{3} \sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{1/3} \right) / \left(\frac{a}{b} \right)^{1/3} \right) / \left(a^4 \left(\frac{a}{b} \right)^{1/3} \right) + \frac{1}{6} (b^3 c - a b^2 d + a^2 b e - a^3 f) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right) / \left(a^4 \left(\frac{a}{b} \right)^{1/3} \right) - \frac{1}{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \log \left(x + \left(\frac{a}{b} \right)^{1/3} \right) / \left(a^4 \left(\frac{a}{b} \right)^{1/3} \right) + \frac{1}{140} (140 (b^3 c - a b^2 d + a^2 b e - a^3 f) x^9 - 35 (a b^2 c - a^2 b d + a^3 e) x^6 - 14 a^3 c + 20 (a^2 b c - a^3 d) x^3) / (a^4 x^{10})$

mupad [B] time = 5.33, size = 253, normalized size = 0.91

$$\frac{\frac{c}{10a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{a^4} + \frac{x^3(ad-bc)}{7a^2} + \frac{x^6(ea^2-dab+cb^2)}{4a^3}}{x^{10}} - \frac{b^{1/3} \ln \left(b^{1/3} x + a^{1/3} \right) (-fa^3+ea^2b-dab^2+cb^3)}{3a^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x)

[Out] $(b^{1/3} \log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3})) \left(\frac{3^{1/2} i}{2} + \frac{1}{2} \right) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{13/3}) - (b^{1/3} \log(b^{1/3} x + a^{1/3})) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{13/3}) - (c / (10 a) - (x^9 (b^3 c - a^3 f - a b^2 d + a^2 b e)) / a^4 + (x^3 (a d - b c)) / (7 a^2) + (x^6 (b^2 c + a^2 e - a b d)) / (4 a^3)) / x^{10} - (b^{1/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3})) \left(\frac{3^{1/2} i}{2} - \frac{1}{2} \right) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{13/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a),x)

[Out] Timed out

$$3.247 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$$

Optimal. Leaf size=280

$$\frac{bc-ad}{8a^2x^8} - \frac{a^2e-abd+b^2c}{5a^3x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{14/3}}$$

[Out] $-1/11*c/a/x^{11}+1/8*(-a*d+b*c)/a^2/x^8+1/5*(-a^2*e+a*b*d-b^2*c)/a^3/x^5+1/2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^2+1/3*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}-1/6*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}-1/3*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}*3^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{2a^4x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x]

[Out] $-c/(11*a*x^{11}) + (b*c - a*d)/(8*a^2*x^8) - (b^2*c - a*b*d + a^2*e)/(5*a^3*x^5) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(2*a^4*x^2) - (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(14/3)}) + (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*a^{(14/3)}) - (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*a^{(14/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{12}} + \frac{-bc + ad}{a^2x^9} + \frac{b^2c - abd + a^2e}{a^3x^6} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^3} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \right) dx \\ &= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\ &= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\ &= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\ &= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\ &= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} - \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \end{aligned}$$

Mathematica [A] time = 0.16, size = 266, normalized size = 0.95

$$\frac{165a^{8/3}(bc-ad)}{x^8} - \frac{120a^{11/3}c}{x^{11}} - \frac{264a^{5/3}(a^2e-abd+b^2c)}{x^5} + 440b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c) - 440\sqrt{3}b^{2/3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)), x]
```

```
[Out] ((-120*a^(11/3)*c)/x^11 + (165*a^(8/3)*(b*c - a*d))/x^8 - (264*a^(5/3)*(b^2
*c - a*b*d + a^2*e))/x^5 + (660*a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)
)/x^2 - 440*Sqrt[3]*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 -
(2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 440*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e -
a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*b^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*
e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(1320*a^(14/3))
```


fricas [A] time = 0.77, size = 295, normalized size = 1.05

$$440\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)x^{11}\left(-\frac{b^2}{a^2}\right)^{\frac{1}{3}}\arctan\left(\frac{2\sqrt{3}ax\left(-\frac{b^2}{a^2}\right)^{\frac{2}{3}} - \sqrt{3}b}{3b}\right) - 220(b^3c - ab^2d + a^2be - a^3f)x^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="fricas")

[Out] -1/1320*(440*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^11*(-b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) - 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^11*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)) + 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^11*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3)) - 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 + 264*(a*b^2*c - a^2*b*d + a^3*e)*x^6 + 120*a^3*c - 165*(a^2*b*c - a^3*d)*x^3)/(a^4*x^11)

giac [A] time = 0.19, size = 338, normalized size = 1.21

$$\frac{\sqrt{3}\left(\left(-ab^2\right)^{\frac{1}{3}}b^3c - \left(-ab^2\right)^{\frac{1}{3}}ab^2d - \left(-ab^2\right)^{\frac{1}{3}}a^3f + \left(-ab^2\right)^{\frac{1}{3}}a^2be\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^5}(b^4c - ab^3d - a^3bf + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^5 - 1/3*(b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^5 + 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^5 + 1/440*(220*b^3*c*x^9 - 220*a*b^2*d*x^9 - 220*a^3*f*x^9 + 220*a^2*b*x^9*e - 88*a*b^2*c*x^6 + 88*a^2*b*d*x^6 - 88*a^3*x^6*e + 55*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^4*x^11)

maple [B] time = 0.05, size = 493, normalized size = 1.76

$$\frac{\sqrt{3}f\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a} + \frac{f\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a} + \frac{f\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}a} + \frac{\sqrt{3}be\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2} + \frac{be\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x)

[Out] -1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+1/3/a^2*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e-1/3/a^3*b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+1/3/a^4*b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c+1/6/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6/a^2*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/6/a^3*b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/6/a^4*b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c

$b^{1/3}x + (a/b)^{2/3}) * c - 1/3/a/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f + 1/3/a^2 * b/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e - 1/3/a^3 * b^2/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d + 1/3/a^4 * b^3/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - 1/11/a * c/x^{11} - 1/8/a/x^8 * d + 1/8/a^2/x^8 * b * c - 1/5/a/x^5 * e + 1/5/a^2/x^5 * b * d - 1/5/a^3/x^5 * b^2 * c - 1/2/a/x^2 * f + 1/2/a^2/x^2 * b * e - 1/2/a^3/x^2 * b^2 * d + 1/2/a^4/x^2 * b^3 * c$

maxima [A] time = 2.97, size = 260, normalized size = 0.93

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + (b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{2}{3}} + 6a^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a), x, algorithm="maxima")

[Out] $\frac{1}{3} \sqrt{3} (b^3c - a^3f) \arctan\left(\frac{\sqrt{3}(2x - (a/b)^{1/3})}{3(a/b)^{1/3}}\right) + \frac{1}{6} (b^3c - a^3f) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right) + \frac{1}{3} (b^3c - a^3f) \log\left(x + (a/b)^{1/3}\right) + \frac{1}{440} (220(b^3c - a^3f)x^9 - 88(a^2b^2c - a^2b^2d + a^3e)x^6 - 40a^3c + 55(a^2b^2c - a^3d)x^3) / (a^4x^{11})$

mupad [B] time = 5.15, size = 253, normalized size = 0.90

$$\frac{b^{2/3} \ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{14/3}} - \frac{c}{11a} - \frac{x^9(-fa^3 + ea^2b - da^2b^2 + cb^3)}{2a^4} + \frac{x^3(ad - bc)}{8a^2} + \frac{x^6(ea^2 - dab + cb^2)}{5a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)), x)

[Out] $\frac{(b^{2/3} \log(b^{1/3}x + a^{1/3}) (b^3c - a^3f - a^2b^2d + a^2b^2e)) / (3a^{14/3}) - (c / (11a) - (x^9(b^3c - a^3f - a^2b^2d + a^2b^2e)) / (2a^4) + (x^3(ad - bc)) / (8a^2) + (x^6(b^2c + a^2e - a^2bd)) / (5a^3)) / x^{11} + (b^{2/3} \log(3^{1/2}a^{1/3} + 2b^{1/3}x - a^{1/3}) ((3^{1/2} + 1) / 2 - 1/2)(b^3c - a^3f - a^2b^2d + a^2b^2e)) / (3a^{14/3}) - (b^{2/3} \log(3^{1/2}a^{1/3} + 2b^{1/3}x - a^{1/3}) ((3^{1/2} + 1) / 2 + 1/2)(b^3c - a^3f - a^2b^2d + a^2b^2e)) / (3a^{14/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a), x)

[Out] Timed out

$$3.248 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$$

Optimal. Leaf size=313

$$\frac{bc-ad}{10a^2x^{10}} - \frac{a^2e-abd+b^2c}{7a^3x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{16/3}}$$

[Out] $-1/13*c/a/x^{13}+1/10*(-a*d+b*c)/a^2/x^{10}+1/7*(-a^2*e+a*b*d-b^2*c)/a^3/x^7+1/4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^4-b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x+1/3*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}-1/6*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}+1/3*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.24, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{4a^4x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{16/3}} - \frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)), x]

[Out] $-c/(13*a*x^{13}) + (b*c - a*d)/(10*a^2*x^{10}) - (b^2*c - a*b*d + a^2*e)/(7*a^3*x^7) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(4*a^4*x^4) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^5*x) + (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(16/3)}) + (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(16/3)}) - (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(16/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1834

$\text{Int}[\{(Pq_)*((c_)*(x_))^{(m_)} / ((a_)+(b_)*(x_)^{n_}), x_Symbol\} \rightarrow \text{Int}[\text{ExpandIntegrand}[\{(c*x)^m*Pq\}/(a + b*x^n), x], x] \ /; \text{FreeQ}[\{a, b, c, m\}, x] \ \& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{14}} + \frac{-bc + ad}{a^2x^{11}} + \frac{b^2c - abd + a^2e}{a^3x^8} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^5} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{a^5x^2} \right) dx \\ &= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\ &= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\ &= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\ &= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \end{aligned}$$

Mathematica [A] time = 0.13, size = 308, normalized size = 0.98

$$\frac{bc - ad}{10a^2x^{10}} - \frac{a^2e - abd + b^2c}{7a^3x^7} + \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^3f - a^2be + ab^2d - b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^3f - a^2be + ab^2d - b^3c)}{3a^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x]

[Out] -1/13*c/(a*x^13) + (b*c - a*d)/(10*a^2*x^10) - (b^2*c - a*b*d + a^2*e)/(7*a^3*x^7) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(4*a^4*x^4) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a^5*x) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(a^(2/3) - sqrt[3](a)*sqrt[3](b)*x + b^(2/3)*x^2))/(6*a^(16/3)) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(sqrt[3](a) + sqrt[3](b)*x))/(3*a^(16/3))

$$a^3 f \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] / (\sqrt{3} a^{16/3}) + (b^{4/3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \operatorname{Log}[a^{1/3} + b^{1/3} x]) / (3 a^{16/3}) + (b^{4/3} (-(b^3 c) + a b^2 d - a^2 b e + a^3 f) \operatorname{Log}[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2]) / (6 a^{16/3})$$

fricas [A] time = 0.79, size = 317, normalized size = 1.01

$$1820 \sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{13} \left(-\frac{b}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3} \sqrt{3} x \left(-\frac{b}{a}\right)^{\frac{1}{3}} + \frac{1}{3} \sqrt{3}\right) - 910 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="fricas")

[Out] -1/5460*(1820*sqrt(3)*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^13*(-b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(-b/a)^(1/3) + 1/3*sqrt(3)) - 910*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^13*(-b/a)^(1/3)*log(b*x^2 - a*x*(-b/a)^(2/3) - a*(-b/a)^(1/3)) + 1820*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^13*(-b/a)^(1/3)*log(b*x + a*(-b/a)^(2/3)) + 5460*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12 - 1365*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 780*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 420*a^4*c - 546*(a^3*b*c - a^4*d)*x^3)/(a^5*x^13)

giac [A] time = 0.18, size = 419, normalized size = 1.34

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^3 c - (-ab^2)^{\frac{2}{3}} ab^2 d - (-ab^2)^{\frac{2}{3}} a^3 f + (-ab^2)^{\frac{2}{3}} a^2 b e \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^6} + \frac{\left(b^5 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a b^4 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^6 + 1/3*(b^5*c*(-a/b)^(1/3) - a*b^4*d*(-a/b)^(1/3) - a^3*b^2*f*(-a/b)^(1/3) + a^2*b^3*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/6*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 - 1/1820*(1820*b^4*c*x^12 - 1820*a*b^3*d*x^12 - 1820*a^3*b*f*x^12 + 1820*a^2*b^2*e*x^12 - 455*a*b^3*c*x^9 + 455*a^2*b^2*d*x^9 + 455*a^4*f*x^9 - 455*a^3*b*x^9*e + 260*a^2*b^2*c*x^6 - 260*a^3*b*d*x^6 + 260*a^4*x^6*e - 182*a^3*b*c*x^3 + 182*a^4*d*x^3 + 140*a^4*c)/(a^5*x^13)

maple [B] time = 0.05, size = 546, normalized size = 1.74

$$\frac{\sqrt{3} b f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} - \frac{b f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{b f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} - \frac{\sqrt{3} b^2 e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} + \frac{b^2}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x)

```
[Out] 1/3/a^2*b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3/a^3*b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3/a^4*b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/a^5*b^4*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/7/a^3/x^7*b^2*c+1/a^4*b^3/x*d-1/a^5*b^4/x*c+1/a^2*b/x*f-1/a^3*b^2/x*e+1/4/a^2/x^4*b*e-1/4/a^3/x^4*b^2*d+1/4/a^4/x^4*b^3*c+1/10/a^2/x^10*b*c+1/7/a^2/x^7*b*d-1/13*c/a/x^13-1/7/a/x^7*e-1/10/a/x^10*d+1/6/a^4*b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/6/a^5*b^4/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-1/3/a^2*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+1/3/a^3*b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-1/3/a^4*b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/3/a^5*b^4/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/6/a^2*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6/a^3*b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/4/a/x^4*f
```

maxima [A] time = 2.99, size = 307, normalized size = 0.98

$$\frac{\sqrt{3}(b^4c - ab^3d + a^2b^2e - a^3bf) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^4c - ab^3d + a^2b^2e - a^3bf) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3a^5\left(\frac{a}{b}\right)^{\frac{1}{3}} + 6a^5\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a), x, algorithm="maxima")
```

```
[Out] -1/3*sqrt(3)*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^5*(a/b)^(1/3)) - 1/6*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(1/3)) + 1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(1/3)) - 1/1820*(1820*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12 - 45*5*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 260*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 140*a^4*c - 182*(a^3*b*c - a^4*d)*x^3)/(a^5*x^13)
```

mupad [B] time = 5.23, size = 286, normalized size = 0.91

$$\frac{b^{4/3} \ln\left(b^{1/3} x + a^{1/3}\right) \left(-f a^3 + e a^2 b - d a b^2 + c b^3\right)}{3 a^{16/3}} - \frac{c}{13 a} - \frac{x^9 \left(-f a^3 + e a^2 b - d a b^2 + c b^3\right)}{4 a^4} + \frac{x^3 (a d - b c)}{10 a^2} + \frac{x^6 \left(e a^2 - d a b + c b^2\right)}{7 a^3} + \frac{1}{x^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)), x)
```

```
[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(16/3)) - (c/(13*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(4*a^4) + (x^3*(a*d - b*c))/(10*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(7*a^3) + (b*x^12*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^5)/x^13 - (b^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(16/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(16/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a), x)
```

```
[Out] Timed out
```

$$3.249 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$$

Optimal. Leaf size=315

$$\frac{bc-ad}{11a^2x^{11}} - \frac{a^2e-abd+b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} - \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{17/3}}$$

[Out] $-1/14*c/a/x^{14}+1/11*(-a*d+b*c)/a^2/x^{11}+1/8*(-a^2*e+a*b*d-b^2*c)/a^3/x^8+1/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^5-1/2*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^2-1/3*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}+1/6*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}+1/3*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 315, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$-\frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{2a^5x^2} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{5a^4x^5} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)), x]

[Out] $-c/(14*a*x^{14}) + (b*c - a*d)/(11*a^2*x^{11}) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(2*a^5*x^2) + (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(17/3)}) - (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(17/3)}) + (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1834

$\text{Int}[\{(Pq_)*((c_)*(x_))^{(m_)} / ((a_)+(b_)*(x_)^{n_}), x_Symbol\} \rightarrow \text{Int}[\text{ExpandIntegrand}[\{(c*x)^m*Pq\}/(a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{15}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{15}} + \frac{-bc + ad}{a^2x^{12}} + \frac{b^2c - abd + a^2e}{a^3x^9} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^6} - \frac{b(-b^3c + ab^2d - a^2be + a^3f)}{2a^5x^3} \right) dx \\ &= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\ &= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\ &= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\ &= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \end{aligned}$$

Mathematica [A] time = 0.15, size = 311, normalized size = 0.99

$$\frac{bc - ad}{11a^2x^{11}} - \frac{a^2e - abd + b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{17/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x]

[Out] -1/14*c/(a*x^14) + (b*c - a*d)/(11*a^2*x^11) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(2*a^5*x^2) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b

$$*e - a^3*f)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]]/(\text{Sqrt}[3]*a^{(17/3)} + (b^{(5/3)}*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (3*a^{(17/3)} + (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(17/3)})$$

fricas [A] time = 0.59, size = 335, normalized size = 1.06

$$3080 \sqrt{3} (b^4c - ab^3d + a^2b^2e - a^3bf)x^{14} \left(\frac{b^2}{a^2}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}ax\left(\frac{b^2}{a^2}\right)^{\frac{2}{3}} - \sqrt{3}b}{3b}\right) - 1540 (b^4c - ab^3d + a^2b^2e - a^3bf)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="fricas")

[Out] -1/9240*(3080*sqrt(3)*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(b^2/a^2)^(2/3) - sqrt(3)*b)/b) - 1540*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b^2*x^2 - a*b*x*(b^2/a^2)^(1/3) + a^2*(b^2/a^2)^(2/3)) + 3080*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b*x + a*(b^2/a^2)^(1/3)) + 4620*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12 - 1848*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 1155*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 660*a^4*c - 840*(a^3*b*c - a^4*d)*x^3)/(a^5*x^14)

giac [A] time = 0.19, size = 393, normalized size = 1.25

$$\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^4c - (-ab^2)^{\frac{1}{3}} ab^3d - (-ab^2)^{\frac{1}{3}} a^3bf + (-ab^2)^{\frac{1}{3}} a^2b^2e \right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \frac{(b^5c - ab^4d - a^3b^2e)}{3a^6} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^6 + 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/6*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 - 1/3080*(1540*b^4*c*x^12 - 1540*a*b^3*d*x^12 - 1540*a^3*b*f*x^12 + 1540*a^2*b^2*e*x^12 - 616*a*b^3*c*x^9 + 616*a^2*b^2*d*x^9 + 616*a^4*f*x^9 - 616*a^3*b*d*x^9*e + 385*a^2*b^2*c*x^6 - 385*a^3*b*d*x^6 + 385*a^4*x^6*e - 280*a^3*b*c*x^3 + 280*a^4*d*x^3 + 220*a^4*c)/(a^5*x^14)

maple [B] time = 0.06, size = 548, normalized size = 1.74

$$\frac{\sqrt{3} b f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{b f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{b f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{\sqrt{3} b^2 e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^3} + b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x)

[Out] $\frac{1}{3}a^2b/(a/b)^{(2/3)}3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3/a^3*b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e+1/3/a^4*b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d-1/3/a^5*b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/2/a^5*b^4/x^2*c+1/11/a^2/x^{11}*b*c+1/8/a^2/x^8*b*d-1/8/a^3/x^8*b^2*c+1/5/a^2/x^5*b*e+1/2/a^2*b/x^2*f-1/2/a^3*b^2/x^2*e+1/2/a^4*b^3/x^2*d-1/5/a^3/x^5*b^2*d+1/5/a^4/x^5*b^3*c-1/11/a/x^{11}*d-1/14*c/a/x^{14}-1/3/a^5*b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/8/a/x^8*e-1/6/a^4*b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/6/a^5*b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/3/a^2*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f-1/3/a^3*b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-1/5/a/x^5*f-1/6/a^2*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/6/a^3*b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/3/a^4*b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d$

maxima [A] time = 3.11, size = 307, normalized size = 0.97

$$\frac{\sqrt{3}(b^4c - ab^3d + a^2b^2e - a^3bf) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^5\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^5\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*(a/b)^{(2/3)}) + 1/6*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*(a/b)^{(2/3)}) - 1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(x + (a/b)^{(1/3)})/(a^5*(a/b)^{(2/3)}) - 1/3080*(1540*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{12} - 616*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 385*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 220*a^4*c - 280*(a^3*b*c - a^4*d)*x^3)/(a^5*x^{14})$

mupad [B] time = 5.17, size = 287, normalized size = 0.91

$$\frac{\frac{c}{14a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{5a^4} + \frac{x^3(ad-bc)}{11a^2} + \frac{x^6(ea^2-dab+cb^2)}{8a^3} + \frac{bx^{12}(-fa^3+ea^2b-dab^2+cb^3)}{2a^5}}{x^{14}} - \frac{b^{5/3} \ln(b^{1/3}x + a^{1/3})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x)

[Out] $(b^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (b^{(5/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (b^{(5/3)})*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (c/(14*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(5*a^4) + (x^3*(a*d - b*c))/(11*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(8*a^3) + (b*x^{12}*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(2*a^5))/x^{14}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**15/(b*x**3+a),x)

[Out] Timed out

$$3.250 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$$

Optimal. Leaf size=351

$$\frac{bc-ad}{13a^2x^{13}} - \frac{a^2e-abd+b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{19/3}} - \frac{b^{7/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{19/3}}$$

[Out] $-1/16*c/a/x^{16}+1/13*(-a*d+b*c)/a^2/x^{13}+1/10*(-a^2*e+a*b*d-b^2*c)/a^3/x^{10}+1/7*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^7-1/4*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^4+b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^6/x-1/3*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(19/3)}+1/6*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(19/3)}-1/3*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{4a^5x^4} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{7a^4x^7} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)), x]

[Out] $-c/(16*a*x^{16}) + (b*c - a*d)/(13*a^2*x^{13}) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^{10}) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) - (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*a^{(19/3)}) - (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(19/3)}) + (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[
(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[
(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Int[
ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{17}(a + bx^3)} dx = \int \left(\frac{c}{ax^{17}} + \frac{-bc + ad}{a^2x^{14}} + \frac{b^2c - abd + a^2e}{a^3x^{11}} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^8} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{4a^5x^5} \right) dx$$

$$= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}$$

$$= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}$$

$$= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}$$

$$= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}$$

$$= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}$$

Mathematica [A] time = 0.15, size = 346, normalized size = 0.99

$$\frac{bc - ad}{13a^2x^{13}} - \frac{a^2e - abd + b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{19/3}} + \frac{b^{7/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{19/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x]
[Out] -1/16*c/(a*x^16) + (b*c - a*d)/(13*a^2*x^13) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^10) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) + (b*(-(b^3*c)
```

$$+ a*b^2*d - a^2*b*e + a^3*f)/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) + (b^(7/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/(Sqrt[3]*a^(19/3)) + (b^(7/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(19/3)) + (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(19/3))$$

fricas [A] time = 0.83, size = 355, normalized size = 1.01

$$7280 \sqrt{3} (b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{16} \left(\frac{b}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3} \sqrt{3} x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \frac{1}{3} \sqrt{3}\right) + 3640 (b^5c - ab^4d + a^2b^3e - a^3b^2f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="fricas")

[Out] 1/21840*(7280*sqrt(3)*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^16*(b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 3640*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^16*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 7280*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^16*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)) + 21840*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15 - 5460*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^12 + 3120*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^9 - 2184*(a^3*b^2*c - a^4*b*d + a^5*e)*x^6 - 1365*a^5*c + 1680*(a^4*b*c - a^5*d)*x^3)/(a^6*x^16)

giac [A] time = 0.19, size = 474, normalized size = 1.35

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^4c - (-ab^2)^{\frac{2}{3}} ab^3d - (-ab^2)^{\frac{2}{3}} a^3bf + (-ab^2)^{\frac{2}{3}} a^2b^2e \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(b^6c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - ab^5 \right)}{3 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(2/3)*b^4*c - (-a*b^2)^(2/3)*a*b^3*d - (-a*b^2)^(2/3)*a^3*b*f + (-a*b^2)^(2/3)*a^2*b^2*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/a^7 - 1/3*(b^6*c*(-a/b)^(1/3) - a*b^5*d*(-a/b)^(1/3) - a^3*b^3*f*(-a/b)^(1/3) + a^2*b^4*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^7 + 1/6*((-a*b^2)^(2/3)*b^4*c - (-a*b^2)^(2/3)*a*b^3*d - (-a*b^2)^(2/3)*a^3*b*f + (-a*b^2)^(2/3)*a^2*b^2*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^7 + 1/7280*(7280*b^5*c*x^15 - 7280*a*b^4*d*x^15 - 7280*a^3*b^2*f*x^15 + 7280*a^2*b^3*x^15*e - 1820*a*b^4*c*x^12 + 1820*a^2*b^3*d*x^12 + 1820*a^4*b*f*x^12 - 1820*a^3*b^2*x^12*e + 1040*a^2*b^3*c*x^9 - 1040*a^3*b^2*d*x^9 - 1040*a^5*f*x^9 + 1040*a^4*b*x^9*e - 728*a^3*b^2*c*x^6 + 728*a^4*b*d*x^6 - 728*a^5*x^6*e + 560*a^4*b*c*x^3 - 560*a^5*d*x^3 - 455*a^5*c)/(a^6*x^16)

maple [A] time = 0.06, size = 600, normalized size = 1.71

$$\frac{\sqrt{3} b^2 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} + \frac{b^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} - \frac{b^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} + \frac{\sqrt{3} b^3 e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x)
[Out] -1/10/a^3/x^10*b^2*c+1/7/a^2/x^7*b*e-1/7/a^3/x^7*b^2*d+1/7/a^4/x^7*b^3*c-1/a^3*b^2/x*f+1/a^4*b^3/x*e-1/a^5*b^4/x*d+1/a^6*b^5/x*c+1/4/a^2*b/x^4*f-1/4/a^3*b^2/x^4*e+1/4/a^4*b^3/x^4*d-1/4/a^5*b^4/x^4*c+1/13/a^2/x^13*b*c+1/10/a^2/x^10*b*d-1/16*c/a/x^16-1/3/a^3*b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+1/3/a^4*b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-1/3/a^5*b^4*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/3/a^6*b^5*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/7/a/x^7*f-1/13/a/x^13*d-1/3/a^4*b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+1/3/a^5*b^4/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/10/a/x^10*e+1/6/a^6*b^5/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-1/3/a^6*b^5/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c-1/6/a^3*b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/a^4*b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^5*b^4/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/3/a^3*b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f
```

maxima [A] time = 3.03, size = 353, normalized size = 1.01

$$\frac{\sqrt{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3a^6\left(\frac{a}{b}\right)^{\frac{1}{3}} + 6a^6\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="maxima")
[Out] 1/3*sqrt(3)*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^6*(a/b)^(1/3)) + 1/6*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^6*(a/b)^(1/3)) - 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*log(x + (a/b)^(1/3))/(a^6*(a/b)^(1/3)) + 1/7280*(7280*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15 - 1820*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^12 + 1040*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^9 - 728*(a^3*b^2*c - a^4*b*d + a^5*e)*x^6 - 455*a^5*c + 560*(a^4*b*c - a^5*d)*x^3)/(a^6*x^16)
```

mupad [B] time = 5.16, size = 323, normalized size = 0.92

$$\frac{\frac{c}{16a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{7a^4} + \frac{x^3(ad-bc)}{13a^2} + \frac{x^6(ea^2-dab+cb^2)}{10a^3} + \frac{bx^{12}(-fa^3+ea^2b-dab^2+cb^3)}{4a^5} - \frac{b^2x^{15}(-fa^3+ea^2b-dab^2+cb^3)}{a^6}}{x^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x)
[Out] (b^(7/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3)) - (b^(7/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3)) - (c/(16*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(7*a^4) + (x^3*(a*d - b*c))/(13*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(10*a^3) + (b*x^12*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(4*a^5) - (b^2*x^15*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^6)/x^16 - (b^(7/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**17/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.251 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=220

$$\frac{x^9(3a^2f - 2abe + b^2d)}{9b^4} + \frac{a^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)(-6a^3f + 5a^2be - 4ab^2d + 3b^3c)}{3b^7} - \frac{ax^3}{3b^7}$$

[Out] $-1/3*a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)*x^3/b^6+1/6*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x^6/b^5+1/9*(3*a^2*f-2*a*b*e+b^2*d)*x^9/b^4+1/12*(-2*a*f+b*e)*x^{12}/b^3+1/15*f*x^{15}/b^2+1/3*a^3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^7/(b*x^3+a)+1/3*a^2*(-6*a^3*f+5*a^2*b*e-4*a*b^2*d+3*b^3*c)*\ln(b*x^3+a)/b^7$

Rubi [A] time = 0.34, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(3a^2be - 4a^3f - 2ab^2d + b^3c)}{6b^5} - \frac{ax^3(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6} + \frac{a^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)}{3b^7}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $-(a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x^3)/(3*b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6)/(6*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^9)/(9*b^4) + ((b*e - 2*a*f)*x^{12})/(12*b^3) + (f*x^{15})/(15*b^2) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^7*(a + b*x^3)) + (a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*\text{Log}[a + b*x^3])/(3*b^7)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-2b^3c + 3ab^2d - 4a^2be + 5a^3f)}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)}{b^5} \right) \right. \\ &\quad \left. - \frac{a(2b^3c - 3ab^2d + 4a^2be - 5a^3f)x^3}{3b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^6}{6b^5} + \frac{(b^2d - 2abe + 3a^2f)x^9}{9b^4} \right. \end{aligned}$$

Mathematica [A] time = 0.21, size = 205, normalized size = 0.93

$$\frac{20b^3x^9(3a^2f - 2abe + b^2d) + 30b^2x^6(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 60abx^3(5a^3f - 4a^2be + 3ab^2d - 2b^3c)}{18}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (60*a*b*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x^3 + 30*b^2*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6 + 20*b^3*(b^2*d - 2*a*b*e + 3*a^2*f)*x^9 + 15*b^4*(b*e - 2*a*f)*x^12 + 12*b^5*f*x^15 - (60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 60*a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*Log[a + b*x^3])/(180*b^7)

fricas [A] time = 0.58, size = 303, normalized size = 1.38

$$\frac{12b^6fx^{18} + 3(5b^6e - 6ab^5f)x^{15} + 5(4b^6d - 5ab^5e + 6a^2b^4f)x^{12} + 10(3b^6c - 4ab^5d + 5a^2b^4e - 6a^3b^3f)x^9}{180b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/180*(12*b^6*f*x^18 + 3*(5*b^6*e - 6*a*b^5*f)*x^15 + 5*(4*b^6*d - 5*a*b^5*e + 6*a^2*b^4*f)*x^12 + 10*(3*b^6*c - 4*a*b^5*d + 5*a^2*b^4*e - 6*a^3*b^3*f)*x^9 + 60*a^3*b^3*c - 60*a^4*b^2*d + 60*a^5*b*e - 60*a^6*f - 30*(3*a*b^5*c - 4*a^2*b^4*d + 5*a^3*b^3*e - 6*a^4*b^2*f)*x^6 - 60*(2*a^2*b^4*c - 3*a^3*b^3*d + 4*a^4*b^2*e - 5*a^5*b*f)*x^3 + 60*(3*a^3*b^3*c - 4*a^4*b^2*d + 5*a^5*b*e - 6*a^6*f + (3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)*log(b*x^3 + a))/(b^8*x^3 + a*b^7)

giac [A] time = 0.25, size = 300, normalized size = 1.36

$$\frac{(3a^2b^3c - 4a^3b^2d - 6a^5f + 5a^4be) \log(|bx^3 + a|)}{3b^7} - \frac{3a^2b^4cx^3 - 4a^3b^3dx^3 - 6a^5bfx^3 + 5a^4b^2x^3e + 2a^3b^3c - 3a^2b^4c}{3(bx^3 + a)b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/3*(3*a^2*b^3*c - 4*a^3*b^2*d - 6*a^5*f + 5*a^4*b*e)*log(abs(b*x^3 + a))/b^7 - 1/3*(3*a^2*b^4*c*x^3 - 4*a^3*b^3*d*x^3 - 6*a^5*b*f*x^3 + 5*a^4*b^2*x^3*e + 2*a^3*b^3*c - 3*a^4*b^2*d - 5*a^6*f + 4*a^5*b*e)/((b*x^3 + a)*b^7) + 1/180*(12*b^8*f*x^15 - 30*a*b^7*f*x^12 + 15*b^8*x^12*e + 20*b^8*d*x^9 + 60*a^2*b^6*f*x^9 - 40*a*b^7*x^9*e + 30*b^8*c*x^6 - 60*a*b^7*d*x^6 - 120*a^3*b^5*f*x^6 + 90*a^2*b^6*x^6*e - 120*a*b^7*c*x^3 + 180*a^2*b^6*d*x^3 + 300*a^4*b^4*f*x^3 - 240*a^3*b^5*x^3*e)/b^10

maple [A] time = 0.06, size = 288, normalized size = 1.31

$$\frac{fx^{15}}{15b^2} - \frac{afx^{12}}{6b^3} + \frac{ex^{12}}{12b^2} + \frac{a^2fx^9}{3b^4} - \frac{2aex^9}{9b^3} + \frac{dx^9}{9b^2} - \frac{2a^3fx^6}{3b^5} + \frac{a^2ex^6}{2b^4} - \frac{adx^6}{3b^3} + \frac{cx^6}{6b^2} + \frac{5a^4fx^3}{3b^6} - \frac{4a^3ex^3}{3b^5} + \frac{a^2dx^3}{b^4} - \frac{2acx^3}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/15*f*x^15/b^2-1/6/b^3*x^12*a*f+1/12/b^2*x^12*e+1/3/b^4*x^9*a^2*f-2/9/b^3*x^9*a*e+1/9/b^2*x^9*d-2/3/b^5*x^6*a^3*f+1/2/b^4*x^6*a^2*e-1/3/b^3*x^6*a*d+1

$$\frac{1}{6}b^2x^6c + \frac{5}{3}b^6x^3a^4f - \frac{4}{3}b^5x^3a^3e + \frac{1}{b^4}x^3a^2d - \frac{2}{3}b^3x^3a^3c - 2a^5/b^7 \ln(bx^3+a) * f + \frac{5}{3}a^4/b^6 \ln(bx^3+a) * e - \frac{4}{3}a^3/b^5 \ln(bx^3+a) * d + \frac{a^2}{b^4} \ln(bx^3+a) * c - \frac{1}{3}a^6/b^7 / (bx^3+a) * f + \frac{1}{3}a^5/b^6 / (bx^3+a) * e - \frac{1}{3}a^4/b^5 / (bx^3+a) * d + \frac{1}{3}a^3/b^4 / (bx^3+a) * c$$

maxima [A] time = 1.30, size = 222, normalized size = 1.01

$$\frac{a^3b^3c - a^4b^2d + a^5be - a^6f}{3(b^8x^3 + ab^7)} + \frac{12b^4fx^{15} + 15(b^4e - 2ab^3f)x^{12} + 20(b^4d - 2ab^3e + 3a^2b^2f)x^9 + 30(b^4c - 2ab^3d)}{180b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(a^3b^3c - a^4b^2d + a^5be - a^6f)/(b^8x^3 + ab^7) + \frac{1}{180}(12b^4fx^{15} + 15(b^4e - 2ab^3f)x^{12} + 20(b^4d - 2ab^3e + 3a^2b^2f)x^9 + 30(b^4c - 2ab^3d + 3a^2b^2e - 4a^3b^2f)x^6 - 60(2a^2b^3c - 3a^2b^2d + 4a^3b^2e - 5a^4bf)x^3)/b^6 + \frac{1}{3}(3a^2b^3c - 4a^3b^2d + 5a^4be - 6a^5f) \log(bx^3 + a)/b^7$

mupad [B] time = 4.99, size = 356, normalized size = 1.62

$$x^{12} \left(\frac{e}{12b^2} - \frac{af}{6b^3} \right) - x^3 \left(\frac{2a \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right)}{3b} - \frac{a^2 \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{3b^2} \right) - x^9 \left(\frac{a^2f}{9b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^{12} * (e / (12 * b^2) - (a * f) / (6 * b^3)) - x^3 * ((2 * a * (c / b^2 - (a^2 * (e / b^2 - (2 * a * f) / b^3)) / b^2 + (2 * a * ((a^2 * f) / b^4 - d / b^2 + (2 * a * (e / b^2 - (2 * a * f) / b^3)) / b)) / (3 * b)) - (a^2 * ((a^2 * f) / b^4 - d / b^2 + (2 * a * (e / b^2 - (2 * a * f) / b^3)) / b)) / (3 * b^2)) - x^9 * ((a^2 * f) / (9 * b^4) - d / (9 * b^2) + (2 * a * (e / b^2 - (2 * a * f) / b^3)) / (9 * b)) + x^6 * (c / (6 * b^2) - (a^2 * (e / b^2 - (2 * a * f) / b^3)) / (6 * b^2) + (a * ((a^2 * f) / b^4 - d / b^2 + (2 * a * (e / b^2 - (2 * a * f) / b^3)) / b)) / (3 * b)) - (\log(a + b * x^3) * (6 * a^5 * f - 3 * a^2 * b^3 * c + 4 * a^3 * b^2 * d - 5 * a^4 * b * e)) / (3 * b^7) + (f * x^{15}) / (15 * b^2) - (a^6 * f - a^3 * b^3 * c + a^4 * b^2 * d - a^5 * b * e) / (3 * b * (a * b^6 + b^7 * x^3))$

sympy [A] time = 14.42, size = 236, normalized size = 1.07

$$-\frac{a^2(6a^3f - 5a^2be + 4ab^2d - 3b^3c) \log(a + bx^3)}{3b^7} + x^{12} \left(-\frac{af}{6b^3} + \frac{e}{12b^2} \right) + x^9 \left(\frac{a^2f}{3b^4} - \frac{2ae}{9b^3} + \frac{d}{9b^2} \right) + x^6 \left(-\frac{2a^3f}{3b^5} + \frac{a^2e}{2b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $-a**2*(6*a**3*f - 5*a**2*b*e + 4*a*b**2*d - 3*b**3*c) * \log(a + b*x**3) / (3*b**7) + x**12 * (-a*f / (6*b**3) + e / (12*b**2)) + x**9 * (a**2*f / (3*b**4) - 2*a*e / (9*b**3) + d / (9*b**2)) + x**6 * (-2*a**3*f / (3*b**5) + a**2*e / (2*b**4) - a*d / (3*b**3) + c / (6*b**2)) + x**3 * (5*a**4*f / (3*b**6) - 4*a**3*e / (3*b**5) + a**2*d / b**4 - 2*a*c / (3*b**3)) + (-a**6*f + a**5*b*e - a**4*b**2*d + a**3*b**3*c) / (3*a*b**7 + 3*b**8*x**3) + f*x**15 / (15*b**2)$

$$3.252 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=180

$$\frac{x^6(3a^2f - 2abe + b^2d)}{6b^4} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6} + \dots$$

[Out] $\frac{1}{3}(-4a^3f + 3a^2b^2e - 2a^2b^2d + b^3c)x^3/b^5 + \frac{1}{6}(3a^2f - 2a^2b^2e + b^2d)x^6/b^4 + \frac{1}{9}(-2a^3f + b^3e)x^9/b^3 + \frac{1}{12}fx^{12}/b^2 - \frac{1}{3}a^2(-a^3f + a^2b^2e - ab^2d + b^3c)/b^6 + \frac{1}{b^6} \log(bx^3 + a) - \frac{1}{3}a(-5a^3f + 4a^2b^2e - 3ab^2d + 2b^3c) \ln(bx^3 + a)/b^6$

Rubi [A] time = 0.26, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6} + \dots$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

[Out] $((b^3c - 2a^2b^2d + 3a^2b^2e - 4a^3f)x^3)/(3b^5) + ((b^2d - 2a^2b^2e + 3a^2f)x^6)/(6b^4) + ((b^3e - 2a^3f)x^9)/(9b^3) + (fx^{12})/(12b^2) - (a^2(b^3c - ab^2d + a^2b^2e - a^3f))/(3b^6(a + bx^3)) - (a(2b^3c - 3a^2b^2d + 4a^2b^2e - 5a^3f) \log[a + bx^3])/(3b^6)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^8(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^2(c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^2}{b^3} \right) dx, x, x^3 \right) \\ &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^3}{3b^5} + \frac{(b^2d - 2abe + 3a^2f)x^6}{6b^4} + \frac{(be - 2af)x^9}{9b^3} + \dots \end{aligned}$$

Mathematica [A] time = 0.14, size = 167, normalized size = 0.93

$$\frac{6b^2x^6(3a^2f - 2abe + b^2d) + 12bx^3(-4a^3f + 3a^2be - 2ab^2d + b^3c) + \frac{12a^2(a^3f - a^2be + ab^2d - b^3c)}{a+bx^3} + 12a \log(a + bx^3)}{36b^6} (5)$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (12*b*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3 + 6*b^2*(b^2*d - 2*a*b*e + 3*a^2*f)*x^6 + 4*b^3*(b*e - 2*a*f)*x^9 + 3*b^4*f*x^12 + (12*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 12*a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*Log[a + b*x^3])/(36*b^6)

fricas [A] time = 0.77, size = 257, normalized size = 1.43

$$\frac{3b^5fx^{15} + (4b^5e - 5ab^4f)x^{12} + 2(3b^5d - 4ab^4e + 5a^2b^3f)x^9 + 6(2b^5c - 3ab^4d + 4a^2b^3e - 5a^3b^2f)x^6 - 12a^2}{36b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(3*b^5*f*x^15 + (4*b^5*e - 5*a*b^4*f)*x^12 + 2*(3*b^5*d - 4*a*b^4*e + 5*a^2*b^3*f)*x^9 + 6*(2*b^5*c - 3*a*b^4*d + 4*a^2*b^3*e - 5*a^3*b^2*f)*x^6 - 12*a^2*b^3*c + 12*a^3*b^2*d - 12*a^4*b*e + 12*a^5*f + 12*(a*b^4*c - 2*a^2*b^3*d + 3*a^3*b^2*e - 4*a^4*b*f)*x^3 - 12*(2*a^2*b^3*c - 3*a^3*b^2*d + 4*a^4*b*e - 5*a^5*f + (2*a*b^4*c - 3*a^2*b^3*d + 4*a^3*b^2*e - 5*a^4*b*f)*x^3)*log(b*x^3 + a))/(b^7*x^3 + a*b^6)

giac [A] time = 0.18, size = 248, normalized size = 1.38

$$-\frac{(2ab^3c - 3a^2b^2d - 5a^4f + 4a^3be) \log(|bx^3 + a|)}{3b^6} + \frac{2ab^4cx^3 - 3a^2b^3dx^3 - 5a^4bfx^3 + 4a^3b^2x^3e + a^2b^3c - 2a^3b^2d}{3(bx^3 + a)b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*(2*a*b^3*c - 3*a^2*b^2*d - 5*a^4*f + 4*a^3*b*e)*log(abs(b*x^3 + a))/b^6 + 1/3*(2*a*b^4*c*x^3 - 3*a^2*b^3*d*x^3 - 5*a^4*b*f*x^3 + 4*a^3*b^2*x^3*e + a^2*b^3*c - 2*a^3*b^2*d - 4*a^5*f + 3*a^4*b*e)/((b*x^3 + a)*b^6) + 1/36*(3*b^6*f*x^12 - 8*a*b^5*f*x^9 + 4*b^6*x^9*e + 6*b^6*d*x^6 + 18*a^2*b^4*f*x^6 - 12*a*b^5*x^6*e + 12*b^6*c*x^3 - 24*a*b^5*d*x^3 - 48*a^3*b^3*f*x^3 + 36*a^2*b^4*x^3*e)/b^8

maple [A] time = 0.06, size = 240, normalized size = 1.33

$$\frac{fx^{12}}{12b^2} - \frac{2afx^9}{9b^3} + \frac{ex^9}{9b^2} + \frac{a^2fx^6}{2b^4} - \frac{aex^6}{3b^3} + \frac{dx^6}{6b^2} - \frac{4a^3fx^3}{3b^5} + \frac{a^2ex^3}{b^4} - \frac{2adx^3}{3b^3} + \frac{cx^3}{3b^2} + \frac{a^5f}{3(bx^3 + a)b^6} - \frac{a^4e}{3(bx^3 + a)b^5} + \frac{5a^4f}{3(bx^3 + a)b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/12*f*x^12/b^2-2/9/b^3*x^9*a*f+1/9/b^2*x^9*e+1/2/b^4*x^6*a^2*f-1/3/b^3*x^6*a*e+1/6/b^2*x^6*d-4/3*a^3/b^5*f*x^3+a^2/b^4*e*x^3-2/3*a/b^3*d*x^3+1/3/b^2*c*x^3+5/3*a^4/b^6*ln(b*x^3+a)*f-4/3*a^3/b^5*ln(b*x^3+a)*e+a^2/b^4*ln(b*x^3+a)*d-2/3*a/b^3*ln(b*x^3+a)*c+1/3*a^5/b^6/(b*x^3+a)*f-1/3*a^4/b^5/(b*x^3+a)*e+1/3*a^3/b^4/(b*x^3+a)*d-1/3*a^2/b^3/(b*x^3+a)*c

maxima [A] time = 1.38, size = 180, normalized size = 1.00

$$\frac{a^2b^3c - a^3b^2d + a^4be - a^5f}{3(b^7x^3 + ab^6)} + \frac{3b^3fx^{12} + 4(b^3e - 2ab^2f)x^9 + 6(b^3d - 2ab^2e + 3a^2bf)x^6 + 12(b^3c - 2ab^2d - 3a^2b^3c)}{36b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)/(b^7*x^3 + a*b^6) + 1/36*(3*b^3*f*x^12 + 4*(b^3*e - 2*a*b^2*f)*x^9 + 6*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^6 + 12*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3)/b^5 - 1/3*(2*a*b^3*c - 3*a^2*b^2*d + 4*a^3*b*e - 5*a^4*f)*log(b*x^3 + a)/b^6

mupad [B] time = 5.00, size = 233, normalized size = 1.29

$$x^9 \left(\frac{e}{9b^2} - \frac{2af}{9b^3} \right) - x^6 \left(\frac{a^2f}{6b^4} - \frac{d}{6b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + x^3 \left(\frac{c}{3b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{3b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^9*(e/(9*b^2) - (2*a*f)/(9*b^3)) - x^6*((a^2*f)/(6*b^4) - d/(6*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/(3*b)) + x^3*(c/(3*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(3*b^2) + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/(3*b)) + (f*x^12)/(12*b^2) + (a^5*f - a^2*b^3*c + a^3*b^2*d - a^4*b*e)/(3*b*(a*b^5 + b^6*x^3)) + (log(a + b*x^3)*(5*a^4*f + 3*a^2*b^2*d - 2*a*b^3*c - 4*a^3*b*e))/(3*b^6)

sympy [A] time = 12.38, size = 189, normalized size = 1.05

$$\frac{a(5a^3f - 4a^2be + 3ab^2d - 2b^3c) \log(a + bx^3)}{3b^6} + x^9 \left(-\frac{2af}{9b^3} + \frac{e}{9b^2} \right) + x^6 \left(\frac{a^2f}{2b^4} - \frac{ae}{3b^3} + \frac{d}{6b^2} \right) + x^3 \left(-\frac{4a^3f}{3b^5} + \frac{a^2e}{b^4} - \frac{c}{3b^2} \right) + \frac{(5a^5f - a^4b^2e + a^3b^2d - a^2b^3c)}{3a^2b^6 + 3b^7x^3} + \frac{f*x^{12}}{12*b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] a*(5*a**3*f - 4*a**2*b*e + 3*a*b**2*d - 2*b**3*c)*log(a + b*x**3)/(3*b**6) + x**9*(-2*a*f/(9*b**3) + e/(9*b**2)) + x**6*(a**2*f/(2*b**4) - a*e/(3*b**3) + d/(6*b**2)) + x**3*(-4*a**3*f/(3*b**5) + a**2*e/b**4 - 2*a*d/(3*b**3) + c/(3*b**2)) + (a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c)/(3*a*b**6 + 3*b**7*x**3) + f*x**12/(12*b**2)

$$3.253 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=140

$$\frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{a(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{3b^5} + \frac{x^6(be - 2af)}{6b^3}$$

[Out] $\frac{1}{3}*(3*a^2*f-2*a*b*e+b^2*d)*x^3/b^4+1/6*(-2*a*f+b*e)*x^6/b^3+1/9*f*x^9/b^2+1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^5/(b*x^3+a)+1/3*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*\ln(b*x^3+a)/b^5$

Rubi [A] time = 0.20, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} + \frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{x^6(be - 2af)}{6b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^2*d - 2*a*b*e + 3*a^2*f)*x^3)/(3*b^4) + ((b*e - 2*a*f)*x^6)/(6*b^3) + (f*x^9)/(9*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^5*(a + b*x^3)) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*\text{Log}[a + b*x^3])/(3*b^5)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x(c+dx+ex^2+fx^3)}{(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - 2abe + 3a^2f}{b^4} + \frac{(be - 2af)x}{b^3} + \frac{fx^2}{b^2} + \frac{a(-b^3c + ab^2d - a^2be)}{b^4(a+bx)^2} \right) dx, x, x^3 \right) \\ &= \frac{(b^2d - 2abe + 3a^2f)x^3}{3b^4} + \frac{(be - 2af)x^6}{6b^3} + \frac{fx^9}{9b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)}{3b^5(a + bx^3)} + \end{aligned}$$

Mathematica [A] time = 0.12, size = 129, normalized size = 0.92

$$\frac{6bx^3(3a^2f - 2abe + b^2d) + \frac{6a(a^3(-f) + a^2be - ab^2d + b^3c)}{a+bx^3} + 6 \log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 3b^2x^6(be - 2af)}{18b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (6*b*(b^2*d - 2*a*b*e + 3*a^2*f)*x^3 + 3*b^2*(b*e - 2*a*f)*x^6 + 2*b^3*f*x^9 + (6*a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a + b*x^3) + 6*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*Log[a + b*x^3])/(18*b^5)

fricas [A] time = 0.60, size = 202, normalized size = 1.44

$$\frac{2b^4fx^{12} + (3b^4e - 4ab^3f)x^9 + 3(2b^4d - 3ab^3e + 4a^2b^2f)x^6 + 6ab^3c - 6a^2b^2d + 6a^3be - 6a^4f + 6(ab^3d - 3a^2b^2e + 3a^3bf)}{18(b^6x^3 + ab^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/18*(2*b^4*f*x^12 + (3*b^4*e - 4*a*b^3*f)*x^9 + 3*(2*b^4*d - 3*a*b^3*e + 4*a^2*b^2*f)*x^6 + 6*a*b^3*c - 6*a^2*b^2*d + 6*a^3*b*e - 6*a^4*f + 6*(a*b^3*d - 2*a^2*b^2*e + 3*a^3*b*f)*x^3 + 6*(a*b^3*c - 2*a^2*b^2*d + 3*a^3*b*e - 4*a^4*f + (b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^3)*log(b*x^3 + a))/(b^6*x^3 + a*b^5)

giac [A] time = 0.20, size = 217, normalized size = 1.55

$$\frac{(bx^3+a)^3 \left(2f - \frac{3(4abf-b^2e)}{(bx^3+a)b} + \frac{6(b^4d+6a^2b^2f-3ab^3e)}{(bx^3+a)^2b^2} \right) - 6(b^3c-2ab^2d-4a^3f+3a^2be) \log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right) + 6\left(\frac{ab^6c}{bx^3+a} - \frac{a^2b^5d}{bx^3+a} - \frac{a^4b^3f}{bx^3+a} + \frac{a^3b^4e}{bx^3+a}\right)}{18b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/18*((b*x^3 + a)^3*(2*f - 3*(4*a*b*f - b^2*e)/((b*x^3 + a)*b) + 6*(b^4*d + 6*a^2*b^2*f - 3*a*b^3*e)/((b*x^3 + a)^2*b^2))/b^4 - 6*(b^3*c - 2*a*b^2*d - 4*a^3*f + 3*a^2*b*e)*log(abs(b*x^3 + a)/((b*x^3 + a)^2*abs(b)))/b^4 + 6*(a*b^6*c/(b*x^3 + a) - a^2*b^5*d/(b*x^3 + a) - a^4*b^3*f/(b*x^3 + a) + a^3*b^4*e/(b*x^3 + a))/b^7)/b

maple [A] time = 0.06, size = 192, normalized size = 1.37

$$\frac{fx^9}{9b^2} - \frac{afx^6}{3b^3} + \frac{ex^6}{6b^2} + \frac{a^2fx^3}{b^4} - \frac{2aex^3}{3b^3} + \frac{dx^3}{3b^2} - \frac{a^4f}{3(bx^3+a)b^5} + \frac{a^3e}{3(bx^3+a)b^4} - \frac{4a^3f \ln(bx^3+a)}{3b^5} - \frac{a^2d}{3(bx^3+a)b^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/9/b^2*f*x^9-1/3/b^3*x^6*a*f+1/6/b^2*x^6*e+1/b^4*x^3*a^2*f-2/3/b^3*x^3*a*e+1/3/b^2*x^3*d-4/3/b^5*ln(b*x^3+a)*a^3*f+1/b^4*ln(b*x^3+a)*a^2*e-2/3/b^3*ln(b*x^3+a)*a*d+1/3/b^2*ln(b*x^3+a)*c-1/3/b^5*a^4/(b*x^3+a)*f+1/3/b^4*a^3/(b*x^3+a)*e-1/3/b^3*a^2/(b*x^3+a)*d+1/3/b^2*a/(b*x^3+a)*c

maxima [A] time = 1.40, size = 138, normalized size = 0.99

$$\frac{ab^3c - a^2b^2d + a^3be - a^4f}{3(b^6x^3 + ab^5)} + \frac{2b^2fx^9 + 3(b^2e - 2abf)x^6 + 6(b^2d - 2abe + 3a^2f)x^3}{18b^4} + \frac{(b^3c - 2ab^2d + 3a^2be - 3a^3f)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(a^3b^3c - a^2b^2d + a^3b^3e - a^4f)/(b^6x^3 + a^3b^5) + \frac{1}{18}(2b^2fx^9 + 3(b^2e - 2abf)x^6 + 6(b^2d - 2abe + 3a^2f)x^3)/b^4 + \frac{1}{3}(b^3c - 2ab^2d + 3a^2be - 4a^3f)\log(bx^3 + a)/b^5$

mupad [B] time = 4.93, size = 155, normalized size = 1.11

$$x^6 \left(\frac{e}{6b^2} - \frac{af}{3b^3} \right) - x^3 \left(\frac{a^2f}{3b^4} - \frac{d}{3b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-4fa^3 + 3ea^2b - 2dab^2 + cb^3)}{3b^5} - \frac{fa^4 - eab^3}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^6(e/(6b^2) - (af)/(3b^3)) - x^3((a^2f)/(3b^4) - d/(3b^2) + (2a*(e/b^2 - (2af)/b^3))/(3b)) + (\log(a + bx^3)*(b^3c - 4a^3f - 2ab^2d + 3a^2be))/(3b^5) - (a^4f + a^2b^2d - ab^3c - a^3be)/(3b*(a^4 + b^5x^3)) + (fx^9)/(9b^2)$

sympy [A] time = 12.81, size = 141, normalized size = 1.01

$$x^6 \left(-\frac{af}{3b^3} + \frac{e}{6b^2} \right) + x^3 \left(\frac{a^2f}{b^4} - \frac{2ae}{3b^3} + \frac{d}{3b^2} \right) + \frac{-a^4f + a^3be - a^2b^2d + ab^3c}{3ab^5 + 3b^6x^3} + \frac{fx^9}{9b^2} - \frac{(4a^3f - 3a^2be + 2ab^2d - b^3c)\log(a + bx^3)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $x^6*(-af/(3b^3) + e/(6b^2)) + x^3*(a^2f/b^4 - 2ae/(3b^3) + d/(3b^2)) + (-a^4f + a^3be - a^2b^2d + ab^3c)/(3ab^5 + 3b^6x^3) + fx^9/(9b^2) - (4a^3f - 3a^2be + 2ab^2d - b^3c)*\log(a + bx^3)/(3b^5)$

$$3.254 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=103

$$\frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

[Out] 1/3*(-2*a*f+b*e)*x^3/b^3+1/6*f*x^6/b^2+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/b^4/(b*x^3+a)+1/3*(3*a^2*f-2*a*b*e+b^2*d)*ln(b*x^3+a)/b^4

Rubi [A] time = 0.15, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b*e - 2*a*f)*x^3)/(3*b^3) + (f*x^6)/(6*b^2) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*b^4*(a + b*x^3)) + ((b^2*d - 2*a*b*e + 3*a^2*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_., x_Symbol] :> Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_., x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be-2af}{b^3} + \frac{fx}{b^2} + \frac{b^3c-ab^2d+a^2be-a^3f}{b^3(a+bx)^2} + \frac{b^2d-2abe+3a^2f}{b^3(a+bx)} \right) dx, x, x^3 \right) \\ &= \frac{(be-2af)x^3}{3b^3} + \frac{fx^6}{6b^2} - \frac{b^3c-ab^2d+a^2be-a^3f}{3b^4(a+bx^3)} + \frac{(b^2d-2abe+3a^2f) \log(a+bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.07, size = 93, normalized size = 0.90

$$\frac{2 \log(a+bx^3)(3a^2f-2abe+b^2d) + \frac{2(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + 2bx^3(be-2af) + b^2fx^6}{6b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (2*b*(b*e - 2*a*f)*x^3 + b^2*f*x^6 + (2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 2*(b^2*d - 2*a*b*e + 3*a^2*f)*Log[a + b*x^3])/(6*b^4)

fricas [A] time = 0.85, size = 143, normalized size = 1.39

$$\frac{b^3 f x^9 + (2 b^3 e - 3 a b^2 f) x^6 - 2 b^3 c + 2 a b^2 d - 2 a^2 b e + 2 a^3 f + 2 (a b^2 e - 2 a^2 b f) x^3 + 2 (a b^2 d - 2 a^2 b e + 3 a^3 f + (b^3 c - a^3 f) \log(b x^3 + a))}{6 (b^5 x^3 + a b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/6*(b^3*f*x^9 + (2*b^3*e - 3*a*b^2*f)*x^6 - 2*b^3*c + 2*a*b^2*d - 2*a^2*b*e + 2*a^3*f + 2*(a*b^2*e - 2*a^2*b*f)*x^3 + 2*(a*b^2*d - 2*a^2*b*e + 3*a^3*f + (b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)*log(b*x^3 + a))/(b^5*x^3 + a*b^4)

giac [B] time = 0.19, size = 206, normalized size = 2.00

$$-\frac{1}{6} f \left(\frac{(b x^3 + a)^2 \left(\frac{6 a}{b x^3 + a} - 1 \right)}{b^4} + \frac{6 a^2 \log \left(\frac{|b x^3 + a|}{(b x^3 + a)^2 |b|} \right)}{b^4} - \frac{2 a^3}{(b x^3 + a) b^4} \right) + \frac{1}{3} \left(\frac{2 a \log \left(\frac{|b x^3 + a|}{(b x^3 + a)^2 |b|} \right)}{b^3} + \frac{b x^3 + a}{b^3} - \frac{a^2}{(b x^3 + a)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/6*f*((b*x^3 + a)^2*(6*a/(b*x^3 + a) - 1)/b^4 + 6*a^2*log(abs(b*x^3 + a)/((b*x^3 + a)^2*abs(b)))/b^4 - 2*a^3/((b*x^3 + a)*b^4)) + 1/3*(2*a*log(abs(b*x^3 + a)/((b*x^3 + a)^2*abs(b)))/b^3 + (b*x^3 + a)/b^3 - a^2/((b*x^3 + a)*b^3))*e - 1/3*d*(log(abs(b*x^3 + a)/((b*x^3 + a)^2*abs(b)))/b - a/((b*x^3 + a)*b))/b - 1/3*c/((b*x^3 + a)*b)

maple [A] time = 0.07, size = 142, normalized size = 1.38

$$\frac{f x^6}{6 b^2} - \frac{2 a f x^3}{3 b^3} + \frac{e x^3}{3 b^2} + \frac{a^3 f}{3 (b x^3 + a) b^4} - \frac{a^2 e}{3 (b x^3 + a) b^3} + \frac{a^2 f \ln(b x^3 + a)}{b^4} + \frac{a d}{3 (b x^3 + a) b^2} - \frac{2 a e \ln(b x^3 + a)}{3 b^3} - \frac{c}{3 (b x^3 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/6*f*x^6/b^2-2/3/b^3*x^3*a*f+1/3/b^2*x^3*e+1/b^4*ln(b*x^3+a)*a^2*f-2/3/b^3*ln(b*x^3+a)*a*e+1/3/b^2*ln(b*x^3+a)*d+1/3/b^4/(b*x^3+a)*a^3*f-1/3/b^3/(b*x^3+a)*a^2*e+1/3/b^2/(b*x^3+a)*a*d-1/3/b/(b*x^3+a)*c

maxima [A] time = 1.35, size = 98, normalized size = 0.95

$$-\frac{b^3 c - a b^2 d + a^2 b e - a^3 f}{3 (b^5 x^3 + a b^4)} + \frac{b f x^6 + 2 (b e - 2 a f) x^3}{6 b^3} + \frac{(b^2 d - 2 a b e + 3 a^2 f) \log(b x^3 + a)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(b^5*x^3 + a*b^4) + 1/6*(b*f*x^6 + 2*(b*e - 2*a*f)*x^3)/b^3 + 1/3*(b^2*d - 2*a*b*e + 3*a^2*f)*\log(b*x^3 + a)/b^4$

mupad [B] time = 0.09, size = 103, normalized size = 1.00

$$x^3 \left(\frac{e}{3b^2} - \frac{2af}{3b^3} \right) + \frac{fx^6}{6b^2} - \frac{-fa^3 + ea^2b - dab^2 + cb^3}{3b(b^4x^3 + ab^3)} + \frac{\ln(bx^3 + a)(3fa^2 - 2eab + db^2)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^3*(e/(3*b^2) - (2*a*f)/(3*b^3)) + (f*x^6)/(6*b^2) - (b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b*(a*b^3 + b^4*x^3)) + (\log(a + b*x^3)*(b^2*d + 3*a^2*f - 2*a*b*e))/(3*b^4)$

sympy [A] time = 11.61, size = 100, normalized size = 0.97

$$x^3 \left(-\frac{2af}{3b^3} + \frac{e}{3b^2} \right) + \frac{a^3f - a^2be + ab^2d - b^3c}{3ab^4 + 3b^5x^3} + \frac{fx^6}{6b^2} + \frac{(3a^2f - 2abe + b^2d)\log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $x**3*(-2*a*f/(3*b**3) + e/(3*b**2)) + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + f*x**6/(6*b**2) + (3*a**2*f - 2*a*b*e + b**2*d)*\log(a + b*x**3)/(3*b**4)$

$$3.255 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=100

$$\frac{c \log(x)}{a^2} - \frac{\log(a+bx^3)(2a^3f - a^2be + b^3c)}{3a^2b^3} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{3ab^3(a+bx^3)} + \frac{fx^3}{3b^2}$$

[Out] $1/3*f*x^3/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a/b^3/(b*x^3+a)+c*\ln(x)/a^2-1/3*(2*a^3*f-a^2*b*e+b^3*c)*\ln(b*x^3+a)/a^2/b^3$

Rubi [A] time = 0.13, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{3ab^3(a+bx^3)} - \frac{\log(a+bx^3)(-a^2be + 2a^3f + b^3c)}{3a^2b^3} + \frac{c \log(x)}{a^2} + \frac{fx^3}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] $(f*x^3)/(3*b^2) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a*b^3*(a + b*x^3)) + (c*\text{Log}[x])/a^2 - ((b^3*c - a^2*b*e + 2*a^3*f)*\text{Log}[a + b*x^3])/(3*a^2*b^3)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^2} + \frac{c}{a^2x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a+bx)^2} + \frac{-b^3c + a^2be - 2a^3f}{a^2b^2(a+bx)} \right) dx, x, x^3 \right) \\ &= \frac{fx^3}{3b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{3ab^3(a+bx^3)} + \frac{c \log(x)}{a^2} - \frac{(b^3c - a^2be + 2a^3f) \log(a+bx^3)}{3a^2b^3} \end{aligned}$$

Mathematica [A] time = 0.18, size = 95, normalized size = 0.95

$$\frac{\log(a+bx^3)(-2a^3f+a^2be-b^3c)+\frac{a(a^3(-f)+a^2b(e+fx^3)+ab^2(fx^6-d)+b^3c)}{a+bx^3}}{3a^2} + 3c \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] (3*c*Log[x] + ((a*(b^3*c - a^3*f + a^2*b*(e + f*x^3) + a*b^2*(-d + f*x^6)))/(a + b*x^3) + (-b^3*c) + a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/b^3)/(3*a^2)

fricas [A] time = 0.68, size = 145, normalized size = 1.45

$$\frac{a^2 b^2 f x^6 + a^3 b f x^3 + a b^3 c - a^2 b^2 d + a^3 b e - a^4 f - (a b^3 c - a^3 b e + 2 a^4 f + (b^4 c - a^2 b^2 e + 2 a^3 b f) x^3) \log(b x^3 + a)}{3 (a^2 b^4 x^3 + a^3 b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3*(a^2*b^2*f*x^6 + a^3*b*f*x^3 + a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f - (a*b^3*c - a^3*b*e + 2*a^4*f + (b^4*c - a^2*b^2*e + 2*a^3*b*f)*x^3)*log(b*x^3 + a) + 3*(b^4*c*x^3 + a*b^3*c)*log(x))/(a^2*b^4*x^3 + a^3*b^3)

giac [A] time = 0.17, size = 125, normalized size = 1.25

$$\frac{f x^3}{3 b^2} + \frac{c \log(|x|)}{a^2} - \frac{(b^3 c + 2 a^3 f - a^2 b e) \log(|b x^3 + a|)}{3 a^2 b^3} + \frac{b^4 c x^3 + 2 a^3 b f x^3 - a^2 b^2 x^3 e + 2 a b^3 c - a^2 b^2 d + a^4 f}{3 (b x^3 + a) a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/3*f*x^3/b^2 + c*log(abs(x))/a^2 - 1/3*(b^3*c + 2*a^3*f - a^2*b*e)*log(abs(b*x^3 + a))/(a^2*b^3) + 1/3*(b^4*c*x^3 + 2*a^3*b*f*x^3 - a^2*b^2*x^3*e + 2*a*b^3*c - a^2*b^2*d + a^4*f)/((b*x^3 + a)*a^2*b^3)

maple [A] time = 0.06, size = 125, normalized size = 1.25

$$\frac{f x^3}{3 b^2} - \frac{a^2 f}{3 (b x^3 + a) b^3} + \frac{a e}{3 (b x^3 + a) b^2} - \frac{2 a f \ln(b x^3 + a)}{3 b^3} + \frac{c}{3 (b x^3 + a) a} + \frac{c \ln(x)}{a^2} - \frac{c \ln(b x^3 + a)}{3 a^2} - \frac{d}{3 (b x^3 + a) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x)

[Out] 1/3/b^2*f*x^3-2/3*a/b^3*ln(b*x^3+a)*f+1/3/b^2*ln(b*x^3+a)*e-1/3*c*ln(b*x^3+a)/a^2-1/3*a^2/b^3/(b*x^3+a)*f+1/3*a/b^2/(b*x^3+a)*e-1/3/b/(b*x^3+a)*d+1/3/a/(b*x^3+a)*c+1/a^2*c*ln(x)

maxima [A] time = 1.32, size = 100, normalized size = 1.00

$$\frac{f x^3}{3 b^2} + \frac{b^3 c - a b^2 d + a^2 b e - a^3 f}{3 (a b^4 x^3 + a^2 b^3)} + \frac{c \log(x^3)}{3 a^2} - \frac{(b^3 c - a^2 b e + 2 a^3 f) \log(b x^3 + a)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*f*x^3/b^2 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(a*b^4*x^3 + a^2*b^3) + 1/3*c*log(x^3)/a^2 - 1/3*(b^3*c - a^2*b*e + 2*a^3*f)*log(b*x^3 + a)/(a^2*b^3)

mupad [B] time = 5.03, size = 100, normalized size = 1.00

$$\frac{f x^3}{3 b^2} + \frac{c \ln(x)}{a^2} + \frac{-f a^3 + e a^2 b - d a b^2 + c b^3}{3 a b (b^3 x^3 + a b^2)} - \frac{\ln(b x^3 + a) (2 f a^3 - e a^2 b + c b^3)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x)`

[Out] $(f*x^3)/(3*b^2) + (c*\log(x))/a^2 + (b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a*b*(a*b^2 + b^3*x^3)) - (\log(a + b*x^3)*(b^3*c + 2*a^3*f - a^2*b*e))/(3*a^2*b^3)$

sympy [A] time = 41.96, size = 95, normalized size = 0.95

$$\frac{-a^3 f + a^2 b e - a b^2 d + b^3 c}{3 a^2 b^3 + 3 a b^4 x^3} + \frac{f x^3}{3 b^2} + \frac{c \log(x)}{a^2} - \frac{(2 a^3 f - a^2 b e + b^3 c) \log\left(\frac{a}{b} + x^3\right)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**2, x)`

[Out] $(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + f*x**3/(3*b**2) + c*\log(x)/a**2 - (2*a**3*f - a**2*b*e + b**3*c)*\log(a/b + x**3)/(3*a**2*b**3)$

$$3.256 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=109

$$\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^2b^2(a+bx^3)}$$

[Out] $-1/3*c/a^2/x^3+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^2/b^2/(b*x^3+a)-(-a*d+2*b*c)*\ln(x)/a^3+1/3*(a^3*f-a*b^2*d+2*b^3*c)*\ln(b*x^3+a)/a^3/b^2$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^2b^2(a+bx^3)} + \frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^2*b^2*(a + b*x^3)) - ((2*b*c - a*d)*\text{Log}[x])/a^3 + ((2*b^3*c - a*b^2*d + a^3*f)*\text{Log}[a + b*x^3])/ (3*a^3*b^2)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^2} + \frac{-2bc+ad}{a^3x} + \frac{b^3c-ab^2d+a^2be-a^3f}{a^2b(a+bx)^2} + \frac{2b^3c-ab^2d+a^3f}{a^3b(a+bx)} \right) dx, x, x^3 \right) \\ &= -\frac{c}{3a^2x^3} - \frac{b^3c-ab^2d+a^2be-a^3f}{3a^2b^2(a+bx^3)} - \frac{(2bc-ad)\log(x)}{a^3} + \frac{(2b^3c-ab^2d+a^3f)\log(a+bx^3)}{3a^3b^2} \end{aligned}$$

Mathematica [A] time = 0.15, size = 97, normalized size = 0.89

$$\frac{\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{b^2} + \frac{a(a^3f-a^2be+ab^2d-b^3c)}{b^2(a+bx^3)} + 3\log(x)(ad-2bc) - \frac{ac}{x^3}}{3a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out]
$$\left(-\frac{a^2 b^2 c}{3 a^3} + \frac{2 a b^3 c - a^2 b^2 d + a^3 b e - a^4 f}{3 a^3} x^3 - \frac{\left(2 b^4 c - a b^3 d + a^3 b f\right) x^6 + \left(2 a b^3 c - a^2 b^2 d + a^4 f\right) x^3 \log(b x^3 + a)}{3 \left(a^3 b^3 x^6 + a^4 b^2 x^3\right)}\right) + 3 \frac{(-2 b^3 c + a d) \operatorname{Log}[x] + \left(2 b^3 c - a b^2 d + a^3 f\right) \operatorname{Log}[a + b x^3]}{b^2} / (3 a^3)$$

fricas [A] time = 0.61, size = 172, normalized size = 1.58

$$\frac{a^2 b^2 c + (2 a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^3 - \left(2 b^4 c - a b^3 d + a^3 b f\right) x^6 + \left(2 a b^3 c - a^2 b^2 d + a^4 f\right) x^3 \log(b x^3 + a)}{3 \left(a^3 b^3 x^6 + a^4 b^2 x^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/3 \left(a^2 b^2 c + (2 a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^3 - \left(2 b^4 c - a b^3 d + a^3 b f\right) x^6 + (2 a b^3 c - a^2 b^2 d + a^4 f) x^3 \log(b x^3 + a)\right) / (a^3 b^3 x^6 + a^4 b^2 x^3) + 3 \frac{\left(2 b^4 c - a b^3 d\right) x^6 + \left(2 a b^3 c - a^2 b^2 d\right) x^3 \log(x)}{a^3 b^3 x^6 + a^4 b^2 x^3}$$

giac [A] time = 0.21, size = 131, normalized size = 1.20

$$-\frac{(2 b c - a d) \log(|x|)}{a^3} + \frac{(2 b^3 c - a b^2 d + a^3 f) \log(|b x^3 + a|)}{3 a^3 b^2} - \frac{a^2 b f x^6 + 4 b^3 c x^3 - 2 a b^2 d x^3 - a^3 f x^3 + 2 a^2 b x^3 e + 2 a^3 c}{6 (b x^6 + a x^3) a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-(2 b^3 c - a b^2 d + a^3 f) \log(\operatorname{abs}(b x^3 + a)) / (a^3 b^2) - 1/6 \left(a^2 b f x^6 + 4 b^3 c x^3 - 2 a b^2 d x^3 - a^3 f x^3 + 2 a^2 b x^3 e + 2 a^3 c\right) / \left((b x^6 + a x^3) a^2 b^2\right)$$

maple [A] time = 0.06, size = 132, normalized size = 1.21

$$\frac{a f}{3 (b x^3 + a) b^2} + \frac{d}{3 (b x^3 + a) a} - \frac{b c}{3 (b x^3 + a) a^2} + \frac{d \ln(x)}{a^2} - \frac{d \ln(b x^3 + a)}{3 a^2} - \frac{2 b c \ln(x)}{a^3} + \frac{2 b c \ln(b x^3 + a)}{3 a^3} - \frac{e}{3 (b x^3 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x)

[Out]
$$1/3 f \ln(b x^3 + a) / b^2 - 1/3 d \ln(b x^3 + a) / a^2 + 2/3 b^3 c \ln(b x^3 + a) / a^3 + 1/3 a / b^2 / (b x^3 + a) * f - 1/3 / b / (b x^3 + a) * e + 1/3 / a / (b x^3 + a) * d - 1/3 / a^2 * b / (b x^3 + a) * c - 1/3 / a^2 * c / x^3 + d \ln(x) / a^2 - 2 b^3 c \ln(x) / a^3$$

maxima [A] time = 1.43, size = 116, normalized size = 1.06

$$\frac{a b^2 c + (2 b^3 c - a b^2 d + a^2 b e - a^3 f) x^3}{3 (a^2 b^3 x^6 + a^3 b^2 x^3)} - \frac{(2 b c - a d) \log(x^3)}{3 a^3} + \frac{(2 b^3 c - a b^2 d + a^3 f) \log(b x^3 + a)}{3 a^3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3 \left(a b^2 c + (2 b^3 c - a b^2 d + a^2 b e - a^3 f) x^3\right) / (a^2 b^3 x^6 + a^3 b^2 x^3) - 1/3 \frac{(2 b^3 c - a b^2 d + a^3 f) \log(b x^3 + a)}{a^3 b^2} - 1/3 \frac{(2 b^3 c - a b^2 d + a^3 f) \log(x^3)}{a^3} + 1/3 \frac{(2 b^3 c - a b^2 d + a^3 f) \log(b x^3 + a)}{a^3 b^2}$$

mupad [B] time = 5.05, size = 109, normalized size = 1.00

$$\frac{\ln(x) (a d - 2 b c)}{a^3} - \frac{\frac{c}{3a} + \frac{x^3 (-f a^3 + e a^2 b - d a b^2 + 2 c b^3)}{3 a^2 b^2}}{b x^6 + a x^3} + \frac{\ln(b x^3 + a) (f a^3 - d a b^2 + 2 c b^3)}{3 a^3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2),x)

[Out] (log(x)*(a*d - 2*b*c))/a^3 - (c/(3*a) + (x^3*(2*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2))/(a*x^3 + b*x^6) + (log(a + b*x^3)*(2*b^3*c + a^3*f - a*b^2*d))/(3*a^3*b^2)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.257 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$$

Optimal. Leaf size=130

$$\frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^3b(a+bx^3)}$$

[Out] $-1/6*c/a^2/x^6+1/3*(-a*d+2*b*c)/a^3/x^3+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^3/b/(b*x^3+a)+(a^2*e-2*a*b*d+3*b^2*c)*\ln(x)/a^4-1/3*(a^2*e-2*a*b*d+3*b^2*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.15, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^3b(a+bx^3)} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] $-c/(6*a^2*x^6) + (2*b*c - a*d)/(3*a^3*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^3*b*(a + b*x^3)) + ((3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[x])/a^4 - ((3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_.) + (b_.)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^3(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^3} + \frac{-2bc+ad}{a^3x^2} + \frac{3b^2c-2abd+a^2e}{a^4x} + \frac{-b^3c+ab^2d-a^2be+a^3f}{a^3(a+bx)^2} \right) dx, x, x^3 \right) \\ &= -\frac{c}{6a^2x^6} + \frac{2bc-ad}{3a^3x^3} + \frac{b^3c-ab^2d+a^2be-a^3f}{3a^3b(a+bx^3)} + \frac{(3b^2c-2abd+a^2e)\log(x)}{a^4} - \frac{(3b^2c-2abd+a^2e)\log(a+bx^3)}{3a^4} \end{aligned}$$

Mathematica [A] time = 0.14, size = 118, normalized size = 0.91

$$\frac{2 \log(a+bx^3)(a^2e-2abd+3b^2c) - 6 \log(x)(a^2e-2abd+3b^2c) + \frac{a^2c}{x^6} + \frac{2a(a^3f-a^2be+ab^2d-b^3c)}{b(a+bx^3)} + \frac{2a(ad-2bc)}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out]
$$-1/6*((a^2*c)/x^6 + (2*a*(-2*b*c + a*d))/x^3 + (2*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b*(a + b*x^3)) - 6*(3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[x] + 2*(3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[a + b*x^3])/a^4$$

fricas [A] time = 0.88, size = 208, normalized size = 1.60

$$\frac{2(3ab^3c - 2a^2b^2d + a^3be - a^4f)x^6 - a^3bc + (3a^2b^2c - 2a^3bd)x^3 - 2((3b^4c - 2ab^3d + a^2b^2e)x^9 + (3ab^3c - 2a^2b^2d + a^3be)x^6) \log(x) + 6(a^4b^2x^9 + a^5bx^6) \log(a + bx^3)}{6(a^4b^2x^9 + a^5bx^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$1/6*(2*(3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e - a^4*f)*x^6 - a^3*b*c + (3*a^2*b^2*c - 2*a^3*b*d)*x^3 - 2*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*\log(b*x^3 + a) + 6*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*\log(x))/(a^4*b^2*x^9 + a^5*b*x^6)$$

giac [A] time = 0.17, size = 201, normalized size = 1.55

$$\frac{(3b^2c - 2abd + a^2e) \log(|x|)}{a^4} - \frac{(3b^3c - 2ab^2d + a^2be) \log(|bx^3 + a|)}{3a^4b} + \frac{3b^4cx^3 - 2ab^3dx^3 + a^2b^2x^3e + 4ab^3c - 2a^2b^2d + a^3be}{3(bx^3 + a)a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$(3*b^2*c - 2*a*b*d + a^2*e)*\log(\text{abs}(x))/a^4 - 1/3*(3*b^3*c - 2*a*b^2*d + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^4*b) + 1/3*(3*b^4*c*x^3 - 2*a*b^3*d*x^3 + a^2*b^2*x^3*e + 4*a*b^3*c - 3*a^2*b^2*d - a^4*f + 2*a^3*b*e)/((b*x^3 + a)*a^4*b) - 1/6*(9*b^2*c*x^6 - 6*a*b*d*x^6 + 3*a^2*x^6*e - 4*a*b*c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^4*x^6)$$

maple [A] time = 0.07, size = 167, normalized size = 1.28

$$\frac{e}{3(bx^3 + a)a} - \frac{bd}{3(bx^3 + a)a^2} + \frac{e \ln(x)}{a^2} - \frac{e \ln(bx^3 + a)}{3a^2} + \frac{b^2c}{3(bx^3 + a)a^3} - \frac{2bd \ln(x)}{a^3} + \frac{2bd \ln(bx^3 + a)}{3a^3} + \frac{3b^2c \ln(bx^3 + a)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x)

[Out]
$$-1/3*e*\ln(b*x^3+a)/a^2+2/3/a^3*\ln(b*x^3+a)*b*d-1/a^4*\ln(b*x^3+a)*b^2*c-1/3/b/(b*x^3+a)*f+1/3/a/(b*x^3+a)*e-1/3/a^2*b/(b*x^3+a)*d+1/3/a^3*b^2/(b*x^3+a)*c-1/6*c/a^2/x^6-1/3/a^2/x^3*d+2/3/a^3/x^3*b*c+e*\ln(x)/a^2-2/a^3*\ln(x)*b*d+3/a^4*\ln(x)*b^2*c$$

maxima [A] time = 1.35, size = 138, normalized size = 1.06

$$\frac{2(3b^3c - 2ab^2d + a^2be - a^3f)x^6 - a^2bc + (3ab^2c - 2a^2bd)x^3}{6(a^3b^2x^9 + a^4bx^6)} - \frac{(3b^2c - 2abd + a^2e) \log(bx^3 + a)}{3a^4} + \frac{(3b^2c - 2abd + a^2e) \log(bx^3 + a)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{6}*(2*(3*b^3*c - 2*a*b^2*d + a^2*b*e - a^3*f)*x^6 - a^2*b*c + (3*a*b^2*c - 2*a^2*b*d)*x^3)/(a^3*b^2*x^9 + a^4*b*x^6) - \frac{1}{3}*(3*b^2*c - 2*a*b*d + a^2*e)*\log(b*x^3 + a)/a^4 + \frac{1}{3}*(3*b^2*c - 2*a*b*d + a^2*e)*\log(x^3)/a^4$

mupad [B] time = 5.01, size = 130, normalized size = 1.00

$$\frac{\ln(x) (e a^2 - 2 d a b + 3 c b^2)}{a^4} - \frac{\ln(b x^3 + a) (e a^2 - 2 d a b + 3 c b^2)}{3 a^4} - \frac{\frac{c}{6 a} + \frac{x^3 (2 a d - 3 b c)}{6 a^2} - \frac{x^6 (-f a^3 + e a^2 b - 2 d a b^2 + 3 c b^3)}{3 a^3 b}}{b x^9 + a x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2),x)`

[Out] $(\log(x)*(3*b^2*c + a^2*e - 2*a*b*d))/a^4 - (\log(a + b*x^3)*(3*b^2*c + a^2*e - 2*a*b*d))/(3*a^4) - (c/(6*a) + (x^3*(2*a*d - 3*b*c))/(6*a^2) - (x^6*(3*b^3*c - a^3*f - 2*a*b^2*d + a^2*b*e))/(3*a^3*b))/(a*x^6 + b*x^9)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**2,x)`

[Out] Timed out

$$3.258 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$$

Optimal. Leaf size=175

$$\frac{2bc-ad}{6a^3x^6} - \frac{c}{9a^2x^9} - \frac{a^2e-2abd+3b^2c}{3a^4x^3} + \frac{\log(a+bx^3)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{a^5}$$

[Out] $-1/9*c/a^2/x^9+1/6*(-a*d+2*b*c)/a^3/x^6+1/3*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^3+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^4/(b*x^3+a)-(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)*\ln(x)/a^5+1/3*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.20, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, number of rules / integrand size = 0.067, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4(a+bx^3)} + \frac{\log(a+bx^3)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] $-c/(9*a^2*x^9) + (2*b*c - a*d)/(6*a^3*x^6) - (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*(a + b*x^3)) - ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\text{Log}[x])/a^5 + ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^5)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^4(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^4} + \frac{-2bc+ad}{a^3x^3} + \frac{3b^2c-2abd+a^2e}{a^4x^2} + \frac{-4b^3c+3ab^2d-2a^2be+a^3f}{a^5x} \right) dx, x, x^3 \right) \\ &= -\frac{c}{9a^2x^9} + \frac{2bc-ad}{6a^3x^6} - \frac{3b^2c-2abd+a^2e}{3a^4x^3} - \frac{b^3c-ab^2d+a^2be-a^3f}{3a^4(a+bx^3)} - \frac{(4b^3c-3ab^2d-2a^2be+a^3f)\log(x)}{a^5} + \frac{(4b^3c-3ab^2d-2a^2be+a^3f)\log(a+bx^3)}{3a^5} \end{aligned}$$

Mathematica [A] time = 0.14, size = 160, normalized size = 0.91

$$\frac{-\frac{2a^3c}{x^9} - \frac{6a(a^2e-2abd+3b^2c)}{x^3} - \frac{3a^2(ad-2bc)}{x^6} + \frac{6a(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3}}{18a^5} + 6 \log(a+bx^3) \frac{(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{18a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] ((-2*a^3*c)/x^9 - (3*a^2*(-2*b*c + a*d))/x^6 - (6*a*(3*b^2*c - 2*a*b*d + a^2*e))/x^3 + (6*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 18*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f)*Log[x] + 6*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*a^5)

fricas [A] time = 0.62, size = 261, normalized size = 1.49

$$\frac{6(4ab^3c - 3a^2b^2d + 2a^3be - a^4f)x^9 + 3(4a^2b^2c - 3a^3bd + 2a^4e)x^6 + 2a^4c - (4a^3bc - 3a^4d)x^3 - 6((4b^4c - 3a^4d) - 3a^3b^2d + 2a^2b^3c)}{18a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/18*(6*(4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b*e - a^4*f)*x^9 + 3*(4*a^2*b^2*c - 3*a^3*b*d + 2*a^4*e)*x^6 + 2*a^4*c - (4*a^3*b*c - 3*a^4*d)*x^3 - 6*((4*b^4*c - 3*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^12 + (4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b*e - a^4*f)*x^9)*log(b*x^3 + a) + 18*((4*b^4*c - 3*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^12 + (4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b*e - a^4*f)*x^9)*log(x))/(a^5*b*x^12 + a^6*x^9)

giac [A] time = 0.20, size = 275, normalized size = 1.57

$$\frac{(4b^3c - 3ab^2d - a^3f + 2a^2be) \log(|x|)}{a^5} + \frac{(4b^4c - 3ab^3d - a^3bf + 2a^2b^2e) \log(|bx^3 + a|)}{3a^5b} - \frac{4b^4cx^3 - 3ab^3dx^3 - 3a^4d}{3a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="giac")

[Out] -(4*b^3*c - 3*a*b^2*d - a^3*f + 2*a^2*b*e)*log(abs(x))/a^5 + 1/3*(4*b^4*c - 3*a*b^3*d - a^3*b*f + 2*a^2*b^2*e)*log(abs(b*x^3 + a))/(a^5*b) - 1/3*(4*b^4*c*x^3 - 3*a*b^3*d*x^3 - a^3*b*f*x^3 + 2*a^2*b^2*x^3*e + 5*a*b^3*c - 4*a^2*b^2*d - 2*a^4*f + 3*a^3*b*e)/((b*x^3 + a)*a^5) + 1/18*(44*b^3*c*x^9 - 33*a*b^2*d*x^9 - 11*a^3*f*x^9 + 22*a^2*b*x^9*e - 18*a*b^2*c*x^6 + 12*a^2*b*d*x^6 - 6*a^3*x^6*e + 6*a^2*b*c*x^3 - 3*a^3*d*x^3 - 2*a^3*c)/(a^5*x^9)

maple [A] time = 0.06, size = 229, normalized size = 1.31

$$\frac{f}{3(bx^3 + a)a} - \frac{be}{3(bx^3 + a)a^2} + \frac{f \ln(x)}{a^2} - \frac{f \ln(bx^3 + a)}{3a^2} + \frac{b^2d}{3(bx^3 + a)a^3} - \frac{2be \ln(x)}{a^3} + \frac{2be \ln(bx^3 + a)}{3a^3} - \frac{b^3c}{3(bx^3 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x)

[Out] -1/3/a^2*ln(b*x^3+a)*f+2/3*b/a^3*ln(b*x^3+a)*e-b^2/a^4*ln(b*x^3+a)*d+4/3*b^3/a^5*ln(b*x^3+a)*c+1/3/a/(b*x^3+a)*f-1/3*b/a^2/(b*x^3+a)*e+1/3*b^2/a^3/(b*x^3+a)*d-1/3*b^3/a^4/(b*x^3+a)*c-1/9/a^2*c/x^9-1/6/a^2/x^6*d+1/3/a^3/x^6*b*c-1/3/a^2/x^3*e+2/3/a^3/x^3*b*d-1/a^4/x^3*b^2*c+1/a^2*ln(x)*f-2/a^3*ln(x)*b*e+3/a^4*ln(x)*b^2*d-4/a^5*ln(x)*b^3*c

maxima [A] time = 1.43, size = 181, normalized size = 1.03

$$\frac{6(4b^3c - 3ab^2d + 2a^2be - a^3f)x^9 + 3(4ab^2c - 3a^2bd + 2a^3e)x^6 + 2a^3c - (4a^2bc - 3a^3d)x^3 + (4b^3c - 3ab^2d - 3a^3b^2d + 2a^2b^3c)}{18(a^4bx^{12} + a^5x^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/18*(6*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*x^9 + 3*(4*a*b^2*c - 3*a^2*b*d + 2*a^3*e)*x^6 + 2*a^3*c - (4*a^2*b*c - 3*a^3*d)*x^3)/(a^4*b*x^12 + a^5*x^9) + 1/3*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^5 - 1/3*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\log(x^3)/a^5$$

mupad [B] time = 5.08, size = 175, normalized size = 1.00

$$\frac{\ln(bx^3 + a) \left(-fa^3 + 2ea^2b - 3dab^2 + 4cb^3\right)}{3a^5} - \frac{c}{9a} + \frac{x^9(-fa^3 + 2ea^2b - 3dab^2 + 4cb^3)}{3a^4} + \frac{x^3(3ad - 4bc)}{18a^2} + \frac{x^6(2ea^2 - 3da^3)}{6a^3} + \frac{1}{bx^{12} + ax^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2),x)

[Out]
$$\frac{(\log(a + b*x^3)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^5) - (c/(9*a) + (x^9*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^4) + (x^3*(3*a*d - 4*b*c))/(18*a^2) + (x^6*(4*b^2*c + 2*a^2*e - 3*a*b*d))/(6*a^3))/(a*x^9 + b*x^12) - (\log(x)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/a^5$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**2,x)

[Out] Timed out

$$3.259 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$$

Optimal. Leaf size=214

$$\frac{2bc-ad}{9a^3x^9} - \frac{c}{12a^2x^{12}} - \frac{a^2e-2abd+3b^2c}{6a^4x^6} - \frac{b \log(a+bx^3)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{3a^6} + \frac{b \log(x)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{a^6}$$

[Out] $-1/12*c/a^2/x^{12}+1/9*(-a*d+2*b*c)/a^3/x^9+1/6*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^6+1/3*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^3+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/(b*x^3+a)+b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)*\ln(x)/a^6-1/3*b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.23, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} + \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5x^3} - \frac{b \log(a+bx^3)(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] $-c/(12*a^2*x^{12}) + (2*b*c - a*d)/(9*a^3*x^9) - (3*b^2*c - 2*a*b*d + a^2*e)/(6*a^4*x^6) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*(a + b*x^3)) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*\text{Log}[x])/a^6 - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*\text{Log}[a + b*x^3])/a^6$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^5(a+bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^5} + \frac{-2bc+ad}{a^3x^4} + \frac{3b^2c-2abd+a^2e}{a^4x^3} + \frac{-4b^3c+3ab^2d-2a^2be+a^3f}{a^5x^2} \right) dx, x, x^3 \right) \\ &= -\frac{c}{12a^2x^{12}} + \frac{2bc-ad}{9a^3x^9} - \frac{3b^2c-2abd+a^2e}{6a^4x^6} + \frac{4b^3c-3ab^2d+2a^2be-a^3f}{3a^5x^3} + \frac{b(b^3c-4ab^2d+3a^2be-a^3f)}{3a^6} \end{aligned}$$

Mathematica [A] time = 0.26, size = 198, normalized size = 0.93

$$\frac{\frac{3a^4c}{x^{12}} + \frac{4a^3(ad-2bc)}{x^9} + \frac{6a^2(a^2e-2abd+3b^2c)}{x^6} + \frac{12ab(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{12a(a^3f-2a^2be+3ab^2d-4b^3c)}{x^3} + 12b \log(a+bx^3)}{36a^6} (-2)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] -1/36*((3*a^4*c)/x^12 + (4*a^3*(-2*b*c + a*d))/x^9 + (6*a^2*(3*b^2*c - 2*a*b*d + a^2*e))/x^6 + (12*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x^3 + (12*a*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) - 36*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[x] + 12*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/a^6

fricas [A] time = 0.81, size = 310, normalized size = 1.45

$$12(5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4bf)x^{12} + 6(5a^2b^3c - 4a^3b^2d + 3a^4be - 2a^5f)x^9 - 2(5a^3b^2c - 4a^4bd + 3a^5e)x^6 - 3a^5c + (5a^4b^2c - 4a^5d)x^3 - 12((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5a^4b^4c - 4a^5d)x^{12}) \log(bx^3 + a) + 36((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5a^4b^4c - 4a^5d)x^{12}) \log(x) / (a^6bx^{15} + a^7x^{12})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(12*(5*a*b^4*c - 4*a^2*b^3*d + 3*a^3*b^2*e - 2*a^4*b*f)*x^12 + 6*(5*a^2*b^3*c - 4*a^3*b^2*d + 3*a^4*b*e - 2*a^5*f)*x^9 - 2*(5*a^3*b^2*c - 4*a^4*b*d + 3*a^5*e)*x^6 - 3*a^5*c + (5*a^4*b^2*c - 4*a^5*d)*x^3 - 12*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^15 + (5*a^4*b^4*c - 4*a^5*d)*x^12)*log(b*x^3 + a) + 36*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^15 + (5*a^4*b^4*c - 4*a^5*d)*x^12)*log(x))/(a^6*b*x^15 + a^7*x^12)

giac [A] time = 0.17, size = 331, normalized size = 1.55

$$\frac{(5b^4c - 4ab^3d - 2a^3bf + 3a^2b^2e) \log(|x|)}{a^6} - \frac{(5b^5c - 4ab^4d - 2a^3b^2f + 3a^2b^3e) \log(|bx^3 + a|)}{3a^6b} + \frac{5b^5cx^3 - 4a^6b^4c}{3a^6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="giac")

[Out] (5*b^4*c - 4*a*b^3*d - 2*a^3*b*f + 3*a^2*b^2*e)*log(abs(x))/a^6 - 1/3*(5*b^5*c - 4*a*b^4*d - 2*a^3*b^2*f + 3*a^2*b^3*e)*log(abs(b*x^3 + a))/(a^6*b) + 1/3*(5*b^5*c*x^3 - 4*a*b^4*d*x^3 - 2*a^3*b^2*f*x^3 + 3*a^2*b^3*e*x^3 + 6*a*b^4*c - 5*a^2*b^3*d - 3*a^4*b*f + 4*a^3*b^2*e)/((b*x^3 + a)*a^6) - 1/36*(12*5*b^4*c*x^12 - 100*a*b^3*d*x^12 - 50*a^3*b*f*x^12 + 75*a^2*b^2*e*x^12 - 48*a*b^3*c*x^9 + 36*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 24*a^3*b*x^9*e + 18*a^2*b^2*c*x^6 - 12*a^3*b*d*x^6 + 6*a^4*x^6*e - 8*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^6*x^12)

maple [A] time = 0.07, size = 282, normalized size = 1.32

$$-\frac{bf}{3(bx^3+a)a^2} + \frac{b^2e}{3(bx^3+a)a^3} - \frac{2bf \ln(x)}{a^3} + \frac{2bf \ln(bx^3+a)}{3a^3} - \frac{b^3d}{3(bx^3+a)a^4} + \frac{3b^2e \ln(x)}{a^4} - \frac{b^2e \ln(bx^3+a)}{a^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x)

[Out] 2/3/a^3*b*ln(b*x^3+a)*f-1/a^4*b^2*ln(b*x^3+a)*e+4/3/a^5*b^3*ln(b*x^3+a)*d-5/3/a^6*b^4*ln(b*x^3+a)*c-1/3/a^2*b/(b*x^3+a)*f+1/3/a^3*b^2/(b*x^3+a)*e-1/3/

$$a^4 b^3 / (b x^3 + a) d + 1/3 a^5 b^4 / (b x^3 + a) c - 1/12 c / a^2 / x^{12} - 1/9 a^2 / x^9 d + 2/9 a^3 / x^9 b c - 1/6 a^2 / x^6 e + 1/3 a^3 / x^6 b d - 1/2 a^4 / x^6 b^2 c - 1/3 a^2 / x^3 f + 2/3 a^3 / x^3 b e - 1/a^4 / x^3 b^2 d + 4/3 a^5 / x^3 b^3 c - 2 b / a^3 \ln(x) f + 3 b^2 / a^4 \ln(x) e - 4 b^3 / a^5 \ln(x) d + 5 b^4 / a^6 \ln(x) c$$

maxima [A] time = 1.44, size = 226, normalized size = 1.06

$$\frac{12(5b^4c - 4ab^3d + 3a^2b^2e - 2a^3bf)x^{12} + 6(5ab^3c - 4a^2b^2d + 3a^3be - 2a^4f)x^9 - 2(5a^2b^2c - 4a^3bd + 3a^4e)x^6}{36(a^5bx^{15} + a^6x^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/36*(12*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*x^12 + 6*(5*a*b^3*c - 4*a^2*b^2*d + 3*a^3*b*e - 2*a^4*f)*x^9 - 2*(5*a^2*b^2*c - 4*a^3*b*d + 3*a^4*e)*x^6 - 3*a^4*c + (5*a^3*b*c - 4*a^4*d)*x^3)/(a^5*b*x^15 + a^6*x^12) - 1/3*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*log(b*x^3 + a)/a^6 + 1/3*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*log(x^3)/a^6

mupad [B] time = 5.09, size = 216, normalized size = 1.01

$$\frac{\ln(x) \left(-2 f a^3 b + 3 e a^2 b^2 - 4 d a b^3 + 5 c b^4 \right)}{a^6} - \frac{\ln(b x^3 + a) \left(-2 f a^3 b + 3 e a^2 b^2 - 4 d a b^3 + 5 c b^4 \right)}{3 a^6} - \frac{c}{12 a} - \frac{x^9 (-2 f a^3 b + 3 e a^2 b^2 - 4 d a b^3 + 5 c b^4)}{36 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2),x)

[Out] (log(x)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/a^6 - (log(a + b*x^3)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/(3*a^6) - (c/(12*a) - (x^9*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(6*a^4) + (x^3*(4*a*d - 5*b*c))/(36*a^2) + (x^6*(5*b^2*c + 3*a^2*e - 4*a*b*d))/(18*a^3) - (b*x^12*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(3*a^5))/(a*x^12 + b*x^15)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**2,x)

[Out] Timed out

$$3.260 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=369

$$\frac{x^7(3a^2f - 2abe + b^2d)}{7b^4} - \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{ax(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{b^6} + \frac{x^4(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{18b^{19/3}}$$

[Out] $-a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)*x/b^6+1/4*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x^4/b^5+1/7*(3*a^2*f-2*a*b*e+b^2*d)*x^7/b^4+1/10*(-2*a*f+b*e)*x^{10}/b^3+1/13*f*x^{13}/b^2-1/3*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^6/(b*x^3+a)+1/9*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/b^{19/3}-1/18*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/b^{19/3}-1/9*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/b^{19/3}*3^{1/2}$

Rubi [A] time = 0.47, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(3a^2be - 4a^3f - 2ab^2d + b^3c)}{4b^5} - \frac{a^2x(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{18b^{19/3}} (13a^2b^3c - 2ab^2d + b^3c)$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $-((a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x)/b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^{10})/(10*b^3) + (f*x^{13})/(13*b^2) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^6*(a + b*x^3)) - (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*b^{19/3}) + (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*b^{19/3}) - (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*b^{19/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f)x}{3b^6 (a + bx^3)} - \int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 3a^2b(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2} dx \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f)x}{3b^6 (a + bx^3)} - \frac{\int (3a^2 (2b^3c - 3ab^2d + 4a^2be - 5a^3f) - 3a^3(b^3c - ab^2d + a^2be - a^3f)) dx}{3b^6 (a + bx^3)} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f)x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^7}{7b^4} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f)x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^7}{7b^4} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f)x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^7}{7b^4} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f)x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^7}{7b^4} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f)x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^7}{7b^4}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 364, normalized size = 0.99

$$\frac{x^7 (3a^2f - 2abe + b^2d)}{7b^4} + \frac{a^2x (a^3f - a^2be + ab^2d - b^3c)}{3b^6 (a + bx^3)} + \frac{ax (5a^3f - 4a^2be + 3ab^2d - 2b^3c)}{b^6} + \frac{x^4 (-4a^3f + 3a^2be - 2ab^2d + b^3c)}{4b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x)/b^6 + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^10)/(10*b^3) + (f*x^13)/(13*b^2) + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(3*b^6*(a + b*x^3)) + (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(19/3)) - (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*b^(19/3)) + (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*b^(19/3))

fricas [A] time = 0.59, size = 488, normalized size = 1.32

$$1260 b^5 f x^{16} + 126 (13 b^5 e - 16 a b^4 f) x^{13} + 234 (10 b^5 d - 13 a b^4 e + 16 a^2 b^3 f) x^{10} + 585 (7 b^5 c - 10 a b^4 d + 13 a^2 b^3 e - 16 a^3 f) x^7 + 126 (b^3 c - 2 a b^2 d + 3 a^2 b e - 4 a^3 f) x^4 + 126 (b^3 c - 2 a b^2 d + 3 a^2 b e - 4 a^3 f) x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

```
[Out] 1/16380*(1260*b^5*f*x^16 + 126*(13*b^5*e - 16*a*b^4*f)*x^13 + 234*(10*b^5*d - 13*a*b^4*e + 16*a^2*b^3*f)*x^10 + 585*(7*b^5*c - 10*a*b^4*d + 13*a^2*b^3*e - 16*a^3*b^2*f)*x^7 - 4095*(7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^4 - 1820*sqrt(3)*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f)*x)/(b^7*x^3 + a*b^6)
```

giac [A] time = 0.20, size = 451, normalized size = 1.22

$$\frac{\sqrt{3} \left(7 (-ab^2)^{\frac{1}{3}} ab^3c - 10 (-ab^2)^{\frac{1}{3}} a^2b^2d - 16 (-ab^2)^{\frac{1}{3}} a^4f + 13 (-ab^2)^{\frac{1}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9b^7} \quad (7a^2b^3c - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] 1/9*sqrt(3)*(7*(-a*b^2)^(1/3)*a*b^3*c - 10*(-a*b^2)^(1/3)*a^2*b^2*d - 16*(-a*b^2)^(1/3)*a^4*f + 13*(-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^7 - 1/9*(7*a^2*b^3*c - 10*a^3*b^2*d - 16*a^5*f + 13*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^6) + 1/18*(7*(-a*b^2)^(1/3)*a*b^3*c - 10*(-a*b^2)^(1/3)*a^2*b^2*d - 16*(-a*b^2)^(1/3)*a^4*f + 13*(-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 - 1/3*(a^2*b^3*c*x - a^3*b^2*d*x - a^5*f*x + a^4*b*x*e)/((b*x^3 + a)*b^6) + 1/1820*(140*b^24*f*x^13 - 364*a*b^23*f*x^10 + 182*b^24*x^10*e + 260*b^24*d*x^7 + 780*a^2*b^22*f*x^7 - 520*a*b^23*x^7*e + 455*b^24*c*x^4 - 910*a*b^23*d*x^4 - 1820*a^3*b^21*f*x^4 + 1365*a^2*b^22*x^4*e - 3640*a*b^23*c*x + 5460*a^2*b^22*d*x + 9100*a^4*b^20*f*x - 7280*a^3*b^21*x*e)/b^26
```

maple [A] time = 0.05, size = 622, normalized size = 1.69

$$\frac{fx^{13}}{13b^2} - \frac{afx^{10}}{5b^3} + \frac{ex^{10}}{10b^2} + \frac{3a^2fx^7}{7b^4} - \frac{2aex^7}{7b^3} + \frac{dx^7}{7b^2} - \frac{a^3fx^4}{b^5} + \frac{3a^2ex^4}{4b^4} - \frac{adx^4}{2b^3} + \frac{cx^4}{4b^2} + \frac{a^5fx}{3(bx^3+a)b^6} - \frac{a^4ex}{3(bx^3+a)b^5} + \frac{a^4ex}{3(bx^3+a)b^5} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)
```

```
[Out] -10/9*a^3/b^5*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 7/9*a^2/b^4*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 16/9*a^5/b^7*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 13/9*a^4/b^6*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 3/7/b^4*x^7*a^2*f - 1/5/b^3*x^10*a*f - 1/2/b^3*x^4*a*d + 3/4/b^4*x^4*a^2*e - 2/7/b^3*x^7*a*e - 1/b^5*x^4*a^3*f + 5*a^4/b^6*f*x - 4*a^3/b^5*e*x + 3*a^2/b^4*d*x - 2*a/b^3*c*x - 16/9*a^5/b^7*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) + 8/9*a^5/b^7*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 13/9*a^4/b^6*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) - 13/18*a^4/b^6*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) - 10/9*a^3/b^5*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
```

$$\frac{1}{b^5} \frac{d}{dx} \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) - \frac{7}{18} a^2 \frac{c}{b^4} \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3}) + \frac{1}{10} \frac{1}{b^2} x^{10} e + \frac{1}{7} \frac{1}{b^2} x^7 d + \frac{1}{4} \frac{1}{b^2} x^4 c + \frac{7}{9} a^2 \frac{c}{b^4} \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{3} a^3 \frac{x}{b^4} \frac{1}{(b x^3 + a)} d - \frac{1}{3} a^2 \frac{1}{b^3} \frac{x}{(b x^3 + a)} c + \frac{1}{3} a^5 \frac{1}{b^6} \frac{x}{(b x^3 + a)} f - \frac{1}{3} a^4 \frac{1}{b^5} \frac{x}{(b x^3 + a)} e + \frac{5}{9} a^3 \frac{1}{b^5} \frac{d}{dx} \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3}) + \frac{1}{13} f x^{13} \frac{1}{b^2}$$

maxima [A] time = 2.98, size = 369, normalized size = 1.00

$$\frac{(a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x^{13} + 140 b^4 f x^{10} + 182 (b^4 e - 2 a b^3 f) x^{10} + 260 (b^4 d - 2 a b^3 e + 3 a^2 b^2 f) x^7 + 455 (b^4 c - 2 a b^3 d + 3 a^2 b^2 e - 4 a^3 b f) x^4 - 1820 (2 a b^3 c - 3 a^2 b^2 d + 4 a^3 b e - 5 a^4 f) x}{3 (b^7 x^3 + a b^6)} + \frac{1}{1820} \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3} (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x / (b^7 x^3 + a b^6) + \frac{1}{1820} (140 b^4 f x^{13} + 182 (b^4 e - 2 a b^3 f) x^{10} + 260 (b^4 d - 2 a b^3 e + 3 a^2 b^2 f) x^7 + 455 (b^4 c - 2 a b^3 d + 3 a^2 b^2 e - 4 a^3 b f) x^4 - 1820 (2 a b^3 c - 3 a^2 b^2 d + 4 a^3 b e - 5 a^4 f) x) / b^6 + \frac{1}{9} \sqrt{3} (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \arctan(1/3 \sqrt{3} (2 x - (a/b)^{1/3}) / ((a/b)^{1/3} (b^7 (a/b)^{2/3} - 1/18 (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}) / (b^7 (a/b)^{2/3} + 1/9 (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \log(x + (a/b)^{1/3}) / (b^7 (a/b)^{2/3}))$

mupad [B] time = 0.35, size = 481, normalized size = 1.30

$$x^{10} \left(\frac{e}{10 b^2} - \frac{a f}{5 b^3} \right) - x \left(\frac{2 a \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2 a f}{b^3} \right)}{b^2} + \frac{2 a \left(\frac{a^2 f}{b^4} - \frac{d}{b^2} + \frac{2 a \left(\frac{e}{b^2} - \frac{2 a f}{b^3} \right)}{b} \right)}{b} \right)}{b} - \frac{a^2 \left(\frac{a^2 f}{b^4} - \frac{d}{b^2} + \frac{2 a \left(\frac{e}{b^2} - \frac{2 a f}{b^3} \right)}{b} \right)}{b^2} \right) - x^7 \left(\frac{a^2 f}{7 b^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^{10} (e / (10 b^2) - (a f) / (5 b^3)) - x ((2 a (c / b^2 - (a^2 (e / b^2 - (2 a f) / b^3)) / b^2 + (2 a ((a^2 f) / b^4 - d / b^2 + (2 a (e / b^2 - (2 a f) / b^3)) / b)) / b) / b - (a^2 ((a^2 f) / b^4 - d / b^2 + (2 a (e / b^2 - (2 a f) / b^3)) / b)) / b^2) - x^7 ((a^2 f) / (7 b^4) - d / (7 b^2) + (2 a (e / b^2 - (2 a f) / b^3)) / (7 b)) + x^4 (c / (4 b^2) - (a^2 (e / b^2 - (2 a f) / b^3)) / (4 b^2) + (a ((a^2 f) / b^4 - d / b^2 + (2 a (e / b^2 - (2 a f) / b^3)) / b)) / (2 b)) + (f x^{13}) / (13 b^2) + (x ((a^5 f) / 3 - (a^2 b^3 c) / 3 + (a^3 b^2 d) / 3 - (a^4 b e) / 3)) / (a b^6 + b^7 x^3) + (a^{4/3}) * log(b^{1/3} x + a^{1/3}) * (7 b^3 c - 16 a^3 f - 10 a b^2 d + 13 a^2 b e)) / (9 b^{19/3}) + (a^{4/3}) * log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3}) * ((3^{1/2} i) / 2 - 1/2) * (7 b^3 c - 16 a^3 f - 10 a b^2 d + 13 a^2 b e)) / (9 b^{19/3}) - (a^{4/3}) * log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3}) * ((3^{1/2} i) / 2 + 1/2) * (7 b^3 c - 16 a^3 f - 10 a b^2 d + 13 a^2 b e)) / (9 b^{19/3})$

sympy [A] time = 15.90, size = 500, normalized size = 1.36

$$x^{10} \left(-\frac{a f}{5 b^3} + \frac{e}{10 b^2} \right) + x^7 \left(\frac{3 a^2 f}{7 b^4} - \frac{2 a e}{7 b^3} + \frac{d}{7 b^2} \right) + x^4 \left(-\frac{a^3 f}{b^5} + \frac{3 a^2 e}{4 b^4} - \frac{a d}{2 b^3} + \frac{c}{4 b^2} \right) + x \left(\frac{5 a^4 f}{b^6} - \frac{4 a^3 e}{b^5} + \frac{3 a^2 d}{b^4} - \frac{2 a c}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**10*(-a*f/(5*b**3) + e/(10*b**2)) + x**7*(3*a**2*f/(7*b**4) - 2*a*e/(7*b**3) + d/(7*b**2)) + x**4*(-a**3*f/b**5 + 3*a**2*e/(4*b**4) - a*d/(2*b**3) + c/(4*b**2)) + x*(5*a**4*f/b**6 - 4*a**3*e/b**5 + 3*a**2*d/b**4 - 2*a*c/b**3) + x*(a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c)/(3*a*b**6 + 3*b**7*x**3) + RootSum(729*_t**3*b**19 + 4096*a**13*f**3 - 9984*a**12*b*e*f**2 + 7680*a**11*b**2*d*f**2 + 8112*a**11*b**2*e**2*f - 5376*a**10*b**3*c*f**2 - 12480*a**10*b**3*d*e*f - 2197*a**10*b**3*e**3 + 8736*a**9*b**4*c*e*f + 4800*a**9*b**4*d**2*f + 5070*a**9*b**4*d*e**2 - 6720*a**8*b**5*c*d*f - 3549*a**8*b**5*c*e**2 - 3900*a**8*b**5*d**2*e + 2352*a**7*b**6*c**2*f + 5460*a**7*b**6*c*d*e + 1000*a**7*b**6*d**3 - 1911*a**6*b**7*c**2*e - 2100*a**6*b**7*c*d**2 + 1470*a**5*b**8*c**2*d - 343*a**4*b**9*c**3, Lambda(_t, _t*log(-9*_t*b**6/(16*a**4*f - 13*a**3*b*e + 10*a**2*b**2*d - 7*a*b**3*c) + x))) + f*x**13/(13*b**2)

$$3.261 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{x^5(3a^2f - 2abe + b^2d)}{5b^4} + \frac{x^2(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18b^{17/3}}$$

[Out] $1/2*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x^2/b^5+1/5*(3*a^2*f-2*a*b*e+b^2*d)*x^5/b^4+1/8*(-2*a*f+b*e)*x^8/b^3+1/11*f*x^11/b^2+1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^5/(b*x^3+a)+1/9*a^{(2/3)}*(-14*a^3*f+11*a^2*b*e-8*a*b^2*d+5*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(17/3)}-1/18*a^{(2/3)}*(-14*a^3*f+11*a^2*b*e-8*a*b^2*d+5*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(17/3)}+1/9*a^{(2/3)}*(-14*a^3*f+11*a^2*b*e-8*a*b^2*d+5*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.71, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(3a^2be - 4a^3f - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18b^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2)/(2*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^5)/(5*b^4) + ((b*e - 2*a*f)*x^8)/(8*b^3) + (f*x^11)/(11*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*b^5*(a + b*x^3)) + (a^{(2/3)}*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*b^{(17/3)}) + (a^{(2/3)}*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*b^{(17/3)}) - (a^{(2/3)}*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*b^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^m)*((a_) + (c_.)*(x_)^(n2_) + (b_.)*(x_)^(n_))^(p_)*(d_) + (e_.)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^3c - ab^2d + a^2be - a^3f)}{a + bx^3} dx \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(22a^2b^2(b^3c - ab^2d + a^2be - a^3f) - 33ab^3(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(176a^2b^3(b^3c - ab^2d + a^2be - a^3f) - 176ab^4(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \left(-264ab^3(b^3c - ab^2d + a^2be - a^3f) \right) \frac{x}{a + bx^3} dx \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \dots \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \dots \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \dots \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \dots \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \dots
\end{aligned}$$

Mathematica [A] time = 0.20, size = 319, normalized size = 0.95

$$792b^{5/3}x^5(3a^2f - 2abe + b^2d) + 1980b^{2/3}x^2(-4a^3f + 3a^2be - 2ab^2d + b^3c) + \frac{1320ab^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} - \dots$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (1980*b^(2/3)*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2 + 792*b^(5/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^5 + 495*b^(8/3)*(b*e - 2*a*f)*x^8 + 360*b^(11/3)*f*x^11 + (1320*a*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3) - 440*sqrt(3)*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] - 440*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3960*b^(17/3))

fricas [A] time = 0.56, size = 455, normalized size = 1.36

$$360b^4fx^{14} + 45(11b^4e - 14ab^3f)x^{11} + 99(8b^4d - 11ab^3e + 14a^2b^2f)x^8 + 396(5b^4c - 8ab^3d + 11a^2b^2e - 14a^3b^2f)x^5 + 660(5a^2b^3c - 8a^2b^2d + 11a^3b^2e - 14a^4b^2f)x^2 - 440\sqrt{3}(5a^2b^3c - 8a^2b^2d + 11a^3b^2e - 14a^4b^2f + (5b^4c - 8a^2b^3d + 11a^2b^2e - 14a^3b^2f)x^3)(-a^2/b^2)^{1/3}\arctan(1/3(2\sqrt{3}bx(-a^2/b^2)^{1/3} + \sqrt{3}a)/a) + 220(5a^2b^3c - 8a^2b^2d + 11a^3b^2e - 14a^4b^2f + (5b^4c - 8a^2b^3d + 11a^2b^2e - 14a^3b^2f)x^3)(-a^2/b^2)^{1/3}\log(ax^2 - bx(-a^2/b^2)^{1/3} - a(-a^2/b^2)^{1/3}) - 440(5a^2b^3c - 8a^2b^2d + 11a^3b^2e - 14a^4b^2f + (5b^4c - 8a^2b^3d + 11a^2b^2e - 14a^3b^2f)x^3)(-a^2/b^2)^{1/3}\log(ax + b(-a^2/b^2)^{1/3})/(b^6x^3 + ab^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3960*(360*b^4*f*x^14 + 45*(11*b^4*e - 14*a*b^3*f)*x^11 + 99*(8*b^4*d - 11*a*b^3*e + 14*a^2*b^2*f)*x^8 + 396*(5*b^4*c - 8*a*b^3*d + 11*a^2*b^2*e - 14*a^3*b^2*f)*x^5 + 660*(5*a^2*b^3*c - 8*a^2*b^2*d + 11*a^3*b^2*e - 14*a^4*b^2*f)*x^2 - 440*sqrt(3)*(5*a^2*b^3*c - 8*a^2*b^2*d + 11*a^3*b^2*e - 14*a^4*b^2*f + (5*b^4*c - 8*a^2*b^3*d + 11*a^2*b^2*e - 14*a^3*b^2*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*(5*a^2*b^3*c - 8*a^2*b^2*d + 11*a^3*b^2*e - 14*a^4*b^2*f + (5*b^4*c - 8*a^2*b^3*d + 11*a^2*b^2*e - 14*a^3*b^2*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(1/3) - a*(-a^2/b^2)^(1/3)) - 440*(5*a^2*b^3*c - 8*a^2*b^2*d + 11*a^3*b^2*e - 14*a^4*b^2*f + (5*b^4*c - 8*a^2*b^3*d + 11*a^2*b^2*e - 14*a^3*b^2*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(1/3)))/(b^6*x^3 + a*b^5)

giac [A] time = 0.20, size = 442, normalized size = 1.32

$$\frac{\left(5ab^3c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 8a^2b^2d\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 14a^4f\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 11a^3b\left(-\frac{a}{b}\right)^{\frac{1}{3}}e\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9ab^5} + \frac{\sqrt{3}\left(5(-ab^2)^{\frac{2}{3}}b^3c - 8a^2b^2d + 11a^3b^2e - 14a^4b^2f\right)}{9ab^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*(5*a^2*b^3*c*(-a/b)^(1/3) - 8*a^2*b^2*d*(-a/b)^(1/3) - 14*a^4*f*(-a/b)^(1/3) + 11*a^3*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^5) + 1/9*sqrt(3)*(5*(-a*b^2)^(2/3)*b^3*c - 8*(-a*b^2)^(2/3)*a*b^2*d - 14*(-a*b^2)^(2/3)*a^3*f + 11*(-a*b^2)^(2/3)*a^2*b^2*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^7 + 1/3*(a*b^3*c*x^2 - a^2*b^2*d*x^2 - a^4*f*x^2 + a^3*b*x^2*e)/((b*x^3 + a)*b^5) - 1/18*(5*(-a*b^2)^(2/3)*b^3*c - 8*(-a*b^2)^(2/3)*a*b^2*d - 14*(-a*b^2)^(2/3)*a^3*f + 11*(-a*b^2)^(2/3)*a^2*b^2*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 + 1/440*(40*b^20*f*x^11 - 110*a*b^19*f*x^8 + 55*b^20*x^8*e + 88*b^20*d*x^5 + 264*a^2*b^18*f*x^5 - 176*a*b^19*x^5*e + 220*b^20*c*x^2 - 440*a*b^19*d*x^2 - 880*a^3*b^17*f*x^2 + 660*a^2*b^18*x^2*e)/b^22

maple [B] time = 0.05, size = 584, normalized size = 1.74

$$\frac{fx^{11}}{11b^2} - \frac{afx^8}{4b^3} + \frac{ex^8}{8b^2} + \frac{3a^2fx^5}{5b^4} - \frac{2aex^5}{5b^3} + \frac{dx^5}{5b^2} - \frac{a^4fx^2}{3(bx^3+a)b^5} + \frac{a^3ex^2}{3(bx^3+a)b^4} - \frac{a^2dx^2}{3(bx^3+a)b^3} + \frac{acx^2}{3(bx^3+a)b^2} - \frac{2a^3f}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/3*a^3/b^4*x^2/(b*x^3+a)*e-1/3*a^2/b^3*x^2/(b*x^3+a)*d+1/3*a/b^2*x^2/(b*x^3+a)*c+4/9*a^2/b^4*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/9*a^4/b^6*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-5/9*a/b^3*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-11/9*a^3/b^5*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+8/9*a^2/b^4*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/4/b^3*x^8*a*f+3/2/b^4*x^2*a^2*e-1/b^3*x^2*a*d-2/b^5*x^2*a^3*f+3/5*a^2/b^4*f*x^5-2/5*a/b^3*e*x^5+1/5/b^2*d*x^5-8/9*a^2/b^4*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-14/9*a^4/b^6*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/9*a^4/b^6*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+11/9*a^3/b^5*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-11/18*a^3/b^5*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*a^4/b^5*x^2/(b*x^3+a)*f+1/2/b^2*x^2*c+5/9*a/b^3*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18*a/b^3*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/8/b^2*x^8*e+1/11*f*x^11/b^2

maxima [A] time = 3.02, size = 325, normalized size = 0.97

$$\frac{(ab^3c - a^2b^2d + a^3be - a^4f)x^2}{3(b^6x^3 + ab^5)} - \frac{\sqrt{3}(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40b^3fx^{11} + 5}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2/(b^6*x^3 + a*b^5) - 1/9*sqrt(3)*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^6*(a/b)^(1/3)) + 1/440*(40*b^3*f*x^11 + 55*(b^3*e - 2*a*b^2*f)*x^8 + 88*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^5 + 220*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2)/b^5 - 1/18*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(1/3)) + 1/9*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(1/3))

mupad [B] time = 5.28, size = 362, normalized size = 1.08

$$x^8 \left(\frac{e}{8b^2} - \frac{af}{4b^3} \right) - x^5 \left(\frac{a^2f}{5b^4} - \frac{d}{5b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{5b} \right) + x^2 \left(\frac{c}{2b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{2b^2} + \frac{a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^8*(e/(8*b^2) - (a*f)/(4*b^3)) - x^5*((a^2*f)/(5*b^4) - d/(5*b^2) + (2*a*(e/b^2 - (2*a*f)/b^3))/(5*b)) + x^2*(c/(2*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(2*b^2) + (a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b + (f*x^11)/(11*b^2) - (x^2*((a^4*f)/3 + (a^2*b^2*d)/3 - (a*b^3*c)/3 - (a^3*b*e)/3))/(a*b^5 + b^6*x^3) + (a^(2/3)*log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3)) - (a^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3)) + (a^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3))

sympy [A] time = 58.23, size = 539, normalized size = 1.61

$$x^8 \left(-\frac{af}{4b^3} + \frac{e}{8b^2} \right) + x^5 \left(\frac{3a^2f}{5b^4} - \frac{2ae}{5b^3} + \frac{d}{5b^2} \right) + x^2 \left(-\frac{2a^3f}{b^5} + \frac{3a^2e}{2b^4} - \frac{ad}{b^3} + \frac{c}{2b^2} \right) + \frac{x^2(-a^4f + a^3be - a^2b^2d + ab^3c)}{3ab^5 + 3b^6x^3} + R$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**8*(-a*f/(4*b**3) + e/(8*b**2)) + x**5*(3*a**2*f/(5*b**4) - 2*a*e/(5*b**3) + d/(5*b**2)) + x**2*(-2*a**3*f/b**5 + 3*a**2*e/(2*b**4) - a*d/b**3 + c/(2*b**2)) + x**2*(-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3) + RootSum(729*_t**3*b**17 + 2744*a**11*f**3 - 6468*a**10*b*e*f**2 + 4704*a**9*b**2*d*f**2 + 5082*a**9*b**2*e**2*f - 2940*a**8*b**3*c*f**2 - 7392*a**8*b**3*d*e*f - 1331*a**8*b**3*e**3 + 4620*a**7*b**4*c*e*f + 2688*a**7*b**4*d**2*f + 2904*a**7*b**4*d*e**2 - 3360*a**6*b**5*c*d*f - 1815*a**6*b**5*c*e**2 - 2112*a**6*b**5*d**2*e + 1050*a**5*b**6*c**2*f + 2640*a**5*b**6*c*d*e + 512*a**5*b**6*d**3 - 825*a**4*b**7*c**2*e - 960*a**4*b**7*c*d**2 + 600*a**3*b**8*c**2*d - 125*a**2*b**9*c**3, Lambda(_t, _t*log(81*_t**2*b**11/(196*a**7*f**2 - 308*a**6*b*e*f + 224*a**5*b**2*d*f + 121*a**5*b**2*e**2 - 140*a**4*b**3*c*f - 176*a**4*b**3*d*e + 110*a**3*b**4*c*e + 64*a**3*b**4*d**2 - 80*a**2*b**5*c*d + 25*a*b**6*c**2) + x))) + f*x**11/(11*b**2)

$$3.262 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=328

$$\frac{x^4(3a^2f - 2abe + b^2d)}{4b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{9b^{16/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{3\sqrt{3}b^{16/3}}$$

[Out] $(-4a^3f+3a^2b^2e-2ab^2d+b^3c)*x/b^5+1/4*(3a^2f-2ab^2e+b^2d)*x^4/b^4+1/7*(-2af+be)*x^7/b^3+1/10*f*x^{10}/b^2+1/3*a*(-a^3f+a^2b^2e-ab^2d+b^3c)*x/b^5/(b*x^3+a)-1/9*a^{1/3}*(-13a^3f+10a^2b^2e-7ab^2d+4b^3c)*\ln(a^{1/3}+b^{1/3}*x)/b^{16/3}+1/18*a^{1/3}*(-13a^3f+10a^2b^2e-7ab^2d+4b^3c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/b^{16/3}+1/9*a^{1/3}*(-13a^3f+10a^2b^2e-7ab^2d+4b^3c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/b^{16/3}*3^{1/2}$

Rubi [A] time = 0.37, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{18b^{16/3}} + \frac{x(3a^2f - 2abe + b^2d)}{3b^4}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^3c - 2ab^2d + 3a^2b^2e - 4a^3f)*x)/b^5 + ((b^2d - 2ab^2e + 3a^2f)*x^4)/(4b^4) + ((b^2e - 2af)*x^7)/(7b^3) + (f*x^{10})/(10b^2) + (a*(b^3c - ab^2d + a^2b^2e - a^3f)*x)/(3b^5*(a + b*x^3)) + (a^{1/3}*(4b^3c - 7ab^2d + 10a^2b^2e - 13a^3f)*\text{ArcTan}[(a^{1/3} - 2b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*b^{16/3}) - (a^{1/3}*(4b^3c - 7ab^2d + 10a^2b^2e - 13a^3f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*b^{16/3}) + (a^{1/3}*(4b^3c - 7ab^2d + 10a^2b^2e - 13a^3f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*b^{16/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^6(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^3c - ab^2d + a^2be - a^3f)x^3 - a^2bx^6}{a + bx^3} dx}{3ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int (-3a(b^3c - 2ab^2d + 3a^2be - 4a^3f) - 3ab^2x^3 - a^2bx^6) dx}{3ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{a^2bx^6}{6ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{a^2bx^6}{6ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{a^2bx^6}{6ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{a^2bx^6}{6ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{a^2bx^6}{6ab^5}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 315, normalized size = 0.96

$$315b^{4/3}x^4(3a^2f - 2abe + b^2d) + \frac{420a\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + 1260\sqrt[3]{b}x(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 140a^2bx^6$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (1260*b^(1/3)*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x + 315*b^(4/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^4 + 180*b^(7/3)*(b*e - 2*a*f)*x^7 + 126*b^(10/3)*f*x^10 + (420*a*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3) - 140*sqrt(3)*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 140*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1260*b^(16/3))

fricas [A] time = 0.63, size = 423, normalized size = 1.29

$$126b^4fx^{13} + 18(10b^4e - 13ab^3f)x^{10} + 45(7b^4d - 10ab^3e + 13a^2b^2f)x^7 + 315(4b^4c - 7ab^3d + 10a^2b^2e - 14a^3f)x^4 + 140a^2bx^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{1260}(126b^4fx^{13} + 18(10b^4e - 13ab^3f)x^{10} + 45(7b^4d - 10ab^3e + 13a^2b^2f)x^7 + 315(4b^4c - 7a^2b^3d + 10a^2b^2e - 13a^3bf)x^4 - 140\sqrt{3}(4ab^3c - 7a^2b^2d + 10a^3be - 13a^4f + (4b^4c - 7ab^3d + 10a^2b^2e - 13a^3bf)x^3)(a/b)^{1/3}\arctan(1/3(2\sqrt{3}bx(a/b)^{2/3} - \sqrt{3}a)/a) + 70(4ab^3c - 7a^2b^2d + 10a^3be - 13a^4f + (4b^4c - 7ab^3d + 10a^2b^2e - 13a^3bf)x^3)(a/b)^{1/3}\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) - 140(4ab^3c - 7a^2b^2d + 10a^3be - 13a^4f + (4b^4c - 7ab^3d + 10a^2b^2e - 13a^3bf)x^3)(a/b)^{1/3}\log(x + (a/b)^{1/3}) + 420(4ab^3c - 7a^2b^2d + 10a^3be - 13a^4f)x)/(b^6x^3 + ab^5)$

giac [A] time = 0.18, size = 394, normalized size = 1.20

$$\frac{\sqrt{3}\left(4(-ab^2)^{\frac{1}{3}}b^3c - 7(-ab^2)^{\frac{1}{3}}ab^2d - 13(-ab^2)^{\frac{1}{3}}a^3f + 10(-ab^2)^{\frac{1}{3}}a^2be\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^6} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $-\frac{1}{9}\sqrt{3}(4(-ab^2)^{1/3}b^3c - 7(-ab^2)^{1/3}ab^2d - 13(-ab^2)^{1/3}a^3f + 10(-ab^2)^{1/3}a^2be)\arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/b^6 + 1/9(4ab^3c - 7a^2b^2d - 13a^4f + 10a^3be)(-a/b)^{1/3}\log(\text{abs}(x - (-a/b)^{1/3}))/ab^5 - 1/18(4(-ab^2)^{1/3}b^3c - 7(-ab^2)^{1/3}ab^2d - 13(-ab^2)^{1/3}a^3f + 10(-ab^2)^{1/3}a^2be)\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/b^6 + 1/3(ab^3cx - a^2b^2dx - a^4fx + a^3bxe)/(b^6x^3 + ab^5) + 1/140(14b^18fx^{10} - 40ab^{17}fx^7 + 20b^{18}x^7e + 35b^{18}dx^4 + 105a^2b^{16}fx^4 - 70ab^{17}x^4e + 140b^{18}cx - 280ab^{17}dx - 560a^3b^{15}fx + 420a^2b^{16}xe)/b^{20}$

maple [B] time = 0.06, size = 567, normalized size = 1.73

$$\frac{fx^{10}}{10b^2} - \frac{2afx^7}{7b^3} + \frac{ex^7}{7b^2} + \frac{3a^2fx^4}{4b^4} - \frac{aex^4}{2b^3} + \frac{dx^4}{4b^2} - \frac{a^4fx}{3(bx^3+a)b^5} + \frac{a^3ex}{3(bx^3+a)b^4} - \frac{a^2dx}{3(bx^3+a)b^3} + \frac{acx}{3(bx^3+a)b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)`

[Out] $-\frac{4}{9}a/b^3c/(a/b)^{2/3}3^{1/2}\arctan(1/33^{1/2}(2/(a/b)^{1/3}x-1))+13/9a^4/b^6f/(a/b)^{2/3}3^{1/2}\arctan(1/33^{1/2}(2/(a/b)^{1/3}x-1))-10/9a^3/b^5e/(a/b)^{2/3}3^{1/2}\arctan(1/33^{1/2}(2/(a/b)^{1/3}x-1))+7/9a^2/b^4d/(a/b)^{2/3}3^{1/2}\arctan(1/33^{1/2}(2/(a/b)^{1/3}x-1))-1/2/b^3x^4ae-4/b^5a^3fx+3/b^4a^2ex-2/b^3adx+3/4/b^4x^4a^2f-2/7a/b^3fx^7+2/9a/b^3c/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})-4/9a/b^3c/(a/b)^{2/3}\ln(x+(a/b)^{1/3})+1/7/b^2ex^7-1/3a^4/b^5x/(b^6x^3+a)f+1/3a^3/b^4x/(b^6x^3+a)e-1/3a^2/b^3x/(b^6x^3+a)d-13/18a^4/b^6f/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})+1/3a/b^2x/(b^6x^3+a)c+13/9a^4/b^6f/(a/b)^{2/3}\ln(x+(a/b)^{1/3})+1/4/b^2x^4d+1/b^2cx-10/9a^3/b^5e/(a/b)^{2/3}\ln(x+(a/b)^{1/3})+5/9a^3/b^5e/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x$

$$+(a/b)^{(2/3)}+7/9*a^2/b^4*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-7/18*a^2/b^4*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/10*f*x^10/b^2$$

maxima [A] time = 3.02, size = 321, normalized size = 0.98

$$\frac{(ab^3c - a^2b^2d + a^3be - a^4f)x}{3(b^6x^3 + ab^5)} + \frac{14b^3fx^{10} + 20(b^3e - 2ab^2f)x^7 + 35(b^3d - 2ab^2e + 3a^2bf)x^4 + 140(b^3c - 2ab^2d + a^3be - a^4f)x}{140b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x/(b^6*x^3 + a*b^5) + 1/140*(14*b^3*f*x^10 + 20*(b^3*e - 2*a*b^2*f)*x^7 + 35*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^4 + 140*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x)/b^5 - 1/9*sqrt(3)*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^6*(a/b)^(2/3)) + 1/18*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(2/3)) - 1/9*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(2/3))
```

mupad [B] time = 5.20, size = 358, normalized size = 1.09

$$x^7 \left(\frac{e}{7b^2} - \frac{2af}{7b^3} \right) + x \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right) - x^4 \left(\frac{a^2f}{4b^4} - \frac{d}{4b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)
```

```
[Out] x^7*(e/(7*b^2) - (2*a*f)/(7*b^3)) + x*(c/b^2 - (a^2*(e/b^2 - (2*a*f)/b^3))/(b^2 + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b) - x^4*((a^2*f)/(4*b^4) - d/(4*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/(2*b)) - (x*((a^4*f)/3 + (a^2*b^2*d)/3 - (a*b^3*c)/3 - (a^3*b*e)/3))/(a*b^5 + b^6*x^3) + (f*x^10)/(10*b^2) - (a^(1/3)*log(b^(1/3)*x + a^(1/3))*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3)) - (a^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3)) + (a^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3))
```

sympy [A] time = 14.98, size = 449, normalized size = 1.37

$$x^7 \left(-\frac{2af}{7b^3} + \frac{e}{7b^2} \right) + x^4 \left(\frac{3a^2f}{4b^4} - \frac{ae}{2b^3} + \frac{d}{4b^2} \right) + x \left(-\frac{4a^3f}{b^5} + \frac{3a^2e}{b^4} - \frac{2ad}{b^3} + \frac{c}{b^2} \right) + \frac{x(-a^4f + a^3be - a^2b^2d + ab^3c)}{3ab^5 + 3b^6x^3} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x**7*(-2*a*f/(7*b**3) + e/(7*b**2)) + x**4*(3*a**2*f/(4*b**4) - a*e/(2*b**3) + d/(4*b**2)) + x*(-4*a**3*f/b**5 + 3*a**2*e/b**4 - 2*a*d/b**3 + c/b**2) + x*(-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3) + RootSum(729*_t**3*b**16 - 2197*a**10*f**3 + 5070*a**9*b*e*f**2 - 3549*a**
```

$$\begin{aligned}
& 8b^{2d}f^2 - 3900a^8b^2e^2f + 2028a^7b^3c^2f^2 + 5460a^7b^3d^2ef + 1000a^7b^3e^3 - 3120a^6b^4c^2ef - 1911a^6b^4d^2f - 2100a^6b^4d^2e^2 + 2184a^5b^5c^2d^2f + 1200a^5b^5c^2e^2 + 1470a^5b^5d^2e - 624a^4b^6c^2f - 1680a^4b^6c^2de - 343a^4b^6d^3 + 480a^3b^7c^2e + 588a^3b^7c^2d^2 - 336a^2b^8c^2d + 64ab^9c^3, \text{Lambda}(_t, _t \log(9_t b^5 / (13a^3f - 10a^2b^2e + 7ab^2d - 4b^3c) + x)) + f x^{10} / (10b^2)
\end{aligned}$$

$$3.263 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=298

$$\frac{x^2(3a^2f - 2abe + b^2d)}{2b^4} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-11a^3f + 8a^2be - 5ab^2d + 2b^3c)}{9\sqrt[3]{a}b^{14/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-11a^3f + 8a^2be - 5ab^2d + 2b^3c)}{3\sqrt{3}\sqrt[3]{a}b^{14/3}}$$

[Out] $1/2*(3*a^2*f-2*a*b*e+b^2*d)*x^2/b^4+1/5*(-2*a*f+b*e)*x^5/b^3+1/8*f*x^8/b^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^4/(b*x^3+a)-1/9*(-11*a^3*f+8*a^2*b*e-5*a*b^2*d+2*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(1/3)}/b^{(14/3)}+1/18*(-11*a^3*f+8*a^2*b*e-5*a*b^2*d+2*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(14/3)}-1/9*(-11*a^3*f+8*a^2*b*e-5*a*b^2*d+2*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(14/3)}*3^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$-\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(8a^2be - 11a^3f - 5ab^2d + 2b^3c)}{18\sqrt[3]{a}b^{14/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^2*d - 2*a*b*e + 3*a^2*f)*x^2)/(2*b^4) + ((b*e - 2*a*f)*x^5)/(5*b^3) + (f*x^8)/(8*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*b^4*(a + b*x^3)) - ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(1/3)}*b^{(14/3)}) - ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(1/3)}*b^{(14/3)}) + ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(1/3)}*b^{(14/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2cd - be}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[(b + 2cx)/(a + bx + cx^2), x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$

Rule 1488

$\text{Int}[\frac{(f_.)x^{m_.}((a_.) + (c_.)x^{n2_}) + (b_.)x^{n_})^{p_})}{(d_.) + (e_.)x^{n_})^{q_}}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(fx)^m(d + ex^n)^q(a + bx^n + cx^{2n})^p, x], x] \ /; \text{FreeQ}[\{a, b, c, d, e, f, m, q\}, x] \ \&\& \ \text{EqQ}[n2, 2n] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 1828

$\text{Int}[(Pq_.)x^{m_.}((a_.) + (b_.)x^{n_})^{p_}), x_Symbol] \rightarrow \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{\text{Floor}[(q-1)/n] + 1}x^mPq, a + bx^n, x], R = \text{PolynomialRemainder}[b^{\text{Floor}[(q-1)/n] + 1}x^mPq, a + bx^n, x]\}, \text{Dist}[1/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[(a + bx^n)^{p+1}\text{ExpandToSum}[a^n(p+1)Q + n(p+1)R + D[xR, x], x], x] - \text{Simp}[(xR(a + bx^n)^{p+1})/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), x]] \ /; \text{GeQ}[q, n] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1836

$\text{Int}[(Pq_.)((c_.)x^{m_.}((a_.) + (b_.)x^{n_})^{p_}), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b(m+q+n*p+1)), \text{Int}[(cx)^m\text{ExpandToSum}[b(m+q+n*p+1)(Pq - Pqqx^q) - aPqq(m+q-n+1)x^{q-n}, x](a + bx^n)^p, x] + \text{Simp}[(Pqq(cx)^{m+q-n+1}(a + bx^n)^{p+1})/(b*c^{q-n+1}(m+q+n*p+1)), x]] \ /; \text{NeQ}[m+q+n*p+1, 0] \ \&\& \ q-n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[p+(q+1)/(2*n)])] \ /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 1851

$\text{Int}[(Pq_.)((a_.) + (b_.)x^{n_})^{p_}), x_Symbol] \rightarrow \text{Int}[x \cdot \text{PolynomialQuotient}[Pq, x, x](a + bx^n)^p, x] \ /; \text{FreeQ}[\{a, b, n, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{EqQ}[\text{Coeff}[Pq, x, 0], 0] \ \&\& \ !\text{MatchQ}[Pq, x^{m_.)}(u_.) \ /; \text{IntegerQ}[m]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^2d - abe + a^2f)x^4 - \dots}{a + bx^3}}{3ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^2d - abe + a^2f)x^3 - \dots)}{a + bx^3}}{3ab^5} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-16ab^2(b^3c - ab^2d + a^2be - a^3f) - 24ab^3(b^2d - abe + a^2f)x^3 - \dots)}{a + bx^3}}{24ab^6} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \left(-24ab^2(b^2d - 2abe + 3a^2f)x - 24ab^3(b^2d - abe + a^2f)x^3 - \dots \right)}{24ab^6} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 282, normalized size = 0.95

$$\frac{180b^{2/3}x^2(3a^2f - 2abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{bx}) (11a^3f - 8a^2be + 5ab^2d - 2b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right) (11a^3f - 8a^2be + 5ab^2d - 2b^3c)}{\sqrt[3]{a}}}{36}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (180*b^(2/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2 + 72*b^(5/3)*(b*e - 2*a*f)*x^5 + 45*b^(8/3)*f*x^8 - (120*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3) + (40*sqrt[3]*(-2*b^3*c + 5*a*b^2*d - 8*a^2*b*e + 11*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(1/3) + (40*(-2*b^3*c + 5*a*b^2*d - 8*a^2*b*e + 11*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(360*b^(14/3))

fricas [A] time = 0.62, size = 920, normalized size = 3.09

$$45 ab^5 f x^{11} + 9 (8 ab^5 e - 11 a^2 b^4 f) x^8 + 36 (5 ab^5 d - 8 a^2 b^4 e + 11 a^3 b^3 f) x^5 - 60 (2 ab^5 c - 5 a^2 b^4 d + 8 a^3 b^3 e - 11 a^4 b^2 f) x^2 - 60 \sqrt{1/3} (2 a^2 b^4 c - 5 a^3 b^3 d + 8 a^4 b^2 e - 11 a^5 b f + (2 a^2 b^5 c - 5 a^2 b^4 d + 8 a^3 b^3 e - 11 a^4 b^2 f) x^3) \sqrt{-(a b^2)^{1/3} / a} \log((2 b^2 x^3 - a b - 3 \sqrt{1/3} (a b x + 2 (a b^2)^{2/3} x^2 - (a b^2)^{1/3} a) \sqrt{-(a b^2)^{1/3} / a} - 3 (a b^2)^{2/3} x) / (b x^3 + a)) + 20 (2 a^2 b^3 c - 5 a^2 b^2 d + 8 a^3 b e - 11 a^4 f + (2 b^4 c - 5 a b^3 d + 8 a^2 b^2 e - 11 a^3 b f) x^3) (a b^2)^{2/3} \log(b^2 x^2 - (a b^2)^{1/3} b x + (a b^2)^{2/3}) - 40 (2 a^2 b^3 c - 5 a^2 b^2 d + 8 a^3 b e - 11 a^4 f + (2 b^4 c - 5 a b^3 d + 8 a^2 b^2 e - 11 a^3 b f) x^3) (a b^2)^{2/3} \log(b x + (a b^2)^{1/3}) / (a b^7 x^3 + a^2 b^6), 1/360 (45 a b^5 f x^{11} + 9 (8 a b^5 e - 11 a^2 b^4 f) x^8 + 36 (5 a b^5 d - 8 a^2 b^4 e + 11 a^3 b^3 f) x^5 - 60 (2 a b^5 c - 5 a^2 b^4 d + 8 a^3 b^3 e - 11 a^4 b^2 f) x^2 - 120 \sqrt{1/3} (2 a^2 b^4 c - 5 a^3 b^3 d + 8 a^4 b^2 e - 11 a^5 b f + (2 a^2 b^5 c - 5 a^2 b^4 d + 8 a^3 b^3 e - 11 a^4 b^2 f) x^3) \sqrt{(a b^2)^{1/3} / a} \arctan(-\sqrt{1/3} (2 b x - (a b^2)^{1/3}) \sqrt{(a b^2)^{1/3} / a} / b) + 20 (2 a^2 b^3 c - 5 a^2 b^2 d + 8 a^3 b e - 11 a^4 f + (2 b^4 c - 5 a b^3 d + 8 a^2 b^2 e - 11 a^3 b f) x^3) (a b^2)^{2/3} \log(b^2 x^2 - (a b^2)^{1/3} b x + (a b^2)^{2/3}) - 40 (2 a^2 b^3 c - 5 a^2 b^2 d + 8 a^3 b e - 11 a^4 f + (2 b^4 c - 5 a b^3 d + 8 a^2 b^2 e - 11 a^3 b f) x^3) (a b^2)^{2/3} \log(b x + (a b^2)^{1/3}) / (a b^7 x^3 + a^2 b^6)]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/360*(45*a*b^5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d - 8*a^2*b^4*e + 11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^2 - 60*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^2*e - 11*a^5*b*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^7*x^3 + a^2*b^6), 1/360*(45*a*b^5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d - 8*a^2*b^4*e + 11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^2 - 120*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^2*e - 11*a^5*b*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^3)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^7*x^3 + a^2*b^6)]

giac [A] time = 0.19, size = 344, normalized size = 1.15

$$\frac{\sqrt{3} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 \left(-a b^2\right)^{\frac{1}{3}} b^4} \frac{(2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18 \left(-a b^2\right)^{\frac{1}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(2*b^3*c - 5*a*b^2*d - 11*a^3*f + 8*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*b^4) - 1/18*(2*b^3*c - 5*a*b^2*d - 11*a^3*f + 8*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*b^4) - 1/9*(2*b^3*c*(-a/b)^(1/3) - 5*a*b^2*d*(-a/b)^(1/3) - 11*a^3*f*(-a/b)^(1/3) + 8*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^4) - 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*b^4) + 1/40*(5*b^14*f*x^8 - 16*a*b^13*f*x^5 + 8*b^14*x^5*e + 20*b^14*d*x^2 + 60*a^2*b^12*f*x^2 - 40*a*b^13*x^2*e)/b^16

maple [B] time = 0.06, size = 529, normalized size = 1.78

$$\frac{fx^8}{8b^2} - \frac{2afx^5}{5b^3} + \frac{ex^5}{5b^2} + \frac{a^3fx^2}{3(bx^3+a)b^4} - \frac{a^2ex^2}{3(bx^3+a)b^3} + \frac{adx^2}{3(bx^3+a)b^2} - \frac{cx^2}{3(bx^3+a)b} + \frac{3a^2fx^2}{2b^4} - \frac{aex^2}{b^3} + \frac{dx^2}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/8*f*x^8/b^2-2/5/b^3*x^5*a*f+1/5/b^2*x^5*e+3/2/b^4*x^2*a^2*f-1/b^3*x^2*a*e+1/2/b^2*x^2*d+1/3/b^4*x^2/(b*x^3+a)*a^3*f-1/3/b^3*x^2/(b*x^3+a)*a^2*e+1/3/b^2*x^2/(b*x^3+a)*a*d-1/3/b*x^2/(b*x^3+a)*c+11/9/b^5*a^3*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-11/18/b^5*a^3*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-11/9/b^5*a^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-8/9/b^4*a^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+4/9/b^4*a^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+8/9/b^4*a^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+5/9/b^3*a*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18/b^3*a*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/b^3*a*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.08, size = 277, normalized size = 0.93

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3(b^5x^3 + ab^4)} + \frac{\sqrt{3}(2b^3c - 5ab^2d + 8a^2be - 11a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^5\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{5b^2fx^8 + 8(b^2e - \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2/(b^5*x^3 + a*b^4) + 1/9*sqrt(3)*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^5*(a/b)^(1/3)) + 1/40*(5*b^2*f*x^8 + 8*(b^2*e - 2*a*b*f)*x^5 + 20*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2)/b^4 + 1/18*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^5*(a/b)^(1/3)) - 1/9*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*log(x + (a/b)^(1/3))/(b^5*(a/b)^(1/3))

mupad [B] time = 5.22, size = 287, normalized size = 0.96

$$x^5 \left(\frac{e}{5b^2} - \frac{2af}{5b^3} \right) - x^2 \left(\frac{a^2f}{2b^4} - \frac{d}{2b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right) + \frac{fx^8}{8b^2} - \frac{x^2 \left(-\frac{fa^3}{3} + \frac{ea^2b}{3} - \frac{dab^2}{3} + \frac{cb^3}{3} \right)}{b^5x^3 + ab^4} - \frac{\ln(b^{1/3}x + a^{1/3})}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^5*(e/(5*b^2) - (2*a*f)/(5*b^3)) - x^2*((a^2*f)/(2*b^4) - d/(2*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/b) + (f*x^8)/(8*b^2) - (x^2*((b^3*c)/3 - (a^3*f)/3 -

$$\frac{(a*b^2*d)/3 + (a^2*b*e)/3)}{(a*b^4 + b^5*x^3) - (\log(b^{(1/3)}*x + a^{(1/3)})*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)))/(9*a^{(1/3)}*b^{(14/3)})} + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)))/(9*a^{(1/3)}*b^{(14/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)))/(9*a^{(1/3)}*b^{(14/3)})$$

sympy [A] time = 51.29, size = 490, normalized size = 1.64

$$x^5 \left(-\frac{2af}{5b^3} + \frac{e}{5b^2} \right) + x^2 \left(\frac{3a^2f}{2b^4} - \frac{ae}{b^3} + \frac{d}{2b^2} \right) + \frac{x^2 (a^3f - a^2be + ab^2d - b^3c)}{3ab^4 + 3b^5x^3} + \text{RootSum} \left(729t^3ab^{14} - 1331a^9f^3 + 2904a^8b^2e^2f - 1815a^7b^2d^2f^2 - 2112a^7b^2e^2f + 726a^6b^3c^2f^2 + 2640a^6b^3d^2e^2f + 512a^6b^3e^3 - 1056a^5b^4c^2e^2f - 825a^5b^4d^2e^2f - 960a^5b^4d^2e^2 + 660a^4b^5c^2d^2f + 384a^4b^5c^2e^2 + 600a^4b^5d^2e^2 - 132a^3b^6c^2f - 480a^3b^6c^2d^2e - 125a^3b^6d^3 + 96a^2b^7c^2e + 150a^2b^7c^2d^2 - 60a^2b^8c^2d + 8b^9c^3, \text{Lambda}(t, t \cdot \log(81 \cdot t^2 \cdot a \cdot b^9 / (121 \cdot a^6 \cdot f^2 - 176 \cdot a^5 \cdot b \cdot e \cdot f + 110 \cdot a^4 \cdot b^2 \cdot d \cdot f + 64 \cdot a^4 \cdot b^2 \cdot e^2 - 44 \cdot a^3 \cdot b^3 \cdot c \cdot f - 80 \cdot a^3 \cdot b^3 \cdot d \cdot e + 32 \cdot a^2 \cdot b^4 \cdot c \cdot e + 25 \cdot a^2 \cdot b^4 \cdot d^2 - 20 \cdot a \cdot b^5 \cdot c \cdot d + 4 \cdot b^6 \cdot c^2) + x)) \right) + f*x^8/(8*b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**5*(-2*a*f/(5*b**3) + e/(5*b**2)) + x**2*(3*a**2*f/(2*b**4) - a*e/b**3 + d/(2*b**2)) + x**2*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + RootSum(729*_t**3*a*b**14 - 1331*a**9*f**3 + 2904*a**8*b**2*e*f**2 - 1815*a**7*b**2*d*f**2 - 2112*a**7*b**2*e**2*f + 726*a**6*b**3*c*f**2 + 2640*a**6*b**3*d*e*f + 512*a**6*b**3*e**3 - 1056*a**5*b**4*c*e*f - 825*a**5*b**4*d**2*f - 960*a**5*b**4*d*e**2 + 660*a**4*b**5*c*d*f + 384*a**4*b**5*c*e**2 + 600*a**4*b**5*d**2*e - 132*a**3*b**6*c**2*f - 480*a**3*b**6*c*d*e - 125*a**3*b**6*d**3 + 96*a**2*b**7*c**2*e + 150*a**2*b**7*c*d**2 - 60*a*b**8*c**2*d + 8*b**9*c**3, Lambda(_t, _t*log(81*_t**2*a*b**9/(121*a**6*f**2 - 176*a**5*b*e*f + 110*a**4*b**2*d*f + 64*a**4*b**2*e**2 - 44*a**3*b**3*c*f - 80*a**3*b**3*d*e + 32*a**2*b**4*c*e + 25*a**2*b**4*d**2 - 20*a*b**5*c*d + 4*b**6*c**2) + x))) + f*x**8/(8*b**2)

$$3.264 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=288

$$\frac{x(3a^2f - 2abe + b^2d)}{b^4} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2)(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{18a^{2/3}b^{13/3}}$$

[Out] $(3a^2f - 2ab^2e + b^3d)x/b^4 + 1/4(-2a^3f + b^3e)x^4/b^3 + 1/7f*x^7/b^2 - 1/3(-a^3f + a^2b^2e - ab^3d + b^3c)x/b^4 / (bx^3 + a) + 1/9(-10a^3f + 7a^2b^2e - 4ab^3d + b^3c) \ln(a^{1/3} + b^{1/3}x) / a^{2/3} / b^{13/3} - 1/18(-10a^3f + 7a^2b^2e - 4ab^3d + b^3c) \ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2) / a^{2/3} / b^{13/3} - 1/9(-10a^3f + 7a^2b^2e - 4ab^3d + b^3c) \arctan(1/3(a^{1/3} - 2b^{1/3}x) / a^{1/3} * 3^{1/2}) / a^{2/3} / b^{13/3} * 3^{1/2}$

Rubi [A] time = 0.33, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$-\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2)(7a^2be - 10a^3f - 4ab^2d + b^3c)}{18a^{2/3}b^{13/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{bx})}{18a^{2/3}b^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^2d - 2a^2b^2e + 3a^2f)x)/b^4 + ((b^2e - 2a^2f)x^4)/(4b^3) + (f*x^7)/(7b^2) - ((b^3c - a^2b^2d + a^2b^2e - a^3f)x)/(3b^4(a + bx^3)) - ((b^3c - 4a^2b^2d + 7a^2b^2e - 10a^3f) \text{ArcTan}[a^{1/3} - 2b^{1/3}x]/(\text{Sqrt}[3]a^{1/3}))/ (3\text{Sqrt}[3]a^{2/3}b^{13/3}) + ((b^3c - 4a^2b^2d + 7a^2b^2e - 10a^3f) \text{Log}[a^{1/3} + b^{1/3}x]) / (9a^{2/3}b^{13/3}) - ((b^3c - 4a^2b^2d + 7a^2b^2e - 10a^3f) \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]) / (18a^{2/3}b^{13/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] :> Dist[1/(3Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3Rt[a, 3]^2), Int[(2Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2cd - be}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[\frac{b + 2cx}{a + bx + cx^2}, x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$

Rule 1828

$\text{Int}[(Pq_.)x^{(m_.)}((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{\text{Floor}[(q - 1)/n] + 1}x^m Pq, a + bx^n, x], R = \text{PolynomialRemainder}[b^{\text{Floor}[(q - 1)/n] + 1}x^m Pq, a + bx^n, x]\}, \text{Dist}[1/(a^n(p + 1)b^{\text{Floor}[(q - 1)/n] + 1}), \text{Int}[(a + bx^n)^{p + 1} \text{ExpandToSum}[a^n(p + 1)Q + n(p + 1)R + D[xR, x], x], x] - \text{Simp}[(xR(a + bx^n)^{p + 1})/(a^n(p + 1)b^{\text{Floor}[(q - 1)/n] + 1}), x]] \ /; \ \text{GeQ}[q, n] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1887

$\text{Int}[(Pq_.) / ((a_.) + (b_.)x^{(n_.)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[Pq/(a + bx^n), x], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int \frac{-a(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^2d - abe + a^2f)x^3 - 3ab^2d}{a + bx^3} dx}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int (-3a(b^2d - 2abe + 3a^2f) - 3ab(be - 2af))}{3ab^4} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 277, normalized size = 0.96

$$\frac{252\sqrt[3]{b}x(3a^2f - 2abe + b^2d) - \frac{84\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right)}{a^{2/3}}}{252b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (252*b^(1/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x + 63*b^(4/3)*(b*e - 2*a*f)*x^4 + 36*b^(7/3)*f*x^7 - (84*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3) + (28*sqrt(3)*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(2/3) + (28*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(252*b^(13/3))

fricas [A] time = 0.66, size = 946, normalized size = 3.28

$$36a^2b^4fx^{10} + 9(7a^2b^4e - 10a^3b^3f)x^7 + 63(4a^2b^4d - 7a^3b^3e + 10a^4b^2f)x^4 - 42\sqrt{\frac{1}{3}}(a^2b^4c - 4a^3b^3d + 7a^4b^2f)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 - 42*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x/(a^2*b^6*x^3 + a^3*b^5), 1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 + 84*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x/(a^2*b^6*x^3 + a^3*b^5)]
```

giac [A] time = 0.18, size = 295, normalized size = 1.02

$$\frac{\sqrt{3}(b^3c - 4ab^2d - 10a^3f + 7a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - 4ab^2d - 10a^3f + 7a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}b^3 + 18(-ab^2)^{\frac{2}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^3) - 1/18*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^3) - 1/9*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^4) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*b^4) + 1/28*(4*b^12*f*x^7 - 14*a*b^11*f*x^4 + 7*b^12*x^4*e + 28*b^12*d*x + 84*a^2*b^10*f*x - 56*a*b^11*x*e)/b^14
```

maple [B] time = 0.05, size = 514, normalized size = 1.78

$$\frac{\frac{fx^7}{7b^2} - \frac{afx^4}{2b^3} + \frac{ex^4}{4b^2} + \frac{a^3fx}{3(bx^3+a)b^4} - \frac{a^2ex}{3(bx^3+a)b^3} + \frac{adx}{3(bx^3+a)b^2} - \frac{cx}{3(bx^3+a)b}}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^5} + 10\sqrt{3}a^3f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)
```

```
[Out] 1/7/b^2*f*x^7-1/2/b^3*x^4*a*f+1/4/b^2*x^4*e+3/b^4*a^2*f*x-2/b^3*a*e*x+1/b^2
*d*x+1/3/b^4*x/(b*x^3+a)*a^3*f-1/3/b^3*x/(b*x^3+a)*a^2*e+1/3/b^2*x/(b*x^3+a
)*a*d-1/3/b*x/(b*x^3+a)*c-10/9/b^5*a^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/9/
b^5*a^3*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-10/9/b^5*a^3*f/(a/b
)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+7/9/b^4*a^2*e/(a/b)
^(2/3)*ln(x+(a/b)^(1/3))-7/18/b^4*a^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a
/b)^(2/3))+7/9/b^4*a^2*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1
/3)*x-1))-4/9/b^3*a*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9/b^3*a*d/(a/b)^(2/3
)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/b^3*a*d/(a/b)^(2/3)*3^(1/2)*arctan(1
/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/1
8/b^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2*c/(a/b)^(2/3
)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
```

maxima [A] time = 2.98, size = 270, normalized size = 0.94

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(b^5x^3 + ab^4)} + \frac{4b^2fx^7 + 7(b^2e - 2abf)x^4 + 28(b^2d - 2abe + 3a^2f)x}{28b^4} + \frac{\sqrt{3}(b^3c - 4ab^2d + 7a^2be - a^3f)}{28b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")
[Out] -1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x/(b^5*x^3 + a*b^4) + 1/28*(4*b^2*
f*x^7 + 7*(b^2*e - 2*a*b*f)*x^4 + 28*(b^2*d - 2*a*b*e + 3*a^2*f)*x)/b^4 + 1
/9*sqrt(3)*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*arctan(1/3*sqrt(3)*(2
*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^5*(a/b)^(2/3)) - 1/18*(b^3*c - 4*a*b^2*d
+ 7*a^2*b*e - 10*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^5*(a/b)^(
2/3)) + 1/9*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*log(x + (a/b)^(1/3))
/(b^5*(a/b)^(2/3))
```

mupad [B] time = 0.31, size = 280, normalized size = 0.97

$$x^4 \left(\frac{e}{4b^2} - \frac{af}{2b^3} \right) - x \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right) - \frac{x \left(-\frac{fa^3}{3} + \frac{ea^2b}{3} - \frac{dab^2}{3} + \frac{cb^3}{3} \right)}{b^5x^3 + ab^4} + \frac{fx^7}{7b^2} + \frac{\ln(b^{1/3}x + a^{1/3})}{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)
[Out] x^4*(e/(4*b^2) - (a*f)/(2*b^3)) - x*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2
*a*f)/b^3))/b - (x*((b^3*c)/3 - (a^3*f)/3 - (a*b^2*d)/3 + (a^2*b*e)/3))/(a
*b^4 + b^5*x^3) + (f*x^7)/(7*b^2) + (log(b^(1/3)*x + a^(1/3))*(b^3*c - 10*a
^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^(2/3)*b^(13/3)) + (log(3^(1/2)*a^(1/3)*
1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - 10*a^3*f - 4*a*
b^2*d + 7*a^2*b*e))/(9*a^(2/3)*b^(13/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1
/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a
^2*b*e))/(9*a^(2/3)*b^(13/3))
```

sympy [A] time = 12.90, size = 401, normalized size = 1.39

$$x^4 \left(-\frac{af}{2b^3} + \frac{e}{4b^2} \right) + x \left(\frac{3a^2f}{b^4} - \frac{2ae}{b^3} + \frac{d}{b^2} \right) + \frac{x(a^3f - a^2be + ab^2d - b^3c)}{3ab^4 + 3b^5x^3} + \text{RootSum} \left(729t^3a^2b^{13} + 1000a^9f^3 - 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x**4*(-a*f/(2*b**3) + e/(4*b**2)) + x*(3*a**2*f/b**4 - 2*a*e/b**3 + d/b**2)
+ x*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + Roo
tSum(729*_t**3*a**2*b**13 + 1000*a**9*f**3 - 2100*a**8*b*e*f**2 + 1200*a**7
*b**2*d*f**2 + 1470*a**7*b**2*e**2*f - 300*a**6*b**3*c*f**2 - 1680*a**6*b**
3*d*e*f - 343*a**6*b**3*e**3 + 420*a**5*b**4*c*e*f + 480*a**5*b**4*d**2*f +
588*a**5*b**4*d*e**2 - 240*a**4*b**5*c*d*f - 147*a**4*b**5*c*e**2 - 336*a*
4*b**5*d**2*e + 30*a**3*b**6*c**2*f + 168*a**3*b**6*c*d*e + 64*a**3*b**6*d
**3 - 21*a**2*b**7*c**2*e - 48*a**2*b**7*c*d**2 + 12*a*b**8*c**2*d - b**9*c
**3, Lambda(_t, _t*log(-9*_t*a*b**4/(10*a**3*f - 7*a**2*b*e + 4*a*b**2*d -
b**3*c) + x))) + f*x**7/(7*b**2)
```


$$3.265 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=271

$$\frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{4/3}b^{11/3}}$$

[Out] $1/2*(-2*a*f+b*e)*x^2/b^3+1/5*f*x^5/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a/b^3/(b*x^3+a)-1/9*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{4/3}/b^{11/3}+1/18*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{4/3}/b^{11/3}-1/9*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{4/3}/b^{11/3}*3^{1/2}$

Rubi [A] time = 0.29, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$, Rules used = {1828, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(-5a^2be + 8a^3f + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{4/3}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b*e - 2*a*f)*x^2)/(2*b^3) + (f*x^5)/(5*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a*b^3*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*a^{4/3}*b^{11/3}) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{4/3}*b^{11/3}) + ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{4/3}*b^{11/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - b^2e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2cd - b^2e}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[\frac{b + 2cx}{a + bx + cx^2}, x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - b^2e, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{!NiceSqrtQ}[b^2 - 4ac]$

Rule 1488

$\text{Int}[\frac{(f_.)x^{m_.}((a_.) + (c_.)x^{n2_}) + (b_.)x^{n_})^{p_}}{(d_.) + (e_.)x^{n_})^{q_}}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(fx)^m(d + ex^n)^q(a + bx^n + cx^{2n})^p, x], x] \ /; \text{FreeQ}[\{a, b, c, d, e, f, m, q\}, x] \ \&\& \ \text{EqQ}[n2, 2n] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 1594

$\text{Int}[(u_.)((a_.)x^{p_}) + (b_.)x^{q_}) + (c_.)x^{r_})^{n_}, x_Symbol] \rightarrow \text{Int}[u x^{np}(a + bx^{q-p} + cx^{r-p})^n, x] \ /; \text{FreeQ}[\{a, b, c, p, q, r\}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p] \ \&\& \ \text{PosQ}[r - p]$

Rule 1828

$\text{Int}[(Pq_.)x^{m_.}((a_.) + (b_.)x^{n_})^{p_}, x_Symbol] \rightarrow \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{\text{Floor}[(q-1)/n] + 1} x^m Pq, a + bx^n, x], R = \text{PolynomialRemainder}[b^{\text{Floor}[(q-1)/n] + 1} x^m Pq, a + bx^n, x]\}, \text{Dist}[1/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[(a + bx^n)^{p+1} \text{ExpandToSum}[a^n(p+1)Q + n(p+1)R + D[xR, x], x], x] - \text{Simp}[(xR(a + bx^n)^{p+1})/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), x]] \ /; \text{GeQ}[q, n] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{-b(b^3c + 2ab^2d - 2a^2be + 2a^3f)x - 3ab^2(be - af)x^4 - 3ab^3fx^7}{a + bx^3}}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{x(-b(b^3c + 2ab^2d - 2a^2be + 2a^3f) - 3ab^2(be - af)x^3 - 3ab^3fx^6)}{a + bx^3}}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \left(-3ab(be - 2af)x - 3ab^2fx^4 + \frac{(-b^4c - 2ab^3d + 5a^2be - a^3f)x^7}{a + bx^3} \right)}{3ab^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} + \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3ab^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^{11/3}} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3\sqrt{3}a}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 255, normalized size = 0.94

$$\frac{30b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)} - \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{a^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{a^{4/3}} + \frac{5 \log\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{90b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (45*b^(2/3)*(b*e - 2*a*f)*x^2 + 18*b^(5/3)*f*x^5 + (30*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a*(a + b*x^3)) - (10*sqrt[3]*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(4/3) - (10*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3) + (5*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3)/(90*b^(11/3))

fricas [A] time = 0.80, size = 874, normalized size = 3.23

$$18a^2b^4fx^8 + 9(5a^2b^4e - 8a^3b^3f)x^5 + 15(2ab^5c - 2a^2b^4d + 5a^3b^3e - 8a^4b^2f)x^2 + 15\sqrt{\frac{1}{3}}(a^2b^4c + 2a^3b^3d - 5a^4b^2e + 8a^5b^1f)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/90*(18*a^2*b^4*f*x^8 + 9*(5*a^2*b^4*e - 8*a^3*b^3*f)*x^5 + 15*(2*a*b^5*c - 2*a^2*b^4*d + 5*a^3*b^3*e - 8*a^4*b^2*f)*x^2 + 15*sqrt(1/3)*(a^2*b^4*c + 2*a^3*b^3*d - 5*a^4*b^2*e + 8*a^5*b^1*f + (a*b^5*c + 2*a^2*b^4*d - 5*a^3*b^3*e + 8*a^4*b^2*f)*x^3)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 5*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b^1*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b^1*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^6*x^3 + a^3*b^5), 1/90*(18*a^2*b^4*f*x^8 + 9*(5*a^2*b^4*e - 8*a^3*b^3*f)*x^5 + 15*(2*a*b^5*c - 2*a^2*b^4*d + 5*a^3*b^3*e - 8*a^4*b^2*f)*x^2 + 30*sqrt(1/3)*(a^2*b^4*c + 2*a^3*b^3*d - 5*a^4*b^2*e + 8*a^5*b^1*f + (a*b^5*c + 2*a^2*b^4*d - 5*a^3*b^3*e + 8*a^4*b^2*f)*x^3)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 5*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b^1*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b^1*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^6*x^3 + a^3*b^5)]

giac [A] time = 0.22, size = 318, normalized size = 1.17

$$\frac{\sqrt{3}(b^3c + 2ab^2d + 8a^3f - 5a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}ab^3} + \frac{(b^3c + 2ab^2d + 8a^3f - 5a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^3) - 1/18*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a*b^3) - 1/9*(b^3*c*(-a/b)^(1/3) + 2*a*b^2*d*(-a/b)^(1/3) + 8*a^3*f*(-a/b)^(1/3) - 5*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^3) + 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a*b^3) + 1/10*(2*b^8*f*x^5 - 10*a*b^7*f*x^2 + 5*b^8*x^2*e)/b^10

maple [B] time = 0.05, size = 495, normalized size = 1.83

$$\frac{f x^5}{5 b^2} - \frac{a^2 f x^2}{3 (b x^3 + a) b^3} + \frac{a e x^2}{3 (b x^3 + a) b^2} + \frac{c x^2}{3 (b x^3 + a) a} - \frac{d x^2}{3 (b x^3 + a) b} - \frac{a f x^2}{b^3} + \frac{e x^2}{2 b^2} + \frac{8 \sqrt{3} a^2 f \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{5} \frac{f x^5}{b^2} - \frac{1}{b^3} \frac{a^2 f x^2}{(b x^3 + a) b^3} + \frac{1}{2} \frac{a e x^2}{(b x^3 + a) b^2} - \frac{1}{3} \frac{c x^2}{(b x^3 + a) a} - \frac{1}{3} \frac{d x^2}{(b x^3 + a) b} - \frac{a f x^2}{b^3} + \frac{e x^2}{2 b^2} + \frac{8 \sqrt{3} a^2 f \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^4}$

maxima [A] time = 3.12, size = 259, normalized size = 0.96

$$\frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) x^2}{3 (a b^4 x^3 + a^2 b^3)} + \frac{2 b f x^5 + 5 (b e - 2 a f) x^2}{10 b^3} + \frac{\sqrt{3} (b^3 c + 2 a b^2 d - 5 a^2 b e + 8 a^3 f) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a b^4 \left(\frac{a}{b} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) x^2 / (a b^4 x^3 + a^2 b^3) + \frac{1}{10} (2 b f x^5 + 5 (b e - 2 a f) x^2) / b^3 + \frac{1}{9} \sqrt{3} (b^3 c + 2 a b^2 d - 5 a^2 b e + 8 a^3 f) \arctan \left(\frac{\sqrt{3} (2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}})}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) / (a b^4 \left(\frac{a}{b} \right)^{\frac{1}{3}}) + \frac{1}{18} (b^3 c + 2 a b^2 d - 5 a^2 b e + 8 a^3 f) \log \left(\frac{x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}}}{a b^4 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) - \frac{1}{9} (b^3 c + 2 a b^2 d - 5 a^2 b e + 8 a^3 f) \log \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{3}}}{a b^4 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)$

mupad [B] time = 5.23, size = 246, normalized size = 0.91

$$x^2 \left(\frac{e}{2 b^2} - \frac{a f}{b^3} \right) + \frac{f x^5}{5 b^2} - \frac{\ln \left(b^{1/3} x + a^{1/3} \right) (8 f a^3 - 5 e a^2 b + 2 d a b^2 + c b^3)}{9 a^{4/3} b^{11/3}} + \frac{x^2 (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a (b^4 x^3 + a b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^2 (e / (2 b^2) - (a f) / b^3) + (f x^5) / (5 b^2) - (\log(b^{1/3} x + a^{1/3})) * (b^3 c + 8 a^3 f + 2 a b^2 d - 5 a^2 b e) / (9 a^{4/3} b^{11/3}) + (x^2 (b^3 c - a^3 f - a b^2 d + a^2 b e)) / (3 a (a b^3 + b^4 x^3)) + (\log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3})) * ((3^{1/2} i) / 2 + 1/2) * (b^3 c + 8 a^3 f + 2 a b^2 d - 5 a^2 b e) / (9 a^{4/3} b^{11/3})$

$$\frac{a^2 b^2 d - 5 a^2 b e}{(9 a^{4/3} b^{11/3})} - \frac{(\log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3}))((3^{1/2} i)/2 - 1/2)(b^3 c + 8 a^3 f + 2 a^2 b^2 d - 5 a^2 b e)}{(9 a^{4/3} b^{11/3})}$$

sympy [A] time = 22.48, size = 461, normalized size = 1.70

$$x^2 \left(-\frac{af}{b^3} + \frac{e}{2b^2} \right) + \frac{x^2 (-a^3 f + a^2 b e - a b^2 d + b^3 c)}{3 a^2 b^3 + 3 a b^4 x^3} + \text{RootSum} \left(729 t^3 a^4 b^{11} + 512 a^9 f^3 - 960 a^8 b e f^2 + 384 a^7 b^2 d f^2 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**2*(-a*f/b**3 + e/(2*b**2)) + x**2*(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + RootSum(729*_t**3*a**4*b**11 + 512*a**9*f**3 - 960*a**8*b*e*f**2 + 384*a**7*b**2*d*f**2 + 600*a**7*b**2*e**2*f + 192*a**6*b**3*c*f**2 - 480*a**6*b**3*d*e*f - 125*a**6*b**3*e**3 - 240*a**5*b**4*c*e*f + 96*a**5*b**4*d**2*f + 150*a**5*b**4*d*e**2 + 96*a**4*b**5*c*d*f + 75*a**4*b**5*c*e**2 - 60*a**4*b**5*d**2*e + 24*a**3*b**6*c**2*f - 60*a**3*b**6*c*d*e + 8*a**3*b**6*d**3 - 15*a**2*b**7*c**2*e + 12*a**2*b**7*c*d**2 + 6*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(81*_t**2*a**3*b**7/(64*a**6*f**2 - 80*a**5*b*e*f + 32*a**4*b**2*d*f + 25*a**4*b**2*e**2 + 16*a**3*b**3*c*f - 20*a**3*b**3*d*e - 10*a**2*b**4*c*e + 4*a**2*b**4*d**2 + 4*a*b**5*c*d + b**6*c**2) + x))) + f*x**5/(5*b**2)

$$3.266 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$$

Optimal. Leaf size=264

$$\frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(7a^3f - 4a^2be + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{5/3}b^{10/3}}$$

[Out] $(-2*a*f+b*e)*x/b^3+1/4*f*x^4/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a/b^3/(b*x^3+a)+1/9*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(10/3)}-1/18*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(10/3)}-1/9*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(10/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{5/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2, x]

[Out] $((b*e - 2*a*f)*x)/b^3 + (f*x^4)/(4*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a*b^3*(a + b*x^3)) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (3*\text{Sqrt}[3]*a^{(5/3)}*b^{(10/3)}) + ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(5/3)}*b^{(10/3)}) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(5/3)}*b^{(10/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1411

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := Simp[(c*x^(n + 1)*(d + e*x^n)^(q + 1))/(e*(n*(q + 2) + 1)), x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) - (c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[{a, b, c, d, e, n, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{-2b^3c - ab^2d + a^2be - a^3f - 3ab(be - af)x^3 - 3ab^2fx^6}{a + bx^3} dx}{3ab^3} \\
&= \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{4b(-2b^3c - ab^2d + a^2be - a^3f) - (-12a^2b^2f + 12ab^2(be - af))}{a + bx^3}}{12ab^4} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3ab^3} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^3} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3\sqrt{3}a^{5/3}b^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 251, normalized size = 0.95

$$\frac{12\sqrt[3]{b}x(a^3(-f)+a^2be-ab^2d+b^3c)}{a(a+bx^3)} + \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(7a^3f-4a^2be+ab^2d+2b^3c)}{a^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)(7a^3f-4a^2be+ab^2d+2b^3c)}{a^{5/3}} - \frac{2\log\left(a^{2/3} + b^{2/3}x\right)}{36b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x]

[Out] (36*b^(1/3)*(b*e - 2*a*f)*x + 9*b^(4/3)*f*x^4 + (12*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a + b*x^3)) - (4*sqrt(3)*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(5/3) + (4*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - (2*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(36*b^(10/3))

fricas [A] time = 0.90, size = 861, normalized size = 3.26

$$9a^3b^3fx^7 + 9(4a^3b^3e - 7a^4b^2f)x^4 + 6\sqrt{\frac{1}{3}}(2a^2b^4c + a^3b^3d - 4a^4b^2e + 7a^5bf + (2ab^5c + a^2b^4d - 4a^3b^3e +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [1/36*(9*a^3*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 6*sqrt(1/3)*(2*a^2*b^4*c + a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*e + 7*a^4*b^2*f)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 2*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c - a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x)/(a^3*b^5*x^3 + a^4*b^4), 1/36*(9*a^3*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 12*sqrt(1/3)*(2*a^2*b^4*c + a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*e + 7*a^4*b^2*f)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 2*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c - a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x)/(a^3*b^5*x^3 + a^4*b^4)]
```

giac [A] time = 0.21, size = 273, normalized size = 1.03

$$\frac{\sqrt{3} (2b^3c + ab^2d + 7a^3f - 4a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (2b^3c + ab^2d + 7a^3f - 4a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}ab^2} \quad \frac{7\sqrt{3}a^2f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^4} + \frac{7a^2f \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) - 1/18*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) - 1/9*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^3) + 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a*b^3) + 1/4*(b^6*f*x^4 - 8*a*b^5*f*x + 4*b^6*x*e)/b^8
```

maple [B] time = 0.06, size = 482, normalized size = 1.83

$$\frac{fx^4}{4b^2} - \frac{a^2fx}{3(bx^3 + a)b^3} + \frac{aex}{3(bx^3 + a)b^2} + \frac{cx}{3(bx^3 + a)a} - \frac{dx}{3(bx^3 + a)b} + \frac{7\sqrt{3}a^2f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^4} + \frac{7a^2f \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)
```

```
[Out] 1/4*f*x^4/b^2-2/b^3*a*f*x+1/b^2*e*x-1/3/b^3*a^2*x/(b*x^3+a)*f+1/3/b^2*a*x/(b*x^3+a)*e-1/3/b*x/(b*x^3+a)*d+1/3/a*x/(b*x^3+a)*c+7/9/b^4*a^2/(a/b)^(2/3)*
```

$\ln(x+(a/b)^{(1/3)}) * f - 4/9/b^3 * a/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) * e + 1/9/b^2/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) * d + 2/9/b/a/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) * c - 7/18/b^4 * a^2/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f + 2/9/b^3 * a/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e - 1/18/b^2/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d - 1/9/b/a/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + 7/9/b^4 * a^2/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * f - 4/9/b^3 * a/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * e + 1/9/b^2/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * d + 2/9/b/a/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * c$

maxima [A] time = 3.05, size = 254, normalized size = 0.96

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(ab^4x^3 + a^2b^3)} + \frac{bf x^4 + 4(be - 2af)x}{4b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 4a^2be + 7a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x/(a*b^4*x^3 + a^2*b^3) + 1/4*(b*f*x^4 + 4*(b*e - 2*a*f)*x)/b^3 + 1/9*sqrt(3)*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^4*(a/b)^(2/3)) - 1/18*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^4*(a/b)^(2/3)) + 1/9*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*log(x + (a/b)^(1/3))/(a*b^4*(a/b)^(2/3))

mupad [B] time = 5.18, size = 241, normalized size = 0.91

$$x \left(\frac{e}{b^2} - \frac{2af}{b^3} \right) + \frac{f x^4}{4b^2} + \frac{x(-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a(b^4 x^3 + a b^3)} + \frac{\ln(b^{1/3} x + a^{1/3})(7 f a^3 - 4 e a^2 b + d a b^2 + 2 c b^3)}{9 a^{5/3} b^{10/3}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x)

[Out] x*(e/b^2 - (2*a*f)/b^3) + (f*x^4)/(4*b^2) + (x*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a*(a*b^3 + b^4*x^3)) + (log(b^(1/3)*x + a^(1/3))*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b*e))/(9*a^(5/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b*e))/(9*a^(5/3)*b^(10/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b*e))/(9*a^(5/3)*b^(10/3))

sympy [A] time = 7.02, size = 377, normalized size = 1.43

$$x \left(-\frac{2af}{b^3} + \frac{e}{b^2} \right) + \frac{x(-a^3f + a^2be - ab^2d + b^3c)}{3a^2b^3 + 3ab^4x^3} + \text{RootSum}\left(729t^3a^5b^{10} - 343a^9f^3 + 588a^8bef^2 - 147a^7b^2df^2 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x*(-2*a*f/b**3 + e/b**2) + x*(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + RootSum(729*_t**3*a**5*b**10 - 343*a**9*f**3 + 588*a**8*b*e*f**2 - 147*a**7*b**2*d*f**2 - 336*a**7*b**2*e**2*f - 294*a**6*b**3*c*f**2 + 168*a**6*b**3*d*e*f + 64*a**6*b**3*e**3 + 336*a**5*b**4*c*e*f - 21*a**5*b**4*d**2*f - 48*a**5*b**4*d*e**2 - 84*a**4*b**5*c*d*f - 96*a**4*

$$\begin{aligned}
& b^{5}c^{e2} + 12a^{4}b^{5}d^{2}e - 84a^{3}b^{6}c^{2}f + 48a^{3}b^{6}c*d* \\
& e - a^{3}b^{6}d^{3} + 48a^{2}b^{7}c^{2}e - 6a^{2}b^{7}c*d^{2} - 12a*b^{8}c \\
& ^{2}d - 8b^{9}c^{3}, \text{Lambda}(_t, _t*\log(9*_t*a^{2}b^{3}/(7*a^{3}f - 4*a^{2}b* \\
& e + a*b^{2}d + 2*b^{3}c) + x))) + f*x^{4}/(4*b^{2})
\end{aligned}$$

$$3.267 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=265

$$\frac{c}{a^2x} \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{7/3}b^{8/3}}$$

[Out] $-c/a^2/x+1/2*f*x^2/b^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^2/b^2/(b*x^3+a)+1/9*(5*a^3*f-2*a^2*b*e-a*b^2*d+4*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{7/3}/b^{8/3}-1/18*(5*a^3*f-2*a^2*b*e-a*b^2*d+4*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{7/3}/b^{8/3}+1/9*(5*a^3*f-2*a^2*b*e-a*b^2*d+4*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{7/3}/b^{8/3}*3^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^2be + 5a^3f - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{7/3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (f*x^2)/(2*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^2*b^2*(a + b*x^3)) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*a^{7/3}*b^{8/3}) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{7/3}*b^{8/3}) - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{7/3}*b^{8/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*(
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{b^3c}{a} - b^2d - 2abe + 2a^2f\right)x^3 - 3ab^2fx^6}{x^2(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^2} - 3abfx + \frac{b(4b^3c - ab^2d - 2a^2be + 5a^3f)x}{a(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{1}{a + bx^3} dx}{3a^2b^2} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{1}{a + bx^3} dx}{9a^{7/3}b^{7/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{a + bx^3}{a}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{a + bx^3}{a}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3}}{\sqrt[3]{a}}\right)}{3\sqrt[3]{a}a^{7/3}b^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 255, normalized size = 0.96

$$\frac{1}{18} \left(-\frac{18c}{a^2x} + \frac{6x^2(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{a^{7/3}b^{8/3}} + \frac{2(4b^3c - ab^2d - 2a^2be + 5a^3f) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3})x/a^{1/3}}{\sqrt{3}}\right]}{a^{7/3}b^{8/3}} + \frac{2(4b^3c - ab^2d - 2a^2be + 5a^3f) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{a^{1/3}b^{1/3}}\right]}{a^{7/3}b^{8/3}} - \frac{2(4b^3c - ab^2d - 2a^2be + 5a^3f) \operatorname{Log}\left[\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{a^{1/3}b^{1/3}}\right]}{a^{7/3}b^{8/3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

[Out] ((-18*c)/(a^2*x) + (9*f*x^2)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a^2*b^2*(a + b*x^3)) + (2*sqrt[3]*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(7/3)*b^(8/3)) + (2*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(7/3)*b^(8/3)) - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(7/3)*b^(8/3))/18

fricas [A] time = 0.80, size = 860, normalized size = 3.25

$$9a^3b^3fx^6 - 18a^2b^4c - 3(8ab^5c - 2a^2b^4d + 2a^3b^3e - 5a^4b^2f)x^3 + 3\sqrt{\frac{1}{3}}((4ab^5c - a^2b^4d - 2a^3b^3e + 5a^4b^2f)x^4 + (4a^2b^4c - a^3b^3d - 2a^4b^2e + 5a^5b^1f)x^3 + (4ab^3c - a^2b^2d - 2a^3b^1e + 5a^4b^0f)x^2 + (4a^2b^3c - a^3b^2d - 2a^4b^1e + 5a^5b^0f)x + (4ab^3c - a^2b^2d - 2a^3b^1e + 5a^4b^0f))\sqrt{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}(2bx - (ab^2)^{1/3})}{3(-a/b)^{1/3}}\right) + \frac{(4b^3c - ab^2d + 5a^3f - 2a^2be)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{1/3}\right)}{18(-ab^2)^{1/3}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/18*(9*a^3*b^3*f*x^6 - 18*a^2*b^4*c - 3*(8*a*b^5*c - 2*a^2*b^4*d + 2*a^3*b^3*e - 5*a^4*b^2*f)*x^3 + 3*sqrt(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b^1*f)*x^3 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)*x^2 + (4*a^2*b^3*c - a^3*b^2*d - 2*a^4*b^1*e + 5*a^5*b^0*f)*x + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)))*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) - ((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b^1*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)*x^3 + 6*sqrt(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b^1*f)*x^3 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)*x^2 + (4*a^2*b^3*c - a^3*b^2*d - 2*a^4*b^1*e + 5*a^5*b^0*f)*x + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)))*sqrt((a*b^2)^(1/3)/a)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) + 2*((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b^1*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)*x^3 + 6*sqrt(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b^1*f)*x^3 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)*x^2 + (4*a^2*b^3*c - a^3*b^2*d - 2*a^4*b^1*e + 5*a^5*b^0*f)*x + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b^1*e + 5*a^4*b^0*f)))*sqrt((a*b^2)^(1/3)/a)*log(b*x + (a*b^2)^(1/3)))/(a^3*b^5*x^4 + a^4*b^4*x)]

giac [A] time = 0.19, size = 305, normalized size = 1.15

$$\frac{fx^2}{2b^2} - \frac{\sqrt{3}(4b^3c - ab^2d + 5a^3f - 2a^2be)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^2b^2} + \frac{(4b^3c - ab^2d + 5a^3f - 2a^2be)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/2*f*x^2/b^2 - 1/9*sqrt(3)*(4*b^3*c - a*b^2*d + 5*a^3*f - 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b^2) + 1/18*(4*b^3*c - a*b^2*d + 5*a^3*f - 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b^2) + 1/9*(4*b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) + 5*a^3*f*(-a/b)^(1/3) - 2*a^2*b*e*(-a/b)^(1/3))*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) - 1/3*(4*b^3*c*x^3 - a*b^2*d*x^3 - a^3*f*x^3 + a^2*b*x^3*e + 3*a*b^2*c)/((b*x^4 + a*x)*a^2*b^2)

maple [B] time = 0.06, size = 474, normalized size = 1.79

$$\frac{afx^2}{3(bx^3+a)b^2} + \frac{dx^2}{3(bx^3+a)a} - \frac{bcx^2}{3(bx^3+a)a^2} - \frac{ex^2}{3(bx^3+a)b} + \frac{fx^2}{2b^2} - \frac{5\sqrt{3}af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3} + \frac{5af \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x)

[Out] 1/2*f*x^2/b^2+1/3*a/b^2*x^2/(b*x^3+a)*f-1/3/b*x^2/(b*x^3+a)*e+1/3/a*x^2/(b*x^3+a)*d-1/3/a^2*b*x^2/(b*x^3+a)*c+5/9*a/b^3*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18*a/b^3*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9*a/b^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/9/a/b*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18/a/b*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/a/b*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+4/9/a^2*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-2/9/a^2*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/a^2*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^2*c/x

maxima [A] time = 3.01, size = 258, normalized size = 0.97

$$\frac{fx^2}{2b^2} - \frac{3ab^2c + (4b^3c - ab^2d + a^2be - a^3f)x^3}{3(a^2b^3x^4 + a^3b^2x)} - \frac{\sqrt{3}(4b^3c - ab^2d - 2a^2be + 5a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^3\left(\frac{a}{b}\right)^{\frac{1}{3}}} (4b^3c - ab^2d + a^2be - a^3f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/2*f*x^2/b^2 - 1/3*(3*a*b^2*c + (4*b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(a^2*b^3*x^4 + a^3*b^2*x) - 1/9*sqrt(3)*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3*(a/b)^(1/3)) - 1/18*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^3*(a/b)^(1/3)) + 1/9*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^3*(a/b)^(1/3))

mupad [B] time = 5.39, size = 244, normalized size = 0.92

$$\frac{fx^2}{2b^2} - \frac{x^3(-fa^3+ea^2b-dab^2+4cb^3)}{3a^2} + \frac{b^2c}{a} + \frac{\ln(b^{1/3}x+a^{1/3})(5fa^3-2ea^2b-dab^2+4cb^3)}{9a^{7/3}b^{8/3}} - \frac{\ln(2b^{1/3}x-a^{1/3}+a^{2/3})}{9a^{7/3}b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2),x)

[Out] (f*x^2)/(2*b^2) - ((x^3*(4*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2) + (b^2*c)/a)/(b^3*x^4 + a*b^2*x) + (log(b^(1/3)*x + a^(1/3))*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3)) + (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3))

$$\sqrt[3]{\frac{(3^{1/2}i - 1/2)(4b^3c + 5a^3f - ab^2d - 2a^2be)}{9a^{7/3}b^{8/3}}}$$

sympy [A] time = 32.22, size = 457, normalized size = 1.72

$$\frac{-3ab^2c + x^3(a^3f - a^2be + ab^2d - 4b^3c)}{3a^3b^2x + 3a^2b^3x^4} + \text{RootSum}\left(729t^3a^7b^8 - 125a^9f^3 + 150a^8bef^2 + 75a^7b^2df^2 - 60a^7b^2e^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**2,x)

[Out] (-3*a*b**2*c + x**3*(a**3*f - a**2*b*e + a*b**2*d - 4*b**3*c))/(3*a**3*b**2*x + 3*a**2*b**3*x**4) + RootSum(729*_t**3*a**7*b**8 - 125*a**9*f**3 + 150*a**8*b*e*f**2 + 75*a**7*b**2*d*f**2 - 60*a**7*b**2*e**2*f - 300*a**6*b**3*c*f**2 - 60*a**6*b**3*d*e*f + 8*a**6*b**3*e**3 + 240*a**5*b**4*c*e*f - 15*a**5*b**4*d**2*f + 12*a**5*b**4*d*e**2 + 120*a**4*b**5*c*d*f - 48*a**4*b**5*c*e**2 + 6*a**4*b**5*d**2*e - 240*a**3*b**6*c**2*f - 48*a**3*b**6*c*d*e + a**3*b**6*d**3 + 96*a**2*b**7*c**2*e - 12*a**2*b**7*c*d**2 + 48*a*b**8*c**2*d - 64*b**9*c**3, Lambda(_t, _t*log(81*_t**2*a**5*b**5/(25*a**6*f**2 - 20*a**5*b*e*f - 10*a**4*b**2*d*f + 4*a**4*b**2*e**2 + 40*a**3*b**3*c*f + 4*a**3*b**3*d*e - 16*a**2*b**4*c*e + a**2*b**4*d**2 - 8*a*b**5*c*d + 16*b**6*c**2) + x))) + f*x**2/(2*b**2)

$$3.268 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=260

$$\frac{c}{2a^2x^2} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a+bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{8/3}b^{7/3}}$$

[Out] $-1/2*c/a^2/x^2+f*x/b^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^2/b^2/(b*x^3+a)$
 $-1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{8/3}/b^{7/3}+1/18*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{8/3}/b^{7/3}+1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{8/3}/b^{7/3}*3^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a+bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{8/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) + (f*x)/b^2 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^2*b^2*(a + b*x^3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*a^{8/3}*b^{7/3}) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{8/3}*b^{7/3}) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{8/3}*b^{7/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.)*(
d_) + (e_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 3ab^2fx^6}{x^3(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \left(-3abf - \frac{3b^3c}{ax^3} + \frac{b(5b^3c - 2ab^2d - a^2be + 4a^3f)}{a(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{a}}{3a^2b^2} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{\sqrt[3]{a}}}{9a^{8/3}b^2} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log}{9a^{8/3}b^{7/3}} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log}{9a^{8/3}b^{7/3}} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} + \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \tan}{3\sqrt{3}a^{8/3}b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 250, normalized size = 0.96

$$\frac{1}{18} \left(-\frac{9c}{a^2x^2} + \frac{6x(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{a^{8/3}b^{7/3}} - 2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] ((-9*c)/(a^2*x^2) + (18*f*x)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a^2*b^2*(a + b*x^3)) + (2*Sqrt[3]*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(a^(8/3)*b^(7/3)) - (2*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(8/3)*b^(7/3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(8/3)*b^(7/3))/18

fricas [A] time = 0.84, size = 902, normalized size = 3.47

$$18a^4b^2fx^6 - 9a^3b^3c - 3(5a^2b^4c - 2a^3b^3d + 2a^4b^2e - 8a^5bf)x^3 + 3\sqrt{\frac{1}{3}}((5ab^5c - 2a^2b^4d - a^3b^3e + 4a^4b^2f)x^3 + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 + 3*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2), 1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 - 6*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2)]

giac [A] time = 0.18, size = 261, normalized size = 1.00

$$\frac{fx}{b^2} + \frac{\sqrt{3}(5b^3c - 2ab^2d + 4a^3f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}a^2b} + \frac{(5b^3c - 2ab^2d + 4a^3f - a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] f*x/b^2 + 1/9*sqrt(3)*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) + 1/18*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) + 1/9*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) - 1/2*c/(a^2*x^2) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^2*b^2)

maple [B] time = 0.06, size = 463, normalized size = 1.78

$$\frac{\frac{afx}{3(bx^3+a)b^2} + \frac{dx}{3(bx^3+a)a} - \frac{bcx}{3(bx^3+a)a^2} - \frac{ex}{3(bx^3+a)b}}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} + \frac{4\sqrt{3}af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} - \frac{4af \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x)

[Out] 1/b^2*f*x+1/3*a/b^2*x/(b*x^3+a)*f-1/3/b*x/(b*x^3+a)*e+1/3/a*x/(b*x^3+a)*d-1/3/a^2*b*x/(b*x^3+a)*c-4/9*a/b^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9*a/b^3*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9*a/b^3*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/9/a/b*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/9/a/b*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/a/b*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-5/9/a^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/18/a^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/a^2*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/18/b^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/2/a^2*c/x^2

maxima [A] time = 2.97, size = 258, normalized size = 0.99

$$\frac{3ab^2c + (5b^3c - 2ab^2d + 2a^2be - 2a^3f)x^3}{6(a^2b^3x^5 + a^3b^2x^2)} + \frac{fx}{b^2} - \frac{\sqrt{3}(5b^3c - 2ab^2d - a^2be + 4a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/6*(3*a*b^2*c + (5*b^3*c - 2*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^3)/(a^2*b^3*x^5 + a^3*b^2*x^2) + f*x/b^2 - 1/9*sqrt(3)*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3*(a/b)^(2/3)) + 1/18*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^3*(a/b)^(2/3)) - 1/9*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^3*(a/b)^(2/3))

mupad [B] time = 5.22, size = 245, normalized size = 0.94

$$\frac{fx}{b^2} \frac{x^3(-2fa^3+2ea^2b-2dab^2+5cb^3)}{6a^2} + \frac{b^2c}{2a} \frac{\ln(b^{1/3}x+a^{1/3})}{b^3x^5+ab^2x^2} - \frac{(4fa^3-ea^2b-2dab^2+5cb^3)}{9a^{8/3}b^{7/3}} \frac{\ln(2b^{1/3}x-a^{1/3})}{b^3x^5+ab^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2),x)

[Out] (f*x)/b^2 - ((x^3*(5*b^3*c - 2*a^3*f - 2*a*b^2*d + 2*a^2*b*e))/(6*a^2) + (b^2*c)/(2*a))/(b^3*x^5 + a*b^2*x^2) - (log(b^(1/3)*x + a^(1/3))*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3)) + (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3))

$(x + a^{1/3}) \cdot ((3^{1/2} \cdot 1i)/2 + 1/2) \cdot (5b^3c + 4a^3f - 2ab^2d - a^2be) / (9a^{8/3}b^{7/3})$

sympy [A] time = 77.38, size = 381, normalized size = 1.47

$$\frac{-3ab^2c + x^3(2a^3f - 2a^2be + 2ab^2d - 5b^3c)}{6a^3b^2x^2 + 6a^2b^3x^5} + \text{RootSum}\left(729t^3a^8b^7 + 64a^9f^3 - 48a^8bef^2 - 96a^7b^2df^2 + 12a^7b^2e^3 - 48a^6b^3c^2f - 48a^6b^3cde - a^6b^3e^3 - 120a^5b^4c^2ef + 48a^5b^4d^2f - 6a^5b^4de^2 - 240a^4b^5c^2df + 15a^4b^5c^2e^2 - 12a^4b^5d^2e + 300a^3b^6c^2f + 60a^3b^6cde - 8a^3b^6d^3 - 75a^2b^7c^2e + 60a^2b^7cd^2 - 150ab^8c^2d + 125b^9c^3, \text{Lambda}(t, t \cdot \log(-9t^3a^8b^7 / (4a^3f - a^2be - 2ab^2d + 5b^3c) + x))\right) + fx/b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**2,x)

[Out] $(-3a^3b^2c + x^3(2a^3f - 2a^2be + 2ab^2d - 5b^3c)) / (6a^3b^2x^2 + 6a^2b^3x^5) + \text{RootSum}(729_t^3a^8b^7 + 64a^9f^3 - 48a^8b^2ef^2 - 96a^7b^2d^2f^2 + 12a^7b^2e^2f + 240a^6b^3c^2f^2 + 48a^6b^3cde - a^6b^3e^3 - 120a^5b^4c^2ef + 48a^5b^4d^2f - 6a^5b^4de^2 - 240a^4b^5c^2df + 15a^4b^5c^2e^2 - 12a^4b^5d^2e + 300a^3b^6c^2f + 60a^3b^6cde - 8a^3b^6d^3 - 75a^2b^7c^2e + 60a^2b^7cd^2 - 150ab^8c^2d + 125b^9c^3, \text{Lambda}(t, t \cdot \log(-9t^3a^8b^7 / (4a^3f - a^2be - 2ab^2d + 5b^3c) + x))) + fx/b^2$

$$3.269 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$$

Optimal. Leaf size=269

$$\frac{2bc-ad}{a^3x} - \frac{c}{4a^2x^4} + \frac{x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^3f+a^2be-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}}$$

[Out] $-1/4*c/a^2/x^4+(-a*d+2*b*c)/a^3/x+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^3/b/(b*x^3+a)-1/9*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(10/3)}/b^{(5/3)}+1/18*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(10/3)}/b^{(5/3)}-1/9*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(10/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^2be+2a^3f-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}} - \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{18a^{10/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out] $-c/(4*a^2*x^4) + (2*b*c - a*d)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^3*b*(a + b*x^3)) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (3*\text{Sqrt}[3]*a^{(10/3)}*b^{(5/3)}) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(10/3)}*b^{(5/3)}) + ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(10/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*(
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [-1/36*(9*a^3*b^3*c - 12*(7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 - 9*(7*a^2*b^4*c - 4*a^3*b^3*d)*x^3 - 6*sqrt(1/3)*((7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e + 2*a^4*b^2*f)*x^7 + (7*a^2*b^4*c - 4*a^3*b^3*d + a^4*b^2*e + 2*a^5*b*f)*x^4)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) - 2*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 4*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^4*x^7 + a^5*b^3*x^4), -1/36*(9*a^3*b^3*c - 12*(7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 - 9*(7*a^2*b^4*c - 4*a^3*b^3*d)*x^3 - 12*sqrt(1/3)*((7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e + 2*a^4*b^2*f)*x^7 + (7*a^2*b^4*c - 4*a^3*b^3*d + a^4*b^2*e + 2*a^5*b*f)*x^4)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) - 2*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 4*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^4*x^7 + a^5*b^3*x^4)]

giac [A] time = 0.20, size = 310, normalized size = 1.15

$$\frac{\sqrt{3}(7b^3c - 4ab^2d + 2a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (7b^3c - 4ab^2d + 2a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{1}{3}}a^3b + 18(-ab^2)^{\frac{1}{3}}a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(7*b^3*c - 4*a*b^2*d + 2*a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^3*b) - 1/18*(7*b^3*c - 4*a*b^2*d + 2*a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^3*b) - 1/9*(7*b^3*c*(-a/b)^(1/3) - 4*a*b^2*d*(-a/b)^(1/3) + 2*a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b) + 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a^3*b) + 1/4*(8*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^3*x^4)

maple [B] time = 0.07, size = 486, normalized size = 1.81

$$\frac{e x^2}{3(b x^3 + a) a} - \frac{b d x^2}{3(b x^3 + a) a^2} + \frac{b^2 c x^2}{3(b x^3 + a) a^3} - \frac{f x^2}{3(b x^3 + a) b} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x)

$$\begin{aligned}
& a^{**6}b^{**3}e^{**3} + 84a^{**5}b^{**4}c^*e^*f + 96a^{**5}b^{**4}d^{**2}f - 12a^{**5}b^{**4}d^* \\
& e^{**2} - 336a^{**4}b^{**5}c^*d^*f + 21a^{**4}b^{**5}c^*e^{**2} + 48a^{**4}b^{**5}d^{**2}e + 29 \\
& 4a^{**3}b^{**6}c^{**2}f - 168a^{**3}b^{**6}c^*d^*e - 64a^{**3}b^{**6}d^{**3} + 147a^{**2}b^{**7} \\
& c^{**2}e + 336a^{**2}b^{**7}c^*d^{**2} - 588a^*b^{**8}c^{**2}d + 343b^{**9}c^{**3}, \text{Lambda} \\
& (_t, _t*\log(81_t^{**2}a^{**7}b^{**3}/(4a^{**6}f^{**2} + 4a^{**5}b^*e^*f - 16a^{**4}b^{**2}d^* \\
& *f + a^{**4}b^{**2}e^{**2} + 28a^{**3}b^{**3}c^*f - 8a^{**3}b^{**3}d^*e + 14a^{**2}b^{**4}c^*e \\
& + 16a^{**2}b^{**4}d^{**2} - 56a^*b^{**5}c^*d + 49b^{**6}c^{**2}) + x))) + (-3a^{**2}b^*c \\
& + x^{**6}*(-4a^{**3}f + 4a^{**2}b^*e - 16a^*b^{**2}d + 28b^{**3}c) + x^{**3}*(-12a^{**2} \\
& b^*d + 21a^*b^{**2}c))/(12a^{**4}b^*x^{**4} + 12a^{**3}b^{**2}x^{**7})
\end{aligned}$$

$$3.270 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$$

Optimal. Leaf size=270

$$\frac{2bc-ad}{2a^3x^2} - \frac{c}{5a^2x^5} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{18a^{11/3}b^{4/3}}$$

[Out] $-1/5*c/a^2/x^5+1/2*(-a*d+2*b*c)/a^3/x^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^3/b/(b*x^3+a)+1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}/b^{(4/3)}-1/18*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}/b^{(4/3)}-1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be + a^3f - 5ab^2d + 8b^3c)}{18a^{11/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{11/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] $-c/(5*a^2*x^5) + (2*b*c - a*d)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^3*b*(a + b*x^3)) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(11/3)}*b^{(4/3)}) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(11/3)}*b^{(4/3)}) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(11/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*(
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^6(a + bx^3)} dx}{3ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^6} - \frac{3b^3(-2bc + ad)}{a^2x^3} - \frac{b^2(8b^3c - 5ab^2d + 2a^2be + a^3f)}{a^2(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3a^3b} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3\sqrt{3}a^{11/3}b}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 253, normalized size = 0.94

$$\frac{-\frac{45a^{2/3}(ad-2bc)}{x^2} - \frac{18a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{30a^{2/3}x(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{90a^{11/3}}}{90a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] ((-18*a^(5/3)*c)/x^5 - (45*a^(2/3)*(-2*b*c + a*d))/x^2 - (30*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)) - (10*sqrt[3]*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(4/3) + (10*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) - (5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(4/3))/(90*a^(11/3))

fricas [A] time = 0.62, size = 897, normalized size = 3.32

$$18 a^4 b^2 c - 15 (8 a^2 b^4 c - 5 a^3 b^3 d + 2 a^4 b^2 e - 2 a^5 b f) x^6 - 9 (8 a^3 b^3 c - 5 a^4 b^2 d) x^3 - 15 \sqrt{\frac{1}{3}} ((8 a b^5 c - 5 a^2 b^4 d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [-1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 15*sqrt(1/3)*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^3*x^8 + a^6*b^2*x^5), -1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 30*sqrt(1/3)*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^3*x^8 + a^6*b^2*x^5)]
```

```
giac [A] time = 0.18, size = 264, normalized size = 0.98
```

$$\frac{\sqrt{3}(8b^3c - 5ab^2d + a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}a^3} + \frac{(8b^3c - 5ab^2d + a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) - 1/18*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) - 1/9*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b) + 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^3*b) + 1/10*(10*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^3*x^5)
```

```
maple [B] time = 0.06, size = 477, normalized size = 1.77
```

$$\frac{ex}{3(bx^3 + a)a} + \frac{bdx}{3(bx^3 + a)a^2} + \frac{b^2cx}{3(bx^3 + a)a^3} + \frac{fx}{3(bx^3 + a)b} + \frac{2\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + e$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x)
```

[Out] $-1/3/b*x/(b*x^3+a)*f+1/3/a*x/(b*x^3+a)*e-1/3/a^2*b*x/(b*x^3+a)*d+1/3/a^3*b^2*x/(b*x^3+a)*c+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+2/9/a/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-5/9/a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+8/9/a^3*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/9/a/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+5/18/a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-4/9/a^3*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+2/9/a/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-5/9/a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+8/9/a^3*b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/5/a^2*c/x^5-1/2*d/a^2/x^2+1/a^3/x^2*b*c$

maxima [A] time = 2.93, size = 268, normalized size = 0.99

$$\frac{5(8b^3c - 5ab^2d + 2a^2be - 2a^3f)x^6 - 6a^2bc + 3(8ab^2c - 5a^2bd)x^3}{30(a^3b^2x^8 + a^4bx^5)} + \frac{\sqrt{3}(8b^3c - 5ab^2d + 2a^2be + a^3f) \arctan\left(\frac{2}{a/b^{1/3}x-1}\right)}{9a^3b^2\left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/30*(5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^6 - 6*a^2*b*c + 3*(8*a*b^2*c - 5*a^2*b*d)*x^3)/(a^3*b^2*x^8 + a^4*b*x^5) + 1/9*\sqrt{3}*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)}) - 1/18*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^2*(a/b)^{(2/3)}) + 1/9*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.13, size = 248, normalized size = 0.92

$$\frac{\ln(b^{1/3}x + a^{1/3}) (fa^3 + 2ea^2b - 5dab^2 + 8cb^3)}{9a^{11/3}b^{4/3}} - \frac{c}{5a} + \frac{x^3(5ad-8bc)}{10a^2} - \frac{x^6(-2fa^3+2ea^2b-5dab^2+8cb^3)}{6a^3b}}{bx^8 + ax^5} + \frac{\ln(2b^{1/3})}{bx^8 + ax^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2),x)

[Out] $(\log(b^{(1/3)}*x + a^{(1/3)})*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{(11/3)}*b^{(4/3)}) - (c/(5*a) + (x^3*(5*a*d - 8*b*c))/(10*a^2) - (x^6*(8*b^3*c - 2*a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(6*a^3*b))/(a*x^5 + b*x^8) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*1i)/2 - 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{(11/3)}*b^{(4/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*1i)/2 + 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{(11/3)}*b^{(4/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**2,x)

[Out] Timed out

$$3.271 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{4a^3x^4} - \frac{c}{7a^2x^7} - \frac{a^2e-2abd+3b^2c}{a^4x} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + 4a^2be - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^4(a+bx^3)}$$

[Out] $-1/7*c/a^2/x^7+1/4*(-a*d+2*b*c)/a^3/x^4+(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^4/(b*x^3+a)+1/9*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}/b^{(2/3)}-1/18*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}/b^{(2/3)}+1/9*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^4(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^2be + a^3(-f) - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^4(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

[Out] $-c/(7*a^2*x^7) + (2*b*c - a*d)/(4*a^3*x^4) - (3*b^2*c - 2*a*b*d + a^2*e)/(a^4*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^4*(a + b*x^3)) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(13/3)}*b^{(2/3)}) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(13/3)}*b^{(2/3)}) - ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(13/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d) + (e)(x)}{(a) + (b)(x) + (c)(x)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d) + (e)(x)}{(a) + (b)(x) + (c)(x)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq)(x)^m((a) + (b)(x)^n)^p, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{\text{Floor}[(q - 1)/n] + 1}*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{\text{Floor}[(q - 1)/n] + 1}*x^m * Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{\text{Floor}[(q - 1)/n] + 1}), \text{Int}[x^m*(a + b*x^n)^{p + 1} * \text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{i - m}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{p + 1})/(a^2*n*(p + 1)*b^{\text{Floor}[(q - 1)/n] + 1}), x]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq)((c)(x))^m]/((a) + (b)(x)^n), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m * Pq/(a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^8(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^8} - \frac{3b^3(-2bc + ad)}{a^2x^5} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^2} - \frac{b^3(-10b^3c - 7a^2x^7)}{a^3x^2} \right) dx}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{(10b^3c - 7a^2x^7)}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 7a^2x^7)}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 7a^2x^7)}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 7a^2x^7)}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 281, normalized size = 0.95

$$\frac{-\frac{63a^{4/3}(ad-2bc)}{x^4} - \frac{36a^{7/3}c}{x^7} - \frac{252\sqrt[3]{a}(a^2e-2abd+3b^2c)}{x} + \frac{84\sqrt[3]{a}x^2(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{28\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3(-f)+4a^2be-7ab^2d+10b^3c)}{b^{2/3}}}{252a^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

[Out] $\left((-36a^{7/3}c)/x^7 - (63a^{4/3}(-2b^3c + a^2d))/x^4 - (252a^{1/3}(3b^2c - 2ab^2d + a^2e))/x + (84a^{1/3}(-b^3c + ab^2d - a^2be + a^3f))/x^2 \right) / (a + bx^3) + (28\sqrt[3]{a}(10b^3c - 7ab^2d + 4a^2be - a^3f)) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{a}}\right] / b^{2/3} + (28(10b^3c - 7ab^2d + 4a^2be - a^3f)) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{b^{2/3}}\right] + (14(-10b^3c + 7ab^2d - 4a^2be + a^3f)) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{b^{2/3}}\right] / (252a^{13/3})$

fricas [A] time = 0.68, size = 982, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[-1/252(84(10a^5b^5c - 7a^2b^4d + 4a^3b^3e - a^4b^2f))x^9 + 36a^4b^2c + 63(10a^2b^4c - 7a^3b^3d + 4a^4b^2e)x^6 - 9(10a^3b^3c - 7a^4b^2d)x^3 + 42\sqrt[3]{a}((10a^5b^5c - 7a^2b^4d + 4a^3b^3e - a^4b^2f)) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{a}}\right] / b^{2/3} + (28(10b^3c - 7ab^2d + 4a^2be - a^3f)) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{b^{2/3}}\right] + (14(-10b^3c + 7ab^2d - 4a^2be + a^3f)) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{b^{2/3}}\right] / (252a^{13/3})$

$3e - a^4b^2f)x^{10} + (10a^2b^4c - 7a^3b^3d + 4a^4b^2e - a^5b^2f) \times \sqrt{(-ab^2)^{1/3}/a} \log((2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a) \sqrt{(-ab^2)^{1/3}/a} - 3(-ab^2)^{2/3}x)/(bx^3 + a) + 14((10b^4c - 7ab^3d + 4a^2b^2e - a^3b^2f) \times x^{10} + (10ab^3c - 7a^2b^2d + 4a^3b^2e - a^4f) \times x^7) \times (-ab^2)^{2/3} \log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 28((10b^4c - 7ab^3d + 4a^2b^2e - a^3b^2f) \times x^{10} + (10ab^3c - 7a^2b^2d + 4a^3b^2e - a^4f) \times x^7) \times (-ab^2)^{2/3} \log(bx - (-ab^2)^{1/3})/(a^5b^3x^{10} + a^6b^2x^7), -1/252(84(10ab^5c - 7a^2b^4d + 4a^3b^3e - a^4b^2f) \times x^9 + 36a^4b^2c + 63(10a^2b^4c - 7a^3b^3d + 4a^4b^2e) \times x^6 - 9(10a^3b^3c - 7a^4b^2d) \times x^3 + 84\sqrt{1/3}((10ab^5c - 7a^2b^4d + 4a^3b^3e - a^4b^2f) \times x^{10} + (10a^2b^4c - 7a^3b^3d + 4a^4b^2e - a^5b^2f) \times x^7) \sqrt{-(-ab^2)^{1/3}/a} \arctan(\sqrt{1/3}(2bx + (-ab^2)^{1/3}) \sqrt{-(-ab^2)^{1/3}/a}/b) + 14((10b^4c - 7ab^3d + 4a^2b^2e - a^3b^2f) \times x^{10} + (10ab^3c - 7a^2b^2d + 4a^3b^2e - a^4f) \times x^7) \times (-ab^2)^{2/3} \log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 28((10b^4c - 7ab^3d + 4a^2b^2e - a^3b^2f) \times x^{10} + (10ab^3c - 7a^2b^2d + 4a^3b^2e - a^4f) \times x^7) \times (-ab^2)^{2/3} \log(bx - (-ab^2)^{1/3})/(a^5b^3x^{10} + a^6b^2x^7)]$

giac [A] time = 0.23, size = 333, normalized size = 1.12

$$\frac{\sqrt{3}(10b^3c - 7ab^2d - a^3f + 4a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^4} + \frac{(10b^3c - 7ab^2d - a^3f + 4a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^4) + 1/18*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^4) + 1/9*(10*b^3*c*(-a/b)^(1/3) - 7*a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + 4*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^5 - 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a^4) - 1/28*(84*b^2*c*x^6 - 56*a*b*d*x^6 + 28*a^2*x^6*e - 14*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^4*x^7)

maple [B] time = 0.07, size = 529, normalized size = 1.78

$$\frac{f x^2}{3(b x^3 + a) a} - \frac{b e x^2}{3(b x^3 + a) a^2} + \frac{b^2 d x^2}{3(b x^3 + a) a^3} - \frac{b^3 c x^2}{3(b x^3 + a) a^4} + \frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b} - \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x)

[Out] 1/3/a*x^2/(b*x^3+a)*f-1/3/a^2*x^2/(b*x^3+a)*b*e+1/3/a^3*x^2/(b*x^3+a)*b^2*d-1/3/a^4*x^2/(b*x^3+a)*b^3*c+4/9/a^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-2/9/a^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/a^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-7/9/a^3*b*d/(a/b)^(1/3)*ln(x+(

$a/b)^{(1/3)} + 7/18/a^3*b*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 7/9/a^3*b*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 10/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) - 5/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 10/9/a^4*b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 1/9/a*f/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + 1/18/a*f/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/9/a*f*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 1/7/a^2*c/x^7 - 1/4/a^2/x^4*d + 1/2/a^3/x^4*b*c - e/a^2/x + 2/a^3/x*b*d - 3/a^4/x*b^2*c$

maxima [A] time = 3.05, size = 292, normalized size = 0.98

$$\frac{28(10b^3c - 7ab^2d + 4a^2be - a^3f)x^9 + 21(10ab^2c - 7a^2bd + 4a^3e)x^6 + 12a^3c - 3(10a^2bc - 7a^3d)x^3}{84(a^4bx^{10} + a^5x^7)} \sqrt{3}(10$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/84*(28*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*x^9 + 21*(10*a*b^2*c - 7*a^2*b*d + 4*a^3*e)*x^6 + 12*a^3*c - 3*(10*a^2*b*c - 7*a^3*d)*x^3)/(a^4*b*x^{10} + a^5*x^7) - 1/9*\sqrt{3}*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*b*(a/b)^{(1/3)}) - 1/18*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(1/3)}) + 1/9*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(1/3)})$

mupad [B] time = 5.18, size = 274, normalized size = 0.92

$$\frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + 4ea^2b - 7dab^2 + 10cb^3)}{9a^{13/3}b^{2/3}} - \frac{c}{7a} + \frac{x^9(-fa^3 + 4ea^2b - 7dab^2 + 10cb^3)}{3a^4} + \frac{x^3(7ad - 10bc)}{28a^2} + \frac{x^6(4ea^2 - 7ad + 10bc)}{28a^2} + \frac{x^6(4ea^2 - 7ad + 10bc)}{bx^{10} + ax^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2),x)

[Out] $(\log(b^{(1/3)}*x + a^{(1/3)})*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{(13/3)}*b^{(2/3)}) - (c/(7*a) + (x^9*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(3*a^4) + (x^3*(7*a*d - 10*b*c))/(28*a^2) + (x^6*(10*b^2*c + 4*a^2*e - 7*a*b*d))/(4*a^3))/(a*x^7 + b*x^{10}) - (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{(13/3)}*b^{(2/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{(13/3)}*b^{(2/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**2,x)

[Out] Timed out

$$3.272 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{5a^3x^5} - \frac{c}{8a^2x^8} - \frac{a^2e-2abd+3b^2c}{2a^4x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{9a^{14/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9a^{14/3}\sqrt[3]{b}}$$

[Out] $-1/8*c/a^2/x^8+1/5*(-a*d+2*b*c)/a^3/x^5+1/2*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^4/(b*x^3+a)-1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}/b^{(1/3)}+1/18*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}/b^{(1/3)}+1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$-\frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(5a^2be-2a^3f-8ab^2d+11b^3c)}{18a^{14/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{14/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] $-c/(8*a^2*x^8) + (2*b*c - a*d)/(5*a^3*x^5) - (3*b^2*c - 2*a*b*d + a^2*e)/(2*a^4*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^4*(a + b*x^3)) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(14/3)}*b^{(1/3)}) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(14/3)}*b^{(1/3)}) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(14/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}], \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_.)^{(m_.)})^{(n_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[\frac{(c*x)^m*Pq}{a + b*x^n}, x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{2b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^9(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^9} - \frac{3b^3(-2bc + ad)}{a^2x^6} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^3} - \frac{b^3(-11b^3c + 8a^2x^8 + 5a^3x^5 - 2a^4x^2)}{3a^4(a + bx^3)} \right) dx}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 8a^2x^8 + 5a^3x^5 - 2a^4x^2)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 8a^2x^8 + 5a^3x^5 - 2a^4x^2)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 8a^2x^8 + 5a^3x^5 - 2a^4x^2)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 8a^2x^8 + 5a^3x^5 - 2a^4x^2)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} + \frac{(11b^3c - 8a^2x^8 + 5a^3x^5 - 2a^4x^2)x}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 280, normalized size = 0.94

$$\frac{-\frac{72a^{5/3}(ad-2bc)}{x^5} - \frac{45a^{8/3}c}{x^8} - \frac{180a^{2/3}(a^2e-2abd+3b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(2a^3f-5a^2be+8ab^2d-11b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{\sqrt[3]{b}}}{360a^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] $\left((-45a^{8/3}c)/x^8 - (72a^{5/3}(-2b^3c + a^2e))/x^5 - (180a^{2/3}(3b^2c - 2ab^2d + a^2be)) / x^2 + (120a^{2/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f)x / (a + bx^3) + (40\sqrt{3} \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]) / b^{1/3} + (40(-11b^3c + 8a^2b^2d - 5a^2b^2e + 2a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x]) / b^{1/3} + (20(11b^3c - 8a^2b^2d + 5a^2b^2e - 2a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]) / b^{1/3} \right) / (360a^{14/3})$

fricas [A] time = 0.68, size = 959, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[-1/360*(60*(11a^2b^4c - 8a^3b^3d + 5a^4b^2e - 2a^5b^2f)x^9 + 45a^5b^3c + 36*(11a^3b^3c - 8a^4b^2d + 5a^5b^2e)x^6 - 9*(11a^4b^2c$

c - 8*a^5*b*d)*x^3 + 60*sqrt(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^11 + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^2*x^11 + a^7*b*x^8), -1/360*(60*(11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^9 + 45*a^5*b*c + 36*(11*a^3*b^3*c - 8*a^4*b^2*d + 5*a^5*b*e)*x^6 - 9*(11*a^4*b^2*c - 8*a^5*b*d)*x^3 + 120*sqrt(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^11 + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^2*x^11 + a^7*b*x^8)]

giac [A] time = 0.20, size = 347, normalized size = 1.17

$$\frac{(11b^3c - 8ab^2d - 2a^3f + 5a^2be)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(11(-ab^2)^{\frac{1}{3}}b^3c - 8(-ab^2)^{\frac{1}{3}}ab^2d - 2(-ab^2)^{\frac{1}{3}}a^3f + 5(-ab^2)^{\frac{1}{3}}a^2be\right)}{9a^5} + \frac{2\sqrt{3}f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right) + 2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*(11*b^3*c - 8*a*b^2*d - 2*a^3*f + 5*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^5 - 1/9*sqrt(3)*(11*(-a*b^2)^(1/3)*b^3*c - 8*(-a*b^2)^(1/3)*a*b^2*d - 2*(-a*b^2)^(1/3)*a^3*f + 5*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^5*b) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^4) - 1/18*(11*(-a*b^2)^(1/3)*b^3*c - 8*(-a*b^2)^(1/3)*a*b^2*d - 2*(-a*b^2)^(1/3)*a^3*f + 5*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^5*b) - 1/40*(60*b^2*c*x^6 - 40*a*b*d*x^6 + 20*a^2*x^6*e - 16*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^4*x^8)

maple [B] time = 0.06, size = 520, normalized size = 1.75

$$\frac{fx}{3(bx^3 + a)a} + \frac{bex}{3(bx^3 + a)a^2} + \frac{b^2dx}{3(bx^3 + a)a^3} + \frac{b^3cx}{3(bx^3 + a)a^4} + \frac{2\sqrt{3}f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right) + 2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x)

[Out] 1/3/a*x/(b*x^3+a)*f-1/3/a^2*x/(b*x^3+a)*b*e+1/3/a^3*x/(b*x^3+a)*b^2*d-1/3/a^4*x/(b*x^3+a)*b^3*c-5/9/a^2*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/18/a^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/a^2*e/(a/b)^(2/3)*3^(1/2)*ar

$$\begin{aligned} & \operatorname{ctan}\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{a/b}\right)^{\frac{1}{3}} \cdot x - 1\right) + \frac{8}{9} \cdot a^{-3} \cdot b \cdot d / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \\ & - \frac{4}{9} \cdot a^{-3} \cdot b \cdot d / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{8}{9} \cdot a^{-3} \cdot b \cdot d / \\ & \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot 3^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{a/b}\right)^{\frac{1}{3}} \cdot x - 1\right) - \frac{11}{9} \cdot a^{-4} \cdot b^2 \cdot c / \\ & \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{11}{18} \cdot a^{-4} \cdot b^2 \cdot c / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) \\ & - \frac{11}{9} \cdot a^{-4} \cdot b^2 \cdot c / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot 3^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{a/b}\right)^{\frac{1}{3}} \cdot x - 1\right) \\ & + \frac{2}{9} \cdot a \cdot f / b / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{1}{9} \cdot a \cdot f / b / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) \\ & + \frac{2}{9} \cdot a \cdot f / b / \left(\frac{a}{b}\right)^{\frac{2}{3}} \cdot 3^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{a/b}\right)^{\frac{1}{3}} \cdot x - 1\right) \\ & - \frac{1}{8} \cdot c / a^2 / x^8 - \frac{1}{5} \cdot a^2 / x^5 \cdot d + \frac{2}{5} \cdot a^3 / x^5 \cdot b \cdot c - \frac{1}{2} \cdot a^2 / x^2 \cdot e + \frac{1}{a^3} \cdot x^2 \cdot b \cdot d - \frac{3}{2} \cdot a^4 / x^2 \cdot b^2 \cdot c \end{aligned}$$

maxima [A] time = 3.03, size = 292, normalized size = 0.98

$$\frac{20(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^9 + 12(11ab^2c - 8a^2bd + 5a^3e)x^6 + 15a^3c - 3(11a^2bc - 8a^3d)x^3}{120(a^4bx^{11} + a^5x^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="maxima")
[Out] -1/120*(20*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*x^9 + 12*(11*a*b^2*c - 8*a^2*b*d + 5*a^3*e)*x^6 + 15*a^3*c - 3*(11*a^2*b*c - 8*a^3*d)*x^3)/(a^4*b*x^11 + a^5*x^8) - 1/9*sqrt(3)*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^4*b*(a/b)^(2/3)) + 1/18*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*b*(a/b)^(2/3)) - 1/9*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*log(x + (a/b)^(1/3))/(a^4*b*(a/b)^(2/3))
```

mupad [B] time = 5.20, size = 274, normalized size = 0.92

$$\frac{\frac{c}{8a} + \frac{x^9(-2fa^3 + 5ea^2b - 8dab^2 + 11cb^3)}{6a^4} + \frac{x^3(8ad - 11bc)}{40a^2} + \frac{x^6(5ea^2 - 8dab + 11cb^2)}{10a^3}}{bx^{11} + ax^8} \ln\left(\frac{b^{1/3}x + a^{1/3}}{9a^{14/3}b^{1/3}}\right) \left(-2fa^3 + 5ea^2b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2),x)
[Out] (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (log(b^(1/3)*x + a^(1/3))*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (c/(8*a) + (x^9*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(6*a^4) + (x^3*(8*a*d - 11*b*c))/(40*a^2) + (x^6*(11*b^2*c + 5*a^2*e - 8*a*b*d))/(10*a^3))/(a*x^8 + b*x^11)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**2,x)
[Out] Timed out
```

$$3.273 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$$

Optimal. Leaf size=334

$$\frac{2bc-ad}{7a^3x^7} - \frac{c}{10a^2x^{10}} - \frac{a^2e-2abd+3b^2c}{4a^4x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-4a^3f+7a^2be-10ab^2d+13b^3c)}{9a^{16/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9a^{16/3}}$$

[Out] $-1/10*c/a^2/x^{10}+1/7*(-a*d+2*b*c)/a^3/x^7+1/4*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^4+(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^5/(b*x^3+a)-1/9*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}+1/18*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}-1/9*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 334, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{bx^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} + \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(7a^2be - 4a^3f - 10ab^2d + 13b^3c)}{18a^{16/3}} + \frac{2a^2be + a^3(-f) - ab^2d + b^3c}{9a^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] $-c/(10*a^2*x^{10}) + (2*b*c - a*d)/(7*a^3*x^7) - (3*b^2*c - 2*a*b*d + a^2*e)/(4*a^4*x^4) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(a^5*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^5*(a + b*x^3)) - (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(16/3)}) - (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(16/3)}) + (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(16/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)^2} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{11}(a + bx^3)}}{3ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{11}} - \frac{3b^3(-2bc + ad)}{a^2x^8} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^5} - \frac{3b^3(-4b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{x^{11}(a + bx^3)} \right)}{3a} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 319, normalized size = 0.96

$$\frac{180a^{7/3}(ad-2bc)}{x^7} - \frac{126a^{10/3}c}{x^{10}} - \frac{315a^{4/3}(a^2e-2abd+3b^2c)}{x^4} - \frac{420\sqrt[3]{a}bx^2(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} - \frac{1260\sqrt[3]{a}(a^3f-2a^2be+3ab^2d-4b^3c)}{x} + 140\sqrt[3]{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] ((-126*a^(10/3)*c)/x^10 - (180*a^(7/3)*(-2*b*c + a*d))/x^7 - (315*a^(4/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^4 - (1260*a^(1/3)*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x - (420*a^(1/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3) - 140*sqrt[3]*b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*b^(1/3)*(-13*b^3*c + 10*a*b^2*d - 7*a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1260*a^(16/3))

fricas [A] time = 0.76, size = 442, normalized size = 1.32

$$420(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{12} + 315(13ab^3c - 10a^2b^2d + 7a^3be - 4a^4f)x^9 - 45(13a^2b^2c - 10a^3b^2d + 7a^4be - 4a^5f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="fricas")


```
[Out] 1/1260*(420*(13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^12 + 315*(13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^9 - 45*(13*a^2*b^2*c - 10*a^3*b*d + 7*a^4*e)*x^6 - 126*a^4*c + 18*(13*a^3*b*c - 10*a^4*d)*x^3 + 140*sqrt(3)*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 70*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 140*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)))/(a^5*b*x^13 + a^6*x^10)
```

giac [A] time = 0.37, size = 437, normalized size = 1.31

$$\frac{\left(13 b^4 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 10 a b^3 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 4 a^3 b f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 7 a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3} \left(13 \left(-a b^2\right)^{\frac{2}{3}} b\right)}{9 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*(13*b^4*c*(-a/b)^(1/3) - 10*a*b^3*d*(-a/b)^(1/3) - 4*a^3*b*f*(-a/b)^(1/3) + 7*a^2*b^2*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/9*sqrt(3)*(13*(-a*b^2)^(2/3)*b^3*c - 10*(-a*b^2)^(2/3)*a*b^2*d - 4*(-a*b^2)^(2/3)*a^3*f + 7*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^6*b) + 1/3*(b^4*c*x^2 - a*b^3*d*x^2 - a^3*b*f*x^2 + a^2*b^2*x^2*e)/((b*x^3 + a)*a^5) + 1/18*(13*(-a*b^2)^(2/3)*b^3*c - 10*(-a*b^2)^(2/3)*a*b^2*d - 4*(-a*b^2)^(2/3)*a^3*f + 7*(-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^6*b) + 1/140*(560*b^3*c*x^9 - 420*a*b^2*d*x^9 - 140*a^3*f*x^9 + 280*a^2*b*x^9*e - 105*a*b^2*c*x^6 + 70*a^2*b*d*x^6 - 35*a^3*x^6*e + 40*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^5*x^10)
```

maple [A] time = 0.06, size = 575, normalized size = 1.72

$$\frac{b f x^2}{3(b x^3 + a) a^2} + \frac{b^2 e x^2}{3(b x^3 + a) a^3} - \frac{b^3 d x^2}{3(b x^3 + a) a^4} + \frac{b^4 c x^2}{3(b x^3 + a) a^5} - \frac{4 \sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2 x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x)
```

```
[Out] 4/a^5/x*b^3*c+4/9/a^2*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-2/9/a^2*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/7/a^3/x^7*b*c+1/2/a^3/x^4*b*d-3/4/a^4/x^4*b^2*c+2/a^3/x*b*e-3/a^4/x*b^2*d-1/3*b/a^2*x^2/(b*x^3+a)*f+1/3*b^2/a^3*x^2/(b*x^3+a)*e-10/9*b^2/a^4*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+13/9*b^3/a^5*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+7/9*b/a^3*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^2/x*f-1/4/a^2/x^4*e-1/7/a^2/x^7*d-1/10*c/a^2/x^10-1/3*b^3/a^4*x^2/(b*x^3+a)*d+1/3*b^4/a^5*x^2/(b*x^3+a)*c-4/9/a^2*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-7/9*b/a^3*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/18*b/a^3*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+10/9*b^
```

$$\frac{2/a^4*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/9*b^2/a^4*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-13/9*b^3/a^5*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+13/18*b^3/a^5*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})}{420(a^5bx^{13} + a^6x^{10})}$$

maxima [A] time = 3.13, size = 323, normalized size = 0.97

$$\frac{140(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{12} + 105(13ab^3c - 10a^2b^2d + 7a^3be - 4a^4f)x^9 - 15(13a^2b^2c - 10a^3bd + 7a^4e)x^6 - 42a^4c + 6(13a^3b^2c - 10a^4bd)x^3}{420(a^5bx^{13} + a^6x^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/420*(140*(13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^12 + 105*(13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^9 - 15*(13*a^2*b^2*c - 10*a^3*b*d + 7*a^4*e)*x^6 - 42*a^4*c + 6*(13*a^3*b^2*c - 10*a^4*b*d)*x^3)/(a^5*b*x^13 + a^6*x^10) + 1/9*sqrt(3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^5*(a/b)^(1/3)) + 1/18*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(1/3)) - 1/9*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(1/3))

mupad [B] time = 5.41, size = 310, normalized size = 0.93

$$\frac{\frac{c}{10a} - \frac{x^9(-4fa^3+7ea^2b-10dab^2+13cb^3)}{4a^4} + \frac{x^3(10ad-13bc)}{70a^2} + \frac{x^6(7ea^2-10dab+13cb^2)}{28a^3} - \frac{bx^{12}(-4fa^3+7ea^2b-10dab^2+13cb^3)}{3a^5}}{bx^{13} + ax^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2),x)

[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e)/(9*a^(16/3)) - (b^(1/3)*log(b^(1/3)*x + a^(1/3))*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e)/(9*a^(16/3)) - (c/(10*a) - (x^9*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(4*a^4) + (x^3*(10*a*d - 13*b*c))/(70*a^2) + (x^6*(13*b^2*c + 7*a^2*e - 10*a*b*d))/(28*a^3) - (b*x^12*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(3*a^5))/(a*x^10 + b*x^13) - (b^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e)/(9*a^(16/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**2,x)

[Out] Timed out

$$3.274 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{2bc-ad}{8a^3x^8} - \frac{c}{11a^2x^{11}} - \frac{a^2e-2abd+3b^2c}{5a^4x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-5a^3f + 8a^2be - 11ab^2d + 14b^3c)}{18a^{17/3}}$$

[Out] $-1/11*c/a^2/x^{11}+1/8*(-a*d+2*b*c)/a^3/x^8+1/5*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^5+1/2*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^2+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^5/(b*x^3+a)+1/9*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}-1/18*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}-1/9*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{bx(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^5(a + bx^3)} + \frac{2a^2be + a^3(-f) - 3ab^2d + 4b^3c}{2a^5x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (8a^2be - 11ab^2d + 14b^3c)}{18a^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] $-c/(11*a^2*x^{11}) + (2*b*c - a*d)/(8*a^3*x^8) - (3*b^2*c - 2*a*b*d + a^2*e)/(5*a^4*x^5) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(2*a^5*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^5*(a + b*x^3)) - (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(3*\text{Sqrt}[3]*a^{(17/3)}) + (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(9*a^{(17/3)}) - (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(17/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m)*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)^2} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{12}(a + bx^3)} dx}{3ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{12}} - \frac{3b^3(-2bc + ad)}{a^2x^9} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^6} - \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3x^3} \right) dx}{3ab^3} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 317, normalized size = 0.95

$$-\frac{495a^{8/3}(ad-2bc)}{x^8} - \frac{360a^{11/3}c}{x^{11}} - \frac{792a^{5/3}(a^2e-2abd+3b^2c)}{x^5} + 440b^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) (-5a^3f + 8a^2be - 11ab^2d + 14b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] ((-360*a^(11/3)*c)/x^11 - (495*a^(8/3)*(-2*b*c + a*d))/x^8 - (792*a^(5/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^5 - (1980*a^(2/3)*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x^2 - (1320*a^(2/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3) - 440*sqrt[3]*b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 440*b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*b^(2/3)*(-14*b^3*c + 11*a*b^2*d - 8*a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(3960*a^(17/3))

fricas [A] time = 0.76, size = 475, normalized size = 1.42

$$660(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{12} + 396(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^9 - 99(14a^2b^2c - 11$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3960*(660*(14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^12 + 396*(14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^9 - 99*(14*a^2*b^2*c - 11*a^3*b*d + 8*a^4*e)*x^6 - 360*a^4*c + 45*(14*a^3*b*c - 11*a^4*d)*x^3 - 440*sqrt(3)*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) + 220*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)) - 440*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3))/(a^5*b*x^14 + a^6*x^11)

giac [A] time = 0.18, size = 391, normalized size = 1.17

$$\frac{\sqrt{3} \left(14 (-ab^2)^{\frac{1}{3}} b^3c - 11 (-ab^2)^{\frac{1}{3}} ab^2d - 5 (-ab^2)^{\frac{1}{3}} a^3f + 8 (-ab^2)^{\frac{1}{3}} a^2be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^6} (14b^4c - 11a^4d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(14*(-a*b^2)^(1/3)*b^3*c - 11*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 8*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^6 - 1/9*(14*b^4*c - 11*a*b^3*d - 5*a^3*b*f + 8*a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 + 1/18*(14*(-a*b^2)^(1/3)*b^3*c - 11*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 8*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 + 1/3*(b^4*c*x - a*b^3*d*x - a^3*b*f*x + a^2*b^2*x*e)/(b*x^3 + a)*a^5 + 1/440*(880*b^3*c*x^9 - 660*a*b^2*d*x^9 - 220*a^3*f*x^9 + 440*a^2*b*x^9*e - 264*a*b^2*c*x^6 + 176*a^2*b*d*x^6 - 88*a^3*x^6*e + 110*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^5*x^11)

maple [A] time = 0.06, size = 566, normalized size = 1.69

$$\frac{bfx}{3(bx^3+a)a^2} + \frac{b^2ex}{3(bx^3+a)a^3} - \frac{b^3dx}{3(bx^3+a)a^4} + \frac{b^4cx}{3(bx^3+a)a^5} - \frac{5\sqrt{3} f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{a}{b}} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} - \frac{5f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x)

[Out] 5/18/a^2*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/a^3/x^2*b*e-3/2/a^4/x^2*b^2*d+2/a^5/x^2*b^3*c+1/4/a^3/x^8*b*c+2/5/a^3/x^5*b*d-3/5/a^4/x^5*b^2*c-5/9/a^2*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*b/a^2*x/(b*x^3+a)*f+1/3*b^2/a^3*x/(b*x^3+a)*e-1/3*b^3/a^4*x/(b*x^3+a)*d+11/18*b^2/a^4*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/9*b^3/a^5*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-7/9*b^3/a^5*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*b^4/a^5*x/(b*x^3+a)*c-1/5/a^2/x^5*e-1/2/a^2/x^2*f-1/8/a^2/x^8*d-5/9/a^2*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+8/9*b/a^3*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-4/9*b/a^3*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))

$$-11/9*b^2/a^4*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+8/9*b/a^3*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-11/9*b^2/a^4*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+14/9*b^3/a^5*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/11*c/a^2/x^{11}$$

maxima [A] time = 3.07, size = 323, normalized size = 0.96

$$\frac{220(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{12} + 132(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^9 - 33(14a^2b^2c - 11a^3b^2d + 8a^4e)x^6 - 120a^4c + 15(14a^3b^2c - 11a^4d)x^3}{1320(a^5bx^{14} + a^6x^{11})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/1320*(220*(14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^12 + 132*(14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^9 - 33*(14*a^2*b^2*c - 11*a^3*b*d + 8*a^4*e)*x^6 - 120*a^4*c + 15*(14*a^3*b^2*c - 11*a^4*d)*x^3)/(a^5*b*x^14 + a^6*x^11) + 1/9*sqrt(3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^5*(a/b)^(2/3)) - 1/18*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(2/3)) + 1/9*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(2/3))

mupad [B] time = 5.12, size = 310, normalized size = 0.93

$$\frac{b^{2/3} \ln(b^{1/3}x + a^{1/3}) (-5fa^3 + 8ea^2b - 11dab^2 + 14cb^3)}{9a^{17/3}} - \frac{c}{11a} - \frac{x^9(-5fa^3 + 8ea^2b - 11dab^2 + 14cb^3)}{10a^4} + \frac{x^3(11ad - 14ab^2 + 8a^2b^2)}{88a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2),x)

[Out] (b^(2/3)*log(b^(1/3)*x + a^(1/3))*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (c/(11*a) - (x^9*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(10*a^4) + (x^3*(11*a*d - 14*b*c))/(88*a^2) + (x^6*(14*b^2*c + 8*a^2*e - 11*a*b*d))/(40*a^3) - (b*x^12*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(6*a^5))/(a*x^11 + b*x^14) + (b^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (b^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**2,x)

[Out] Timed out

$$3.275 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$$

Optimal. Leaf size=375

$$\frac{2bc-ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}} - \frac{a^2e-2abd+3b^2c}{7a^4x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(-7a^3f+10a^2be-13ab^2d+16b^3c)}{18a^{19/3}} + \dots$$

[Out] $-1/13*c/a^2/x^{13}+1/10*(-a*d+2*b*c)/a^3/x^{10}+1/7*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^7+1/4*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^4-b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)/a^6/x-1/3*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^6/(b*x^3+a)+1/9*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(19/3)}-1/18*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/a^{(19/3)}+1/9*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(19/3)*3^{(1/2)}}$

Rubi [A] time = 0.53, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$-\frac{b^2x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^6(a+bx^3)} + \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{4a^5x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(10a^2be - \dots)}{18a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] $-c/(13*a^2*x^{13}) + (2*b*c - a*d)/(10*a^3*x^{10}) - (3*b^2*c - 2*a*b*d + a^2*e)/(7*a^4*x^7) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(4*a^5*x^4) - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(a^6*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^6*(a + b*x^3)) + (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(19/3)}) + (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(9*a^{(19/3)}) - (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}])/(18*a^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14} (a + bx^3)^2} dx &= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{3a^6 (a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{14}(a + bx^3)^2} dx}{3a^6} \\
&= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{3a^6 (a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{14}} - \frac{3b^3(-2bc + ad)}{a^2x^{11}} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^8} - \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^4x^5} \right) dx}{3a^6} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{3a^6} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{3a^6} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{3a^6} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{3a^6}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 370, normalized size = 0.99

$$\frac{2bc - ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}} - \frac{a^2e - 2abd + 3b^2c}{7a^4x^7} + \frac{b^{4/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right) (7a^3f - 10a^2be + 13ab^2d - 16b^3c)}{18a^{19/3}} + \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{3a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] -1/13*c/(a^2*x^13) + (2*b*c - a*d)/(10*a^3*x^10) - (3*b^2*c - 2*a*b*d + a^2*e)/(7*a^4*x^7) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(4*a^5*x^4) + (b*(-5*b^3*c + 4*a*b^2*d - 3*a^2*b*e + 2*a^3*f))/(a^6*x) + (b^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(3*a^6*(a + b*x^3)) + (b^(4/3)*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(3*Sqrt[3]*a^(19/3)) + (b^(4/3)*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(19/3)) + (b^(4/3)*(-16*b^3*c + 13*a*b^2*d - 10*a^2*b*e + 7*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(19/3))

fricas [A] time = 0.81, size = 507, normalized size = 1.35

$$5460 (16 b^5 c - 13 a b^4 d + 10 a^2 b^3 e - 7 a^3 b^2 f) x^{15} + 4095 (16 a b^4 c - 13 a^2 b^3 d + 10 a^3 b^2 e - 7 a^4 b f) x^{12} - 585 (16 a^2 b^3 c - 13 a^3 b^2 d + 10 a^4 b e - 7 a^5 f) x^9 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="fricas")
[Out] -1/16380*(5460*(16*b^5*c - 13*a*b^4*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^15 +
4095*(16*a*b^4*c - 13*a^2*b^3*d + 10*a^3*b^2*e - 7*a^4*b*f)*x^12 - 585*(16*
a^2*b^3*c - 13*a^3*b^2*d + 10*a^4*b*e - 7*a^5*f)*x^9 + 234*(16*a^3*b^2*c -
13*a^4*b*d + 10*a^5*e)*x^6 + 1260*a^5*c - 126*(16*a^4*b*c - 13*a^5*d)*x^3 +
1820*sqrt(3)*((16*b^5*c - 13*a*b^4*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^16 +
(16*a*b^4*c - 13*a^2*b^3*d + 10*a^3*b^2*e - 7*a^4*b*f)*x^13)*(-b/a)^(1/3)*a
rctan(2/3*sqrt(3)*x*(-b/a)^(1/3) + 1/3*sqrt(3)) - 910*((16*b^5*c - 13*a*b^4
*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^16 + (16*a*b^4*c - 13*a^2*b^3*d + 10*a^3
*b^2*e - 7*a^4*b*f)*x^13)*(-b/a)^(1/3)*log(b*x^2 - a*x*(-b/a)^(2/3) - a*(-b
/a)^(1/3)) + 1820*((16*b^5*c - 13*a*b^4*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^1
6 + (16*a*b^4*c - 13*a^2*b^3*d + 10*a^3*b^2*e - 7*a^4*b*f)*x^13)*(-b/a)^(1/
3)*log(b*x + a*(-b/a)^(2/3)))/(a^6*b*x^16 + a^7*x^13)
```

giac [A] time = 0.21, size = 482, normalized size = 1.29

$$\frac{\sqrt{3} \left(16 (-ab^2)^{\frac{2}{3}} b^3 c - 13 (-ab^2)^{\frac{2}{3}} ab^2 d - 7 (-ab^2)^{\frac{2}{3}} a^3 f + 10 (-ab^2)^{\frac{2}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a^7} + \left(16 b^5 c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="giac")
[Out] 1/9*sqrt(3)*(16*(-a*b^2)^(2/3)*b^3*c - 13*(-a*b^2)^(2/3)*a*b^2*d - 7*(-a*b^
2)^(2/3)*a^3*f + 10*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b
)^(1/3))/(-a/b)^(1/3))/a^7 + 1/9*(16*b^5*c*(-a/b)^(1/3) - 13*a*b^4*d*(-a/b)
^(1/3) - 7*a^3*b^2*f*(-a/b)^(1/3) + 10*a^2*b^3*(-a/b)^(1/3)*e)*(-a/b)^(1/3)
*log(abs(x - (-a/b)^(1/3)))/a^7 - 1/18*(16*(-a*b^2)^(2/3)*b^3*c - 13*(-a*b^
2)^(2/3)*a*b^2*d - 7*(-a*b^2)^(2/3)*a^3*f + 10*(-a*b^2)^(2/3)*a^2*b*e)*log(
x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^7 - 1/3*(b^5*c*x^2 - a*b^4*d*x^2 - a
^3*b^2*f*x^2 + a^2*b^3*x^2*e)/((b*x^3 + a)*a^6) - 1/1820*(9100*b^4*c*x^12 -
7280*a*b^3*d*x^12 - 3640*a^3*b*f*x^12 + 5460*a^2*b^2*x^12*e - 1820*a*b^3*c
*x^9 + 1365*a^2*b^2*d*x^9 + 455*a^4*f*x^9 - 910*a^3*b*x^9*e + 780*a^2*b^2*c
*x^6 - 520*a^3*b*d*x^6 + 260*a^4*x^6*e - 364*a^3*b*c*x^3 + 182*a^4*d*x^3 +
140*a^4*c)/a^6*x^13)
```

maple [A] time = 0.06, size = 631, normalized size = 1.68

$$\frac{\frac{b^2 f x^2}{3 (b x^3 + a) a^3} - \frac{b^3 e x^2}{3 (b x^3 + a) a^4} + \frac{b^4 d x^2}{3 (b x^3 + a) a^5} - \frac{b^5 c x^2}{3 (b x^3 + a) a^6} + \frac{7 \sqrt{3} b f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3} - \frac{7 b f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x)
[Out] -3/4/a^4/x^4*b^2*d+1/a^5/x^4*b^3*c+2*b/a^3/x*f-3*b^2/a^4/x*e+4*b^3/a^5/x*d-
5*b^4/a^6/x*c+1/5/a^3/x^10*b*c+2/7/a^3/x^7*b*d-3/7/a^4/x^7*b^2*c+1/2/a^3/x^
4*b*e-1/10/a^2/x^10*d+1/3*b^2/a^3*x^2/(b*x^3+a)*f-1/3*b^3/a^4*x^2/(b*x^3+a)
*e+7/9*b/a^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-
10/9*b^2/a^4*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+
13/9*b^3/a^5*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-
```

$$\begin{aligned} & 16/9*b^4/a^6*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))- \\ & 1/7/a^2/x^7*e-1/4/a^2/x^4*f+1/3*b^4/a^5*x^2/(b*x^3+a)*d-1/3*b^5/a^6*x^2/(b* \\ & x^3+a)*c+10/9*b^2/a^4*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/9*b^2/a^4*e/(a/b)^{(1/3)} \\ & *\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-13/9*b^3/a^5*d/(a/b)^{(1/3)}*\ln(x+(a/b) \\ &)^{(1/3)}+13/18*b^3/a^5*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+16/9 \\ & *b^4/a^6*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-8/9*b^4/a^6*c/(a/b)^{(1/3)}*\ln(x^2-(\\ & a/b)^{(1/3)}*x+(a/b)^{(2/3)})-7/9*b/a^3*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/18*b/ \\ & a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/13*c/a^2/x^13 \end{aligned}$$

maxima [A] time = 2.97, size = 374, normalized size = 1.00

$$\frac{1820(16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{15} + 1365(16ab^4c - 13a^2b^3d + 10a^3b^2e - 7a^4bf)x^{12} - 195(16a^2b^3c - 13a^3b^2d + 10a^4b^1e - 7a^5f)x^9 + 78(16a^3b^2c - 13a^4b^1d + 10a^5e)x^6 + 420a^5c - 42(16a^4b^1c - 13a^5d)x^3}{5460(a^6bx^{16} + a^7x^{13})} - \frac{1}{9}\sqrt{3} \frac{(16b^4c - 13ab^3d + 10a^2b^2e - 7a^3bf) \arctan\left(\frac{1}{3}\sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)}{(a/b)^{1/3}} - \frac{1}{18} \frac{(16b^4c - 13ab^3d + 10a^2b^2e - 7a^3bf) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})}{(a/b)^{1/3}} + \frac{1}{9} \frac{(16b^4c - 13ab^3d + 10a^2b^2e - 7a^3bf) \log(x + (a/b)^{1/3})}{(a/b)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/5460*(1820*(16*b^5*c - 13*a*b^4*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^15 + 1365*(16*a*b^4*c - 13*a^2*b^3*d + 10*a^3*b^2*e - 7*a^4*b*f)*x^12 - 195*(16*a^2*b^3*c - 13*a^3*b^2*d + 10*a^4*b^1*e - 7*a^5*f)*x^9 + 78*(16*a^3*b^2*c - 13*a^4*b^1*d + 10*a^5*e)*x^6 + 420*a^5*c - 42*(16*a^4*b^1*c - 13*a^5*d)*x^3)/(a^6*b*x^16 + a^7*x^13) - 1/9*sqrt(3)*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^6*(a/b)^(1/3)) - 1/18*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^6*(a/b)^(1/3)) + 1/9*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*log(x + (a/b)^(1/3))/(a^6*(a/b)^(1/3))

mupad [B] time = 5.12, size = 348, normalized size = 0.93

$$\frac{b^{4/3} \ln(b^{1/3}x + a^{1/3}) (-7fa^3 + 10ea^2b - 13dab^2 + 16cb^3)}{9a^{19/3}} - \frac{c}{13a} - \frac{x^9(-7fa^3 + 10ea^2b - 13dab^2 + 16cb^3)}{28a^4} + \frac{x^3(13ad - 16cb)}{130a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2),x)

[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3)) - (c/(13*a) - (x^9*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(28*a^4) + (x^3*(13*a*d - 16*b*c))/(130*a^2) + (x^6*(16*b^2*c + 10*a^2*b*d))/(70*a^3) + (b*x^12*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(4*a^5) + (b^2*x^15*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(3*a^6))/(a*x^13 + b*x^16) - (b^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**2,x)

[Out] Timed out

$$3.276 \quad \int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=266

$$\frac{x^9(6a^2f - 3abe + b^2d)}{9b^5} + \frac{a^3(-7a^3f + 6a^2be - 5ab^2d + 4b^3c)}{3b^8(a+bx^3)} + \frac{a^2 \log(a+bx^3)(-21a^3f + 15a^2be - 10ab^2d + 6b^3c)}{3b^8}$$

[Out] $-1/3*a*(-15*a^3*f+10*a^2*b*e-6*a*b^2*d+3*b^3*c)*x^3/b^7+1/6*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*x^6/b^6+1/9*(6*a^2*f-3*a*b*e+b^2*d)*x^9/b^5+1/12*(-3*a*f+b*e)*x^{12}/b^4+1/15*f*x^{15}/b^3-1/6*a^4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^8/(b*x^3+a)^2+1/3*a^3*(-7*a^3*f+6*a^2*b*e-5*a*b^2*d+4*b^3*c)/b^8/(b*x^3+a)+1/3*a^2*(-21*a^3*f+15*a^2*b*e-10*a*b^2*d+6*b^3*c)*\ln(b*x^3+a)/b^8$

Rubi [A] time = 0.44, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(6a^2be - 10a^3f - 3ab^2d + b^3c)}{6b^6} - \frac{ax^3(10a^2be - 15a^3f - 6ab^2d + 3b^3c)}{3b^7} + \frac{a^3(6a^2be - 7a^3f - 5ab^2d + 4b^3c)}{3b^8(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $-(a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*x^3)/(3*b^7) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6)/(6*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^9)/(9*b^5) + ((b*e - 3*a*f)*x^{12})/(12*b^4) + (f*x^{15})/(15*b^3) - (a^4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^8*(a + b*x^3)^2) + (a^3*(4*b^3*c - 5*a*b^2*d + 6*a^2*b*e - 7*a^3*f))/(3*b^8*(a + b*x^3)) + (a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*\text{Log}[a + b*x^3])/(3*b^8)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-3b^3c + 6ab^2d - 10a^2be + 15a^3f)}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be)}{b^6} \right. \right. \\ &\quad \left. \left. - \frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x^3}{3b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^6}{6b^6} \right) dx, x, x^3 \right) \end{aligned}$$

Mathematica [A] time = 0.19, size = 246, normalized size = 0.92

$$20b^3x^9(6a^2f - 3abe + b^2d) + 30b^2x^6(-10a^3f + 6a^2be - 3ab^2d + b^3c) + 60abx^3(15a^3f - 10a^2be + 6ab^2d - 3b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (60*a*b*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x^3 + 30*b^2*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6 + 20*b^3*(b^2*d - 3*a*b*e + 6*a^2*f)*x^9 + 15*b^4*(b*e - 3*a*f)*x^12 + 12*b^5*f*x^15 + (30*a^4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (60*a^3*(-4*b^3*c + 5*a*b^2*d - 6*a^2*b*e + 7*a^3*f))/(a + b*x^3) + 60*a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*Log[a + b*x^3]/(180*b^8)

fricas [A] time = 0.59, size = 396, normalized size = 1.49

$$12b^7fx^{21} + 3(5b^7e - 7ab^6f)x^{18} + 2(10b^7d - 15ab^6e + 21a^2b^5f)x^{15} + 5(6b^7c - 10ab^6d + 15a^2b^5e - 21a^3b^4f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/180*(12*b^7*f*x^21 + 3*(5*b^7*e - 7*a*b^6*f)*x^18 + 2*(10*b^7*d - 15*a*b^6*e + 21*a^2*b^5*f)*x^15 + 5*(6*b^7*c - 10*a*b^6*d + 15*a^2*b^5*e - 21*a^3*b^4*f)*x^12 - 20*(6*a*b^6*c - 10*a^2*b^5*d + 15*a^3*b^4*e - 21*a^4*b^3*f)*x^9 + 210*a^4*b^3*c - 270*a^5*b^2*d + 330*a^6*b*e - 390*a^7*f - 30*(11*a^2*b^5*c - 21*a^3*b^4*d + 34*a^4*b^3*e - 50*a^5*b^2*f)*x^6 + 60*(a^3*b^4*c + a^4*b^3*d - 4*a^5*b^2*e + 8*a^6*b*f)*x^3 + 60*(6*a^4*b^3*c - 10*a^5*b^2*d + 15*a^6*b*e - 21*a^7*f + (6*a^2*b^5*c - 10*a^3*b^4*d + 15*a^4*b^3*e - 21*a^5*b^2*f)*x^6 + 2*(6*a^3*b^4*c - 10*a^4*b^3*d + 15*a^5*b^2*e - 21*a^6*b*f)*x^3)*log(b*x^3 + a)/(b^10*x^6 + 2*a*b^9*x^3 + a^2*b^8)

giac [A] time = 0.18, size = 349, normalized size = 1.31

$$\frac{(6a^2b^3c - 10a^3b^2d - 21a^5f + 15a^4be) \log(|bx^3 + a|)}{3b^8} - \frac{18a^2b^5cx^6 - 30a^3b^4dx^6 - 63a^5b^2fx^6 + 45a^4b^3x^6e + 28a^3b^4c^3}{3b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/3*(6*a^2*b^3*c - 10*a^3*b^2*d - 21*a^5*f + 15*a^4*b*e)*log(abs(b*x^3 + a))/b^8 - 1/6*(18*a^2*b^5*c*x^6 - 30*a^3*b^4*d*x^6 - 63*a^5*b^2*f*x^6 + 45*a^4*b^3*x^6*e + 28*a^3*b^4*c*x^3 - 50*a^4*b^3*d*x^3 - 112*a^6*b*f*x^3 + 78*a^5*b^2*x^3*e + 11*a^4*b^3*c - 21*a^5*b^2*d - 50*a^7*f + 34*a^6*b*e)/((b*x^3 + a)^2*b^8) + 1/180*(12*b^12*f*x^15 - 45*a*b^11*f*x^12 + 15*b^12*x^12*e + 20*b^12*d*x^9 + 120*a^2*b^10*f*x^9 - 60*a*b^11*x^9*e + 30*b^12*c*x^6 - 90*a*b^11*d*x^6 - 300*a^3*b^9*f*x^6 + 180*a^2*b^10*x^6*e - 180*a*b^11*c*x^3 + 360*a^2*b^10*d*x^3 + 900*a^4*b^8*f*x^3 - 600*a^3*b^9*x^3*e)/b^15

maple [A] time = 0.06, size = 361, normalized size = 1.36

$$\frac{fx^{15}}{15b^3} - \frac{afx^{12}}{4b^4} + \frac{ex^{12}}{12b^3} + \frac{2a^2fx^9}{3b^5} - \frac{aex^9}{3b^4} + \frac{dx^9}{9b^3} - \frac{5a^3fx^6}{3b^6} + \frac{a^2ex^6}{b^5} - \frac{adx^6}{2b^4} + \frac{cx^6}{6b^3} + \frac{5a^4fx^3}{b^7} - \frac{10a^3ex^3}{3b^6} + \frac{2a^2dx^3}{b^5} - \frac{acx^3}{b^4} + \frac{6a^2b^3c - 10a^3b^2d - 21a^5f + 15a^4be}{3b^8} \log(|bx^3 + a|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^{14}(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)$

[Out] $\frac{1}{6}a^7/b^8/(b*x^3+a)^2f - \frac{1}{6}a^6/b^7/(b*x^3+a)^2e + \frac{1}{6}a^5/b^6/(b*x^3+a)^2d + \frac{5}{b^7}x^3a^4f - \frac{10}{3}x^3a^3e + \frac{2}{b^5}x^3a^2d - \frac{1}{b^4}x^3ac - \frac{1}{4}x^{12}af + \frac{2}{3}x^9a^2f - \frac{1}{3}x^9ae - \frac{5}{3}x^6a^3f + \frac{1}{b^5}x^6a^2e - \frac{1}{2}x^6ad + \frac{5}{b^7}\ln(b*x^3+a)e - \frac{10}{3}x^3/b^6\ln(b*x^3+a)d + \frac{2}{b^5}\ln(b*x^3+a)c - \frac{1}{6}x^4/b^5/(b*x^3+a)^2c - \frac{7}{3}x^6/b^8/(b*x^3+a)f + \frac{2}{b^7}x^5/(b*x^3+a)e - \frac{5}{3}x^4/b^6/(b*x^3+a)d + \frac{4}{3}x^3/b^5/(b*x^3+a)c - \frac{7}{b^8}\ln(b*x^3+a)f + \frac{1}{12}x^{12}e + \frac{1}{9}x^9d + \frac{1}{6}x^6c + \frac{1}{15}f*x^{15}/b^3$

maxima [A] time = 1.54, size = 275, normalized size = 1.03

$$\frac{7a^4b^3c - 9a^5b^2d + 11a^6be - 13a^7f + 2(4a^3b^4c - 5a^4b^3d + 6a^5b^2e - 7a^6bf)x^3}{6(b^{10}x^6 + 2ab^9x^3 + a^2b^8)} + \frac{12b^4fx^{15} + 15(b^4e - 3ab^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{14}(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, \text{algorithm}="maxima")$

[Out] $\frac{1}{6}(7a^4b^3c - 9a^5b^2d + 11a^6be - 13a^7f + 2(4a^3b^4c - 5a^4b^3d + 6a^5b^2e - 7a^6bf)x^3)/(b^{10}x^6 + 2a^2b^9x^3 + a^2b^8) + \frac{1}{180}(12b^4fx^{15} + 15(b^4e - 3a^2b^3f)x^{12} + 20(b^4d - 3a^2b^3e + 6a^2b^2f)x^9 + 30(b^4c - 3a^2b^3d + 6a^2b^2e - 10a^3bf)x^6 - 60(3a^2b^3c - 6a^2b^2d + 10a^3be - 15a^4f)x^3)/b^7 + \frac{1}{3}(6a^2b^3c - 10a^3b^2d + 15a^4be - 21a^5f)\log(b*x^3 + a)/b^8$

mupad [B] time = 4.96, size = 449, normalized size = 1.69

$$x^{12} \left(\frac{e}{12b^3} - \frac{af}{4b^4} \right) + x^6 \left(\frac{c}{6b^3} - \frac{a^3f}{6b^6} - \frac{a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b^2} + \frac{a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{2b} \right) - x^9 \left(\frac{a^2f}{3b^5} - \frac{d}{9b^3} + \frac{a \left(\frac{e}{b^3} \right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^{14}(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)$

[Out] $x^{12}(e/(12*b^3) - (a*f)/(4*b^4)) + x^6(c/(6*b^3) - (a^3*f)/(6*b^6) - (a^2*(e/b^3 - (3*a*f)/b^4))/(2*b^2) + (a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/(2*b)) - x^9((a^2*f)/(3*b^5) - d/(9*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/(3*b)) - ((13*a^7*f - 7*a^4*b^3*c + 9*a^5*b^2*d - 11*a^6*b*e)/(6*b) + x^3((7*a^6*f)/3 - (4*a^3*b^3*c)/3 + (5*a^4*b^2*d)/3 - 2*a^5*b*e))/(a^2*b^7 + b^9*x^6 + 2*a*b^8*x^3) - x^3((a*(c/b^3 - (a^3*f)/b^6 - (3*a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b) - (a^2*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b^2 + (a^3*(e/b^3 - (3*a*f)/b^4))/(3*b^3)) - (log(a + b*x^3)*(21*a^5*f - 6*a^2*b^3*c + 10*a^3*b^2*d - 15*a^4*b*e))/(3*b^8) + (f*x^15)/(15*b^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**14*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.277 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=226

$$\frac{x^6(6a^2f-3abe+b^2d)}{6b^5} - \frac{a^2(-6a^3f+5a^2be-4ab^2d+3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^3(-f)+a^2be-ab^2d+b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)}{b^7}$$

[Out] $\frac{1}{3}(-10a^3f+6a^2b^2e-3a^2b^2d+b^3c)x^3/b^6 + \frac{1}{6}(6a^2f-3a^2be+b^2d)x^6/b^5 + \frac{1}{9}(-3a^3f+b^3e)x^9/b^4 + \frac{1}{12}fx^{12}/b^3 + \frac{1}{6}a^3(-a^3f+a^2be-ab^2d+b^3c)/b^7 / (bx^3+a)^2 - \frac{1}{3}a^2(-6a^3f+5a^2be-4a^2b^2d+3b^3c)/b^7 / (bx^3+a) - \frac{1}{3}a(-15a^3f+10a^2b^2e-6a^2b^2d+3b^3c) \ln(bx^3+a)/b^7$

Rubi [A] time = 0.33, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(6a^2be-10a^3f-3ab^2d+b^3c)}{3b^6} - \frac{a^2(5a^2be-6a^3f-4ab^2d+3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^2be+a^3(-f)-ab^2d+b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)}{b^7}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^3c-3a^2b^2d+6a^2b^2e-10a^3f)x^3)/(3b^6) + ((b^2d-3a^2be+6a^2f)x^6)/(6b^5) + ((b^2e-3a^2f)x^9)/(9b^4) + (fx^{12})/(12b^3) + (a^3(b^3c-a^2b^2d+a^2b^2e-a^3f))/(6b^7(a+bx^3)^2) - (a^2(3b^3c-4a^2b^2d+5a^2b^2e-6a^3f))/(3b^7(a+bx^3)) - (a(3b^3c-6a^2b^2d+10a^2b^2e-15a^3f)*\text{Log}[a+bx^3])/(3b^7)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c-3ab^2d+6a^2be-10a^3f}{b^6} + \frac{(b^2d-3abe+6a^2f)x}{b^5} + \frac{(be-3af)x^2}{b^4} \right) dx, x, x^3 \right) \\ &= \frac{(b^3c-3ab^2d+6a^2be-10a^3f)x^3}{3b^6} + \frac{(b^2d-3abe+6a^2f)x^6}{6b^5} + \frac{(be-3af)x^9}{9b^4} \end{aligned}$$

Mathematica [A] time = 0.20, size = 208, normalized size = 0.92

$$\frac{6b^2x^6(6a^2f - 3abe + b^2d) + 12bx^3(-10a^3f + 6a^2be - 3ab^2d + b^3c) + \frac{12a^2(6a^3f - 5a^2be + 4ab^2d - 3b^3c)}{a+bx^3} + \frac{6a^3(a^3(-f) + a^2be - a^2c)}{(a+bx^3)^2}}{36b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x¹¹*(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³)³,x]

[Out] (12*b*(b³*c - 3*a*b²*d + 6*a²*b*e - 10*a³*f)*x³ + 6*b²*(b²*d - 3*a*b*e + 6*a²*f)*x⁶ + 4*b³*(b*e - 3*a*f)*x⁹ + 3*b⁴*f*x¹² + (6*a³*(b³*c - a*b²*d + a²*b*e - a³*f))/(a + b*x³)² + (12*a²*(-3*b³*c + 4*a*b²*d - 5*a²*b*e + 6*a³*f))/(a + b*x³) + 12*a*(-3*b³*c + 6*a*b²*d - 10*a²*b*e + 15*a³*f)*Log[a + b*x³]/(36*b⁷)

fricas [A] time = 0.80, size = 353, normalized size = 1.56

$$\frac{3b^6fx^{18} + 2(2b^6e - 3ab^5f)x^{15} + (6b^6d - 10ab^5e + 15a^2b^4f)x^{12} + 4(3b^6c - 6ab^5d + 10a^2b^4e - 15a^3b^3f)x^9 - 12a^2b^3c^2 + 24a^2b^3cd - 12a^2b^3d^2 - 12a^2b^3e^2 + 24a^2b^3ef - 12a^2b^3f^2}{36b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="fricas")

[Out] 1/36*(3*b⁶*f*x¹⁸ + 2*(2*b⁶*e - 3*a*b⁵*f)*x¹⁵ + (6*b⁶*d - 10*a*b⁵*e + 15*a²*b⁴*f)*x¹² + 4*(3*b⁶*c - 6*a*b⁵*d + 10*a²*b⁴*e - 15*a³*b³*f)*x⁹ - 30*a³*b³*c + 42*a⁴*b²*d - 54*a⁵*b*e + 66*a⁶*f + 6*(4*a*b⁵*c - 11*a²*b⁴*d + 21*a³*b³*e - 34*a⁴*b²*f)*x⁶ - 12*(2*a²*b⁴*c - a³*b³*d - a⁴*b²*e + 4*a⁵*b*f)*x³ - 12*(3*a³*b³*c - 6*a⁴*b²*d + 10*a⁵*b*e - 15*a⁶*f + (3*a*b⁵*c - 6*a²*b⁴*d + 10*a³*b³*e - 15*a⁴*b²*f)*x⁶ + 2*(3*a²*b⁴*c - 6*a³*b³*d + 10*a⁴*b²*e - 15*a⁵*b*f)*x³)*log(b*x³ + a))/(b⁹*x⁶ + 2*a*b⁸*x³ + a²*b⁷)

giac [A] time = 0.25, size = 298, normalized size = 1.32

$$\frac{(3ab^3c - 6a^2b^2d - 15a^4f + 10a^3be) \log(|bx^3 + a|)}{3b^7} + \frac{9ab^5cx^6 - 18a^2b^4dx^6 - 45a^4b^2fx^6 + 30a^3b^3x^6e + 12a^2b^3c^2 + 24a^2b^3cd - 12a^2b^3d^2 - 12a^2b^3e^2 + 24a^2b^3ef - 12a^2b^3f^2}{36b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="giac")

[Out] -1/3*(3*a*b³*c - 6*a²*b²*d - 15*a⁴*f + 10*a³*b*e)*log(abs(b*x³ + a))/b⁷ + 1/6*(9*a*b⁵*c*x⁶ - 18*a²*b⁴*d*x⁶ - 45*a⁴*b²*f*x⁶ + 30*a³*b³*e*x⁶ + 12*a²*b⁴*c*x³ - 28*a³*b³*d*x³ - 78*a⁵*b*f*x³ + 50*a⁴*b²*e*x³ + 4*a³*b³*c - 11*a⁴*b²*d - 34*a⁶*f + 21*a⁵*b*e)/((b*x³ + a)²*b⁷) + 1/36*(3*b⁹*f*x¹² - 12*a*b⁸*f*x⁹ + 4*b⁹*x⁹*e + 6*b⁹*d*x⁶ + 36*a²*b⁷*f*x⁶ - 18*a*b⁸*x⁶*e + 12*b⁹*c*x³ - 36*a*b⁸*d*x³ - 120*a³*b⁶*f*x³ + 72*a²*b⁷*x³*e)/b¹²

maple [A] time = 0.06, size = 313, normalized size = 1.38

$$\frac{fx^{12}}{12b^3} - \frac{afx^9}{3b^4} + \frac{ex^9}{9b^3} + \frac{a^2fx^6}{b^5} - \frac{aex^6}{2b^4} + \frac{dx^6}{6b^3} - \frac{10a^3fx^3}{3b^6} + \frac{2a^2ex^3}{b^5} - \frac{adx^3}{b^4} + \frac{cx^3}{3b^3} - \frac{a^6f}{6(bx^3+a)^2b^7} + \frac{a^5e}{6(bx^3+a)^2b^6} - \frac{a^4c}{6(bx^3+a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x)

[Out] $1/12*f*x^{12}/b^3 - 1/3/b^4*x^9*a*f + 1/9/b^3*x^9*e + 1/b^5*x^6*a^2*f - 1/2/b^4*x^6*a*e + 1/6/b^3*x^6*d - 10/3/b^6*x^3*a^3*f + 2/b^5*x^3*a^2*e - 1/b^4*x^3*a*d + 1/3/b^3*x^3*c - 1/6*a^6/b^7/(b*x^3+a)^2*f + 1/6*a^5/b^6/(b*x^3+a)^2*e - 1/6*a^4/b^5/(b*x^3+a)^2*d + 1/6*a^3/b^4/(b*x^3+a)^2*c + 5*a^4/b^7*\ln(b*x^3+a)*f - 10/3*a^3/b^6*\ln(b*x^3+a)*e + 2*a^2/b^5*\ln(b*x^3+a)*d - a/b^4*\ln(b*x^3+a)*c + 2*a^5/b^7/(b*x^3+a)*f - 5/3*a^4/b^6/(b*x^3+a)*e + 4/3*a^3/b^5/(b*x^3+a)*d - a^2/b^4/(b*x^3+a)*c$

maxima [A] time = 1.42, size = 233, normalized size = 1.03

$$\frac{5a^3b^3c - 7a^4b^2d + 9a^5be - 11a^6f + 2(3a^2b^4c - 4a^3b^3d + 5a^4b^2e - 6a^5bf)x^3 + 3b^3fx^{12} + 4(b^3e - 3ab^2f)}{6(b^9x^6 + 2ab^8x^3 + a^2b^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/6*(5*a^3*b^3*c - 7*a^4*b^2*d + 9*a^5*b*e - 11*a^6*f + 2*(3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)/(b^9*x^6 + 2*a*b^8*x^3 + a^2*b^7) + 1/36*(3*b^3*f*x^{12} + 4*(b^3*e - 3*a*b^2*f)*x^9 + 6*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^6 + 12*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3)/b^6 - 1/3*(3*a*b^3*c - 6*a^2*b^2*d + 10*a^3*b*e - 15*a^4*f)*\log(b*x^3 + a)/b^7$

mupad [B] time = 4.97, size = 293, normalized size = 1.30

$$x^9 \left(\frac{e}{9b^3} - \frac{af}{3b^4} \right) + x^3 \left(\frac{c}{3b^3} - \frac{a^3f}{3b^6} - \frac{a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b^2} + \frac{a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{b} \right) - x^6 \left(\frac{a^2f}{2b^5} - \frac{d}{6b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^9*(e/(9*b^3) - (a*f)/(3*b^4)) + x^3*(c/(3*b^3) - (a^3*f)/(3*b^6) - (a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b - x^6*((a^2*f)/(2*b^5) - d/(6*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + ((11*a^6*f - 5*a^3*b^3*c + 7*a^4*b^2*d - 9*a^5*b*e)/(6*b) + x^3*(2*a^5*f - a^2*b^3*c + (4*a^3*b^2*d)/3 - (5*a^4*b*e)/3))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) + (f*x^{12})/(12*b^3) + (\log(a + b*x^3)*(15*a^4*f + 6*a^2*b^2*d - 3*a*b^3*c - 10*a^3*b*e))/(3*b^7)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.278 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=186

$$\frac{x^3(6a^2f - 3abe + b^2d)}{3b^5} + \frac{a(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6(a + bx^3)} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^6(a + bx^3)^2} + \frac{\log(a + bx^3)(-10a^3f + 6a^2be - 3ab^2d + 2b^3c)}{6b^6(a + bx^3)^2}$$

[Out] 1/3*(6*a^2*f-3*a*b*e+b^2*d)*x^3/b^5+1/6*(-3*a*f+b*e)*x^6/b^4+1/9*f*x^9/b^3-1/6*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^6/(b*x^3+a)^2+1/3*a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)/b^6/(b*x^3+a)+1/3*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*ln(b*x^3+a)/b^6

Rubi [A] time = 0.27, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6(a + bx^3)} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2} + \frac{\log(a + bx^3)(6a^2be - 10a^3f - 3ab^2d + b^3c)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x^3)/(3*b^5) + ((b*e - 3*a*f)*x^6)/(6*b^4) + (f*x^9)/(9*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^6*(a + b*x^3)^2) + (a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f))/(3*b^6*(a + b*x^3)) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_)]^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^2(c+dx+ex^2+fx^3)}{(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - 3abe + 6a^2f}{b^5} + \frac{(be - 3af)x}{b^4} + \frac{fx^2}{b^3} - \frac{a^2(-b^3c + ab^2d - a^2be)}{b^5(a+bx)^3} \right) dx, x, x^3 \right) \\ &= \frac{(b^2d - 3abe + 6a^2f)x^3}{3b^5} + \frac{(be - 3af)x^6}{6b^4} + \frac{fx^9}{9b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)}{6b^6(a + bx^3)^2} + \end{aligned}$$

Mathematica [A] time = 0.17, size = 170, normalized size = 0.91

$$\frac{6bx^3(6a^2f - 3abe + b^2d) - \frac{6a(5a^3f - 4a^2be + 3ab^2d - 2b^3c)}{a+bx^3} + \frac{3a^2(a^3f - a^2be + ab^2d - b^3c)}{(a+bx^3)^2} + 6 \log(a + bx^3)(-10a^3f + 6a^2be - 3ab^2d + 2b^3c)}{18b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (6*b*(b^2*d - 3*a*b*e + 6*a^2*f)*x^3 + 3*b^2*(b*e - 3*a*f)*x^6 + 2*b^3*f*x^9 + (3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (6*a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f))/(a + b*x^3) + 6*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(18*b^6)

fricas [A] time = 0.84, size = 295, normalized size = 1.59

$$\frac{2b^5fx^{15} + (3b^5e - 5ab^4f)x^{12} + 2(3b^5d - 6ab^4e + 10a^2b^3f)x^9 + 3(4ab^4d - 11a^2b^3e + 21a^3b^2f)x^6 + 9a^2b^3c}{18b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/18*(2*b^5*f*x^15 + (3*b^5*e - 5*a*b^4*f)*x^12 + 2*(3*b^5*d - 6*a*b^4*e + 10*a^2*b^3*f)*x^9 + 3*(4*a*b^4*d - 11*a^2*b^3*e + 21*a^3*b^2*f)*x^6 + 9*a^2*b^3*c - 15*a^3*b^2*d + 21*a^4*b*e - 27*a^5*f + 6*(2*a*b^4*c - 2*a^2*b^3*d + a^3*b^2*e + a^4*b*f)*x^3 + 6*((b^5*c - 3*a*b^4*d + 6*a^2*b^3*e - 10*a^3*b^2*f)*x^6 + a^2*b^3*c - 3*a^3*b^2*d + 6*a^4*b*e - 10*a^5*f + 2*(a*b^4*c - 3*a^2*b^3*d + 6*a^3*b^2*e - 10*a^4*b*f)*x^3)*log(b*x^3 + a))/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)

giac [A] time = 0.22, size = 236, normalized size = 1.27

$$\frac{(b^3c - 3ab^2d - 10a^3f + 6a^2be) \log(|bx^3 + a|)}{3b^6} - \frac{3b^5cx^6 - 9ab^4dx^6 - 30a^3b^2fx^6 + 18a^2b^3x^6e + 2ab^4cx^3 - 12a^2b^3c}{6(bx^3 + a)^2 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/3*(b^3*c - 3*a*b^2*d - 10*a^3*f + 6*a^2*b*e)*log(abs(b*x^3 + a))/b^6 - 1/6*(3*b^5*c*x^6 - 9*a*b^4*d*x^6 - 30*a^3*b^2*f*x^6 + 18*a^2*b^3*x^6*e + 2*a*b^4*c*x^3 - 12*a^2*b^3*d*x^3 - 50*a^4*b*f*x^3 + 28*a^3*b^2*x^3*e - 4*a^3*b^2*d - 21*a^5*f + 11*a^4*b*e)/(b*x^3 + a)^2*b^6 + 1/18*(2*b^6*f*x^9 - 9*a*b^5*f*x^6 + 3*b^6*x^6*e + 6*b^6*d*x^3 + 36*a^2*b^4*f*x^3 - 18*a*b^5*x^3*e)/b^9

maple [A] time = 0.06, size = 266, normalized size = 1.43

$$\frac{fx^9}{9b^3} - \frac{afx^6}{2b^4} + \frac{ex^6}{6b^3} + \frac{2a^2fx^3}{b^5} - \frac{aex^3}{b^4} + \frac{dx^3}{3b^3} + \frac{a^5f}{6(bx^3+a)^2b^6} - \frac{a^4e}{6(bx^3+a)^2b^5} + \frac{a^3d}{6(bx^3+a)^2b^4} - \frac{a^2c}{6(bx^3+a)^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 1/9/b^3*f*x^9-1/2/b^4*x^6*a*f+1/6/b^3*x^6*e+2/b^5*x^3*a^2*f-1/b^4*x^3*a*e+1/3/b^3*x^3*d+1/6/b^6*a^5/(b*x^3+a)^2*f-1/6/b^5*a^4/(b*x^3+a)^2*e+1/6/b^4*a^3/(b*x^3+a)^2*d-1/6/b^3*a^2/(b*x^3+a)^2*c-10/3/b^6*ln(b*x^3+a)*a^3*f+2/b^5*

$\ln(b*x^3+a)*a^2*e^{-1/b^4}*\ln(b*x^3+a)*a*d+1/3/b^3*\ln(b*x^3+a)*c-5/3/b^6*a^4/(b*x^3+a)*f+4/3/b^5*a^3/(b*x^3+a)*e^{-1/b^4}*a^2/(b*x^3+a)*d+2/3/b^3*a/(b*x^3+a)*c$

maxima [A] time = 1.35, size = 191, normalized size = 1.03

$$\frac{3a^2b^3c - 5a^3b^2d + 7a^4be - 9a^5f + 2(2ab^4c - 3a^2b^3d + 4a^3b^2e - 5a^4bf)x^3}{6(b^8x^6 + 2ab^7x^3 + a^2b^6)} + \frac{2b^2fx^9 + 3(b^2e - 3abf)x^6 + 6(b^2d - 3a^2f)x^3}{18b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{6}(3a^2b^3c - 5a^3b^2d + 7a^4b^2e - 9a^5f + 2(2a^2b^4c - 3a^2b^3d + 4a^3b^2e - 5a^4bf)x^3)/(b^8x^6 + 2a^2b^7x^3 + a^2b^6) + \frac{1}{18}(2b^2fx^9 + 3(b^2e - 3a^2bf)x^6 + 6(b^2d - 3a^2f)x^3)/b^5 + \frac{1}{3}(b^3c - 3a^2b^2d + 6a^2b^2e - 10a^3f)*\log(b*x^3 + a)/b^6$

mupad [B] time = 4.92, size = 204, normalized size = 1.10

$$x^6 \left(\frac{e}{6b^3} - \frac{af}{2b^4} \right) - \frac{x^3 \left(\frac{5fa^4}{3} - \frac{4ea^3b}{3} + da^2b^2 - \frac{2cab^3}{3} \right) + \frac{9fa^5 - 7ea^4b + 5da^3b^2 - 3ca^2b^3}{6b}}{a^2b^5 + 2ab^6x^3 + b^7x^6} - x^3 \left(\frac{a^2f}{b^5} - \frac{d}{3b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3a}{b^4} \right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^6*(e/(6*b^3) - (a*f)/(2*b^4)) - (x^3*((5*a^4*f)/3 + a^2*b^2*d - (2*a*b^3*c)/3 - (4*a^3*b*e)/3) + (9*a^5*f - 3*a^2*b^3*c + 5*a^3*b^2*d - 7*a^4*b*e)/(6*b))/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) - x^3*((a^2*f)/b^5 - d/(3*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/b) + (\log(a + b*x^3)*(b^3*c - 10*a^3*f - 3*a*b^2*d + 6*a^2*b*e))/(3*b^6) + (f*x^9)/(9*b^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.279 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=146

$$\frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} - \frac{-4a^3f+3a^2be-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^3(-f)+a^2be-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{x^3(be-3af)}{3b^4}$$

[Out] 1/3*(-3*a*f+b*e)*x^3/b^4+1/6*f*x^6/b^3+1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^5/(b*x^3+a)^2+1/3*(4*a^3*f-3*a^2*b*e+2*a*b^2*d-b^3*c)/b^5/(b*x^3+a)+1/3*(6*a^2*f-3*a*b*e+b^2*d)*ln(b*x^3+a)/b^5

Rubi [A] time = 0.20, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{3a^2be-4a^3f-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^2be+a^3(-f)-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} + \frac{x^3(be-3af)}{3b^4}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b*e - 3*a*f)*x^3)/(3*b^4) + (f*x^6)/(6*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^5*(a + b*x^3)^2) - (b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)/(3*b^5*(a + b*x^3)) + ((b^2*d - 3*a*b*e + 6*a^2*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x(c+dx+ex^2+fx^3)}{(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be-3af}{b^4} + \frac{fx}{b^3} + \frac{a(-b^3c+ab^2d-a^2be+a^3f)}{b^4(a+bx)^3} + \frac{b^3c-2ab^2d}{b^4(a+bx)^3} \right) dx, x, x^3 \right) \\ &= \frac{(be-3af)x^3}{3b^4} + \frac{fx^6}{6b^3} + \frac{a(b^3c-ab^2d+a^2be-a^3f)}{6b^5(a+bx^3)^2} - \frac{b^3c-2ab^2d+3a^2be-4a^3f}{3b^5(a+bx^3)} \end{aligned}$$

Mathematica [A] time = 0.10, size = 145, normalized size = 0.99

$$\frac{7a^4f + a^3b(2fx^3 - 5e) + 2(a + bx^3)^2 \log(a + bx^3)(6a^2f - 3abe + b^2d) + a^2b^2(3d - 4ex^3 - 11fx^6) - ab^3(c - 4bx^3)}{6b^5(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (7*a^4*f + a^3*b*(-5*e + 2*f*x^3) + a^2*b^2*(3*d - 4*e*x^3 - 11*f*x^6) + b^4*x^3*(-2*c + 2*e*x^6 + f*x^9) - a*b^3*(c - 4*x^3*(d + e*x^3 - f*x^6)) + 2*(b^2*d - 3*a*b*e + 6*a^2*f)*(a + b*x^3)^2*Log[a + b*x^3])/(6*b^5*(a + b*x^3)^2)

fricas [A] time = 0.54, size = 225, normalized size = 1.54

$$\frac{b^4fx^{12} + 2(b^4e - 2ab^3f)x^9 + (4ab^3e - 11a^2b^2f)x^6 - ab^3c + 3a^2b^2d - 5a^3be + 7a^4f - 2(b^4c - 2ab^3d + 2a^2b^2e)}{6(b^7x^6 + 2ab^6x^3 + a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(b^4*f*x^12 + 2*(b^4*e - 2*a*b^3*f)*x^9 + (4*a*b^3*e - 11*a^2*b^2*f)*x^6 - a*b^3*c + 3*a^2*b^2*d - 5*a^3*b*e + 7*a^4*f - 2*(b^4*c - 2*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^3 + 2*((b^4*d - 3*a*b^3*e + 6*a^2*b^2*f)*x^6 + a^2*b^2*d - 3*a^3*b*e + 6*a^4*f + 2*(a*b^3*d - 3*a^2*b^2*e + 6*a^3*b*f)*x^3)*log(b*x^3 + a)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5)

giac [A] time = 0.18, size = 146, normalized size = 1.00

$$\frac{(b^2d + 6a^2f - 3abe) \log(|bx^3 + a|)}{3b^5} + \frac{b^3fx^6 - 6ab^2fx^3 + 2b^3x^3e}{6b^6} - \frac{ab^3c - 3a^2b^2d - 7a^4f + 5a^3be + 2(b^4c - 2ab^3d + 2a^2b^2e)}{6(bx^3 + a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/3*(b^2*d + 6*a^2*f - 3*a*b*e)*log(abs(b*x^3 + a))/b^5 + 1/6*(b^3*f*x^6 - 6*a*b^2*f*x^3 + 2*b^3*x^3*e)/b^6 - 1/6*(a*b^3*c - 3*a^2*b^2*d - 7*a^4*f + 5*a^3*b*e + 2*(b^4*c - 2*a*b^3*d - 4*a^3*b*f + 3*a^2*b^2*e)*x^3)/((b*x^3 + a)^2*b^5)

maple [A] time = 0.07, size = 213, normalized size = 1.46

$$\frac{fx^6}{6b^3} - \frac{afx^3}{b^4} + \frac{ex^3}{3b^3} - \frac{a^4f}{6(bx^3 + a)^2b^5} + \frac{a^3e}{6(bx^3 + a)^2b^4} - \frac{a^2d}{6(bx^3 + a)^2b^3} + \frac{ac}{6(bx^3 + a)^2b^2} + \frac{4a^3f}{3(bx^3 + a)b^5} - \frac{a^2e}{(bx^3 + a)b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 1/6*f*x^6/b^3-1/b^4*x^3*a*f+1/3/b^3*x^3*e-1/6/b^5*a^4/(b*x^3+a)^2*f+1/6/b^4*a^3/(b*x^3+a)^2*e-1/6/b^3*a^2/(b*x^3+a)^2*d+1/6/b^2*a/(b*x^3+a)^2*c+2/b^5*ln(b*x^3+a)*a^2*f-1/b^4*ln(b*x^3+a)*a*e+1/3/b^3*ln(b*x^3+a)*d+4/3/b^5/(b*x^3+a)*a^3*f-1/b^4/(b*x^3+a)*a^2*e+2/3/b^3/(b*x^3+a)*a*d-1/3/b^2/(b*x^3+a)*c

maxima [A] time = 1.39, size = 147, normalized size = 1.01

$$\frac{ab^3c - 3a^2b^2d + 5a^3be - 7a^4f + 2(b^4c - 2ab^3d + 3a^2b^2e - 4a^3bf)x^3}{6(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{bfx^6 + 2(be - 3af)x^3}{6b^4} + \frac{(b^2d - 3abe + 2a^2f)x^3}{6b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/6*(a*b^3*c - 3*a^2*b^2*d + 5*a^3*b*e - 7*a^4*f + 2*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^3)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/6*(b*f*x^6 + 2*(b*e - 3*a*f)*x^3)/b^4 + 1/3*(b^2*d - 3*a*b*e + 6*a^2*f)*\log(b*x^3 + a)/b^5$$

mupad [B] time = 0.10, size = 152, normalized size = 1.04

$$x^3 \left(\frac{e}{3b^3} - \frac{af}{b^4} \right) + \frac{\frac{7fa^4 - 5ea^3b + 3da^2b^2 - cab^3}{6b} - x^3 \left(-\frac{4fa^3}{3} + ea^2b - \frac{2dab^2}{3} + \frac{cb^3}{3} \right)}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^6}{6b^3} + \frac{\ln(bx^3 + a)(6fa^2 - 3a^2f)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out]
$$x^3*(e/(3*b^3) - (a*f)/b^4) + ((7*a^4*f + 3*a^2*b^2*d - a*b^3*c - 5*a^3*b*e)/(6*b) - x^3*((b^3*c)/3 - (4*a^3*f)/3 - (2*a*b^2*d)/3 + a^2*b*e))/(a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^6)/(6*b^3) + (\log(a + b*x^3)*(b^2*d + 6*a^2*f - 3*a*b*e))/(3*b^5)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.280 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=109

$$-\frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} - \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6b^4(a+bx^3)^2} + \frac{(be - 3af) \log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

[Out] 1/3*f*x^3/b^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/b^4/(b*x^3+a)^2+1/3*(-3*a^2*f+2*a*b*e-b^2*d)/b^4/(b*x^3+a)+1/3*(-3*a*f+b*e)*ln(b*x^3+a)/b^4

Rubi [A] time = 0.15, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6b^4(a+bx^3)^2} - \frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} + \frac{(be - 3af) \log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (f*x^3)/(3*b^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*b^4*(a + b*x^3)^2) - (b^2*d - 2*a*b*e + 3*a^2*f)/(3*b^4*(a + b*x^3)) + ((b*e - 3*a*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a+bx)^3} + \frac{b^2d - 2abe + 3a^2f}{b^3(a+bx)^2} + \frac{be - 3af}{b^3(a+bx)} \right) dx, x, x^3 \right) \\ &= \frac{fx^3}{3b^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6b^4(a+bx^3)^2} - \frac{b^2d - 2abe + 3a^2f}{3b^4(a+bx^3)} + \frac{(be - 3af) \log(a+bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.06, size = 105, normalized size = 0.96

$$\frac{-5a^3f + a^2b(3e - 4fx^3) + ab^2(-d + 4ex^3 + 4fx^6) + 2(a+bx^3)^2(be - 3af) \log(a+bx^3) - b^3(c + 2dx^3 - 2fx^9)}{6b^4(a+bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out]
$$\frac{(-5*a^3*f + a^2*b*(3*e - 4*f*x^3) + a*b^2*(-d + 4*e*x^3 + 4*f*x^6) - b^3*(c + 2*d*x^3 - 2*f*x^9) + 2*(b*e - 3*a*f)*(a + b*x^3)^2*\text{Log}[a + b*x^3])}{6*b^4*(a + b*x^3)^2}$$

fricas [A] time = 0.59, size = 158, normalized size = 1.45

$$\frac{2b^3fx^9 + 4ab^2fx^6 - b^3c - ab^2d + 3a^2be - 5a^3f - 2(b^3d - 2ab^2e + 2a^2bf)x^3 + 2((b^3e - 3ab^2f)x^6 + a^2be - 6(b^6x^6 + 2ab^5x^3 + a^2b^4))}{6(b^6x^6 + 2ab^5x^3 + a^2b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{6}*(2*b^3*f*x^9 + 4*a*b^2*f*x^6 - b^3*c - a*b^2*d + 3*a^2*b*e - 5*a^3*f - 2*(b^3*d - 2*a*b^2*e + 2*a^2*b*f)*x^3 + 2*((b^3*e - 3*a*b^2*f)*x^6 + a^2*b*e - 3*a^3*f + 2*(a*b^2*e - 3*a^2*b*f)*x^3)*\text{log}(b*x^3 + a)/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4)$$

giac [A] time = 0.20, size = 100, normalized size = 0.92

$$\frac{fx^3}{3b^3} - \frac{(3af - be)\log(|bx^3 + a|)}{3b^4} - \frac{b^3c + ab^2d + 5a^3f + 2(b^3d + 3a^2bf - 2ab^2e)x^3 - 3a^2be}{6(bx^3 + a)^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\frac{1}{3}*f*x^3/b^3 - \frac{1}{3}*(3*a*f - b*e)*\text{log}(\text{abs}(b*x^3 + a))/b^4 - \frac{1}{6}*(b^3*c + a*b^2*d + 5*a^3*f + 2*(b^3*d + 3*a^2*b*f - 2*a*b^2*e)*x^3 - 3*a^2*b*e)/((b*x^3 + a)^2*b^4)$$

maple [A] time = 0.06, size = 156, normalized size = 1.43

$$\frac{fx^3}{3b^3} + \frac{a^3f}{6(bx^3 + a)^2b^4} - \frac{a^2e}{6(bx^3 + a)^2b^3} + \frac{ad}{6(bx^3 + a)^2b^2} - \frac{c}{6(bx^3 + a)^2b} - \frac{a^2f}{(bx^3 + a)b^4} + \frac{2ae}{3(bx^3 + a)b^3} - \frac{af \ln}{3(bx^3 + a)b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out]
$$\frac{1}{3}/b^3*f*x^3 + \frac{1}{6}/b^4/(b*x^3+a)^2*a^3*f - \frac{1}{6}/b^3/(b*x^3+a)^2*a^2*e + \frac{1}{6}/b^2/(b*x^3+a)^2*a*d - \frac{1}{6}/b/(b*x^3+a)^2*c - \frac{1}{b^4}*\ln(b*x^3+a)*a*f + \frac{1}{3}/b^3*\ln(b*x^3+a)*e - \frac{1}{b^4}/(b*x^3+a)*a^2*f + \frac{2}{3}/b^3/(b*x^3+a)*a*e - \frac{1}{3}/b^2/(b*x^3+a)*d$$

maxima [A] time = 1.38, size = 109, normalized size = 1.00

$$\frac{fx^3}{3b^3} - \frac{b^3c + ab^2d - 3a^2be + 5a^3f + 2(b^3d - 2ab^2e + 3a^2bf)x^3}{6(b^6x^6 + 2ab^5x^3 + a^2b^4)} + \frac{(be - 3af)\log(bx^3 + a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\frac{1}{3}*f*x^3/b^3 - \frac{1}{6}*(b^3*c + a*b^2*d - 3*a^2*b*e + 5*a^3*f + 2*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4) + \frac{1}{3}*(b*e - 3*a*f)*\text{log}(b*x^3 + a)/b^4$$

mupad [B] time = 4.94, size = 112, normalized size = 1.03

$$\frac{f x^3}{3 b^3} - \frac{x^3 \left(f a^2 - \frac{2 e a b}{3} + \frac{d b^2}{3} \right) + \frac{5 f a^3 - 3 e a^2 b + d a b^2 + c b^3}{6 b}}{a^2 b^3 + 2 a b^4 x^3 + b^5 x^6} - \frac{\ln(b x^3 + a) (3 a f - b e)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] (f*x^3)/(3*b^3) - (x^3*((b^2*d)/3 + a^2*f - (2*a*b*e)/3) + (b^3*c + 5*a^3*f + a*b^2*d - 3*a^2*b*e)/(6*b))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) - (log(a + b*x^3)*(3*a*f - b*e))/(3*b^4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.281 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=114

$$-\frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3} + \frac{2a^3f - a^2be + b^3c}{3a^2b^3(a+bx^3)} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6ab^3(a+bx^3)^2}$$

[Out] $1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a/b^3/(b*x^3+a)^2+1/3*(2*a^3*f-a^2*b*e+b^3*c)/a^2/b^3/(b*x^3+a)+c*\ln(x)/a^3-1/3*(c/a^3-f/b^3)*\ln(b*x^3+a)$

Rubi [A] time = 0.15, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6ab^3(a+bx^3)^2} + \frac{-a^2be + 2a^3f + b^3c}{3a^2b^3(a+bx^3)} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] $(b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a*b^3*(a + b*x^3)^2) + (b^3*c - a^2*b*e + 2*a^3*f)/(3*a^2*b^3*(a + b*x^3)) + (c*\text{Log}[x])/a^3 - ((c/a^3 - f/b^3)*\text{Log}[a + b*x^3])/3$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x} + \frac{-b^3c+ab^2d-a^2be+a^3f}{ab^2(a+bx)^3} + \frac{-b^3c+a^2be-2a^3f}{a^2b^2(a+bx)^2} + \frac{-b^3c+a^2be-2a^3f}{a^3b^2(a+bx)} \right) dx, x, x^3 \right) \\ &= \frac{b^3c - ab^2d + a^2be - a^3f}{6ab^3(a+bx^3)^2} + \frac{b^3c - a^2be + 2a^3f}{3a^2b^3(a+bx^3)} + \frac{c \log(x)}{a^3} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) \end{aligned}$$

Mathematica [A] time = 0.13, size = 104, normalized size = 0.91

$$\frac{2(a^3f - b^3c) \log(a+bx^3) + \frac{a(3a^4f - a^3b(e - 4fx^3) - a^2b^2(d + 2ex^3) + 3ab^3c + 2b^4cx^3)}{(a+bx^3)^2}}{b^3} + 6c \log(x)$$

$$\frac{\hspace{10em}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] (6*c*Log[x] + ((a*(3*a*b^3*c + 3*a^4*f + 2*b^4*c*x^3 - a^2*b^2*(d + 2*e*x^3) - a^3*b*(e - 4*f*x^3)))/(a + b*x^3)^2 + 2*(-(b^3*c) + a^3*f)*Log[a + b*x^3])/b^3)/(6*a^3)

fricas [A] time = 0.52, size = 187, normalized size = 1.64

$$\frac{3a^2b^3c - a^3b^2d - a^4be + 3a^5f + 2(ab^4c - a^3b^2e + 2a^4bf)x^3 - 2((b^5c - a^3b^2f)x^6 + a^2b^3c - a^5f + 2(ab^4c - a^4bf))}{6(a^3b^5x^6 + 2a^4b^4x^3 + a^5b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(3*a^2*b^3*c - a^3*b^2*d - a^4*b*e + 3*a^5*f + 2*(a*b^4*c - a^3*b^2*e + 2*a^4*b*f)*x^3 - 2*((b^5*c - a^3*b^2*f)*x^6 + a^2*b^3*c - a^5*f + 2*(a*b^4*c - a^4*b*f)*x^3)*log(b*x^3 + a) + 6*(b^5*c*x^6 + 2*a*b^4*c*x^3 + a^2*b^3*c)*log(x))/(a^3*b^5*x^6 + 2*a^4*b^4*x^3 + a^5*b^3)

giac [A] time = 0.24, size = 128, normalized size = 1.12

$$\frac{c \log(|x|)}{a^3} - \frac{(b^3c - a^3f) \log(|bx^3 + a|)}{3a^3b^3} + \frac{3b^4cx^6 - 3a^3bfx^6 + 8ab^3cx^3 - 2a^4fx^3 - 2a^3bx^3e + 6a^2b^2c - a^3bd - a^4e}{6(bx^3 + a)^2a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] c*log(abs(x))/a^3 - 1/3*(b^3*c - a^3*f)*log(abs(b*x^3 + a))/(a^3*b^3) + 1/6*(3*b^4*c*x^6 - 3*a^3*b*f*x^6 + 8*a*b^3*c*x^3 - 2*a^4*f*x^3 - 2*a^3*b*x^3*e + 6*a^2*b^2*c - a^3*b*d - a^4*e)/((b*x^3 + a)^2*a^3*b^2)

maple [A] time = 0.06, size = 147, normalized size = 1.29

$$-\frac{a^2f}{6(bx^3 + a)^2b^3} + \frac{ae}{6(bx^3 + a)^2b^2} + \frac{c}{6(bx^3 + a)^2a} - \frac{d}{6(bx^3 + a)^2b} + \frac{2af}{3(bx^3 + a)b^3} + \frac{c}{3(bx^3 + a)a^2} + \frac{c \ln(x)}{a^3} - \frac{c \ln(bx^3 + a)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x)

[Out] -1/6*a^2/b^3/(b*x^3+a)^2*f+1/6*a/b^2/(b*x^3+a)^2*e-1/6/b/(b*x^3+a)^2*d+1/6/a/(b*x^3+a)^2*c+1/3/b^3*ln(b*x^3+a)*f-1/3*c*ln(b*x^3+a)/a^3+2/3*a/b^3/(b*x^3+a)*f-1/3/b^2/(b*x^3+a)*e+1/3/a^2/(b*x^3+a)*c+c*ln(x)/a^3

maxima [A] time = 1.37, size = 129, normalized size = 1.13

$$\frac{3ab^3c - a^2b^2d - a^3be + 3a^4f + 2(b^4c - a^2b^2e + 2a^3bf)x^3}{6(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{c \log(x^3)}{3a^3} - \frac{(b^3c - a^3f) \log(bx^3 + a)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/6*(3*a*b^3*c - a^2*b^2*d - a^3*b*e + 3*a^4*f + 2*(b^4*c - a^2*b^2*e + 2*a^3*b*f)*x^3)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + 1/3*c*log(x^3)/a^3 - 1/3*(b^3*c - a^3*f)*log(b*x^3 + a)/(a^3*b^3)

mupad [B] time = 0.18, size = 123, normalized size = 1.08

$$\frac{\frac{3fa^3 - ea^2b - dab^2 + 3cb^3}{6ab^3} + \frac{x^3(2fa^3 - ea^2b + cb^3)}{3a^2b^2}}{a^2 + 2abx^3 + b^2x^6} + \frac{c \ln(x)}{a^3} - \frac{\ln(bx^3 + a)(b^3c - a^3f)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x)

[Out] ((3*b^3*c + 3*a^3*f - a*b^2*d - a^2*b*e)/(6*a*b^3) + (x^3*(b^3*c + 2*a^3*f - a^2*b*e))/(3*a^2*b^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + (c*log(x))/a^3 - (log(a + b*x^3)*(b^3*c - a^3*f))/(3*a^3*b^3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**3, x)

[Out] Timed out

$$3.282 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=134

$$\frac{(3bc-ad)\log(a+bx^3)}{3a^4} - \frac{\log(x)(3bc-ad)}{a^4} - \frac{a^3f-ab^2d+2b^3c}{3a^3b^2(a+bx^3)} - \frac{c}{3a^3x^3} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{6a^2b^2(a+bx^3)^2}$$

[Out] $-1/3*c/a^3/x^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^2/b^2/(b*x^3+a)^2+1/3*(-a^3*f+a*b^2*d-2*b^3*c)/a^3/b^2/(b*x^3+a)-(-a*d+3*b*c)*\ln(x)/a^4+1/3*(-a*d+3*b*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.17, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^2b^2(a+bx^3)^2} - \frac{a^3f-ab^2d+2b^3c}{3a^3b^2(a+bx^3)} + \frac{(3bc-ad)\log(a+bx^3)}{3a^4} - \frac{\log(x)(3bc-ad)}{a^4} - \frac{c}{3a^3x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^2*b^2*(a + b*x^3)^2) - (2*b^3*c - a*b^2*d + a^3*f)/(3*a^3*b^2*(a + b*x^3)) - ((3*b*c - a*d)*\text{Log}[x])/a^4 + ((3*b*c - a*d)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^2} + \frac{-3bc+ad}{a^4x} + \frac{b^3c-ab^2d+a^2be-a^3f}{a^2b(a+bx)^3} + \frac{2b^3c-ab^2d+a^3f}{a^3b(a+bx)^2} \right) dx, x, x^3 \right) \\ &= -\frac{c}{3a^3x^3} - \frac{b^3c-ab^2d+a^2be-a^3f}{6a^2b^2(a+bx^3)^2} - \frac{2b^3c-ab^2d+a^3f}{3a^3b^2(a+bx^3)} - \frac{(3bc-ad)\log(x)}{a^4} + \frac{(3bc-ad)\log(a+bx^3)}{3a^4} \end{aligned}$$

Mathematica [A] time = 0.11, size = 121, normalized size = 0.90

$$\frac{-\frac{2a(a^3f-ab^2d+2b^3c)}{b^2(a+bx^3)} + \frac{a^2(a^3f-a^2be+ab^2d-b^3c)}{b^2(a+bx^3)^2} + 2(3bc-ad)\log(a+bx^3) + 6\log(x)(ad-3bc) - \frac{2ac}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out]
$$\frac{(-2ac)/x^3 + (a^2(-b^3c) + ab^2d - a^2be + a^3f)/(b^2(a + bx^3)^2) - (2a(2b^3c - ab^2d + a^3f))/(b^2(a + bx^3)) + 6(-3bc + ad)*\text{Log}[x] + 2(3bc - ad)*\text{Log}[a + bx^3]}{6a^4}$$

fricas [A] time = 0.72, size = 250, normalized size = 1.87

$$\frac{2(3ab^4c - a^2b^3d + a^4bf)x^6 + 2a^3b^2c + (9a^2b^3c - 3a^3b^2d + a^4be + a^5f)x^3 - 2((3b^5c - ab^4d)x^9 + 2(3ab^4c - a^2b^3d)x^6 + 2a^3b^2c)}{6(a^4bx^3 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/6*(2*(3ab^4c - a^2b^3d + a^4bf)*x^6 + 2a^3b^2c + (9a^2b^3c - 3a^3b^2d + a^4be + a^5f)*x^3 - 2*((3b^5c - ab^4d)*x^9 + 2*(3ab^4c - a^2b^3d)*x^6 + (3a^2b^3c - a^3b^2d)*x^3)*\log(bx^3 + a) + 6*((3b^5c - ab^4d)*x^9 + 2*(3ab^4c - a^2b^3d)*x^6 + (3a^2b^3c - a^3b^2d)*x^3)*\log(x)/(a^4b^4x^9 + 2a^5b^3x^6 + a^6b^2x^3)$$

giac [A] time = 0.18, size = 173, normalized size = 1.29

$$\frac{(3bc - ad)\log(|x|)}{a^4} + \frac{(3b^2c - abd)\log(|bx^3 + a|)}{3a^4b} + \frac{3bcx^3 - adx^3 - ac}{3a^4x^3} - \frac{9b^5cx^6 - 3ab^4dx^6 + 22ab^4cx^3 - 8a^2b^3d}{3a^4x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-(3bc - ad)*\log(\text{abs}(x))/a^4 + 1/3*(3b^2c - ab^2d)*\log(\text{abs}(bx^3 + a))/(a^4b) + 1/3*(3bcx^3 - adx^3 - ac)/(a^4x^3) - 1/6*(9b^5cx^6 - 3ab^4dx^6 + 22ab^4cx^3 - 8a^2b^3d)x^3 + 2a^4b^2fx^3 + 14a^2b^3cx - 6a^3b^2d + a^5f + a^4be)/(b^4x^9 + 2a^5b^3x^6 + a^6b^2x^3)$$

maple [A] time = 0.06, size = 163, normalized size = 1.22

$$\frac{af}{6(bx^3 + a)^2 b^2} + \frac{d}{6(bx^3 + a)^2 a} - \frac{bc}{6(bx^3 + a)^2 a^2} - \frac{e}{6(bx^3 + a)^2 b} + \frac{d}{3(bx^3 + a)a^2} - \frac{2bc}{3(bx^3 + a)a^3} + \frac{d \ln(x)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x)

[Out]
$$1/6*a/b^2/(b*x^3+a)^2*f - 1/6/b/(b*x^3+a)^2*e + 1/6/a/(b*x^3+a)^2*d - 1/6/a^2*b/(b*x^3+a)^2*c - 1/3*d*\ln(b*x^3+a)/a^3 + b*c*\ln(b*x^3+a)/a^4 - 1/3/b^2/(b*x^3+a)*f + 1/3/a^2/(b*x^3+a)*d - 2/3/a^3*b/(b*x^3+a)*c - 1/3/a^3*c/x^3 + d*\ln(x)/a^3 - 3*b*c*\ln(x)/a^4$$

maxima [A] time = 1.36, size = 144, normalized size = 1.07

$$\frac{2(3b^4c - ab^3d + a^3bf)x^6 + 2a^2b^2c + (9ab^3c - 3a^2b^2d + a^3be + a^4f)x^3}{6(a^3b^4x^9 + 2a^4b^3x^6 + a^5b^2x^3)} + \frac{(3bc - ad)\log(bx^3 + a)}{3a^4} + \frac{(3bc - ad)\log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/6*(2*(3*b^4*c - a*b^3*d + a^3*b*f)*x^6 + 2*a^2*b^2*c + (9*a*b^3*c - 3*a^2*b^2*d + a^3*b*e + a^4*f)*x^3)/(a^3*b^4*x^9 + 2*a^4*b^3*x^6 + a^5*b^2*x^3) + 1/3*(3*b*c - a*d)*\log(b*x^3 + a)/a^4 - 1/3*(3*b*c - a*d)*\log(x^3)/a^4$$

mupad [B] time = 5.07, size = 135, normalized size = 1.01

$$\frac{\ln(x) (ad - 3bc)}{a^4} - \frac{\ln(bx^3 + a) (ad - 3bc)}{3a^4} - \frac{\frac{c}{3a} + \frac{x^6(fa^3 - dab^2 + 3cb^3)}{3a^3b}}{a^2x^3 + 2abx^6 + b^2x^9} + \frac{x^3(fa^3 + ea^2b - 3dab^2 + 9cb^3)}{6a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3),x)`

[Out]
$$\frac{\log(x)*(a*d - 3*b*c)}{a^4} - \frac{\log(a + b*x^3)*(a*d - 3*b*c)}{(3*a^4)} - \frac{c}{(3*a)} + \frac{x^6*(3*b^3*c + a^3*f - a*b^2*d)}{(3*a^3*b)} + \frac{x^3*(9*b^3*c + a^3*f - 3*a*b^2*d + a^2*b*e)}{(6*a^2*b^2)} / (a^2*x^3 + b^2*x^9 + 2*a*b*x^6)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**3,x)`

[Out] Timed out

3.283 $\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$

Optimal. Leaf size=163

$$\frac{3bc - ad}{3a^4x^3} - \frac{c}{6a^3x^6} - \frac{\log(a + bx^3)(a^2e - 3abd + 6b^2c)}{3a^5} + \frac{\log(x)(a^2e - 3abd + 6b^2c)}{a^5} + \frac{a^2e - 2abd + 3b^2c}{3a^4(a + bx^3)} + \frac{a^3(-f)}{6a^5}$$

[Out] $-1/6*c/a^3/x^6+1/3*(-a*d+3*b*c)/a^4/x^3+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^3/b/(b*x^3+a)^2+1/3*(a^2*e-2*a*b*d+3*b^2*c)/a^4/(b*x^3+a)+(a^2*e-3*a*b*d+6*b^2*c)*\ln(x)/a^5-1/3*(a^2*e-3*a*b*d+6*b^2*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.20, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6a^3b(a + bx^3)^2} + \frac{a^2e - 2abd + 3b^2c}{3a^4(a + bx^3)} - \frac{\log(a + bx^3)(a^2e - 3abd + 6b^2c)}{3a^5} + \frac{\log(x)(a^2e - 3abd + 6b^2c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] $-c/(6*a^3*x^6) + (3*b*c - a*d)/(3*a^4*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^3*b*(a + b*x^3)^2) + (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*(a + b*x^3)) + ((6*b^2*c - 3*a*b*d + a^2*e)*\text{Log}[x])/a^5 - ((6*b^2*c - 3*a*b*d + a^2*e)*\text{Log}[a + b*x^3])/a^5$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3(a + bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^3} + \frac{-3bc + ad}{a^4x^2} + \frac{6b^2c - 3abd + a^2e}{a^5x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx)^3} \right) dx, x, x^3 \right) \\ &= -\frac{c}{6a^3x^6} + \frac{3bc - ad}{3a^4x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{6a^3b(a + bx^3)^2} + \frac{3b^2c - 2abd + a^2e}{3a^4(a + bx^3)} + \frac{(6b^2c - 3a^2be + a^3f) \log(a + bx^3)}{6a^5} \end{aligned}$$

Mathematica [A] time = 0.13, size = 149, normalized size = 0.91

$$\frac{2a(a^2e - 2abd + 3b^2c)}{a + bx^3} - 2 \log(a + bx^3)(a^2e - 3abd + 6b^2c) + 6 \log(x)(a^2e - 3abd + 6b^2c) - \frac{a^2c}{x^6} + \frac{a^2(a^3(-f) + a^2be - ab^2d)}{b(a + bx^3)^2} - \frac{a^2e - 2abd + 3b^2c}{3a^4(a + bx^3)} + \frac{\log(x)(a^2e - 3abd + 6b^2c)}{a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]
```

```
[Out] (-((a^2*c)/x^6) - (2*a*(-3*b*c + a*d))/x^3 + (a^2*(b^3*c - a*b^2*d + a^2*b*
e - a^3*f))/(b*(a + b*x^3)^2) + (2*a*(3*b^2*c - 2*a*b*d + a^2*e))/(a + b*x^
3) + 6*(6*b^2*c - 3*a*b*d + a^2*e)*Log[x] - 2*(6*b^2*c - 3*a*b*d + a^2*e)*L
og[a + b*x^3])/(6*a^5)
```

```
fricas [B] time = 0.63, size = 316, normalized size = 1.94
```

$$\frac{2(6ab^4c - 3a^2b^3d + a^3b^2e)x^9 + (18a^2b^3c - 9a^3b^2d + 3a^4be - a^5f)x^6 - a^4bc + 2(2a^3b^2c - a^4bd)x^3 - 2((6b^5c -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/6*(2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (18*a^2*b^3*c - 9*a^3*b^
2*d + 3*a^4*b*e - a^5*f)*x^6 - a^4*b*c + 2*(2*a^3*b^2*c - a^4*b*d)*x^3 - 2*
((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^12 + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*
b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*log(b*x^3 + a) + 6*
((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^12 + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*
b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*log(x))/(a^5*b^3*x^
12 + 2*a^6*b^2*x^9 + a^7*b*x^6)
```

```
giac [A] time = 0.19, size = 189, normalized size = 1.16
```

$$\frac{(6b^2c - 3abd + a^2e) \log(|x|)}{a^5} - \frac{(6b^3c - 3ab^2d + a^2be) \log(|bx^3 + a|)}{3a^5b} + \frac{12b^4cx^9 - 6ab^3dx^9 + 2a^2b^2x^9e + 18ab^3c}{3a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] (6*b^2*c - 3*a*b*d + a^2*e)*log(abs(x))/a^5 - 1/3*(6*b^3*c - 3*a*b^2*d + a^
2*b*e)*log(abs(b*x^3 + a))/(a^5*b) + 1/6*(12*b^4*c*x^9 - 6*a*b^3*d*x^9 + 2*
a^2*b^2*x^9*e + 18*a*b^3*c*x^6 - 9*a^2*b^2*d*x^6 - a^4*f*x^6 + 3*a^3*b*x^6*
e + 4*a^2*b^2*c*x^3 - 2*a^3*b*d*x^3 - a^3*b*c)/((b*x^6 + a*x^3)^2*a^4*b)
```

```
maple [A] time = 0.06, size = 213, normalized size = 1.31
```

$$\frac{e}{6(bx^3 + a)^2 a} - \frac{bd}{6(bx^3 + a)^2 a^2} + \frac{b^2c}{6(bx^3 + a)^2 a^3} - \frac{f}{6(bx^3 + a)^2 b} + \frac{e}{3(bx^3 + a)a^2} - \frac{2bd}{3(bx^3 + a)a^3} + \frac{e \ln(x)}{a^3} - \frac{e \ln(bx^3 + a)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x)
```

```
[Out] -1/6/b/(b*x^3+a)^2*f+1/6/a/(b*x^3+a)^2*e-1/6/a^2*b/(b*x^3+a)^2*d+1/6/a^3*b^
2/(b*x^3+a)^2*c-1/3*e*ln(b*x^3+a)/a^3+1/a^4*ln(b*x^3+a)*b*d-2/a^5*ln(b*x^3+
a)*b^2*c+1/3/a^2/(b*x^3+a)*e-2/3/a^3*b/(b*x^3+a)*d+1/a^4*b^2/(b*x^3+a)*c-1/
6*c/a^3/x^6-1/3/a^3/x^3*d+1/a^4/x^3*b*c+e*ln(x)/a^3-3/a^4*ln(x)*b*d+6/a^5*l
n(x)*b^2*c
```

```
maxima [A] time = 1.40, size = 182, normalized size = 1.12
```

$$\frac{2(6b^4c - 3ab^3d + a^2b^2e)x^9 + (18ab^3c - 9a^2b^2d + 3a^3be - a^4f)x^6 - a^3bc + 2(2a^2b^2c - a^3bd)x^3 - (6b^2c - 3abd)}{6(a^4b^3x^{12} + 2a^5b^2x^9 + a^6bx^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{6}*(2*(6*b^4*c - 3*a*b^3*d + a^2*b^2*e)*x^9 + (18*a*b^3*c - 9*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^6 - a^3*b*c + 2*(2*a^2*b^2*c - a^3*b*d)*x^3)/(a^4*b^3*x^{12} + 2*a^5*b^2*x^9 + a^6*b*x^6) - \frac{1}{3}*(6*b^2*c - 3*a*b*d + a^2*e)*\log(b*x^3 + a)/a^5 + \frac{1}{3}*(6*b^2*c - 3*a*b*d + a^2*e)*\log(x^3)/a^5$

mupad [B] time = 5.10, size = 167, normalized size = 1.02

$$\frac{\ln(x) \left(e a^2 - 3 d a b + 6 c b^2 \right)}{a^5} - \frac{\ln(b x^3 + a) \left(e a^2 - 3 d a b + 6 c b^2 \right)}{3 a^5} - \frac{\frac{c}{6 a} + \frac{x^3 (a d - 2 b c)}{3 a^2}}{a^2 x^6 + 2 a b x^9 + b^2 x^{12}} - \frac{b x^9 \left(e a^2 - 3 d a b + 6 c b^2 \right)}{3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3),x)

[Out] $(\log(x)*(6*b^2*c + a^2*e - 3*a*b*d))/a^5 - (\log(a + b*x^3)*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^5) - (c/(6*a) + (x^3*(a*d - 2*b*c))/(3*a^2) - (b*x^9*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^4) - (x^6*(18*b^3*c - a^3*f - 9*a*b^2*d + 3*a^2*b*e))/(6*a^3*b))/(a^2*x^6 + b^2*x^{12} + 2*a*b*x^9)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**3,x)

[Out] Timed out

$$3.284 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$$

Optimal. Leaf size=218

$$\frac{3bc-ad}{6a^4x^6} - \frac{c}{9a^3x^9} - \frac{a^2e-3abd+6b^2c}{3a^5x^3} + \frac{\log(a+bx^3)(a^3(-f)+3a^2be-6ab^2d+10b^3c)}{3a^6} - \frac{\log(x)(a^3(-f)+3a^2be-6ab^2d+10b^3c)}{a^6}$$

[Out] $-1/9*c/a^3/x^9+1/6*(-a*d+3*b*c)/a^4/x^6+1/3*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^4/(b*x^3+a)^2+1/3*(a^3*f-2*a^2*b*e+3*a*b^2*d-4*b^3*c)/a^5/(b*x^3+a)-(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)*\ln(x)/a^6+1/3*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.26, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5(a+bx^3)} - \frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^4(a+bx^3)^2} + \frac{\log(a+bx^3)(3a^2be+a^3(-f)-6ab^2d+10b^3c)}{3a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] $-c/(9*a^3*x^9) + (3*b*c - a*d)/(6*a^4*x^6) - (6*b^2*c - 3*a*b*d + a^2*e)/(3*a^5*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*(a + b*x^3)^2) - (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*(a + b*x^3)) - ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\text{Log}[x])/a^6 + ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/ (3*a^6)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_.) + (b_.)*(x_))^(n_)*((c_.) + (d_.)*(x_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^4(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^4} + \frac{-3bc+ad}{a^4x^3} + \frac{6b^2c-3abd+a^2e}{a^5x^2} + \frac{-10b^3c+6ab^2d-3a^2be+a^3f}{a^6x} \right) dx, x, x^3 \right) \\ &= -\frac{c}{9a^3x^9} + \frac{3bc-ad}{6a^4x^6} - \frac{6b^2c-3abd+a^2e}{3a^5x^3} - \frac{b^3c-ab^2d+a^2be-a^3f}{6a^4(a+bx^3)^2} - \frac{4b^3c-3ab^2d+10b^3c}{3a^5(a+bx^3)} \end{aligned}$$

Mathematica [A] time = 0.17, size = 200, normalized size = 0.92

$$\frac{\frac{2a^3c}{x^9} - \frac{6a(a^2e-3abd+6b^2c)}{x^3} - \frac{3a^2(ad-3bc)}{x^6} + \frac{3a^2(a^3f-a^2be+ab^2d-b^3c)}{(a+bx^3)^2} + \frac{6a(a^3f-2a^2be+3ab^2d-4b^3c)}{a+bx^3} + 6 \log(a+bx^3)(a^3(-f))}{18a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out]
$$\left(\frac{(-2*a^3*c)}{x^9} - \frac{(3*a^2*(-3*b*c + a*d))}{x^6} - \frac{(6*a*(6*b^2*c - 3*a*b*d + a^2*e))}{x^3} + \frac{(3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))}{(a + b*x^3)^2} + \frac{(6*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))}{(a + b*x^3)} + 18*(-10*b^3*c + 6*a*b^2*d - 3*a^2*b*e + a^3*f)*\text{Log}[x] + 6*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\text{Log}[a + b*x^3] \right) / (18*a^6)$$

fricas [A] time = 0.74, size = 396, normalized size = 1.82

$$\frac{6(10ab^4c - 6a^2b^3d + 3a^3b^2e - a^4bf)x^{12} + 9(10a^2b^3c - 6a^3b^2d + 3a^4be - a^5f)x^9 + 2(10a^3b^2c - 6a^4bd + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{-1/18*(6*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + 9*(10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9 + 2*(10*a^3*b^2*c - 6*a^4*b*d + 3*a^5*e)*x^6 + 2*a^5*c - (5*a^4*b*c - 3*a^5*d)*x^3 - 6*((10*b^5*c - 6*a*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^{15} + 2*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9)*\log(b*x^3 + a) + 18*((10*b^5*c - 6*a*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^{15} + 2*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9)*\log(x)}{(a^6*b^2*x^{15} + 2*a^7*b*x^{12} + a^8*x^9)}$$

giac [A] time = 0.19, size = 324, normalized size = 1.49

$$\frac{(10b^3c - 6ab^2d - a^3f + 3a^2be) \log(|x|)}{a^6} + \frac{(10b^4c - 6ab^3d - a^3bf + 3a^2b^2e) \log(|bx^3 + a|)}{3a^6b} - \frac{30b^5cx^6 - 18a^6}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\frac{-(10*b^3*c - 6*a*b^2*d - a^3*f + 3*a^2*b*e)*\log(\text{abs}(x))}{a^6} + \frac{1/3*(10*b^4*c - 6*a*b^3*d - a^3*b*f + 3*a^2*b^2*e)*\log(\text{abs}(b*x^3 + a))}{(a^6*b)} - \frac{1/6*(30*b^5*c*x^6 - 18*a*b^4*d*x^6 - 3*a^3*b^2*f*x^6 + 9*a^2*b^3*x^6*e + 68*a*b^4*c*x^3 - 42*a^2*b^3*d*x^3 - 8*a^4*b*f*x^3 + 22*a^3*b^2*x^3*e + 39*a^2*b^3*c - 25*a^3*b^2*d - 6*a^5*f + 14*a^4*b*e)}{(b*x^3 + a)^2*a^6} + \frac{1/18*(110*b^3*c*x^9 - 66*a*b^2*d*x^9 - 11*a^3*f*x^9 + 33*a^2*b*x^9*e - 36*a*b^2*c*x^6 + 18*a^2*b*d*x^6 - 6*a^3*x^6*e + 9*a^2*b*c*x^3 - 3*a^3*d*x^3 - 2*a^3*c)}{(a^6*x^9)}$$

maple [A] time = 0.07, size = 293, normalized size = 1.34

$$\frac{f}{6(bx^3+a)^2 a} - \frac{be}{6(bx^3+a)^2 a^2} + \frac{b^2d}{6(bx^3+a)^2 a^3} - \frac{b^3c}{6(bx^3+a)^2 a^4} + \frac{f}{3(bx^3+a)a^2} - \frac{2be}{3(bx^3+a)a^3} + \frac{f \ln(x)}{a^3} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x)

[Out] $1/6/a/(b*x^3+a)^2*f-1/6/a^2*b/(b*x^3+a)^2*e+1/6/a^3*b^2/(b*x^3+a)^2*d-1/6/a^4*b^3/(b*x^3+a)^2*c-1/3/a^3*\ln(b*x^3+a)*f+1/a^4*b*\ln(b*x^3+a)*e-2/a^5*b^2*\ln(b*x^3+a)*d+10/3/a^6*b^3*\ln(b*x^3+a)*c+1/3/a^2/(b*x^3+a)*f-2/3/a^3*b/(b*x^3+a)*e+1/a^4*b^2/(b*x^3+a)*d-4/3/a^5*b^3/(b*x^3+a)*c-1/9/a^3*c/x^9-1/6/a^3/x^6*d+1/2/a^4/x^6*b*c-1/3/a^3/x^3*e+1/a^4/x^3*b*d-2/a^5/x^3*b^2*c+1/a^3*\ln(x)*f-3/a^4*\ln(x)*b*e+6/a^5*\ln(x)*b^2*d-10/a^6*\ln(x)*b^3*c$

maxima [A] time = 1.46, size = 232, normalized size = 1.06

$$\frac{6(10b^4c - 6ab^3d + 3a^2b^2e - a^3bf)x^{12} + 9(10ab^3c - 6a^2b^2d + 3a^3be - a^4f)x^9 + 2(10a^2b^2c - 6a^3bd + 3a^4e)}{18(a^5b^2x^{15} + 2a^6bx^{12} + a^7x^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18*(6*(10*b^4*c - 6*a*b^3*d + 3*a^2*b^2*e - a^3*b*f)*x^{12} + 9*(10*a*b^3*c - 6*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^9 + 2*(10*a^2*b^2*c - 6*a^3*b*d + 3*a^4*e)*x^6 + 2*a^4*c - (5*a^3*b*c - 3*a^4*d)*x^3)/(a^5*b^2*x^{15} + 2*a^6*b*x^{12} + a^7*x^9) + 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^6 - 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(x^3)/a^6$

mupad [B] time = 5.17, size = 222, normalized size = 1.02

$$\frac{\ln(bx^3 + a) (-fa^3 + 3ea^2b - 6da^2b^2 + 10cb^3)}{3a^6} - \frac{c}{9a} + \frac{x^9(-fa^3 + 3ea^2b - 6dab^2 + 10cb^3)}{2a^4} + \frac{x^3(3ad - 5bc)}{18a^2} + \frac{x^6(3ea^2 - 6dab)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3),x)

[Out] $(\log(a + b*x^3)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e))/(3*a^6) - (c/(9*a) + (x^9*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e))/(2*a^4) + (x^3*(3*a*d - 5*b*c))/(18*a^2) + (x^6*(10*b^2*c + 3*a^2*e - 6*a*b*d))/(9*a^3) + (b*x^{12}*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e))/(3*a^5))/(a^2*x^9 + b^2*x^{15} + 2*a*b*x^{12}) - (\log(x)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e))/a^6$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**3,x)

[Out] Timed out

$$3.285 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$$

Optimal. Leaf size=258

$$\frac{3bc-ad}{9a^4x^9} - \frac{c}{12a^3x^{12}} - \frac{a^2e-3abd+6b^2c}{6a^5x^6} - \frac{b \log(a+bx^3)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7} + \frac{b \log(x)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7}$$

[Out] $-1/12*c/a^3/x^{12}+1/9*(-a*d+3*b*c)/a^4/x^9+1/6*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^6+1/3*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^3+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/(b*x^3+a)^2+1/3*b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)/a^6/(b*x^3+a)+b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)*\ln(x)/a^7-1/3*b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)*\ln(b*x^3+a)/a^7$

Rubi [A] time = 0.30, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6(a+bx^3)} + \frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^5(a+bx^3)^2} + \frac{3a^2be+a^3(-f)-6ab^2d+10b^3c}{3a^6x^3} - \frac{b \log(a+bx^3)}{3a^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] $-c/(12*a^3*x^{12}) + (3*b*c - a*d)/(9*a^4*x^9) - (6*b^2*c - 3*a*b*d + a^2*e)/(6*a^5*x^6) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(3*a^6*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*a^5*(a + b*x^3)^2) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(3*a^6*(a + b*x^3)) + (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*\text{Log}[x])/a^7 - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*\text{Log}[a + b*x^3])/(3*a^7)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_))^(m_.)*((a_.) + (b_.)*(x_))^(n_.)^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c+dx+ex^2+fx^3}{x^5(a+bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^5} + \frac{-3bc+ad}{a^4x^4} + \frac{6b^2c-3abd+a^2e}{a^5x^3} + \frac{-10b^3c+6ab^2d-3a^2be}{a^6x^2} \right) dx, x, x^3 \right) \\ &= -\frac{c}{12a^3x^{12}} + \frac{3bc-ad}{9a^4x^9} - \frac{6b^2c-3abd+a^2e}{6a^5x^6} + \frac{10b^3c-6ab^2d+3a^2be-a^3f}{3a^6x^3} + \frac{b \log(a+bx^3)}{3a^7} \end{aligned}$$

Mathematica [A] time = 0.27, size = 238, normalized size = 0.92

$$12b \log(a + bx^3) (3a^3f - 6a^2be + 10ab^2d - 15b^3c) + 36b \log(x) (-3a^3f + 6a^2be - 10ab^2d + 15b^3c) - \frac{a(a^5(3c+4dx^3 - 36a^2b^2c - 10a^2b^2d + 15b^3c))}{(a^7(bx^3+a)^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out]
$$\frac{(-((a*(-180*b^5*c*x^{15} + 30*a*b^4*x^{12}*(-9*c + 4*d*x^3) - 12*a^2*b^3*x^9*(5*c - 15*d*x^3 + 6*e*x^6) - 2*a^4*b*x^3*(3*c + 5*d*x^3 + 12*e*x^6 - 27*f*x^9) + a^5*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^3*b^2*x^6*(15*c + 40*d*x^3 - 108*e*x^6 + 36*f*x^9)))/(x^{12}*(a + b*x^3)^2)) + 36*b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*\text{Log}[x] + 12*b*(-15*b^3*c + 10*a*b^2*d - 6*a^2*b*e + 3*a^3*f)*\text{Log}[a + b*x^3])}{(36*a^7)}$$

fricas [A] time = 0.82, size = 448, normalized size = 1.74

$$\frac{12(15ab^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f)x^{15} + 18(15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5bf)x^{12} + 4(15a^3b^3c - 10a^4b^2d + 6a^5b^2e - 3a^6bf)x^9 - 3a^6c - (15a^4b^2c - 10a^5b^2d + 6a^6b^2e - 3a^7bf)x^6 + 2(3a^5b^2c - 2a^6b^2d + 2a^7b^2e - 3a^8bf)x^3 - 12((15b^6c - 10a*b^5d + 6a^2b^4e - 3a^3b^3f)x^{18} + 2(15a*b^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f)x^{15} + (15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5bf)x^{12})\log(bx^3 + a) + 36((15b^6c - 10a*b^5d + 6a^2b^4e - 3a^3b^3f)x^{18} + 2(15a*b^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f)x^{15} + (15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5bf)x^{12})\log(x)}{(a^7*b^2*x^{18} + 2*a^8*b*x^{15} + a^9*x^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{36}*(12*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + 18*(15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12} + 4*(15*a^3*b^3*c - 10*a^4*b^2*d + 6*a^5*b^2*e - 3*a^6*b*f)*x^9 - 3*a^6*c - (15*a^4*b^2*c - 10*a^5*b^2*d + 6*a^6*b^2*e - 3*a^7*b^2*f)*x^6 + 2*(3*a^5*b^2*c - 2*a^6*b^2*d + 2*a^7*b^2*e - 3*a^8*b^2*f)*x^3 - 12*((15*b^6*c - 10*a*b^5*d + 6*a^2*b^4*e - 3*a^3*b^3*f)*x^{18} + 2*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + (15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12})*\log(b*x^3 + a) + 36*((15*b^6*c - 10*a*b^5*d + 6*a^2*b^4*e - 3*a^3*b^3*f)*x^{18} + 2*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + (15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12})*\log(x))/(a^7*b^2*x^{18} + 2*a^8*b*x^{15} + a^9*x^{12})$$

giac [A] time = 0.20, size = 380, normalized size = 1.47

$$\frac{(15b^4c - 10ab^3d - 3a^3bf + 6a^2b^2e) \log(|x|)}{a^7} - \frac{(15b^5c - 10ab^4d - 3a^3b^2f + 6a^2b^3e) \log(|bx^3 + a|)}{3a^7b} + \frac{45b^6cx^6 - 120a^2b^5c^2x^6 + 180a^3b^4c^2d^2x^6 - 180a^4b^3c^2f^2x^6 + 180a^5b^2c^2e^2x^6 + 100a^6b^2c^2x^3 - 68a^7b^2c^2d^2x^3 - 22a^8b^2c^2f^2x^3 + 42a^9b^2c^2e^2x^3 + 56a^{10}b^2c^2x^0 - 39a^{11}b^2c^2d^2x^0 - 14a^{12}b^2c^2f^2x^0 + 25a^{13}b^2c^2e^2x^0}{(bx^3 + a)^2 a^7} - \frac{1}{36}*(375*b^4*c*x^{12} - 250*a*b^3*d*x^{12} - 75*a^3*b*f*x^{12} + 150*a^2*b^2*x^{12}*e - 120*a*b^3*c*x^9 + 72*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 36*a^3*b*x^9*e + 36*a^2*b^2*c*x^6 - 18*a^3*b*d*x^6 + 6*a^4*x^6*e - 12*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^7*x^{12})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\frac{(15*b^4*c - 10*a*b^3*d - 3*a^3*b*f + 6*a^2*b^2*e)*\log(\text{abs}(x))}{a^7} - \frac{1}{3}*(15*b^5*c - 10*a*b^4*d - 3*a^3*b^2*f + 6*a^2*b^3*e)*\log(\text{abs}(b*x^3 + a))/(a^7*b) + \frac{1}{6}*(45*b^6*c*x^6 - 30*a*b^5*d*x^6 - 9*a^3*b^3*f*x^6 + 18*a^2*b^4*x^6*e + 100*a*b^5*c*x^3 - 68*a^2*b^4*d*x^3 - 22*a^4*b^2*f*x^3 + 42*a^3*b^3*x^3*e + 56*a^2*b^4*c - 39*a^3*b^3*d - 14*a^5*b*f + 25*a^4*b^2*e)/(b*x^3 + a)^2*a^7 - \frac{1}{36}*(375*b^4*c*x^{12} - 250*a*b^3*d*x^{12} - 75*a^3*b*f*x^{12} + 150*a^2*b^2*x^{12}*e - 120*a*b^3*c*x^9 + 72*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 36*a^3*b*x^9*e + 36*a^2*b^2*c*x^6 - 18*a^3*b*d*x^6 + 6*a^4*x^6*e - 12*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^7*x^{12})$$

maple [A] time = 0.06, size = 349, normalized size = 1.35

$$-\frac{bf}{6(bx^3+a)^2 a^2} + \frac{b^2e}{6(bx^3+a)^2 a^3} - \frac{b^3d}{6(bx^3+a)^2 a^4} + \frac{b^4c}{6(bx^3+a)^2 a^5} - \frac{2bf}{3(bx^3+a)a^3} + \frac{b^2e}{(bx^3+a)a^4} - \frac{3bf \ln(x)}{a^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x)`

[Out]
$$-1/9/a^3/x^9*d-1/6/a^3/x^6*e-1/3/a^3/x^3*f-10*b^3/a^6*\ln(x)*d+15*b^4/a^7*\ln(x)*c+1/a^4*b*\ln(b*x^3+a)*f-2/a^5*b^2*\ln(b*x^3+a)*e+10/3/a^6*b^3*\ln(b*x^3+a)*d-5/a^7*b^4*\ln(b*x^3+a)*c+1/3/a^4/x^9*b*c+1/2/a^4/x^6*b*d-1/a^5/x^6*b^2*c+1/a^4/x^3*b*e-2/a^5/x^3*b^2*d+10/3/a^6/x^3*b^3*c-1/6/a^2*b/(b*x^3+a)^2*f+1/6/a^3*b^2/(b*x^3+a)^2*e-1/6/a^4*b^3/(b*x^3+a)^2*d+1/6/a^5*b^4/(b*x^3+a)^2*c-2/3/a^3*b/(b*x^3+a)*f+1/a^4*b^2/(b*x^3+a)*e-4/3/a^5*b^3/(b*x^3+a)*d+5/3/a^6*b^4/(b*x^3+a)*c-3*b/a^4*\ln(x)*f+6*b^2/a^5*\ln(x)*e-1/12*c/a^3/x^12$$

maxima [A] time = 1.47, size = 280, normalized size = 1.09

$$\frac{12(15b^5c - 10ab^4d + 6a^2b^3e - 3a^3b^2f)x^{15} + 18(15ab^4c - 10a^2b^3d + 6a^3b^2e - 3a^4bf)x^{12} + 4(15a^2b^3c - 10a^3b^2d + 6a^4b^2e - 3a^5bf)x^9 - (15a^5c - 10a^4b^3d + 6a^3b^2e - 3a^2b^2f)x^6 - 3a^5c + 2(3a^4b^3c - 2a^5d)x^3}{36(a^6b^2x^{18} + 2a^7bx^{15} + a^8x^{12})} - \frac{\ln(x) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{a^7} - \frac{\ln(bx^3 + a) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{3a^7} - \frac{c}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="maxima")`

[Out]
$$1/36*(12*(15*b^5*c - 10*a*b^4*d + 6*a^2*b^3*e - 3*a^3*b^2*f)*x^{15} + 18*(15*a*b^4*c - 10*a^2*b^3*d + 6*a^3*b^2*e - 3*a^4*b*f)*x^{12} + 4*(15*a^2*b^3*c - 10*a^3*b^2*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^9 - (15*a^5*c - 10*a^4*b^3*d + 6*a^3*b^2*e - 3*a^2*b^2*f)*x^6 - 3*a^5*c + 2*(3*a^4*b^3*c - 2*a^5*d)*x^3)/(a^6*b^2*x^{18} + 2*a^7*b*x^{15} + a^8*x^{12}) - 1/3*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*\log(b*x^3 + a)/a^7 + 1/3*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*\log(x^3)/a^7$$

mupad [B] time = 0.31, size = 265, normalized size = 1.03

$$\frac{\ln(x) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{a^7} - \frac{\ln(bx^3 + a) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{3a^7} - \frac{c}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3),x)`

[Out]
$$(\log(x)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/a^7 - (\log(a + b*x^3)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/(3*a^7) - (c/(12*a) - (x^9*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(9*a^4) + (x^3*(2*a*d - 3*b*c))/(18*a^2) + (x^6*(15*b^2*c + 6*a^2*e - 10*a*b*d))/(36*a^3) - (b*x^12*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(2*a^5) - (b^2*x^15*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(3*a^6))/(a^2*x^{12} + b^2*x^{18} + 2*a*b*x^{15})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.286 \quad \int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=416

$$\frac{x^7(6a^2f - 3abe + b^2d)}{7b^5} - \frac{a^2x(-37a^3f + 31a^2be - 25ab^2d + 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7(a + bx^3)^2} - \frac{ax(-15a^3f + 10a^2be - 6ab^2d + b^3c)}{b^7}$$

[Out] $-a(-15a^3f+10a^2be-6ab^2d+b^3c)*x/b^7+1/4*(-10a^3f+6a^2be-3ab^2d+b^3c)*x^4/b^6+1/7*(6a^2f-3a^2be+b^2d)*x^7/b^5+1/10*(-3a^3f+b^3c)*x^{10}/b^4+1/13*f*x^{13}/b^3+1/6*a^3*(-a^3f+a^2be-ab^2d+b^3c)*x/b^7/(b*x^3+a)^2-1/18*a^2*(-37a^3f+31a^2be-25ab^2d+19b^3c)*x/b^7/(b*x^3+a)+1/27*a^{4/3}*(-152a^3f+104a^2be-65ab^2d+35b^3c)*\ln(a^{1/3}+b^{1/3}*x)/b^{22/3}-1/54*a^{4/3}*(-152a^3f+104a^2be-65ab^2d+35b^3c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/b^{22/3}-1/27*a^{4/3}*(-152a^3f+104a^2be-65ab^2d+35b^3c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/b^{22/3}*3^{1/2}$

Rubi [A] time = 0.74, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(6a^2be - 10a^3f - 3ab^2d + b^3c)}{4b^6} - \frac{a^2x(31a^2be - 37a^3f - 25ab^2d + 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^7(a + bx^3)^2} - \frac{ax(-15a^3f + 10a^2be - 6ab^2d + b^3c)}{b^7}$$

Antiderivative was successfully verified.

[In] Int[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $-((a*(3b^3c - 6a*b^2d + 10a^2be - 15a^3f)*x)/b^7) + ((b^3c - 3a*b^2d + 6a^2be - 10a^3f)*x^4)/(4b^6) + ((b^2d - 3a*b^2e + 6a^2f)*x^7)/(7b^5) + ((b^2e - 3a*f)*x^{10})/(10b^4) + (f*x^{13})/(13b^3) + (a^3*(b^3c - a*b^2d + a^2be - a^3f)*x)/(6b^7*(a + b*x^3)^2) - (a^2*(19b^3c - 25a*b^2d + 31a^2be - 37a^3f)*x)/(18b^7*(a + b*x^3)) - (a^{4/3}*(35b^3c - 65a*b^2d + 104a^2be - 152a^3f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(9*\text{Sqrt}[3]*b^{22/3}) + (a^{4/3}*(35b^3c - 65a*b^2d + 104a^2be - 152a^3f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(27*b^{22/3}) - (a^{4/3}*(35b^3c - 65a*b^2d + 104a^2be - 152a^3f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(54*b^{22/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x^{12}(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a^3(b^3c - ab^2d + a^2be - a^3f)x}{6b^7(a + bx^3)^2} - \frac{\int \frac{a^4(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{6b^7(a + bx^3)^2} \\
&= \frac{a^3(b^3c - ab^2d + a^2be - a^3f)x}{6b^7(a + bx^3)^2} - \frac{a^2(19b^3c - 25ab^2d + 31a^2be - 37a^3f)x}{18b^7(a + bx^3)} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{18b^7(a + bx^3)} \\
&= \frac{a^3(b^3c - ab^2d + a^2be - a^3f)x}{6b^7(a + bx^3)^2} - \frac{a^2(19b^3c - 25ab^2d + 31a^2be - 37a^3f)x}{18b^7(a + bx^3)} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{18b^7(a + bx^3)} \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4}{4b^6} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{4b^6} \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4}{4b^6} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{4b^6} \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4}{4b^6} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{4b^6} \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4}{4b^6} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{4b^6} \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4}{4b^6} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^3b(b^3c - ab^2d + a^2be - a^3f)x^3 + \dots}{(a + bx^3)^3} dx}{4b^6}
\end{aligned}$$

Mathematica [A] time = 0.69, size = 411, normalized size = 0.99

$$\frac{x^7(6a^2f - 3abe + b^2d)}{7b^5} + \frac{a^2x(37a^3f - 31a^2be + 25ab^2d - 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7(a + bx^3)^2} + \frac{ax(15a^3f - \dots)}{4b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (a*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x)/b^7 + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^4)/(4*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^7)/(7*b^5) + ((b*e - 3*a*f)*x^10)/(10*b^4) + (f*x^13)/(13*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^7*(a + b*x^3)^2) + (a^2*(-19*b^3*c + 25*a*b^2*d - 31*a^2*b*e + 37*a^3*f)*x)/(18*b^7*(a + b*x^3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(22/3)) - (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(22/3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(22/3))

fricas [A] time = 0.62, size = 667, normalized size = 1.60

$$3780 b^6 f x^{19} + 378 (13 b^6 e - 19 a b^5 f) x^{16} + 108 (65 b^6 d - 104 a b^5 e + 152 a^2 b^4 f) x^{13} + 351 (35 b^6 c - 65 a b^5 d + 104 a^2 b^4 e - 152 a^3 b^3 f) x^{10} - 3510 (35 a^2 b^5 c - 65 a^2 b^4 d + 104 a^3 b^3 e - 152 a^4 b^2 f) x^7 - 9555 (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^4 - 1820 \sqrt{3} (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \arctan(1/3 (2 \sqrt{3} b x (-a/b)^{2/3} - \sqrt{3} a) / a) + 910 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) - 1820 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \log(x - (-a/b)^{1/3}) - 5460 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f) x / (b^9 x^6 + 2 a^2 b^8 x^3 + a^2 b^7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/49140*(3780*b^6*f*x^19 + 378*(13*b^6*e - 19*a*b^5*f)*x^16 + 108*(65*b^6*d - 104*a*b^5*e + 152*a^2*b^4*f)*x^13 + 351*(35*b^6*c - 65*a*b^5*d + 104*a^2*b^4*e - 152*a^3*b^3*f)*x^10 - 3510*(35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^7 - 9555*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^4 - 1820*sqrt(3)*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f)*x/(b^9*x^6 + 2*a^2*b^8*x^3 + a^2*b^7)

giac [A] time = 0.20, size = 500, normalized size = 1.20

$$\sqrt{3} \left(35 (-ab^2)^{\frac{1}{3}} ab^3c - 65 (-ab^2)^{\frac{1}{3}} a^2b^2d - 152 (-ab^2)^{\frac{1}{3}} a^4f + 104 (-ab^2)^{\frac{1}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \frac{1}{27 b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*(-a*b^2)^(1/3)*a*b^3*c - 65*(-a*b^2)^(1/3)*a^2*b^2*d - 152*(-a*b^2)^(1/3)*a^4*f + 104*(-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^8 - 1/27*(35*a^2*b^3*c - 65*a^3*b^2*d - 152*a^5*f + 104*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/54*(35*(-a*b^2)^(1/3)*a*b^3*c - 65*(-a*b^2)^(1/3)*a^2*b^2*d - 152*(-a*b^2)^(1/3)*a^4*f + 104*(-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^8 - 1/18*(19*a^2*b^4*c*x^4 - 25*a^3*b^3*d*x^4 - 37*a^5*b*f*x^4 + 31*a^4*b^2*x^4*e + 16*a^3*b^3*c*x - 22*a^4*b^2*d*x - 34*a^6*f*x + 28*a^5*b*x*e)/((b*x^3 + a)^2*b^7) + 1/1820*(140*b^36*f*x^13 - 546*a*b^35*f*x^10 + 182*b^36*x^10*e + 260*b^36*d*x^7 + 1560*a^2*b^34*f*x^7 - 780*a*b^35*x^7*e + 455*b^36*c*x^4 - 1365*a*b^35*d*x^4 - 4550*a^3*b^33*f*x^4 + 2730*a^2*b^34*x^4*e - 5460*a*b^35*c*x + 10920*a^2*b^34*d*x + 27300*a^4*b^32*f*x - 18200*a^3*b^33*x*e)/b^39

maple [A] time = 0.07, size = 706, normalized size = 1.70

$$\frac{f x^{13}}{13b^3} - \frac{3af x^{10}}{10b^4} + \frac{e x^{10}}{10b^3} + \frac{6a^2 f x^7}{7b^5} - \frac{3ae x^7}{7b^4} + \frac{d x^7}{7b^3} + \frac{37a^5 f x^4}{18(bx^3 + a)^2 b^6} - \frac{31a^4 e x^4}{18(bx^3 + a)^2 b^5} + \frac{25a^3 d x^4}{18(bx^3 + a)^2 b^4} - \frac{19a^2 c x^4}{18(bx^3 + a)^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹²*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x)

[Out] 35/27*a²/b⁵*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 65/27*a³/b⁶*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 8/9*a³/b⁴/(b*x³+a)²*c*x+76/27*a⁵/b⁸*f/(a/b)^(2/3)*ln(x²-(a/b)^(1/3)*x+(a/b)^(2/3))+104/27*a⁴/b⁷*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+3/2/b⁵*x⁴*a²*e-3/4/b⁴*x⁴*a*d-3/10/b⁴*x¹⁰*a*f+6/7/b⁵*x⁷*a²*f-3/7/b⁴*x⁷*a*e-5/2/b⁶*x⁴*a³*f+15/b⁷*a⁴*f*x-10/b⁶*a³*e*x+6/b⁵*a²*d*x-3/b⁴*a*c*x-152/27*a⁵/b⁸*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) +104/27*a⁴/b⁷*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) +1/10/b³*x¹⁰*e+1/7/b³*x⁷*d+1/4/b³*x⁴*c+35/27*a²/b⁵*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-35/54*a²/b⁵*c/(a/b)^(2/3)*ln(x²-(a/b)^(1/3)*x+(a/b)^(2/3))-65/27*a³/b⁶*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+65/54*a³/b⁶*d/(a/b)^(2/3)*ln(x²-(a/b)^(1/3)*x+(a/b)^(2/3))-52/27*a⁴/b⁷*e/(a/b)^(2/3)*ln(x²-(a/b)^(1/3)*x+(a/b)^(2/3))+37/18*a⁵/b⁶/(b*x³+a)²*x⁴*f-31/18*a⁴/b⁵/(b*x³+a)²*x⁴*e+25/18*a³/b⁴/(b*x³+a)²*x⁴*d-19/18*a²/b³/(b*x³+a)²*x⁴*c+17/9*a⁶/b⁷/(b*x³+a)²*f*x-14/9*a⁵/b⁶/(b*x³+a)²*e*x+11/9*a⁴/b⁵/(b*x³+a)²*d*x-152/27*a⁵/b⁸*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+1/13*f*x¹³/b³

maxima [A] time = 3.06, size = 424, normalized size = 1.02

$$\frac{(19a^2b^4c - 25a^3b^3d + 31a^4b^2e - 37a^5bf)x^4 + 2(8a^3b^3c - 11a^4b^2d + 14a^5be - 17a^6f)x + 140b^4fx^{13} + 182(b^9x^6 + 2ab^8x^3 + a^2b^7)}{18(b^9x^6 + 2ab^8x^3 + a^2b^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹²*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="maxima")

[Out] -1/18*((19*a²*b⁴*c - 25*a³*b³*d + 31*a⁴*b²*e - 37*a⁵*b*f)*x⁴ + 2*(8*a³*b³*c - 11*a⁴*b²*d + 14*a⁵*b*e - 17*a⁶*f)*x)/(b⁹*x⁶ + 2*a*b⁸*x³ + a²*b⁷) + 1/1820*(140*b⁴*f*x¹³ + 182*(b⁴*e - 3*a*b³*f)*x¹⁰ + 260*(b⁴*d - 3*a*b³*e + 6*a²*b²*f)*x⁷ + 455*(b⁴*c - 3*a*b³*d + 6*a²*b²*e - 10*a³*b*f)*x⁴ - 1820*(3*a*b³*c - 6*a²*b²*d + 10*a³*b*e - 15*a⁴*f)*x)/b⁷ + 1/27*sqrt(3)*(35*a²*b³*c - 65*a³*b²*d + 104*a⁴*b*e - 152*a⁵*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b⁸*(a/b)^(2/3)) - 1/54*(35*a²*b³*c - 65*a³*b²*d + 104*a⁴*b*e - 152*a⁵*f)*log(x² - x*(a/b)^(1/3) + (a/b)^(2/3))/(b⁸*(a/b)^(2/3)) + 1/27*(35*a²*b³*c - 65*a³*b²*d + 104*a⁴*b*e - 152*a⁵*f)*log(x + (a/b)^(1/3))/(b⁸*(a/b)^(2/3))

mupad [B] time = 5.24, size = 575, normalized size = 1.38

$$x^{10} \left(\frac{e}{10b^3} - \frac{3af}{10b^4} \right) + x^4 \left(\frac{c}{4b^3} - \frac{a^3f}{4b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{4b^2} + \frac{3a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{4b} \right) + \frac{x \left(\frac{17fa^6}{9} - \frac{14ea^5b}{9} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^{10} \cdot (e/(10 \cdot b^3) - (3 \cdot a \cdot f)/(10 \cdot b^4)) + x^4 \cdot (c/(4 \cdot b^3) - (a^3 \cdot f)/(4 \cdot b^6) - (3 \cdot a^2 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/(4 \cdot b^2) + (3 \cdot a \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/(4 \cdot b)) + (x \cdot ((17 \cdot a^6 \cdot f)/9 - (8 \cdot a^3 \cdot b^3 \cdot c)/9 + (11 \cdot a^4 \cdot b^2 \cdot d)/9 - (14 \cdot a^5 \cdot b \cdot e)/9) - x^4 \cdot ((19 \cdot a^2 \cdot b^4 \cdot c)/18 - (25 \cdot a^3 \cdot b^3 \cdot d)/18 + (31 \cdot a^4 \cdot b^2 \cdot e)/18 - (37 \cdot a^5 \cdot b \cdot f)/18))/(a^2 \cdot b^7 + b^9 \cdot x^6 + 2 \cdot a \cdot b^8 \cdot x^3) - x \cdot ((3 \cdot a \cdot (c/b^3 - (a^3 \cdot f)/b^6 - (3 \cdot a^2 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b^2 + (3 \cdot a \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/b))/b - (3 \cdot a^2 \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/b^2 + (a^3 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b^3) - x^7 \cdot ((3 \cdot a^2 \cdot f)/(7 \cdot b^5) - d/(7 \cdot b^3) + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/(7 \cdot b)) + (f \cdot x^{13})/(13 \cdot b^3) + (a^{(4/3)} \cdot \log(b^{(1/3)} \cdot x + a^{(1/3)})) \cdot (3 \cdot 5 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)}) + (a^{(4/3)} \cdot \log(3^{(1/2)} \cdot a^{(1/3)} \cdot 1i + 2 \cdot b^{(1/3)} \cdot x - a^{(1/3)})) \cdot ((3^{(1/2)} \cdot 1i)/2 - 1/2) \cdot (35 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)}) - (a^{(4/3)} \cdot \log(3^{(1/2)} \cdot a^{(1/3)} \cdot 1i - 2 \cdot b^{(1/3)} \cdot x + a^{(1/3)})) \cdot ((3^{(1/2)} \cdot 1i)/2 + 1/2) \cdot (35 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**12*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.287 \quad \int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=384

$$\frac{x^5(6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2(-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^3 - 3a^2b + 3ab^2 - b^3)}{6b^6(a + bx^3)^2}$$

[Out] $\frac{1}{2}(-10a^3f + 6a^2be - 3ab^2d + b^3c)x^2/b^6 + \frac{1}{5}(6a^2f - 3a^2be + b^2d)x^5/b^5 + \frac{1}{8}(-3a^3f + b^3e)x^8/b^4 + \frac{1}{11}fx^{11}/b^3 - \frac{1}{6}a^2(-a^3f + a^2be - ab^2d + b^3c)x^2/b^6 / (bx^3 + a)^2 + \frac{1}{9}a(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)x^2/b^6 / (bx^3 + a) + \frac{1}{27}a^{2/3}(-119a^3f + 77a^2be - 44ab^2d + 20b^3c) \ln(a^{1/3} + b^{1/3}x)/b^{20/3} - \frac{1}{54}a^{2/3}(-119a^3f + 77a^2be - 44ab^2d + 20b^3c) \ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/b^{20/3} + \frac{1}{27}a^{2/3}(-119a^3f + 77a^2be - 44ab^2d + 20b^3c) \arctan(1/3(a^{1/3} - 2b^{1/3}x)/a^{1/3} \sqrt{3})/b^{20/3} \sqrt{3}$

Rubi [A] time = 1.05, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(6a^2be - 10a^3f - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(13a^2be - 16a^3f - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2} - \frac{a^2x^2(a^3 - 3a^2b + 3ab^2 - b^3)}{6b^6(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^3c - 3a^2b^2d + 6a^2b^2e - 10a^3f)x^2)/(2b^6) + ((b^2d - 3a^2be + 6a^2f)x^5)/(5b^5) + ((b^2e - 3a^2f)x^8)/(8b^4) + (fx^{11})/(11b^3) - (a^2(b^3c - ab^2d + a^2be - a^3f)x^2)/(6b^6(a + bx^3)^2) + (a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2)/(9b^6(a + bx^3)) + (a^{2/3}(20b^3c - 44ab^2d + 77a^2be - 119a^3f) \text{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\sqrt{3}a^{1/3})])/(9\sqrt{3}b^{20/3}) + (a^{2/3}(20b^3c - 44ab^2d + 77a^2be - 119a^3f) \text{Log}[a^{1/3} + b^{1/3}x])/(27b^{20/3}) - (a^{2/3}(20b^3c - 44ab^2d + 77a^2be - 119a^3f) \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/(54b^{20/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^n2) + (b_)*(x_)^n)^p, x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^m*((a_) + (b_)*(x_)^n)^p, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m*((a_) + (b_)*(x_)^n)^p), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^n)^p, x_Symbol] := Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{10} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} - \frac{\int \frac{-2a^3b(b^3c - ab^2d + a^2be - a^3f)x + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2} dx}{6b^6 (a + bx^3)^2} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} - \frac{\int \frac{x(-2a^3b(b^3c - ab^2d + a^2be - a^3f) + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^2} dx}{6b^6 (a + bx^3)^2} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f) x^2}{9b^6 (a + bx^3)} + \dots \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f) x^2}{9b^6 (a + bx^3)} + \dots \\
&= \frac{fx^{11}}{11b^3} - \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f) x^2}{9b^6 (a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f) x^2}{9b^6 (a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^6 (a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f) x^2}{9b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f) x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f) x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f) x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f) x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f) x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots
\end{aligned}$$

Mathematica [A] time = 0.55, size = 380, normalized size = 0.99

$$\frac{x^5 (6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2 (-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2 (-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6 (a + bx^3)} + \frac{a^2x^2 (a^3f - 3a^2be + 3ab^2d - b^3c)}{9b^6 (a + bx^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/(2*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^5)/(5*b^5) + ((b*e - 3*a*f)*x^8)/(8*b^4) + (f*x^11)/(11*b^3) + (a^2*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2/(6*b^6*(a + b*x^3)^2) + (a*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*x^2)/(9*b^6*(a + b*x^3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(20/3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(20/3)) + (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(20/3))

fricas [A] time = 0.55, size = 634, normalized size = 1.65

$$1080 b^5 f x^{17} + 135 (11 b^5 e - 17 a b^4 f) x^{14} + 54 (44 b^5 d - 77 a b^4 e + 119 a^2 b^3 f) x^{11} + 297 (20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^8 + 1056 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^5 + 660 (20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f) x^2 - 440 \sqrt{3} ((20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^6 + 20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f + 2 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^3) (-a^2/b^2)^{1/3} \arctan(1/3 (2 \sqrt{3} b x (-a^2/b^2)^{1/3} + \sqrt{3} a) / a) + 220 ((20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^6 + 20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f + 2 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^3) (-a^2/b^2)^{1/3} \log(a x^2 - b x (-a^2/b^2)^{2/3} - a (-a^2/b^2)^{1/3}) - 440 ((20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^6 + 20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f + 2 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^3) (-a^2/b^2)^{1/3} \log(a x + b (-a^2/b^2)^{2/3}) / (b^8 x^6 + 2 a b^7 x^3 + a^2 b^6)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/11880*(1080*b^5*f*x^17 + 135*(11*b^5*e - 17*a*b^4*f)*x^14 + 54*(44*b^5*d - 77*a*b^4*e + 119*a^2*b^3*f)*x^11 + 297*(20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^8 + 1056*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^5 + 660*(20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f)*x^2 - 440*sqrt(3)*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(2/3)))/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)

giac [A] time = 0.20, size = 491, normalized size = 1.28

$$\frac{\left(20 a b^3 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 44 a^2 b^2 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 119 a^4 f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 77 a^3 b \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3} \left(20 (-ab^2) \right)}{27 ab^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*(20*a*b^3*c*(-a/b)^(1/3) - 44*a^2*b^2*d*(-a/b)^(1/3) - 119*a^4*f*(-a/b)^(1/3) + 77*a^3*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^6) + 1/27*sqrt(3)*(20*(-a*b^2)^(2/3)*b^3*c - 44*(-a*b^2)^(2/3)*a*b^2*d - 119*(-a*b^2)^(2/3)*a^3*f + 77*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^8 - 1/54*(20*(-a*b^2)^(2/3)*b^3*c - 44*(-a*b^2)^(2/3)*a*b^2*d - 119*(-a*b^2)^(2/3)*a^3*f + 77*(-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^8 + 1/18*(14*a*b^4*c*x^5 - 20*a^2*b^3*d*x^5 - 32*a^4*b*f*x^5 + 26*a^3*b^2*x^5*e + 11*a^2*b^3*c*x^2 - 17*a^3*b^2*d*x^2 - 29*a^5*f*x^2 + 23*a^4*b*x^2*e)/((b*x^3 + a)^2*b^6) + 1/4

$40*(40*b^{30}*f*x^{11} - 165*a*b^{29}*f*x^8 + 55*b^{30}*x^8*e + 88*b^{30}*d*x^5 + 528*a^2*b^{28}*f*x^5 - 264*a*b^{29}*x^5*e + 220*b^{30}*c*x^2 - 660*a*b^{29}*d*x^2 - 2200*a^3*b^{27}*f*x^2 + 1320*a^2*b^{28}*x^2*e)/b^{33}$

maple [B] time = 0.07, size = 668, normalized size = 1.74

$$\frac{fx^{11}}{11b^3} - \frac{3afx^8}{8b^4} + \frac{ex^8}{8b^3} - \frac{16a^4fx^5}{9(bx^3+a)^2b^5} + \frac{13a^3ex^5}{9(bx^3+a)^2b^4} - \frac{10a^2dx^5}{9(bx^3+a)^2b^3} + \frac{7acx^5}{9(bx^3+a)^2b^2} + \frac{6a^2fx^5}{5b^5} - \frac{3aex^5}{5b^4} + \frac{dx^5}{5b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $119/27*a^4/b^7*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-77/27*a^3/b^6*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-20/27*a/b^4*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+44/27*a^2/b^5*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-3/8/b^4*x^8*a*f+6/5/b^5*x^5*a^2*f+3/b^5*x^2*a^2*e-3/2/b^4*x^2*a*d-5/b^6*x^2*a^3*f-3/5/b^4*x^5*a*e+1/11*f*x^{11}/b^3-119/27*a^4/b^7*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+11/18*a^2/b^3/(b*x^3+a)^2*x^2*c-17/18*a^3/b^4/(b*x^3+a)^2*x^2*d+22/27*a^2/b^5*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/8/b^3*x^8*e+1/5/b^3*x^5*d+1/2/b^3*x^2*c+20/27*a/b^4*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-10/9*a^2/b^3/(b*x^3+a)^2*x^5*d-10/27*a/b^4*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-77/54*a^3/b^6*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-44/27*a^2/b^5*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+13/9*a^3/b^4/(b*x^3+a)^2*x^5*e-16/9*a^4/b^5/(b*x^3+a)^2*x^5*f+119/54*a^4/b^7*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+77/27*a^3/b^6*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/9*a/b^2/(b*x^3+a)^2*x^5*c-29/18*a^5/b^6/(b*x^3+a)^2*x^2*f+23/18*a^4/b^5/(b*x^3+a)^2*x^2*e$

maxima [A] time = 3.00, size = 380, normalized size = 0.99

$$\frac{2(7ab^4c - 10a^2b^3d + 13a^3b^2e - 16a^4bf)x^5 + (11a^2b^3c - 17a^3b^2d + 23a^4be - 29a^5f)x^2}{18(b^8x^6 + 2ab^7x^3 + a^2b^6)} \sqrt{3(20ab^3c - 44a^2b^2d + 77a^3b^2e - 119a^4f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $1/18*(2*(7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^5 + (11*a^2*b^3*c - 17*a^3*b^2*d + 23*a^4*b*e - 29*a^5*f)*x^2)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6) - 1/27*\sqrt{3}*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b^2*e - 119*a^4*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^7*(a/b)^{(1/3)}) + 1/440*(40*b^3*f*x^{11} + 55*(b^3*e - 3*a*b^2*f)*x^8 + 88*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^5 + 220*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/b^6 - 1/54*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b^2*e - 119*a^4*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^7*(a/b)^{(1/3)}) + 1/27*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b^2*e - 119*a^4*f)*\log(x + (a/b)^{(1/3)})/(b^7*(a/b)^{(1/3)})$

mupad [B] time = 5.34, size = 425, normalized size = 1.11

$$x^8 \left(\frac{e}{8b^3} - \frac{3af}{8b^4} \right) + x^2 \left(\frac{c}{2b^3} - \frac{a^3 f}{2b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b^2} + \frac{3a \left(\frac{3a^2 f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{2b} \right) - \frac{\left(\frac{16fa^4b}{9} - \frac{13ea^3b^2}{9} + 1 \right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^8*(e/(8*b^3) - (3*a*f)/(8*b^4)) + x^2*(c/(2*b^3) - (a^3*f)/(2*b^6) - (3*a^2*(e/b^3 - (3*a*f)/b^4))/(2*b^2) + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/(2*b)) - (x^2*((29*a^5*f)/18 - (11*a^2*b^3*c)/18 + (17*a^3*b^2*d)/18 - (23*a^4*b*e)/18) + x^5*((10*a^2*b^3*d)/9 - (13*a^3*b^2*e)/9 - (7*a*b^4*c)/9 + (16*a^4*b*f)/9)/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) - x^5*((3*a^2*f)/(5*b^5) - d/(5*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(5*b)) + (f*x^11)/(11*b^3) + (a^(2/3)*log(b^(1/3)*x + a^(1/3))*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3)) - (a^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3)) + (a^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**10*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.288 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=375

$$\frac{x^4(6a^2f - 3abe + b^2d)}{4b^5} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-104a^3f + 65a^2be - 35ab^2d + 14b^3c)}{27b^{19/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-104a^3f + 65a^2be - 35ab^2d + 14b^3c)}{54b^{19/3}}$$

[Out] $(-10a^3f+6a^2b^*e-3a*b^2*d+b^3*c)*x/b^6+1/4*(6a^2*f-3a*b^*e+b^2*d)*x^4/b^5+1/7*(-3a*f+b^*e)*x^7/b^4+1/10*f*x^{10}/b^3-1/6*a^2*(-a^3*f+a^2*b^*e-a*b^2*d+b^3*c)*x/b^6/(b*x^3+a)^2+1/18*a*(-31*a^3*f+25*a^2*b^*e-19*a*b^2*d+13*b^3*c)*x/b^6/(b*x^3+a)-1/27*a^{(1/3)}*(-104*a^3*f+65*a^2*b^*e-35*a*b^2*d+14*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(19/3)}+1/54*a^{(1/3)}*(-104*a^3*f+65*a^2*b^*e-35*a*b^2*d+14*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(19/3)}+1/27*a^{(1/3)}*(-104*a^3*f+65*a^2*b^*e-35*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{ax(25a^2be - 31a^3f - 19ab^2d + 13b^3c)}{18b^6(a + bx^3)} - \frac{a^2x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2} + \frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(65a^3f - 35a^2be - 14b^3c)}{54b^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^3*c - 3a*b^2*d + 6a^2*b^*e - 10a^3*f)*x)/b^6 + ((b^2*d - 3a*b^*e + 6a^2*f)*x^4)/(4*b^5) + ((b^*e - 3a*f)*x^7)/(7*b^4) + (f*x^{10})/(10*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b^*e - a^3*f)*x)/(6*b^6*(a + b*x^3)^2) + (a*(13*b^3*c - 19*a*b^2*d + 25*a^2*b^*e - 31*a^3*f)*x)/(18*b^6*(a + b*x^3)) + (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b^*e - 104*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(3*a^{(1/3)})])/(9*3^{(1/2)}*b^{(19/3)}) - (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b^*e - 104*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*b^{(19/3)}) + (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b^*e - 104*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*b^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} - \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{6b^6 (a + bx^3)^2} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 362, normalized size = 0.97

$$945b^{4/3}x^4(6a^2f - 3abe + b^2d) + \frac{210a\sqrt[3]{b}x(-31a^3f + 25a^2be - 19ab^2d + 13b^3c)}{a + bx^3} + \frac{630a^2\sqrt[3]{b}x(a^3f - a^2be + ab^2d - b^3c)}{(a + bx^3)^2} + 3780\sqrt[3]{b}x(-10a^3f + 10a^2be - 7ab^2d + 7b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (3780*b^(1/3)*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x + 945*b^(4/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^4 + 540*b^(7/3)*(b*e - 3*a*f)*x^7 + 378*b^(10/3)*f*x^10 + (630*a^2*b^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3)^2 + (210*a*b^(1/3)*(13*b^3*c - 19*a*b^2*d + 25*a^2*b*e - 31*a^3*f)*x)/(a + b*x^3) - 140*sqrt(3)*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 140*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3780*b^(19/3))

fricas [A] time = 0.56, size = 602, normalized size = 1.61

$$378b^5fx^{16} + 108(5b^5e - 8ab^4f)x^{13} + 27(35b^5d - 65ab^4e + 104a^2b^3f)x^{10} + 270(14b^5c - 35ab^4d + 65a^2b^3e - 10a^3f)x^7 + 3780\sqrt[3]{b}x(-10a^3f + 10a^2be - 7ab^2d + 7b^3c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/3780*(378*b^5*f*x^16 + 108*(5*b^5*e - 8*a*b^4*f)*x^13 + 27*(35*b^5*d - 65*a*b^4*e + 104*a^2*b^3*f)*x^10 + 270*(14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^7 + 735*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^4 - 140*sqrt(3)*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f)*x)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)

giac [A] time = 0.20, size = 443, normalized size = 1.18

$$\frac{\sqrt{3} \left(14 (-ab^2)^{\frac{1}{3}} b^3 c - 35 (-ab^2)^{\frac{1}{3}} ab^2 d - 104 (-ab^2)^{\frac{1}{3}} a^3 f + 65 (-ab^2)^{\frac{1}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 b^7} + (14 a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(14*(-a*b^2)^(1/3)*b^3*c - 35*(-a*b^2)^(1/3)*a*b^2*d - 104*(-a*b^2)^(1/3)*a^3*f + 65*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^7 + 1/27*(14*a*b^3*c - 35*a^2*b^2*d - 104*a^4*f + 65*a^3*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^6) - 1/54*(14*(-a*b^2)^(1/3)*b^3*c - 35*(-a*b^2)^(1/3)*a*b^2*d - 104*(-a*b^2)^(1/3)*a^3*f + 65*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 + 1/18*(13*a*b^4*c*x^4 - 19*a^2*b^3*d*x^4 - 31*a^4*b*f*x^4 + 25*a^3*b^2*x^4*e + 10*a^2*b^3*c*x - 16*a^3*b^2*d*x - 28*a^5*f*x + 22*a^4*b*x*e)/(b*x^3 + a)^2*b^6) + 1/140*(14*b^27*f*x^10 - 60*a*b^26*f*x^7 + 20*b^27*x^7*e + 35*b^27*d*x^4 + 210*a^2*b^25*f*x^4 - 105*a*b^26*x^4*e + 140*b^27*c*x - 420*a*b^26*d*x - 1400*a^3*b^24*f*x + 840*a^2*b^25*x*e)/b^30

maple [A] time = 0.06, size = 651, normalized size = 1.74

$$\frac{f x^{10}}{10 b^3} - \frac{3 a f x^7}{7 b^4} + \frac{e x^7}{7 b^3} - \frac{31 a^4 f x^4}{18 (b x^3 + a)^2 b^5} + \frac{25 a^3 e x^4}{18 (b x^3 + a)^2 b^4} - \frac{19 a^2 d x^4}{18 (b x^3 + a)^2 b^3} + \frac{13 a c x^4}{18 (b x^3 + a)^2 b^2} + \frac{3 a^2 f x^4}{2 b^5} - \frac{3 a e x^4}{4 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] -14/27*a/b^4*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+ 104/27*a^4/b^7*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)

$$\begin{aligned}
&)-65/27*a^3/b^6*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) \\
&)+35/27*a^2/b^5*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) \\
&)-14/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+7/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) \\
&-31/18*a^4/b^5/(b*x^3+a)^2*x^4*f-10/b^6*a^3*f*x+6/b^5*a^2*e*x-3/b^4*a*d*x-3/4/b^4*x^4*a*e-3/7/b^4*x^7*a*f+3/2/b^5*x^4*a^2*f \\
&+1/10*f*x^10/b^3+104/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-52/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) \\
&-65/27*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+65/54*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) \\
&+1/7/b^3*x^7*e+1/4/b^3*x^4*d+1/b^3*c*x+35/27*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) \\
&-35/54*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-19/18*a^2/b^3/(b*x^3+a)^2*x^4*d \\
&+13/18*a/b^2/(b*x^3+a)^2*x^4*c+11/9*a^4/b^5/(b*x^3+a)^2*e*x-8/9*a^3/b^4/(b*x^3+a)^2*d*x \\
&+5/9*a^2/b^3/(b*x^3+a)^2*c*x+25/18*a^3/b^4/(b*x^3+a)^2*x^4*e-14/9*a^5/b^6/(b*x^3+a)^2*f*x
\end{aligned}$$

maxima [A] time = 3.03, size = 376, normalized size = 1.00

$$\frac{(13ab^4c - 19a^2b^3d + 25a^3b^2e - 31a^4bf)x^4 + 2(5a^2b^3c - 8a^3b^2d + 11a^4be - 14a^5f)x + 14b^3fx^{10} + 20(b^3e - 3a^2b^3c - 8a^3b^2d + 11a^4be - 14a^5f)}{18(b^8x^6 + 2ab^7x^3 + a^2b^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*((13*a*b^4*c - 19*a^2*b^3*d + 25*a^3*b^2*e - 31*a^4*b*f)*x^4 + 2*(5*a^2*b^3*c - 8*a^3*b^2*d + 11*a^4*b*e - 14*a^5*f)*x)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6) + 1/140*(14*b^3*f*x^10 + 20*(b^3*e - 3*a*b^2*f)*x^7 + 35*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^4 + 140*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x)/b^6 - 1/27*sqrt(3)*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^7*(a/b)^(2/3)) + 1/54*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^7*(a/b)^(2/3)) - 1/27*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*log(x + (a/b)^(1/3))/(b^7*(a/b)^(2/3))

mupad [B] time = 5.35, size = 420, normalized size = 1.12

$$x^7 \left(\frac{e}{7b^3} - \frac{3af}{7b^4} \right) + x \left(\frac{c}{b^3} - \frac{a^3f}{b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b^2} + \frac{3a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{b} \right) - x^4 \left(\frac{3a^2f}{4b^5} - \frac{d}{4b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^7*(e/(7*b^3) - (3*a*f)/(7*b^4)) + x*(c/b^3 - (a^3*f)/b^6 - (3*a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b - x^4*((3*a^2*f)/(4*b^5) - d/(4*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(4*b)) - (x*((14*a^5*f)/9 - (5*a^2*b^3*c)/9 + (8*a^3*b^2*d)/9 - (11*a^4*b*e)/9) + x^4*((19*a^2*b^3*d)/18 - (25*a^3*b^2*e)/18 - (13*a*b^4*c)/18 + (31*a^4*b*f)/18))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) + (f*x^10)/(10*b^3) - (a^(1/3)*log(b^(1/3)*x + a^(1/3))*(14*b^3*c - 104*a^3*f - 35*a*b^2*d + 65*a^2*b*e))/(27*b^(19/3)) - (a^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(14*b^3*c - 104*a^3*f - 35*a*b^2*d + 65*a^2*b*e))/(27*b^(19/3)) + (a^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(14*b^3*c - 104*a^3*f - 35*a*b^2*d + 65*a^2*b*e))/(27*b^(19/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.289 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{x^2(6a^2f - 3abe + b^2d)}{2b^5} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{27\sqrt[3]{a}b^{17/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{9\sqrt{3}\sqrt[3]{a}b^{17/3}}$$

[Out] $\frac{1}{2}(6a^2f - 3ab^2e + b^2d)x^2/b^5 + \frac{1}{5}(-3a^3f + b^3e)x^5/b^4 + \frac{1}{8}fx^8/b^3 + \frac{1}{6}a^2(-a^3f + a^2b^2e - ab^2d + b^3c)x^2/b^5 + \frac{1}{(bx^3+a)^2} - \frac{1}{9}(-13a^3f + 10a^2b^2e - 7ab^2d + 4b^3c)x^2/b^5 + \frac{1}{(bx^3+a)} - \frac{1}{27}(-77a^3f + 44a^2b^2e - 20ab^2d + 5b^3c) \ln(a^{1/3} + b^{1/3}x)/a^{1/3}/b^{17/3} + \frac{1}{54}(-77a^3f + 44a^2b^2e - 20ab^2d + 5b^3c) \ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/a^{1/3}/b^{17/3} - \frac{1}{27}(-77a^3f + 44a^2b^2e - 20ab^2d + 5b^3c) \arctan(1/3(a^{1/3} - 2b^{1/3}x)/a^{1/3})/b^{17/3} \cdot 3^{1/2}$

Rubi [A] time = 0.76, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{9b^5(a + bx^3)} + \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^2be - 20ab^2d + 5b^3c)}{54\sqrt[3]{a}b^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $\frac{(b^2d - 3a^2b^2e + 6a^2f)x^2}{(2b^5)} + \frac{(b^3e - 3a^3f)x^5}{(5b^4)} + \frac{fx^8}{(8b^3)} + \frac{(a(b^3c - ab^2d + a^2b^2e - a^3f)x^2)}{(6b^5(a + bx^3)^2)} - \frac{((4b^3c - 7a^2b^2d + 10a^2b^2e - 13a^3f)x^2)}{(9b^5(a + bx^3))} - \frac{((5b^3c - 20a^2b^2d + 44a^2b^2e - 77a^3f) \text{ArcTan}[a^{1/3} - 2b^{1/3}x]/(\text{Sqrt}[3]a^{1/3}))}{(9\text{Sqrt}[3]a^{1/3}b^{17/3})} - \frac{((5b^3c - 20a^2b^2d + 44a^2b^2e - 77a^3f) \text{Log}[a^{1/3} + b^{1/3}x])}{(27a^{1/3}b^{17/3})} + \frac{((5b^3c - 20a^2b^2d + 44a^2b^2e - 77a^3f) \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{(54a^{1/3}b^{17/3})}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])]; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{\int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{\int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f) x^2}{9b^5 (a + bx^3)} + \frac{\int \frac{2a^2b^6}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f) x^2}{9b^5 (a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f) x^2}{9b^5 (a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f) x^2}{9b^5 (a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{(b^2d - 3abe + 6a^2f) x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{6b^5 (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 329, normalized size = 0.95

$$540b^{2/3}x^2(6a^2f - 3abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{bx})(77a^3f - 44a^2be + 20ab^2d - 5b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(77a^3f - 44a^2be + 20ab^2d - 5b^3c)}{\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (540*b^(2/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^2 + 216*b^(5/3)*(b*e - 3*a*f)*x^5 + 135*b^(8/3)*f*x^8 + (180*a*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*

$x^2)/(a + b*x^3)^2 - (120*b^{(2/3)}*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*x^2)/(a + b*x^3) + (40*sqrt(3)*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*ArcTan[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/sqrt(3)]/a^{(1/3)} + (40*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*Log[a^{(1/3)} + b^{(1/3)}*x])/a^{(1/3)} + (20*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*Log[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(1/3)})/(1080*b^{(17/3)})$

fricas [B] time = 0.76, size = 1278, normalized size = 3.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
[Out] [1/1080*(135*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^5 - 60*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^2 - 60*sqrt(1/3)*(5*a^3*b^4*c - 20*a^4*b^3*d + 44*a^5*b^2*e - 77*a^6*b*f + (5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 20*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^9*x^6 + 2*a^2*b^8*x^3 + a^3*b^7), 1/1080*(135*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^5 - 60*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^2 - 120*sqrt(1/3)*(5*a^3*b^4*c - 20*a^4*b^3*d + 44*a^5*b^2*e - 77*a^6*b*f + (5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^3)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 20*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^9*x^6 + 2*a^2*b^8*x^3 + a^3*b^7)]
```

giac [A] time = 0.20, size = 391, normalized size = 1.13

$$\frac{\sqrt{3} (5b^3c - 20ab^2d - 77a^3f + 44a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (5b^3c - 20ab^2d - 77a^3f + 44a^2be) \log\left(x^2 - \frac{1}{27}(-ab^2)^{\frac{1}{3}}b^5\right)}{54(-ab^2)^{\frac{1}{3}}b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")
[Out] 1/27*sqrt(3)*(5*b^3*c - 20*a*b^2*d - 77*a^3*f + 44*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*b^5) - 1/54*(5*b^3*c - 20*a*b^2*d - 77*a^3*f + 44*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*b^5) - 1/27*(5*b^3*c*(-a/b)^(1/3) - 20*a*b^2*d*(-a/b)^(1/3) + 44*a^2*b*e*(-a/b)^(1/3) + 77*a^3*f*(-a/b)^(1/3))/((-a*b^2)^(1/3)*b^5)
```

$$\begin{aligned} & \left(\frac{1}{3}\right) - 77a^3f(-a/b)^{1/3} + 44a^2b(-a/b)^{1/3}e(-a/b)^{1/3} \log\left(\frac{abx - (-a/b)^{1/3}}{a^2b^5}\right) - \frac{1}{18}(8b^4cx^5 - 14ab^3dx^5 - 26a^3 \\ & *bf*x^5 + 20a^2b^2*x^5*e + 5ab^3*c*x^2 - 11a^2*b^2*d*x^2 - 23a^4*f*x^2 + 17a^3*b*x^2*e) / ((bx^3 + a)^2*b^5) + \frac{1}{40}(5b^{21}f*x^8 - 24ab^{20}f \\ & *x^5 + 8b^{21}*x^5*e + 20b^{21}*d*x^2 + 120a^2*b^{19}f*x^2 - 60ab^{20}*x^2*e) / b^{24} \end{aligned}$$

maple [B] time = 0.06, size = 611, normalized size = 1.77

$$\frac{fx^8}{8b^3} + \frac{13a^3fx^5}{9(bx^3 + a)^2 b^4} - \frac{10a^2ex^5}{9(bx^3 + a)^2 b^3} + \frac{7adx^5}{9(bx^3 + a)^2 b^2} - \frac{4cx^5}{9(bx^3 + a)^2 b} - \frac{3afx^5}{5b^4} + \frac{ex^5}{5b^3} + \frac{23a^4fx^2}{18(bx^3 + a)^2 b^5} - \frac{17}{18(bx^3 + a)^2 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 44/27/b^5*a^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 20/27/b^4*a*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 77/27/b^6*a^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 3/2/b^4*x^2*a*e - 3/5/b^4*x^5*a*f + 3/b^5*x^2*a^2*f - 4/9/b/(b*x^3+a)^2*x^5*c - 5/27/b^3*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3)) + 5/54/b^3*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 1/5/b^3*x^5*e + 1/2/b^3*x^2*d + 1/8*f*x^8/b^3 + 13/9/b^4/(b*x^3+a)^2*x^5*a^3*f - 10/9/b^3/(b*x^3+a)^2*x^5*a^2*e + 7/9/b^2/(b*x^3+a)^2*x^5*a*d + 23/18/b^5/(b*x^3+a)^2*x^2*a^4*f - 17/18/b^4/(b*x^3+a)^2*x^2*a^3*e - 77/54/b^6*a^3*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) - 44/27/b^5*a^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3)) + 22/27/b^5*a^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 20/27/b^4*a*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3)) - 10/27/b^4*a*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 5/27/b^3*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 11/18/b^3/(b*x^3+a)^2*x^2*a^2*d - 5/18/b^2/(b*x^3+a)^2*x^2*a*c + 77/27/b^6*a^3*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))

maxima [A] time = 3.08, size = 330, normalized size = 0.96

$$\frac{2(4b^4c - 7ab^3d + 10a^2b^2e - 13a^3bf)x^5 + (5ab^3c - 11a^2b^2d + 17a^3be - 23a^4f)x^2}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{\sqrt{3}(5b^3c - 20ab^2d + 44a^3f)}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*(2*(4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^5 + (5*a*b^3*c - 11*a^2*b^2*d + 17*a^3*b*e - 23*a^4*f)*x^2)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/27*sqrt(3)*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^6*(a/b)^(1/3)) + 1/40*(5*b^21*f*x^8 + 8*(b^21*e - 3*a*b*f)*x^5 + 20*(b^21*d - 3*a*b*e + 6*a^2*f)*x^2)/b^5 + 1/54*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(1/3)) - 1/27*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(1/3))

mupad [B] time = 5.53, size = 338, normalized size = 0.98

$$x^5 \left(\frac{e}{5b^3} - \frac{3af}{5b^4} \right) + \frac{x^2 \left(\frac{23fa^4}{18} - \frac{17ea^3b}{18} + \frac{11da^2b^2}{18} - \frac{5cab^3}{18} \right) - x^5 \left(-\frac{13fa^3b}{9} + \frac{10ea^2b^2}{9} - \frac{7dab^3}{9} + \frac{4cb^4}{9} \right)}{a^2b^5 + 2ab^6x^3 + b^7x^6} - x^2 \left(\frac{3a^2}{2b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^5*(e/(5*b^3) - (3*a*f)/(5*b^4)) + (x^2*((23*a^4*f)/18 + (11*a^2*b^2*d)/18 - (5*a*b^3*c)/18 - (17*a^3*b*e)/18) - x^5*((4*b^4*c)/9 + (10*a^2*b^2*e)/9 - (7*a*b^3*d)/9 - (13*a^3*b*f)/9))/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) - x^2*((3*a^2*f)/(2*b^5) - d/(2*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + (f*x^8)/(8*b^3) - (log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^(1/3)*b^(17/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^(1/3)*b^(17/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^(1/3)*b^(17/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.290 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=336

$$\frac{x(6a^2f - 3abe + b^2d)}{b^5} - \frac{x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a})}{b^5}$$

[Out] (6*a^2*f-3*a*b*e+b^2*d)*x/b^5+1/4*(-3*a*f+b*e)*x^4/b^4+1/7*f*x^7/b^3+1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^5/(b*x^3+a)^2-1/18*(-25*a^3*f+19*a^2*b*e-13*a*b^2*d+7*b^3*c)*x/b^5/(b*x^3+a)+1/27*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(16/3)-1/54*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(16/3)-1/27*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(16/3)*3^(1/2)

Rubi [A] time = 0.51, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x(19a^2be - 25a^3f - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{54a^{2/3} b^{16/3}} (35a^2be - 14ab^2d + 2b^3c)$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x)/b^5 + ((b*e - 3*a*f)*x^4)/(4*b^4) + (f*x^7)/(7*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^5*(a + b*x^3)^2) - ((7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(18*b^5*(a + b*x^3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(2/3)*b^(16/3)) + ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(2/3)*b^(16/3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(2/3)*b^(16/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 6ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 6ab^5}{(a + bx^3)^2}}{6ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f)x}{18b^5(a + bx^3)} + \frac{\int \frac{2a^2b^4}{(a + bx^3)^2}}{6ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f)x}{18b^5(a + bx^3)} + \frac{\int (18a^2)}{6ab^5} \\
&= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 323, normalized size = 0.96

$$\frac{756\sqrt[3]{b}x(6a^2f - 3abe + b^2d) - \frac{42\sqrt[3]{b}x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{a + bx^3} + \frac{126a\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{(a + bx^3)^2} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-65a^2b^2c + 14a^2b^2d - 35a^2b^2e + 65a^3f)}{6ab^5}}{6ab^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (756*b^(1/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x + 189*b^(4/3)*(b*e - 3*a*f)*x^4 + 108*b^(7/3)*f*x^7 + (126*a*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 - (42*b^(1/3)*(7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(a + b*x^3) + (28*sqrt[3]*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (28*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(756*b^(16/3))

fricas [B] time = 0.84, size = 1318, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
[Out] [1/756*(108*a^2*b^5*f*x^13 + 27*(7*a^2*b^5*e - 13*a^3*b^4*f)*x^10 + 54*(14*a^2*b^5*d - 35*a^3*b^4*e + 65*a^4*b^3*f)*x^7 - 147*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^4 - 42*sqrt(1/3)*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f + (2*a*b^6*c - 14*a^2*b^5*d + 35*a^3*b^4*e - 65*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) - 14*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f)*x)/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6), 1/756*(108*a^2*b^5*f*x^13 + 27*(7*a^2*b^5*e - 13*a^3*b^4*f)*x^10 + 54*(14*a^2*b^5*d - 35*a^3*b^4*e + 65*a^4*b^3*f)*x^7 - 147*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^4 + 84*sqrt(1/3)*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f + (2*a*b^6*c - 14*a^2*b^5*d + 35*a^3*b^4*e - 65*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f)*x)/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6)]
```

giac [A] time = 0.20, size = 345, normalized size = 1.03

$$\frac{\sqrt{3} (2b^3c - 14ab^2d - 65a^3f + 35a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (2b^3c - 14ab^2d - 65a^3f + 35a^2be) \log\left(x^2\right)}{27 \left(-ab^2\right)^{\frac{2}{3}} b^4 \quad 54 \left(-ab^2\right)^{\frac{2}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")
[Out] -1/27*sqrt(3)*(2*b^3*c - 14*a*b^2*d - 65*a^3*f + 35*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^4) - 1/54*(2*b^3*c - 14*a*b^2*d - 65*a^3*f + 35*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^4) - 1/27*(2*b^3*c - 14*a*b^2*d - 65*a^3*f + 35*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^5) - 1/18*(7*b^4*c*x^4 - 13*a*b^3*d*x^4 - 25*a^3*b*f*x^4 + 19*a^2*b^2*x^4*e + 4*a*b^3*c*x - 10*a^2*b^2*d*x - 22*a^4*f*x + 16*a^3*b*x*e)/((b*x^3 + a)^2*b^5) + 1/28*(4*b^18*f*x^7 - 21*a*b^17*f*x^4 + 7*b^18*x^4*e + 28*b^18*d*x + 168*a^2*b^16*f*x - 84*a*b^17*x*e)/b^21
```

maple [B] time = 0.05, size = 596, normalized size = 1.77

$$\frac{f x^7}{7b^3} + \frac{25a^3 f x^4}{18(bx^3 + a)^2 b^4} - \frac{19a^2 e x^4}{18(bx^3 + a)^2 b^3} + \frac{13ad x^4}{18(bx^3 + a)^2 b^2} - \frac{7c x^4}{18(bx^3 + a)^2 b} - \frac{3af x^4}{4b^4} + \frac{e x^4}{4b^3} + \frac{11a^4 f x}{9(bx^3 + a)^2 b^5} - \frac{11a^4 f x}{9(bx^3 + a)^2 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 65/54/b^6*a^3*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+35/27/b^5*a^2*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-14/27/b^4*a*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-3/b^4*a*e*x-3/4/b^4*x^4*a*f+2/27/b^3*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-7/18/b/(b*x^3+a)^2*x^4*c+6/b^5*a^2*f*x-1/27/b^3*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-8/9/b^4/(b*x^3+a)^2*a^3*e*x+1/7/b^3*f*x^7+13/18/b^2/(b*x^3+a)^2*x^4*a*d-35/54/b^5*a^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-2/9/b^2/(b*x^3+a)^2*a*c*x+11/9/b^5/(b*x^3+a)^2*a^4*f*x+1/4/b^3*x^4*e+7/27/b^4*a*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/b^3*d*x+2/27/b^3*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-65/27/b^6*a^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-65/27/b^6*a^3*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+35/27/b^5*a^2*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-14/27/b^4*a*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+25/18/b^4/(b*x^3+a)^2*x^4*a^3*f-19/18/b^3/(b*x^3+a)^2*x^4*a^2*e+5/9/b^3/(b*x^3+a)^2*a^2*d*x

maxima [A] time = 3.04, size = 326, normalized size = 0.97

$$\frac{(7b^4c - 13ab^3d + 19a^2b^2e - 25a^3bf)x^4 + 2(2ab^3c - 5a^2b^2d + 8a^3be - 11a^4f)x}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{4b^2fx^7 + 7(b^2e - 3abf)x^4}{28}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*((7*b^4*c - 13*a*b^3*d + 19*a^2*b^2*e - 25*a^3*b*f)*x^4 + 2*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f)*x)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/28*(4*b^2*f*x^7 + 7*(b^2*e - 3*a*b*f)*x^4 + 28*(b^2*d - 3*a*b*e + 6*a^2*f)*x)/b^5 + 1/27*sqrt(3)*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^6*(a/b)^(2/3)) - 1/54*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(2/3)) + 1/27*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(2/3))

mupad [B] time = 5.30, size = 335, normalized size = 1.00

$$x^4 \left(\frac{e}{4b^3} - \frac{3af}{4b^4} \right) - x \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right) - \frac{x^4 \left(-\frac{25fa^3b}{18} + \frac{19ea^2b^2}{18} - \frac{13dab^3}{18} + \frac{7cb^4}{18} \right) - x \left(\frac{11fa^4}{9} - \frac{8ea^3}{9} \right)}{a^2b^5 + 2ab^6x^3 + b^7x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)


```
[Out] x^4*(e/(4*b^3) - (3*a*f)/(4*b^4)) - x*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3
- (3*a*f)/b^4))/b) - (x^4*((7*b^4*c)/18 + (19*a^2*b^2*e)/18 - (13*a*b^3*d)/
18 - (25*a^3*b*f)/18) - x*((11*a^4*f)/9 + (5*a^2*b^2*d)/9 - (2*a*b^3*c)/9 -
(8*a^3*b*e)/9)/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) + (f*x^7)/(7*b^3) + (log
(b^(1/3)*x + a^(1/3))*(2*b^3*c - 65*a^3*f - 14*a*b^2*d + 35*a^2*b*e))/(27*a
^(2/3)*b^(16/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/
2)*1i)/2 - 1/2)*(2*b^3*c - 65*a^3*f - 14*a*b^2*d + 35*a^2*b*e))/(27*a^(2/3)
*b^(16/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)
/2 + 1/2)*(2*b^3*c - 65*a^3*f - 14*a*b^2*d + 35*a^2*b*e))/(27*a^(2/3)*b^(16
/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.291 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{x^2(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{9ab^4(a + bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^3f - 20a^2be + 4ab^2d - b^3c)}{54a^{4/3}b^{14/3}}$$

[Out] 1/2*(-3*a*f+b*e)*x^2/b^4+1/5*f*x^5/b^3-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^4/(b*x^3+a)^2+1/9*(-10*a^3*f+7*a^2*b*e-4*a*b^2*d+b^3*c)*x^2/a/b^4/(b*x^3+a)-1/27*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(4/3)/b^(14/3)+1/54*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(4/3)/b^(14/3)-1/27*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(4/3)/b^(14/3)*3^(1/2)

Rubi [A] time = 0.50, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(7a^2be - 10a^3f - 4ab^2d + b^3c)}{9ab^4(a + bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^2be + 4ab^2d - b^3c)}{54a^{4/3}b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b*e - 3*a*f)*x^2)/(2*b^4) + (f*x^5)/(5*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(9*a*b^4*(a + b*x^3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(4/3)*b^(14/3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(4/3)*b^(14/3)) + ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(4/3)*b^(14/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*
(d_ + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1594

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^2d - abe + a^2f)x^4 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^2d - abe + a^2f))x^3 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{2ab^5(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{x(2ab^5(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int (18a^2b^5)}{6ab^5} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 300, normalized size = 0.95

$$\frac{30b^{2/3}x^2(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{a(a + bx^3)} - \frac{45b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{(a + bx^3)^2} - \frac{10 \log(\sqrt[3]{a} + \sqrt[3]{bx}) (44a^3f - 20a^2be + 5ab^2d + b^3c)}{a^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)}{a^{4/3}}$$

270b^{14/3}

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

[Out] (135*b^(2/3)*(b*e - 3*a*f)*x^2 + 54*b^(5/3)*f*x^5 - (45*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3)^2 + (30*b^(2/3)*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(a*(a + b*x^3)) - (10*sqrt(3)*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(4/3) - (10*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3)

$(1/3)*x])/a^{(4/3)} + (5*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(4/3)})/(270*b^{(14/3)})$

fricas [B] time = 0.60, size = 1224, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $[1/270*(54*a^2*b^5*f*x^{11} + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 20*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 15*\text{sqrt}(1/3)*(a^3*b^4*c + 5*a^4*b^3*d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^3)*\text{sqrt}((-a*b^2)^{(1/3)}/a)*\text{log}((2*b^2*x^3 - a*b + 3*\text{sqrt}(1/3)*(a*b*x + 2*(-a*b^2)^{(2/3)}*x^2 + (-a*b^2)^{(1/3)}*a)*\text{sqrt}((-a*b^2)^{(1/3)}/a) - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\text{log}(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\text{log}(b*x - (-a*b^2)^{(1/3)})]/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6), 1/270*(54*a^2*b^5*f*x^{11} + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 20*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 30*\text{sqrt}(1/3)*(a^3*b^4*c + 5*a^4*b^3*d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^3)*\text{sqrt}((-a*b^2)^{(1/3)}/a)*\text{arctan}(\text{sqrt}(1/3)*(2*b*x + (-a*b^2)^{(1/3)})*\text{sqrt}(-(-a*b^2)^{(1/3)}/a)/b) + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\text{log}(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\text{log}(b*x - (-a*b^2)^{(1/3)})]/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6)]$

giac [A] time = 0.20, size = 365, normalized size = 1.16

$$\frac{\sqrt{3}(b^3c + 5ab^2d + 44a^3f - 20a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}ab^4} - \frac{(b^3c + 5ab^2d + 44a^3f - 20a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{1}{3}}ab^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $1/27*\text{sqrt}(3)*(b^3*c + 5*a*b^2*d + 44*a^3*f - 20*a^2*b*e)*\text{arctan}(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a*b^4) - 1/54*(b^3*c + 5*a*b^2*d + 44*a^3*f - 20*a^2*b*e)*\text{log}(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a*b^4) - 1/27*(b^3*c*(-a/b)^{(1/3)} + 5*a*b^2*d*(-a/b)^{(1/3)} + 44*a^3*f*(-a/b)^{(1/3)} - 20*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\text{log}(\text{abs}(x - (-a/b)^{(1/3)}))/a^2*b^4 + 1/18*(2*b^4*c*x^5 - 8*a*b^3*d*x^5 - 20*a^3*b*f*x^5 + 14*a^2*b^2*x^5*e - a*b^3*c*x^2 - 5*a^2*b^2*d*x^2 - 17*a^4*f*x^2 + 11*a^3*b*x^2*e)/(b*x^3 + a)^2*a*b^4 + 1/10*(2*b^12*f*x^5 - 15*a*b^11*f*x^2 + 5*b^12*x^2*e)/b^15$

maple [B] time = 0.06, size = 574, normalized size = 1.82

$$-\frac{10a^2fx^5}{9(bx^3+a)^2b^3} + \frac{7ae^x}{9(bx^3+a)^2b^2} + \frac{cx^5}{9(bx^3+a)^2a} - \frac{4dx^5}{9(bx^3+a)^2b} + \frac{fx^5}{5b^3} - \frac{17a^3fx^2}{18(bx^3+a)^2b^4} + \frac{11a^2ex^2}{18(bx^3+a)^2b^3} - \frac{1}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 1/5/b^3*f*x^5-3/2/b^4*x^2*a*f+1/2/b^3*x^2*e-10/9/b^3/(b*x^3+a)^2*a^2*x^5*f+7/9/b^2/(b*x^3+a)^2*a*x^5*e-4/9/b/(b*x^3+a)^2*x^5*d+1/9/(b*x^3+a)^2/a*x^5*c-17/18/b^4/(b*x^3+a)^2*x^2*a^3*f+11/18/b^3/(b*x^3+a)^2*x^2*a^2*e-5/18/b^2/(b*x^3+a)^2*x^2*a*d-1/18/b/(b*x^3+a)^2*x^2*c-44/27/b^5*a^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+20/27/b^4*a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/27/b^2/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+22/27/b^5*a^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-10/27/b^4*a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/54/b^2/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+44/27/b^5*a^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-20/27/b^4*a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/27/b^2/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c

maxima [A] time = 3.10, size = 311, normalized size = 0.98

$$\frac{2(b^4c - 4ab^3d + 7a^2b^2e - 10a^3bf)x^5 - (ab^3c + 5a^2b^2d - 11a^3be + 17a^4f)x^2}{18(ab^6x^6 + 2a^2b^5x^3 + a^3b^4)} + \frac{2bfx^5 + 5(be - 3af)x^2}{10b^4} + \frac{\sqrt{3}(b^3c + 5ab^2d - 20a^2b^2e + 44a^3f) \arctan\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) + (b^3c + 5ab^2d - 20a^2b^2e + 44a^3f) \log\left(x + (a/b)^{1/3}\right)}{18(ab^6x^6 + 2a^2b^5x^3 + a^3b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^5 - (a*b^3*c + 5*a^2*b^2*d - 11*a^3*b*e + 17*a^4*f)*x^2)/(a*b^6*x^6 + 2*a^2*b^5*x^3 + a^3*b^4) + 1/10*(2*b*f*x^5 + 5*(b*e - 3*a*f)*x^2)/b^4 + 1/27*sqrt(3)*(b^3*c + 5*a*b^2*d - 20*a^2*b^2*e + 44*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^5*(a/b)^(1/3)) + 1/54*(b^3*c + 5*a*b^2*d - 20*a^2*b^2*e + 44*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^5*(a/b)^(1/3)) - 1/27*(b^3*c + 5*a*b^2*d - 20*a^2*b^2*e + 44*a^3*f)*log(x + (a/b)^(1/3))/(a*b^5*(a/b)^(1/3))

mupad [B] time = 5.27, size = 295, normalized size = 0.93

$$x^2 \left(\frac{e}{2b^3} - \frac{3af}{2b^4} \right) - \frac{x^2 \left(\frac{17fa^3}{18} - \frac{11ea^2b}{18} + \frac{5dab^2}{18} + \frac{cb^3}{18} \right) - \frac{x^5(-10fa^3b+7ea^2b^2-4dab^3+cb^4)}{9a}}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^5}{5b^3} - \frac{\ln(b^{1/3}x + a^{1/3})}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

```
[Out] x^2*(e/(2*b^3) - (3*a*f)/(2*b^4)) - (x^2*((b^3*c)/18 + (17*a^3*f)/18 + (5*a
*b^2*d)/18 - (11*a^2*b*e)/18) - (x^5*(b^4*c + 7*a^2*b^2*e - 4*a*b^3*d - 10*
a^3*b*f))/(9*a)/(a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^5)/(5*b^3) - (log
(b^(1/3)*x + a^(1/3))*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4
/3)*b^(14/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*
1i)/2 + 1/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14
/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1
/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.292 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=307

$$\frac{x(-19a^3f + 13a^2be - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(35a^3f - 14a^2be + 7ab^2d - b^3c)}{54a^{5/3}b^{13/3}}$$

[Out] $(-3*a*f+b*e)*x/b^4+1/4*f*x^4/b^3-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^4/(b*x^3+a)^2+1/18*(-19*a^3*f+13*a^2*b*e-7*a*b^2*d+b^3*c)*x/a/b^4/(b*x^3+a)+1/27*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(13/3)}-1/54*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(13/3)}-1/27*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(13a^2be - 19a^3f - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^2be + 35a^3f - 7ab^2d + b^3c)}{54a^{5/3}b^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b*e - 3*a*f)*x)/b^4 + (f*x^4)/(4*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(18*a*b^4*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(5/3)}*b^{(13/3)}) + ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(5/3)}*b^{(13/3)}) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(5/3)}*b^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1411

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := Simp[(c*x^(n + 1)*(d + e*x^n)^(q + 1))/(e*(n*(q + 2) + 1)), x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) - (c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[{a, b, c, d, e, n, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} - \frac{\int \frac{-a(b^3c - ab^2d + a^2be - a^3f) - 6ab(b^2d - abe + a^2f)x^3 - 6ab^2(be - a^2f)x^6}{(a + bx^3)^2} dx}{6ab^4} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} + \frac{\int \frac{2ab^3(b^3c + a^2f)x^3 - 6ab^2(ab^2d - abe + a^2f)x^6}{(a + bx^3)^2} dx}{18ab^4} \\
&= \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} + \frac{\int \frac{8ab^3(b^3c + a^2f)x^3 - 12ab^2(ab^2d - abe + a^2f)x^6}{(a + bx^3)^2} dx}{18ab^4} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 294, normalized size = 0.96

$$\frac{6\sqrt[3]{b}x(-19a^3f + 13a^2be - 7ab^2d + b^3c)}{a(a + bx^3)} - \frac{18\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{(a + bx^3)^2} + \frac{4\log(\sqrt[3]{a} + \sqrt[3]{b}x)(35a^3f - 14a^2be + 2ab^2d + b^3c)}{a^{5/3}} - \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{108b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (108*b^(1/3)*(b*e - 3*a*f)*x + 27*b^(4/3)*f*x^4 - (18*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 + (6*b^(1/3)*(b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(a*(a + b*x^3)) - (4*sqrt(3)*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(5/3) + (4*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - (2*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(108*b^(13/3))

fricas [B] time = 0.73, size = 1213, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
[Out] [1/108*(27*a^3*b^4*f*x^10 + 54*(2*a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 3*(2*a^2*b^5*c - 14*a^3*b^4*d + 98*a^4*b^3*e - 245*a^5*b^2*f)*x^4 + 6*sqrt(1/3)*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f + (a*b^6*c + 2*a^2*b^5*d - 14*a^3*b^4*e + 35*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 2*a^3*b^4*d - 14*a^4*b^3*e + 35*a^5*b^2*f)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) - 2*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) - 12*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f)*x)/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5), 1/108*(27*a^3*b^4*f*x^10 + 54*(2*a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 3*(2*a^2*b^5*c - 14*a^3*b^4*d + 98*a^4*b^3*e - 245*a^5*b^2*f)*x^4 + 12*sqrt(1/3)*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f + (a*b^6*c + 2*a^2*b^5*d - 14*a^3*b^4*e + 35*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 2*a^3*b^4*d - 14*a^4*b^3*e + 35*a^5*b^2*f)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 2*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) - 12*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f)*x)/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5)]
```

giac [A] time = 0.22, size = 319, normalized size = 1.04

$$\frac{\sqrt{3}(b^3c + 2ab^2d + 35a^3f - 14a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c + 2ab^2d + 35a^3f - 14a^2be) \log\left(x^2 + x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(-ab^2)^{\frac{2}{3}}ab^3} - \frac{(b^3c + 2ab^2d + 35a^3f - 14a^2be) \log\left(x^2 + x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{2}{3}}ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")
[Out] -1/27*sqrt(3)*(b^3*c + 2*a*b^2*d + 35*a^3*f - 14*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^3) - 1/54*(b^3*c + 2*a*b^2*d + 35*a^3*f - 14*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^3) - 1/27*(b^3*c + 2*a*b^2*d + 35*a^3*f - 14*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^4) + 1/18*(b^4*c*x^4 - 7*a*b^3*d*x^4 - 19*a^3*b*f*x^4 + 13*a^2*b^2*x^4*e - 2*a*b^3*c*x - 4*a^2*b^2*d*x - 16*a^4*f*x + 10*a^3*b*x*e)/((b*x^3 + a)^2*a*b^4) + 1/4*(b^9*f*x^4 - 12*a*b^8*f*x + 4*b^9*x*e)/b^12
```

maple [B] time = 0.06, size = 561, normalized size = 1.83

$$\frac{19a^2fx^4}{18(bx^3+a)^2b^3} + \frac{13aex^4}{18(bx^3+a)^2b^2} + \frac{cx^4}{18(bx^3+a)^2a} - \frac{7dx^4}{18(bx^3+a)^2b} + \frac{fx^4}{4b^3} - \frac{8a^3fx}{9(bx^3+a)^2b^4} + \frac{5a^2ex}{9(bx^3+a)^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $\frac{1}{4}f x^4/b^3 - 3/b^4 a f x + 1/b^3 e x - 19/18/b^3/(b x^3+a)^2 x^4 a^2 f + 13/18/b^2/(b x^3+a)^2 x^4 a e - 7/18/b/(b x^3+a)^2 x^4 d + 1/18/(b x^3+a)^2/a x^4 c - 8/9/b^4/(b x^3+a)^2 a^3 f x + 5/9/b^3/(b x^3+a)^2 a^2 e x - 2/9/b^2/(b x^3+a)^2 a d x - 1/9/b/(b x^3+a)^2 c x + 35/27/b^5 a^2/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) f - 14/27/b^4 a/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) e + 2/27/b^3/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) d + 1/27/b^2/a/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) c - 35/54/b^5 a^2/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) f + 7/27/b^4 a/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) e - 1/27/b^3/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) d - 1/54/b^2/a/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) c + 35/27/b^5 a^2/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) f - 14/27/b^4 a/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) e + 2/27/b^3/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) d + 1/27/b^2/a/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) c$

maxima [A] time = 3.06, size = 305, normalized size = 0.99

$$\frac{(b^4c - 7ab^3d + 13a^2b^2e - 19a^3bf)x^4 - 2(ab^3c + 2a^2b^2d - 5a^3be + 8a^4f)x}{18(ab^6x^6 + 2a^2b^5x^3 + a^3b^4)} + \frac{bf x^4 + 4(be - 3af)x}{4b^4} + \frac{\sqrt{3}(b^3c + 2a^2b^2d - 5a^3be + 8a^4f)}{18a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{18}((b^4c - 7a^3b^3d + 13a^2b^2e - 19a^3b^3f)x^4 - 2(a^3b^3c + 2a^2b^2d - 5a^3b^3e + 8a^4f)x)/(a^3b^6x^6 + 2a^2b^5x^3 + a^3b^4) + 1/4*(b^4f x^4 + 4*(b^3e - 3a^2f)x)/b^4 + 1/27*\sqrt{3}*(b^3c + 2a^2b^2d - 14a^2b^3e + 35a^3f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3b^5*(a/b)^{(2/3)}) - 1/54*(b^3c + 2a^2b^2d - 14a^2b^3e + 35a^3f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3b^5*(a/b)^{(2/3)}) + 1/27*(b^3c + 2a^2b^2d - 14a^2b^3e + 35a^3f)*\log(x + (a/b)^{(1/3)})/(a^3b^5*(a/b)^{(2/3)})$

mupad [B] time = 5.14, size = 290, normalized size = 0.94

$$x \left(\frac{e}{b^3} - \frac{3af}{b^4} \right) - \frac{x \left(\frac{8fa^3}{9} - \frac{5ea^2b}{9} + \frac{2dab^2}{9} + \frac{cb^3}{9} \right) - \frac{x^4(-19fa^3b+13ea^2b^2-7dab^3+cb^4)}{18a}}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^4}{4b^3} + \frac{\ln(b^{1/3}x + a^{1/3})}{27a} (35fa^3b^3c + 2a^2b^2d - 14a^2b^3e + 35a^3f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)`

[Out] $x*(e/b^3 - (3a^3f)/b^4) - (x*((b^3c)/9 + (8a^3f)/9 + (2a^2b^2d)/9 - (5a^2b^3e)/9) - (x^4*(b^4c + 13a^2b^2e - 7a^3b^3d - 19a^3b^3f))/(18a))/(a^2b^4 + b^6x^6 + 2a^2b^5x^3) + (f*x^4)/(4*b^3) + (\log(b^{(1/3)}*x + a^{(1/3)}))*(b^3c + 35a^3f + 2a^2b^2d - 14a^2b^3e))/(27*a^{(5/3)}*b^{(13/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*1i)/2 - 1/2)*(b^3c + 35a^3f + 2a^2b^2d - 14a^2b^3e))/(27*a^{(5/3)}*b^{(13/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*1i)/2 + 1/2)*(b^3c + 35a^3f + 2a^2b^2d - 14a^2b^3e))/(27*a^{(5/3)}*b^{(13/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.293 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^3f + 5a^2be - 20a^2b^2d + 2b^3c)}{54a^{7/3}b^{11/3}}$$

[Out] $\frac{1}{2}fx^2/b^3 + \frac{1}{6}(-a^3f + a^2be - ab^2d + b^3c)x^2/a/b^3/(bx^3+a)^2 + \frac{1}{9}(7a^3f - 4a^2be + ab^2d + 2b^3c)x^2/a^2/b^3/(bx^3+a) - \frac{1}{27}(-20a^3f + 5a^2be + a^2b^2d + 2b^3c)\ln(a^{1/3} + b^{1/3}x)/a^{7/3}/b^{11/3} + \frac{1}{54}(-20a^3f + 5a^2be + a^2b^2d + 2b^3c)\ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/a^{7/3}/b^{11/3} - \frac{1}{27}(-20a^3f + 5a^2be + a^2b^2d + 2b^3c)\arctan(1/3(a^{1/3} - 2b^{1/3}x)/a^{1/3})/a^{7/3}/b^{11/3}$

Rubi [A] time = 0.37, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1828, 1594, 1482, 459, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^2be - 20a^2b^2d + 2b^3c)}{54a^{7/3}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $\frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^3(a + bx^3)^2} + \frac{((2b^3c + ab^2d - 4a^2be + 7a^3f)x^2)/(9a^2b^3(a + bx^3)) - ((2b^3c + ab^2d + 5a^2be - 20a^3f)\text{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\text{Sqrt}[3]a^{1/3})])/(9\text{Sqrt}[3]a^{7/3}b^{11/3}) - ((2b^3c + ab^2d + 5a^2be - 20a^3f)\text{Log}[a^{1/3} + b^{1/3}x])/(27a^{7/3}b^{11/3})}{(27a^{7/3}b^{11/3})} + \frac{((2b^3c + ab^2d + 5a^2be - 20a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/(54a^{7/3}b^{11/3})}{(54a^{7/3}b^{11/3})}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 459

Int[((e_.)*(x_))^{(m_.)*((a_) + (b_.)*(x_)^{(n_.))^{(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(d*(e*x)^(m + 1)(a + b*xⁿ)^(p + 1)]/(b*e*(m + n*(p + 1)))}}}

+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1482

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[1/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), Int[x^Mod[m, n]*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)*x^(m - Mod[m, n])*(a + b*x^n + c*x^(2*n)))^p - (-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n)]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m, 0]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-2b(2b^3c + ab^2d - a^2be + a^3f)x - 6ab^2(be - af)x^4 - 6ab^3fx^7}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{x(-2b(2b^3c + ab^2d - a^2be + a^3f) - 6ab^2(be - af)x^3 - 6ab^3fx^6)}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{\int \frac{x(2b^3(\frac{2b^3c}{a} + b^2d - a^2be + a^3f))}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 284, normalized size = 0.94

$$\frac{6b^{2/3}x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{a^2(a + bx^3)} + \frac{9b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)^2} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(-20a^3f + 5a^2be + ab^2d + 2b^3c)}{a^{7/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (27*b^(2/3)*f*x^2 + (9*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a*(a + b*x^3)^2) + (6*b^(2/3)*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*x^2)/(a^2*(a + b*x^3)) - (2*sqrt(3)*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(7/3) - (2*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(7/3) + ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(7/3)/(54*b^(11/3))

fricas [B] time = 0.79, size = 1158, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 3*sqrt(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 2*((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5), 1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 6*sqrt(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 2*((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5)

giac [A] time = 0.21, size = 339, normalized size = 1.13

$$\frac{fx^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 20a^3f + 5a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}a^2b^3} - \frac{(2b^3c + ab^2d - 20a^3f + 5a^2be) \log\left(x^2 + \dots\right)}{54(-ab^2)^{\frac{1}{3}}a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/2*f*x^2/b^3 + 1/27*sqrt(3)*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b^3) - 1/54*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b^3) - 1/27*(2*b^3*c*(-a/b)^(1/3) + a*b^2*d*(-a/b)^(1/3) - 20*a^3*f*(-a/b)^(1/3) + 5*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3) + 1/18*(4*b^4*c*x^5 + 2*a*b^3*d*x^5 + 14*a^3*b*f*x^5 - 8*a^2*b^2*x^5*e + 7*a*b^3*c*x^2 - a^2*b^2*d*x^2 + 11*a^4*f*x^2 - 5*a^3*b*x^2*e)/((b*x^3 + a)^2*a^2*b^3)

maple [B] time = 0.06, size = 550, normalized size = 1.83

$$\frac{7afx^5}{9(bx^3+a)^2b^2} + \frac{dx^5}{9(bx^3+a)^2a} + \frac{2bcx^5}{9(bx^3+a)^2a^2} - \frac{4ex^5}{9(bx^3+a)^2b} + \frac{11a^2fx^2}{18(bx^3+a)^2b^3} - \frac{5aex^2}{18(bx^3+a)^2b^2} + \frac{7}{18(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $\frac{1}{2}f x^2/b^3 + 7/9/b^2/(b x^3+a)^2 a x^5 f - 4/9/b/(b x^3+a)^2 x^5 e + 1/9/(b x^3+a)^2 a x^5 d + 2/9*b/(b x^3+a)^2/a^2 x^5 c + 11/18/b^3/(b x^3+a)^2 a^2 x^2 f - 5/18/b^2/(b x^3+a)^2 a x^2 e - 1/18/b/(b x^3+a)^2 x^2 d + 7/18/(b x^3+a)^2/a x^2 c + 20/27/b^4 a/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * f - 5/27/b^3/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * e - 1/27/b^2/a/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * d - 2/27/b/a^2/(a/b)^{1/3} \ln(x+(a/b)^{1/3}) * c - 10/27/b^4 a/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3}) * x + (a/b)^{2/3} * f + 5/54/b^3/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3}) * x + (a/b)^{2/3} * e + 1/54/b^2/a/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3}) * x + (a/b)^{2/3} * d + 1/27/b/a^2/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3}) * x + (a/b)^{2/3} * c - 20/27/b^4 a^3^{1/2}/(a/b)^{1/3} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f + 5/27/b^3 * 3^{1/2}/(a/b)^{1/3} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e + 1/27/b^2/a * 3^{1/2}/(a/b)^{1/3} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d + 2/27/b/a^2 * 3^{1/2}/(a/b)^{1/3} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c$

maxima [A] time = 2.94, size = 296, normalized size = 0.98

$$\frac{2(2b^4c + ab^3d - 4a^2b^2e + 7a^3bf)x^5 + (7ab^3c - a^2b^2d - 5a^3be + 11a^4f)x^2}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{fx^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^2d + 5a^2be - 2a^3f)}{27a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{18} * (2 * (2 * b^4 * c + a * b^3 * d - 4 * a^2 * b^2 * e + 7 * a^3 * b * f) * x^5 + (7 * a * b^3 * c - a^2 * b^2 * d - 5 * a^3 * b * e + 11 * a^4 * f) * x^2) / (a^2 * b^5 * x^6 + 2 * a^3 * b^4 * x^3 + a^4 * b^3) + 1/27 * \sqrt{3} * (2 * b^3 * c + a * b^2 * d + 5 * a^2 * b * e - 20 * a^3 * f) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a^2 * b^4 * (a/b)^{1/3}) + 1/54 * (2 * b^3 * c + a * b^2 * d + 5 * a^2 * b * e - 20 * a^3 * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a^2 * b^4 * (a/b)^{1/3}) - 1/27 * (2 * b^3 * c + a * b^2 * d + 5 * a^2 * b * e - 20 * a^3 * f) * \log(x + (a/b)^{1/3}) / (a^2 * b^4 * (a/b)^{1/3})$

mupad [B] time = 5.27, size = 280, normalized size = 0.93

$$\frac{x^2(11fa^3-5ea^2b-dab^2+7cb^3)}{18a} + \frac{x^5(7fa^3b-4ea^2b^2+dab^3+2cb^4)}{9a^2}{a^2b^3 + 2ab^4x^3 + b^5x^6} + \frac{fx^2}{2b^3} - \frac{\ln(b^{1/3}x + a^{1/3})}{27a^{7/3}b^{11/3}} (-20fa^3 + 5ea^2b + dab^2 + 2a^3f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)`

[Out] $((x^2 * (7 * b^3 * c + 11 * a^3 * f - a * b^2 * d - 5 * a^2 * b * e)) / (18 * a) + (x^5 * (2 * b^4 * c - 4 * a^2 * b^2 * e + a * b^3 * d + 7 * a^3 * b * f)) / (9 * a^2)) / (a^2 * b^3 + b^5 * x^6 + 2 * a * b^4 * x^3) + (f * x^2) / (2 * b^3) - (\log(b^{1/3} * x + a^{1/3}) * (2 * b^3 * c - 20 * a^3 * f + a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{7/3} * b^{11/3}) + (\log(3^{1/2} * a^{1/3} * i + 2 * b^{1/3} * x - a^{1/3}) * ((3^{1/2} * i) / 2 + 1/2) * (2 * b^3 * c - 20 * a^3 * f + a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{7/3} * b^{11/3}) - (\log(3^{1/2} * a^{1/3} * i - 2 * b^{1/3} * x + a^{1/3}) * ((3^{1/2} * i) / 2 - 1/2) * (2 * b^3 * c - 20 * a^3 * f + a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{7/3} * b^{11/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.294 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$$

Optimal. Leaf size=292

$$\frac{x(13a^3f - 7a^2be + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{54a^{8/3}b^{10/3}}$$

[Out] $f*x/b^3+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a/b^3/(b*x^3+a)^2+1/18*(13*a^3*f-7*a^2*b*e+a*b^2*d+5*b^3*c)*x/a^2/b^3/(b*x^3+a)+1/27*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(10/3)}-1/54*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(10/3)}-1/27*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}/b^{(10/3)}*3^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1409, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(-7a^2be + 13a^3f + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be - 14a^3f + ab^2d + 5b^3c)}{54a^{8/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x]

[Out] $(f*x)/b^3 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a*b^3*(a + b*x^3)^2) + ((5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(18*a^2*b^3*(a + b*x^3)) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(9*\text{Sqrt}[3]*a^{(8/3)}*b^{(10/3)}) + ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(27*a^{(8/3)}*b^{(10/3)}) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(54*a^{(8/3)}*b^{(10/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^{(p_)*((c_) + (d_.)*(x_)^(n_))}, x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1)/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

$c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n*(p + 1) + 1, 0]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] :> \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1409

$\text{Int}[(d_ + (e_)*(x_)^n)^{q_}*(a_ + (b_)*(x_)^n + (c_)*(x_)^{n2_}), x_Symbol] :> -\text{Simp}[(c*d^2 - b*d*e + a*e^2)*x*(d + e*x^n)^{q+1}/(d*e^{2*n*(q+1)}), x] + \text{Dist}[1/(n*(q+1)*d*e^2), \text{Int}[(d + e*x^n)^{q+1}*\text{Simp}[c*d^2 - b*d*e + a*e^2*(n*(q+1) + 1) + c*d*e*n*(q+1)*x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[q, -1]$

Rule 1858

$\text{Int}[(Pq_)*(a_ + (b_)*(x_)^{n_})^{p_}, x_Symbol] :> \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b*x^n)^{p+1}*\text{ExpandToSum}[a*n*(p+1)*Q + n*(p+1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{p+1})/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), x] /; \text{GeQ}[q, n]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-5b^3c - ab^2d + a^2be - a^3f - 6ab(be - af)x^3 - 6ab^2fx^6}{(a + bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{\int \frac{2b^2(5b^3c + ab^2d + 2a^2be - a^3f) - 6ab^2fx^6}{(a + bx^3)^2} dx}{18a^2b^3} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 279, normalized size = 0.96

$$\frac{3\sqrt[3]{b}x(13a^3f - 7a^2be + ab^2d + 5b^3c)}{a^2(a + bx^3)} + \frac{9\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)^2} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{a^{8/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{54b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x]

[Out] (54*b^(1/3)*f*x + (9*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a + b*x^3)^2) + (3*b^(1/3)*(5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(a^2*(a + b*x^3)) - (2*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(8/3) + (2*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(8/3) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(8/3))/(54*b^(10/3))

fricas [B] time = 0.78, size = 1184, normalized size = 4.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*e + 49*a^5*b^2*f)*x^4 - 3*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e - 14*a^6*b

*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) - ((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 6*(4*a^3*b^4*c - a^4*b^3*d - 2*a^5*b^2*e + 14*a^6*b*f)*x)/(a^4*b^6*x^6 + 2*a^5*b^5*x^3 + a^6*b^4), 1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*e + 49*a^5*b^2*f)*x^4 + 6*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e - 14*a^6*b*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - ((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 6*(4*a^3*b^4*c - a^4*b^3*d - 2*a^5*b^2*e + 14*a^6*b*f)*x)/(a^4*b^6*x^6 + 2*a^5*b^5*x^3 + a^6*b^4)]

giac [A] time = 0.20, size = 295, normalized size = 1.01

$$\frac{fx}{b^3} \frac{\sqrt{3}(5b^3c + ab^2d - 14a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}a^2b^2} - \frac{(5b^3c + ab^2d - 14a^3f + 2a^2be) \log\left(x^2 + x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{2}{3}}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] f*x/b^3 - 1/27*sqrt(3)*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b^2) - 1/54*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b^2) - 1/27*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3) + 1/18*(5*b^4*c*x^4 + a*b^3*d*x^4 + 13*a^3*b*f*x^4 - 7*a^2*b^2*x^4*e + 8*a*b^3*c*x - 2*a^2*b^2*d*x + 10*a^4*f*x - 4*a^3*b*x*e)/((b*x^3 + a)^2*a^2*b^3)

maple [B] time = 0.06, size = 539, normalized size = 1.85

$$\frac{13afx^4}{18(bx^3 + a)^2 b^2} + \frac{dx^4}{18(bx^3 + a)^2 a} + \frac{5bcx^4}{18(bx^3 + a)^2 a^2} - \frac{7ex^4}{18(bx^3 + a)^2 b} + \frac{5a^2fx}{9(bx^3 + a)^2 b^3} - \frac{2aex}{9(bx^3 + a)^2 b^2} + \frac{1}{9(bx^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

```
[Out] 1/b^3*f*x+13/18/b^2/(b*x^3+a)^2*x^4*a*f-7/18/b/(b*x^3+a)^2*x^4*e+1/18/(b*x^3+a)^2/a*x^4*d+5/18*b/(b*x^3+a)^2/a^2*x^4*c+5/9/b^3/(b*x^3+a)^2*a^2*f*x-2/9/b^2/(b*x^3+a)^2*a*e*x-1/9/b/(b*x^3+a)^2*d*x+4/9/(b*x^3+a)^2/a*x*c-14/27/b^4*a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/27/b^2/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+5/27/b/a^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c+7/27/b^4*a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/54/b^2/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-5/54/b/a^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-14/27/b^4*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/27/b^2/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+5/27/b/a^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c
```

maxima [A] time = 3.07, size = 291, normalized size = 1.00

$$\frac{(5b^4c + ab^3d - 7a^2b^2e + 13a^3bf)x^4 + 2(4ab^3c - a^2b^2d - 2a^3be + 5a^4f)x + \frac{fx}{b^3} + \frac{\sqrt{3}(5b^3c + ab^2d + 2a^2be - 14a^3f)}{27a^2b^4}}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] 1/18*((5*b^4*c + a*b^3*d - 7*a^2*b^2*e + 13*a^3*b*f)*x^4 + 2*(4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + f*x/b^3 + 1/27*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3)) - 1/54*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^4*(a/b)^(2/3)) + 1/27*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3))
```

mupad [B] time = 5.20, size = 275, normalized size = 0.94

$$\frac{x(5fa^3-2ea^2b-dab^2+4cb^3)}{9a} + \frac{x^4(13fa^3b-7ea^2b^2+dab^3+5cb^4)}{18a^2}}{a^2b^3 + 2ab^4x^3 + b^5x^6} + \frac{fx}{b^3} + \frac{\ln(b^{1/3}x + a^{1/3})(-14fa^3 + 2ea^2b + dab^2 + 5cb^3)}{27a^{8/3}b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x)
```

```
[Out] ((x*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a) + (x^4*(5*b^4*c - 7*a^2*b^2*e + a*b^3*d + 13*a^3*b*f))/(18*a^2))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + (f*x)/b^3 + (log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.295 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=303

$$\frac{c}{a^3x} - \frac{x^2(4a^3f - a^2be - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-5a^{10/3}b^8)}{54a^{10/3}b^8}$$

[Out] $-c/a^3/x - 1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^2/b^2/(b*x^3+a)^2 - 1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*x^2/a^3/b^2/(b*x^3+a) + 1/27*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{10/3}/b^{8/3} - 1/54*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{10/3}/b^{8/3} + 1/27*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{10/3}/b^{8/3}*3^{1/2}$

Rubi [A] time = 0.34, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 5a^{10/3}b^8)}{54a^{10/3}b^8}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] $-(c/(a^3*x)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^2*b^2*(a + b*x^3)^2) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*x^2)/(9*a^3*b^2*(a + b*x^3)) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(9*\text{Sqrt}[3]*a^{10/3}*b^{8/3}) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(27*a^{10/3}*b^{8/3}) - ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(54*a^{10/3}*b^{8/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 453

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^n_)^(p_.)*((c_) + (d_.)*(x_)^n_), x_Symbol] :> Simp[(c*(e*x)^(m+1)*(a + b*x^n)^(p+1))/(a*e*(m+1)), x] + Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(a*e^n*(m+1)), Int[(e

$x^{(m+n)}(a + b*x^n)^p, x]$, $x]$ /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int(((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int(((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1484

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(m - Mod[m, n])/n + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m - Mod[m, n])/n)*x^(m - Mod[m, n]))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n)]]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 2b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^2(a + bx^3)^2} dx}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(\dots)}{\dots}}{\dots} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} - \frac{(14b^3)}{\dots} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3)}{\dots} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3)}{\dots} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3)}{\dots} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3)}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 286, normalized size = 0.94

$$\frac{6\sqrt[3]{a}x^2(4a^3f - a^2be - 2ab^2d + 5b^3c)}{b^2(a + bx^3)} - \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(5a^3f + a^2be + 2ab^2d - 14b^3c)}{b^{8/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(-5a^3f - a^2be - 2ab^2d + 14b^3c)}{b^{8/3}} + \frac{(14b^3)}{54a^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] $\left(\frac{-54a^{1/3}c}{x} + (9a^{4/3})(-(b^3c) + a*b^2*d - a^2*b*e + a^3*f)*x^2\right) / (b^2*(a + b*x^3)^2) - (6*a^{1/3}*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*x^2) / (b^2*(a + b*x^3)) + (2*\sqrt{3}*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}]) / b^{8/3} - (2*(-14*b^3*c + 2*a*b^2*d + a^2*b*e + 5*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x]) / b^{8/3} + ((-14*b^3*c + 2*a*b^2*d + a^2*b*e + 5*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2]) / b^{8/3}) / (54*a^{10/3})$

fricas [B] time = 0.60, size = 1206, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $[-1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a^5*b^2*f)*x^3 + 3*s$

```

    sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 2*(14*
    a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 + (14*a^3*b^4*c - 2*
    a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3
    - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt
    ((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + ((14*b^5*c - 2*a*b^
    4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*
    e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-
    a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*((14*b^
    5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*
    d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*
    a^5*f)*x)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^6*x^7 + 2*a^5*b^
    5*x^4 + a^6*b^4*x), -1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3
    *b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a
    ^5*b^2*f)*x^3 + 6*sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*
    b^3*f)*x^7 + 2*(14*a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 +
    (14*a^3*b^4*c - 2*a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt(-(-a*b^2)^(1/
    3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b)
    + ((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2
    *a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4
    *b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^
    2)^(2/3)) - 2*((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14
    *a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3
    *b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a
    ^4*b^6*x^7 + 2*a^5*b^5*x^4 + a^6*b^4*x)]

```

giac [A] time = 0.21, size = 341, normalized size = 1.13

$$\frac{\sqrt{3}(14b^3c - 2ab^2d - 5a^3f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}a^3b^2} - \frac{c}{a^3x} + \frac{(14b^3c - 2ab^2d - 5a^3f - a^2be) \log\left(x^2 + x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{1}{3}}a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

```

[Out] -1/27*sqrt(3)*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)
*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^3*b^2) - c/(a^3*x) +
1/54*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) +
(-a/b)^(2/3))/((-a*b^2)^(1/3)*a^3*b^2) + 1/27*(14*b^3*c*(-a/b)^(1/3) - 2*a*
b^2*d*(-a/b)^(1/3) - 5*a^3*f*(-a/b)^(1/3) - a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1
/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b^2) - 1/18*(10*b^4*c*x^5 - 4*a*b^3*d*x
^5 + 8*a^3*b*f*x^5 - 2*a^2*b^2*x^5*e + 13*a*b^3*c*x^2 - 7*a^2*b^2*d*x^2 + 5
*a^4*f*x^2 + a^3*b*x^2*e)/((b*x^3 + a)^2*a^3*b^2)

```

maple [B] time = 0.12, size = 547, normalized size = 1.81

$$\frac{ex^5}{9(bx^3+a)^2a} + \frac{2bdx^5}{9(bx^3+a)^2a^2} - \frac{5b^2cx^5}{9(bx^3+a)^2a^3} - \frac{4fx^5}{9(bx^3+a)^2b} - \frac{5afx^2}{18(bx^3+a)^2b^2} + \frac{7dx^2}{18(bx^3+a)^2a} - \frac{13bcx}{18(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x)

```
[Out] -4/9/(b*x^3+a)^2/b*x^5*f+1/9/a/(b*x^3+a)^2*x^5*e+2/9/a^2/(b*x^3+a)^2*b*x^5*
d-5/9/a^3/(b*x^3+a)^2*b^2*x^5*c-5/18*a/(b*x^3+a)^2/b^2*x^2*f-1/18/(b*x^3+a)
^2/b*x^2*e+7/18/a/(b*x^3+a)^2*x^2*d-13/18/a^2/(b*x^3+a)^2*b*x^2*c-5/27/b^3/
(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-
2/27/a^2/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+14/27/a^3/(a/b)^(1/3)*ln(x+(a/b)
^(1/3))*c+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/54/a/b
^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/27/a^2/b/(a/b)^(1/3)*l
n(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-7/27/a^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*
x+(a/b)^(2/3))*c+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(
1/3)*x-1))*f+1/27/a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/
3)*x-1))*e+2/27/a^2/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)
*x-1))*d-14/27/a^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-
1))*c-1/a^3*c/x
```

maxima [A] time = 2.96, size = 300, normalized size = 0.99

$$\frac{2(14b^4c - 2ab^3d - a^2b^2e + 4a^3bf)x^6 + 18a^2b^2c + (49ab^3c - 7a^2b^2d + a^3be + 5a^4f)x^3}{18(a^3b^4x^7 + 2a^4b^3x^4 + a^5b^2x)} \sqrt{3}(14b^3c - 2ab^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] -1/18*(2*(14*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^6 + 18*a^2*b^2*c
+ (49*a*b^3*c - 7*a^2*b^2*d + a^3*b*e + 5*a^4*f)*x^3)/(a^3*b^4*x^7 + 2*a^4*
b^3*x^4 + a^5*b^2*x) - 1/27*sqrt(3)*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3
*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b^3*(a/b)^(1/3
)) - 1/54*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*log(x^2 - x*(a/b)^(1/3
) + (a/b)^(2/3))/(a^3*b^3*(a/b)^(1/3)) + 1/27*(14*b^3*c - 2*a*b^2*d - a^2*b
*e - 5*a^3*f)*log(x + (a/b)^(1/3))/(a^3*b^3*(a/b)^(1/3))
```

mupad [B] time = 5.20, size = 276, normalized size = 0.91

$$\frac{\frac{c}{a} + \frac{x^6(4fa^3 - ea^2b - 2dab^2 + 14cb^3)}{9a^3b} + \frac{x^3(5fa^3 + ea^2b - 7dab^2 + 49cb^3)}{18a^2b^2}}{a^2x + 2abx^4 + b^2x^7} \ln(b^{1/3}x + a^{1/3}) \frac{(5fa^3 + ea^2b + 2dab^2 - 14cb^3)}{27a^{10/3}b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3),x)
```

```
[Out] (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*
a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^(10/3)*b^(8/3)) - (log(b^(1/
3)*x + a^(1/3))*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^(10/3)*b^
(8/3)) - (c/a + (x^6*(14*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^3*b)
+ (x^3*(49*b^3*c + 5*a^3*f - 7*a*b^2*d + a^2*b*e))/(18*a^2*b^2))/(a^2*x + b
^2*x^7 + 2*a*b*x^4) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^
(1/2)*1i)/2 - 1/2)*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^(10/3)
*b^(8/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.296 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{c}{2a^3x^2} - \frac{x(7a^3f - a^2be - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^3f - a^2be - 5ab^2d + 11b^3c)}{54a^{11/3}b^{7/3}}$$

[Out] $-1/2*c/a^3/x^2 - 1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^2/b^2/(b*x^3+a)^2 - 1/18*(7*a^3*f-a^2*b*e-5*a*b^2*d+11*b^3*c)*x/a^3/b^2/(b*x^3+a) - 1/27*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{11/3}/b^{7/3} + 1/54*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{11/3}/b^{7/3} + 1/27*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{11/3}/b^{7/3}*3^{1/2}$

Rubi [A] time = 0.33, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 200, 31, 634, 617, 204, 628}

$$\frac{x(-a^2be + 7a^3f - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 2a^3f - a^2be - 5ab^2d + 11b^3c)}{54a^{11/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^2*b^2*(a + b*x^3)^2) - ((11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)*x)/(18*a^3*b^2*(a + b*x^3)) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(9*\text{Sqrt}[3]*a^{11/3}*b^{7/3}) - ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(27*a^{11/3}*b^{7/3}) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(54*a^{11/3}*b^{7/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 453

Int[((e_.)*(x_))^{(m_.)*((a_) + (b_.)*(x_)^n)^{(p_.)*((c_) + (d_.)*(x_)^n)}, x_Symbol] := Simp[(c*(e*x)^(m+1)*(a + b*x^n)^(p+1))/(a*e^(m+1)), x] + Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(a*e^n*(m+1)), Int[(e}

$x)^{(m+n)}*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int(((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int(((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1484

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-d)^((m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^((m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n]))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + b\left(\frac{5b^3c}{a} - 5b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^3(a + bx^3)^2} dx}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(11b^3c}{x^3}}{18a^3b^2(a + bx^3)} dx}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} + \frac{(20b^3c}{18a^3b^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 283, normalized size = 0.94

$$\frac{-\frac{27a^{2/3}c}{x^2} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(2a^3f + a^2be + 5ab^2d - 20b^3c)}{b^{7/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)(-2a^3f - a^2be - 5ab^2d + 20b^3c)}{b^{7/3}} + \frac{9a^{5/3}x(a^3f - a^2be + ab^2d - b^3c)}{b^2(a + bx^3)^2}}{54a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3),x]

[Out] ((-27*a^(2/3)*c)/x^2 + (9*a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b^2*(a + b*x^3)^2) - (3*a^(2/3)*(11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)*x)/(b^2*(a + b*x^3)) + (2*sqrt(3)*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(7/3) + (2*(-20*b^3*c + 5*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(7/3) - ((-20*b^3*c + 5*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(7/3))/(54*a^(11/3))

fricas [B] time = 0.68, size = 1217, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")


```
[Out] [-1/54*(27*a^4*b^3*c + 3*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e + 7*a^5*b^2*f)*x^6 + 6*(16*a^3*b^4*c - 4*a^4*b^3*d + a^5*b^2*e + 2*a^6*b*f)*x^3 + 3*sqrt(1/3)*((20*a*b^6*c - 5*a^2*b^5*d - a^3*b^4*e - 2*a^4*b^3*f)*x^8 + 2*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e - 2*a^5*b^2*f)*x^5 + (20*a^3*b^4*c - 5*a^4*b^3*d - a^5*b^2*e - 2*a^6*b*f)*x^2)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - ((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^5*x^8 + 2*a^6*b^4*x^5 + a^7*b^3*x^2), -1/54*(27*a^4*b^3*c + 3*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e + 7*a^5*b^2*f)*x^6 + 6*(16*a^3*b^4*c - 4*a^4*b^3*d + a^5*b^2*e + 2*a^6*b*f)*x^3 + 6*sqrt(1/3)*((20*a*b^6*c - 5*a^2*b^5*d - a^3*b^4*e - 2*a^4*b^3*f)*x^8 + 2*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e - 2*a^5*b^2*f)*x^5 + (20*a^3*b^4*c - 5*a^4*b^3*d - a^5*b^2*e - 2*a^6*b*f)*x^2)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - ((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^5*x^8 + 2*a^6*b^4*x^5 + a^7*b^3*x^2)]
```

giac [A] time = 0.21, size = 312, normalized size = 1.04

$$\frac{\sqrt{3} \left(20b^3c - 5ab^2d - 2a^3f - a^2be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^3b} + \frac{\left(20b^3c - 5ab^2d - 2a^3f - a^2be \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] 1/27*sqrt(3)*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3*b) + 1/54*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3*b) + 1/27*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b^2) - 1/18*(20*b^4*c*x^6 - 5*a*b^3*d*x^6 + 7*a^3*b*f*x^6 - a^2*b^2*x^6*e + 32*a*b^3*c*x^3 - 8*a^2*b^2*d*x^3 + 4*a^4*f*x^3 + 2*a^3*b*x^3*e + 9*a^2*b^2*c)/((b*x^4 + a*x)^2*a^3*b^2)
```

maple [B] time = 0.06, size = 539, normalized size = 1.79

$$\frac{ex^4}{18(bx^3+a)^2a} + \frac{5bdx^4}{18(bx^3+a)^2a^2} - \frac{11b^2cx^4}{18(bx^3+a)^2a^3} - \frac{7fx^4}{18(bx^3+a)^2b} - \frac{2afx}{9(bx^3+a)^2b^2} + \frac{4dx}{9(bx^3+a)^2a} - \frac{c}{9(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x)
[Out] -7/18/(b*x^3+a)^2/b*x^4*f+1/18/a/(b*x^3+a)^2*x^4*e+5/18/a^2/(b*x^3+a)^2*b*x^4*d-11/18/a^3/(b*x^3+a)^2*b^2*x^4*c-2/9*a/(b*x^3+a)^2/b^2*x*f-1/9/(b*x^3+a)^2/b*x*e+4/9/a/(b*x^3+a)^2*x*d-7/9/a^2/(b*x^3+a)^2*b*x*c+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+5/27/a^2/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-20/27/a^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x+(a/b)^(2/3))*f-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x+(a/b)^(2/3))*e-5/54/a^2/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x+(a/b)^(2/3))*d+10/27/a^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x+(a/b)^(2/3))*c+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+5/27/a^2/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-20/27/a^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/2*c/a^3/x^2
```

maxima [A] time = 3.07, size = 302, normalized size = 1.00

$$\frac{\sqrt{3}(20b^3c - 5ab^2d - (20b^4c - 5ab^3d - a^2b^2e + 7a^3bf)x^6 + 9a^2b^2c + 2(16ab^3c - 4a^2b^2d + a^3be + 2a^4f)x^3)}{18(a^3b^4x^8 + 2a^4b^3x^5 + a^5b^2x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")
[Out] -1/18*((20*b^4*c - 5*a*b^3*d - a^2*b^2*e + 7*a^3*b*f)*x^6 + 9*a^2*b^2*c + 2*(16*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^3)/(a^3*b^4*x^8 + 2*a^4*b^3*x^5 + a^5*b^2*x^2) - 1/27*sqrt(3)*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b^3*(a/b)^(2/3)) + 1/54*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b^3*(a/b)^(2/3)) - 1/27*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*log(x + (a/b)^(1/3))/(a^3*b^3*(a/b)^(2/3))
```

mupad [B] time = 5.16, size = 279, normalized size = 0.93

$$\frac{\ln(b^{1/3}x + a^{1/3})(2fa^3 + ea^2b + 5dab^2 - 20cb^3)}{27a^{11/3}b^{7/3}} - \frac{c}{2a} + \frac{x^3(2fa^3 + ea^2b - 4dab^2 + 16cb^3)}{9a^2b^2} + \frac{x^6(7fa^3 - ea^2b - 5dab^2 + 20cb^3)}{18a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3),x)
[Out] (log(b^(1/3)*x + a^(1/3))*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e))/(27*a^(11/3)*b^(7/3)) - (c/(2*a) + (x^3*(16*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^2*b^2) + (x^6*(20*b^3*c + 7*a^3*f - 5*a*b^2*d - a^2*b*e))/(18*a^3*b))/((a^2*x^2 + b^2*x^8 + 2*a*b*x^5) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e))/(27*a^(11/3)*b^(7/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e))/(27*a^(11/3)*b^(7/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**3,x)
[Out] Timed out
```

$$3.297 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$$

Optimal. Leaf size=317

$$\frac{3bc-ad}{a^4x} - \frac{c}{4a^3x^4} + \frac{x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f+2a^2be-14ab^2d+35b^3c)}{54a^{13/3}b^{5/3}}$$

[Out] $-1/4*c/a^3/x^4+(-a*d+3*b*c)/a^4/x+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^3/b/(b*x^3+a)^2+1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*x^2/a^4/b/(b*x^3+a)-1/27*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}/b^{(5/3)}+1/54*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}/b^{(5/3)}-1/27*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(2a^2be+a^3f-5ab^2d+8b^3c)}{9a^4b(a+bx^3)} + \frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^2be+a^3f-5ab^2d+8b^3c)}{54a^{13/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] $-c/(4*a^3*x^4) + (3*b*c - a*d)/(a^4*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^3*b*(a + b*x^3)^2) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*x^2)/(9*a^4*b*(a + b*x^3)) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(13/3)}*b^{(5/3)}) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(13/3)}*b^{(5/3)}) + ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(13/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-d)^((m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^((m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n]))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1488

```
Int[((f_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - 2b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^5(a + bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} - \frac{\int \frac{-18a^2b^5c + 18a^2b^5d}{x^5} dx}{9a^4b(a + bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} - \frac{\int \left(-\frac{18ab^5c}{x^5} + \frac{18ab^5d}{x^5}\right) dx}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 303, normalized size = 0.96

$$\frac{-\frac{27a^{4/3}c}{x^4} + \frac{12\sqrt[3]{a}x^2(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b(a + bx^3)} - \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{b^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{b^{5/3}}}{108a^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] $\left(-\frac{27a^{4/3}c}{x^4} - \frac{(108a^{1/3})(-3bc + ad)}{x} - \frac{(18a^{4/3})(-b^3c + a^3f + 2a^2be - 5ab^2d)}{b(a + bx^3)^2} + \frac{(12a^{1/3})(8b^3c - 5ab^2d + 2a^2be + a^3f)}{b(a + bx^3)} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{b^{5/3}} - \frac{(4(35b^3c - 14ab^2d + 2a^2be + a^3f))\operatorname{ArcTan}\left[\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right]}{b^{5/3}} - \frac{(4(35b^3c - 14ab^2d + 2a^2be + a^3f))\operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{b^{1/3}}\right]}{b^{5/3}} + \frac{(2(35b^3c - 14ab^2d + 2a^2be + a^3f))\operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{b^{5/3}}\right]}{b^{5/3}}\right)/(108a^{13/3})$

fricas [B] time = 0.66, size = 1254, normalized size = 3.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/108*(12*(35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^9 - 27*a^4*b^3*c + 3*(245*a^2*b^5*c - 98*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^6 + 54*(5*a^3*b^4*c - 2*a^4*b^3*d)*x^3 + 6*sqrt(1/3)*((35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^10 + 2*(35*a^2*b^5*c - 14*a^3*b^4*d + 2*a^4*b^3*e + a^5*b^2*f)*x^7 + (35*a^3*b^4*c - 14*a^4*b^3*d + 2*a^5*b^2*e + a^6*b*f)*x^4)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 2*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^10 + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 4*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^10 + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^5*b^5*x^10 + 2*a^6*b^4*x^7 + a^7*b^3*x^4), 1/108*(12*(35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^9 - 27*a^4*b^3*c + 3*(245*a^2*b^5*c - 98*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^6 + 54*(5*a^3*b^4*c - 2*a^4*b^3*d)*x^3 + 12*sqrt(1/3)*((35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^10 + 2*(35*a^2*b^5*c - 14*a^3*b^4*d + 2*a^4*b^3*e + a^5*b^2*f)*x^7 + (35*a^3*b^4*c - 14*a^4*b^3*d + 2*a^5*b^2*e + a^6*b*f)*x^4)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 2*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^10 + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 4*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^10 + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^5*b^5*x^10 + 2*a^6*b^4*x^7 + a^7*b^3*x^4)]

giac [A] time = 0.24, size = 357, normalized size = 1.13

$$\frac{\sqrt{3}(35b^3c - 14ab^2d + a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (35b^3c - 14ab^2d + a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(-ab^2)^{\frac{1}{3}}a^4b} - \frac{(35b^3c - 14ab^2d + a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{1}{3}}a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^4*b) - 1/54*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^4*b) - 1/27*(35*b^3*c*(-a/b)^(1/3) - 14*a*b^2*d*(-a/b)^(1/3) + a^3*f*(-a/b)^(1/3) + 2*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^5*b) + 1/18*(16*b^4*c*x^5 - 10*a*b^3*d*x^5 + 2*a^3*b*f*x^5 + 4*a^2*b^2*x^5*e + 19*a*b^3*c*x^2 - 13*a^2*b^2*d*x^2 - a^4*f*x^2 + 7*a^3*b*x^2*e)/(b*x^3 + a)^2*a^4*b) + 1/4*(12*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^4*x^4)

maple [B] time = 0.07, size = 574, normalized size = 1.81

$$\frac{f x^5}{9(b x^3 + a)^2 a} + \frac{2b e x^5}{9(b x^3 + a)^2 a^2} - \frac{5b^2 d x^5}{9(b x^3 + a)^2 a^3} + \frac{8b^3 c x^5}{9(b x^3 + a)^2 a^4} + \frac{7e x^2}{18(b x^3 + a)^2 a} - \frac{13bd x^2}{18(b x^3 + a)^2 a^2} + \frac{19}{18(b x^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x)

[Out] 1/9/a/(b*x^3+a)^2*x^5*f+2/9/a^2/(b*x^3+a)^2*x^5*b*e-5/9/a^3/(b*x^3+a)^2*x^5*b^2*d+8/9/a^4/(b*x^3+a)^2*x^5*b^3*c-1/18/(b*x^3+a)^2/b*x^2*f+7/18/a/(b*x^3+a)^2*x^2*e-13/18/a^2/(b*x^3+a)^2*b*x^2*d+19/18/a^3/(b*x^3+a)^2*c*x^2*b^2-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-2/27/a^2/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+14/27/a^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-35/27/a^4*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/54/a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/27/a^2/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-7/27/a^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+35/54/a^4*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/27/a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+2/27/a^2/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-14/27/a^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+35/27/a^4*b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/4*c/a^3/x^4-d/a^3/x+3/a^4/x*b*c

maxima [A] time = 3.03, size = 317, normalized size = 1.00

$$\frac{4(35b^4c - 14ab^3d + 2a^2b^2e + a^3bf)x^9 + (245ab^3c - 98a^2b^2d + 14a^3be - 2a^4f)x^6 - 9a^3bc + 18(5a^2b^2c - 2a^3b^2d + a^4be - a^5bf)x^3}{36(a^4b^3x^{10} + 2a^5b^2x^7 + a^6bx^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/36*(4*(35*b^4*c - 14*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^9 + (245*a*b^3*c - 98*a^2*b^2*d + 14*a^3*b*e - 2*a^4*f)*x^6 - 9*a^3*b*c + 18*(5*a^2*b^2*c - 2*a^3*b*d)*x^3)/(a^4*b^3*x^10 + 2*a^5*b^2*x^7 + a^6*b*x^4) + 1/27*sqrt(3)*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^4*b^2*(a/b)^(1/3)) + 1/54*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*b^2*(a/b)^(1/3)) - 1/27*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*log(x + (a/b)^(1/3))/(a^4*b^2*(a/b)^(1/3))

mupad [B] time = 5.23, size = 293, normalized size = 0.92

$$\frac{\frac{c}{4a} - \frac{x^9(fa^3+2ea^2b-14dab^2+35cb^3)}{9a^4} + \frac{x^3(2ad-5bc)}{2a^2} - \frac{x^6(-2fa^3+14ea^2b-98dab^2+245cb^3)}{36a^3b}}{a^2x^4 + 2abx^7 + b^2x^{10}} - \frac{\ln(b^{1/3}x + a^{1/3})(fa^3 + 2ea^2b - 14dab^2 + 35cb^3)}{27a^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3),x)

```
[Out] (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(35
*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e))/(27*a^(13/3)*b^(5/3)) - (log(b^(1
/3)*x + a^(1/3))*(35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e))/(27*a^(13/3)*
b^(5/3)) - (c/(4*a) - (x^9*(35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e))/(9*
a^4) + (x^3*(2*a*d - 5*b*c))/(2*a^2) - (x^6*(245*b^3*c - 2*a^3*f - 98*a*b^2
*d + 14*a^2*b*e))/(36*a^3*b))/(a^2*x^4 + b^2*x^10 + 2*a*b*x^7) - (log(3^(1/
2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(35*b^3*c + a
^3*f - 14*a*b^2*d + 2*a^2*b*e))/(27*a^(13/3)*b^(5/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.298 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{3bc-ad}{2a^4x^2} - \frac{c}{5a^3x^5} + \frac{x(a^3(-f)+a^2be-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f+5a^2be-20ab^2d+44b^3c)}{54a^{14/3}b^{4/3}}$$

[Out] $-1/5*c/a^3/x^5+1/2*(-a*d+3*b*c)/a^4/x^2+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^3/b/(b*x^3+a)^2+1/18*(a^3*f+5*a^2*b*e-11*a*b^2*d+17*b^3*c)*x/a^4/b/(b*x^3+a)+1/27*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}/b^{(4/3)}-1/54*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}/b^{(4/3)}-1/27*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(5a^2be+a^3f-11ab^2d+17b^3c)}{18a^4b(a+bx^3)} + \frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(5a^2be+a^3f-11ab^2d+17b^3c)}{54a^{14/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] $-c/(5*a^3*x^5) + (3*b*c - a*d)/(2*a^4*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^3*b*(a + b*x^3)^2) + ((17*b^3*c - 11*a*b^2*d + 5*a^2*b*e + a^3*f)*x)/(18*a^4*b*(a + b*x^3)) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(14/3)}*b^{(4/3)}) + ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(14/3)}*b^{(4/3)}) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(14/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^((m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1))/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^((m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n]))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1488

```
Int[((f_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{5b^3c}{a^2} - \frac{5b^2d}{a} + 5be + af\right)x^6}{x^6(a + bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} - \frac{\int \frac{-18a^2b^5c + 18a^2b^5d}{x^6} dx}{18a^4b(a + bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} - \frac{\int \left(-\frac{18ab^5c}{x^6} + \frac{18ab^5d}{x^6}\right) dx}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 299, normalized size = 0.95

$$-\frac{135a^{2/3}(ad-3bc)}{x^2} - \frac{54a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 5a^2be - 20ab^2d + 44b^3c)}{b^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(a^3f + 5a^2be - 20ab^2d + 44b^3c)}{b^{4/3}} - \frac{45a^5}{270a^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] ((-54*a^(5/3)*c)/x^5 - (135*a^(2/3)*(-3*b*c + a*d))/x^2 - (45*a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)^2) + (15*a^(2/3)*(17*b^3*c - 11*a*b^2*d + 5*a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)) - (10*sqrt[3]*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(4/3) + (10*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) - (5*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(4/3)/(270*a^(14/3))

fricas [B] time = 0.66, size = 1247, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/270*(15*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^9 - 54*a^5*b^2*c + 6*(176*a^3*b^4*c - 80*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^6 + 27*(11*a^4*b^3*c - 5*a^5*b^2*d)*x^3 + 15*sqrt(1/3)*((44*a*b^6*c - 20*a^2*b^5*d + 5*a^3*b^4*e + a^4*b^3*f)*x^11 + 2*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^8 + (44*a^3*b^4*c - 20*a^4*b^3*d + 5*a^5*b^2*e + a^6*b*f)*x^5)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 5*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^11 + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 10*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^11 + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^4*x^11 + 2*a^7*b^3*x^8 + a^8*b^2*x^5), 1/270*(15*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^9 - 54*a^5*b^2*c + 6*(176*a^3*b^4*c - 80*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^6 + 27*(11*a^4*b^3*c - 5*a^5*b^2*d)*x^3 + 30*sqrt(1/3)*((44*a*b^6*c - 20*a^2*b^5*d + 5*a^3*b^4*e + a^4*b^3*f)*x^11 + 2*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^8 + (44*a^3*b^4*c - 20*a^4*b^3*d + 5*a^5*b^2*e + a^6*b*f)*x^5)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 5*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^11 + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 10*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^11 + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^4*x^11 + 2*a^7*b^3*x^8 + a^8*b^2*x^5)]

giac [A] time = 0.23, size = 310, normalized size = 0.98

$$\frac{\sqrt{3} (44 b^3 c - 20 a b^2 d + a^3 f + 5 a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (44 b^3 c - 20 a b^2 d + a^3 f + 5 a^2 b e) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 (-a b^2)^{\frac{2}{3}} a^4} \quad \frac{54 (-a b^2)^{\frac{2}{3}} a^4}{27 (-a b^2)^{\frac{2}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^4) - 1/54*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^4) - 1/27*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^5*b) + 1/18*(17*b^4*c*x^4 - 11*a*b^3*d*x^4 + a^3*b*f*x^4 + 5*a^2*b^2*x^4*e + 20*a*b^3*c*x - 14*a^2*b^2*d*x - 2*a^4*f*x + 8*a^3*b*x*e)/((b*x^3 + a)^2*a^4*b) + 1/10*(15*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^4*x^5)

maple [B] time = 0.06, size = 566, normalized size = 1.79

$$\frac{f x^4}{18(b x^3 + a)^2 a} + \frac{5 b e x^4}{18(b x^3 + a)^2 a^2} - \frac{11 b^2 d x^4}{18(b x^3 + a)^2 a^3} + \frac{17 b^3 c x^4}{18(b x^3 + a)^2 a^4} + \frac{4 e x}{9(b x^3 + a)^2 a} - \frac{7 b d x}{9(b x^3 + a)^2 a^2} + \frac{c}{9(b x^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x)

[Out] 1/18/a/(b*x^3+a)^2*x^4*f+5/18/a^2/(b*x^3+a)^2*x^4*b*e-11/18/a^3/(b*x^3+a)^2*x^4*b^2*d+17/18/a^4/(b*x^3+a)^2*x^4*b^3*c-1/9/(b*x^3+a)^2/b*x*f+4/9/a/(b*x^3+a)^2*x*e-7/9/a^2/(b*x^3+a)^2*b*x*d+10/9/a^3/(b*x^3+a)^2*x*b^2*c+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+5/27/a^2/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e-20/27/a^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+44/27/a^4*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-5/54/a^2/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+10/27/a^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-22/27/a^4*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+5/27/a^2/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-20/27/a^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+44/27/a^4*b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/5/a^3*c/x^5-1/2*d/a^3/x^2+3/2/a^4/x^2*b*c

maxima [A] time = 3.05, size = 318, normalized size = 1.01

$$\frac{5(44b^4c - 20ab^3d + 5a^2b^2e + a^3bf)x^9 + 2(176ab^3c - 80a^2b^2d + 20a^3be - 5a^4f)x^6 - 18a^3bc + 9(11a^2b^2c - 5a^3b^2d + 5a^4be - 5a^5f)x^3}{90(a^4b^3x^{11} + 2a^5b^2x^8 + a^6bx^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/90*(5*(44*b^4*c - 20*a*b^3*d + 5*a^2*b^2*e + a^3*b*f)*x^9 + 2*(176*a*b^3*c - 80*a^2*b^2*d + 20*a^3*b*e - 5*a^4*f)*x^6 - 18*a^3*b*c + 9*(11*a^2*b^2*c - 5*a^3*b*d)*x^3)/(a^4*b^3*x^11 + 2*a^5*b^2*x^8 + a^6*b*x^5) + 1/27*sqrt(3)*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3)))/(a/b)^(1/3))/(a^4*b^2*(a/b)^(2/3)) - 1/54*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*b^2*(a/b)^(2/3)) + 1/27*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*log(x + (a/b)^(1/3))/(a^4*b^2*(a/b)^(2/3))

mupad [B] time = 5.20, size = 293, normalized size = 0.93

$$\frac{\ln(b^{1/3}x + a^{1/3}) (fa^3 + 5ea^2b - 20dab^2 + 44cb^3)}{27a^{14/3}b^{4/3}} - \frac{c}{5a} - \frac{x^9(fa^3 + 5ea^2b - 20dab^2 + 44cb^3)}{18a^4} + \frac{x^3(5ad - 11bc)}{10a^2} - \frac{x^6(-5c + 4d + 3e)}{10a^2} - \frac{3bx^8 + 3bx^5}{a^2x^5 + 2abx^8 + b^2x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3),x)

```
[Out] (log(b^(1/3)*x + a^(1/3))*(44*b^3*c + a^3*f - 20*a*b^2*d + 5*a^2*b*e))/(27*
a^(14/3)*b^(4/3)) - (c/(5*a) - (x^9*(44*b^3*c + a^3*f - 20*a*b^2*d + 5*a^2*
b*e))/(18*a^4) + (x^3*(5*a*d - 11*b*c))/(10*a^2) - (x^6*(176*b^3*c - 5*a^3*
f - 80*a*b^2*d + 20*a^2*b*e))/(45*a^3*b))/(a^2*x^5 + b^2*x^11 + 2*a*b*x^8)
+ (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(
44*b^3*c + a^3*f - 20*a*b^2*d + 5*a^2*b*e))/(27*a^(14/3)*b^(4/3)) - (log(3^
(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(44*b^3*c
+ a^3*f - 20*a*b^2*d + 5*a^2*b*e))/(27*a^(14/3)*b^(4/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.299 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$$

Optimal. Leaf size=343

$$\frac{3bc-ad}{4a^4x^4} - \frac{c}{7a^3x^7} - \frac{a^2e-3abd+6b^2c}{a^5x} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^3f + 14a^2be - 35ab^2d + 65b^3c)}{54a^{16/3}b^{2/3}} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(14a^2be - 2a^3f - 8ab^2d + 11b^3c)}{9a^5(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^4(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(14a^2be - 2a^3f - 8ab^2d + 11b^3c)}{54a^{16/3}b^{2/3}}$$

[Out] $-1/7*c/a^3/x^7+1/4*(-a*d+3*b*c)/a^4/x^4+(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^4/(b*x^3+a)^2-1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*x^2/a^5/(b*x^3+a)+1/27*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}/b^{(2/3)}-1/54*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}/b^{(2/3)}+1/27*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(5a^2be - 2a^3f - 8ab^2d + 11b^3c)}{9a^5(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^4(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(14a^2be - 2a^3f - 8ab^2d + 11b^3c)}{54a^{16/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

[Out] $-c/(7*a^3*x^7) + (3*b*c - a*d)/(4*a^4*x^4) - (6*b^2*c - 3*a*b*d + a^2*e)/(a^5*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^4*(a + b*x^3)^2) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*x^2)/(9*a^5*(a + b*x^3)) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(16/3)}*b^{(2/3)}) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(16/3)}*b^{(2/3)}) - ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(16/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8 (a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{4b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^8(a + bx^3)^2}}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \frac{18b^6c - 18b^6d}{ax^8}}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \left(\frac{18b^6c}{ax^8} + \frac{18b^6d}{ax^8}\right)}{6ab^3} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 328, normalized size = 0.96

$$-\frac{189a^{4/3}(ad-3bc)}{x^4} - \frac{108a^{7/3}c}{x^7} - \frac{756\sqrt[3]{a}(a^2e-3abd+6b^2c)}{x} + \frac{84\sqrt[3]{a}x^2(2a^3f-5a^2be+8ab^2d-11b^3c)}{a+bx^3} + \frac{28\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)(-2a^3f+14a^2be-35ab^2d+11b^3c)}{b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

[Out] $\left(\frac{-108a^{7/3}c}{x^7} - \frac{189a^{4/3}(ad-3bc)}{x^4} - \frac{756a^{1/3}(6b^2c - 3ab^2d + a^2be)}{x} + \frac{126a^{4/3}(-b^3c + ab^2d - a^2be + a^3f)x^2}{(a + bx^3)^2} + \frac{84a^{1/3}(-11b^3c + 8ab^2d - 5a^2be + 2a^3f)x^2}{(a + bx^3)} + \frac{28\sqrt[3]{a}(65b^3c - 35ab^2d + 14a^2be - 2a^3f)\text{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{a}}\right]}{b^{2/3}} + \frac{28(65b^3c - 35ab^2d + 14a^2be - 2a^3f)\text{Log}[a^{1/3} + b^{1/3}x]}{b^{2/3}} + \frac{14(-65b^3c + 35ab^2d - 14a^2be + 2a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]}{b^{2/3}}\right)/(756a^{16/3})$

fricas [B] time = 0.61, size = 1340, normalized size = 3.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/756*(84*(65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^{12} + \\ & 147*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^9 + 108*a^5*b^2*c + 54*(65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e)*x^6 - 27*(13*a^4*b^3*c - 7*a^5*b^2*d)*x^3 + 42*\sqrt{1/3}*((65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^{13} + 2*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^{10} + (65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e - 2*a^6*b*b*f)*x^7)*\sqrt{(-a*b^2)^{(1/3)}/a}*\log((2*b^2*x^3 - a*b + 3*\sqrt{1/3}*(a*b*x + 2*(-a*b^2)^{(2/3)}*x^2 + (-a*b^2)^{(1/3)}*a)*\sqrt{(-a*b^2)^{(1/3)}/a} - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 14*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)})/(a^6*b^4*x^{13} + 2*a^7*b^3*x^{10} + a^8*b^2*x^7), -1/756*(84*(65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^{12} + 147*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^9 + 108*a^5*b^2*c + 54*(65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e)*x^6 - 27*(13*a^4*b^3*c - 7*a^5*b^2*d)*x^3 + 84*\sqrt{1/3}*((65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^{13} + 2*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^{10} + (65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e - 2*a^6*b*b*f)*x^7)*\sqrt{-(-a*b^2)^{(1/3)}/a}*\arctan(\sqrt{1/3}*(2*b*x + (-a*b^2)^{(1/3)})*\sqrt{-(-a*b^2)^{(1/3)}/a}/b) + 14*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)})/(a^6*b^4*x^{13} + 2*a^7*b^3*x^{10} + a^8*b^2*x^7)] \end{aligned}$$

giac [A] time = 0.31, size = 380, normalized size = 1.11

$$\frac{\sqrt{3}(65b^3c - 35ab^2d - 2a^3f + 14a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (65b^3c - 35ab^2d - 2a^3f + 14a^2be) \log\left(x^2 + \dots\right)}{27(-ab^2)^{\frac{1}{3}}a^5} + \frac{\dots}{54(-ab^2)^{\frac{1}{3}}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/27*\sqrt{3}*(65*b^3*c - 35*a*b^2*d - 2*a^3*f + 14*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^5) + 1/54*(65*b^3*c - 35*a*b^2*d - 2*a^3*f + 14*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^5) + 1/27*(65*b^3*c*(-a/b)^{(1/3)} - 35*a*b^2*d*(-a/b)^{(1/3)} - 2*a^3*f*(-a/b)^{(1/3)} + 14*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^6 - 1/18*(22*b^4*c*x^5 - 16*a*b^3*d*x^5 - 4*a^3*b*f*x^5 + 10*a^2*b^2*x^5*e + 25*a*b^3*c*x^2 - 19*a^2*b^2*d*x^2 - 7*a^4*f*x^2 + 13*a^3*b*x^2*e)/((b*x^3 + a)^2*a^5) - 1/28*(168*b^2*c*x^6 - 84*a*b*d*x^6 + 28*a^2*x^6*e - 21*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^5*x^7) \end{aligned}$$

maple [B] time = 0.07, size = 611, normalized size = 1.78

$$\frac{2bf x^5}{9(bx^3 + a)^2 a^2} - \frac{5b^2 e x^5}{9(bx^3 + a)^2 a^3} + \frac{8b^3 d x^5}{9(bx^3 + a)^2 a^4} - \frac{11b^4 c x^5}{9(bx^3 + a)^2 a^5} + \frac{7f x^2}{18(bx^3 + a)^2 a} - \frac{13be x^2}{18(bx^3 + a)^2 a^2} + \frac{1}{18(bx^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x)

[Out] $\frac{2}{9} \frac{f}{a^2} \frac{1}{(bx^3+a)^2} x^5 b^5 - \frac{5}{9} \frac{f}{a^3} \frac{1}{(bx^3+a)^2} x^5 e b^2 + \frac{8}{9} \frac{f}{a^4} \frac{1}{(bx^3+a)^2} x^5 d b^3 + \frac{1}{9} \frac{f}{a^5} \frac{1}{(bx^3+a)^2} x^5 c b^4 - \frac{13}{18} \frac{f}{a^2} \frac{1}{(bx^3+a)^2} x^2 b^2 e + \frac{7}{18} \frac{f}{a^3} \frac{1}{(bx^3+a)^2} x^2 b^3 d - \frac{25}{18} \frac{f}{a^4} \frac{1}{(bx^3+a)^2} x^2 b^4 c - \frac{14}{27} \frac{f}{a^3} e^3 \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2}{(a/b)^{1/3}} x - 1\right) - \frac{35}{27} \frac{f}{a^4} b^2 d \frac{1}{(a/b)^{1/3}} \ln\left(x + \frac{1}{(a/b)^{1/3}}\right) + \frac{35}{54} \frac{f}{a^4} b^2 d \frac{1}{(a/b)^{1/3}} \ln\left(x^2 - \frac{1}{(a/b)^{1/3}} x + \frac{1}{(a/b)^{2/3}}\right) + \frac{65}{27} \frac{f}{a^5} b^2 c \frac{1}{(a/b)^{1/3}} \ln\left(x + \frac{1}{(a/b)^{1/3}}\right) - \frac{65}{54} \frac{f}{a^5} b^2 c \frac{1}{(a/b)^{1/3}} \ln\left(x^2 - \frac{1}{(a/b)^{1/3}} x + \frac{1}{(a/b)^{2/3}}\right) + \frac{3}{4} \frac{f}{a^4} x^4 b^3 c + \frac{3}{a^4} x^4 b^3 d - \frac{6}{a^5} x^4 b^2 c + \frac{7}{18} \frac{f}{a} \frac{1}{(bx^3+a)^2} x^2 f + \frac{14}{27} \frac{f}{a^3} e \frac{1}{(a/b)^{1/3}} \ln\left(x + \frac{1}{(a/b)^{1/3}}\right) - \frac{7}{27} \frac{f}{a^3} e \frac{1}{(a/b)^{1/3}} \ln\left(x^2 - \frac{1}{(a/b)^{1/3}} x + \frac{1}{(a/b)^{2/3}}\right) + \frac{35}{27} \frac{f}{a^4} b^2 d^3 \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2}{(a/b)^{1/3}} x - 1\right) - \frac{65}{27} \frac{f}{a^5} b^2 c^3 \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2}{(a/b)^{1/3}} x - 1\right) + \frac{2}{27} \frac{f}{a^2} x^3 \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2}{(a/b)^{1/3}} x - 1\right) - \frac{1}{7} \frac{f}{a^3} c \frac{1}{x^7} - \frac{1}{4} \frac{f}{a^3} x^4 d - \frac{e}{a^3} x - \frac{2}{27} \frac{f}{a^2} f \frac{1}{(a/b)^{1/3}} \ln\left(x + \frac{1}{(a/b)^{1/3}}\right) + \frac{1}{27} \frac{f}{a^2} f \frac{1}{(a/b)^{1/3}} \ln\left(x^2 - \frac{1}{(a/b)^{1/3}} x + \frac{1}{(a/b)^{2/3}}\right)$

maxima [A] time = 3.05, size = 343, normalized size = 1.00

$$\frac{28(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf)x^{12} + 49(65ab^3c - 35a^2b^2d + 14a^3be - 2a^4f)x^9 + 18(65a^2b^2c - 35a^3b^2d + 14a^4be - 2a^5f)x^6 + 36a^4c - 9(13a^3b^3c - 7a^4d)x^3}{252(a^5b^2x^{13} + 2a^6bx^{10} + a^7x^7)} + \frac{x^3(7ad - 13bc)}{28a^2} + \frac{x^3(7ad - 13bc)}{a^2x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-\frac{1}{252} (28(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf)x^{12} + 49(65ab^3c - 35a^2b^2d + 14a^3be - 2a^4f)x^9 + 18(65a^2b^2c - 35a^3b^2d + 14a^4be - 2a^5f)x^6 + 36a^4c - 9(13a^3b^3c - 7a^4d)x^3) / (a^5b^2x^{13} + 2a^6bx^{10} + a^7x^7) - \frac{1}{27} \sqrt{3} (65b^3c - 35ab^2d + 14a^2b^2e - 2a^3f) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) / (a^5b^2(a/b)^{1/3}) - \frac{1}{54} (65b^3c - 35ab^2d + 14a^2b^2e - 2a^3f) \log\left(\frac{x^2 - x(a/b)^{1/3} + (a/b)^{2/3}}{(a/b)^{1/3}}\right) + \frac{1}{27} (65b^3c - 35ab^2d + 14a^2b^2e - 2a^3f) \log\left(\frac{x + (a/b)^{1/3}}{(a/b)^{1/3}}\right)$

mupad [B] time = 5.26, size = 321, normalized size = 0.94

$$\frac{\ln\left(b^{1/3}x + a^{1/3}\right) \left(-2fa^3 + 14ea^2b - 35dab^2 + 65cb^3\right)}{27a^{16/3}b^{2/3}} - \frac{c}{7a} + \frac{7x^9(-2fa^3 + 14ea^2b - 35dab^2 + 65cb^3)}{36a^4} + \frac{x^3(7ad - 13bc)}{28a^2} + \frac{x^3(7ad - 13bc)}{a^2x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3),x)

```
[Out] (log(b^(1/3)*x + a^(1/3))*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(
27*a^(16/3)*b^(2/3)) - (c/(7*a) + (7*x^9*(65*b^3*c - 2*a^3*f - 35*a*b^2*d +
14*a^2*b*e))/(36*a^4) + (x^3*(7*a*d - 13*b*c))/(28*a^2) + (x^6*(65*b^2*c +
14*a^2*e - 35*a*b*d))/(14*a^3) + (b*x^12*(65*b^3*c - 2*a^3*f - 35*a*b^2*d
+ 14*a^2*b*e))/(9*a^5))/(a^2*x^7 + b^2*x^13 + 2*a*b*x^10) - (log(3^(1/2)*a^(
1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(65*b^3*c - 2*a^3*
f - 35*a*b^2*d + 14*a^2*b*e))/(27*a^(16/3)*b^(2/3)) + (log(3^(1/2)*a^(1/3)*
1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(65*b^3*c - 2*a^3*f - 35
*a*b^2*d + 14*a^2*b*e))/(27*a^(16/3)*b^(2/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.300 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$$

Optimal. Leaf size=341

$$\frac{3bc-ad}{5a^4x^5} - \frac{c}{8a^3x^8} - \frac{a^2e-3abd+6b^2c}{2a^5x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-5a^3f+20a^2be-44ab^2d+77b^3c)}{27a^{17/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{1}$$

[Out] $-1/8*c/a^3/x^8+1/5*(-a*d+3*b*c)/a^4/x^5+1/2*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^2-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^4/(b*x^3+a)^2-1/18*(-5*a^3*f+11*a^2*b*e-17*a*b^2*d+23*b^3*c)*x/a^5/(b*x^3+a)-1/27*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}/b^{(1/3)}+1/54*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}/b^{(1/3)}+1/27*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{x(11a^2be-5a^3f-17ab^2d+23b^3c)}{18a^5(a+bx^3)} - \frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^4(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(20a^2be)}{54a^{17/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

[Out] $-c/(8*a^3*x^8) + (3*b*c - a*d)/(5*a^4*x^5) - (6*b^2*c - 3*a*b*d + a^2*e)/(2*a^5*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^4*(a + b*x^3)^2) - ((23*b^3*c - 17*a*b^2*d + 11*a^2*b*e - 5*a^3*f)*x)/(18*a^5*(a + b*x^3)) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(17/3)}*b^{(1/3)}) - ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(17/3)}*b^{(1/3)}) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(17/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{5b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^9(a + bx^3)^2} dx \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} + \int \frac{18b^6c - 18b^5d}{18a^5(a + bx^3)} dx \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} + \int \left(\frac{18b^6c}{ax^9} + \frac{18b^5d}{ax^6}\right) dx \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 324, normalized size = 0.95

$$-\frac{216a^{5/3}(ad-3bc)}{x^5} - \frac{135a^{8/3}c}{x^8} - \frac{540a^{2/3}(a^2e-3abd+6b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(5a^3f-20a^2be+44ab^2d-77b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(-5a^3f+5a^2be-5ab^2d+5a^3f)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

[Out] ((-135*a^(8/3)*c)/x^8 - (216*a^(5/3)*(-3*b*c + a*d))/x^5 - (540*a^(2/3)*(6*b^2*c - 3*a*b*d + a^2*e))/x^2 + (180*a^(5/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x/(a + b*x^3)^2 + (60*a^(2/3)*(-23*b^3*c + 17*a*b^2*d - 11*a^2*b*e + 5*a^3*f)*x)/(a + b*x^3) + (40*sqrt(3)*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(1/3) + (40*(-77*b^3*c + 44*a*b^2*d - 20*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3))/(1080*a^(17/3))

fricas [B] time = 0.62, size = 1317, normalized size = 3.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] [-1/1080*(60*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^12 + 96*(77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^9 + 135*a^6*b*c + 27*(77*a^4*b^3*c - 44*a^5*b^2*d + 20*a^6*b*e)*x^6 - 54*(7*a^5*b^2*c - 4*a^6*b*d)*x^3 + 60*sqrt(1/3)*((77*a*b^6*c - 44*a^2*b^5*d + 20*a^3*b^4*e - 5*a^4*b^3*f)*x^14 + 2*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^11 + (77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^8)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) - 20*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^11 + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^11 + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^7*b^3*x^14 + 2*a^8*b^2*x^11 + a^9*b*x^8), -1/1080*(60*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^12 + 96*(77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^9 + 135*a^6*b*c + 27*(77*a^4*b^3*c - 44*a^5*b^2*d + 20*a^6*b*e)*x^6 - 54*(7*a^5*b^2*c - 4*a^6*b*d)*x^3 + 120*sqrt(1/3)*((77*a*b^6*c - 44*a^2*b^5*d + 20*a^3*b^4*e - 5*a^4*b^3*f)*x^14 + 2*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^11 + (77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^8)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 20*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^11 + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^11 + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^7*b^3*x^14 + 2*a^8*b^2*x^11 + a^9*b*x^8)]
```

```
giac [A] time = 0.23, size = 394, normalized size = 1.16
```

$$\frac{(77b^3c - 44ab^2d - 5a^3f + 20a^2be)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(77(-ab^2)^{\frac{1}{3}}b^3c - 44(-ab^2)^{\frac{1}{3}}ab^2d - 5(-ab^2)^{\frac{1}{3}}a^3f + 20(-ab^2)^{\frac{1}{3}}a^2be\right)}{27a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] 1/27*(77*b^3*c - 44*a*b^2*d - 5*a^3*f + 20*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/27*sqrt(3)*(77*(-a*b^2)^(1/3)*b^3*c - 44*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 20*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^6*b) - 1/54*(77*(-a*b^2)^(1/3)*b^3*c - 44*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 20*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^6*b) - 1/18*(23*b^4*c*x^4 - 17*a*b^3*d*x^4 - 5*a^3*b*f*x^4 + 11*a^2*b^2*x^4*e + 26*a*b^3*c*x - 20*a^2*b^2*d*x - 8*a^4*f*x + 14*a^3*b*x*e)/((b*x^3 + a)^2*a^5) - 1/40*(120*b^2*c*x^6 - 60*a*b*d*x^6 + 20*a^2*x^6*e - 24*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^5*x^8)
```


maple [B] time = 0.06, size = 603, normalized size = 1.77

$$\frac{5bf x^4}{18(bx^3+a)^2 a^2} - \frac{11b^2 e x^4}{18(bx^3+a)^2 a^3} + \frac{17b^3 d x^4}{18(bx^3+a)^2 a^4} - \frac{23b^4 c x^4}{18(bx^3+a)^2 a^5} + \frac{4fx}{9(bx^3+a)^2 a} - \frac{7bex}{9(bx^3+a)^2 a^2} + \frac{1}{9(bx^3+a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x)

[Out] $\frac{10}{27} \frac{e}{a^3} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{3}{a^5} \frac{1}{x^2} b^{2c+3} + \frac{5}{a^4} \frac{1}{x^5} b^c + \frac{4}{9} \frac{1}{a} \frac{1}{(b*x^3+a)^2} f x - \frac{20}{27} \frac{e}{a^3} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{3}{2} \frac{1}{a^4} \frac{1}{x^2} b^d - \frac{1}{2} \frac{1}{a^3} \frac{1}{x^2} e + \frac{5}{27} \frac{1}{a^2} \frac{f}{b} \frac{1}{(a/b)^{2/3}} 3^{1/2} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + \frac{44}{27} \frac{1}{a^4} \frac{1}{b} \frac{d}{(a/b)^{2/3}} 3^{1/2} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{77}{27} \frac{1}{a^5} \frac{1}{b^2} \frac{c}{(a/b)^{2/3}} 3^{1/2} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{1}{5} \frac{1}{a^3} \frac{1}{x^5} d + \frac{5}{18} \frac{1}{a^2} \frac{1}{(b*x^3+a)^2} x^4 b^f - \frac{11}{18} \frac{1}{a^3} \frac{1}{(b*x^3+a)^2} x^4 b^{2e} + \frac{17}{18} \frac{1}{a^4} \frac{1}{(b*x^3+a)^2} x^4 b^3 d - \frac{23}{18} \frac{1}{a^5} \frac{1}{(b*x^3+a)^2} x^4 b^4 c - \frac{20}{27} \frac{1}{a^3} \frac{e}{(a/b)^{2/3}} 3^{1/2} \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + \frac{44}{27} \frac{1}{a^4} \frac{1}{b} \frac{d}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) - \frac{22}{27} \frac{1}{a^4} \frac{1}{b} \frac{d}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{77}{27} \frac{1}{a^5} \frac{1}{b^2} \frac{c}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{77}{54} \frac{1}{a^5} \frac{1}{b^2} \frac{c}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{5}{27} \frac{1}{a^2} \frac{f}{b} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) - \frac{5}{54} \frac{1}{a^2} \frac{f}{b} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{10}{9} \frac{1}{a^3} \frac{1}{(b*x^3+a)^2} b^2 d x - \frac{13}{9} \frac{1}{a^4} \frac{1}{(b*x^3+a)^2} b^3 c x - \frac{7}{9} \frac{1}{a^2} \frac{1}{(b*x^3+a)^2} b^e x - \frac{1}{8} \frac{1}{a^3} \frac{1}{x^8}$

maxima [A] time = 2.95, size = 343, normalized size = 1.01

$$\frac{20(77b^4c - 44ab^3d + 20a^2b^2e - 5a^3bf)x^{12} + 32(77ab^3c - 44a^2b^2d + 20a^3be - 5a^4f)x^9 + 9(77a^2b^2c - 44a^3b^3d + 20a^4e)x^6 + 45a^4c - 18(7a^3b^3c - 4a^4d)x^3}{360(a^5b^2x^{14} + 2a^6bx^{11} + a^7x^8)} - \frac{1}{27} \sqrt{3} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \arctan(1/3 \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3})}{(a/b)^{2/3}} + \frac{1}{54} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})}{(a/b)^{2/3}} - \frac{1}{27} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \log(x + (a/b)^{1/3})}{(a/b)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-\frac{1}{360} (20(77b^4c - 44ab^3d + 20a^2b^2e - 5a^3bf)x^{12} + 32(77ab^3c - 44a^2b^2d + 20a^3be - 5a^4f)x^9 + 9(77a^2b^2c - 44a^3b^3d + 20a^4e)x^6 + 45a^4c - 18(7a^3b^3c - 4a^4d)x^3) / (a^5b^2x^{14} + 2a^6bx^{11} + a^7x^8) - \frac{1}{27} \sqrt{3} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \arctan(1/3 \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3})}{(a/b)^{2/3}} + \frac{1}{54} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})}{(a/b)^{2/3}} - \frac{1}{27} \frac{(77b^3c - 44ab^2d + 20a^2b^2e - 5a^3f) \log(x + (a/b)^{1/3})}{(a/b)^{2/3}}$

mupad [B] time = 5.22, size = 321, normalized size = 0.94

$$\frac{\frac{c}{8a} + \frac{4x^9(-5fa^3+20ea^2b-44dab^2+77cb^3)}{45a^4} + \frac{x^3(4ad-7bc)}{20a^2} + \frac{x^6(20ea^2-44dab+77cb^2)}{40a^3} + \frac{bx^{12}(-5fa^3+20ea^2b-44dab^2+77cb^3)}{18a^5}}{a^2x^8 + 2abx^{11} + b^2x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3),x)

```
[Out] (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(77
*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^(17/3)*b^(1/3)) - (log(b
^(1/3)*x + a^(1/3))*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^(
17/3)*b^(1/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)
*1i)/2 - 1/2)*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^(17/3)*
b^(1/3)) - (c/(8*a) + (4*x^9*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e)
)/(45*a^4) + (x^3*(4*a*d - 7*b*c))/(20*a^2) + (x^6*(77*b^2*c + 20*a^2*e - 4
4*a*b*d))/(40*a^3) + (b*x^12*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e)
)/(18*a^5))/(a^2*x^8 + b^2*x^14 + 2*a*b*x^11)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**3,x)
```

[Out] Timed out

3.301 $\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$

Optimal. Leaf size=381

$$\frac{3bc - ad}{7a^4x^7} - \frac{c}{10a^3x^{10}} - \frac{a^2e - 3abd + 6b^2c}{4a^5x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (-14a^3f + 35a^2be - 65ab^2d + 104b^3c)}{27a^{19/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)}{54a^{19/3}}$$

[Out] $-1/10*c/a^3/x^{10}+1/7*(-a*d+3*b*c)/a^4/x^7+1/4*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^4+(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^5/(b*x^3+a)^2+1/9*b*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*x^2/a^6/(b*x^3+a)-1/27*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(19/3)+1/54*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(19/3)-1/27*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(19/3)*3^(1/2)$

Rubi [A] time = 0.71, antiderivative size = 381, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{bx^2(8a^2be - 5a^3f - 11ab^2d + 14b^3c)}{9a^6(a + bx^3)} + \frac{bx^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^5(a + bx^3)^2} + \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{54a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]
 [Out] $-c/(10*a^3*x^{10}) + (3*b*c - a*d)/(7*a^4*x^7) - (6*b^2*c - 3*a*b*d + a^2*e)/(4*a^5*x^4) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(a^6*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^5*(a + b*x^3)^2) + (b*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*x^2)/(9*a^6*(a + b*x^3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(19/3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(19/3)) + (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(19/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} - \int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{11}(a + bx^3)^2} dx \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \int \frac{18b^7c}{ax^{11}} dx \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \int \left(\frac{18b^7}{ax^{11}}\right) dx \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b}{ax^{11}} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b}{ax^{11}} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b}{ax^{11}} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b}{ax^{11}} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b}{ax^{11}}
\end{aligned}$$

Mathematica [A] time = 0.59, size = 366, normalized size = 0.96

$$-\frac{540a^{7/3}(ad-3bc)}{x^7} - \frac{378a^{10/3}c}{x^{10}} - \frac{945a^{4/3}(a^2e-3abd+6b^2c)}{x^4} - \frac{420\sqrt[3]{a}bx^2(5a^3f-8a^2be+11ab^2d-14b^3c)}{a+bx^3} - \frac{3780\sqrt[3]{a}(a^3f-3a^2be+6ab^2d-10b^3c)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]

[Out] ((-378*a^(10/3)*c)/x^10 - (540*a^(7/3)*(-3*b*c + a*d))/x^7 - (945*a^(4/3)*(6*b^2*c - 3*a*b*d + a^2*e))/x^4 - (3780*a^(1/3)*(-10*b^3*c + 6*a*b^2*d - 3*a^2*b*e + a^3*f))/x - (630*a^(4/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3)^2 - (420*a^(1/3)*b*(-14*b^3*c + 11*a*b^2*d - 8*a^2*b*e + 5*a^3*f)*x^2)/(a + b*x^3) - 140*sqrt[3]*b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*b^(1/3)*(-104*b^3*c + 65*a*b^2*d - 35*a^2*b*e + 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3780*a^(19/3))

fricas [A] time = 0.74, size = 621, normalized size = 1.63

$$420(104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{15} + 735(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{12} + 270(104$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/3780*(420*(104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^15 + 735*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^12 + 270*(104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^9 - 27*(104*a^3*b^2*c - 65*a^4*b*d + 35*a^5*e)*x^6 - 378*a^5*c + 108*(8*a^4*b*c - 5*a^5*d)*x^3 + 140*sqrt(3)*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 70*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 140*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)))/(a^6*b^2*x^16 + 2*a^7*b*x^13 + a^8*x^10)

giac [A] time = 0.20, size = 486, normalized size = 1.28

$$\frac{\left(104b^4c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 65ab^3d\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 14a^3bf\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 35a^2b^2\left(-\frac{a}{b}\right)^{\frac{1}{3}}e\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(104(-ab^2)\right)^{\frac{2}{3}}}{27a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*(104*b^4*c*(-a/b)^(1/3) - 65*a*b^3*d*(-a/b)^(1/3) - 14*a^3*b*f*(-a/b)^(1/3) + 35*a^2*b^2*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^7 - 1/27*sqrt(3)*(104*(-a*b^2)^(2/3)*b^3*c - 65*(-a*b^2)^(2/3)*a*b^2*d - 14*(-a*b^2)^(2/3)*a^3*f + 35*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^7*b) + 1/54*(104*(-a*b^2)^(2/3)*b^3*c - 65*(-a*b^2)^(2/3)*a*b^2*d - 14*(-a*b^2)^(2/3)*a^3*f + 35*(-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^7*b) + 1/18*(28*b^5*c*x^5 - 22*a*b^4*d*x^5 - 10*a^3*b^2*f*x^5 + 16*a^2*b^3*x^5*e + 31*a*b^4*c*x^2 - 25*a^2*b^3*d*x^2 - 13*a^4*b*f*x^2 + 19*a^3*b^2*x^2*e)/((b*x^3 + a)^2*a^6) + 1/140*(1400*b^3*c*x^9 - 840*a*b^2*d*x^9 - 140*a^3*f*x^9 + 420*a^2*b*x^9*e - 210*a*b^2*c*x^6 + 105*a^2*b*d*x^6 - 35*a^3*x^6*e + 60*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^6*x^10)

maple [A] time = 0.08, size = 659, normalized size = 1.73

$$-\frac{5b^2fx^5}{9(bx^3+a)^2a^3} + \frac{8b^3ex^5}{9(bx^3+a)^2a^4} - \frac{11b^4dx^5}{9(bx^3+a)^2a^5} + \frac{14b^5cx^5}{9(bx^3+a)^2a^6} - \frac{13bfx^2}{18(bx^3+a)^2a^2} + \frac{19b^2ex^2}{18(bx^3+a)^2a^3} - \frac{25}{18(bx^3+a)^2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x)

[Out]
$$\begin{aligned} & -7/27/a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+3/7/a^4/x^7*b*c+3 \\ & /4/a^4/x^4*b*d-3/2/a^5/x^4*b^2*c+3/a^4/x*b*e-6/a^5/x*b^2*d+10/a^6/x*b^3*c+1 \\ & 4/27/a^3*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+35/27/a^4*b*e*3^{(1/2)}/(a/b)^{(1/3)}* \\ & \arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*d*3^{(1/2)}/(a/b)^{(1/3)} \\ & *\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+104/27/a^6*b^3*c*3^{(1/2)}/(a/b)^{(1/3)} \\ & *\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^3/x^7*d-1/4/a^3/x^4*e-1/a^3 \\ & /x*f-1/10*c/a^3/x^10-5/9/a^3*b^2/(b*x^3+a)^2*x^5*f+8/9/a^4*b^3/(b*x^3+a)^2 \\ & *x^5*e-11/9/a^5*b^4/(b*x^3+a)^2*x^5*d+14/9/a^6*b^5/(b*x^3+a)^2*x^5*c-13/18/ \\ & a^2*b/(b*x^3+a)^2*x^2*f+19/18/a^3*b^2/(b*x^3+a)^2*x^2*e-25/18/a^4*b^3/(b*x^3 \\ & +a)^2*x^2*d+31/18/a^5*b^4/(b*x^3+a)^2*x^2*c-14/27/a^3*f*3^{(1/2)}/(a/b)^{(1/3)} \\ & *\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-35/27/a^4*b*e/(a/b)^{(1/3)}*\ln(x+(a \\ & /b)^{(1/3)})+35/54/a^4*b*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/2 \\ & 7/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x^2 \\ & -(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-104/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) \\ & +52/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) \end{aligned}$$

maxima [A] time = 3.20, size = 376, normalized size = 0.99

$$\frac{140(104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{15} + 245(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{12} + 90(104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5bf)x^9 - 9(104a^3b^2c - 65a^4b^1d + 35a^5b^0e - 14a^6bf)x^6 - 126a^5c + 36(8a^4b^1c - 5a^5b^0d + 35a^6b^0e - 14a^7bf)x^3}{1260(a^6b^2x^{16} + 2a^7b^1x^{13} + a^8x^{10})} + \frac{1}{27}\sqrt{3} \frac{(104b^3c - 65a^2b^2d + 35a^3b^1e - 14a^4bf) \arctan\left(\frac{1}{3}\sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)}{(a^6(a/b)^{1/3})} + \frac{1}{54} \frac{(104b^3c - 65a^2b^2d + 35a^3b^1e - 14a^4bf) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right)}{(a^6(a/b)^{1/3})} - \frac{1}{27} \frac{(104b^3c - 65a^2b^2d + 35a^3b^1e - 14a^4bf) \log\left(x + (a/b)^{1/3}\right)}{(a^6(a/b)^{1/3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/1260*(140*(104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^{15} + 2 \\ & 45*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^{12} + 90*(104* \\ & a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b^1*e - 14*a^5*b^0*f)*x^9 - 9*(104*a^3*b^2*c - \\ & 65*a^4*b^1*d + 35*a^5*b^0*e)*x^6 - 126*a^5*c + 36*(8*a^4*b^1*c - 5*a^5*b^0*d + 35*a^6*b^0 \\ & e - 14*a^7*b^0*f)*x^3)/(a^6 \\ & *b^2*x^{16} + 2*a^7*b^1*x^{13} + a^8*x^{10}) + 1/27*sqrt(3)*(104*b^3*c - 65*a^2*b^2*d \\ & + 35*a^3*b^1*e - 14*a^4*b^0*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)} \\ &)/(a^6*(a/b)^{(1/3)}) + 1/54*(104*b^3*c - 65*a^2*b^2*d + 35*a^3*b^1*e - 14*a^4*b^0 \\ & f)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)}) - 1/27*(104*b^3*c \\ & - 65*a^2*b^2*d + 35*a^3*b^1*e - 14*a^4*b^0*f)*log(x + (a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) \end{aligned}$$

mupad [B] time = 5.28, size = 359, normalized size = 0.94

$$\frac{\frac{c}{10a} - \frac{x^9(-14fa^3+35ea^2b-65dab^2+104cb^3)}{14a^4} + \frac{x^3(5ad-8bc)}{35a^2} + \frac{x^6(35ea^2-65dab+104cb^2)}{140a^3} - \frac{7bx^{12}(-14fa^3+35ea^2b-65dab^2+104cb^3)}{36a^5}}{a^2x^{10} + 2abx^{13} + b^2x^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3),x)

[Out]
$$\begin{aligned} & (b^{(1/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + \\ & 1/2)*(104*b^3*c - 14*a^3*f - 65*a*b^2*d + 35*a^2*b*e))/(27*a^{(19/3)}) - (b^{(1/3)} \\ & *\log(b^{(1/3)}*x + a^{(1/3)})*(104*b^3*c - 14*a^3*f - 65*a*b^2*d + 35*a^2*b \\ & *e))/(27*a^{(19/3)}) - (c/(10*a) - (x^9*(104*b^3*c - 14*a^3*f - 65*a*b^2*d + \\ & 35*a^2*b*e))/(14*a^4) + (x^3*(5*a*d - 8*b*c))/(35*a^2) + (x^6*(104*b^2*c + \\ & 35*a^2*e - 65*a*b*d))/(140*a^3) - (7*b*x^{12}*(104*b^3*c - 14*a^3*f - 65*a*b^2 \\ & *d + 35*a^2*b*e))/(36*a^5) - (b^2*x^{15}*(104*b^3*c - 14*a^3*f - 65*a*b^2*d \\ & + 35*a^2*b*e))/(9*a^6))/(a^2*x^{10} + b^2*x^{16} + 2*a*b*x^{13}) - (b^{(1/3)}*\log(3 \end{aligned}$$

$$\frac{(a^{1/2} \cdot a^{1/3} \cdot i - 2 \cdot b^{1/3} \cdot x + a^{1/3}) \cdot ((3^{1/2} \cdot i)/2 - 1/2) \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e)}{27 \cdot a^{19/3}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**3,x)

[Out] Timed out

$$3.302 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$$

Optimal. Leaf size=380

$$\frac{3bc-ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e-3abd+6b^2c}{5a^5x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-20a^3f + 44a^2be - 77ab^2d + 119b^3c)}{54a^{20/3}}$$

[Out] $-1/11*c/a^3/x^{11}+1/8*(-a*d+3*b*c)/a^4/x^8+1/5*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^5+1/2*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^2+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^5/(b*x^3+a)^2+1/18*b*(-11*a^3*f+17*a^2*b*e-23*a*b^2*d+29*b^3*c)*x/a^6/(b*x^3+a)+1/27*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(20/3)}-1/54*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(20/3)}-1/27*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(20/3)}*3^{(1/2)}$

Rubi [A] time = 0.67, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{bx(17a^2be - 11a^3f - 23ab^2d + 29b^3c)}{18a^6(a + bx^3)} + \frac{3a^2be + a^3(-f) - 6ab^2d + 10b^3c}{2a^6x^2} + \frac{bx(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^5(a + bx^3)^2} - \frac{b}{54a^{20/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

[Out] $-c/(11*a^3*x^{11}) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c - 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) - (b^{(2/3)}*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(20/3)}) + (b^{(2/3)}*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(20/3)}) - (b^{(2/3)}*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(20/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} - \int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{12}(a + bx^3)^2} dx \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \int \frac{18b^7c}{x^{12}(a + bx^3)^2} dx \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \int \left(\frac{18b^7c}{ax^{11}}\right) dx \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{18a^6(a + bx^3)} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{18a^6(a + bx^3)} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{18a^6(a + bx^3)} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{18a^6(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 376, normalized size = 0.99

$$\frac{3bc - ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e - 3abd + 6b^2c}{5a^5x^5} + \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (20a^3f - 44a^2be + 77ab^2d - 119b^3c)}{54a^{20/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

[Out] -1/11*c/(a^3*x^11) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c - 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) + (b^(2/3)*(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*a^(20/3)) + (b^(2/3)*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(20/3)) + (b^(2/3)*(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(20/3))

fricas [A] time = 0.72, size = 654, normalized size = 1.72

$$660(119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{15} + 1056(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{12} + 297(119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5bf)x^9 - 54(119a^3b^2c - 77a^4b^2d + 44a^5b^2e - 20a^6bf)x^6 - 1080a^5c + 135(17a^4b^2c - 11a^5d)x^3 - 440\sqrt{3}((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5bf)x^{11}) \cdot (-b^2/a^2)^{1/3} \arctan(1/3(2\sqrt{3}ax(-b^2/a^2)^{2/3} - \sqrt{3}b)/b) + 220((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5bf)x^{11}) \cdot (-b^2/a^2)^{1/3} \log(b^2x^2 + abx(-b^2/a^2)^{1/3} + a^2(-b^2/a^2)^{2/3}) - 440((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5bf)x^{11}) \cdot (-b^2/a^2)^{1/3} \log(bx - a(-b^2/a^2)^{1/3}) / (a^6b^2x^{17} + 2a^7bx^{14} + a^8x^{11})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/11880*(660*(119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^15 + 1056*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^12 + 297*(119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*b*f)*x^9 - 54*(119*a^3*b^2*c - 77*a^4*b^2*d + 44*a^5*b^2*e - 20*a^6*b*f)*x^6 - 1080*a^5*c + 135*(17*a^4*b^2*c - 11*a^5*d)*x^3 - 440*sqrt(3)*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*b*f)*x^11)*(-b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) + 220*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*b*f)*x^11)*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)) - 440*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*b*f)*x^11)*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3)))/(a^6*b^2*x^17 + 2*a^7*b*x^14 + a^8*x^11)

giac [A] time = 0.35, size = 440, normalized size = 1.16

$$\frac{\sqrt{3} \left(119 (-ab^2)^{\frac{1}{3}} b^3c - 77 (-ab^2)^{\frac{1}{3}} ab^2d - 20 (-ab^2)^{\frac{1}{3}} a^3f + 44 (-ab^2)^{\frac{1}{3}} a^2be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 a^7} (119b^4c - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(119*(-a*b^2)^(1/3)*b^3*c - 77*(-a*b^2)^(1/3)*a*b^2*d - 20*(-a*b^2)^(1/3)*a^3*f + 44*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^7 - 1/27*(119*b^4*c - 77*a*b^3*d - 20*a^3*b*f + 44*a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^7 + 1/54*(119*(-a*b^2)^(1/3)*b^3*c - 77*(-a*b^2)^(1/3)*a*b^2*d - 20*(-a*b^2)^(1/3)*a^3*f + 44*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^7 + 1/18*(29*b^5*c*x^4 - 23*a*b^4*d*x^4 - 11*a^3*b^2*f*x^4 + 17*a^2*b^3*x^4*e + 32*a*b^4*c*x - 26*a^2*b^3*d*x - 14*a^4*b*f*x + 20*a^3*b^2*x*e)/((b*x^3 + a)^2*a^6) + 1/440*(2200*b^3*c*x^9 - 1320*a*b^2*d*x^9 - 220*a^3*f*x^9 + 660*a^2*b*x^9*e - 528*a*b^2*c*x^6 + 264*a^2*b*d*x^6 - 88*a^3*x^6*e + 165*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^6*x^11)

maple [A] time = 0.07, size = 651, normalized size = 1.71

$$\frac{11b^2fx^4}{18(bx^3+a)^2a^3} + \frac{17b^3ex^4}{18(bx^3+a)^2a^4} - \frac{23b^4dx^4}{18(bx^3+a)^2a^5} + \frac{29b^5cx^4}{18(bx^3+a)^2a^6} - \frac{7bfx}{9(bx^3+a)^2a^2} + \frac{10b^2ex}{9(bx^3+a)^2a^3} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x)

[Out] $\frac{3}{5} \frac{1}{a^4} \frac{1}{x^5} b^3 d - \frac{6}{5} \frac{1}{a^5} \frac{1}{x^5} b^2 c + \frac{3}{2} \frac{1}{a^4} \frac{1}{x^2} b^2 d + \frac{5}{a^6} \frac{1}{x^2} b^3 c - \frac{20}{27} \frac{1}{a^3} \frac{f}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{10}{27} \frac{1}{a^3} \frac{f}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{3}{8} \frac{1}{a^4} \frac{1}{x^8} b^3 c - \frac{119}{54} \frac{1}{a^6} \frac{1}{b^3} \frac{c}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{29}{18} \frac{1}{a^6} \frac{1}{b^5} \frac{1}{(b*x^3+a)^2} x^4 c - \frac{7}{9} \frac{1}{a^2} \frac{b}{(b*x^3+a)^2} f x + \frac{10}{9} \frac{1}{a^3} \frac{b^2}{(b*x^3+a)^2} e x - \frac{13}{9} \frac{1}{a^4} \frac{b^3}{(b*x^3+a)^2} d x - \frac{11}{18} \frac{1}{a^3} \frac{b^2}{(b*x^3+a)^2} x^4 f + \frac{17}{18} \frac{1}{a^4} \frac{b^3}{(b*x^3+a)^2} x^4 e - \frac{23}{18} \frac{1}{a^5} \frac{b^4}{(b*x^3+a)^2} x^4 d - \frac{1}{8} \frac{1}{a^3} \frac{1}{x^8} d - \frac{1}{5} \frac{1}{a^3} \frac{1}{x^5} e - \frac{1}{2} \frac{1}{a^3} \frac{1}{x^2} f + \frac{44}{27} \frac{1}{a^4} \frac{b^2 e}{(a/b)^{2/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{77}{27} \frac{1}{a^5} \frac{b^2 d}{(a/b)^{2/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{16}{9} \frac{1}{a^5} \frac{b^4}{(b*x^3+a)^2} c x - \frac{20}{27} \frac{1}{a^3} \frac{f}{(a/b)^{2/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{44}{27} \frac{1}{a^4} \frac{b^2 e}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) - \frac{22}{27} \frac{1}{a^4} \frac{b^2 e}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{119}{27} \frac{1}{a^6} \frac{1}{b^3} \frac{c}{(a/b)^{2/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{1}{11} \frac{1}{a^3} \frac{1}{x^{11}} - \frac{77}{27} \frac{1}{a^5} \frac{b^2 d}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{77}{54} \frac{1}{a^5} \frac{b^2 d}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{119}{27} \frac{1}{a^6} \frac{1}{b^3} \frac{c}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3})$

maxima [A] time = 3.29, size = 376, normalized size = 0.99

$$\frac{220(119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{15} + 352(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{12} + 99(119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^9 - 18(119a^3b^2c - 77a^4b^2d + 44a^5b^2e - 20a^6f)x^6 - 360a^5c + 45(17a^4b^2c - 11a^5d)x^3}{3960(a^6b^2x^{17} + 2a^7bx^{14} + a^8x^{11})} + \frac{1}{27} \sqrt{3} \frac{(119b^3c - 77a^2b^2d + 44a^3b^2e - 20a^4bf) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{2/3}}\right) + (119b^3c - 77a^2b^2d + 44a^3b^2e - 20a^4bf) \log(x + (a/b)^{1/3})}{(a^6(bx^3+a)^{2/3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{3960} (220(119b^5c - 77a^2b^4d + 44a^3b^3e - 20a^4b^2f)x^{15} + 352(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{12} + 99(119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^9 - 18(119a^3b^2c - 77a^4b^2d + 44a^5b^2e - 20a^6f)x^6 - 360a^5c + 45(17a^4b^2c - 11a^5d)x^3) / (a^6b^2x^{17} + 2a^7bx^{14} + a^8x^{11}) + \frac{1}{27} \sqrt{3} \frac{(119b^3c - 77a^2b^2d + 44a^3b^2e - 20a^4bf) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{2/3}}\right) + (119b^3c - 77a^2b^2d + 44a^3b^2e - 20a^4bf) \log(x + (a/b)^{1/3})}{(a^6(bx^3+a)^{2/3})}$

mupad [B] time = 5.18, size = 359, normalized size = 0.94

$$\frac{b^{2/3} \ln(b^{1/3}x + a^{1/3}) (-20fa^3 + 44ea^2b - 77dab^2 + 119cb^3)}{27a^{20/3}} - \frac{c}{11a} - \frac{x^9(-20fa^3 + 44ea^2b - 77dab^2 + 119cb^3)}{40a^4} + \frac{x^3}{27a^{20/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3),x)`

[Out] $(b^{2/3} \log(b^{1/3}x + a^{1/3}) (119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (27a^{20/3}) - (c/(11a) - (x^9(119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (40a^4) + (x^3(11ad - 17bc)) / (88a^2) + (x^6(119b^2c + 44a^2e - 77abd)) / (220a^3) - (4bx^{12}(119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (45a^5) - (b^2x^{15}(119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (18a^6)) / (a^2x^{11} + b^2x^{17} + 2abx^{14}) + (b^{2/3}) \log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}) ((3^{1/2}i)/2 - 1/2) (119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (27a^{20/3}) - (b^{2/3}) \log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}) ((3^{1/2}i)/2 + 1/2) (119b^3c - 20a^3f - 77ab^2d + 44a^2be)) / (27a^{20/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.303 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$$

Optimal. Leaf size=424

$$\frac{3bc-ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{a^2e-3abd+6b^2c}{7a^5x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-35a^3f + 65a^2be - 104ab^2d + 152b^3c)}{54a^{22/3}}$$

[Out] $-1/13*c/a^3/x^{13}+1/10*(-a*d+3*b*c)/a^4/x^{10}+1/7*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^7+1/4*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^4-b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)/a^7/x-1/6*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^6/(b*x^3+a)^2-1/9*b^2*(-8*a^3*f+11*a^2*b*e-14*a*b^2*d+17*b^3*c)*x^2/a^7/(b*x^3+a)+1/27*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(22/3)-1/54*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(22/3)+1/27*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(22/3)*3^(1/2)$

Rubi [A] time = 0.85, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{b^2x^2(11a^2be - 8a^3f - 14ab^2d + 17b^3c)}{9a^7(a + bx^3)} - \frac{b^2x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^6(a + bx^3)^2} + \frac{3a^2be + a^3(-f) - 6ab^2d + 10b^3c}{4a^6x^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

[Out] $-c/(13*a^3*x^{13}) + (3*b*c - a*d)/(10*a^4*x^{10}) - (6*b^2*c - 3*a*b*d + a^2*e)/(7*a^5*x^7) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(4*a^6*x^4) - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f))/(a^7*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^6*(a + b*x^3)^2) - (b^2*(17*b^3*c - 14*a*b^2*d + 11*a^2*b*e - 8*a^3*f)*x^2)/(9*a^7*(a + b*x^3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(22/3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(22/3)) - (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(22/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 617

$\text{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_.) + (e_.)*(x_)] / [(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_.) + (e_.)*(x_)] / [(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}$
 $[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_.) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{q =$
 $\text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[$
 $x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i$
 $+ 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*($
 $a + b*x^n)^{(p + 1)}/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{FreeQ}$
 $\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_)^{(m_)})] / [(a_.) + (b_.)*(x_)^{(n_)}], x_Symbol] \rightarrow \text{Int}[\text{E}$
 $\text{xpendIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&$
 $\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n] \&\& \text{!IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14} (a + bx^3)^3} dx &= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^3f)x^9}{a^3}}{x^{14} (a + bx^3)^3} dx \\
&= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} + \int \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} dx \\
&= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} + \int \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} dx \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(17b^3c - 14ab^2d + 11a^2be - 8a^3f)}{9a^7} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(17b^3c - 14ab^2d + 11a^2be - 8a^3f)}{9a^7} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(17b^3c - 14ab^2d + 11a^2be - 8a^3f)}{9a^7} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(17b^3c - 14ab^2d + 11a^2be - 8a^3f)}{9a^7} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(17b^3c - 14ab^2d + 11a^2be - 8a^3f)}{9a^7}
\end{aligned}$$

Mathematica [A] time = 0.67, size = 419, normalized size = 0.99

$$\frac{3bc - ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{a^2e - 3abd + 6b^2c}{7a^5x^7} + \frac{b^{4/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (35a^3f - 65a^2be + 104ab^2d - 152b^3c)}{54a^{22/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

[Out] $-\frac{1}{13} \frac{c}{a^3 x^{13}} + \frac{3bc - ad}{10a^4 x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5 x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6 x^4} + \frac{b(-15b^3c + 10ab^2d - 6a^2be + 3a^3f)}{a^7 x} + \frac{b^2(-b^3c + ab^2d - a^2be + a^3f)x^2}{6a^6(a + bx^3)^2} + \frac{b^2(-17b^3c + 14ab^2d - 11a^2be + 8a^3f)x^2}{9a^7(a + bx^3)} + \frac{b^{4/3}(152b^3c - 104ab^2d + 65a^2be - 35a^3f) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3})x}{a^{1/3}}\right]}{9\sqrt[3]{3} a^{22/3}} + \frac{b^{4/3}(152b^3c - 104ab^2d + 65a^2be - 35a^3f) \operatorname{Log}\left[a^{1/3} + b^{1/3}x\right]}{27a^{22/3}} + \frac{b^{4/3}(-152b^3c + 104ab^2d - 65a^2be + 35a^3f) \operatorname{Log}\left[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2\right]}{54a^{22/3}}$

fricas [A] time = 0.84, size = 686, normalized size = 1.62

$$5460(152b^6c - 104ab^5d + 65a^2b^4e - 35a^3b^3f)x^{18} + 9555(152ab^5c - 104a^2b^4d + 65a^3b^3e - 35a^4b^2f)x^{15} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/49140*(5460*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{18} + 9555*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{15} + 3510*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{12} - 351*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b*e - 35*a^6*f)*x^9 + 3780*a^6*c + 108*(152*a^4*b^2*c - 104*a^5*b*d + 65*a^6*e)*x^6 - 378*(19*a^5*b*c - 13*a^6*d)*x^3 + 1820*\sqrt{3}*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{13})*(-b/a)^{(1/3)}*\arctan(2/3*\sqrt{3}*x*(-b/a)^{(1/3)} + 1/3*\sqrt{3}) - 910*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{13})*(-b/a)^{(1/3)}*\log(b*x^2 - a*x*(-b/a)^{(2/3)} - a*(-b/a)^{(1/3)}) + 1820*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{13})*(-b/a)^{(1/3)}*\log(b*x + a*(-b/a)^{(2/3)})/(a^7*b^2*x^{19} + 2*a^8*b*x^{16} + a^9*x^{13})$$

giac [A] time = 0.22, size = 531, normalized size = 1.25

$$\frac{\sqrt{3} \left(152 (-ab^2)^{\frac{2}{3}} b^3c - 104 (-ab^2)^{\frac{2}{3}} ab^2d - 35 (-ab^2)^{\frac{2}{3}} a^3f + 65 (-ab^2)^{\frac{2}{3}} a^2be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27a^8} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$1/27*\sqrt{3}*(152*(-a*b^2)^{(2/3)}*b^3*c - 104*(-a*b^2)^{(2/3)}*a*b^2*d - 35*(-a*b^2)^{(2/3)}*a^3*f + 65*(-a*b^2)^{(2/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/a^8 + 1/27*(152*b^5*c*(-a/b)^{(1/3)} - 104*a*b^4*d*(-a/b)^{(1/3)} - 35*a^3*b^2*f*(-a/b)^{(1/3)} + 65*a^2*b^3*e*(-a/b)^{(1/3)})*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^8 - 1/54*(152*(-a*b^2)^{(2/3)}*b^3*c - 104*(-a*b^2)^{(2/3)}*a*b^2*d - 35*(-a*b^2)^{(2/3)}*a^3*f + 65*(-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/a^8 - 1/18*(34*b^6*c*x^5 - 28*a*b^5*d*x^5 - 16*a^3*b^3*f*x^5 + 22*a^2*b^4*x^5*e + 37*a*b^5*c*x^2 - 31*a^2*b^4*d*x^2 - 19*a^4*b^2*f*x^2 + 25*a^3*b^3*x^2*e)/((b*x^3 + a)^2*a^7) - 1/1820*(27300*b^4*c*x^{12} - 18200*a*b^3*d*x^{12} - 5460*a^3*b*f*x^{12} + 10920*a^2*b^2*x^{12}*e - 4550*a*b^3*c*x^9 + 2730*a^2*b^2*d*x^9 + 455*a^4*f*x^9 - 1365*a^3*b*x^9*e + 1560*a^2*b^2*c*x^6 - 780*a^3*b*d*x^6 + 260*a^4*x^6*e - 546*a^3*b*c*x^3 + 182*a^4*d*x^3 + 140*a^4*c)/(a^7*x^{13})$$

maple [A] time = 0.07, size = 716, normalized size = 1.69

$$\frac{8b^3 f x^5}{9(bx^3 + a)^2 a^4} - \frac{11b^4 e x^5}{9(bx^3 + a)^2 a^5} + \frac{14b^5 d x^5}{9(bx^3 + a)^2 a^6} - \frac{17b^6 c x^5}{9(bx^3 + a)^2 a^7} + \frac{19b^2 f x^2}{18(bx^3 + a)^2 a^3} - \frac{25b^3 e x^2}{18(bx^3 + a)^2 a^4} + \frac{3}{18(bx^3 + a)^2 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x)

[Out]
$$-1/10/a^3/x^{10}d+3/4/a^4/x^4*b*e-3/2/a^5/x^4*b^2*d+5/2/a^6/x^4*b^3*c+3/7/a^4/x^7*b*d-6/7/a^5/x^7*b^2*c+3/10/a^4/x^{10}*b*c+3*b/a^4/x*f-6*b^2/a^5/x*e+10*b^3/a^6/x*d-15*b^4/a^7/x*c-1/7/a^3/x^7*e-1/4/a^3/x^4*f-104/27/a^6*b^3*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+52/27/a^6*b^3*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+152/27/a^7*b^4*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-76/27/a^7*b^4*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+8/9/a^4*b^3/(b*x^3+a)^2*x^5*f-11/9/a^5*b^4/(b*x^3+a)^2*x^5*e+14/9/a^6*b^5/(b*x^3+a)^2*x^5*d-17/9/a^7*b^6/(b*x^3+a)^2*x^5*c+19/18/a^3*b^2/(b*x^3+a)^2*x^2*f-25/18/a^4*b^3/(b*x^3+a)^2*x^2*e+31/18/a^5*b^4/(b*x^3+a)^2*x^2*d-37/18/a^6*b^5/(b*x^3+a)^2*x^2*c+35/27/a^4*b*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+104/27/a^6*b^3*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-152/27/a^7*b^4*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/13*c/a^3/x^{13}+35/54/a^4*b*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/27/a^5*b^2*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-35/27/a^4*b*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})$$

maxima [A] time = 3.05, size = 427, normalized size = 1.01

$$\frac{1820(152b^6c - 104ab^5d + 65a^2b^4e - 35a^3b^3f)x^{18} + 3185(152ab^5c - 104a^2b^4d + 65a^3b^3e - 35a^4b^2f)x^{15}}{27a^{22/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/16380*(1820*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{18} + 3185*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{15} + 1170*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{12} - 117*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b*e - 35*a^6*f)*x^9 + 1260*a^6*c + 36*(152*a^4*b^2*c - 104*a^5*b*d + 65*a^6*e)*x^6 - 126*(19*a^5*b*c - 13*a^6*d)*x^3)/(a^7*b^2*x^{19} + 2*a^8*b*x^{16} + a^9*x^{13}) - 1/27*sqrt(3)*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*arctan(1/3*sqrt(3)*(2*x - (a/b))^{(1/3)})/(a/b)^{(1/3)}/(a^7*(a/b)^{(1/3)}) - 1/54*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^7*(a/b)^{(1/3)}) + 1/27*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*log(x + (a/b)^{(1/3)})/(a^7*(a/b)^{(1/3)})$$

mupad [B] time = 5.30, size = 397, normalized size = 0.94

$$\frac{b^{4/3} \ln(b^{1/3} x + a^{1/3}) (-35 f a^3 + 65 e a^2 b - 104 d a b^2 + 152 c b^3)}{27 a^{22/3}} - \frac{c}{13 a} - \frac{x^9 (-35 f a^3 + 65 e a^2 b - 104 d a b^2 + 152 c b^3)}{140 a^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3),x)
```

```
[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*
a^2*b*e))/(27*a^(22/3)) - (c/(13*a) - (x^9*(152*b^3*c - 35*a^3*f - 104*a*b^
2*d + 65*a^2*b*e))/(140*a^4) + (x^3*(13*a*d - 19*b*c))/(130*a^2) + (x^6*(15
2*b^2*c + 65*a^2*e - 104*a*b*d))/(455*a^3) + (b*x^12*(152*b^3*c - 35*a^3*f
- 104*a*b^2*d + 65*a^2*b*e))/(14*a^5) + (7*b^2*x^15*(152*b^3*c - 35*a^3*f -
104*a*b^2*d + 65*a^2*b*e))/(36*a^6) + (b^3*x^18*(152*b^3*c - 35*a^3*f - 10
4*a*b^2*d + 65*a^2*b*e))/(9*a^7))/(a^2*x^13 + b^2*x^19 + 2*a*b*x^16) - (b^(
4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)
*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3)) + (b^(4/3
)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(1
52*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.304 \quad \int \frac{(1-x)x^4}{1+x^3} dx$$

Optimal. Leaf size=54

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/2*x^2-1/3*x^3+2/3*ln(1+x)+1/6*ln(x^2-x+1)+1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.07, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^4)/(1 + x^3), x]

[Out] x^2/2 - x^3/3 + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q

+ C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{(1-x)x^4}{1+x^3} dx &= \int \left(x - x^2 + \frac{(-1+x)x}{1+x^3} \right) dx \\
 &= \frac{x^2}{2} - \frac{x^3}{3} + \int \frac{(-1+x)x}{1+x^3} dx \\
 &= \frac{x^2}{2} - \frac{x^3}{3} + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\
 &= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
 &= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
 &= \frac{x^2}{2} - \frac{x^3}{3} - \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 59, normalized size = 1.09

$$\frac{1}{6} \left(-2x^3 + 2 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^4)/(1 + x^3), x]

[Out] (3*x^2 - 2*x^3 - 2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 2*Log[1 + x] - Log[1 - x + x^2] + 2*Log[1 + x^3])/6

fricas [A] time = 0.73, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1), x, algorithm="fricas")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.16, size = 45, normalized size = 0.83

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1),x, algorithm="giac")

[Out] $-1/3*x^3 + 1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) + 1/6*\log(x^2 - x + 1) + 2/3*\log(\text{abs}(x + 1))$

maple [A] time = 0.05, size = 45, normalized size = 0.83

$$-\frac{x^3}{3} + \frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^4/(x^3+1),x)

[Out] $-1/3*x^3+1/2*x^2+2/3*\ln(x+1)+1/6*\ln(x^2-x+1)-1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 2.90, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6} \log(x^2-x+1) + \frac{2}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*x^3 + 1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) + 1/6*\log(x^2 - x + 1) + 2/3*\log(x + 1)$

mupad [B] time = 0.10, size = 56, normalized size = 1.04

$$\frac{2 \ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) + \frac{x^2}{2} - \frac{x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4*(x-1))/(x^3+1),x)

[Out] $(2*\log(x+1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) + x^2/2 - x^3/3$

sympy [A] time = 0.18, size = 53, normalized size = 0.98

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{2 \log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x - \sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**4/(x**3+1),x)

[Out] $-x**3/3 + x**2/2 + 2*\log(x+1)/3 + \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3$

$$3.305 \quad \int \frac{(1-x)x^3}{1+x^3} dx$$

Optimal. Leaf size=30

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

[Out] x-1/2*x^2-2/3*ln(1+x)+1/3*ln(x^2-x+1)

Rubi [A] time = 0.04, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1887, 1860, 31, 628}

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[A*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \frac{(1-x)x^3}{1+x^3} dx &= \int \left(1 - x - \frac{1-x}{1+x^3}\right) dx \\ &= x - \frac{x^2}{2} - \int \frac{1-x}{1+x^3} dx \\ &= x - \frac{x^2}{2} - \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\ &= x - \frac{x^2}{2} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

fricas [A] time = 0.60, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="fricas")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.16, size = 25, normalized size = 0.83

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="giac")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 25, normalized size = 0.83

$$-\frac{x^2}{2} + x - \frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^3/(x^3+1), x)

[Out] x-1/2*x^2-2/3*ln(x+1)+1/3*ln(x^2-x+1)

maxima [A] time = 3.01, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="maxima")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.03, size = 24, normalized size = 0.80

$$x - \frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3} - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^3*(x - 1))/(x^3 + 1), x)

[Out] x - (2*log(x + 1))/3 + log(x^2 - x + 1)/3 - x^2/2

sympy [A] time = 0.12, size = 24, normalized size = 0.80

$$-\frac{x^2}{2} + x - \frac{2 \log(x + 1)}{3} + \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**3/(x**3+1),x)

[Out] -x**2/2 + x - 2*log(x + 1)/3 + log(x**2 - x + 1)/3

$$3.306 \quad \int \frac{(1-x)x^2}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-x + 2/3 \ln(1+x) + 1/6 \ln(x^2 - x + 1) - 1/3 \arctan(1/3(1-2x)*3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^2)/(1 + x^3), x]

[Out] $-x - \text{ArcTan}[(1 - 2x)/\text{Sqrt}[3]]/\text{Sqrt}[3] + (2*\text{Log}[1 + x])/3 + \text{Log}[1 - x + x^2]/6$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q -

$C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; \text{NeQ}[a*B^3 - b*A^3, 0] \&\& \text{NeQ}[A - B*q + C*q^2, 0]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[P2, x, 2] \&\& \text{GtQ}[a/b, 0]$

Rule 1887

$\text{Int}[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned} \int \frac{(1-x)x^2}{1+x^3} dx &= \int \left(-1 + \frac{1+x^2}{1+x^3} \right) dx \\ &= -x + \int \frac{1+x^2}{1+x^3} dx \\ &= -x + \frac{1}{3} \int \frac{1+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\ &= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) - \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= -x + \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.20

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - x + \frac{1}{3} \log(x + 1) + \frac{\tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^2)/(1 + x^3), x]

[Out] -x + ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

fricas [A] time = 0.72, size = 37, normalized size = 0.84

$$\frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$\frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1),x, algorithm="giac")

[Out] $\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(\text{abs}(x+1))$

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$-x + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^2/(x^3+1),x)

[Out] $-x + \frac{2}{3}\ln(x+1) + \frac{1}{6}\ln(x^2-x+1) + \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)$

maxima [A] time = 2.96, size = 37, normalized size = 0.84

$$\frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$

mupad [B] time = 4.96, size = 49, normalized size = 1.11

$$\frac{2 \ln(x+1)}{3} - x - \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} \text{li}}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} \text{li}}{6}\right) + \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} \text{li}}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2*(x-1))/(x^3+1),x)

[Out] $\frac{2\log(x+1)}{3} - x - \log\left(x - \frac{(3^{1/2})i}{2} - \frac{1}{2}\right) \cdot \left(\frac{(3^{1/2})i}{6} - \frac{1}{6}\right) + \log\left(x + \frac{(3^{1/2})i}{2} - \frac{1}{2}\right) \cdot \left(\frac{(3^{1/2})i}{6} + \frac{1}{6}\right)$

sympy [A] time = 0.23, size = 44, normalized size = 1.00

$$-x + \frac{2 \log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**2/(x**3+1),x)

[Out] $-x + \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} + \frac{\sqrt{3}\operatorname{atan}(2\sqrt{3}x/3 - \sqrt{3}/3)}{3}$

3.307 $\int \frac{(1-x)x}{1+x^3} dx$

Optimal. Leaf size=41

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] -2/3*ln(1+x)-1/6*ln(x^2-x+1)-1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x)/(1 + x^3), x]

[Out] -(ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3]) - (2*Log[1 + x])/3 - Log[1 - x + x^2]/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*

$A^3, 0] \ \&\& \ \text{NeQ}[A - B*q + C*q^2, 0]] \ /; \ \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$
 $\&\& \ \text{GtQ}[a/b, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(1-x)x}{1+x^3} dx &= \frac{1}{3} \int \frac{2-x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) - \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right) \\ &= \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.22

$$-\frac{1}{3} \log(x^3+1) + \frac{1}{6} \log(x^2-x+1) - \frac{1}{3} \log(x+1) + \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1-x)*x)/(1+x^3),x]

[Out] ArcTan[(-1+2*x)/Sqrt[3]]/Sqrt[3] - Log[1+x]/3 + Log[1-x+x^2]/6 - Log[1+x^3]/3

fricas [A] time = 0.50, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) - \frac{1}{6} \log(x^2-x+1) - \frac{2}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) - \frac{1}{6} \log(x^2-x+1) - \frac{2}{3} \log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x+1)}{3} - \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)*x/(x^3+1),x)`

[Out] `-2/3*ln(x+1)-1/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))`

maxima [A] time = 2.87, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x/(x^3+1),x, algorithm="maxima")`

[Out] `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1)`

mupad [B] time = 0.08, size = 63, normalized size = 1.54

$$\frac{\ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)}{6} - \frac{\ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}{6} - \frac{2 \ln(x+1)}{3} - \frac{\sqrt{3} \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right) 1i}{6} + \frac{\sqrt{3} \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x*(x - 1))/(x^3 + 1),x)`

[Out] `(3^(1/2)*log(x + (3^(1/2)*1i)/2 - 1/2)*1i)/6 - log(x + (3^(1/2)*1i)/2 - 1/2)/6 - (2*log(x + 1))/3 - (3^(1/2)*log(x - (3^(1/2)*1i)/2 - 1/2)*1i)/6 - log(x - (3^(1/2)*1i)/2 - 1/2)/6`

sympy [A] time = 0.27, size = 42, normalized size = 1.02

$$-\frac{2 \log(x+1)}{3} - \frac{\log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x/(x**3+1),x)`

[Out] `-2*log(x + 1)/3 - log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.308 \quad \int \frac{1-x}{x(1+x^3)} dx$$

Optimal. Leaf size=42

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $\ln(x) - 2/3 \ln(1+x) - 1/6 \ln(x^2 - x + 1) + 1/3 \arctan(1/3 * (1 - 2*x) * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x*(1 + x^3)), x]

[Out] ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[x] - (2*Log[1 + x])/3 - Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1-x}{x(1+x^3)} dx &= \int \left(\frac{1}{x} - \frac{2}{3(1+x)} + \frac{-1-x}{3(1-x+x^2)} \right) dx \\
&= \log(x) - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1-x}{1-x+x^2} dx \\
&= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
&= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= -\frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} + \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.26

$$-\frac{1}{3} \log(x^3 + 1) + \frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x*(1 + x^3)), x]

[Out] -(ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3]) + Log[x] - Log[1 + x]/3 + Log[1 - x + x^2]/6 - Log[1 + x^3]/3

fricas [A] time = 0.68, size = 36, normalized size = 0.86

$$-\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1), x, algorithm="fricas")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1) + log(x)

giac [A] time = 0.16, size = 38, normalized size = 0.90

$$-\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|) + \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1), x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(abs(x + 1)) + log(abs(x))

maple [A] time = 0.05, size = 37, normalized size = 0.88

$$-\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x) - \frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x/(x^3+1), x)

[Out] $-2/3*\ln(x+1)+\ln(x)-1/6*\ln(x^2-x+1)-1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 2.88, size = 36, normalized size = 0.86

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)-\frac{1}{6}\log(x^2-x+1)-\frac{2}{3}\log(x+1)+\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/6*\log(x^2 - x + 1) - 2/3*\log(x + 1) + \log(x)$

mupad [B] time = 4.96, size = 48, normalized size = 1.14

$$\ln(x) - \frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x*(x^3 + 1)),x)

[Out] $\log(x) - (2*\log(x + 1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6)$

sympy [A] time = 0.21, size = 46, normalized size = 1.10

$$\log(x) - \frac{2\log(x+1)}{3} - \frac{\log(x^2-x+1)}{6} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x**3+1),x)

[Out] $\log(x) - 2*\log(x + 1)/3 - \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3$

$$3.309 \quad \int \frac{1-x}{x^2(1+x^3)} dx$$

Optimal. Leaf size=49

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] -1/x-ln(x)+2/3*ln(1+x)+1/6*ln(x^2-x+1)+1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x^2*(1 + x^3)), x]

[Out] -x^(-1) + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m)*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1-x}{x^2(1+x^3)} dx &= \int \left(\frac{1}{x^2} - \frac{1}{x} + \frac{2}{3(1+x)} + \frac{-2+x}{3(1-x+x^2)} \right) dx \\
&= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx \\
&= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
&= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= -\frac{1}{x} - \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 60, normalized size = 1.22

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^2*(1 + x^3)), x]

[Out] -x^(-1) - ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

fricas [A] time = 0.76, size = 48, normalized size = 0.98

$$\frac{2\sqrt{3}x \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x \log(x^2 - x + 1) - 4x \log(x + 1) + 6x \log(x) + 6}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1), x, algorithm="fricas")

[Out] -1/6*(2*sqrt(3)*x*arctan(1/3*sqrt(3)*(2*x - 1)) - x*log(x^2 - x + 1) - 4*x*log(x + 1) + 6*x*log(x) + 6)/x

giac [A] time = 0.16, size = 45, normalized size = 0.92

$$-\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{x} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|) - \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1), x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/x + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1)) - log(abs(x))

maple [A] time = 0.05, size = 44, normalized size = 0.90

$$-\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \ln(x) + \frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{6} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x^2/(x^3+1), x)

[Out] $2/3*\ln(x+1)-1/x-\ln(x)+1/6*\ln(x^2-x+1)-1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 3.03, size = 43, normalized size = 0.88

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)-\frac{1}{x}+\frac{1}{6}\log(x^2-x+1)+\frac{2}{3}\log(x+1)-\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x^2/(x^3+1),x, algorithm="maxima")`

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/x + 1/6*\log(x^2 - x + 1) + 2/3*\log(x + 1) - \log(x)$

mupad [B] time = 0.08, size = 55, normalized size = 1.12

$$\frac{2\ln(x+1)}{3}-\ln(x)+\ln\left(x-\frac{1}{2}-\frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{6}+\frac{\sqrt{3}1i}{6}\right)-\ln\left(x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{6}+\frac{\sqrt{3}1i}{6}\right)-\frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 1)/(x^2*(x^3 + 1)),x)`

[Out] $(2*\log(x + 1))/3 - \log(x) + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - 1/x$

sympy [A] time = 0.22, size = 49, normalized size = 1.00

$$-\log(x) + \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x**2/(x**3+1),x)`

[Out] $-\log(x) + 2*\log(x + 1)/3 + \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3 - 1/x$

$$3.310 \quad \int \frac{1-x}{x^3(1+x^3)} dx$$

Optimal. Leaf size=32

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

[Out] $-1/2/x^2+1/x-2/3*\ln(1+x)+1/3*\ln(x^2-x+1)$

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1834, 628}

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x^3*(1 + x^3)), x]

[Out] $-1/(2*x^2) + x^{(-1)} - (2*\text{Log}[1 + x])/3 + \text{Log}[1 - x + x^2]/3$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x^3(1+x^3)} dx &= \int \left(\frac{1}{x^3} - \frac{1}{x^2} - \frac{2}{3(1+x)} + \frac{-1+2x}{3(1-x+x^2)} \right) dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 1.00

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^3*(1 + x^3)), x]

[Out] $-1/2*1/x^2 + x^{(-1)} - (2*\text{Log}[1 + x])/3 + \text{Log}[1 - x + x^2]/3$

fricas [A] time = 0.63, size = 33, normalized size = 1.03

$$\frac{2x^2 \log(x^2 - x + 1) - 4x^2 \log(x + 1) + 6x - 3}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1),x, algorithm="fricas")

[Out] 1/6*(2*x^2*log(x^2 - x + 1) - 4*x^2*log(x + 1) + 6*x - 3)/x^2

giac [A] time = 0.15, size = 29, normalized size = 0.91

$$\frac{2x-1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1),x, algorithm="giac")

[Out] 1/2*(2*x - 1)/x^2 + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 27, normalized size = 0.84

$$-\frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3} + \frac{1}{x} - \frac{1}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x^3/(x^3+1),x)

[Out] -1/2/x^2+1/x-2/3*ln(x+1)+1/3*ln(x^2-x+1)

maxima [A] time = 3.00, size = 28, normalized size = 0.88

$$\frac{2x-1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1),x, algorithm="maxima")

[Out] 1/2*(2*x - 1)/x^2 + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.07, size = 25, normalized size = 0.78

$$\frac{\ln(x^2 - x + 1)}{3} - \frac{2 \ln(x + 1)}{3} + \frac{x - \frac{1}{2}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x^3*(x^3 + 1)),x)

[Out] log(x^2 - x + 1)/3 - (2*log(x + 1))/3 + (x - 1/2)/x^2

sympy [A] time = 0.13, size = 27, normalized size = 0.84

$$-\frac{2 \log(x + 1)}{3} + \frac{\log(x^2 - x + 1)}{3} - \frac{1 - 2x}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x**3/(x**3+1),x)

[Out] -2*log(x + 1)/3 + log(x**2 - x + 1)/3 - (1 - 2*x)/(2*x**2)

$$3.311 \quad \int \frac{x(1+2x)}{1+x^3} dx$$

Optimal. Leaf size=41

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/3*ln(1+x)+5/6*ln(x^2-x+1)-1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 + x^3),x]

[Out] -(ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3]) + Log[1 + x]/3 + (5*Log[1 - x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*

$A^3, 0] \ \&\& \ \text{NeQ}[A - B*q + C*q^2, 0]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$
 $\&\& \ \text{GtQ}[a/b, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x(1+2x)}{1+x^3} dx &= \frac{1}{3} \int \frac{1}{1+x} dx + \frac{1}{3} \int \frac{-1+5x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{1}{2} \int \frac{1}{1-x+x^2} dx + \frac{5}{6} \int \frac{-1+2x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) - \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right) \\ &= \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.03, size = 47, normalized size = 1.15

$$\frac{1}{6} \left(4 \log(x^3 + 1) + \log(x^2 - x + 1) - 2 \log(x + 1) + 2\sqrt{3} \tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1+2*x))/(1+x^3),x]

[Out] (2*Sqrt[3]*ArcTan[(-1+2*x)/Sqrt[3]] - 2*Log[1+x] + Log[1-x+x^2] + 4*Log[1+x^3])/6

fricas [A] time = 0.51, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{\ln(x+1)}{3} + \frac{5 \ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(2*x+1)/(x^3+1),x)`

[Out] `1/3*ln(x+1)+5/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))`

maxima [A] time = 2.99, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+2*x)/(x^3+1),x, algorithm="maxima")`

[Out] `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)`

mupad [B] time = 4.96, size = 63, normalized size = 1.54

$$\frac{5 \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{5 \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{\ln(x + 1)}{3} - \frac{\sqrt{3} \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) 1i}{6} + \frac{\sqrt{3} \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*x + 1))/(x^3 + 1),x)`

[Out] `(5*log(x - (3^(1/2)*1i)/2 - 1/2))/6 + (5*log(x + (3^(1/2)*1i)/2 - 1/2))/6 + log(x + 1)/3 - (3^(1/2)*log(x - (3^(1/2)*1i)/2 - 1/2)*1i)/6 + (3^(1/2)*log(x + (3^(1/2)*1i)/2 - 1/2)*1i)/6`

sympy [A] time = 0.18, size = 42, normalized size = 1.02

$$\frac{\log(x + 1)}{3} + \frac{5 \log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x - \sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+2*x)/(x**3+1),x)`

[Out] `log(x + 1)/3 + 5*log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.312 \quad \int \frac{x(1+2x)}{1-x^3} dx$$

Optimal. Leaf size=39

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-\ln(1-x) - 1/2 \ln(x^2+x+1) - 1/3 \arctan(1/3*(1+2*x)*3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1875, 31, 634, 618, 204, 628}

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 - x^3), x]

[Out] $-(\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]) - \text{Log}[1 - x] - \text{Log}[1 + x + x^2]/2$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x,

2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x(1+2x)}{1-x^3} dx &= \frac{1}{3} \int \frac{-3-3x}{1+x+x^2} dx + \int \frac{1}{1-x} dx \\
 &= -\log(1-x) - \frac{1}{2} \int \frac{1}{1+x+x^2} dx - \frac{1}{2} \int \frac{1+2x}{1+x+x^2} dx \\
 &= -\log(1-x) - \frac{1}{2} \log(1+x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1+2x \right) \\
 &= -\frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x) - \frac{1}{2} \log(1+x+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 53, normalized size = 1.36

$$-\frac{2}{3} \log(1-x^3) + \frac{1}{6} \log(x^2+x+1) - \frac{1}{3} \log(1-x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1+2*x))/(1-x^3),x]

[Out] -(ArcTan[(1+2*x)/Sqrt[3]]/Sqrt[3]) - Log[1-x]/3 + Log[1+x+x^2]/6 - (2*Log[1-x^3])/3

fricas [A] time = 0.83, size = 32, normalized size = 0.82

$$-\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) - \frac{1}{2} \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="fricas")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x+1)) - 1/2*log(x^2+x+1) - log(x-1)

giac [A] time = 0.15, size = 33, normalized size = 0.85

$$-\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) - \frac{1}{2} \log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x+1)) - 1/2*log(x^2+x+1) - log(abs(x-1))

maple [A] time = 0.06, size = 33, normalized size = 0.85

$$-\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2+x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(2*x+1)/(-x^3+1),x)`

[Out] `-ln(x-1)-1/2*ln(x^2+x+1)-1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))`

maxima [A] time = 2.99, size = 32, normalized size = 0.82

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right)-\frac{1}{2}\log(x^2+x+1)-\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+2*x)/(-x^3+1),x, algorithm="maxima")`

[Out] `-1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)`

mupad [B] time = 0.09, size = 63, normalized size = 1.62

$$\frac{\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)}{2} - \frac{\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}{2} - \ln(x-1) + \frac{\sqrt{3}\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)1i}{6} - \frac{\sqrt{3}\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x*(2*x + 1))/(x^3 - 1),x)`

[Out] `(3^(1/2)*log(x - (3^(1/2)*1i)/2 + 1/2)*1i)/6 - log(x + (3^(1/2)*1i)/2 + 1/2)/2 - log(x - 1) - log(x - (3^(1/2)*1i)/2 + 1/2)/2 - (3^(1/2)*log(x + (3^(1/2)*1i)/2 + 1/2)*1i)/6`

sympy [A] time = 0.16, size = 41, normalized size = 1.05

$$-\log(x-1) - \frac{\log(x^2+x+1)}{2} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+2*x)/(-x**3+1),x)`

[Out] `-log(x - 1) - log(x**2 + x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3`

3.313 $\int x^2 (c + dx + ex^2) (a + bx^3) dx$

Optimal. Leaf size=55

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

[Out] $1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*b*c*x^6+1/7*b*d*x^7+1/8*b*e*x^8$

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3) dx &= \int (acx^2 + adx^3 + aex^4 + bcx^5 + bdx^6 + bex^7) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8 \end{aligned}$$

Mathematica [A] time = 0.03, size = 55, normalized size = 1.00

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8

fricas [A] time = 0.72, size = 43, normalized size = 0.78

$$\frac{1}{8}x^8eb + \frac{1}{7}x^7db + \frac{1}{6}x^6cb + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="fricas")

[Out] $1/8*x^8*e*b + 1/7*x^7*d*b + 1/6*x^6*c*b + 1/5*x^5*e*a + 1/4*x^4*d*a + 1/3*x^3*c*a$

giac [A] time = 0.20, size = 45, normalized size = 0.82

$$\frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")

[Out] 1/8*b*x^8*e + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*x^5*e + 1/4*a*d*x^4 + 1/3*a*c*x^3

maple [A] time = 0.04, size = 44, normalized size = 0.80

$$\frac{1}{8}be x^8 + \frac{1}{7}bd x^7 + \frac{1}{6}bc x^6 + \frac{1}{5}ae x^5 + \frac{1}{4}ad x^4 + \frac{1}{3}ac x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a),x)

[Out] 1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*b*c*x^6+1/7*b*d*x^7+1/8*b*e*x^8

maxima [A] time = 1.33, size = 43, normalized size = 0.78

$$\frac{1}{8}bex^8 + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}aex^5 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")

[Out] 1/8*b*e*x^8 + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*e*x^5 + 1/4*a*d*x^4 + 1/3*a*c*x^3

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^8}{8} + \frac{bdx^7}{7} + \frac{bcx^6}{6} + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)*(c + d*x + e*x^2),x)

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (b*c*x^6)/6 + (a*e*x^5)/5 + (b*d*x^7)/7 + (b*e*x^8)/8

sympy [A] time = 0.08, size = 49, normalized size = 0.89

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bcx^6}{6} + \frac{bdx^7}{7} + \frac{bex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a),x)

[Out] a*c*x**3/3 + a*d*x**4/4 + a*e*x**5/5 + b*c*x**6/6 + b*d*x**7/7 + b*e*x**8/8

3.314 $\int x(c + dx + ex^2)(a + bx^3) dx$

Optimal. Leaf size=55

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

[Out] $1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7$

Rubi [A] time = 0.04, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1628}

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x(c + dx + ex^2)(a + bx^3) dx &= \int (acx + adx^2 + aex^3 + bcx^4 + bdx^5 + bex^6) dx \\ &= \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 \end{aligned}$$

Mathematica [A] time = 0.00, size = 55, normalized size = 1.00

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7$

fricas [A] time = 0.47, size = 43, normalized size = 0.78

$$\frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a), x, algorithm="fricas")

[Out] $1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*e*a + 1/3*x^3*d*a + 1/2*x^2*c*a$

giac [A] time = 0.18, size = 45, normalized size = 0.82

$$\frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")

[Out] 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*x^4*e + 1/3*a*d*x^3 + 1/2*a*c*x^2

maple [A] time = 0.05, size = 44, normalized size = 0.80

$$\frac{1}{7}be x^7 + \frac{1}{6}bd x^6 + \frac{1}{5}bc x^5 + \frac{1}{4}ae x^4 + \frac{1}{3}ad x^3 + \frac{1}{2}ac x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a),x)

[Out] 1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7

maxima [A] time = 1.36, size = 43, normalized size = 0.78

$$\frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}aex^4 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")

[Out] 1/7*b*e*x^7 + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*e*x^4 + 1/3*a*d*x^3 + 1/2*a*c*x^2

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^7}{7} + \frac{bdx^6}{6} + \frac{bcx^5}{5} + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)*(c + d*x + e*x^2),x)

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (b*c*x^5)/5 + (a*e*x^4)/4 + (b*d*x^6)/6 + (b*e*x^7)/7

sympy [A] time = 0.07, size = 49, normalized size = 0.89

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bcx^5}{5} + \frac{bdx^6}{6} + \frac{bex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a),x)

[Out] a*c*x**2/2 + a*d*x**3/3 + a*e*x**4/4 + b*c*x**5/5 + b*d*x**6/6 + b*e*x**7/7

3.315 $\int (c + dx + ex^2)(a + bx^3) dx$

Optimal. Leaf size=50

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*b*c*x^4+1/5*b*d*x^5+1/6*b*e*x^6

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1657}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3) dx &= \int (ac + adx + aex^2 + bcx^3 + bdx^4 + bex^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6 \end{aligned}$$

Mathematica [A] time = 0.00, size = 50, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6

fricas [A] time = 0.46, size = 40, normalized size = 0.80

$$\frac{1}{6}x^6eb + \frac{1}{5}x^5db + \frac{1}{4}x^4cb + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a), x, algorithm="fricas")

[Out] 1/6*x^6*e*b + 1/5*x^5*d*b + 1/4*x^4*c*b + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 42, normalized size = 0.84

$$\frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")

[Out] 1/6*b*x^6*e + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 41, normalized size = 0.82

$$\frac{1}{6}be x^6 + \frac{1}{5}bd x^5 + \frac{1}{4}bc x^4 + \frac{1}{3}ae x^3 + \frac{1}{2}ad x^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a),x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*b*c*x^4+1/5*b*d*x^5+1/6*b*e*x^6

maxima [A] time = 1.34, size = 40, normalized size = 0.80

$$\frac{1}{6}bex^6 + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")

[Out] 1/6*b*e*x^6 + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*e*x^3 + 1/2*a*d*x^2 + a*c*x

mupad [B] time = 0.02, size = 40, normalized size = 0.80

$$\frac{bex^6}{6} + \frac{bdx^5}{5} + \frac{bcx^4}{4} + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x + e*x^2),x)

[Out] a*c*x + (a*d*x^2)/2 + (b*c*x^4)/4 + (a*e*x^3)/3 + (b*d*x^5)/5 + (b*e*x^6)/6

sympy [A] time = 0.07, size = 46, normalized size = 0.92

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bcx^4}{4} + \frac{bdx^5}{5} + \frac{bex^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a),x)

[Out] a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*c*x**4/4 + b*d*x**5/5 + b*e*x**6/6

$$3.316 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$$

Optimal. Leaf size=46

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

[Out] a*d*x+1/2*a*e*x^2+1/3*b*c*x^3+1/4*b*d*x^4+1/5*b*e*x^5+a*c*ln(x)

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x} dx &= \int \left(ad + \frac{ac}{x} + aex + bcx^2 + bdx^3 + bex^4 \right) dx \\ &= adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5 + ac \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 46, normalized size = 1.00

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*Log[x]

fricas [A] time = 0.72, size = 38, normalized size = 0.83

$$\frac{1}{5}bex^5 + \frac{1}{4}bdx^4 + \frac{1}{3}bcx^3 + \frac{1}{2}aex^2 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="fricas")

[Out] 1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*log(x)

giac [A] time = 0.15, size = 41, normalized size = 0.89

$$\frac{1}{5}bx^5e + \frac{1}{4}bdx^4 + \frac{1}{3}bcx^3 + \frac{1}{2}ax^2e + adx + ac \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="giac")

[Out] $1/5*b*x^5*e + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*x^2*e + a*d*x + a*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 39, normalized size = 0.85

$$\frac{be x^5}{5} + \frac{bd x^4}{4} + \frac{bc x^3}{3} + \frac{ae x^2}{2} + ac \ln(x) + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x,x)

[Out] $a*d*x+1/2*a*e*x^2+1/3*b*c*x^3+1/4*b*d*x^4+1/5*b*e*x^5+a*c*\ln(x)$

maxima [A] time = 1.33, size = 38, normalized size = 0.83

$$\frac{1}{5} bex^5 + \frac{1}{4} bdx^4 + \frac{1}{3} bcx^3 + \frac{1}{2} aex^2 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="maxima")

[Out] $1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*\log(x)$

mupad [B] time = 0.03, size = 38, normalized size = 0.83

$$ac \ln(x) + adx + \frac{bcx^3}{3} + \frac{aex^2}{2} + \frac{bdx^4}{4} + \frac{bex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x,x)

[Out] $a*c*\log(x) + a*d*x + (b*c*x^3)/3 + (a*e*x^2)/2 + (b*d*x^4)/4 + (b*e*x^5)/5$

sympy [A] time = 0.14, size = 44, normalized size = 0.96

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bcx^3}{3} + \frac{bdx^4}{4} + \frac{bex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x,x)

[Out] $a*c*\log(x) + a*d*x + a*e*x**2/2 + b*c*x**3/3 + b*d*x**4/4 + b*e*x**5/5$

$$3.317 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

[Out] $-a*c/x+a*e*x+1/2*b*c*x^2+1/3*b*d*x^3+1/4*b*e*x^4+a*d*\ln(x)$

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] $-((a*c)/x) + a*e*x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4 + a*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx &= \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + bcx + bdx^2 + bex^3 \right) dx \\ &= -\frac{ac}{x} + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4 + ad \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] $-((a*c)/x) + a*e*x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4 + a*d*\text{Log}[x]$

fricas [A] time = 0.68, size = 45, normalized size = 1.02

$$\frac{3 bex^5 + 4 bdx^4 + 6 bcx^3 + 12 aex^2 + 12 adx \log(x) - 12 ac}{12 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="fricas")

[Out] $1/12*(3*b*e*x^5 + 4*b*d*x^4 + 6*b*c*x^3 + 12*a*e*x^2 + 12*a*d*x*\log(x) - 12*a*c)/x$

giac [A] time = 0.15, size = 41, normalized size = 0.93

$$\frac{1}{4}bx^4e + \frac{1}{3}bdx^3 + \frac{1}{2}bcx^2 + axe + ad \log(|x|) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="giac")

[Out] 1/4*b*x^4*e + 1/3*b*d*x^3 + 1/2*b*c*x^2 + a*x*e + a*d*log(abs(x)) - a*c/x

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{be x^4}{4} + \frac{bd x^3}{3} + \frac{bc x^2}{2} + ad \ln(x) + aex - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x^2,x)

[Out] -a*c/x+a*e*x+1/2*b*c*x^2+1/3*b*d*x^3+1/4*b*e*x^4+a*d*ln(x)

maxima [A] time = 1.34, size = 38, normalized size = 0.86

$$\frac{1}{4}bex^4 + \frac{1}{3}bdx^3 + \frac{1}{2}bcx^2 + aex + ad \log(x) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="maxima")

[Out] 1/4*b*e*x^4 + 1/3*b*d*x^3 + 1/2*b*c*x^2 + a*e*x + a*d*log(x) - a*c/x

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$ad \ln(x) + aex - \frac{ac}{x} + \frac{bcx^2}{2} + \frac{bdx^3}{3} + \frac{bex^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x^2,x)

[Out] a*d*log(x) + a*e*x - (a*c)/x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4

sympy [A] time = 0.16, size = 41, normalized size = 0.93

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bcx^2}{2} + \frac{bdx^3}{3} + \frac{bex^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x**2,x)

[Out] -a*c/x + a*d*log(x) + a*e*x + b*c*x**2/2 + b*d*x**3/3 + b*e*x**4/4

$$3.318 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

[Out] $-1/2*a*c/x^2 - a*d/x + b*c*x + 1/2*b*d*x^2 + 1/3*b*e*x^3 + a*e*\ln(x)$

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^3, x]

[Out] $-(a*c)/(2*x^2) - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x^3} dx &= \int \left(bc + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + bdx + bex^2 \right) dx \\ &= -\frac{ac}{2x^2} - \frac{ad}{x} + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3 + ae \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^3, x]

[Out] $-1/2*(a*c)/x^2 - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*\text{Log}[x]$

fricas [A] time = 0.65, size = 45, normalized size = 1.02

$$\frac{2 b e x^5 + 3 b d x^4 + 6 b c x^3 + 6 a e x^2 \log(x) - 6 a d x - 3 a c}{6 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="fricas")

[Out] $1/6*(2*b*e*x^5 + 3*b*d*x^4 + 6*b*c*x^3 + 6*a*e*x^2*\log(x) - 6*a*d*x - 3*a*c)/x^2$

giac [A] time = 0.16, size = 41, normalized size = 0.93

$$\frac{1}{3}bx^3e + \frac{1}{2}bdx^2 + bcx + ae \log(|x|) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="giac")

[Out] 1/3*b*x^3*e + 1/2*b*d*x^2 + b*c*x + a*e*log(abs(x)) - 1/2*(2*a*d*x + a*c)/x^2

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{be x^3}{3} + \frac{bd x^2}{2} + ae \ln(x) + bcx - \frac{ad}{x} - \frac{ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x^3,x)

[Out] -1/2*a*c/x^2-a*d/x+b*c*x+1/2*b*d*x^2+1/3*b*e*x^3+a*e*ln(x)

maxima [A] time = 1.35, size = 38, normalized size = 0.86

$$\frac{1}{3}bex^3 + \frac{1}{2}bdx^2 + bcx + ae \log(x) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="maxima")

[Out] 1/3*b*e*x^3 + 1/2*b*d*x^2 + b*c*x + a*e*log(x) - 1/2*(2*a*d*x + a*c)/x^2

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$ae \ln(x) - \frac{\frac{ac}{2} + adx}{x^2} + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x^3,x)

[Out] a*e*log(x) - ((a*c)/2 + a*d*x)/x^2 + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3

sympy [A] time = 0.25, size = 44, normalized size = 1.00

$$ae \log(x) + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3} + \frac{-ac - 2adx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x**3,x)

[Out] a*e*log(x) + b*c*x + b*d*x**2/2 + b*e*x**3/3 + (-a*c - 2*a*d*x)/(2*x**2)

3.319 $\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$

Optimal. Leaf size=82

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a+bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] $\frac{1}{4}a^2d*x^4 + \frac{1}{5}a^2e*x^5 + \frac{2}{7}a*b*d*x^7 + \frac{1}{4}a*b*e*x^8 + \frac{1}{10}b^2*d*x^{10} + \frac{1}{11}b^2e*x^{11} + \frac{1}{9}c*(b*x^3+a)^3/b$

Rubi [A] time = 0.06, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a+bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $(a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*d*x^{10})/10 + (b^2*e*x^{11})/11 + (c*(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3)^2 dx &= \frac{c(a+bx^3)^3}{9b} + \int (a+bx^3)^2 (-cx^2 + x^2(c+dx+ex^2)) dx \\ &= \frac{c(a+bx^3)^3}{9b} + \int (a^2dx^3 + a^2ex^4 + 2abdx^6 + 2abex^7 + b^2dx^9 + b^2ex^{10}) dx \\ &= \frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{c(a+bx^3)^3}{9b} \end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{3}a^2cx^3 + \frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{3}abcx^6 + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11

fricas [A] time = 0.54, size = 79, normalized size = 0.96

$$\frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8eba + \frac{2}{7}x^7dba + \frac{1}{3}x^6cba + \frac{1}{5}x^5ea^2 + \frac{1}{4}x^4da^2 + \frac{1}{3}x^3ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*e*b*a + 2/7*x^7*d*b*a + 1/3*x^6*c*b*a + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2

giac [A] time = 0.16, size = 82, normalized size = 1.00

$$\frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abx^8e + \frac{2}{7}abdx^7 + \frac{1}{3}abcx^6 + \frac{1}{5}a^2x^5e + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*x^8*e + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*x^5*e + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abex^8 + \frac{2}{7}abdx^7 + \frac{1}{3}abcx^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/11*b^2*e*x^11+1/10*b^2*d*x^10+1/9*b^2*c*x^9+1/4*a*b*e*x^8+2/7*a*b*d*x^7+1/3*a*b*c*x^6+1/5*a^2*e*x^5+1/4*a^2*d*x^4+1/3*a^2*c*x^3

maxima [A] time = 1.35, size = 79, normalized size = 0.96

$$\frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abex^8 + \frac{2}{7}abdx^7 + \frac{1}{3}abcx^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/11*b^2*e*x^11 + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*e*x^8 + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*e*x^5 + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{ea^2x^5}{5} + \frac{da^2x^4}{4} + \frac{ca^2x^3}{3} + \frac{eabx^8}{4} + \frac{2dabx^7}{7} + \frac{cabx^6}{3} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (b^2*c*x^9)/9 + (a^2*e*x^5)/5 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4

sympy [A] time = 0.09, size = 92, normalized size = 1.12

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{abcx^6}{3} + \frac{2abdx^7}{7} + \frac{abex^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + a*b*c*x**6/3 + 2*a*b*d*x**7/7 + a*b*e*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11

3.320 $\int x(c + dx + ex^2)(a + bx^3)^2 dx$

Optimal. Leaf size=82

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a + bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

[Out] $\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a + bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10} + \frac{1}{9}d(bx^3 + a)^3/b$

Rubi [A] time = 0.05, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a + bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $(a^2cx^2)/2 + (a^2ex^4)/4 + (2abcx^5)/5 + (2abex^7)/7 + (b^2cx^8)/8 + (b^2ex^{10})/10 + (d(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x(c + dx + ex^2)(a + bx^3)^2 dx &= \frac{d(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-dx^2 + x(c + dx + ex^2)) dx \\ &= \frac{d(a + bx^3)^3}{9b} + \int (a^2cx + a^2ex^3 + 2abcx^4 + 2abex^6 + b^2cx^7 + b^2ex^9) dx \\ &= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10} + \frac{d(a + bx^3)^3}{9b} \end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{9}b^2dx^9 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^8)/8 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10

fricas [A] time = 0.60, size = 79, normalized size = 0.96

$$\frac{1}{10}x^{10}eb^2 + \frac{1}{9}x^9db^2 + \frac{1}{8}x^8cb^2 + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4ea^2 + \frac{1}{3}x^3da^2 + \frac{1}{2}x^2ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/10*x^10*e*b^2 + 1/9*x^9*d*b^2 + 1/8*x^8*c*b^2 + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2

giac [A] time = 0.15, size = 82, normalized size = 1.00

$$\frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2x^4e + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/10*b^2*x^10*e + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*x^4*e + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/10*b^2*e*x^10+1/9*b^2*d*x^9+1/8*b^2*c*x^8+2/7*a*b*e*x^7+1/3*a*b*d*x^6+2/5*a*b*c*x^5+1/4*a^2*e*x^4+1/3*a^2*d*x^3+1/2*a^2*c*x^2

maxima [A] time = 1.29, size = 79, normalized size = 0.96

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/10*b^2*e*x^10 + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*e*x^4 + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{ea^2x^4}{4} + \frac{da^2x^3}{3} + \frac{ca^2x^2}{2} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{eb^2x^{10}}{10} + \frac{db^2x^9}{9} + \frac{cb^2x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (b^2*c*x^8)/8 + (a^2*e*x^4)/4 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7

sympy [A] time = 0.09, size = 94, normalized size = 1.15

$$\frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{b^2cx^8}{8} + \frac{b^2dx^9}{9} + \frac{b^2ex^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + b**2*c*x**8/8 + b**2*d*x**9/9 + b**2*e*x**10/10

3.321 $\int (c + dx + ex^2)(a + bx^3)^2 dx$

Optimal. Leaf size=77

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

[Out] $a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{1}{9}e(bx^3 + a)^3/b$

Rubi [A] time = 0.06, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $a^2cx + (a^2dx^2)/2 + (ab^2cx^4)/2 + (2ab^2dx^5)/5 + (b^2cx^7)/7 + (b^2dx^8)/8 + (e(a + b^3x^3)^3)/(9b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3)^2 dx &= \frac{e(a + bx^3)^3}{9b} + \int (c + dx)(a + bx^3)^2 dx \\ &= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{e(a + bx^3)^3}{9b} \end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{3}abex^6 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{1}{9}b^2ex^9$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9$

fricas [A] time = 0.50, size = 76, normalized size = 0.99

$$\frac{1}{9}x^9eb^2 + \frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{1}{3}x^6eba + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] $1/9*x^9*e*b^2 + 1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 1/3*x^6*e*b*a + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.18, size = 79, normalized size = 1.03

$$\frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abx^6e + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] $1/9*b^2*x^9*e + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*x^6*e + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] $1/9*b^2*e*x^9+1/8*b^2*d*x^8+1/7*b^2*c*x^7+1/3*a*b*e*x^6+2/5*a*b*d*x^5+1/2*a*b*c*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x$

maxima [A] time = 1.40, size = 76, normalized size = 0.99

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/9*b^2*e*x^9 + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*e*x^6 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{eabx^6}{3} + \frac{2dabx^5}{5} + \frac{cabx^4}{2} + \frac{eb^2x^9}{9} + \frac{db^2x^8}{8} + \frac{cb^2x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] $(a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (a^2*e*x^3)/3 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3$

sympy [A] time = 0.09, size = 88, normalized size = 1.14

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{abcx^4}{2} + \frac{2abdx^5}{5} + \frac{abex^6}{3} + \frac{b^2cx^7}{7} + \frac{b^2dx^8}{8} + \frac{b^2ex^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + a*b*e*x**6/3 + b**2*c*x**7/7 + b**2*d*x**8/8 + b**2*e*x**9/9

$$3.322 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$$

Optimal. Leaf size=88

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

[Out] $a^2d*x + 1/2*a^2*e*x^2 + 2/3*a*b*c*x^3 + 1/2*a*b*d*x^4 + 2/5*a*b*e*x^5 + 1/6*b^2*c*x^6 + 1/7*b^2*d*x^7 + 1/8*b^2*e*x^8 + a^2*c*\ln(x)$

Rubi [A] time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx = \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + 2abdx^3 + 2abex^4 + b^2cx^5 + b^2dx^6 + b^2ex^7 \right) dx$$

$$= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8 + \dots$$

Mathematica [A] time = 0.01, size = 88, normalized size = 1.00

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*\text{Log}[x]$

fricas [A] time = 0.66, size = 74, normalized size = 0.84

$$\frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abex^5 + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="fricas")

[Out] $\frac{1}{8}b^2e^x x^8 + \frac{1}{7}b^2d^x x^7 + \frac{1}{6}b^2c^x x^6 + \frac{2}{5}a^x b^x e^x x^5 + \frac{1}{2}a^x b^x d^x x^4 + \frac{2}{3}a^x b^x c^x x^3 + \frac{1}{2}a^2e^x x^2 + a^2d^x x + a^2c^x \log(x)$

giac [A] time = 0.15, size = 78, normalized size = 0.89

$$\frac{1}{8}b^2x^8e + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abx^5e + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2x^2e + a^2dx + a^2c \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="giac")`

[Out] $\frac{1}{8}b^2x^8e + \frac{1}{7}b^2d^x x^7 + \frac{1}{6}b^2c^x x^6 + \frac{2}{5}a^x b^x e^x x^5 + \frac{1}{2}a^x b^x d^x x^4 + \frac{2}{3}a^x b^x c^x x^3 + \frac{1}{2}a^2e^x x^2 + a^2d^x x + a^2c^x \log(\text{abs}(x))$

maple [A] time = 0.04, size = 75, normalized size = 0.85

$$\frac{b^2e x^8}{8} + \frac{b^2d x^7}{7} + \frac{b^2c x^6}{6} + \frac{2abex^5}{5} + \frac{abdx^4}{2} + \frac{2abcx^3}{3} + \frac{a^2ex^2}{2} + a^2c \ln(x) + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^2/x,x)`

[Out] $a^2d^x x + \frac{1}{2}a^2e^x x^2 + \frac{2}{3}a^x b^x c^x x^3 + \frac{1}{2}a^x b^x d^x x^4 + \frac{2}{5}a^x b^x e^x x^5 + \frac{1}{6}b^2c^x x^6 + \frac{1}{7}b^2d^x x^7 + \frac{1}{8}b^2e^x x^8 + a^2c^x \ln(x)$

maxima [A] time = 1.37, size = 74, normalized size = 0.84

$$\frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abex^5 + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="maxima")`

[Out] $\frac{1}{8}b^2e^x x^8 + \frac{1}{7}b^2d^x x^7 + \frac{1}{6}b^2c^x x^6 + \frac{2}{5}a^x b^x e^x x^5 + \frac{1}{2}a^x b^x d^x x^4 + \frac{2}{3}a^x b^x c^x x^3 + \frac{1}{2}a^2e^x x^2 + a^2d^x x + a^2c^x \log(x)$

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{b^2c x^6}{6} + \frac{a^2ex^2}{2} + \frac{b^2dx^7}{7} + \frac{b^2ex^8}{8} + a^2c \ln(x) + a^2dx + \frac{2abcx^3}{3} + \frac{abdx^4}{2} + \frac{2abex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2))/x,x)`

[Out] $\frac{b^2c^x x^6}{6} + \frac{a^2e^x x^2}{2} + \frac{b^2d^x x^7}{7} + \frac{b^2e^x x^8}{8} + a^2c^x \log(x) + a^2d^x x + \frac{2a^x b^x c^x x^3}{3} + \frac{a^x b^x d^x x^4}{2} + \frac{2a^x b^x e^x x^5}{5}$

sympy [A] time = 0.19, size = 88, normalized size = 1.00

$$a^2c \log(x) + a^2dx + \frac{a^2ex^2}{2} + \frac{2abcx^3}{3} + \frac{abdx^4}{2} + \frac{2abex^5}{5} + \frac{b^2cx^6}{6} + \frac{b^2dx^7}{7} + \frac{b^2ex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x,x)`

[Out] $a^2c^x \log(x) + a^2d^x x + \frac{a^2e^x x^2}{2} + \frac{2a^x b^x c^x x^3}{3} + \frac{a^x b^x d^x x^4}{2} + \frac{2a^x b^x e^x x^5}{5} + \frac{b^2c^x x^6}{6} + \frac{b^2d^x x^7}{7} + \frac{b^2e^x x^8}{8}$

$$3.323 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$$

Optimal. Leaf size=83

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

[Out] $-a^2c/x+a^2e*x+a*b*c*x^2+2/3*a*b*d*x^3+1/2*a*b*e*x^4+1/5*b^2*c*x^5+1/6*b^2*d*x^6+1/7*b^2*e*x^7+a^2*d*\ln(x)$

Rubi [A] time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] $-((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx &= \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + 2abcx + 2abdx^2 + 2abex^3 + b^2cx^4 + b^2dx^5 + b^2ex^6 \right) dx \\ &= -\frac{a^2c}{x} + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7 + a^2d \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 83, normalized size = 1.00

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] $-((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*\text{Log}[x]$

fricas [A] time = 0.59, size = 81, normalized size = 0.98

$$\frac{30 b^2 e x^8 + 35 b^2 d x^7 + 42 b^2 c x^6 + 105 a b e x^5 + 140 a b d x^4 + 210 a b c x^3 + 210 a^2 e x^2 + 210 a^2 d x \log(x) - 210 a^2 c}{210 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="fricas")

[Out] $1/210*(30*b^2*e*x^8 + 35*b^2*d*x^7 + 42*b^2*c*x^6 + 105*a*b*e*x^5 + 140*a*b*d*x^4 + 210*a*b*c*x^3 + 210*a^2*e*x^2 + 210*a^2*d*x*\log(x) - 210*a^2*c)/x$

giac [A] time = 0.15, size = 77, normalized size = 0.93

$$\frac{1}{7}b^2x^7e + \frac{1}{6}b^2dx^6 + \frac{1}{5}b^2cx^5 + \frac{1}{2}abx^4e + \frac{2}{3}abdx^3 + abcx^2 + a^2xe + a^2d \log(|x|) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="giac")`

[Out] $1/7*b^2*x^7*e + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*x^4*e + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*x*e + a^2*d*\log(\text{abs}(x)) - a^2*c/x$

maple [A] time = 0.06, size = 74, normalized size = 0.89

$$\frac{b^2ex^7}{7} + \frac{b^2dx^6}{6} + \frac{b^2cx^5}{5} + \frac{abex^4}{2} + \frac{2abdx^3}{3} + abcx^2 + a^2d \ln(x) + a^2ex - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x)`

[Out] $-a^2*c/x + a^2*e*x + a*b*c*x^2 + 2/3*a*b*d*x^3 + 1/2*a*b*e*x^4 + 1/5*b^2*c*x^5 + 1/6*b^2*d*x^6 + 1/7*b^2*e*x^7 + a^2*d*\ln(x)$

maxima [A] time = 1.30, size = 73, normalized size = 0.88

$$\frac{1}{7}b^2ex^7 + \frac{1}{6}b^2dx^6 + \frac{1}{5}b^2cx^5 + \frac{1}{2}abex^4 + \frac{2}{3}abdx^3 + abcx^2 + a^2ex + a^2d \log(x) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="maxima")`

[Out] $1/7*b^2*e*x^7 + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*e*x^4 + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*e*x + a^2*d*\log(x) - a^2*c/x$

mupad [B] time = 0.04, size = 73, normalized size = 0.88

$$\frac{b^2cx^5}{5} - \frac{a^2c}{x} + \frac{b^2dx^6}{6} + \frac{b^2ex^7}{7} + a^2d \ln(x) + a^2ex + abcx^2 + \frac{2abdx^3}{3} + \frac{abex^4}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^2,x)`

[Out] $(b^2*c*x^5)/5 - (a^2*c)/x + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*\log(x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2$

sympy [A] time = 0.25, size = 82, normalized size = 0.99

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2abdx^3}{3} + \frac{abex^4}{2} + \frac{b^2cx^5}{5} + \frac{b^2dx^6}{6} + \frac{b^2ex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**2,x)`

[Out] $-a**2*c/x + a**2*d*\log(x) + a**2*e*x + a*b*c*x**2 + 2*a*b*d*x**3/3 + a*b*e*x**4/2 + b**2*c*x**5/5 + b**2*d*x**6/6 + b**2*e*x**7/7$

$$3.324 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$$

Optimal. Leaf size=84

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + 2*a*b*c*x + a*b*d*x^2 + 2/3*a*b*e*x^3 + 1/4*b^2*c*x^4 + 1/5*b^2*d*x^5 + 1/6*b^2*e*x^6 + a^2*e*\ln(x)$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3,x]

[Out] $-(a^2*c)/(2*x^2) - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx &= \int \left(2abc + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + 2abdx + 2abex^2 + b^2cx^3 + b^2dx^4 + b^2ex^5 \right) dx \\ &= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6 + a^2e \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 84, normalized size = 1.00

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3,x]

[Out] $-1/2*(a^2*c)/x^2 - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\text{Log}[x]$

fricas [A] time = 0.71, size = 81, normalized size = 0.96

$$\frac{10 b^2 e x^8 + 12 b^2 d x^7 + 15 b^2 c x^6 + 40 a b e x^5 + 60 a b d x^4 + 120 a b c x^3 + 60 a^2 e x^2 \log(x) - 60 a^2 d x - 30 a^2 c}{60 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="fricas")

[Out] $1/60*(10*b^2*e*x^8 + 12*b^2*d*x^7 + 15*b^2*c*x^6 + 40*a*b*e*x^5 + 60*a*b*d*x^4 + 120*a*b*c*x^3 + 60*a^2*e*x^2*\log(x) - 60*a^2*d*x - 30*a^2*c)/x^2$

giac [A] time = 0.16, size = 78, normalized size = 0.93

$$\frac{1}{6}b^2x^6e + \frac{1}{5}b^2dx^5 + \frac{1}{4}b^2cx^4 + \frac{2}{3}abx^3e + abdx^2 + 2abcx + a^2e \log(|x|) - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="giac")`

[Out] $1/6*b^2*x^6*e + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*x^3*e + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(\text{abs}(x)) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

maple [A] time = 0.05, size = 75, normalized size = 0.89

$$\frac{b^2ex^6}{6} + \frac{b^2dx^5}{5} + \frac{b^2cx^4}{4} + \frac{2abex^3}{3} + abdx^2 + a^2e \ln(x) + 2abcx - \frac{a^2d}{x} - \frac{a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x)`

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + 2*a*b*c*x + a*b*d*x^2 + 2/3*a*b*e*x^3 + 1/4*b^2*c*x^4 + 1/5*b^2*d*x^5 + 1/6*b^2*e*x^6 + a^2*e*\ln(x)$

maxima [A] time = 1.31, size = 74, normalized size = 0.88

$$\frac{1}{6}b^2ex^6 + \frac{1}{5}b^2dx^5 + \frac{1}{4}b^2cx^4 + \frac{2}{3}abex^3 + abdx^2 + 2abcx + a^2e \log(x) - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="maxima")`

[Out] $1/6*b^2*e*x^6 + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*e*x^3 + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(x) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

mupad [B] time = 0.04, size = 74, normalized size = 0.88

$$\frac{b^2cx^4}{4} - \frac{\frac{a^2c}{2} + a^2dx}{x^2} + \frac{b^2dx^5}{5} + \frac{b^2ex^6}{6} + a^2e \ln(x) + abdx^2 + \frac{2abex^3}{3} + 2abcx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^3,x)`

[Out] $(b^2*c*x^4)/4 - ((a^2*c)/2 + a^2*d*x)/x^2 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\log(x) + a*b*d*x^2 + (2*a*b*e*x^3)/3 + 2*a*b*c*x$

sympy [A] time = 0.31, size = 87, normalized size = 1.04

$$a^2e \log(x) + 2abcx + abdx^2 + \frac{2abex^3}{3} + \frac{b^2cx^4}{4} + \frac{b^2dx^5}{5} + \frac{b^2ex^6}{6} + \frac{-a^2c - 2a^2dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**3,x)`

[Out] $a**2*e*\log(x) + 2*a*b*c*x + a*b*d*x**2 + 2*a*b*e*x**3/3 + b**2*c*x**4/4 + b**2*d*x**5/5 + b**2*e*x**6/6 + (-a**2*c - 2*a**2*d*x)/(2*x**2)$

3.325 $\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$

Optimal. Leaf size=110

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

[Out] $1/4*a^3*d*x^4+1/5*a^3*e*x^5+3/7*a^2*b*d*x^7+3/8*a^2*b*e*x^8+3/10*a*b^2*d*x^10+3/11*a*b^2*e*x^11+1/13*b^3*d*x^13+1/14*b^3*e*x^14+1/12*c*(b*x^3+a)^4/b$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] $(a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (3*a*b^2*d*x^{10})/10 + (3*a*b^2*e*x^{11})/11 + (b^3*d*x^{13})/13 + (b^3*e*x^{14})/14 + (c*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3)^3 dx &= \frac{c(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-cx^2 + x^2(c + dx + ex^2)) dx \\ &= \frac{c(a + bx^3)^4}{12b} + \int (a^3dx^3 + a^3ex^4 + 3a^2bdx^6 + 3a^2bex^7 + 3ab^2dx^9 + 3ab^2ex^{12}) dx \\ &= \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14} \end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{3}a^3cx^3 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{2}a^2bcx^6 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{12}b^3cx^{12} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*b*c*x^6)/2 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^12)/12 + (b^3*d*x^13)/13 + (b^3*e*x^14)/14

fricas [A] time = 0.80, size = 115, normalized size = 1.05

$$\frac{1}{14}x^{14}eb^3 + \frac{1}{13}x^{13}db^3 + \frac{1}{12}x^{12}cb^3 + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8eba^2 + \frac{3}{7}x^7dba^2 + \frac{1}{2}x^6cba^2 + \frac{1}{5}x^5ea^3 + \frac{1}{4}x^4da^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/14*x^14*e*b^3 + 1/13*x^13*d*b^3 + 1/12*x^12*c*b^3 + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*e*b*a^2 + 3/7*x^7*d*b*a^2 + 1/2*x^6*c*b*a^2 + 1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3

giac [A] time = 0.16, size = 119, normalized size = 1.08

$$\frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bx^8e + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3x^5e + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/14*b^3*x^14*e + 1/13*b^3*d*x^13 + 1/12*b^3*c*x^12 + 3/11*a*b^2*x^11*e + 3/10*a*b^2*d*x^10 + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*x^8*e + 3/7*a^2*b*d*x^7 + 1/2*a^2*b*c*x^6 + 1/5*a^3*x^5*e + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x)

[Out] 1/14*b^3*e*x^14+1/13*b^3*d*x^13+1/12*b^3*c*x^12+3/11*a*b^2*e*x^11+3/10*a*b^2*d*x^10+1/3*a*b^2*c*x^9+3/8*a^2*b*e*x^8+3/7*a^2*b*d*x^7+1/2*a^2*b*c*x^6+1/5*a^3*e*x^5+1/4*a^3*d*x^4+1/3*a^3*c*x^3

maxima [A] time = 1.33, size = 115, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/14*b^3*e*x^14 + 1/13*b^3*d*x^13 + 1/12*b^3*c*x^12 + 3/11*a*b^2*e*x^11 + 3/10*a*b^2*d*x^10 + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*e*x^8 + 3/7*a^2*b*d*x^7 + 1/2*a^2*b*c*x^6 + 1/5*a^3*e*x^5 + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

mupad [B] time = 0.08, size = 115, normalized size = 1.05

$$\frac{ea^3x^5}{5} + \frac{da^3x^4}{4} + \frac{ca^3x^3}{3} + \frac{3ea^2bx^8}{8} + \frac{3da^2bx^7}{7} + \frac{ca^2bx^6}{2} + \frac{3eab^2x^{11}}{11} + \frac{3dab^2x^{10}}{10} + \frac{cab^2x^9}{3} + \frac{eb^3x^{14}}{14} + \frac{db^3x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $(a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (b^3*c*x^{12})/12 + (a^3*e*x^5)/5 + (b^3*d*x^{13})/13 + (b^3*e*x^{14})/14 + (a^2*b*c*x^6)/2 + (a*b^2*c*x^9)/3 + (3*a^2*b*d*x^7)/7 + (3*a*b^2*d*x^{10})/10 + (3*a^2*b*e*x^8)/8 + (3*a*b^2*e*x^{11})/11$

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{a^2bcx^6}{2} + \frac{3a^2bdx^7}{7} + \frac{3a^2bex^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{b^3cx^{12}}{12} + \frac{b^3dx^{13}}{13} + \frac{b^3ex^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**3,x)`

[Out] $a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + a**2*b*c*x**6/2 + 3*a**2*b*d*x**7/7 + 3*a**2*b*e*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + b**3*c*x**12/12 + b**3*d*x**13/13 + b**3*e*x**14/14$

3.326 $\int x(c + dx + ex^2)(a + bx^3)^3 dx$

Optimal. Leaf size=110

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a + bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

[Out] $1/2*a^3*c*x^2 + 1/4*a^3*e*x^4 + 3/5*a^2*b*c*x^5 + 3/7*a^2*b*e*x^7 + 3/8*a*b^2*c*x^8 + 3/10*a*b^2*e*x^{10} + 1/11*b^3*c*x^{11} + 1/13*b^3*e*x^{13} + 1/12*d*(b*x^3+a)^4/b$

Rubi [A] time = 0.07, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a + bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] $(a^3*c*x^2)/2 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (3*a*b^2*e*x^{10})/10 + (b^3*c*x^{11})/11 + (b^3*e*x^{13})/13 + (d*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x(c + dx + ex^2)(a + bx^3)^3 dx &= \frac{d(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-dx^2 + x(c + dx + ex^2)) dx \\ &= \frac{d(a + bx^3)^4}{12b} + \int (a^3cx + a^3ex^3 + 3a^2bcx^4 + 3a^2bex^6 + 3ab^2cx^7 + 3ab^2ex^9) dx \\ &= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3ex^{12} \end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{1}{3}ab^2dx^9 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3dx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (a*b^2*d*x^9)/3 + (3*a*b^2*e*x^10)/10 + (b^3*c*x^11)/11 + (b^3*d*x^12)/12 + (b^3*e*x^13)/13

fricas [A] time = 0.55, size = 115, normalized size = 1.05

$$\frac{1}{13}x^{13}eb^3 + \frac{1}{12}x^{12}db^3 + \frac{1}{11}x^{11}cb^3 + \frac{3}{10}x^{10}eb^2a + \frac{1}{3}x^9db^2a + \frac{3}{8}x^8cb^2a + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6dba^2 + \frac{3}{5}x^5cba^2 + \frac{1}{4}x^4ea^3 + \frac{1}{3}x^3da^3 + \frac{1}{3}a^3e^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/13*x^13*e*b^3 + 1/12*x^12*d*b^3 + 1/11*x^11*c*b^3 + 3/10*x^10*e*b^2*a + 1/3*x^9*d*b^2*a + 3/8*x^8*c*b^2*a + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3

giac [A] time = 0.17, size = 119, normalized size = 1.08

$$\frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2x^{10}e + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bx^7e + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3x^4e + \frac{1}{3}a^3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/13*b^3*x^13*e + 1/12*b^3*d*x^12 + 1/11*b^3*c*x^11 + 3/10*a*b^2*x^10*e + 1/3*a*b^2*d*x^9 + 3/8*a*b^2*c*x^8 + 3/7*a^2*b*x^7*e + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*x^4*e + 1/3*a^3*d*x^3 + 1/2*a^3*c*x^2

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x)

[Out] 1/13*b^3*e*x^13+1/12*b^3*d*x^12+1/11*b^3*c*x^11+3/10*a*b^2*e*x^10+1/3*a*b^2*d*x^9+3/8*a*b^2*c*x^8+3/7*a^2*b*e*x^7+1/2*a^2*b*d*x^6+3/5*a^2*b*c*x^5+1/4*a^3*e*x^4+1/3*a^3*d*x^3+1/2*a^3*c*x^2

maxima [A] time = 1.37, size = 115, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/13*b^3*e*x^13 + 1/12*b^3*d*x^12 + 1/11*b^3*c*x^11 + 3/10*a*b^2*e*x^10 + 1/3*a*b^2*d*x^9 + 3/8*a*b^2*c*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*e*x^4 + 1/3*a^3*d*x^3 + 1/2*a^3*c*x^2

mupad [B] time = 0.07, size = 115, normalized size = 1.05

$$\frac{ea^3x^4}{4} + \frac{da^3x^3}{3} + \frac{ca^3x^2}{2} + \frac{3ea^2bx^7}{7} + \frac{da^2bx^6}{2} + \frac{3ca^2bx^5}{5} + \frac{3eab^2x^{10}}{10} + \frac{dab^2x^9}{3} + \frac{3cab^2x^8}{8} + \frac{eb^3x^{13}}{13} + \frac{db^3x^{12}}{12} + \frac{cb^3x^{11}}{11} + \frac{3ab^2dx^9}{3} + \frac{3ab^2cx^8}{8} + \frac{3a^2bex^7}{7} + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $(a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (b^3*c*x^{11})/11 + (a^3*e*x^4)/4 + (b^3*d*x^{12})/12 + (b^3*e*x^{13})/13 + (3*a^2*b*c*x^5)/5 + (3*a*b^2*c*x^8)/8 + (a^2*b*d*x^6)/2 + (a*b^2*d*x^9)/3 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*e*x^{10})/10$

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3ab^2cx^8}{8} + \frac{ab^2dx^9}{3} + \frac{3ab^2ex^{10}}{10} + \frac{b^3cx^{11}}{11} + \frac{b^3dx^{12}}{12} + \frac{b^3ex^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**3,x)`

[Out] $a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a*b**2*c*x**8/8 + a*b**2*d*x**9/3 + 3*a*b**2*e*x**10/10 + b**3*c*x**11/11 + b**3*d*x**12/12 + b**3*e*x**13/13$

3.327 $\int (c + dx + ex^2) (a + bx^3)^3 dx$

Optimal. Leaf size=105

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a+bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a+bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$

Rubi [A] time = 0.10, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a+bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^3, x]

[Out] $a^3cx + (a^3dx^2)/2 + (3a^2bcx^4)/4 + (3a^2bdx^5)/5 + (3ab^2cx^7)/7 + (3ab^2dx^8)/8 + (b^3cx^{10})/10 + (b^3dx^{11})/11 + (e(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2) (a + bx^3)^3 dx &= \frac{e(a+bx^3)^4}{12b} + \int (c + dx) (a + bx^3)^3 dx \\ &= \frac{e(a+bx^3)^4}{12b} + \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3c \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} \end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.28

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{1}{2}a^2bex^6 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{3}ab^2ex^9 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} + \frac{1}{12}b^3e$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (a^2*b*e*x^6)/2 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (a*b^2*e*x^9)/3 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11 + (b^3*e*x^{12})/12$

fricas [A] time = 0.53, size = 112, normalized size = 1.07

$$\frac{1}{12}x^{12}eb^3 + \frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{1}{3}x^9eb^2a + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{1}{2}x^6eba^2 + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{3}x^3ea^3 + \frac{1}{2}x^2da^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/12*x^{12}*e*b^3 + 1/11*x^{11}*d*b^3 + 1/10*x^{10}*c*b^3 + 1/3*x^9*e*b^2*a + 3/8*x^8*d*b^2*a + 3/7*x^7*c*b^2*a + 1/2*x^6*e*b*a^2 + 3/5*x^5*d*b*a^2 + 3/4*x^4*c*b*a^2 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.15, size = 116, normalized size = 1.10

$$\frac{1}{12}b^3x^{12}e + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2x^9e + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bx^6e + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3x^3e + \frac{1}{2}a^3dx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] $1/12*b^3*x^{12}*e + 1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 1/3*a*b^2*x^9*e + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 1/2*a^2*b*x^6*e + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.05, size = 113, normalized size = 1.08

$$\frac{1}{12}b^3ex^{12} + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2ex^9 + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bex^6 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3,x)

[Out] $1/12*b^3*e*x^{12} + 1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 1/3*a*b^2*e*x^9 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 1/2*a^2*b*e*x^6 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

maxima [A] time = 1.33, size = 112, normalized size = 1.07

$$\frac{1}{12}b^3ex^{12} + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2ex^9 + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bex^6 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/12*b^3*e*x^{12} + 1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 1/3*a*b^2*e*x^9 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 1/2*a^2*b*e*x^6 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

mupad [B] time = 0.07, size = 112, normalized size = 1.07

$$\frac{ea^3x^3}{3} + \frac{da^3x^2}{2} + ca^3x + \frac{ea^2bx^6}{2} + \frac{3da^2bx^5}{5} + \frac{3ca^2bx^4}{4} + \frac{eab^2x^9}{3} + \frac{3dab^2x^8}{8} + \frac{3cab^2x^7}{7} + \frac{eb^3x^{12}}{12} + \frac{db^3x^{11}}{11} + \frac{cb^3x^{10}}{10} + \frac{3ab^2ex^9}{3} + \frac{3ab^2dx^8}{8} + \frac{3ab^2cx^7}{7} + \frac{a^2bex^6}{2} + \frac{3a^2bdx^5}{5} + \frac{3a^2bcx^4}{4} + \frac{a^3ex^3}{3} + \frac{a^3dx^2}{2} + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $(a^3*d*x^2)/2 + (b^3*c*x^{10})/10 + (a^3*e*x^3)/3 + (b^3*d*x^{11})/11 + (b^3*e*x^{12})/12 + a^3*c*x + (3*a^2*b*c*x^4)/4 + (3*a*b^2*c*x^7)/7 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*d*x^8)/8 + (a^2*b*e*x^6)/2 + (a*b^2*e*x^9)/3$

sympy [A] time = 0.14, size = 134, normalized size = 1.28

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{3a^2bcx^4}{4} + \frac{3a^2bdx^5}{5} + \frac{a^2bex^6}{2} + \frac{3ab^2cx^7}{7} + \frac{3ab^2dx^8}{8} + \frac{ab^2ex^9}{3} + \frac{b^3cx^{10}}{10} + \frac{b^3dx^{11}}{11} + \frac{b^3ex^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**3,x)`

[Out] $a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + a**2*b*e*x**6/2 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + a*b**2*e*x**9/3 + b**3*c*x**10/10 + b**3*d*x**11/11 + b**3*e*x**12/12$

$$3.328 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$$

Optimal. Leaf size=127

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

[Out] a³*d*x+1/2*a³*e*x²+a²*b*c*x³+3/4*a²*b*d*x⁴+3/5*a²*b*e*x⁵+1/2*a*b²*c*x⁶+3/7*a*b²*d*x⁷+3/8*a*b²*e*x⁸+1/9*b³*c*x⁹+1/10*b³*d*x¹⁰+1/11*b³*e*x¹¹+a³*c*ln(x)

Rubi [A] time = 0.07, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] a³*d*x + (a³*e*x²)/2 + a²*b*c*x³ + (3*a²*b*d*x⁴)/4 + (3*a²*b*e*x⁵)/5 + (a*b²*c*x⁶)/2 + (3*a*b²*d*x⁷)/7 + (3*a*b²*e*x⁸)/8 + (b³*c*x⁹)/9 + (b³*d*x¹⁰)/10 + (b³*e*x¹¹)/11 + a³*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx &= \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + 3a^2bdx^3 + 3a^2bex^4 + 3ab^2cx^5 + 3ab^2dx^6 \right. \\ &\quad \left. + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 \right. \\ &\quad \left. + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11} \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 127, normalized size = 1.00

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] a³*d*x + (a³*e*x²)/2 + a²*b*c*x³ + (3*a²*b*d*x⁴)/4 + (3*a²*b*e*x⁵)/5 + (a*b²*c*x⁶)/2 + (3*a*b²*d*x⁷)/7 + (3*a*b²*e*x⁸)/8 + (b³*c*x⁹)/9 + (b³*d*x¹⁰)/10 + (b³*e*x¹¹)/11 + a³*c*Log[x]

fricas [A] time = 0.73, size = 109, normalized size = 0.86

$$\frac{1}{11}b^3ex^{11} + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2ex^8 + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bex^5 + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3ex^2 + a^3dx + a^3c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="fricas")

[Out] $\frac{1}{11}b^3e*x^{11} + \frac{1}{10}b^3d*x^{10} + \frac{1}{9}b^3c*x^9 + \frac{3}{8}a*b^2*e*x^8 + \frac{3}{7}a*b^2*d*x^7 + \frac{1}{2}a*b^2*c*x^6 + \frac{3}{5}a^2*b*e*x^5 + \frac{3}{4}a^2*b*d*x^4 + a^2*b*c*x^3 + \frac{1}{2}a^3*e*x^2 + a^3*d*x + a^3*c*\log(x)$

giac [A] time = 0.15, size = 114, normalized size = 0.90

$$\frac{1}{11}b^3x^{11}e + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2x^8e + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bx^5e + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="giac")

[Out] $\frac{1}{11}b^3*x^{11}*e + \frac{1}{10}b^3*d*x^{10} + \frac{1}{9}b^3*c*x^9 + \frac{3}{8}a*b^2*x^8*e + \frac{3}{7}a*b^2*d*x^7 + \frac{1}{2}a*b^2*c*x^6 + \frac{3}{5}a^2*b*x^5*e + \frac{3}{4}a^2*b*d*x^4 + a^2*b*c*x^3 + \frac{1}{2}a^3*x^2*e + a^3*d*x + a^3*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 110, normalized size = 0.87

$$\frac{b^3ex^{11}}{11} + \frac{b^3dx^{10}}{10} + \frac{b^3cx^9}{9} + \frac{3ab^2ex^8}{8} + \frac{3ab^2dx^7}{7} + \frac{ab^2cx^6}{2} + \frac{3a^2bex^5}{5} + \frac{3a^2bdx^4}{4} + a^2bcx^3 + \frac{a^3ex^2}{2} + a^3c \ln(x) + a^3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x,x)

[Out] $a^3*d*x + \frac{1}{2}a^3*e*x^2 + a^2*b*c*x^3 + \frac{3}{4}a^2*b*d*x^4 + \frac{3}{5}a^2*b*e*x^5 + \frac{1}{2}a*b^2*c*x^6 + \frac{3}{7}a*b^2*d*x^7 + \frac{3}{8}a*b^2*e*x^8 + \frac{1}{9}b^3*c*x^9 + \frac{1}{10}b^3*d*x^{10} + \frac{1}{11}b^3*e*x^{11} + a^3*c*\ln(x)$

maxima [A] time = 1.29, size = 109, normalized size = 0.86

$$\frac{1}{11}b^3ex^{11} + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2ex^8 + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bex^5 + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3ex^2 + a^3dx + a^3c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="maxima")

[Out] $\frac{1}{11}b^3*e*x^{11} + \frac{1}{10}b^3*d*x^{10} + \frac{1}{9}b^3*c*x^9 + \frac{3}{8}a*b^2*e*x^8 + \frac{3}{7}a*b^2*d*x^7 + \frac{1}{2}a*b^2*c*x^6 + \frac{3}{5}a^2*b*e*x^5 + \frac{3}{4}a^2*b*d*x^4 + a^2*b*c*x^3 + \frac{1}{2}a^3*e*x^2 + a^3*d*x + a^3*c*\log(x)$

mupad [B] time = 0.08, size = 109, normalized size = 0.86

$$\frac{b^3cx^9}{9} + \frac{a^3ex^2}{2} + \frac{b^3dx^{10}}{10} + \frac{b^3ex^{11}}{11} + a^3c \ln(x) + a^3dx + a^2bcx^3 + \frac{ab^2cx^6}{2} + \frac{3a^2bdx^4}{4} + \frac{3ab^2dx^7}{7} + \frac{3a^2bex^5}{5} + \frac{3a^2bdx^4}{4} + \frac{3ab^2dx^7}{7} + \frac{3a^2bex^5}{5} + \frac{3a^2bdx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x,x)

[Out] $\frac{(b^3*c*x^9)}{9} + \frac{(a^3*e*x^2)}{2} + \frac{(b^3*d*x^{10})}{10} + \frac{(b^3*e*x^{11})}{11} + a^3*c*\log(x) + a^3*d*x + a^2*b*c*x^3 + \frac{(a*b^2*c*x^6)}{2} + \frac{(3*a^2*b*d*x^4)}{4} + \frac{(3*a*b^2*d*x^7)}{7} + \frac{(3*a^2*b*e*x^5)}{5} + \frac{(3*a*b^2*e*x^8)}{8}$

sympy [A] time = 0.29, size = 131, normalized size = 1.03

$$a^3c \log(x) + a^3dx + \frac{a^3ex^2}{2} + a^2bcx^3 + \frac{3a^2bdx^4}{4} + \frac{3a^2bex^5}{5} + \frac{ab^2cx^6}{2} + \frac{3ab^2dx^7}{7} + \frac{3ab^2ex^8}{8} + \frac{b^3cx^9}{9} + \frac{b^3dx^{10}}{10} + \frac{b^3ex^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x,x)
```

```
[Out] a**3*c*log(x) + a**3*d*x + a**3*e*x**2/2 + a**2*b*c*x**3 + 3*a**2*b*d*x**4/4 + 3*a**2*b*e*x**5/5 + a*b**2*c*x**6/2 + 3*a*b**2*d*x**7/7 + 3*a*b**2*e*x**8/8 + b**3*c*x**9/9 + b**3*d*x**10/10 + b**3*e*x**11/11
```

$$3.329 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$$

Optimal. Leaf size=125

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

[Out] $-a^3c/x + a^3e*x + 3/2*a^2*b*c*x^2 + a^2*b*d*x^3 + 3/4*a^2*b*e*x^4 + 3/5*a*b^2*c*x^5 + 1/2*a*b^2*d*x^6 + 3/7*a*b^2*e*x^7 + 1/8*b^3*c*x^8 + 1/9*b^3*d*x^9 + 1/10*b^3*e*x^{10} + a^3*d*\ln(x)$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2,x]

[Out] $-((a^3*c)/x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + a^2*b*d*x^3 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*c*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b^2*e*x^7)/7 + (b^3*c*x^8)/8 + (b^3*d*x^9)/9 + (b^3*e*x^{10})/10 + a^3*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx = \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + 3a^2bcx + 3a^2bdx^2 + 3a^2bex^3 + 3ab^2cx^4 + 3ab^2dx^5 + 3ab^2ex^6 + \frac{a^3c}{x} + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 \right) dx$$

Mathematica [A] time = 0.02, size = 125, normalized size = 1.00

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2,x]

[Out] $-((a^3*c)/x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + a^2*b*d*x^3 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*c*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b^2*e*x^7)/7 + (b^3*c*x^8)/8 + (b^3*d*x^9)/9 + (b^3*e*x^{10})/10 + a^3*d*\text{Log}[x]$

fricas [A] time = 0.59, size = 117, normalized size = 0.94

$$\frac{252 b^3 ex^{11} + 280 b^3 dx^{10} + 315 b^3 cx^9 + 1080 ab^2 ex^8 + 1260 ab^2 dx^7 + 1512 ab^2 cx^6 + 1890 a^2 bex^5 + 2520 a^2 bdx^4 + 2520 a^3 d \log(x) + 2520 a^3 ex + 3780 a^2 bcx^2 + 2520 a^2 bdx^3 + 1260 a^2 bex^4 + 1260 ab^2 cx^5 + 630 ab^2 dx^6 + 1260 ab^2 ex^7 + 1260 b^3 cx^8 + 630 b^3 dx^9 + 1260 b^3 ex^{10}}{2520 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x, algorithm="fricas")

[Out] 1/2520*(252*b^3*e*x^11 + 280*b^3*d*x^10 + 315*b^3*c*x^9 + 1080*a*b^2*e*x^8 + 1260*a*b^2*d*x^7 + 1512*a*b^2*c*x^6 + 1890*a^2*b*e*x^5 + 2520*a^2*b*d*x^4 + 3780*a^2*b*c*x^3 + 2520*a^3*e*x^2 + 2520*a^3*d*x*log(x) - 2520*a^3*c)/x

giac [A] time = 0.18, size = 114, normalized size = 0.91

$$\frac{1}{10} b^3 x^{10} e + \frac{1}{9} b^3 d x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{7} a b^2 x^7 e + \frac{1}{2} a b^2 d x^6 + \frac{3}{5} a b^2 c x^5 + \frac{3}{4} a^2 b x^4 e + a^2 b d x^3 + \frac{3}{2} a^2 b c x^2 + a^3 x e + a^3 d \log(|x|) - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x, algorithm="giac")

[Out] 1/10*b^3*x^10*e + 1/9*b^3*d*x^9 + 1/8*b^3*c*x^8 + 3/7*a*b^2*x^7*e + 1/2*a*b^2*d*x^6 + 3/5*a*b^2*c*x^5 + 3/4*a^2*b*x^4*e + a^2*b*d*x^3 + 3/2*a^2*b*c*x^2 + a^3*x*e + a^3*d*log(abs(x)) - a^3*c/x

maple [A] time = 0.05, size = 110, normalized size = 0.88

$$\frac{b^3 e x^{10}}{10} + \frac{b^3 d x^9}{9} + \frac{b^3 c x^8}{8} + \frac{3 a b^2 e x^7}{7} + \frac{a b^2 d x^6}{2} + \frac{3 a b^2 c x^5}{5} + \frac{3 a^2 b e x^4}{4} + a^2 b d x^3 + \frac{3 a^2 b c x^2}{2} + a^3 d \ln(x) + a^3 e x - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x)

[Out] -a^3*c/x+a^3*e*x+3/2*a^2*b*c*x^2+a^2*b*d*x^3+3/4*a^2*b*e*x^4+3/5*a*b^2*c*x^5+1/2*a*b^2*d*x^6+3/7*a*b^2*e*x^7+1/8*b^3*c*x^8+1/9*b^3*d*x^9+1/10*b^3*e*x^10+a^3*d*ln(x)

maxima [A] time = 1.35, size = 109, normalized size = 0.87

$$\frac{1}{10} b^3 e x^{10} + \frac{1}{9} b^3 d x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{7} a b^2 e x^7 + \frac{1}{2} a b^2 d x^6 + \frac{3}{5} a b^2 c x^5 + \frac{3}{4} a^2 b e x^4 + a^2 b d x^3 + \frac{3}{2} a^2 b c x^2 + a^3 e x + a^3 d \log(x) - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x, algorithm="maxima")

[Out] 1/10*b^3*e*x^10 + 1/9*b^3*d*x^9 + 1/8*b^3*c*x^8 + 3/7*a*b^2*e*x^7 + 1/2*a*b^2*d*x^6 + 3/5*a*b^2*c*x^5 + 3/4*a^2*b*e*x^4 + a^2*b*d*x^3 + 3/2*a^2*b*c*x^2 + a^3*e*x + a^3*d*log(x) - a^3*c/x

mupad [B] time = 0.08, size = 109, normalized size = 0.87

$$\frac{b^3 c x^8}{8} - \frac{a^3 c}{x} + \frac{b^3 d x^9}{9} + \frac{b^3 e x^{10}}{10} + a^3 d \ln(x) + a^3 e x + \frac{3 a^2 b c x^2}{2} + \frac{3 a b^2 c x^5}{5} + a^2 b d x^3 + \frac{a b^2 d x^6}{2} + \frac{3 a^2 b e x^4}{4} + \frac{3 a b^2 d x^7}{7} + \frac{1}{2} a b^2 e x^7 + \frac{1}{2} a b^2 d x^6 + \frac{3}{5} a b^2 c x^5 + \frac{3}{4} a^2 b e x^4 + a^2 b d x^3 + \frac{3}{2} a^2 b c x^2 + a^3 e x + a^3 d \ln(x) - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^2,x)

[Out] (b^3*c*x^8)/8 - (a^3*c)/x + (b^3*d*x^9)/9 + (b^3*e*x^10)/10 + a^3*d*log(x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + (3*a*b^2*c*x^5)/5 + a^2*b*d*x^3 + (a*b^2*d*x^6)/2 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*e*x^7)/7

sympy [A] time = 0.29, size = 128, normalized size = 1.02

$$-\frac{a^3 c}{x} + a^3 d \log(x) + a^3 e x + \frac{3 a^2 b c x^2}{2} + a^2 b d x^3 + \frac{3 a^2 b e x^4}{4} + \frac{3 a b^2 c x^5}{5} + \frac{a b^2 d x^6}{2} + \frac{3 a b^2 e x^7}{7} + \frac{b^3 c x^8}{8} + \frac{b^3 d x^9}{9} + \frac{b^3 e x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**2,x)
```

```
[Out] -a**3*c/x + a**3*d*log(x) + a**3*e*x + 3*a**2*b*c*x**2/2 + a**2*b*d*x**3 +  
3*a**2*b*e*x**4/4 + 3*a*b**2*c*x**5/5 + a*b**2*d*x**6/2 + 3*a*b**2*e*x**7/7  
+ b**3*c*x**8/8 + b**3*d*x**9/9 + b**3*e*x**10/10
```


$$3.330 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$$

Optimal. Leaf size=126

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

[Out] $-1/2*a^3*c/x^2 - a^3*d/x + 3*a^2*b*c*x + 3/2*a^2*b*d*x^2 + a^2*b*e*x^3 + 3/4*a*b^2*c*x^4 + 3/5*a*b^2*d*x^5 + 1/2*a*b^2*e*x^6 + 1/7*b^3*c*x^7 + 1/8*b^3*d*x^8 + 1/9*b^3*e*x^9 + a^3*e*\ln(x)$

Rubi [A] time = 0.09, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3,x]

[Out] $-(a^3*c)/(2*x^2) - (a^3*d)/x + 3*a^2*b*c*x + (3*a^2*b*d*x^2)/2 + a^2*b*e*x^3 + (3*a*b^2*c*x^4)/4 + (3*a*b^2*d*x^5)/5 + (a*b^2*e*x^6)/2 + (b^3*c*x^7)/7 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx &= \int \left(3a^2bc + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + 3a^2bdx + 3a^2bex^2 + 3ab^2cx^3 + 3ab^2dx^4 + 3ab^2ex^5 \right. \\ &\quad \left. - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 126, normalized size = 1.00

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3,x]

[Out] $-1/2*(a^3*c)/x^2 - (a^3*d)/x + 3*a^2*b*c*x + (3*a^2*b*d*x^2)/2 + a^2*b*e*x^3 + (3*a*b^2*c*x^4)/4 + (3*a*b^2*d*x^5)/5 + (a*b^2*e*x^6)/2 + (b^3*c*x^7)/7 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*\text{Log}[x]$

fricas [A] time = 0.56, size = 117, normalized size = 0.93

$$\frac{280b^3ex^{11} + 315b^3dx^{10} + 360b^3cx^9 + 1260ab^2ex^8 + 1512ab^2dx^7 + 1890ab^2cx^6 + 2520a^2bex^5 + 3780a^2bdx^4 + 2520x^2}{2520x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="fricas")

[Out] $\frac{1}{2520}*(280*b^3*e*x^{11} + 315*b^3*d*x^{10} + 360*b^3*c*x^9 + 1260*a*b^2*e*x^8 + 1512*a*b^2*d*x^7 + 1890*a*b^2*c*x^6 + 2520*a^2*b*e*x^5 + 3780*a^2*b*d*x^4 + 7560*a^2*b*c*x^3 + 2520*a^3*e*x^2*\log(x) - 2520*a^3*d*x - 1260*a^3*c)/x^2$

giac [A] time = 0.15, size = 115, normalized size = 0.91

$\frac{1}{9}b^3x^9e + \frac{1}{8}b^3dx^8 + \frac{1}{7}b^3cx^7 + \frac{1}{2}ab^2x^6e + \frac{3}{5}ab^2dx^5 + \frac{3}{4}ab^2cx^4 + a^2bx^3e + \frac{3}{2}a^2bdx^2 + 3a^2bcx + a^3e \log(|x|) - \frac{2a^3dx + a^3c}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="giac")

[Out] $\frac{1}{9}b^3*x^9*e + \frac{1}{8}b^3*d*x^8 + \frac{1}{7}b^3*c*x^7 + \frac{1}{2}a*b^2*x^6*e + \frac{3}{5}a*b^2*d*x^5 + \frac{3}{4}a*b^2*c*x^4 + a^2*b*x^3*e + \frac{3}{2}a^2*b*d*x^2 + 3*a^2*b*c*x + a^3*e*\log(\text{abs}(x)) - \frac{1}{2}*(2*a^3*d*x + a^3*c)/x^2$

maple [A] time = 0.05, size = 111, normalized size = 0.88

$\frac{b^3ex^9}{9} + \frac{b^3dx^8}{8} + \frac{b^3cx^7}{7} + \frac{ab^2ex^6}{2} + \frac{3ab^2dx^5}{5} + \frac{3ab^2cx^4}{4} + a^2bex^3 + \frac{3a^2bdx^2}{2} + a^3e \ln(x) + 3a^2bcx - \frac{a^3d}{x} - \frac{a^3c}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x)

[Out] $-\frac{1}{2}a^3c/x^2 - a^3d/x + 3a^2b*c*x + \frac{3}{2}a^2b*d*x^2 + a^2b*e*x^3 + \frac{3}{4}a*b^2*c*x^4 + \frac{3}{5}a*b^2*d*x^5 + \frac{1}{2}a*b^2*e*x^6 + \frac{1}{7}b^3*c*x^7 + \frac{1}{8}b^3*d*x^8 + \frac{1}{9}b^3*e*x^9 + a^3e*\ln(x)$

maxima [A] time = 1.32, size = 110, normalized size = 0.87

$\frac{1}{9}b^3ex^9 + \frac{1}{8}b^3dx^8 + \frac{1}{7}b^3cx^7 + \frac{1}{2}ab^2ex^6 + \frac{3}{5}ab^2dx^5 + \frac{3}{4}ab^2cx^4 + a^2bex^3 + \frac{3}{2}a^2bdx^2 + 3a^2bcx + a^3e \log(x) - \frac{2a^3dx + a^3c}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="maxima")

[Out] $\frac{1}{9}b^3*e*x^9 + \frac{1}{8}b^3*d*x^8 + \frac{1}{7}b^3*c*x^7 + \frac{1}{2}a*b^2*e*x^6 + \frac{3}{5}a*b^2*d*x^5 + \frac{3}{4}a*b^2*c*x^4 + a^2*b*e*x^3 + \frac{3}{2}a^2*b*d*x^2 + 3*a^2*b*c*x + a^3*e*\log(x) - \frac{1}{2}*(2*a^3*d*x + a^3*c)/x^2$

mupad [B] time = 4.90, size = 110, normalized size = 0.87

$\frac{b^3cx^7}{7} - \frac{\frac{a^3c}{2} + a^3dx}{x^2} + \frac{b^3dx^8}{8} + \frac{b^3ex^9}{9} + a^3e \ln(x) + 3a^2bcx + \frac{3ab^2cx^4}{4} + \frac{3a^2bdx^2}{2} + \frac{3ab^2dx^5}{5} + a^2bex^3 + \frac{ab^2ex^9}{2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^3,x)

[Out] $\frac{(b^3*c*x^7)}{7} - \frac{((a^3*c)/2 + a^3*d*x)}{x^2} + \frac{(b^3*d*x^8)}{8} + \frac{(b^3*e*x^9)}{9} + a^3*e*\log(x) + 3*a^2*b*c*x + \frac{(3*a*b^2*c*x^4)}{4} + \frac{(3*a^2*b*d*x^2)}{2} + \frac{(3*a*b^2*d*x^5)}{5} + a^2*b*e*x^3 + \frac{(a*b^2*e*x^6)}{2}$

sympy [A] time = 0.36, size = 131, normalized size = 1.04

$a^3e \log(x) + 3a^2bcx + \frac{3a^2bdx^2}{2} + a^2bex^3 + \frac{3ab^2cx^4}{4} + \frac{3ab^2dx^5}{5} + \frac{ab^2ex^6}{2} + \frac{b^3cx^7}{7} + \frac{b^3dx^8}{8} + \frac{b^3ex^9}{9} + \frac{-a^3c - 2a^3dx}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**3,x)
```

```
[Out] a**3*e*log(x) + 3*a**2*b*c*x + 3*a**2*b*d*x**2/2 + a**2*b*e*x**3 + 3*a*b**2*c*x**4/4 + 3*a*b**2*d*x**5/5 + a*b**2*e*x**6/2 + b**3*c*x**7/7 + b**3*d*x**8/8 + b**3*e*x**9/9 + (-a**3*c - 2*a**3*d*x)/(2*x**2)
```

3.331 $\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$

Optimal. Leaf size=138

$$\frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17}$$

[Out] $1/4*a^4*d*x^4+1/5*a^4*e*x^5+4/7*a^3*b*d*x^7+1/2*a^3*b*e*x^8+3/5*a^2*b^2*d*x^{10}+6/11*a^2*b^2*e*x^{11}+4/13*a*b^3*d*x^{13}+2/7*a*b^3*e*x^{14}+1/16*b^4*d*x^{16}+1/17*b^4*e*x^{17}+1/15*c*(b*x^3+a)^5/b$

Rubi [A] time = 0.10, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4, x]$

[Out] $(a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (4*a*b^3*d*x^{13})/13 + (2*a*b^3*e*x^{14})/7 + (b^4*d*x^{16})/16 + (b^4*e*x^{17})/17 + (c*(a + b*x^3)^5)/(15*b)$

Rule 1582

$\text{Int}[(P_x)_*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[P_x, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rule 1850

$\text{Int}[(P_q)_*((a_) + (b_)*(x_)^(n_))^(p_.), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_q*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3)^4 dx &= \frac{c(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-cx^2 + x^2(c + dx + ex^2)) dx \\ &= \frac{c(a + bx^3)^5}{15b} + \int (a^4dx^3 + a^4ex^4 + 4a^3bdx^6 + 4a^3bex^7 + 6a^2b^2dx^9 + 6a^2b^2ex^{10} + 4a^2b^2dx^{12} + 4a^2b^2ex^{13}) dx \\ &= \frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17} \end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{3}a^4cx^3 + \frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{2}{3}a^3bcx^6 + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{1}{3}ab^3cx^{12} + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^3)/3 + (a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (2*a^3*b*c*x^6)/3 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (a*b^3*c*x^12)/3 + (4*a*b^3*d*x^13)/13 + (2*a*b^3*e*x^14)/7 + (b^4*c*x^15)/15 + (b^4*d*x^16)/16 + (b^4*e*x^17)/17

fricas [A] time = 0.51, size = 151, normalized size = 1.09

$$\frac{1}{17}x^{17}eb^4 + \frac{1}{16}x^{16}db^4 + \frac{1}{15}x^{15}cb^4 + \frac{2}{7}x^{14}eb^3a + \frac{4}{13}x^{13}db^3a + \frac{1}{3}x^{12}cb^3a + \frac{6}{11}x^{11}eb^2a^2 + \frac{3}{5}x^{10}db^2a^2 + \frac{2}{3}x^9cb^2a^2 + \frac{1}{2}x^8eb^2a^2 + \frac{4}{13}x^7db^2a^2 + \frac{2}{3}x^6cb^2a^2 + \frac{1}{5}x^5eb^2a^2 + \frac{1}{4}x^4db^2a^2 + \frac{1}{3}x^3cb^2a^2 + \frac{1}{5}x^2eb^2a^2 + \frac{1}{4}x^2d^2a^2 + \frac{1}{3}x^2c^2a^2 + \frac{1}{4}x^2d^2a^2 + \frac{1}{3}x^2c^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/17*x^17*e*b^4 + 1/16*x^16*d*b^4 + 1/15*x^15*c*b^4 + 2/7*x^14*e*b^3*a + 4/13*x^13*d*b^3*a + 1/3*x^12*c*b^3*a + 6/11*x^11*e*b^2*a^2 + 3/5*x^10*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*e*b*a^3 + 4/7*x^7*d*b*a^3 + 2/3*x^6*c*b*a^3 + 1/5*x^5*e*a^4 + 1/4*x^4*d*a^4 + 1/3*x^3*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3x^{14}e + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^2b^2e^2x^8 + \frac{4}{7}a^2b^2dx^7 + \frac{2}{3}a^2b^2cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] 1/17*b^4*x^17*e + 1/16*b^4*d*x^16 + 1/15*b^4*c*x^15 + 2/7*a*b^3*x^14*e + 4/13*a*b^3*d*x^13 + 1/3*a*b^3*c*x^12 + 6/11*a^2*b^2*x^11*e + 3/5*a^2*b^2*d*x^10 + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*x^8*e + 4/7*a^3*b*d*x^7 + 2/3*a^3*b*c*x^6 + 1/5*a^4*x^5*e + 1/4*a^4*d*x^4 + 1/3*a^4*c*x^3

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{17}b^4ex^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3ex^{14} + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^2b^2e^2x^8 + \frac{4}{7}a^2b^2dx^7 + \frac{2}{3}a^2b^2cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x)

[Out] 1/17*b^4*e*x^17+1/16*b^4*d*x^16+1/15*b^4*c*x^15+2/7*a*b^3*e*x^14+4/13*a*b^3*d*x^13+1/3*a*b^3*c*x^12+6/11*a^2*b^2*e*x^11+3/5*a^2*b^2*d*x^10+2/3*a^2*b^2*c*x^9+1/2*a^3*b*e*x^8+4/7*a^3*b*d*x^7+2/3*a^3*b*c*x^6+1/5*a^4*e*x^5+1/4*a^4*d*x^4+1/3*a^4*c*x^3

maxima [A] time = 1.31, size = 151, normalized size = 1.09

$$\frac{1}{17}b^4ex^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3ex^{14} + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^2b^2e^2x^8 + \frac{4}{7}a^2b^2dx^7 + \frac{2}{3}a^2b^2cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/17*b^4*e*x^17 + 1/16*b^4*d*x^16 + 1/15*b^4*c*x^15 + 2/7*a*b^3*e*x^14 + 4/13*a*b^3*d*x^13 + 1/3*a*b^3*c*x^12 + 6/11*a^2*b^2*e*x^11 + 3/5*a^2*b^2*d*x^10 + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*e*x^8 + 4/7*a^3*b*d*x^7 + 2/3*a^3*b*c*x^6 + 1/5*a^4*e*x^5 + 1/4*a^4*d*x^4 + 1/3*a^4*c*x^3

mupad [B] time = 5.07, size = 151, normalized size = 1.09

$$\frac{e a^4 x^5}{5} + \frac{d a^4 x^4}{4} + \frac{c a^4 x^3}{3} + \frac{e a^3 b x^8}{2} + \frac{4 d a^3 b x^7}{7} + \frac{2 c a^3 b x^6}{3} + \frac{6 e a^2 b^2 x^{11}}{11} + \frac{3 d a^2 b^2 x^{10}}{5} + \frac{2 c a^2 b^2 x^9}{3} + \frac{2 e a b^3 x^{14}}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^4*(c + d*x + e*x^2),x)`

[Out] $(a^4*c*x^3)/3 + (a^4*d*x^4)/4 + (b^4*c*x^{15})/15 + (a^4*e*x^5)/5 + (b^4*d*x^{16})/16 + (b^4*e*x^{17})/17 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (2*a^3*b*c*x^6)/3 + (a*b^3*c*x^{12})/3 + (4*a^3*b*d*x^7)/7 + (4*a*b^3*d*x^{13})/13 + (a^3*b*e*x^8)/2 + (2*a*b^3*e*x^{14})/7$

sympy [A] time = 0.11, size = 184, normalized size = 1.33

$$\frac{a^4 c x^3}{3} + \frac{a^4 d x^4}{4} + \frac{a^4 e x^5}{5} + \frac{2 a^3 b c x^6}{3} + \frac{4 a^3 b d x^7}{7} + \frac{a^3 b e x^8}{2} + \frac{2 a^2 b^2 c x^9}{3} + \frac{3 a^2 b^2 d x^{10}}{5} + \frac{6 a^2 b^2 e x^{11}}{11} + \frac{a b^3 c x^{12}}{3} + \frac{4 a b^3 d x^{13}}{13} + \frac{2 a b^3 e x^{14}}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**4,x)`

[Out] $a**4*c*x**3/3 + a**4*d*x**4/4 + a**4*e*x**5/5 + 2*a**3*b*c*x**6/3 + 4*a**3*b*d*x**7/7 + a**3*b*e*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a*b**3*c*x**12/3 + 4*a*b**3*d*x**13/13 + 2*a*b**3*e*x**14/7 + b**4*c*x**15/15 + b**4*d*x**16/16 + b**4*e*x**17/17$

3.332 $\int x(c + dx + ex^2)(a + bx^3)^4 dx$

Optimal. Leaf size=138

$$\frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

[Out] $1/2*a^4*c*x^2+1/4*a^4*e*x^4+4/5*a^3*b*c*x^5+4/7*a^3*b*e*x^7+3/4*a^2*b^2*c*x^8+3/5*a^2*b^2*e*x^{10}+4/11*a*b^3*c*x^{11}+4/13*a*b^3*e*x^{13}+1/14*b^4*c*x^{14}+1/16*b^4*e*x^{16}+1/15*d*(b*x^3+a)^5/b$

Rubi [A] time = 0.09, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] $(a^4*c*x^2)/2 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (3*a^2*b^2*e*x^{10})/5 + (4*a*b^3*c*x^{11})/11 + (4*a*b^3*e*x^{13})/13 + (b^4*c*x^{14})/14 + (b^4*e*x^{16})/16 + (d*(a + b*x^3)^5)/(15*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x(c + dx + ex^2)(a + bx^3)^4 dx &= \frac{d(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-dx^2 + x(c + dx + ex^2)) dx \\ &= \frac{d(a + bx^3)^5}{15b} + \int (a^4cx + a^4ex^3 + 4a^3bcx^4 + 4a^3bex^6 + 6a^2b^2cx^7 + 6a^2b^2ex^9 + 4a^2b^2cx^8 + 4a^2b^2ex^{10}) dx \\ &= \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} \end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{2}a^4cx^2 + \frac{1}{3}a^4dx^3 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{2}{3}a^2b^2dx^9 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{1}{3}ab^3dx^{12} + \frac{4}{13}ab^3ex^{13} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^2)/2 + (a^4*d*x^3)/3 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (2*a^2*b^2*d*x^9)/3 + (3*a^2*b^2*e*x^10)/5 + (4*a*b^3*c*x^11)/11 + (a*b^3*d*x^12)/3 + (4*a*b^3*e*x^13)/13 + (b^4*c*x^14)/14 + (b^4*d*x^15)/15 + (b^4*e*x^16)/16

fricas [A] time = 0.44, size = 151, normalized size = 1.09

$$\frac{1}{16}x^{16}eb^4 + \frac{1}{15}x^{15}db^4 + \frac{1}{14}x^{14}cb^4 + \frac{4}{13}x^{13}eb^3a + \frac{1}{3}x^{12}db^3a + \frac{4}{11}x^{11}cb^3a + \frac{3}{5}x^{10}eb^2a^2 + \frac{2}{3}x^9db^2a^2 + \frac{3}{4}x^8cb^2a^2 + \frac{4}{7}x^7eba^3 + \frac{1}{3}x^6d^2a^3 + \frac{4}{5}x^5cb^2a^3 + \frac{1}{2}x^4e^2a^4 + \frac{1}{3}x^3d^2a^4 + \frac{1}{2}x^2c^2a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/16*x^16*e*b^4 + 1/15*x^15*d*b^4 + 1/14*x^14*c*b^4 + 4/13*x^13*e*b^3*a + 1/3*x^12*d*b^3*a + 4/11*x^11*c*b^3*a + 3/5*x^10*e*b^2*a^2 + 2/3*x^9*d*b^2*a^2 + 3/4*x^8*c*b^2*a^2 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*e*a^4 + 1/3*x^3*d*a^4 + 1/2*x^2*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{16}b^4x^{16}e + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3x^{13}e + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2x^{10}e + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bx^7e + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{2}a^4e^2x^4 + \frac{1}{3}a^4d^2x^3 + \frac{1}{2}a^4c^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] 1/16*b^4*x^16*e + 1/15*b^4*d*x^15 + 1/14*b^4*c*x^14 + 4/13*a*b^3*x^13*e + 1/3*a*b^3*d*x^12 + 4/11*a*b^3*c*x^11 + 3/5*a^2*b^2*x^10*e + 2/3*a^2*b^2*d*x^9 + 3/4*a^2*b^2*c*x^8 + 4/7*a^3*b*x^7*e + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*x^4*e + 1/3*a^4*d*x^3 + 1/2*a^4*c*x^2

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bx^7e + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{2}a^4e^2x^4 + \frac{1}{3}a^4d^2x^3 + \frac{1}{2}a^4c^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x)

[Out] 1/16*b^4*e*x^16+1/15*b^4*d*x^15+1/14*b^4*c*x^14+4/13*a*b^3*e*x^13+1/3*a*b^3*d*x^12+4/11*a*b^3*c*x^11+3/5*a^2*b^2*e*x^10+2/3*a^2*b^2*d*x^9+3/4*a^2*b^2*c*x^8+4/7*a^3*b*e*x^7+2/3*a^3*b*d*x^6+4/5*a^3*b*c*x^5+1/4*a^4*e*x^4+1/3*a^4*d*x^3+1/2*a^4*c*x^2

maxima [A] time = 1.34, size = 151, normalized size = 1.09

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bx^7e + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{2}a^4e^2x^4 + \frac{1}{3}a^4d^2x^3 + \frac{1}{2}a^4c^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/16*b^4*e*x^16 + 1/15*b^4*d*x^15 + 1/14*b^4*c*x^14 + 4/13*a*b^3*e*x^13 + 1/3*a*b^3*d*x^12 + 4/11*a*b^3*c*x^11 + 3/5*a^2*b^2*e*x^10 + 2/3*a^2*b^2*d*x^9 + 3/4*a^2*b^2*c*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*e*x^4 + 1/3*a^4*d*x^3 + 1/2*a^4*c*x^2

3.333 $\int (c + dx + ex^2)(a + bx^3)^4 dx$

Optimal. Leaf size=130

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

[Out] $a^4c*x + 1/2*a^4*d*x^2 + a^3*b*c*x^4 + 4/5*a^3*b*d*x^5 + 6/7*a^2*b^2*c*x^7 + 3/4*a^2*b^2*d*x^8 + 2/5*a*b^3*c*x^{10} + 4/11*a*b^3*d*x^{11} + 1/13*b^4*c*x^{13} + 1/14*b^4*d*x^{14} + 1/15*e*(b*x^3+a)^5/b$

Rubi [A] time = 0.14, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14 + (e*(a + b*x^3)^5)/(15*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^p_], x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^q_] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_], x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3)^4 dx &= \frac{e(a + bx^3)^5}{15b} + \int (c + dx)(a + bx^3)^4 dx \\ &= \frac{e(a + bx^3)^5}{15b} + \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + 4a^2b^2ex^9 + 4ab^3cx^{10} + 4ab^3dx^{11}) dx \\ &= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{15}e(a + bx^3)^5 \end{aligned}$$

Mathematica [A] time = 0.01, size = 173, normalized size = 1.33

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{2}{3}a^3bex^6 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{3}a^2b^2ex^9 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{3}ab^3ex^{12} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (2*a^3*b*e*x^6)/3 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a^2*b^2*e*x^9)/3 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (a*b^3*e*x^12)/3 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14 + (b^4*e*x^15)/15$

fricas [A] time = 0.55, size = 147, normalized size = 1.13

$$\frac{1}{15}x^{15}eb^4 + \frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{1}{3}x^{12}eb^3a + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{2}{3}x^9eb^2a^2 + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{2}{3}x^6eba^3 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] $1/15*x^{15}*e*b^4 + 1/14*x^{14}*d*b^4 + 1/13*x^{13}*c*b^4 + 1/3*x^{12}*e*b^3*a + 4/11*x^{11}*d*b^3*a + 2/5*x^{10}*c*b^3*a + 2/3*x^9*e*b^2*a^2 + 3/4*x^8*d*b^2*a^2 + 6/7*x^7*c*b^2*a^2 + 2/3*x^6*e*b*a^3 + 4/5*x^5*d*b*a^3 + x^4*c*b*a^3 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4$

giac [A] time = 0.17, size = 152, normalized size = 1.17

$$\frac{1}{15}b^4x^{15}e + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3x^{12}e + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2x^9e + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3b^2e + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] $1/15*b^4*x^{15}*e + 1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 1/3*a*b^3*x^{12}*e + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 2/3*a^2*b^2*x^9*e + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 2/3*a^3*b*x^6*e + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/3*a^4*x^3*e + 1/2*a^4*d*x^2 + a^4*c*x$

maple [A] time = 0.04, size = 148, normalized size = 1.14

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3b^2e + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4, x)

[Out] $1/15*b^4*e*x^{15} + 1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 1/3*a*b^3*e*x^{12} + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 2/3*a^2*b^2*e*x^9 + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 2/3*a^3*b*e*x^6 + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$

maxima [A] time = 1.31, size = 147, normalized size = 1.13

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3b^2e + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

[Out] $1/15*b^4*e*x^{15} + 1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 1/3*a*b^3*e*x^{12} + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 2/3*a^2*b^2*e*x^9 + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 2/3*a^3*b*e*x^6 + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$

mupad [B] time = 0.15, size = 147, normalized size = 1.13

$$\frac{e a^4 x^3}{3} + \frac{d a^4 x^2}{2} + c a^4 x + \frac{2 e a^3 b x^6}{3} + \frac{4 d a^3 b x^5}{5} + c a^3 b x^4 + \frac{2 e a^2 b^2 x^9}{3} + \frac{3 d a^2 b^2 x^8}{4} + \frac{6 c a^2 b^2 x^7}{7} + \frac{e a b^3 x^{12}}{3} + \frac{4 d a b^3 x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^4*(c + d*x + e*x^2),x)

[Out] (a^4*d*x^2)/2 + (b^4*c*x^13)/13 + (a^4*e*x^3)/3 + (b^4*d*x^14)/14 + (b^4*e*x^15)/15 + a^4*c*x + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a^2*b^2*e*x^9)/3 + a^3*b*c*x^4 + (2*a*b^3*c*x^10)/5 + (4*a^3*b*d*x^5)/5 + (4*a*b^3*d*x^11)/11 + (2*a^3*b*e*x^6)/3 + (a*b^3*e*x^12)/3

sympy [A] time = 0.10, size = 178, normalized size = 1.37

$$a^4 c x + \frac{a^4 d x^2}{2} + \frac{a^4 e x^3}{3} + a^3 b c x^4 + \frac{4 a^3 b d x^5}{5} + \frac{2 a^3 b e x^6}{3} + \frac{6 a^2 b^2 c x^7}{7} + \frac{3 a^2 b^2 d x^8}{4} + \frac{2 a^2 b^2 e x^9}{3} + \frac{2 a b^3 c x^{10}}{5} + \frac{4 a b^3 d x^{11}}{11} + \frac{a b^3 e x^{12}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4,x)

[Out] a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**3*b*c*x**4 + 4*a**3*b*d*x**5/5 + 2*a**3*b*e*x**6/3 + 6*a**2*b**2*c*x**7/7 + 3*a**2*b**2*d*x**8/4 + 2*a**2*b**2*e*x**9/3 + 2*a*b**3*c*x**10/5 + 4*a*b**3*d*x**11/11 + a*b**3*e*x**12/3 + b**4*c*x**13/13 + b**4*d*x**14/14 + b**4*e*x**15/15

$$3.334 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$$

Optimal. Leaf size=166

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} + a^4c \ln(x)$$

[Out] a^4*d*x+1/2*a^4*e*x^2+4/3*a^3*b*c*x^3+a^3*b*d*x^4+4/5*a^3*b*e*x^5+a^2*b^2*c*x^6+6/7*a^2*b^2*d*x^7+3/4*a^2*b^2*e*x^8+4/9*a*b^3*c*x^9+2/5*a*b^3*d*x^10+4/11*a*b^3*e*x^11+1/12*b^4*c*x^12+1/13*b^4*d*x^13+1/14*b^4*e*x^14+a^4*c*ln(x)

Rubi [A] time = 0.11, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} + a^4c \ln(x)$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^10)/5 + (4*a*b^3*e*x^11)/11 + (b^4*c*x^12)/12 + (b^4*d*x^13)/13 + (b^4*e*x^14)/14 + a^4*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx &= \int \left(a^4d + \frac{a^4c}{x} + a^4ex + 4a^3bcx^2 + 4a^3bdx^3 + 4a^3bex^4 + 6a^2b^2cx^5 + 6a^2b^2dx^6 + 4a^2b^2ex^7 + 4ab^3cx^8 + 2ab^3dx^9 + \frac{4}{5}ab^3ex^{10} + \frac{1}{12}b^4cx^{11} + \frac{1}{13}b^4dx^{12} + \frac{1}{14}b^4ex^{13} + a^4c \ln(x) \right) dx \\ &= a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} + a^4c \ln(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} + a^4c \ln(x)$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^10)/5 + (4*a*b^3*e*x^11)/11 + (b^4*c*x^12)/12 + (b^4*d*x^13)/13 + (b^4*e*x^14)/14 + a^4*c*Log[x]

fricas [A] time = 0.72, size = 144, normalized size = 0.87

$$\frac{1}{14}b^4ex^{14} + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3ex^{11} + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2ex^8 + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bex^5 + a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} + a^4c \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="fricas")

[Out] $\frac{1}{14}b^4e*x^{14} + \frac{1}{13}b^4d*x^{13} + \frac{1}{12}b^4c*x^{12} + \frac{4}{11}a*b^3e*x^{11} + \frac{2}{5}a*b^3d*x^{10} + \frac{4}{9}a*b^3c*x^9 + \frac{3}{4}a^2*b^2e*x^8 + \frac{6}{7}a^2*b^2d*x^7 + a^2*b^2c*x^6 + \frac{4}{5}a^3*b*e*x^5 + a^3*b*d*x^4 + \frac{4}{3}a^3*b*c*x^3 + \frac{1}{2}a^4*e*x^2 + a^4*d*x + a^4*c*\log(x)$

giac [A] time = 0.15, size = 150, normalized size = 0.90

$$\frac{1}{14}b^4x^{14}e + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3x^{11}e + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2x^8e + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bx^5e + a^3bdx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="giac")

[Out] $\frac{1}{14}b^4*x^{14}*e + \frac{1}{13}b^4*d*x^{13} + \frac{1}{12}b^4*c*x^{12} + \frac{4}{11}a*b^3*x^{11}*e + \frac{2}{5}a*b^3*d*x^{10} + \frac{4}{9}a*b^3*c*x^9 + \frac{3}{4}a^2*b^2*x^8*e + \frac{6}{7}a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + \frac{4}{5}a^3*b*x^5*e + a^3*b*d*x^4 + \frac{4}{3}a^3*b*c*x^3 + \frac{1}{2}a^4*x^2*e + a^4*d*x + a^4*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 145, normalized size = 0.87

$$\frac{b^4ex^{14}}{14} + \frac{b^4dx^{13}}{13} + \frac{b^4cx^{12}}{12} + \frac{4ab^3ex^{11}}{11} + \frac{2ab^3dx^{10}}{5} + \frac{4ab^3cx^9}{9} + \frac{3a^2b^2ex^8}{4} + \frac{6a^2b^2dx^7}{7} + a^2b^2cx^6 + \frac{4a^3bex^5}{5} + a^3bdx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x,x)

[Out] $a^4*d*x + \frac{1}{2}a^4*e*x^2 + \frac{4}{3}a^3*b*c*x^3 + a^3*b*d*x^4 + \frac{4}{5}a^3*b*e*x^5 + a^2*b^2*c*x^6 + \frac{6}{7}a^2*b^2*d*x^7 + \frac{3}{4}a^2*b^2*e*x^8 + \frac{4}{9}a*b^3*c*x^9 + \frac{2}{5}a*b^3*d*x^{10} + \frac{4}{11}a*b^3*e*x^{11} + \frac{1}{12}b^4*c*x^{12} + \frac{1}{13}b^4*d*x^{13} + \frac{1}{14}b^4*e*x^{14} + a^4*c*\ln(x)$

maxima [A] time = 1.30, size = 144, normalized size = 0.87

$$\frac{1}{14}b^4ex^{14} + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3ex^{11} + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2ex^8 + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bex^5 + a^3bdx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="maxima")

[Out] $\frac{1}{14}b^4e*x^{14} + \frac{1}{13}b^4d*x^{13} + \frac{1}{12}b^4c*x^{12} + \frac{4}{11}a*b^3e*x^{11} + \frac{2}{5}a*b^3d*x^{10} + \frac{4}{9}a*b^3c*x^9 + \frac{3}{4}a^2*b^2e*x^8 + \frac{6}{7}a^2*b^2d*x^7 + a^2*b^2c*x^6 + \frac{4}{5}a^3*b*e*x^5 + a^3*b*d*x^4 + \frac{4}{3}a^3*b*c*x^3 + \frac{1}{2}a^4*e*x^2 + a^4*d*x + a^4*c*\log(x)$

mupad [B] time = 0.14, size = 144, normalized size = 0.87

$$\frac{b^4cx^{12}}{12} + \frac{a^4ex^2}{2} + \frac{b^4dx^{13}}{13} + \frac{b^4ex^{14}}{14} + a^4c \ln(x) + a^4dx + a^2b^2cx^6 + \frac{6a^2b^2dx^7}{7} + \frac{3a^2b^2ex^8}{4} + \frac{4a^3bcx^3}{3} + \frac{4ab^3cx^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^4*(c + d*x + e*x^2))/x,x)

[Out] $\frac{b^4*c*x^{12}}{12} + \frac{a^4*e*x^2}{2} + \frac{b^4*d*x^{13}}{13} + \frac{b^4*e*x^{14}}{14} + a^4*c*\log(x) + a^4*d*x + a^2*b^2*c*x^6 + \frac{6*a^2*b^2*d*x^7}{7} + \frac{3*a^2*b^2*e*x^8}{4} + \frac{4*a^3*b*c*x^3}{3} + \frac{4*a*b^3*c*x^9}{9} + a^3*b*d*x^4 + \frac{2*a*b^3*d*x^{10}}{5} + \frac{4*a^3*b*e*x^5}{5} + \frac{4*a*b^3*e*x^{11}}{11}$

sympy [A] time = 0.34, size = 175, normalized size = 1.05

$$a^4c \log(x) + a^4dx + \frac{a^4ex^2}{2} + \frac{4a^3bcx^3}{3} + a^3bdx^4 + \frac{4a^3bex^5}{5} + a^2b^2cx^6 + \frac{6a^2b^2dx^7}{7} + \frac{3a^2b^2ex^8}{4} + \frac{4ab^3cx^9}{9} + \frac{2ab^3dx^{10}}{5} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x,x)

[Out] a**4*c*log(x) + a**4*d*x + a**4*e*x**2/2 + 4*a**3*b*c*x**3/3 + a**3*b*d*x**4 + 4*a**3*b*e*x**5/5 + a**2*b**2*c*x**6 + 6*a**2*b**2*d*x**7/7 + 3*a**2*b**2*e*x**8/4 + 4*a*b**3*c*x**9/9 + 2*a*b**3*d*x**10/5 + 4*a*b**3*e*x**11/11 + b**4*c*x**12/12 + b**4*d*x**13/13 + b**4*e*x**14/14

$$3.335 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$$

Optimal. Leaf size=162

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

[Out] $-a^4c/x + a^4e*x + 2*a^3*b*c*x^2 + 4/3*a^3*b*d*x^3 + a^3*b*e*x^4 + 6/5*a^2*b^2*c*x^5 + a^2*b^2*d*x^6 + 6/7*a^2*b^2*e*x^7 + 1/2*a*b^3*c*x^8 + 4/9*a*b^3*d*x^9 + 2/5*a*b^3*e*x^{10} + 1/11*b^4*c*x^{11} + 1/12*b^4*d*x^{12} + 1/13*b^4*e*x^{13} + a^4*d*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 - \frac{a^4c}{x} + a^4d \log(x) + a^4ex + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2,x]

[Out] $-((a^4*c)/x) + a^4*e*x + 2*a^3*b*c*x^2 + (4*a^3*b*d*x^3)/3 + a^3*b*e*x^4 + (6*a^2*b^2*c*x^5)/5 + a^2*b^2*d*x^6 + (6*a^2*b^2*e*x^7)/7 + (a*b^3*c*x^8)/2 + (4*a*b^3*d*x^9)/9 + (2*a*b^3*e*x^{10})/5 + (b^4*c*x^{11})/11 + (b^4*d*x^{12})/12 + (b^4*e*x^{13})/13 + a^4*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx = \int \left(a^4e + \frac{a^4c}{x^2} + \frac{a^4d}{x} + 4a^3bcx + 4a^3bdx^2 + 4a^3bex^3 + 6a^2b^2cx^4 + 6a^2b^2dx^5 + \dots \right) dx$$

$$= -\frac{a^4c}{x} + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \dots$$

Mathematica [A] time = 0.01, size = 162, normalized size = 1.00

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2,x]

[Out] $-((a^4*c)/x) + a^4*e*x + 2*a^3*b*c*x^2 + (4*a^3*b*d*x^3)/3 + a^3*b*e*x^4 + (6*a^2*b^2*c*x^5)/5 + a^2*b^2*d*x^6 + (6*a^2*b^2*e*x^7)/7 + (a*b^3*c*x^8)/2 + (4*a*b^3*d*x^9)/9 + (2*a*b^3*e*x^{10})/5 + (b^4*c*x^{11})/11 + (b^4*d*x^{12})/12 + (b^4*e*x^{13})/13 + a^4*d*\text{Log}[x]$

fricas [A] time = 0.56, size = 153, normalized size = 0.94

$$13860 b^4 e x^{14} + 15015 b^4 d x^{13} + 16380 b^4 c x^{12} + 72072 a b^3 e x^{11} + 80080 a b^3 d x^{10} + 90090 a b^3 c x^9 + 154440 a^2 b^2 e x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="fricas")

[Out] 1/180180*(13860*b^4*e*x^14 + 15015*b^4*d*x^13 + 16380*b^4*c*x^12 + 72072*a*b^3*e*x^11 + 80080*a*b^3*d*x^10 + 90090*a*b^3*c*x^9 + 154440*a^2*b^2*e*x^8 + 180180*a^2*b^2*d*x^7 + 216216*a^2*b^2*c*x^6 + 180180*a^3*b*e*x^5 + 240240*a^3*b*d*x^4 + 360360*a^3*b*c*x^3 + 180180*a^4*e*x^2 + 180180*a^4*d*x*log(x) - 180180*a^4*c)/x

giac [A] time = 0.16, size = 150, normalized size = 0.93

$$\frac{1}{13} b^4 x^{13} e + \frac{1}{12} b^4 d x^{12} + \frac{1}{11} b^4 c x^{11} + \frac{2}{5} a b^3 x^{10} e + \frac{4}{9} a b^3 d x^9 + \frac{1}{2} a b^3 c x^8 + \frac{6}{7} a^2 b^2 x^7 e + a^2 b^2 d x^6 + \frac{6}{5} a^2 b^2 c x^5 + a^3 b x^4 e + \frac{4}{3} a^3 b d x^3 + a^4 e x^2 + a^4 d x \log(x) - a^4 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="giac")

[Out] 1/13*b^4*x^13*e + 1/12*b^4*d*x^12 + 1/11*b^4*c*x^11 + 2/5*a*b^3*x^10*e + 4/9*a*b^3*d*x^9 + 1/2*a*b^3*c*x^8 + 6/7*a^2*b^2*x^7*e + a^2*b^2*d*x^6 + 6/5*a^2*b^2*c*x^5 + a^3*b*x^4*e + 4/3*a^3*b*d*x^3 + 2*a^3*b*c*x^2 + a^4*x*e + a^4*d*log(abs(x)) - a^4*c/x

maple [A] time = 0.05, size = 145, normalized size = 0.90

$$\frac{b^4 e x^{13}}{13} + \frac{b^4 d x^{12}}{12} + \frac{b^4 c x^{11}}{11} + \frac{2 a b^3 e x^{10}}{5} + \frac{4 a b^3 d x^9}{9} + \frac{a b^3 c x^8}{2} + \frac{6 a^2 b^2 e x^7}{7} + a^2 b^2 d x^6 + \frac{6 a^2 b^2 c x^5}{5} + a^3 b e x^4 + \frac{4 a^3 b d x^3}{3} + a^4 e x^2 + a^4 d \log(x) - a^4 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x)

[Out] -a^4*c/x+a^4*e*x+2*a^3*b*c*x^2+4/3*a^3*b*d*x^3+a^3*b*e*x^4+6/5*a^2*b^2*c*x^5+a^2*b^2*d*x^6+6/7*a^2*b^2*e*x^7+1/2*a*b^3*c*x^8+4/9*a*b^3*d*x^9+2/5*a*b^3*e*x^10+1/11*b^4*c*x^11+1/12*b^4*d*x^12+1/13*b^4*e*x^13+a^4*d*ln(x)

maxima [A] time = 1.31, size = 144, normalized size = 0.89

$$\frac{1}{13} b^4 e x^{13} + \frac{1}{12} b^4 d x^{12} + \frac{1}{11} b^4 c x^{11} + \frac{2}{5} a b^3 e x^{10} + \frac{4}{9} a b^3 d x^9 + \frac{1}{2} a b^3 c x^8 + \frac{6}{7} a^2 b^2 e x^7 + a^2 b^2 d x^6 + \frac{6}{5} a^2 b^2 c x^5 + a^3 b e x^4 + \frac{4}{3} a^3 b d x^3 + a^4 e x^2 + a^4 d \log(x) - a^4 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="maxima")

[Out] 1/13*b^4*e*x^13 + 1/12*b^4*d*x^12 + 1/11*b^4*c*x^11 + 2/5*a*b^3*e*x^10 + 4/9*a*b^3*d*x^9 + 1/2*a*b^3*c*x^8 + 6/7*a^2*b^2*e*x^7 + a^2*b^2*d*x^6 + 6/5*a^2*b^2*c*x^5 + a^3*b*e*x^4 + 4/3*a^3*b*d*x^3 + 2*a^3*b*c*x^2 + a^4*e*x + a^4*d*log(x) - a^4*c/x

mupad [B] time = 4.99, size = 144, normalized size = 0.89

$$\frac{b^4 c x^{11}}{11} - \frac{a^4 c}{x} + \frac{b^4 d x^{12}}{12} + \frac{b^4 e x^{13}}{13} + a^4 d \ln(x) + a^4 e x + \frac{6 a^2 b^2 c x^5}{5} + a^2 b^2 d x^6 + \frac{6 a^2 b^2 e x^7}{7} + 2 a^3 b c x^2 + \frac{a b^3 c x^8}{2} + a^4 e x + a^4 d \log(x) - a^4 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^2,x)

[Out] (b^4*c*x^11)/11 - (a^4*c)/x + (b^4*d*x^12)/12 + (b^4*e*x^13)/13 + a^4*d*log(x) + a^4*e*x + (6*a^2*b^2*c*x^5)/5 + a^2*b^2*d*x^6 + (6*a^2*b^2*e*x^7)/7 + 2*a^3*b*c*x^2 + (a*b^3*c*x^8)/2 + (4*a^3*b*d*x^3)/3 + (4*a*b^3*d*x^9)/9 + a^3*b*e*x^4 + (2*a*b^3*e*x^10)/5

sympy [A] time = 0.38, size = 168, normalized size = 1.04

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4a^3bdx^3}{3} + a^3bex^4 + \frac{6a^2b^2cx^5}{5} + a^2b^2dx^6 + \frac{6a^2b^2ex^7}{7} + \frac{ab^3cx^8}{2} + \frac{4ab^3dx^9}{9} + \frac{2ab^3ex^{10}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**2,x)

[Out] -a**4*c/x + a**4*d*log(x) + a**4*e*x + 2*a**3*b*c*x**2 + 4*a**3*b*d*x**3/3 + a**3*b*e*x**4 + 6*a**2*b**2*c*x**5/5 + a**2*b**2*d*x**6 + 6*a**2*b**2*e*x**7/7 + a*b**3*c*x**8/2 + 4*a*b**3*d*x**9/9 + 2*a*b**3*e*x**10/5 + b**4*c*x**11/11 + b**4*d*x**12/12 + b**4*e*x**13/13

$$3.336 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$$

Optimal. Leaf size=166

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

[Out] $-1/2*a^4*c/x^2 - a^4*d/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + 4/3*a^3*b*e*x^3 + 3/2*a^2*b^2*c*x^4 + 6/5*a^2*b^2*d*x^5 + a^2*b^2*e*x^6 + 4/7*a*b^3*c*x^7 + 1/2*a*b^3*d*x^8 + 4/9*a*b^3*e*x^9 + 1/10*b^4*c*x^{10} + 1/11*b^4*d*x^{11} + 1/12*b^4*e*x^{12} + a^4*e*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 - \frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] $-(a^4*c)/(2*x^2) - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^{10})/10 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx &= \int \left(4a^3bc + \frac{a^4c}{x^3} + \frac{a^4d}{x^2} + \frac{a^4e}{x} + 4a^3bdx + 4a^3bex^2 + 6a^2b^2cx^3 + 6a^2b^2dx^4 + \right. \\ &= \left. -\frac{a^4c}{2x^2} - \frac{a^4d}{x} + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9 \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] $-1/2*(a^4*c)/x^2 - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^{10})/10 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\text{Log}[x]$

fricas [A] time = 0.73, size = 153, normalized size = 0.92

$$1155 b^4 e x^{14} + 1260 b^4 d x^{13} + 1386 b^4 c x^{12} + 6160 a b^3 e x^{11} + 6930 a b^3 d x^{10} + 7920 a b^3 c x^9 + 13860 a^2 b^2 e x^8 + 16600 a^2 b^2 d x^7 + 17640 a^2 b^2 c x^6 + 14400 a^3 b e x^5 + 14400 a^3 b d x^4 + 14400 a^3 b c x^3 + 14400 a^4 e x^2 + 14400 a^4 d x + 14400 a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x, algorithm="fricas")

[Out] 1/13860*(1155*b^4*e*x^14 + 1260*b^4*d*x^13 + 1386*b^4*c*x^12 + 6160*a*b^3*e*x^11 + 6930*a*b^3*d*x^10 + 7920*a*b^3*c*x^9 + 13860*a^2*b^2*e*x^8 + 16632*a^2*b^2*d*x^7 + 20790*a^2*b^2*c*x^6 + 18480*a^3*b*e*x^5 + 27720*a^3*b*d*x^4 + 55440*a^3*b*c*x^3 + 13860*a^4*e*x^2*log(x) - 13860*a^4*d*x - 6930*a^4*c)/x^2

giac [A] time = 0.17, size = 152, normalized size = 0.92

$$\frac{1}{12} b^4 x^{12} e + \frac{1}{11} b^4 d x^{11} + \frac{1}{10} b^4 c x^{10} + \frac{4}{9} a b^3 x^9 e + \frac{1}{2} a b^3 d x^8 + \frac{4}{7} a b^3 c x^7 + a^2 b^2 x^6 e + \frac{6}{5} a^2 b^2 d x^5 + \frac{3}{2} a^2 b^2 c x^4 + \frac{4}{3} a^3 b x^3 e + 2 a^3 b d x^2 + a^4 e \ln(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x, algorithm="giac")

[Out] 1/12*b^4*x^12*e + 1/11*b^4*d*x^11 + 1/10*b^4*c*x^10 + 4/9*a*b^3*x^9*e + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*x^6*e + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*x^3*e + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*log(abs(x)) - 1/2*(2*a^4*d*x + a^4*c)/x^2

maple [A] time = 0.05, size = 147, normalized size = 0.89

$$\frac{b^4 e x^{12}}{12} + \frac{b^4 d x^{11}}{11} + \frac{b^4 c x^{10}}{10} + \frac{4 a b^3 e x^9}{9} + \frac{a b^3 d x^8}{2} + \frac{4 a b^3 c x^7}{7} + a^2 b^2 e x^6 + \frac{6 a^2 b^2 d x^5}{5} + \frac{3 a^2 b^2 c x^4}{2} + \frac{4 a^3 b e x^3}{3} + 2 a^3 b d x^2 + a^4 e \ln(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x)

[Out] -1/2*a^4*c/x^2-a^4*d/x+4*a^3*b*c*x+2*a^3*b*d*x^2+4/3*a^3*b*e*x^3+3/2*a^2*b^2*c*x^4+6/5*a^2*b^2*d*x^5+a^2*b^2*e*x^6+4/7*a*b^3*c*x^7+1/2*a*b^3*d*x^8+4/9*a*b^3*e*x^9+1/10*b^4*c*x^10+1/11*b^4*d*x^11+1/12*b^4*e*x^12+a^4*e*ln(x)

maxima [A] time = 1.33, size = 146, normalized size = 0.88

$$\frac{1}{12} b^4 e x^{12} + \frac{1}{11} b^4 d x^{11} + \frac{1}{10} b^4 c x^{10} + \frac{4}{9} a b^3 e x^9 + \frac{1}{2} a b^3 d x^8 + \frac{4}{7} a b^3 c x^7 + a^2 b^2 e x^6 + \frac{6}{5} a^2 b^2 d x^5 + \frac{3}{2} a^2 b^2 c x^4 + \frac{4}{3} a^3 b e x^3 + 2 a^3 b d x^2 + a^4 e \ln(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x, algorithm="maxima")

[Out] 1/12*b^4*e*x^12 + 1/11*b^4*d*x^11 + 1/10*b^4*c*x^10 + 4/9*a*b^3*e*x^9 + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*e*x^6 + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*e*x^3 + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*log(x) - 1/2*(2*a^4*d*x + a^4*c)/x^2

mupad [B] time = 4.99, size = 146, normalized size = 0.88

$$\frac{b^4 c x^{10}}{10} - \frac{\frac{a^4 c}{2} + a^4 d x}{x^2} + \frac{b^4 d x^{11}}{11} + \frac{b^4 e x^{12}}{12} + a^4 e \ln(x) + \frac{3 a^2 b^2 c x^4}{2} + \frac{6 a^2 b^2 d x^5}{5} + a^2 b^2 e x^6 + 4 a^3 b c x + \frac{4 a b^3 c x^7}{7} + 2 a^3 b d x^2 + a^4 e \ln(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^3,x)

[Out] (b^4*c*x^10)/10 - ((a^4*c)/2 + a^4*d*x)/x^2 + (b^4*d*x^11)/11 + (b^4*e*x^12)/12 + a^4*e*log(x) + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + 4*a^3*b*c*x + (4*a*b^3*c*x^7)/7 + 2*a^3*b*d*x^2 + (a*b^3*d*x^8)/2 + (4*a^3*b*e*x^3)/3 + (4*a*b^3*e*x^9)/9

sympy [A] time = 0.44, size = 175, normalized size = 1.05

$$a^4 e \log(x) + 4a^3 bcx + 2a^3 bdx^2 + \frac{4a^3 bex^3}{3} + \frac{3a^2 b^2 cx^4}{2} + \frac{6a^2 b^2 dx^5}{5} + a^2 b^2 ex^6 + \frac{4ab^3 cx^7}{7} + \frac{ab^3 dx^8}{2} + \frac{4ab^3 ex^9}{9} + \frac{b^4 cx^{10}}{10} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**3,x)

[Out] a**4*e*log(x) + 4*a**3*b*c*x + 2*a**3*b*d*x**2 + 4*a**3*b*e*x**3/3 + 3*a**2*b**2*c*x**4/2 + 6*a**2*b**2*d*x**5/5 + a**2*b**2*e*x**6 + 4*a*b**3*c*x**7/7 + a*b**3*d*x**8/2 + 4*a*b**3*e*x**9/9 + b**4*c*x**10/10 + b**4*d*x**11/11 + b**4*e*x**12/12 + (-a**4*c - 2*a**4*d*x)/(2*x**2)

$$3.337 \quad \int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=205

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} \right)}{\sqrt{3} b^{5/3}}$$

[Out] $c*x/b + 1/2*d*x^2/b + 1/3*e*x^3/b - 1/3*a^{(1/3)}*(b^{(1/3)}*c - a^{(1/3)}*d)*\ln(a^{(1/3)} + b^{(1/3)}*x)/b^{(5/3)} + 1/6*a^{(1/3)}*(c - a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/b^{(4/3)} - 1/3*a*e*\ln(b*x^3 + a)/b^2 + 1/3*a^{(1/3)}*(b^{(1/3)}*c + a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)} - 2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} \right)}{\sqrt{3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] $(c*x)/b + (d*x^2)/(2*b) + (e*x^3)/(3*b) + (a^{(1/3)}*(b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(5/3)}) - (a^{(1/3)}*(b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(5/3)}) + (a^{(1/3)}*(c - (a^{(1/3)}*d)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(4/3)}) - (a*e*\text{Log}[a + b*x^3]/(3*b^2))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{c}{b} + \frac{dx}{b} + \frac{ex^2}{b} - \frac{ac + adx + aex^2}{b(a + bx^3)} \right) dx \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac + adx + aex^2}{a + bx^3} dx}{b} \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac + adx}{a + bx^3} dx}{b} - \frac{(ae) \int \frac{x^2}{a + bx^3} dx}{b} \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{ae \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} c + a^{4/3} d) + \sqrt[3]{b} (-a \sqrt[3]{b} c + a^{4/3} d) x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{3a^{2/3} b^{4/3}} - \frac{\left(\sqrt[3]{a} \right)}{3b^2} \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}} - \frac{ae \log(a + bx^3)}{3b^2} - \frac{(a^{2/3} (\sqrt[3]{b} c + \sqrt[3]{a} d))}{6b^{4/3}} \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}} + \frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x)}{6b^{4/3}} \\
 &= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} + \frac{\sqrt[3]{a} (\sqrt[3]{b} c + \sqrt[3]{a} d) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} b^{5/3}} - \frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 191, normalized size = 0.93

$$\sqrt[3]{b} \left(\sqrt[3]{a} \sqrt[3]{b} c - a^{2/3} d \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + 2 \sqrt[3]{b} \left(a^{2/3} d - \sqrt[3]{a} \sqrt[3]{b} c \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2 \sqrt{3} \sqrt[3]{a} \sqrt[3]{b} \left(\sqrt[3]{a} \right)$$

$$6b^2$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (6*b*c*x + 3*b*d*x^2 + 2*b*e*x^3 + 2*Sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*b^(1/3)*(-(a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*e*Log[a + b*x^3])/(6*b^2)

fricas [C] time = 2.83, size = 4798, normalized size = 23.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/36*(12*b*e*x^3 + 18*b*d*x^2 - 2*((-I*sqrt(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 6*a*e/b^2)*b^2*log(1/36*((-I*sqrt(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 6*a*e/b^2)^2*b^4*d + 2*a*b*c*d^2 - a*b*c^2*e + a^2*d*e^2 + 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*sqrt(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 6*a*e/b^2)*b^2 + 3*sqrt(1/3)*b^2*sqrt(-(((I*sqrt(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^(1/3) + 6*a*e/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2*e^2)/b^4) - 18*a*e)*log(-1/36*((-I*sqrt(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2

$$\begin{aligned}
& *e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} \\
& + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/ \\
& 18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e) \\
&)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d* \\
& e^2 - 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d \\
& + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a* \\
& b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2* \\
& b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3) \\
&)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^ \\
& 3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2) + 2*(b^2*c^3 + a*b*d^3)*x + 1/1 \\
& 2*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/ \\
& 27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/ \\
& b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I* \\
& \text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c* \\
& d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b \\
& ^6)^{(1/3)} + 6*a*e/b^2)*b^4*d - 6*b^3*c^2 - 6*a*b^2*d*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) \\
& + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b* \\
& c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a \\
& ^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e \\
& ^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/ \\
& 54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2* \\
& b^4 - 12*((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a \\
& ^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 \\
& - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt} \\
& (3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + \\
& a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^ \\
& (1/3) + 6*a*e/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2*e^2)/b^4)) + (((-I*\text{sqrt}(3) \\
&) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b \\
& *c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + \\
& a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3* \\
& e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1 \\
& /54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*b \\
& ^2 - 3*\text{sqrt}(1/3)*b^2*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2 \\
& *e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d \\
& + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6 \\
&)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 \\
& + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3* \\
& c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4 - 12*((-I*\text{sqrt}(3) + 1)*(a^2*e^2 \\
& /b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a \\
& /b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 \\
& - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54* \\
& (b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 \\
& + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*a*b^2*e + 144*a* \\
& b*c*d + 36*a^2*e^2)/b^4) - 18*a*e)*\log(-1/36*((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 \\
& - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 \\
& + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3* \\
& c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c \\
& ^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^ \\
& 3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4*d - 2*a*b*c*d^ \\
& 2 + a*b*c^2*e - a^2*d*e^2 - 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*\text{sqrt}(3) + 1)*(\\
& a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a \\
& *d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 \\
& - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 \\
& + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b \\
& ^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2) + 2*(b^2*c \\
& ^3 + a*b*d^3)*x - 1/12*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + 1)*(a^2*e^2/b^4 - (a*b*c* \\
& d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a \\
& *b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2 \\
& *b)/b^6)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3
\end{aligned}$$

) $\frac{a}{b^5} + \frac{1}{18}(abc + a^2e^2)\frac{ae}{b^6} - \frac{1}{54}(ab^2c^3 + a^3e^3 - (d^3 - 3cde)a^2b)/b^6)^{1/3} + 6\frac{ae}{b^2}b^4d - 6b^3c^2 - 6ab^2de) \sqrt{-((-I\sqrt{3} + 1)(a^2e^2/b^4 - (abc + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54(bc^3 + ad^3)a/b^5 + 1/18(abc + a^2e^2)ae/b^6 - 1/54(ab^2c^3 + a^3e^3 - (d^3 - 3cde)a^2b)/b^6)^{1/3} + 9(I\sqrt{3} + 1)(-1/27a^3e^3/b^6 + 1/54(bc^3 + ad^3)a/b^5 + 1/18(abc + a^2e^2)ae/b^6 - 1/54(ab^2c^3 + a^3e^3 - (d^3 - 3cde)a^2b)/b^6)^{1/3} + 6\frac{ae}{b^2}b^4d - 12((-I\sqrt{3} + 1)(a^2e^2/b^4 - (abc + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54(bc^3 + ad^3)a/b^5 + 1/18(abc + a^2e^2)ae/b^6 - 1/54(ab^2c^3 + a^3e^3 - (d^3 - 3cde)a^2b)/b^6)^{1/3} + 9(I\sqrt{3} + 1)(-1/27a^3e^3/b^6 + 1/54(bc^3 + ad^3)a/b^5 + 1/18(abc + a^2e^2)ae/b^6 - 1/54(ab^2c^3 + a^3e^3 - (d^3 - 3cde)a^2b)/b^6)^{1/3} + 6\frac{ae}{b^2}b^4d + 144abc + 36a^2e^2)/b^4)))/b^2$

giac [A] time = 0.18, size = 208, normalized size = 1.01

$$\frac{ae \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^3} - \frac{\left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3}ae \log(|bx^3 + a|)/b^2 - \frac{1}{3}\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) / b^3 - \frac{1}{6} \left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) / b^3 + \frac{1}{6} (2b^2x^3e + 3b^2dx^2 + 6b^2cx) / b^3 + \frac{1}{3} (ab^6d(-a/b)^{1/3} + ab^6c)(-a/b)^{1/3} \log(|x - (-a/b)^{1/3}|) / (ab^7)$

maple [A] time = 0.04, size = 231, normalized size = 1.13

$$\frac{ex^3}{3b} + \frac{dx^2}{2b} - \frac{\sqrt{3} ac \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{ac \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{ac \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} ad \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3}bx^3 + \frac{1}{2}bdx^2 + \frac{1}{3}bcx - \frac{1}{3} \left(\frac{a}{b} \right)^{\frac{2}{3}} abc \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + \frac{1}{6} \frac{ab^2c}{\left(\frac{a}{b} \right)^{\frac{2}{3}}} \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) - \frac{1}{3} \frac{ab^2c}{\left(\frac{a}{b} \right)^{\frac{2}{3}}} \sqrt{3} \arctan \left(\frac{\sqrt{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{\frac{1}{3}} x - 1} \right)}{3} \right) + \frac{1}{3} \frac{abd}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - \frac{1}{6} \frac{abd}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) - \frac{1}{3} \frac{abd}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \sqrt{3} \arctan \left(\frac{\sqrt{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{\frac{1}{3}} x - 1} \right)}{3} \right) - \frac{1}{3} \frac{ab^2e}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \ln(bx^3 + a)$

maxima [A] time = 2.94, size = 190, normalized size = 0.93

$$\frac{2ex^3 + 3dx^2 + 6cx}{6b} - \frac{\sqrt{3} \left(abd \left(\frac{a}{b} \right)^{\frac{2}{3}} + abc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3ab^2} - \frac{\left(2ae \left(\frac{a}{b} \right)^{\frac{2}{3}} + ad \left(\frac{a}{b} \right)^{\frac{1}{3}} - ac \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{6}(2ex^3 + 3dx^2 + 6cx)/b - \frac{1}{3}\sqrt{3}(abd(a/b)^{2/3} + abc(a/b)^{1/3})\arctan(1/3\sqrt{3}(2x - (a/b)^{1/3})/(a/b)^{1/3})/(ab^2) - \frac{1}{6}(2ae(a/b)^{2/3} + ad(a/b)^{1/3} - ac)\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/(b^2(a/b)^{2/3}) - \frac{1}{3}(ae(a/b)^{2/3} - ad(a/b)^{1/3} + ac)\log(x + (a/b)^{1/3})/(b^2(a/b)^{2/3})$

mupad [B] time = 5.07, size = 319, normalized size = 1.56

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(27b^6z^3 + 27ab^4ez^2 + 9ab^3cdz + 9a^2b^2e^2z + 3a^2bcde + ab^2c^3 + a^3e^3 - a^2bd^3, z, k\right)\right)\right) \left(6a^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3),x)

[Out] $\text{symsum}(\log(\text{root}(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2dz + 9a^2b^2e^2z + 3a^2b^2c^2d + a^2b^2c^2d + a^2b^2c^2d + a^2b^2c^2d - a^2b^2d^3, z, k)) * (6a^2e + 9\text{root}(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2dz + 9a^2b^2e^2z + 3a^2b^2c^2d + a^2b^2c^2d + a^2b^2c^2d - a^2b^2d^3, z, k)) * a^2b^2 - 3a^2b^2c^2x) + (a^3e^2 + a^2b^2c^2d)/b^2 + (x(a^2d^2 - a^2c^2e))/b) * \text{root}(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2dz + 9a^2b^2e^2z + 3a^2b^2c^2d + a^2b^2c^2d + a^2b^2c^2d - a^2b^2d^3, z, k), k, 1, 3) + (dx^2)/(2b) + (ex^3)/(3b) + (cx)/b$

sympy [A] time = 1.64, size = 178, normalized size = 0.87

$$\text{RootSum}\left(27t^3b^6 + 27t^2ab^4e + t(9a^2b^2e^2 + 9ab^3cd) + a^3e^3 + 3a^2bcde - a^2bd^3 + ab^2c^3, \left(t \mapsto t \log\left(x + \frac{9t^2b^4e}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a),x)

[Out] $\text{RootSum}(27_t**3b**6 + 27_t**2a*b**4e + _t*(9a**2b**2e**2 + 9a*b**3*c*d) + a**3e**3 + 3a**2b*c*d*e - a**2b*d**3 + a*b**2*c**3, \text{Lambda}(_t, _t*\log(x + (9_t**2b**4*d + 6_t*a*b**2*d*e - 3_t*b**3*c**2 + a**2*d*e**2 - a*b*c**2*e + 2a*b*c*d**2)/(a*b*d**3 + b**2*c**3)))) + c*x/b + d*x**2/(2*b) + e*x**3/(3*b)$

$$3.338 \quad \int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=193

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{ae} \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{ae} + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x} \right)}{\sqrt{3} b^{5/3}}$$

[Out] $d*x/b+1/2*e*x^2/b-1/3*a^{(1/3)}*(b^{(1/3)}*d-a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(5/3)}+1/6*a^{(1/3)}*(d-a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(4/3)}+1/3*c*\ln(b*x^3+a)/b+1/3*a^{(1/3)}*(b^{(1/3)}*d+a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{ae} \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{ae} + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x} \right)}{\sqrt{3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3),x]

[Out] $(d*x)/b + (e*x^2)/(2*b) + (a^{(1/3)}*(b^{(1/3)}*d + a^{(1/3)}*e)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*b^{(5/3)}) - (a^{(1/3)}*(b^{(1/3)}*d - a^{(1/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*b^{(5/3)}) + (a^{(1/3)}*(d - (a^{(1/3)}*e)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*b^{(4/3)}) + (c*\text{Log}[a + b*x^3]) / (3*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{d}{b} + \frac{ex}{b} - \frac{ad + aex - bcx^2}{b(a + bx^3)} \right) dx \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{b} \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex}{a + bx^3} dx}{b} + c \int \frac{x^2}{a + bx^3} dx \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{c \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} d + a^{4/3} e) + \sqrt[3]{b} (-a \sqrt[3]{b} d + a^{4/3} e) x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{3a^{2/3} b^{4/3}} - \frac{\left(\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \right)}{\sqrt[3]{b}} \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}} + \frac{c \log(a + bx^3)}{3b} - \frac{(a^{2/3} (\sqrt[3]{b} d + \sqrt[3]{a} e))}{\sqrt[3]{b}} \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}} + \frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6b^{4/3}} \\
 &= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{\sqrt[3]{a} (\sqrt[3]{b} d + \sqrt[3]{a} e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} b^{5/3}} - \frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3b^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 184, normalized size = 0.95

$$-(a^{2/3} e - \sqrt[3]{a} \sqrt[3]{b} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2(a^{2/3} e - \sqrt[3]{a} \sqrt[3]{b} d) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + 2b^{2/3} c \log(a + bx^3)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3), x]
```

```
[Out] (6*b^(2/3)*d*x + 3*b^(2/3)*e*x^2 + 2*sqrt(3)*a^(1/3)*(b^(1/3)*d + a^(1/3)*e)
)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 2*(-(a^(1/3)*b^(1/3)*d) + a
^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] - (-(a^(1/3)*b^(1/3)*d) + a^(2/3)*e)*Log
[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*b^(2/3)*c*Log[a + b*x^3]/(
6*b^(5/3))
```

```
fricas [C] time = 2.76, size = 4261, normalized size = 22.08
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")
```

```
[Out] 1/12*(6*e*x^2 - 2*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)
)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c
^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) +
1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3
+ a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) - 2*c/b)*b*log(1/4*(2*(1/2)^(2/
3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2
+ a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d
e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3*(b*c^2 + a
*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)
)*a*b)/b^5)^(1/3) - 2*c/b)^2*b^3*e + b*c*d^2 + b*c^2*e + 2*a*d*e^2 + 1/2*(b^2*d
^2 + 2*b^2*c*e)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/
b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c
^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)
*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 +
a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) - 2*c/b) + (b*d^3 + a*e^3)*x) + 1
2*d*x + ((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2
*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2
*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3
/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3
- (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) - 2*c/b)*b + 3*sqrt(1/3)*b*sqrt(-((2*(1/
2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b
*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3
*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3*(b*c^2
+ a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d
e)*a*b)/b^5)^(1/3) - 2*c/b)^2*b^3 + 4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2
/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 +
a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2
)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e
^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) - 2*c/b)*b
^2*c + 4*b*c^2 + 16*a*d*e)/b^3) + 6*c)*log(-1/4*(2*(1/2)^(2/3)*(-I*sqrt(3)
+ 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 +
(b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/
3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b
d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) -
2*c/b)^2*b^3*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 - 1/2*(b^2*d^2 + 2*b^2*c*e)
*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3
- 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (
d^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3
*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3
- 3*c*d*e)*a*b)/b^5)^(1/3) - 2*c/b) + 2*(b*d^3 + a*e^3)*x + 3/4*sqrt(1/3)*
(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3
- 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d
^3 - 3*c*d*e)*a*b)/b^5)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*c^3/b^3 - 3*
```

$$\begin{aligned} & (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b * b^3e - 2b^2d^2 + 2b^2c^2e) * \sqrt{-((2 \\ & * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b \\ & * c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b)^2 * b^3 + 4 * (2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * \\ & (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + \\ & (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b \\ & * b - 3 * \sqrt{1/3} * b * \sqrt{-((2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 \\ & + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b \\ & ^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b)^2 * b^3 + 4 * (2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 \\ & + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} \\ & - 2c/b * b^2c + 4 * b^2c^2 + 16 * ad^2e)/b^3) + 6 * c * \log(-1/4 * (2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 \\ & - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} \\ & - 2c/b)^2 * b^3e - b^2c * d^2 - b^2c^2e - 2 * ad^2e^2 - 1/2 * (b^2d^2 + 2b^2c^2e) * (2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} \\ & * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b) + 2 * (b^2d^3 + a^2e^3) * x - 3/4 * \sqrt{1/3} * ((2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b) * b^3e - 2 * b^2d^2 + 2b^2c^2e) * \sqrt{-((2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b)^2 * b^3 + 4 * (2 * (1/2)^{2/3} * (-\sqrt{3}) + 1) * (c^2/b^2 - (b^2c^2 + ad^2e)/b^3) / (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} + (1/2)^{1/3} * (\sqrt{3} + 1) * (2c^3/b^3 - 3 * (b^2c^2 + ad^2e)cb^4 + (b^2d^3 + a^2e^3)ab)/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2 + 2b^2c^2e)ab)/b^5)^{1/3} - 2c/b) * b^2c + 4 * b^2c^2 + 16 * ad^2e)/b^3)))/b \end{aligned}$$

giac [A] time = 0.21, size = 195, normalized size = 1.01

$$\frac{c \log(|bx^3 + a|)}{3b} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bd - (-ab^2)^{\frac{2}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3b^3} + \frac{bx^2e + 2bdx}{2b^2} - \frac{\left((-ab^2)^{\frac{1}{3}} bd + (-ab^2)^{\frac{2}{3}} \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3}c \log(\text{abs}(b*x^3 + a))/b - \frac{1}{3}\sqrt{3} * ((-a*b^2)^{(1/3)} * b*d - (-a*b^2)^{(2/3)} * e) * \arctan(1/3*\sqrt{3} * (2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^3 + 1/2 * (b*x^2 * e + 2*b*d*x)/b^2 - 1/6 * ((-a*b^2)^{(1/3)} * b*d + (-a*b^2)^{(2/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^3 + 1/3 * (a*b^4 * (-a/b)^{(1/3)} * e + a*b^4 * d) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})/(a*b^5))$

maple [A] time = 0.05, size = 221, normalized size = 1.15

$$\frac{e x^2}{2 b} \frac{\sqrt{3} a d \arctan\left(\frac{\sqrt{3}\left(\frac{2 x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{a d \ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{a d \ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}} x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} a e \arctan\left(\frac{\sqrt{3}\left(\frac{2 x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{2} * \frac{1}{b} * e * x^2 + \frac{1}{b} * d * x - \frac{1}{3} * \frac{1}{b^2} * \frac{1}{(a/b)^{(2/3)}} * \ln(x + (a/b)^{(1/3)}) * a * d + \frac{1}{6} * \frac{1}{(a/b)^{(2/3)}} * \frac{a}{b^2} * d * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - \frac{1}{3} * \frac{1}{b^2} * \frac{1}{(a/b)^{(2/3)}} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * a * d + \frac{1}{3} * \frac{1}{b^2} * \frac{a * e}{(a/b)^{(1/3)}} * \ln(x + (a/b)^{(1/3)}) - \frac{1}{6} * \frac{1}{b^2} * \frac{a * e}{(a/b)^{(1/3)}} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - \frac{1}{3} * \frac{1}{b^2} * \frac{a * e * 3^{(1/2)}}{(a/b)^{(1/3)}} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) + \frac{1}{3} * \frac{1}{b} * c * \ln(b * x^3 + a)$

maxima [A] time = 2.94, size = 181, normalized size = 0.94

$$\frac{\sqrt{3}\left(ae\left(\frac{a}{b}\right)^{\frac{2}{3}}+ad\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab} + \frac{ex^2+2dx}{2b} + \frac{\left(2bc\left(\frac{a}{b}\right)^{\frac{2}{3}}-ae\left(\frac{a}{b}\right)^{\frac{1}{3}}+ad\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $-\frac{1}{3} * \sqrt{3} * (a * e * (a/b)^{(2/3)} + a * d * (a/b)^{(1/3)}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b) + 1/2 * (e * x^2 + 2 * d * x) / b + 1/6 * (2 * b * c * (a/b)^{(2/3)} - a * e * (a/b)^{(1/3)} + a * d) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^2 * (a/b)^{(2/3)}) + 1/3 * (b * c * (a/b)^{(2/3)} + a * e * (a/b)^{(1/3)} - a * d) * \log(x + (a/b)^{(1/3)}) / (b^2 * (a/b)^{(2/3)})$

mupad [B] time = 5.13, size = 340, normalized size = 1.76

$$\left(\sum_{k=1}^3 \ln\left(\frac{a\left(bc^2 + \text{root}\left(27b^5z^3 - 27b^4cz^2 + 9ab^2dez + 9b^3c^2z - 3abcde + abd^3 - a^2e^3 - b^2c^3, z, k\right)^2 b^3 9 + \dots}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3),x)

[Out] $\text{symsum}\left(\log\left(\frac{a\left(b^3c^2z - 3ab^2cd^2e + ab^2d^3 - a^2e^3 - b^2c^3, z, k\right)^2 b^3 + a * d * e - 6 * \text{root}\left(27 * b^5 * z^3 - 27 * b^4 * c * z^2 + 9 * a * b^2 * d * e * z + 9 * b^3 * c^2 * z - 3 * a * b * c * d * e + a * b * d^3 - a^2 * e^3 - b^2 * c^3, z, k\right)^2 b^3 9 + \dots}{\dots}\right), z, k\right)^2 b^3 + a * d * e - 6 * \text{root}\left(27 * b^5 * z^3 - 27 * b^4 * c * z^2 + 9 * a * b^2 * d * e * z + 9 * b^3 * c^2 * z - 3 * a * b * c * d * e + a * b * d^3 - a^2 * e^3 - b^2 * c^3, z, k\right)^2 b^3 9 + \dots$


```
*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*b^2*c + a*e^2*x + b*c*d*x - 3*roo
t(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a
*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*b^2*d*x))/b)*root(27*b^5*z^3 - 27*b^4*c*z
^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^
3, z, k), k, 1, 3) + (e*x^2)/(2*b) + (d*x)/b
```

sympy [A] time = 1.49, size = 150, normalized size = 0.78

$$\text{RootSum}\left(27t^3b^5 - 27t^2b^4c + t(9ab^2de + 9b^3c^2) - a^2e^3 - 3abcde + abd^3 - b^2c^3, \left(t \mapsto t \log\left(x + \frac{9t^2b^3e - 6tb^2}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*b**5 - 27*_t**2*b**4*c + _t*(9*a*b**2*d*e + 9*b**3*c**2) -
a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, Lambda(_t, _t*log(x + (9*_
t**2*b**3*e - 6*_t*b**2*c*e - 3*_t*b**2*d**2 + 2*a*d*e**2 + b*c**2*e + b*c*
d**2)/(a*e**3 + b*d**3)))) + d*x/b + e*x**2/(2*b)
```

$$3.339 \quad \int \frac{x(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=183

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{4/3}} +$$

[Out] $e*x/b - 1/3*(b^{(2/3)*c} + a^{(2/3)*e})*\ln(a^{(1/3)} + b^{(1/3)*x})/a^{(1/3)}/b^{(4/3)} + 1/6*(b^{(2/3)*c} + a^{(2/3)*e})*\ln(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/a^{(1/3)}/b^{(4/3)} + 1/3*d*\ln(b*x^3 + a)/b - 1/3*(b^{(2/3)*c} - a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)} - 2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(1/3)}/b^{(4/3)*3^{(1/2)}}$

Rubi [A] time = 0.23, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{4/3}} +$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] $(e*x)/b - ((b^{(2/3)*c} - a^{(2/3)*e})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(1/3)*b^{(4/3)}}) - ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]) / (3*a^{(1/3)*b^{(4/3)}}) + ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]) / (6*a^{(1/3)*b^{(4/3)}}) + (d*\text{Log}[a + b*x^3]) / (3*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{e}{b} - \frac{ae - bcx - bdx^2}{b(a + bx^3)} \right) dx \\
 &= \frac{ex}{b} - \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{b} \\
 &= \frac{ex}{b} - \frac{\int \frac{ae - bcx}{a + bx^3} dx}{b} + d \int \frac{x^2}{a + bx^3} dx \\
 &= \frac{ex}{b} + \frac{d \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \int \frac{1}{\sqrt[3]{a}b}}{3\sqrt[3]{a}b} \\
 &= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{d \log(a + bx^3)}{3b} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}}{2b} \\
 &= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{4/3}} \\
 &= \frac{ex}{b} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 200, normalized size = 1.09

$$\frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6ab^{5/3}} + \frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3ab^{5/3}} + \frac{(a^{2/3}bc - a^{4/3}\sqrt[3]{b}) \log(\sqrt[3]{a} - \sqrt[3]{b}x)}{3ab^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (e*x)/b + ((a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(5/3)) + ((-a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a*b^(5/3)) - ((-a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(5/3)) + (d*Log[a + b*x^3])/(3*b)

fricas [C] time = 2.74, size = 4628, normalized size = 25.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/12*(2*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)*b*log(-1/4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)^2*a*b^3*c - a*b*c*d^2 + 2*a*b*c^2*e + a^2*d*e^2 - 1/2*(2*a*b^2*c*d - a^2*b*e^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b) - (b^2*c^3 - a^2*e^3)*x) - 12*e*x - ((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)^2*b^2 + 4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)*b*d + 4*d^2 - 16*c*e)/b^2 + 6*d*log(1/4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)^2*a*b^3*c + a*b*c*d^2 - 2*a*b*c^2*e - a^2*d*e^2 + 1/2*(2*a*b^2*c*d - a^2*b*e^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^(1/3) - 2*d/b)

$$\begin{aligned}
& -c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 \\
& - a^2*e^3)/(a*b^4)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 \\
& - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c \\
& ^3 - a^2*e^3)/(a*b^4)^{(1/3)} - 2*d/b) - 2*(b^2*c^3 - a^2*e^3)*x + 3/4*\text{sqrt}(\\
& 1/3)*((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^ \\
& 3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) \\
& - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b \\
& b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^ \\
& 4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*a*b^3*c + 2*a*b^2*c*d + 2* \\
& a^2*b*e^2)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^ \\
& 2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)* \\
& a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) \\
& + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) \\
&)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)^2*b^2 + 4*(2*(\\
& 1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 \\
& - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^ \\
& ^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d \\
& ^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2* \\
& c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*b*d + 4*d^2 - 16*c*e)/b^2)) - ((2*(1 \\
& /2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 \\
& - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 \\
& - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^ \\
& 2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c \\
& ^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*b + 3*\text{sqrt}(1/3)*b*\text{sqrt}(-((2*(1/2)^{(2/ \\
& 3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)* \\
& d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2* \\
& e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e) \\
&)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^ \\
& 2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)^2*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d \\
& ^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2 \\
& *e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + \\
& (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a \\
& ^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} \\
& - 2*d/b)*b*d + 4*d^2 - 16*c*e)/b^2) + 6*d)*\log(1/4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(\\
& 3) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2 \\
& *c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4) \\
&)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b \\
& ^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^ \\
& 4))^{(1/3)} - 2*d/b)^2*a*b^3*c + a*b*c*d^2 - 2*a*b*c^2*e - a^2*d*e^2 + 1/2*(2 \\
& *a*b^2*c*d - a^2*b*e^2)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - c \\
& *e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqr} \\
& t(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3 \\
& *c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b) - 2*(b^2 \\
& *c^3 - a^2*e^3)*x - 3/4*\text{sqrt}(1/3)*((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 \\
& - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^ \\
& (1/3)* (I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 \\
& - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/ \\
& b)*a*b^3*c + 2*a*b^2*c*d + 2*a^2*b*e^2)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + \\
& 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 \\
& + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1 \\
& /3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c \\
& ^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(\\
& 1/3)} - 2*d/b)^2*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(d^2/b^2 - (d^2 - \\
& c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3* \\
& c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*s \\
& qrt(3) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - \\
& 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*b*d + 4
\end{aligned}$$

$*d^2 - 16*c*e)/b^2)))/b$

giac [A] time = 0.21, size = 178, normalized size = 0.97

$$\frac{\sqrt{3} \left(a e + (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}}} + \frac{\left(a e - (-a b^2)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}}} + \frac{x e}{b} + \frac{d \log \left(|b x^3 + a| \right)}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(a*e + (-a*b^2)^(1/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/(-a*b^2)^(2/3) + 1/6*(a*e - (-a*b^2)^(1/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) + x*e/b + 1/3*d*log(abs(b*x^3 + a))/b - 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^3)

maple [A] time = 0.05, size = 209, normalized size = 1.14

$$\frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c \ln \left(x \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] 1/b*e*x-1/3/(a/b)^(2/3)*a/b^2*e*ln(x+(a/b)^(1/3))+1/6/(a/b)^(2/3)*a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/(a/b)^(2/3)*3^(1/2)*a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6/b*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/b*d*ln(b*x^3+a)

maxima [A] time = 2.94, size = 173, normalized size = 0.95

$$\frac{e x}{b} + \frac{\sqrt{3} \left(b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a e \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a b} + \frac{\left(2 b d \left(\frac{a}{b} \right)^{\frac{2}{3}} + b c \left(\frac{a}{b} \right)^{\frac{1}{3}} + a e \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(b d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] e*x/b + 1/3*sqrt(3)*(b*c*(a/b)^(2/3) - a*e*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*b*d*(a/b)^(2/3) + b*c*(a/b)^(1/3) + a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^2*(a/b)^(2/3)) + 1/3*(b*d*(a/b)^(2/3) - b*c*(a/b)^(1/3) - a*e)*log(x + (a/b)^(1/3))/(b^2*(a/b)^(2/3))

mupad [B] time = 5.16, size = 266, normalized size = 1.45

$$\left(\sum_{k=1}^3 \ln(x(b c^2 + a d e) - \text{root}(27 a b^4 z^3 - 27 a b^3 d z^2 - 9 a b^2 c e z + 9 a b^2 d^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3), x)

[Out] symsum(log(x*(b*c^2 + a*d*e) - root(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))*(6*a*b*d - 9*root(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))*a*b^2 + 3*a*b*e*x) + a*d^2 - a*c*e)*root(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) + (e*x)/b

sympy [A] time = 1.43, size = 160, normalized size = 0.87

$$\text{RootSum}\left(27t^3ab^4 - 27t^2ab^3d + t(-9ab^2ce + 9ab^2d^2) + a^2e^3 + 3abcde - abd^3 + b^2c^3, \left(t \mapsto t \log\left(x + \frac{-9t^2ab}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a), x)

[Out] RootSum(27*_t**3*a*b**4 - 27*_t**2*a*b**3*d + _t*(-9*a*b**2*c*e + 9*a*b**2*d**2) + a**2*e**3 + 3*a*b*c*d*e - a*b*d**3 + b**2*c**3, Lambda(_t, _t*log(x + (-9*_t**2*a*b**3*c - 3*_t*a**2*b*e**2 + 6*_t*a*b**2*c*d + a**2*d*e**2 + 2*a*b*c**2*e - a*b*c*d**2)/(a**2*e**3 - b**2*c**3)))) + e*x/b

$$3.340 \quad \int \frac{c+dx+ex^2}{a+bx^3} dx$$

Optimal. Leaf size=177

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}} + e^x$$

[Out] 1/3*(b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(2/3)-1/6*(c-a^(1/3)*d/b^(1/3))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)+1/3*e*ln(b*x^3+a)/b-1/3*(b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.13, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}} + e^x$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3))) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3)) + (e*Log[a + b*x^3])/(3*b)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{a + bx^3} dx &= e \int \frac{x^2}{a + bx^3} dx + \int \frac{c + dx}{a + bx^3} dx \\ &= \frac{e \log(a + bx^3)}{3b} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{ad}) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{ad})x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{e \log(a + bx^3)}{3b} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{e \log(a + bx^3)}{3b} \\ &= -\frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.99

$$-\sqrt[3]{b} \left(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right) + 2\sqrt[3]{b} \left(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) - 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}$$

$$6ab$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3),x]

[Out] (-2*Sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] - b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*e*Log[a + b*x^3]/(6*a*b)

fricas [C] time = 2.61, size = 4671, normalized size = 26.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")
```

```
[Out] -1/12*(2*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)*b*log(1/4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)^2*a^2*b^2*d + 2*a*b*c*d^2 - a*b*c^2*e + a^2*d*e^2 - 1/2*(a*b^2*c^2 - 2*a^2*b*d*e)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b) + (b^2*c^3 + a*b*d^3)*x) - ((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)*b + 3*sqrt(1/3)*b*sqrt(-((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)^2*a*b^2 + 4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)*a*b*e + 16*b*c*d + 4*a*e^2)/(a*b^2)) + 6*e)*log(-1/4*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)^2*a^2*b^2*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d*e^2 + 1/2*(a*b^2*c^2 - 2*a^2*b*d*e)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b) + 2*(b^2*c^3 + a*b*d^3)*x + 3/4*sqrt(1/3)*((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)*a^2*b^2*d + 2*a*b^2*c^2 + 2*a^2*b*d*e)*sqrt(-((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)
```

$$\begin{aligned}
& \frac{1}{3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} \\
& - 2 * e / b^2 * a * b^2 + 4 * (2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a * b * e + 16 * b * c * d + 4 * a * e^2) / (a * b^2)) - ((2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * b - 3 * \sqrt{1/3} * b * \sqrt{1/3} * ((2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * b - 3 * \sqrt{1/3} * b * \sqrt{1/3} * ((2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a * b * e + 16 * b * c * d + 4 * a * e^2) / (a * b^2)) + 6 * e) * \log(-1/4 * (2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a^2 * b^2 * d - 2 * a * b * c * d^2 + a * b * c^2 * e - a^2 * d * e^2 + 1/2 * (a * b^2 * c^2 - 2 * a^2 * b * d * e) * (2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) + 2 * (b^2 * c^3 + a * b * d^3) * x - 3/4 * \sqrt{1/3} * ((2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a^2 * b^2 * d + 2 * a * b^2 * c^2 + 2 * a^2 * b * d * e) * \sqrt{-((2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a * b^2 + 4 * (2 * (1/2)^{2/3} * (-I * \sqrt{3} + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2)) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{1/3} - 2 * e / b) * a * b * e + 16 * b * c * d + 4 * a * e^2) / (a * b^2)) / b
\end{aligned}$$

giac [A] time = 0.18, size = 163, normalized size = 0.92

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) - \left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + e \log(|bx^3 + a|)}{3 \left(-ab^2 \right)^{\frac{2}{3}} - 6 \left(-ab^2 \right)^{\frac{2}{3}} + 3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3}\sqrt{3}(b*c - (-a*b^2)^{1/3}*d)*\arctan\left(\frac{1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)/(-a*b^2)^{2/3} - \frac{1}{6}*(b*c + (-a*b^2)^{1/3}*d)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/(-a*b^2)^{2/3} + \frac{1}{3}*e*\log(\text{abs}(b*x^3 + a))/b - \frac{1}{3}*(b*d*(-a/b)^{1/3} + b*c)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a$

maple [A] time = 0.05, size = 200, normalized size = 1.13

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{b}}-1\right)}{\frac{\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{b}}-1\right)}{\frac{\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3}b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c - \frac{1}{6}b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c + \frac{1}{3}b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3})*x-1)*c - \frac{1}{3}d/b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3}) + \frac{1}{6}d/b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + \frac{1}{3}d*3^{1/2}/b/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3})*x-1) + \frac{1}{3}b*e*\ln(b*x^3+a)$

maxima [A] time = 3.01, size = 159, normalized size = 0.90

$$\frac{\sqrt{3}\left(bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + bc\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab} + \frac{\left(2e\left(\frac{a}{b}\right)^{\frac{2}{3}} + d\left(\frac{a}{b}\right)^{\frac{1}{3}} - c\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(e\left(\frac{a}{b}\right)^{\frac{2}{3}} - d\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}(b*d*(a/b)^{2/3} + b*c*(a/b)^{1/3})*\arctan\left(\frac{1/3*\sqrt{3}*(2*x - (a/b)^{1/3})}{(a/b)^{1/3}}\right)/(a*b) + \frac{1}{6}*(2*e*(a/b)^{2/3} + d*(a/b)^{1/3} - c)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(b*(a/b)^{2/3}) + \frac{1}{3}*(e*(a/b)^{2/3} - d*(a/b)^{1/3} + c)*\log(x + (a/b)^{1/3})/(b*(a/b)^{2/3})$

mupad [B] time = 0.26, size = 274, normalized size = 1.55

$$\sum_{k=1}^3 \ln\left(x\left(bd^2 - bce\right) + \text{root}\left(27a^2b^3z^3 - 27a^2b^2ez^2 + 9ab^2cdz + 9a^2be^2z - 3abcde + abd^3 - a^2e^3 - b^2c^3, z, k\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3),x)

[Out] $\text{symsum}\left(\log\left(x\left(bd^2 - bce\right) + \text{root}\left(27a^2b^3z^3 - 27a^2b^2ez^2 + 9a^2b^2c*d*z + 9a^2b*e^2*z - 3a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k\right)\right)\right) + \frac{1}{3}\sqrt{3}\left(\frac{1}{3}\sqrt{3}\left(\frac{2x}{\frac{1}{b}}-1\right)\right)/\left(\frac{a}{b}\right)^{1/3}/(a*b) + \frac{1}{6}\left(2e\left(\frac{a}{b}\right)^{2/3} + d\left(\frac{a}{b}\right)^{1/3} - c\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)/(b*\left(\frac{a}{b}\right)^{2/3}) + \frac{1}{3}\left(e\left(\frac{a}{b}\right)^{2/3} - d\left(\frac{a}{b}\right)^{1/3} + c\right)\log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)/(b*\left(\frac{a}{b}\right)^{2/3})$

$d*z + 9*a^2*b*e^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k), k,$
 1, 3)

sympy [A] time = 1.42, size = 160, normalized size = 0.90

RootSum($27t^3a^2b^3 - 27t^2a^2b^2e + t(9a^2be^2 + 9ab^2cd) - a^2e^3 - 3abcde + abd^3 - b^2c^3, (t \mapsto t \log(x + \frac{9t^2a^2b^2}{\dots}))$)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**2*b**3 - 27*_t**2*a**2*b**2*e + _t*(9*a**2*b*e**2 + 9*a*b**2*c*d) - a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**2*b**2*d - 6*_t*a**2*b*d*e + 3*_t*a*b**2*c**2 + a**2*d*e**2 - a*b*c**2*e + 2*a*b*c*d**2)/(a*b*d**3 + b**2*c**3))))

$$3.341 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)} dx$$

Optimal. Leaf size=184

$$\frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}d - \sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} - \frac{c \ln(x)}{a+1/3*(b^{(1/3)}*d-a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(d-a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*c*\ln(b*x^3+a)/a-1/3*(b^{(1/3)}*d+a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}}$$

[Out] $c*\ln(x)/a+1/3*(b^{(1/3)}*d-a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(d-a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*c*\ln(b*x^3+a)/a-1/3*(b^{(1/3)}*d+a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}d - \sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} - \frac{c \ln(x)}{a+1/3*(b^{(1/3)}*d-a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(d-a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*c*\ln(b*x^3+a)/a-1/3*(b^{(1/3)}*d+a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)), x]

[Out] $-(((b^{(1/3)}*d + a^{(1/3)}*e)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*a^{(2/3)}*b^{(2/3)}) + (c*\text{Log}[x])/a + ((b^{(1/3)}*d - a^{(1/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(2/3)}*b^{(2/3)}) - ((d - (a^{(1/3)}*e)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(2/3)}*b^{(1/3)}) - (c*\text{Log}[a + b*x^3])/(3*a)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*c*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{x(a + bx^3)} dx &= \int \left(\frac{c}{ax} + \frac{ad + aex - bcx^2}{a(a + bx^3)} \right) dx \\
 &= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{a} \\
 &= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex}{a + bx^3} dx}{a} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= \frac{c \log(x)}{a} - \frac{c \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}d + a^{4/3}e) + \sqrt[3]{b}(-a\sqrt[3]{b}d + a^{4/3}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}\sqrt[3]{b}} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x}}{3a^{2/3}} \\
 &= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} + \frac{1}{2} \left(\frac{d}{\sqrt[3]{a}} + \frac{e}{\sqrt[3]{b}} \right) \int \frac{1}{a^{2/3} - \sqrt[3]{a}} \\
 &= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} \\
 &= -\frac{\left(\sqrt[3]{b}d + \sqrt[3]{ae}\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.96

$$(a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(\sqrt[3]{a}\sqrt[3]{b}d - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2b^{2/3}c \log(a + bx^3) - 2$$

$$6ab^{2/3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)), x]

[Out] $(-2\sqrt{3}a^{1/3}(b^{1/3}d + a^{1/3}e)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}] + 6b^{2/3}c\text{Log}[x] + 2(a^{1/3}b^{1/3}d - a^{2/3}e)\text{Log}[a^{1/3} + b^{1/3}x] + (-a^{1/3}b^{1/3}d + a^{2/3}e)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] - 2b^{2/3}c\text{Log}[a + b^3x^3])/(6ab^{2/3})$

fricas [C] time = 2.62, size = 4588, normalized size = 24.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a), x, algorithm="fricas")

[Out] $-1/36(2((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a)a^2\log(1/36((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a)^2a^2b^2e + b^2c^2d^2 + b^2c^2e + 2a^2d^2e^2 - 1/6(a^2b^2d^2 + 2a^2b^2c^2e)((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a + (b^2d^3 + a^2e^3)x - (((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a)^2a^2b - 12((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a)a^2b^2c + 36b^2c^2 + 144a^2d^2e)/(a^2b^2) - 18c)\log(-1/36((-I\sqrt{3} + 1)(c^2/a^2 - (b^2c^2 + a^2d^2e)/(a^2b^2)))/(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 9(I\sqrt{3} + 1)(-1/27c^3/a^3 + 1/18(b^2c^2 + a^2d^2e)c/(a^3b) + 1/54(b^2d^3 + a^2e^3)/(a^2b^2) - 1/54(b^2c^3 + a^2e^3 - (d^3 - 3c^2d^2e)a^2b)/(a^3b^2))^{1/3} + 6c/a)$

$$\begin{aligned}
& 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c/a)^2* \\
& a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2*a*b*c*e)*((-I*sq \\
& rt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 \\
& + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2* \\
& e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*c^3/ \\
& a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/5 \\
& 4*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c/a) + 2*(\\
& b*d^3 + a*e^3)*x + 1/12*sqrt(1/3)*(((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a* \\
& d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 \\
& + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b \\
& ^2))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3 \\
& *b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c/a)*a^2*b*e + 6*a*b*d^2 - 6*a*b*c*e)*sqrt(\\
& -(((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/ \\
& 18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c \\
& ^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt(3) + 1)*(- \\
& 1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b \\
& ^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c \\
& /a)^2*a^2*b - 12*((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/ \\
& 27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2 \\
&) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I* \\
& sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 \\
& + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^ \\
& 2))^{(1/3)} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b)) - (((I*sqrt(3) \\
& + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d \\
& *e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + \\
& 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2 \\
& *c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c/a)*a - 3*sqrt(\\
& 1/3)*a*sqrt(-(((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27* \\
& c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - \\
& 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sq \\
& rt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a \\
& *e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)) \\
& ^{(1/3)} + 6*c/a)^2*a^2*b - 12*((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(\\
& a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e \\
& ^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(\\
& 1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + \\
& 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)* \\
& a*b)/(a^3*b^2)^{(1/3)} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b)) - 18* \\
& c)*log(-1/36*((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c \\
& ^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - \\
& 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt \\
& (3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a* \\
& e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(\\
& 1/3)} + 6*c/a)^2*a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2 \\
& *a*b*c*e)*((-I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/ \\
& a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/5 \\
& 4*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt(3) \\
& + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3 \\
&)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/ \\
& 3)} + 6*c/a) + 2*(b*d^3 + a*e^3)*x - 1/12*sqrt(1/3)*(((I*sqrt(3) + 1)*(c^2/ \\
& a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3 \\
& *b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^3*b^2)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^ \\
& 2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2 \\
& *e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2)^{(1/3)} + 6*c/a)*a^2*b*e + 6*a*b*d^2 - \\
& 6*a*b*c*e)*sqrt(-(((I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(- \\
& 1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b
\end{aligned}$$

$^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)^2*a^2*b - 12*((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b)) - 36*c*log(x))/a$

giac [A] time = 0.18, size = 179, normalized size = 0.97

$$\frac{\sqrt{3} \left(b d - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(b d + \left(-ab^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + c \log(|bx^3 + a|)}{3 \left(-ab^2 \right)^{\frac{2}{3}} - 6 \left(-ab^2 \right)^{\frac{2}{3}} + 3 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\text{sqrt}(3)*(b*d - (-a*b^2)^{(1/3)}*e)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3)}/(-a*b^2)^{(2/3)} - 1/6*(b*d + (-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)))/(-a*b^2)^{(2/3)} - 1/3*c*\log(\text{abs}(b*x^3 + a))/a + c*\log(\text{abs}(x))/a - 1/3*(a^2*b*(-a/b)^{(1/3)}*e + a^2*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^3*b$

maple [A] time = 0.05, size = 207, normalized size = 1.12

$$\frac{c \ln(x)}{a} - \frac{c \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{a}{b}} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a),x)

[Out] $1/3/(a/b)^{(2/3)}/b*d*\ln(x+(a/b)^{(1/3)})-1/6/(a/b)^{(2/3)}/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3/(a/b)^{(2/3)}*3^{(1/2)}/b*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/(a/b)^{(1/3)}/b*e*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(1/3)}/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*3^{(1/2)}/(a/b)^{(1/3)}/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a*c*\ln(b*x^3+a)+1/a*c*\ln(x)$

maxima [A] time = 3.02, size = 176, normalized size = 0.96

$$\frac{c \log(x)}{a} + \frac{\sqrt{3} \left(a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(2 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a e \left(\frac{a}{b} \right)^{\frac{1}{3}} + a d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 a^2 - 6 a b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] $c \cdot \log(x)/a + 1/3 \cdot \sqrt{3} \cdot (a \cdot e \cdot (a/b)^{2/3} + a \cdot d \cdot (a/b)^{1/3}) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3}) / (a/b)^{1/3}) / a^2 - 1/6 \cdot (2 \cdot b \cdot c \cdot (a/b)^{2/3} - a \cdot e \cdot (a/b)^{1/3} + a \cdot d) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a \cdot b \cdot (a/b)^{2/3}) - 1/3 \cdot (b \cdot c \cdot (a/b)^{2/3} + a \cdot e \cdot (a/b)^{1/3} - a \cdot d) \cdot \log(x + (a/b)^{1/3}) / (a \cdot b \cdot (a/b)^{2/3})$

mupad [B] time = 5.25, size = 716, normalized size = 3.89

$$\left(\sum_{k=1}^3 \ln \left(b^2 c d^2 - b^2 c^2 e + b^2 d^3 x - \text{root} \left(27 a^3 b^2 z^3 + 27 a^2 b^2 c z^2 + 9 a^2 b d e z + 9 a b^2 c^2 z + 3 a b c d e - a b d^3 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)),x)

[Out] $\text{symsum}(\log(b^2 \cdot c \cdot d^2 - b^2 \cdot c^2 \cdot e + b^2 \cdot d^3 \cdot x - 36 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k)^3 \cdot a^2 \cdot b^3 \cdot x - a \cdot b \cdot e^3 \cdot x - \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k) \cdot a \cdot b^2 \cdot d^2 - 4 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k) \cdot b^3 \cdot c^2 \cdot x + 3 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k)^2 \cdot a^2 \cdot b^2 \cdot e - 24 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k)^2 \cdot a \cdot b^3 \cdot c \cdot x - 2 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k) \cdot a \cdot b^2 \cdot c \cdot e - 2 \cdot b^2 \cdot c \cdot d \cdot e \cdot x - 10 \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k) \cdot a \cdot b^2 \cdot d \cdot e \cdot x) \cdot \text{root}(27 \cdot a^3 \cdot b^2 \cdot z^3 + 27 \cdot a^2 \cdot b^2 \cdot c \cdot z^2 + 9 \cdot a^2 \cdot b \cdot d \cdot e \cdot z + 9 \cdot a \cdot b^2 \cdot c^2 \cdot z + 3 \cdot a \cdot b \cdot c \cdot d \cdot e - a \cdot b \cdot d^3 + a^2 \cdot e^3 + b^2 \cdot c^3, z, k), k, 1, 3) + (c \cdot \log(x))/a$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a),x)

[Out] Timed out

$$3.342 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=192

$$-\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}}$$

[Out] $-c/a/x+d*\ln(x)/a+1/3*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(1/3)+b^{(1/3)*x}/a^{(4/3)/b^{(1/3)-1/6*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}/a^{(4/3)/b^{(1/3)-1/3*d*\ln(b*x^3+a)/a+1/3*(b^{(2/3)*c-a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*x}/a^{(1/3)*3^{(1/2)}/a^{(4/3)/b^{(1/3)*3^{(1/2)}}}$

Rubi [A] time = 0.21, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + ((b^{(2/3)*c} - a^{(2/3)*e})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(4/3)*b^{(1/3)}}) + (d*\text{Log}[x])/a + ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}) / (3*a^{(4/3)*b^{(1/3)}}) - ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}] / (6*a^{(4/3)*b^{(1/3)}}) - (d*\text{Log}[a + b*x^3]) / (3*a)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{d}{ax} + \frac{ae - bcx - bdx^2}{a(a + bx^3)} \right) dx \\ &= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{a} \\ &= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx}{a + bx^3} dx}{a} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a} \\ &= -\frac{c}{ax} + \frac{d \log(x)}{a} - \frac{d \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}\sqrt[3]{b}} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} \\ &= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{x^2}{a + bx^3} dx}{6a^{4/3}\sqrt[3]{b}} \\ &= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{6a^{4/3}\sqrt[3]{b}} \\ &= -\frac{c}{ax} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}\sqrt[3]{b}} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.25, size = 184, normalized size = 0.96

$$\frac{(a^{2/3}b^{2/3}c+a^{4/3}e)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(a^{2/3}b^{2/3}c+a^{4/3}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e-b^{2/3}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + 2ad\log(a+b)$$

$$6a^2$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)),x]

[Out] $-1/6*((6*a*c)/x + (2*\text{Sqrt}[3]*a^{(2/3)}*(-(b^{(2/3)}*c) + a^{(2/3)}*e)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]])/b^{(1/3)} - 6*a*d*\text{Log}[x] - (2*(a^{(2/3)}*b^{(2/3)}*c + a^{(4/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(1/3)} + ((a^{(2/3)}*b^{(2/3)}*c + a^{(4/3)}*e)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(1/3)} + 2*a*d*\text{Log}[a + b*x^3])/a^2$

fricas [C] time = 2.76, size = 4524, normalized size = 23.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] $-1/36*(2*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a*x*\log(-1/36*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^3*b*c - a*b*c*d^2 + 2*a*b*c^2*e + a^2*d*e^2 + 1/6*(2*a^2*b*c*d - a^3*e^2)*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a) - (b^2*c^3 - a^2*e^3)*x) - 36*d*x*\log(x) - (((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a*x - 3*\text{sqrt}(1/3)*a*x*\text{sqrt}(-(((I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^2 - 12*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a*d + 36*d^2 - 144*c*e)/a^2) - 18*d*x)*\log(1/36*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^2 - 12*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a*d + 36*d^2 - 144*c*e)/a^2)$

$$\begin{aligned}
& d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a) \\
& ^2*a^3*b*c + a*b*c*d^2 - 2*a*b*c^2*e - a^2*d*e^2 - 1/6*(2*a^2*b*c*d - a^3 \\
& *e^2)*((-I*sqrt(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18* \\
& (d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\
& - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^ \\
& 3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\
& / (a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a) - 2*(b^2*c^3 - \\
& a^2*e^3)*x + 1/12*sqrt(1/3)*(((-I*sqrt(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/ \\
& (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\
& 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*sqrt \\
& (3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 \\
& - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + \\
& 6*d/a)*a^3*b*c - 6*a^2*b*c*d - 6*a^3*e^2)*sqrt(-(((-I*sqrt(3) + 1)*(d^2/a^2 \\
& - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 \\
& + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b \\
&))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54 \\
& *(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^ \\
& 3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^2 - 12*((-I*sqrt(3) + 1)*(d^2/a^2 - (d^2 - c \\
& *e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 \\
& - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + \\
& 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + \\
& a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b)) \\
& ^{(1/3)} + 6*d/a)*a*d + 36*d^2 - 144*c*e)/a^2) - (((-I*sqrt(3) + 1)*(d^2/a^2 \\
& - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 \\
& + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b \\
&))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54 \\
& *(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^ \\
& 3)/(a^4*b))^{(1/3)} + 6*d/a)*a*x + 3*sqrt(1/3)*a*x*sqrt(-(((-I*sqrt(3) + 1)*(\\
& d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(\\
& b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3) \\
& / (a^4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 \\
& + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - \\
& a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^2 - 12*((-I*sqrt(3) + 1)*(d^2/a^2 - (\\
& d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a \\
& ^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(\\
& 1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^ \\
& 2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(\\
& a^4*b))^{(1/3)} + 6*d/a)*a*d + 36*d^2 - 144*c*e)/a^2) - 18*d*x)*log(1/36*((-I \\
& *sqrt(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e) \\
& *d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2 \\
& *c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d \\
& ^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - \\
& 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a^3*b*c + a*b*c*d^2 - 2* \\
& a*b*c^2*e - a^2*d*e^2 - 1/6*(2*a^2*b*c*d - a^3*e^2)*((-I*sqrt(3) + 1)*(d^2/ \\
& a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2* \\
& c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^ \\
& 4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1 \\
& /54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2 \\
& *e^3)/(a^4*b))^{(1/3)} + 6*d/a) - 2*(b^2*c^3 - a^2*e^3)*x - 1/12*sqrt(1/3)*((\\
& (-I*sqrt(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c \\
& *e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(\\
& b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*d^3/a^3 + 1/18 \\
& *(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\
& - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a^3*b*c - 6*a^2*b*c*d - \\
& 6*a^3*e^2)*sqrt(-(((-I*sqrt(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3 \\
& /a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a \\
& *b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*sqrt(3) + 1)* \\
& (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3 \\
& *c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a
\end{aligned}$$

$$\begin{aligned} &^2 - 12*((-I*\sqrt{3} + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18 \\ &*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ &- 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\ &^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b \\ &)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*d + 36*d^2 - \\ &144*c*e)/a^2)) + 36*c)/(a*x) \end{aligned}$$

giac [A] time = 0.23, size = 201, normalized size = 1.05

$$-\frac{d \log(|bx^3 + a|)}{3a} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + (-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} + \frac{\left((-ab^2)^{\frac{1}{3}} ae - (-ab^2)^{\frac{2}{3}} c \right)}{3a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*d*log(abs(b*x^3 + a))/a + d*log(abs(x))/a + 1/3*sqrt(3)*((-a*b^2)^(1/3))*a*e + (-a*b^2)^(2/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^2*b) - c/(a*x) + 1/6*((-a*b^2)^(1/3)*a*e - (-a*b^2)^(2/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^2*b) + 1/3*(a*b^2*c*(-a/b)^(1/3) - a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b)

maple [A] time = 0.05, size = 216, normalized size = 1.12

$$-\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{c \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{d \ln(x)}{a} - \frac{d \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a),x)

[Out] 1/3*e/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*e/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*e/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*a*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6/a*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/a*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a*d*ln(b*x^3+a)-1/a*c/x+1/a*d*ln(x)

maxima [A] time = 2.98, size = 186, normalized size = 0.97

$$\frac{d \log(x)}{a} - \frac{\sqrt{3} \left(bc \left(\frac{a}{b}\right)^{\frac{2}{3}} - ae \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3a^2} - \frac{\left(2bd \left(\frac{a}{b}\right)^{\frac{2}{3}} + bc \left(\frac{a}{b}\right)^{\frac{1}{3}} + ae \right) \log \left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6ab \left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{c}{ax} + \frac{d \log(bx^3 + a)}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")

[Out] d*log(x)/a - 1/3*sqrt(3)*(b*c*(a/b)^(2/3) - a*e*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^2 - 1/6*(2*b*d*(a/b)^(2/3) + b*c*(a/b)^(1/3) + a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b*(a/b)^(2/3)) -

$1/3*(b*d*(a/b)^{(2/3)} - b*c*(a/b)^{(1/3)} - a*e)*\log(x + (a/b)^{(1/3))}/(a*b*(a/b)^{(2/3))} - c/(a*x)$

mupad [B] time = 5.06, size = 723, normalized size = 3.77

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^4 c^3 x + a^2 b^2 d e^2 - \text{root}(27 a^4 b z^3 + 27 a^3 b d z^2 - 9 a^2 b c e z + 9 a^2 b d^2 z - 3 a b c d e + a b d^3 - a^2 e^3)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)),x)

[Out] symsum(log((b^4*c^3*x + a^2*b^2*d*e^2 - 36*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^3*a^4*b^3*x + a^2*b^2*e^3*x + a*b^3*c*d^2 - 3*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^2*a^3*b^3*c - root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^3*b^2*e^2 - 4*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*d^2*x - 24*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^2*a^3*b^3*d*x + 2*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*c*d + 2*a*b^3*c*d*e*x + 10*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*c*e*x)/a^2)*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k), k, 1, 3) - c/(a*x) + (d*log(x))/a

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a),x)

[Out] Timed out

$$3.343 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=203

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b} c - \sqrt[3]{a} d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a} d + \sqrt[3]{b} c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a + bx^3}} \right)}{\sqrt{3} a^{5/3}}$$

[Out] $-1/2*c/a/x^2-d/a/x+e*\ln(x)/a-1/3*b^{(1/3)}*(b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}+1/6*b^{(2/3)}*(c-a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}-1/3*e*\ln(b*x^3+a)/a+1/3*b^{(1/3)}*(b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b} c - \sqrt[3]{a} d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a} d + \sqrt[3]{b} c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a + bx^3}} \right)}{\sqrt{3} a^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) - d/(a*x) + (b^{(1/3)}*(b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(5/3)}) + (e*\text{Log}[x])/a - (b^{(1/3)}*(b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(5/3)}) + (b^{(2/3)}*(c - (a^{(1/3)}*d)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(5/3)}) - (e*\text{Log}[a + b*x^3]) / (3*a)$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*c/b}, Simplify[(a*c)/b^2], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{x^3(a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} - \frac{b(c + dx + ex^2)}{a(a + bx^3)} \right) dx \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx+ex^2}{a+bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx}{a+bx^3} dx}{a} - \frac{(be) \int \frac{x^2}{a+bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{e \log(a + bx^3)}{3a} - \frac{b^{2/3} \int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{ad}) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{ad})x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} - \frac{e \log(a + bx^3)}{3a} + \frac{(\sqrt[3]{b})^2 (\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} + \sqrt[3]{b}x)}{6a^{5/3}} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} + \frac{\sqrt[3]{b} (\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} + \sqrt[3]{b}x)}{6a^{5/3}} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{\sqrt[3]{b} (\sqrt[3]{b}c + \sqrt[3]{ad}) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{5/3}} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}}
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 192, normalized size = 0.95

$$\sqrt[3]{b} \left(\sqrt[3]{a} \sqrt[3]{b} c - a^{2/3} d \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + 2 \sqrt[3]{b} \left(a^{2/3} d - \sqrt[3]{a} \sqrt[3]{b} c \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2 \sqrt{3} \sqrt[3]{a} \sqrt[3]{b} \left(\sqrt[3]{a} \right)$$

$$6a^2$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

[Out] $\left(\frac{-3ac}{x^2} - \frac{6ad}{x} + 2\sqrt{3} a^{1/3} b^{1/3} (b^{1/3} c + a^{1/3} d) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] + 6ae \operatorname{Log}[x] + 2b^{1/3} (-a^{1/3} b^{1/3} c + a^{2/3} d) \operatorname{Log}[a^{1/3} + b^{1/3} x] + b^{1/3} (a^{1/3} b^{1/3} c - a^{2/3} d) \operatorname{Log}[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2] - 2ae \operatorname{Log}[a + b x^3] \right) / (6a^2)$

fricas [C] time = 3.07, size = 4279, normalized size = 21.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a), x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36 * (2 * ((-I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a) * a * x^2 * \operatorname{log}(1/36 * ((-I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a)^2 * a^4 * d + 2 * a * b * c * d^2 - a * b * c^2 * e + a^2 * d * e^2 + 1/6 * (a^2 * b * c^2 - 2 * a^3 * d * e) * ((-I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a) + (b^2*c^3 + a*b*d^3) * x) - 36 * e * x^2 * \operatorname{log}(x) + 36 * d * x - (((-I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a) * a * x^2 + 3 * \operatorname{sqrt}(1/3) * a * x^2 * \operatorname{sqrt}(-(((I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a) * a^2 * e + 144 * b * c * d + 36 * a * e^2) / a^3) - 18 * e * x^2 * \operatorname{log}(-1/36 * ((-I * \operatorname{sqrt}(3) + 1) * (e^2/a^2 - (b*c*d + a*e^2)/a^3)) / (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 9 * (I * \operatorname{sqrt}(3) + 1) * (-1/27 * e^3/a^3 + 1/18 * (b*c*d + a*e^2) * e/a^4 + 1/54 * (b*c^3 + a*d^3) * b/a^5 - 1/54 * (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) * a*b) / a^5)^{1/3} + 6 * e/a)^2 * a^4 * d - 2 * a * b * c * d^2 + a * b * c \end{aligned}$$

$(1/3) + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/5$
 $4*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^$
 $5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3)) + 18*c)/(a*x^2)$

giac [A] time = 0.18, size = 204, normalized size = 1.00

$$\frac{e \log(|bx^3 + a|)}{3a} + \frac{e \log(|x|)}{a} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{\left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right)}{6a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a + e*\log(\text{abs}(x))/a - 1/3*\sqrt{3}*((-a*b^2)^{(1/3)}$
 $)*b*c - (-a*b^2)^{(2/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)))/(-a/b)^{(1/3))}/(a^2*b) - 1/6*((-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(2/3)}*d)*\log(x^2 + x*(-a/$
 $b)^{(1/3)} + (-a/b)^{(2/3)))/(a^2*b) + 1/3*(a*b^2*d*(-a/b)^{(1/3)} + a*b^2*c)*(-a/$
 $b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)))/(a^3*b) - 1/2*(2*d*x + c)/(a*x^2)$

maple [A] time = 0.22, size = 225, normalized size = 1.11

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a),x)

[Out] $-1/3/(a/b)^{(2/3)}/a*c*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(2/3)}/a*c*\ln(x^2-(a/b)^{(1/3)}$
 $3)*x+(a/b)^{(2/3))-1/3/(a/b)^{(2/3)}*3^{(1/2)}/a*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}$
 $1/3)*x-1))+1/3/(a/b)^{(1/3)}/a*d*\ln(x+(a/b)^{(1/3))-1/6/(a/b)^{(1/3)}/a*d*\ln(x^2$
 $-(a/b)^{(1/3)*x+(a/b)^{(2/3))-1/3*3^{(1/2)}/(a/b)^{(1/3)}/a*d*\arctan(1/3*3^{(1/2)*$
 $(2/(a/b)^{(1/3)*x-1))-1/3/a*e*\ln(b*x^3+a)+1/a*e*\ln(x)-1/2/a*c/x^2-1/a*d/x$

maxima [A] time = 3.03, size = 177, normalized size = 0.87

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + bc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2} - \frac{\left(2e \left(\frac{a}{b} \right)^{\frac{2}{3}} + d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6a \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{e \left(\frac{a}{b} \right)^{\frac{1}{3}}}{6a \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")

[Out] $e*\log(x)/a - 1/3*\sqrt{3}*(b*d*(a/b)^{(2/3)} + b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}$
 $t(3)*(2*x - (a/b)^{(1/3)))/(a/b)^{(1/3))}/a^2 - 1/6*(2*e*(a/b)^{(2/3)} + d*(a/b)^{(1/3)}$
 $- c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)))/(a*(a/b)^{(2/3))} - 1/3*(e*$
 $(a/b)^{(2/3)} - d*(a/b)^{(1/3)} + c)*\log(x + (a/b)^{(1/3)))/(a*(a/b)^{(2/3))} - 1/2$
 $*(2*d*x + c)/(a*x^2)$

mupad [B] time = 0.13, size = 701, normalized size = 3.45

$$\left(\sum_{k=1}^3 \ln \left(-\frac{b^5 c^3 x - a^2 b^3 d e^2 + \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)),x)

[Out] symsum(log(-(b^5*c^3*x - a^2*b^3*d*e^2 + 36*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^3*a^5*b^3*x - a*b^4*c^2*e - a*b^4*d^3*x + root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^2*b^4*c^2 + 3*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a^4*b^3*d + 4*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^3*b^3*e^2*x + 24*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a^4*b^3*e*x - 2*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^3*b^3*d*e + 2*a*b^4*c*d*e*x + 10*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^2*b^4*c*d*x)/a^3)*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) - c/(2*a*x^2) - d/(a*x) + (e*log(x))/a

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.344 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=190

$$\frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{3\sqrt[3]{3}a^{2/3}b^{5/3}}$$

[Out] $\frac{1}{3} \frac{(-e x^2 - d x - c)}{b (b x^3 + a)} + \frac{1}{9} \frac{(b^{1/3} d - 2 a^{1/3} e) \ln(a^{1/3} + b^{1/3} x)}{a^{2/3} b^{5/3}} - \frac{1}{18} \frac{(d - 2 a^{1/3} e / b^{1/3}) \ln(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2)}{a^{2/3} b^{4/3}} - \frac{1}{9} \frac{(b^{1/3} d + 2 a^{1/3} e) \arctan(1/3 (a^{1/3} - 2 b^{1/3} x) / a^{1/3} \sqrt{3})}{a^{2/3} b^{5/3} \sqrt{3}}$

Rubi [A] time = 0.17, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {1823, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{3\sqrt[3]{3}a^{2/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] $-\frac{(c + d x + e x^2)}{3 b (a + b x^3)} - \frac{(b^{1/3} d + 2 a^{1/3} e) \operatorname{ArcTan}\left[\frac{a^{1/3} - 2 b^{1/3} x}{\sqrt[3]{3} a^{1/3}}\right]}{3 \sqrt[3]{3} a^{2/3} b^{5/3}} + \frac{(b^{1/3} d - 2 a^{1/3} e) \operatorname{Log}\left[a^{1/3} + b^{1/3} x\right]}{9 a^{2/3} b^{5/3}} - \frac{(d - (2 a^{1/3} e) / b^{1/3}) \operatorname{Log}\left[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2\right]}{18 a^{2/3} b^{4/3}}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634


```
Int[((d._) + (e._)*(x_))/((a_) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b._)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B._)*(x_))/((a_) + (b._)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^2} dx &= \frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{d+2ex}{a+bx^3} dx}{3b} \\ &= \frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}d+2\sqrt[3]{a}e)+\sqrt[3]{b}(-\sqrt[3]{b}d+2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{9a^{2/3}b^{4/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{2/3}b} \\ &= \frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} + \frac{\left(\frac{\sqrt[3]{b}d}{\sqrt[3]{a}} + 2e\right) \int \frac{1}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{6b^{4/3}} \\ &= \frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} - \frac{(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{2/3}b^{5/3}} \\ &= \frac{c + dx + ex^2}{3b(a + bx^3)} - \frac{(\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 174, normalized size = 0.92

$$\frac{\frac{(2\sqrt[3]{a}e - \sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{a^{2/3}} + \frac{2(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{2/3}} - \frac{2\sqrt{3}(2\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{a^{2/3}} - \frac{6b^{2/3}(c + x(d + ex))}{a + bx^3}}{18b^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2, x]
```

```
[Out] ((-6*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3) - (2*Sqrt[3]*(b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(2/3) + (2*(b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + ((- (b^(1/3)*d) + 2*a^(1/3)*e)*ArcTan[1 - (2*b^(1/3)*x)/a^(1/3)])/a^(2/3)
```

$(1/3)*e)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/a^{(2/3)}]/(18*b^{(5/3)})$)

fricas [C] time = 2.63, size = 2077, normalized size = 10.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/36*(12*e*x^2 + 2*(b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))*\text{log}(1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a^2*b^3*e} - 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 + 8*a*d*e^2 + (b*d^3 + 8*a*e^3)*x) + 12*d*x - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) + 3*\text{sqrt}(1/3)*(b^2*x^3 + a*b)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e}/(a*b^3)))*\text{log}(-1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a^2*b^3*e} + 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x + 3/2*\text{sqrt}(1/3)*(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a^2*b^3*e + a*b^2*d^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e}/(a*b^3))) - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) - 3*\text{sqrt}(1/3)*(b^2*x^3 + a*b)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e}/(a*b^3))) + 1/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x - 3/2*\text{sqrt}(1/3)*(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a^2*b^3*e + a*b^2*d^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\text{sqrt}(3) - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e}/(a*b^3))) + 12*c)/(b^2*x^3 + a*b)$$

giac [A] time = 0.20, size = 180, normalized size = 0.95

$$\frac{\sqrt{3} \left(bd - 2 \left(-ab^2 \right)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} b} - \frac{\left(bd + 2 \left(-ab^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} b} - \frac{\left(2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} e \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(b*d - 2*(-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*b) - 1/18*(b*d + 2*(-a*b^2)^(1/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b) - 1/9*(2*(-a/b)^(1/3)*e + d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b) - 1/3*(x^2*e + d*x + c)/((b*x^3 + a)*b)
```

maple [A] time = 0.05, size = 219, normalized size = 1.15

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{2\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{2e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x)
```

```
[Out] (-1/3/b*e*x^2-1/3/b*d*x-1/3*c/b)/(b*x^3+a)+1/9/(a/b)^(2/3)/b^2*d*ln(x+(a/b)^(1/3))-1/18/(a/b)^(2/3)/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/(a/b)^(2/3)*3^(1/2)/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
```

maxima [A] time = 3.03, size = 163, normalized size = 0.86

$$\frac{ex^2 + dx + c}{3(b^2x^3 + ab)} + \frac{\sqrt{3} \left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} + d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] -1/3*(e*x^2 + d*x + c)/(b^2*x^3 + a*b) + 1/9*sqrt(3)*(2*e*(a/b)^(1/3) + d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^2*(a/b)^(2/3)) + 1/18*(2*e*(a/b)^(1/3) - d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^2*(a/b)^(2/3)) - 1/9*(2*e*(a/b)^(1/3) - d)*log(x + (a/b)^(1/3))/(b^2*(a/b)^(2/3))
```

mupad [B] time = 0.22, size = 180, normalized size = 0.95

$$\left(\sum_{k=1}^3 \ln \left(\frac{2de + 4e^2x + \text{root}(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)^2}{b^9} \right) \right) a b^3 81 + \text{root}(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x)`

[Out] `symsum(log((2*d*e + 4*e^2*x + 81*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)^2*a*b^3 + 9*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)*b^2*d*x)/(9*b))*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k), k, 1, 3) - (c/(3*b) + (e*x^2)/(3*b) + (d*x)/(3*b))/(a + b*x^3)`

sympy [A] time = 2.33, size = 110, normalized size = 0.58

$$\text{RootSum}\left(729t^3a^2b^5 + 54tab^2de + 8ae^3 - bd^3, \left(t \mapsto t \log\left(x + \frac{162t^2a^2b^3e + 9tab^2d^2 + 8ade^2}{8ae^3 + bd^3}\right)\right)\right) + \frac{-c - dx - ex^2}{3ab + 3b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**2,x)`

[Out] `RootSum(729*_t**3*a**2*b**5 + 54*_t*a*b**2*d*e + 8*a*e**3 - b*d**3, Lambda(_t, _t*log(x + (162*_t**2*a**2*b**3*e + 9*_t*a*b**2*d**2 + 8*a*d*e**2)/(8*a*e**3 + b*d**3)))) + (-c - d*x - e*x**2)/(3*a*b + 3*b**2*x**3)`

$$3.345 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=200

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}}$$

[Out] $-1/3*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)-1/9*(b^{(2/3)*c-a^{(2/3)*e})*\ln(a^{(1/3)+b^{(1/3)*x)/a^{(4/3)/b^{(4/3)+1/18*(b^{(2/3)*c-a^{(2/3)*e})*\ln(a^{(2/3)-a^{(1/3)})*b^{(1/3)*x+b^{(2/3)*x^2)/a^{(4/3)/b^{(4/3)-1/9*(b^{(2/3)*c+a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*x)/a^{(1/3)*3^{(1/2)))/a^{(4/3)/b^{(4/3)*3^{(1/2)}}$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1860, 31, 634, 617, 204, 628}

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(3*a*b*(a + b*x^3)) - ((b^{(2/3)*c} + a^{(2/3)*e})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(4/3)*b^{(4/3)}} - ((b^{(2/3)*c} - a^{(2/3)*e})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(9*a^{(4/3)*b^{(4/3)}}) + ((b^{(2/3)*c} - a^{(2/3)*e})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}])/(18*a^{(4/3)*b^{(4/3)}})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx + ex^2)}{(a + bx^3)^2} dx &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{-ae - bcx}{a + bx^3} dx}{3ab} \\ &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc - 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc + a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{4/3}b} \\ &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{4/3}b^{4/3}} \\ &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{4/3}b^{4/3}} \\ &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 186, normalized size = 0.93

$$-\frac{(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}(a^{2/3}bc + a^{4/3}\sqrt[3]{b}e)}{18a^2b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

```
[Out] ((-6*a*b^(2/3)*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3) - 2*Sqrt[3]*(a^(2/3)
*b*c + a^(4/3)*b^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(
-(a^(2/3)*b*c) + a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] - ((a^(2/3)*b
*c) + a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]]/(1
8*a^2*b^(5/3))
```

fricas [C] time = 2.97, size = 2358, normalized size = 11.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] 1/36*(12*b*c*x^2 - 12*a*e*x - 2*(a*b^2*x^3 + a^2*b)*((1/2)^(1/3)*(I*sqrt(3)
+ 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)
- 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^
4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3)
+ 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)
- 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^
4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^3*b^3*c - 1/2*((1/2)^(1/3)*
(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b
^4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^
3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))*a^3*b*e^2 + 2*a*b*c^2
*e + (b^2*c^3 + a^2*e^3)*x) - 12*a*d + ((a*b^2*x^3 + a^2*b)*((1/2)^(1/3)*(I
*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4
))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)
/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3))) + 3*sqrt(1/3)*(a*b^2*x^
3 + a^2*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^
4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) +
1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4)
))^(1/3)))^2*a^2*b^2 + 16*c*e)/(a^2*b^2)))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3)
+ 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)
- 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4
) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^3*b^3*c + 1/2*((1/2)^(1/3)*
(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^
4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)
/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))*a^3*b*e^2 - 2*a*b*c^2*
e + 2*(b^2*c^3 + a^2*e^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*
((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1
/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b
^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^3*b^3*c + 2*a^3*b*e^2)*sqrt(-(((1/2)
^(1/3)*(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)
/(a^4*b^4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 +
a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^2*b^2 + 16
*c*e)/(a^2*b^2)) + ((a*b^2*x^3 + a^2*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^2
*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1/2)^
(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c
^3 - a^2*e^3)/(a^4*b^4))^(1/3))) - 3*sqrt(1/3)*(a*b^2*x^3 + a^2*b)*sqrt(-(((
1/2)^(1/3)*(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*
e^3)/(a^4*b^4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*
c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^2*b^2
+ 16*c*e)/(a^2*b^2)))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^2*c^3 + a^
2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1/2)^(2/3)*c*
e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*
e^3)/(a^4*b^4))^(1/3)))^2*a^3*b^3*c + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^
2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1/2)
^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*
c^3 - a^2*e^3)/(a^4*b^4))^(1/3)))^2*a^3*b*e^2 - 2*a*b*c^2*e + 2*(b^2*c^3 + a^
2*e^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^2*c^3 + a^2*e^3)
/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^(1/3) - 2*(1/2)^(2/3)*c*e*(-I*s
```

$$\frac{\sqrt{3} \left(ae - (-ab^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \left(ae + \left(-ab^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + \left(bc \left(-\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \left(-\frac{1}{9} \sqrt{3} \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e \left(-\sqrt{3} + 1 \right) / \left(a^2 b^2 \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} \right) + 16 c e}{a^2 b^2} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a - 18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

giac [A] time = 0.18, size = 190, normalized size = 0.95

$$\frac{\sqrt{3} \left(ae - (-ab^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \left(ae + \left(-ab^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + \left(bc \left(-\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \left(-\frac{1}{9} \sqrt{3} \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e \left(-\sqrt{3} + 1 \right) / \left(a^2 b^2 \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} \right) + 16 c e}{a^2 b^2} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a - 18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{9} \sqrt{3} (ae - (-ab^2)^{\frac{1}{3}} c) \arctan\left(\frac{\sqrt{3} (2x + (-a/b)^{\frac{1}{3}})}{3(-a/b)^{\frac{1}{3}}}\right) / (-a/b)^{\frac{1}{3}} - \frac{1}{18} (ae + (-ab^2)^{\frac{1}{3}} c) \log\left(x^2 + x(-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}\right) / (-a/b)^{\frac{1}{3}} - \frac{1}{9} (bc(-a/b)^{\frac{1}{3}} + ae) \left(-\frac{1}{9} \sqrt{3} \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e \left(-\sqrt{3} + 1 \right) / \left(a^2 b^2 \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} \right) + 16 c e}{a^2 b^2} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a - 18 \left(-ab^2 \right)^{\frac{2}{3}} a}$

maple [A] time = 0.05, size = 228, normalized size = 1.14

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{a}{b}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{a}{b}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{3} c/a x^2 - \frac{1}{3} b e x - \frac{1}{3} d/b / (b x^3 + a) + \frac{1}{9} b^2 e / (a/b)^{\frac{2}{3}} \ln(x + (a/b)^{\frac{1}{3}}) - \frac{1}{18} b^2 e / (a/b)^{\frac{2}{3}} \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) + \frac{1}{9} b^2 e / (a/b)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} (2/(a/b)^{\frac{1}{3}} x - 1)\right) - \frac{1}{9} b/a c / (a/b)^{\frac{1}{3}} \ln(x + (a/b)^{\frac{1}{3}}) + \frac{1}{18} (a/b)^{\frac{1}{3}} / a/b c \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) + \frac{1}{9} b/a c 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} (2/(a/b)^{\frac{1}{3}} x - 1)\right)$

maxima [A] time = 2.84, size = 185, normalized size = 0.92

$$\frac{bcx^2 - aex - ad}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 ab^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - ae \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 ab^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - ae \right) \left(-\frac{1}{9} \sqrt{3} \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e \left(-\sqrt{3} + 1 \right) / \left(a^2 b^2 \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} \right) + 16 c e}{a^2 b^2} \right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} (b c x^2 - a e x - a d) / (a b^2 x^3 + a^2 b) + \frac{1}{9} \sqrt{3} (b c (a/b)^{\frac{1}{3}} + a e) \arctan\left(\frac{\sqrt{3} (2x - (a/b)^{\frac{1}{3}})}{3(a/b)^{\frac{1}{3}}}\right) / (a/b)^{\frac{1}{3}} - \frac{1}{18} (b c (a/b)^{\frac{1}{3}} - a e) \log\left(x^2 - x(a/b)^{\frac{1}{3}} + (a/b)^{\frac{2}{3}}\right) / (a/b)^{\frac{1}{3}} - \frac{1}{9} (b c (a/b)^{\frac{1}{3}} - a e) \left(-\frac{1}{9} \sqrt{3} \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e \left(-\sqrt{3} + 1 \right) / \left(a^2 b^2 \left(\frac{b^2 c^3 + a^2 e^3}{a^4 b^4} - \frac{b^2 c^3 - a^2 e^3}{a^4 b^4} \right)^{\frac{1}{3}} \right) + 16 c e}{a^2 b^2} \right)}{9}$

$$\begin{aligned} & \left(\frac{1}{18} (b^2 c^2 (a/b)^{1/3} - a^2 e^2) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) \right. \\ & \left. - \frac{1}{9} (b^2 c^2 (a/b)^{1/3} - a^2 e^2) \log(x + (a/b)^{1/3}) \right) / \\ & (a^2 b^2 (a/b)^{2/3}) \end{aligned}$$

mupad [B] time = 5.17, size = 194, normalized size = 0.97

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right) \left(b e x + \text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^2,x)

[Out] symsum(log(root(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k)*(b*e*x + 9*root(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k)*a*b^2) + (c*e)/(9*a) + (b*c^2*x)/(9*a^2))*root(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k), k, 1, 3) - (d/(3*b) - (c*x^2)/(3*a) + (e*x)/(3*b))/(a + b*x^3)

sympy [A] time = 1.85, size = 124, normalized size = 0.62

$$\text{RootSum} \left(729 t^3 a^4 b^4 + 27 t a^2 b^2 c e - a^2 e^3 + b^2 c^3, \left(t \mapsto t \log \left(x + \frac{81 t^2 a^3 b^3 c + 9 t a^3 b e^2 + 2 a b c^2 e}{a^2 e^3 + b^2 c^3} \right) \right) \right) + \frac{-a d - a e x}{3 a^2 b + 3 a^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] RootSum(729*_t**3*a**4*b**4 + 27*_t*a**2*b**2*c*e - a**2*e**3 + b**2*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**3*b**3*c + 9*_t*a**3*b*e**2 + 2*a*b*c**2*e)/(a**2*e**3 + b**2*c**3)))) + (-a*d - a*e*x + b*c*x**2)/(3*a**2*b + 3*a**2*x**3)

$$3.346 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$$

Optimal. Leaf size=199

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] 1/3*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)+1/9*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(2/3)-1/18*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(2/3)-1/9*(2*b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.13, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] -(a*e - b*x*(c + d*x))/(3*a*b*(a + b*x^3)) - ((2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((18*a^(5/3)*b^(2/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\int \frac{c + dx + ex^2}{(a + bx^3)^2} dx = -\frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{-2c-dx}{a+bx^3} dx}{3a}$$

$$= -\frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}}$$

$$= -\frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}}$$

$$= -\frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}}$$

$$= -\frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}}$$

Mathematica [A] time = 0.28, size = 189, normalized size = 0.95

$$\frac{\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d - 2\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + (4\sqrt[3]{a}b^{2/3}c - 2a^{2/3}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(bx(c+dx) - a^2 - bx^3)}{a+bx^3}}{18a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] ((6*a*(-(a*e) + b*x*(c + d*x)))/(a + b*x^3) - 2*Sqrt[3]*a^(1/3)*b^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (4*a^(1/3)*b^(2/3)*c - 2*a^(2/3)*b^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x] + a^(1/3)*b^(1/3)*(-2*b^(1/3)*c + a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^2*b)

giac [A] time = 0.18, size = 184, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(2*b*c - (-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) - 1/18*(2*b*c + (-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/9*(d*(-a/b)^(1/3) + 2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^2 + 1/3*(b*d*x^2 + b*c*x - a*e)/((b*x^3 + a)*a*b)
```

maple [A] time = 0.04, size = 253, normalized size = 1.27

$$\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d*x+c)/(b*x^3+a)^2,x)
```

```
[Out] 1/3/(b*x^3+a)/a*c*x+2/9/(a/b)^(2/3)/a/b*c*ln(x+(a/b)^(1/3))-1/9/(a/b)^(2/3)/a/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/(a/b)^(2/3)*3^(1/2)/a/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/(b*x^3+a)/a*d*x^2-1/9*d/a/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18*d/a/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9*d/a*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*e/b/(b*x^3+a)
```

maxima [A] time = 3.02, size = 179, normalized size = 0.90

$$\frac{bdx^2 + bcx - ae}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] 1/3*(b*d*x^2 + b*c*x - a*e)/(a*b^2*x^3 + a^2*b) + 1/9*sqrt(3)*(d*(a/b)^(1/3) + 2*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b*(a/b)^(2/3)) + 1/18*(d*(a/b)^(1/3) - 2*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b*(a/b)^(2/3)) - 1/9*(d*(a/b)^(1/3) - 2*c)*log(x + (a/b)^(1/3))/(a*b*(a/b)^(2/3))
```

mupad [B] time = 0.25, size = 175, normalized size = 0.88

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k) \right)^2 a^3 b 81 + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k)}{a^2 9} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^3)^2, x)`

[Out] `symsum(log((b*(2*c*d + d^2*x + 81*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)^2*a^3*b + 18*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)*a*b*c*x))/(9*a^2))*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k), k, 1, 3) + ((d*x^2)/(3*a) - e/(3*b) + (c*x)/(3*a))/(a + b*x^3)`

sympy [A] time = 1.38, size = 116, normalized size = 0.58

$$\text{RootSum}\left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log\left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3}\right)\right)\right) + \frac{-ae + bcx + ba^2}{3a^2b + 3ab^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**3+a)**2, x)`

[Out] `RootSum(729*_t**3*a**5*b**2 + 54*_t*a**2*b*c*d + a*d**3 - 8*b*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**4*b*d + 36*_t*a**2*b*c**2 + 4*a*c*d**2)/(a*d**3 + 8*b*c**3)))) + (-a*e + b*c*x + b*d*x**2)/(3*a**2*b + 3*a*b**2*x**3)`

$$3.347 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=222

$$-\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] 1/3*x*(-b*c*x^2+a*e*x+a*d)/a^2/(b*x^3+a)+c*ln(x)/a^2+1/9*(2*b^(1/3)*d-a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(2/3)-1/18*(2*b^(1/3)*d-a^(1/3)*e)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(2/3)-1/3*c*ln(b*x^3+a)/a^2-1/9*(2*b^(1/3)*d+a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.31, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^2), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(3*a^2*(a + b*x^3)) - ((2*b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + (c*Log[x])/a^2 + ((2*b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*d - a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(2/3)) - (c*Log[a + b*x^3]/(3*a^2))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^2} dx &= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 2bdx - bex^2}{x(a + bx^3)} dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax} - \frac{b(2ad + aex - 3bcx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex - 3bcx^2}{a + bx^3} dx}{3a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex}{a + bx^3} dx}{3a^2} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a} (4a \sqrt[3]{b} d + a^{4/3} e) + \sqrt[3]{b} (-2a \sqrt[3]{b} d + a^{4/3} e) x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{9a^{8/3} \sqrt[3]{b}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{c \log(a + bx^3)}{3a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(a + bx^3)}{9a^{5/3} b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{(2\sqrt[3]{b} d + \sqrt[3]{a} e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{3\sqrt{3} a^{5/3} b^{2/3}} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(a + bx^3)}{9a^{5/3} b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 199, normalized size = 0.90

$$\frac{\left(a^{2/3} e - 2 \sqrt[3]{a} \sqrt[3]{b} d \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{b^{2/3}} + \frac{2 \left(2 \sqrt[3]{a} \sqrt[3]{b} d - a^{2/3} e \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{b^{2/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \left(\sqrt[3]{a} e + 2 \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{18 a^2} + \frac{6 a (c + x (d + e x^2))}{a + b x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^2), x]

[Out] ((6*a*(c + x*(d + e*x)))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(2*b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 18*c*Log[x] + (2*(2*a^(1/3)*b^(1/3)*d - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*d + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) - 6*c*Log[a + b*x^3])/(18*a^2)

fricas [C] time = 3.15, size = 5018, normalized size = 22.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/324*(108*a*e*x^2 + 108*a*d*x - 2*(a^2*b*x^3 + a^3)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a

) $\log(x)$)/($a^2bx^3 + a^3$)

giac [A] time = 0.18, size = 217, normalized size = 0.98

$$\frac{\sqrt{3} \left(2bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bd + \left(-ab^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{c \log(|bx^3 + a|)}{3a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(($e*x^2+d*x+c$)/ $x/(b*x^3+a)^2$, x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(2*b*d - (-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a) - 1/18*(2*b*d + (-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) - 1/3*c*\log(\text{abs}(b*x^3 + a))/a^2 + c*\log(\text{abs}(x))/a^2 + 1/3*(a*x^2*e + a*d*x + a*c)/((b*x^3 + a)*a^2) - 1/9*(a^3*b*(-a/b)^{(1/3)}*e + 2*a^3*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5*b$

maple [A] time = 0.06, size = 274, normalized size = 1.23

$$\frac{e x^2}{3(b x^3 + a) a} + \frac{d x}{3(b x^3 + a) a} + \frac{2\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \frac{2d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \frac{\sqrt{3} e a}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(($e*x^2+d*x+c$)/ $x/(b*x^3+a)^2$, x)

[Out] $1/3/(b*x^3+a)/a*e*x^2+1/3/a*x/(b*x^3+a)*d+1/3/a/(b*x^3+a)*c+2/9/a/b*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/9/a/b*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9/a/b*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/(a/b)^{(1/3)}/a/b*e*\ln(x+(a/b)^{(1/3)})+1/18/(a/b)^{(1/3)}/a/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9*3^{(1/2)}/(a/b)^{(1/3)}/a/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^2*c*\ln(b*x^3+a)+1/a^2*c*\ln(x)$

maxima [A] time = 2.94, size = 203, normalized size = 0.91

$$\frac{e x^2 + d x + c}{3(a b x^3 + a^2)} + \frac{c \log(x)}{a^2} + \frac{\sqrt{3} \left(a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + 2 a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a^3} - \frac{\left(6 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a e \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2 a d \right) \log \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 a^2 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(($e*x^2+d*x+c$)/ $x/(b*x^3+a)^2$, x, algorithm="maxima")

[Out] $1/3*(e*x^2 + d*x + c)/(a*b*x^3 + a^2) + c*\log(x)/a^2 + 1/9*\sqrt{3}*(a*e*(a/b)^{(2/3)} + 2*a*d*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^3 - 1/18*(6*b*c*(a/b)^{(2/3)} - a*e*(a/b)^{(1/3)} + 2*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b*(a/b)^{(2/3)}) - 1/9*(3*b*c*(a/b)^{(2/3)} + a*e*(a/b)^{(1/3)} - 2*a*d)*\log(x + (a/b)^{(1/3)})/(a^2*b*(a/b)^{(2/3)})$

mupad [B] time = 0.38, size = 490, normalized size = 2.21

$$\frac{\frac{c}{3a} + \frac{ex^2}{3a} + \frac{dx}{3a}}{bx^3 + a} + \left(\sum_{k=1}^3 \ln \left(\frac{4b^2cd^2 - 3b^2c^2e}{9a^3} - \text{root}(729a^6b^2z^3 + 729a^4b^2cz^2 + 54a^3bd ez + 243a^2b^2c^2z + \dots) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^2),x)

[Out] (c/(3*a) + (e*x^2)/(3*a) + (d*x)/(3*a))/(a + b*x^3) + symsum(log((4*b^2*c*d^2 - 3*b^2*c^2*e)/(9*a^3) - root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*(root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*(24*b^3*c*x - a*b^2*e + 36*root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*a^2*b^3*x) + (4*a^2*b^2*d^2 + 6*a^2*b^2*c*e)/(9*a^3) + (x*(108*a*b^3*c^2 + 60*a^2*b^2*d*e))/(27*a^3)) - (x*(a*b*e^3 - 8*b^2*d^3 + 12*b^2*c*d*e))/(27*a^3))*root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k), k, 1, 3) + (c*log(x))/a^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**2,x)

[Out] Timed out

$$3.348 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=231

$$-\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b} x}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}}$$

[Out] $-\frac{c}{a^2/x+1/3*x*(-b*d*x^2-b*c*x+a*e)/a^2/(b*x^3+a)+d*\ln(x)/a^2+2/9*(2*b^{2/3})*c+a^{2/3}*e)*\ln(a^{1/3}+b^{1/3}*x)/a^{7/3}/b^{1/3}-1/9*(2*b^{2/3})*c+a^{2/3}*e)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{7/3}/b^{1/3}-1/3*d*\ln(b*x^3+a)/a^2+2/9*(2*b^{2/3})*c-a^{2/3}*e)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{7/3}/b^{1/3}*3^{1/2}}$

Rubi [A] time = 0.34, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b} x}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] $-\frac{c}{(a^2*x)} + \frac{(x*(a*e - b*c*x - b*d*x^2))/(3*a^2*(a + b*x^3)) + (2*(2*b^{2/3})*c - a^{2/3}*e)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})]}{(3*\text{Sqrt}[3]*a^{7/3}*b^{1/3})} + \frac{(d*\text{Log}[x])/a^2 + (2*(2*b^{2/3})*c + a^{2/3}*e)*\text{Log}[a^{1/3} + b^{1/3}*x]/(9*a^{7/3}*b^{1/3}) - ((2*b^{2/3})*c + a^{2/3}*e)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2]/(9*a^{7/3}*b^{1/3}) - (d*\text{Log}[a + b*x^3])/(3*a^2)}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx &= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 2bex^2 + \frac{b^2cx^3}{a}}{x^2(a + bx^3)} dx}{3ab} \\
&= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^2} - \frac{3bd}{ax} - \frac{b(2ae - 4bcx - 3bdx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx - 3bdx^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx}{a + bx^3} dx}{3a^2} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(-4\sqrt[3]{a}bx^2)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{8/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{(2b^{2/3}c + a^{2/3}e) \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{7/3}\sqrt[3]{b}} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(a + bx^3)}{3a^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 213, normalized size = 0.92

$$\frac{(2a^{2/3}b^{2/3}c + a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(2a^{2/3}b^{2/3}c + a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e - 2b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{b}} - \frac{3a(a + dx + ex^2) \log(a + bx^3)}{a + bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] $-\frac{1}{9} \left(\frac{9ac}{x} - (3a(-bcx^2) + a(d + ex)) \right) / (a + bx^3) + (2\sqrt{3}a^{2/3}(-2b^{2/3}c + a^{4/3}e) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] / b^{1/3} - 9ad \operatorname{Log}[x] - (2(2a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x]) / b^{1/3} + ((2a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]) / b^{1/3} + 3ad \operatorname{Log}[a + bx^3]) / a^3$

fricas [C] time = 3.15, size = 4976, normalized size = 21.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $-\frac{1}{324} (432b^2cx^3 - 108a^2ex^2 - 108ad^2x + 2(a^2bx^4 + a^3x)) \left((-\sqrt{3} + 1) \left(\frac{9d^2}{a^4} - \frac{9d^2 - 8ce}{a^4} \right) / \left(-\frac{1}{27} \frac{d^3}{a^6} + \frac{1}{162} \frac{9d^2}{a^4} \right) \right)$

$$\begin{aligned}
& 2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b) \\
&)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1) \\
& *(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2* \\
& e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b) \\
&))^{(1/3)} + 54*d/a^2)*\log(-1/324*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c \\
& *e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 \\
& + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3 \\
&)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e \\
&)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) \\
& - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^5*b*c - 9*a*b \\
& *c*d^2 + 16*a*b*c^2*e + 3*a^2*d*e^2 + 1/18*(6*a^3*b*c*d - a^4*e^2)*((-I*\text{sq} \\
& r\text{t}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - \\
& 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(\\
& a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(- \\
& 1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 \\
& - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} \\
& + 54*d/a^2) - 2*(8*b^2*c^3 - a^2*e^3)*x) + 324*a*c + (162*b*d*x^4 + 1 \\
& 62*a*d*x - (a^2*b*x^4 + a^3*x)*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c* \\
& e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + \\
& 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3) \\
&)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e) \\
&)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) \\
& - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) + 3*\text{sqrt}(1/3)*(a^2 \\
& *b*x^4 + a^3*x)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/ \\
& (-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e \\
& ^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b) \\
&))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + \\
& 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729* \\
& (8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\text{sqrt}(3) + \\
& 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e) \\
&)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) \\
& - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d \\
& ^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(\\
& 3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} \\
& + 54*d/a^2)*a^2*d + 2916*d^2 - 10368*c*e)/a^4)*\log(1/324*((-I*\text{sqrt}(3) + 1) \\
& *(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d \\
& /a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - \\
& 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/ \\
& a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d \\
& ^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 5 \\
& 4*d/a^2)^2*a^5*b*c + 9*a*b*c*d^2 - 16*a*b*c^2*e - 3*a^2*d*e^2 - 1/18*(6*a^3 \\
& *b*c*d - a^4*e^2)*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/2 \\
& 7*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - \\
& 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/ \\
& 3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/14 \\
& 58*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^ \\
& 2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) - 4*(8*b^2*c^3 - a^2*e^3)*x + 1 \\
& /108*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27* \\
& d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9* \\
& (3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} \\
& + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458 \\
& *(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2* \\
& c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^5*b*c - 54*a^3*b*c*d - 18*a^4*e \\
& ^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a \\
& ^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^ \\
& 3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81 \\
& *(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
& b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\text{sqrt}(3) + 1)*(9*d^2/a
\end{aligned}$$

$$\begin{aligned}
&^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/ \\
&1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8* \\
&b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/1 \\
&62*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c* \\
&d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)* \\
&a^2*d + 2916*d^2 - 10368*c*e)/a^4)) + (162*b*d*x^4 + 162*a*d*x - (a^2*b*x^4 \\
&+ a^3*x)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^ \\
&6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 \\
&- 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81* \\
&(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b \\
&^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
&a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) - 3*\sqrt{1/3)*(a^2*b*x^4 + a^3*x)*\sqrt{ \\
&-(((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/16 \\
&2*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d \\
&*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{ \\
&3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + \\
&8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3) \\
&/ (a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d \\
&^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
&b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
&a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 \\
&- 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b) \\
&/ (a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^2*d + 2 \\
&916*d^2 - 10368*c*e)/a^4))*\log(1/324*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 \\
&- 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2 \\
&*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^ \\
&2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - \\
&8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a \\
&^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^5*b*c + \\
&9*a*b*c*d^2 - 16*a*b*c^2*e - 3*a^2*d*e^2 - 1/18*(6*a^3*b*c*d - a^4*e^2))*((- \\
&I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9* \\
&d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a \\
&*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + \\
&1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^ \\
&2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7 \\
&*b))^{(1/3)} + 54*d/a^2) - 4*(8*b^2*c^3 - a^2*e^3)*x - 1/108*\sqrt{1/3)*(((-I* \\
&\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^ \\
&2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b \\
&)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1) \\
&*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2* \\
&e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b \\
&))^{(1/3)} + 54*d/a^2)*a^5*b*c - 54*a^3*b*c*d - 18*a^4*e^2)*\sqrt{-(((-I*\sqrt{ \\
&3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8 \\
&*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^ \\
&7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/ \\
&27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - \\
&9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1 \\
&/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/ \\
&a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8* \\
&a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a \\
&^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/ \\
&a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4 \\
&/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^2*d + 2916*d^2 - 10 \\
&368*c*e)/a^4)) - 324*(b*d*x^4 + a*d*x)*\log(x))/(a^2*b*x^4 + a^3*x)
\end{aligned}$$

giac [A] time = 0.18, size = 237, normalized size = 1.03

$$-\frac{d \log(|bx^3 + a|)}{3a^2} + \frac{d \log(|x|)}{a^2} + \frac{2\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + 2(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3b} - \frac{4bcx^3 - ax^2e - adx}{3(bx^4 + ax)a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{3}d \log(\text{abs}(bx^3 + a))/a^2 + d \log(\text{abs}(x))/a^2 + \frac{2}{9} \sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + 2(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) / (bx^4 + ax)a^2 + \frac{1}{9} \left(4bcx^3 - ax^2e - adx \right) / (bx^4 + ax)a^2 + \frac{1}{9} \left((-ab^2)^{\frac{1}{3}} ae - 2(-ab^2)^{\frac{2}{3}} c \right) \log(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}}) / (a^3b) + \frac{2}{9} \left(2a^2b^2c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^3b^2e \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log(\text{abs}(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}})) / (a^5b)$

maple [A] time = 0.06, size = 275, normalized size = 1.19

$$-\frac{bcx^2}{3(bx^3+a)a^2} + \frac{ex}{3(bx^3+a)a} + \frac{2\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{1}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3} \frac{d}{a^2} \frac{1}{(bx^3+a)} + \frac{1}{3} \frac{d}{(bx^3+a)} \frac{1}{a} e x + \frac{1}{3} \frac{d}{(bx^3+a)} \frac{1}{a} + \frac{2}{9} \frac{1}{(a/b)^{\frac{2}{3}}} \frac{1}{a/b} e \ln(x + (a/b)^{\frac{1}{3}}) - \frac{1}{9} \frac{1}{(a/b)^{\frac{2}{3}}} \frac{1}{a/b} e \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) + \frac{2}{9} \frac{1}{(a/b)^{\frac{2}{3}}} \frac{1}{a/b} e \arctan \left(\frac{1}{3} \sqrt{3} \left(\frac{2}{(a/b)^{\frac{1}{3}}} x - 1 \right) \right) + \frac{4}{9} \frac{1}{a^2} \frac{c}{(a/b)^{\frac{1}{3}}} \ln(x + (a/b)^{\frac{1}{3}}) - \frac{2}{9} \frac{1}{a^2} \frac{c}{(a/b)^{\frac{1}{3}}} \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) - \frac{4}{9} \frac{1}{3} \frac{1}{(a/b)^{\frac{1}{3}}} \frac{1}{a^2} c \arctan \left(\frac{1}{3} \sqrt{3} \left(\frac{2}{(a/b)^{\frac{1}{3}}} x - 1 \right) \right) - \frac{1}{3} \frac{1}{a^2} d \ln(bx^3+a) - \frac{1}{a^2} \frac{c}{x} + \frac{1}{a^2} d \ln(x)$

maxima [A] time = 3.10, size = 222, normalized size = 0.96

$$-\frac{4bcx^3 - aex^2 - adx + 3ac}{3(a^2bx^4 + a^3x)} + \frac{d \log(x)}{a^2} - \frac{2\sqrt{3} \left(2bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - ae \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3} - \frac{\left(3bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + 2bc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3} \left(4bcx^3 - aex^2 - adx + 3ac \right) / (a^2bx^4 + a^3x) + d \log(x) / a^2 - \frac{2}{9} \sqrt{3} \left(2bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - ae \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{1}{3} \sqrt{3} \left(\frac{2x - \left(\frac{a}{b} \right)^{\frac{1}{3}}}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) \right) / a^3 - \frac{1}{9} \left(3bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + 2bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \log(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}}) / (a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}) - \frac{1}{9} \left(3bd \left(\frac{a}{b} \right)^{\frac{2}{3}} - 4bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2ae \right) \log(x + \left(\frac{a}{b} \right)^{\frac{1}{3}}) / (a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}})$

mupad [B] time = 5.47, size = 488, normalized size = 2.11

$$\left(\sum_{k=1}^3 \ln \left(-\text{root} \left(729 a^7 b z^3 + 729 a^5 b d z^2 - 216 a^3 b c e z + 243 a^3 b d^2 z - 72 a b c d e + 27 a b d^3 - 8 a^2 e^3 - 64 b^2 c^3 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^2),x)`

[Out] `symsum(log((4*(3*b^3*c*d^2 + a*b^2*d*e^2))/(9*a^4) - root(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)*(root(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)*(4*b^3*c + 24*b^3*d*x + 36*root(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)*a^2*b^3*x) + (4*(a^3*b^2*e^2 - 6*a^2*b^3*c*d))/(9*a^4) + (4*x*(27*a^3*b^3*d^2 - 60*a^3*b^3*c*e))/(27*a^5) + (4*x*(16*b^4*c^3 + 2*a^2*b^2*e^3 + 12*a*b^3*c*d*e))/(27*a^5))*root(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k), k, 1, 3) - (c/a - (e*x^2)/(3*a) - (d*x)/(3*a) + (4*b*c*x^3)/(3*a^2))/(a*x + b*x^4) + (d*log(x))/a^2`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**2,x)`

[Out] Timed out

$$3.349 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=242

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}d + 5\sqrt[3]{b}c)}{3a^{8/3}}$$

[Out] $-1/2*c/a^2/x^2-d/a^2/x-1/3*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)+e*\ln(x)/a^2-1/9*b^{(1/3)}*(5*b^{(1/3)}*c-4*a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}+1/18*b^{(1/3)}*(5*b^{(1/3)}*c-4*a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}-1/3*e*\ln(b*x^3+a)/a^2+1/9*b^{(1/3)}*(5*b^{(1/3)}*c+4*a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c + b*d*x + b*e*x^2))/(3*a^2*(a + b*x^3)) + (b^{(1/3)}*(5*b^{(1/3)}*c + 4*a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(3*\text{Sqrt}[3]*a^{(8/3)}) + (e*\text{Log}[x])/a^2 - (b^{(1/3)}*(5*b^{(1/3)}*c - 4*a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(9*a^{(8/3)}) + (b^{(1/3)}*(5*b^{(1/3)}*c - 4*a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(18*a^{(8/3)}) - (e*\text{Log}[a + b*x^3])/ (3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3(a + bx^3)^2} dx &= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{2b^2cx^3}{a} + \frac{b^2dx^4}{a}}{x^3(a + bx^3)} dx}{3ab} \\
&= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^3} - \frac{3bd}{ax^2} - \frac{3be}{ax} + \frac{b^2(5c + 4dx + 3ex^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx + 3ex^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx}{a + bx^3} dx}{3a^2} - \frac{(be) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(a + bx^3)}{3a^2} - \frac{b^{2/3} \int \frac{\sqrt[3]{a}(10\sqrt[3]{b}c + 4\sqrt[3]{b}x)}{a^{2/3} + bx^3} dx}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b}(5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b}(5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{\sqrt[3]{b}(5\sqrt[3]{b}c + 4\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{8/3}} + \frac{e \log(x)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 221, normalized size = 0.91

$$\sqrt[3]{b}(5\sqrt[3]{a}\sqrt[3]{b}c - 4a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(4a^{2/3}d - 5\sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(ae - bx)}{a + bx^3}$$

18a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out] ((-9*a*c)/x^2 - (18*a*d)/x + (6*a*(a*e - b*x*(c + d*x)))/(a + b*x^3) + 2*sqrt[3]*a^(1/3)*b^(1/3)*(5*b^(1/3)*c + 4*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 18*a*e*Log[x] + 2*b^(1/3)*(-5*a^(1/3)*b^(1/3)*c + 4*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(5*a^(1/3)*b^(1/3)*c - 4*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 6*a*e*Log[a + b*x^3])/(18*a^3)

fricas [C] time = 3.26, size = 4774, normalized size = 19.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/324*(432*b*d*x^4 + 270*b*c*x^3 - 108*a*e*x^2 + 324*a*d*x + 2*(a^2*b*x^5 + a^3*x^2)*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*

$$\begin{aligned}
& 62*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5)) + (162*b*e*x^5 + 162*a*e*x^2 - (a^2*b*x^5 + a^3*x^2))*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 3*\sqrt{1/3)*(a^2*b*x^5 + a^3*x^2)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5))*\log(-1/81*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^6*d - 160*a*b*c*d^2 + 75*a*b*c^2*e - 36*a^2*d*e^2 - 1/18*(25*a^3*b*c^2 - 24*a^4*d*e))*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 2*(125*b^2*c^3 + 64*a*b*d^3)*x - 1/54*\sqrt{1/3)*(2*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^6*d - 225*a^3*b*c^2 - 108*a^4*d*e)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5)) - 324*(b*e*x^5 + a*e*x^2)*\log(x))/(a^2*b*x^5 + a^3*x^2)
\end{aligned}$$

giac [A] time = 0.20, size = 248, normalized size = 1.02

$$-\frac{e \log(|bx^3 + a|)}{3a^2} + \frac{e \log(|x|)}{a^2} - \frac{\sqrt{3} \left(5 \left(-ab^2 \right)^{\frac{1}{3}} bc - 4 \left(-ab^2 \right)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3b} - \frac{\left(5 \left(-ab^2 \right)^{\frac{1}{3}} bc + 4 \left(-ab^2 \right)^{\frac{2}{3}} d \right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{3}e \log(\text{abs}(bx^3 + a))/a^2 + e \log(\text{abs}(x))/a^2 - \frac{1}{9}\sqrt{3} \left(5 \left(-ab^2 \right)^{\frac{1}{3}} bc - 4 \left(-ab^2 \right)^{\frac{2}{3}} d \right) \arctan \left(\frac{1}{3} \sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) / \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) / (a^3 b) - \frac{1}{18} \left(5 \left(-ab^2 \right)^{\frac{1}{3}} bc + 4 \left(-ab^2 \right)^{\frac{2}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) / (a^3 b) + \frac{1}{9} \left(4a^2 b^2 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 5a^2 b^2 c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log(\text{abs}(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}})) / (a^5 b) - \frac{1}{6} \left(8bdx^4 + 5b^2cx^3 - 2a^2ex^2 + 6a^2dx + 3a^2c \right) / ((bx^3 + a)a^2x^2)$

maple [A] time = 0.06, size = 276, normalized size = 1.14

$$-\frac{bdx^2}{3(bx^3 + a)a^2} - \frac{bcx}{3(bx^3 + a)a^2} + \frac{e}{3(bx^3 + a)a} - \frac{5\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} - \frac{5c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} + \frac{5c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3} / (bx^3 + a) / a^2 b d x^2 - \frac{1}{3} / a^2 b x / (bx^3 + a) c + \frac{1}{3} / a / (bx^3 + a) e - \frac{5}{9} / a^2 c / (a/b)^{\frac{2}{3}} * \ln(x + (a/b)^{\frac{1}{3}}) + \frac{5}{18} / a^2 c / (a/b)^{\frac{2}{3}} * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) - \frac{5}{9} / a^2 c / (a/b)^{\frac{2}{3}} * 3^{\frac{1}{2}} * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) + \frac{4}{9} / (a/b)^{\frac{1}{3}} / a^2 d * \ln(x + (a/b)^{\frac{1}{3}}) - \frac{2}{9} / (a/b)^{\frac{1}{3}} / a^2 d * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) - \frac{4}{9} * 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} / a^2 d * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) - \frac{1}{3} / a^2 e * \ln(bx^3 + a) - \frac{1}{a^2} d / x + \frac{1}{a^2} e * \ln(x) - \frac{1}{2} / a^2 c / x^2$

maxima [A] time = 2.86, size = 220, normalized size = 0.91

$$-\frac{8bdx^4 + 5bcx^3 - 2aex^2 + 6adx + 3ac}{6(a^2bx^5 + a^3x^2)} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3} \left(4bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5bc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3} - \frac{\left(6e \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{6} \left(8bdx^4 + 5b^2cx^3 - 2a^2ex^2 + 6a^2dx + 3a^2c \right) / (a^2bx^5 + a^3x^2) + e \log(x) / a^2 - \frac{1}{9} \sqrt{3} \left(4bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5bc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{1}{3} \sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) / \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) / a^3 - \frac{1}{18} \left(6e \left(\frac{a}{b} \right)^{\frac{2}{3}} + 4d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) / (a^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}) - \frac{1}{9} \left(3e \left(\frac{a}{b} \right)^{\frac{2}{3}} - 4d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) / (a^2 \left(\frac{a}{b} \right)^{\frac{2}{3}})$

mupad [B] time = 5.39, size = 733, normalized size = 3.03

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k) \right)^2 a^6 d - 36 a^2 d^2 e^2 + 972 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k)^3 a^8 x + 125 b^2 c^3 x - 72 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k) a^4 d e - 75 a b c^2 e - 64 a b d^3 x + 75 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k) a^3 b c^2 + 108 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k) a^4 e^2 x + 648 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k)^2 a^6 e x + 600 \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k) a^3 b c d x + 120 a b c d e x) \right) / (27 a^6) \text{root}(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k), k, 1, 3) - (c / (2 a) - (e x^2) / (3 a) + (d x) / a + (5 b c x^3) / (6 a^2) + (4 b d x^4) / (3 a^2)) / (a x^2 + b x^5) + (e \log(x)) / a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^2),x)

[Out] symsum(log(-(b^3*(108*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*d - 36*a^2*d^2*e^2 + 972*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^3*a^8*x + 125*b^2*c^3*x - 72*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*d*e - 75*a*b*c^2*e - 64*a*b*d^3*x + 75*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c^2 + 108*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*e^2*x + 648*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*e*x + 600*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c*d*x + 120*a*b*c*d*e*x))/(27*a^6))*root(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (e*x^2)/(3*a) + (d*x)/a + (5*b*c*x^3)/(6*a^2) + (4*b*d*x^4)/(3*a^2))/(a*x^2 + b*x^5) + (e*log(x))/a^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)

[Out] Timed out

$$3.350 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=262

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}e + 5\sqrt[3]{b}d)}{3\sqrt[3]{a}}$$

[Out] $-1/3*c/a^2/x^3-1/2*d/a^2/x^2-e/a^2/x-1/3*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)-2*b*c*\ln(x)/a^3-1/9*b^(1/3)*(5*b^(1/3)*d-4*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)+1/18*b^(1/3)*(5*b^(1/3)*d-4*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)+2/3*b*c*\ln(b*x^3+a)/a^3+1/9*b^(1/3)*(5*b^(1/3)*d+4*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)*3^(1/2)$

Rubi [A] time = 0.40, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{x\left(-\frac{b^2cx^2}{a} + bd + bex\right)}{3a^2(a+bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} + \frac{2bc \log(a + bx^3)}{3a^3} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b}}{3\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - d/(2*a^2*x^2) - e/(a^2*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(3*a^2*(a + b*x^3)) + (b^(1/3)*(5*b^(1/3)*d + 4*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(3*\text{Sqrt}[3]*a^(8/3)) - (2*b*c*\text{Log}[x])/a^3 - (b^(1/3)*(5*b^(1/3)*d - 4*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(9*a^(8/3)) + (b^(1/3)*(5*b^(1/3)*d - 4*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(8/3)) + (2*b*c*\text{Log}[a + b*x^3])/ (3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4 (a + bx^3)^2} dx &= -\frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{3b^2 cx^3}{a} + \frac{2b^2 dx^4}{a} + \frac{b^2 ex^5}{a}}{x^4 (a + bx^3)} dx}{3ab} \\
&= -\frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^4} - \frac{3bd}{ax^3} - \frac{3be}{ax^2} + \frac{6b^2 c}{a^2 x} + \frac{b^2 (5ad + 4aex - 6bcx^2)}{a^2 (a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex - 6bcx^2}{a + bx^3} dx}{3a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex}{a + bx^3} dx}{3a^3} + \frac{(2b^2 c) \int \frac{1}{a + bx^3} dx}{a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} + \frac{2bc \log(a + bx^3)}{3a^3} - \frac{b^{2/3} \int \frac{1}{a + bx^3} dx}{a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b} d - 4\sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{8/3}} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b} d - 4\sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{8/3}} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b} d + 4\sqrt[3]{a} e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{3\sqrt{3} a^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 225, normalized size = 0.86

$$\sqrt[3]{b} (5\sqrt[3]{a} \sqrt[3]{b} d - 4a^{2/3} e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2\sqrt[3]{b} (4a^{2/3} e - 5\sqrt[3]{a} \sqrt[3]{b} d) \log(\sqrt[3]{a} + \sqrt[3]{b} x) - \frac{6ab(c + x(d + ex))}{a + bx^3}$$

18a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out] ((-6*a*c)/x^3 - (9*a*d)/x^2 - (18*a*e)/x - (6*a*b*(c + x*(d + e*x)))/(a + b*x^3) + 2*sqrt[3]*a^(1/3)*b^(1/3)*(5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] - 36*b*c*Log[x] + 2*b^(1/3)*(-5*a^(1/3)*b^(1/3)*d + 4*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(5*a^(1/3)*b^(1/3)*d - 4*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 12*b*c*Log[a + b*x^3])/(18*a^3)

fricas [C] time = 3.18, size = 5373, normalized size = 20.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

```
[Out] -1/36*(48*a*b*e*x^5 + 30*a*b*d*x^4 + 24*a*b*c*x^3 + 36*a^2*e*x^2 + 18*a^2*d
*x + 12*a^2*c + 2*(a^3*b*x^6 + a^4*x^3)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*
b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 +
64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^
2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3)
+ 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*
b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)
/a^9)^(1/3) - 12*b*c/a^3)*log((8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^
6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*
b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 -
5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432*
b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c
/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3)
) - 12*b*c/a^3)^2*a^6*e + 150*b^2*c*d^2 + 144*b^2*c^2*e + 160*a*b*d*e^2 + 1
/2*(25*a^3*b*d^2 + 48*a^3*b*c*e)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2
/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^
3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3
- 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(4
32*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*
b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(
1/3) - 12*b*c/a^3) + (125*b^2*d^3 + 64*a*b*e^3)*x - (36*b^2*c*x^6 + 36*a*b
*c*x^3 + (a^3*b*x^6 + a^4*x^3)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a
^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)
)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 -
5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432
*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*
c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/
3) - 12*b*c/a^3) + 3*sqrt(1/3)*(a^3*b*x^6 + a^4*x^3)*sqrt(-((8*(1/2)^(2/3)*
(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3
/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 +
(216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/
2)^(1/3)*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 -
72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^
3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^(2/3)*(-I
*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^
9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (21
6*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^
(1/3)*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*
(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 -
72*c*d*e)*a*b^2)/a^9)^(1/3) - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*
d*e)/a^6)*log(-8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2
+ 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*
b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72
*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 +
(125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^
3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) - 12*b*c/a^3)
)^2*a^6*e - 150*b^2*c*d^2 - 144*b^2*c^2*e - 160*a*b*d*e^2 - 1/2*(25*a^3*b*d
^2 + 48*a^3*b*c*e)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*
c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*
(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 -
72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9
+ (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216
*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) - 12*b*c/
a^3) + 2*(125*b^2*d^3 + 64*a*b*e^3)*x + 3/2*sqrt(1/3)*(2*(8*(1/2)^(2/3)*(-I
*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^
9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (21
6*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^
(1/3)*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*
(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 -
```

$$\begin{aligned}
& 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^6*e - 25*a^3*b*d^2 + 24*a^3*b*c*e)*\sqrt{-((8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*d*e)/a^6)) - (36*b^2*c*x^6 + 36*a*b*c*x^3 + (a^3*b*x^6 + a^4*x^3)*(8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*d*e)/a^6)) * \log(-((8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6*e - 150*b^2*c*d^2 - 144*b^2*c^2*e - 160*a*b*d*e^2 - 1/2*(25*a^3*b*d^2 + 48*a^3*b*c*e)*(8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3) + 2*(125*b^2*d^3 + 64*a*b*e^3)*x - 3/2*\sqrt{1/3)*(2*(8*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(
\end{aligned}$$

$$\frac{1}{2}^{\frac{2}{3}} * (-I * \sqrt{3} + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{\frac{1}{3}} + (1/2)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{\frac{1}{3}} - 12 * b * c / a^3 * a^3 * b * c + 144 * b^2 * c^2 + 320 * a * b * d * e) / a^6)) + 72 * (b^2 * c * x^6 + a * b * c * x^3) * \log(x) / (a^3 * b * x^6 + a^4 * x^3)$$

giac [A] time = 0.18, size = 269, normalized size = 1.03

$$\frac{2bc \log(|bx^3 + a|)}{3a^3} - \frac{2bc \log(|x|)}{a^3} - \frac{\sqrt{3} \left(5(-ab^2)^{\frac{1}{3}} bd - 4(-ab^2)^{\frac{2}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9a^3b} - \frac{\left(5(-ab^2)^{\frac{1}{3}} bd + \dots \right)}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{2}{3} * b * c * \log(\text{abs}(b * x^3 + a)) / a^3 - 2 * b * c * \log(\text{abs}(x)) / a^3 - \frac{1}{9} * \sqrt{3} * (5 * (-a * b^2)^{\frac{1}{3}} * b * d - 4 * (-a * b^2)^{\frac{2}{3}} * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{\frac{1}{3}}) / (-a/b)^{\frac{1}{3}}) / (a^3 * b) - \frac{1}{18} * (5 * (-a * b^2)^{\frac{1}{3}} * b * d + 4 * (-a * b^2)^{\frac{2}{3}} * e) * \log(x^2 + x * (-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) / (a^3 * b) + \frac{1}{9} * (4 * a^4 * b^2 * (-a/b)^{\frac{1}{3}} * e + 5 * a^4 * b^2 * d) * (-a/b)^{\frac{1}{3}} * \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / (a^7 * b) - \frac{1}{6} * (8 * a * b * x^5 * e + 5 * a * b * d * x^4 + 4 * a * b * c * x^3 + 6 * a^2 * x^2 * e + 3 * a^2 * d * x + 2 * a^2 * c) / ((b * x^3 + a) * a^3 * x^3)$

maple [A] time = 0.06, size = 289, normalized size = 1.10

$$\frac{be x^2}{3(bx^3 + a)a^2} - \frac{bdx}{3(bx^3 + a)a^2} - \frac{bc}{3(bx^3 + a)a^2} - \frac{5\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} - \frac{5d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} + \frac{5d \ln \left(x^2 - \dots \right)}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3} / (b * x^3 + a) / a^2 * b * e * x^2 - \frac{1}{3} / (b * x^3 + a) / a^2 * b * d * x - \frac{1}{3} * b / a^2 / (b * x^3 + a) * c - \frac{5}{9} / (a/b)^{\frac{2}{3}} / a^2 * d * \ln(x + (a/b)^{\frac{1}{3}}) + \frac{5}{18} / (a/b)^{\frac{2}{3}} / a^2 * d * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) - \frac{5}{9} / (a/b)^{\frac{2}{3}} * 3^{\frac{1}{2}} / a^2 * d * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) + \frac{4}{9} / (a/b)^{\frac{1}{3}} / a^2 * e * \ln(x + (a/b)^{\frac{1}{3}}) - \frac{2}{9} / a^2 * e / (a/b)^{\frac{1}{3}} * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) - \frac{4}{9} / a^2 * e * 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) + \frac{2}{3} / a^3 * b * c * \ln(b * x^3 + a) - \frac{1}{a^2} * e / x - \frac{1}{3} / a^2 * c / x^3 - \frac{1}{2} / a^2 * d / x^2 - \frac{2}{a^3} * b * c * \ln(x)$

maxima [A] time = 3.07, size = 236, normalized size = 0.90

$$\frac{8bex^5 + 5bdx^4 + 4bcx^3 + 6aex^2 + 3adx + 2ac}{6(a^2bx^6 + a^3x^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt{3} \left(4ae \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5ad \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) b \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/6*(8*b*e*x^5 + 5*b*d*x^4 + 4*b*c*x^3 + 6*a*e*x^2 + 3*a*d*x + 2*a*c)/(a^2*b*x^6 + a^3*x^3) - 2*b*c*\log(x)/a^3 - 1/9*\sqrt{3}*(4*a*e*(a/b)^{(2/3)} + 5*a*d*(a/b)^{(1/3)})*b*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 + 1/18*(12*b*c*(a/b)^{(2/3)} - 4*a*e*(a/b)^{(1/3)} + 5*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*(a/b)^{(2/3)}) + 1/9*(6*b*c*(a/b)^{(2/3)} + 4*a*e*(a/b)^{(1/3)} - 5*a*d)*\log(x + (a/b)^{(1/3)})/(a^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.48, size = 537, normalized size = 2.05

$$\left(\sum_{k=1}^3 \ln \left(-\frac{50 b^5 c d^2 - 48 b^5 c^2 e}{9 a^6} - \text{root} \left(729 a^9 z^3 - 1458 a^6 b c z^2 + 540 a^4 b d e z + 972 a^3 b^2 c^2 z - 360 a b^2 c d e - \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^2),x)

[Out]
$$\text{symsum}(\log((x*(64*a*b^4*e^3 - 125*b^5*d^3 + 240*b^5*c*d*e))/(27*a^6) - \text{root}(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k))*((25*a^3*b^4*d^2 + 48*a^3*b^4*c*e)/(9*a^6) + \text{root}(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k))*(4*b^3*e + 36*\text{root}(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k))*a^2*b^3*x - (48*b^4*c*x)/a) + (x*(432*a^2*b^5*c^2 + 600*a^3*b^4*d*e))/(27*a^6)) - (50*b^5*c*d^2 - 48*b^5*c^2*e)/(9*a^6))*\text{root}(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (d*x)/(2*a) + (2*b*c*x^3)/(3*a^2) + (5*b*d*x^4)/(6*a^2) + (4*b*e*x^5)/(3*a^2))/(a*x^3 + b*x^6) - (2*b*c*\log(x))/a^3$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.351 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{(\sqrt[3]{b}d - \sqrt[3]{ae}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{5/3}} - \frac{(\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}}$$

[Out] 1/6*(-e*x^2-d*x-c)/b/(b*x^3+a)^2+1/18*x*(2*e*x+d)/a/b/(b*x^3+a)+1/27*(b^(1/3)*d-a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(5/3)-1/54*(d-a^(1/3)*e)/b^(1/3)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(4/3)-1/27*(b^(1/3)*d+a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.20, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{(\sqrt[3]{b}d - \sqrt[3]{ae}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{5/3}} - \frac{(\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] -(c + d*x + e*x^2)/(6*b*(a + b*x^3)^2) + (x*(d + 2*e*x))/(18*a*b*(a + b*x^3)) - ((b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(5/3)) + ((b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(5/3)) - ((d - (a^(1/3)*e)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^3} dx &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{\int \frac{d+2ex}{(a+bx^3)^2} dx}{6b} \\ &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{x(d + 2ex)}{18ab(a + bx^3)} - \frac{\int \frac{-2d-2ex}{a+bx^3} dx}{18ab} \\ &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{x(d + 2ex)}{18ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}d-2\sqrt[3]{a}e) + \sqrt[3]{b}(2\sqrt[3]{b}d-2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{5/3}b^{4/3}} + \frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)}{2} \\ &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{x(d + 2ex)}{18ab(a + bx^3)} + \frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{4/3}} + \frac{(\sqrt[3]{b}d + \sqrt[3]{a}e) \int \frac{1}{a^{2/3}}}{18a^{4/3}} \\ &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{x(d + 2ex)}{18ab(a + bx^3)} + \frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{4/3}} - \frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(a^{2/3})}{54a^{5/3}} \\ &= -\frac{c + dx + ex^2}{6b(a + bx^3)^2} + \frac{x(d + 2ex)}{18ab(a + bx^3)} - \frac{(\sqrt[3]{b}d + \sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}} + \frac{\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(a^{2/3})}{27a^{5/3}} \end{aligned}$$

Mathematica [A] time = 0.21, size = 198, normalized size = 0.92

$$\frac{(\sqrt[3]{ae} - \sqrt[3]{bd}) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2})}{a^{5/3}} + \frac{2(\sqrt[3]{bd} - \sqrt[3]{ae}) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{a^{5/3}} - \frac{2\sqrt{3}(\sqrt[3]{ae} + \sqrt[3]{bd}) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{a^{5/3}} - \frac{9b^{2/3}(c + x(d + ex))}{(a + bx^3)^2} + \frac{3b^{2/3}}{a}$$

$54b^{5/3}$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x]
```

```
[Out] ((3*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)) - (9*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3)^2 - (2*sqrt(3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(5/3) + (2*(b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + ((- (b^(1/3)*d) + a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(5/3))
```

fricas [C] time = 2.72, size = 2163, normalized size = 10.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/108*(12*b*e*x^5 + 6*b*d*x^4 - 6*a*e*x^2 - 12*a*d*x - 2*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) * log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^4*b^3*e - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) * a^2*b^2*d^2 + 2*a*d*e^2 + (b*d^3 + a*e^3)*x) - 18*a*c + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) + 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^4*b^3*e + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) * a^2*b^2*d^2 - 2*a*d*e^2 + 2*(b*d^3 + a*e^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) * a^4*b^3*e + 2*a^2*b^2*d^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b^3))) + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) - 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b^3))) + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) - 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b^3))) + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) - 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b^3)))
```

$$\begin{aligned} &^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3} + 1)/(a^3*b^3* \\ &((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})^2*a^3*b^3 + \\ &16*d*e)/(a^3*b^3)))*\log(-1/4*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + a*e^3) \\ &/ (a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3} \\ &+ 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1 \\ &/3)))^2*a^4*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + a*e^3)/(a^5* \\ &b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3} + 1 \\ &)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})))* \\ &a^2*b^2*d^2 - 2*a*d*e^2 + 2*(b*d^3 + a*e^3)*x - 3/4*\sqrt{1/3}*(((1/2)^{(1/3)} \\ &*(I*\sqrt{3} + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1 \\ &/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3} + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5 \\ &) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})))*a^4*b^3*e + 2*a^2*b^2*d^2)*\sqrt{-(((\\ &1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^ \\ &5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3} + 1)/(a^3*b^3*((b*d^3 + a*e^3 \\ &)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})))^2*a^3*b^3 + 16*d*e)/(a^3*b \\ &^3)))/ (a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b) \end{aligned}$$

giac [A] time = 0.21, size = 208, normalized size = 0.97

$$\frac{\sqrt{3} \left(bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(bd + \left(-ab^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(\left(-\frac{a}{b} \right)^{\frac{1}{3}} e + d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}}}{27 \left(-ab^2 \right)^{\frac{2}{3}} ab \quad 54 \left(-ab^2 \right)^{\frac{2}{3}} ab \quad 27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} &-1/27*\sqrt{3}*(b*d - (-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)} \\ &)/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/54*(b*d + (-a*b^2)^{(1/3)}*e)*\log(\\ &x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/27*((-a/b)^{(1 \\ &/3)}*e + d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^2*b) + 1/18*(2*b*x^5* \\ &e + b*d*x^4 - a*x^2*e - 2*a*d*x - 3*a*c)/((b*x^3 + a)^2*a*b) \end{aligned}$$

maple [A] time = 0.06, size = 255, normalized size = 1.19

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2} - \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out]
$$\begin{aligned} &(1/9/a*e*x^5+1/18*d/a*x^4-1/18/b*e*x^2-1/9/b*d*x-1/6/b*c)/(b*x^3+a)^2+1/27/ \\ &(a/b)^{(2/3)}/a/b^2*d*\ln(x+(a/b)^{(1/3)})-1/54/(a/b)^{(2/3)}/a/b^2*d*\ln(x^2-(a/b) \\ &^{(1/3)}*x+(a/b)^{(2/3)})+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*d*\arctan(1/3*3^{(1/2)}*(\\ &2/(a/b)^{(1/3)}*x-1))-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e+1/54/a/b^2/(\\ &a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/ \\ &3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e \end{aligned}$$

maxima [A] time = 3.02, size = 203, normalized size = 0.94

$$\frac{2bex^5 + bdx^4 - aex^2 - 2adx - 3ac}{18(ab^3x^6 + 2a^2b^2x^3 + a^3b)} + \frac{\sqrt{3}\left(e\left(\frac{a}{b}\right)^{\frac{1}{3}} + d\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27ab^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(e\left(\frac{a}{b}\right)^{\frac{1}{3}} - d\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54ab^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*b*e*x^5 + b*d*x^4 - a*e*x^2 - 2*a*d*x - 3*a*c)/(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b) + 1/27*sqrt(3)*(e*(a/b)^(1/3) + d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2*(a/b)^(2/3)) + 1/54*(e*(a/b)^(1/3) - d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/27*(e*(a/b)^(1/3) - d)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))

mupad [B] time = 0.23, size = 216, normalized size = 1.00

$$\left(\sum_{k=1}^3 \ln\left(\frac{de + e^2x + \text{root}\left(19683a^5b^5z^3 + 81a^2b^2dez + ae^3 - bd^3, z, k\right)^2 a^3b^3729 + \text{root}\left(19683a^5b^5z^3 + 81a^2b^2dez + ae^3 - bd^3, z, k\right)}{a^2b81}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x)

[Out] symsum(log((d*e + e^2*x + 729*root(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)^2*a^3*b^3 + 27*root(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)*a*b^2*d*x)/(81*a^2*b))*root(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k), k, 1, 3) - (c/(6*b) - (d*x^4)/(18*a) - (e*x^5)/(9*a) + (e*x^2)/(18*b) + (d*x)/(9*b))/(a^2 + b^2*x^6 + 2*a*b*x^3)

sympy [A] time = 6.26, size = 148, normalized size = 0.69

$$\text{RootSum}\left(19683t^3a^5b^5 + 81ta^2b^2de + ae^3 - bd^3, \left(t \mapsto t \log\left(x + \frac{729t^2a^4b^3e + 27ta^2b^2d^2 + 2ade^2}{ae^3 + bd^3}\right)\right)\right) + \frac{-3ac - 2ad^2}{18a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] RootSum(19683*_t**3*a**5*b**5 + 81*_t*a**2*b**2*d*e + a*e**3 - b*d**3, Lambda(_t, _t*log(x + (729*_t**2*a**4*b**3*e + 27*_t*a**2*b**2*d**2 + 2*a*d*e**2)/(a*e**3 + b*d**3)))) + (-3*a*c - 2*a*d*x - a*e*x**2 + b*d*x**4 + 2*b*e*x**5)/(18*a**3*b + 36*a**2*b**2*x**3 + 18*a*b**3*x**6)

$$3.352 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=239

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}$$

[Out] $-1/6*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^2+1/18*(-3*a*d+x*(4*b*c*x+a*e))/a^2/b/(b*x^3+a)-1/27*(2*b^(2/3)*c-a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(7/3)/b^(4/3)+1/54*(2*b^(2/3)*c-a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(7/3)/b^(4/3)-1/27*(2*b^(2/3)*c+a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(7/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.20, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {1828, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*d - x*(a*e + 4*b*c*x))/(18*a^2*b*(a + b*x^3)) - ((2*b^(2/3)*c + a^(2/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))])/(9*\text{Sqrt}[3]*a^(7/3)*b^(4/3)) - ((2*b^(2/3)*c - a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(7/3)*b^(4/3)) + ((2*b^(2/3)*c - a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(7/3)*b^(4/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^3} dx &= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{\int \frac{-ae - 4bcx - 3bdx^2}{(a + bx^3)^2} dx}{6ab} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{2ae + 4bcx}{a + bx^3} dx}{18a^2b} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(4\sqrt[3]{a}bc - 2a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{54a^{8/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 214, normalized size = 0.90

$$\frac{(2a^{2/3}bc - a^{4/3}\sqrt[3]{b}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2\sqrt{3}a^{2/3}\sqrt[3]{b}(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) + 2(a^{4/3}\sqrt[3]{b}e - 2a^{2/3}bc)}{54a^3b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] ((3*a*b^(2/3)*(4*b^2*c*x^5 - a^2*(3*d + 2*e*x) + a*b*x^2*(7*c + e*x^2)))/(a + b*x^3)^2 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(2*b^(2/3)*c + a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-2*a^(2/3)*b*c + a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] + (2*a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^3*b^(5/3))

fricas [C] time = 2.73, size = 2519, normalized size = 10.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/108*(24*b^2*c*x^5 + 6*a*b*e*x^4 + 42*a*b*c*x^2 - 12*a^2*e*x - 18*a^2*d - 2*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))*log(1/2*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))^2*a^5*b^3*c - 1/2*((1/2)^(1/3)

)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))) * a^4*b*e^2 + 8*a*b*c^2*e + (8*b^2*c^3 + a^2*e^3)*x) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) + 3*sqrt(1/3)*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^4*b^2 + 32*c*e)/(a^4*b^2))) * log(-1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^5*b^3*c + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) * a^4*b*e^2 - 8*a*b*c^2*e + 2*(8*b^2*c^3 + a^2*e^3)*x + 3/2*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) * a^5*b^3*c + a^4*b*e^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^4*b^2 + 32*c*e)/(a^4*b^2))) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) - 3*sqrt(1/3)*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^4*b^2 + 32*c*e)/(a^4*b^2))) * log(-1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^5*b^3*c + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) * a^4*b*e^2 - 8*a*b*c^2*e + 2*(8*b^2*c^3 + a^2*e^3)*x - 3/2*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))) * a^5*b^3*c + a^4*b*e^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))))^2*a^4*b^2 + 32*c*e)/(a^4*b^2))))/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)

giac [A] time = 0.20, size = 215, normalized size = 0.90

$$\frac{\sqrt{3} \left(a e - 2 \left(-a b^2 \right)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-a b^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(a e + 2 \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-a b^2 \right)^{\frac{2}{3}} a^2} \left(2 b c \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*\sqrt{3}*(a*e - 2*(-a*b^2)^{(1/3)}*c)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/54*(a*e + 2*(-a*b^2)^{(1/3)}*c)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/27*(2*b*c*(-a/b)^{(1/3)} + a*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^3*b) + 1/18*(4*b^2*c*x^5 + a*b*x^4*e + 7*a*b*c*x^2 - 2*a^2*x*e - 3*a^2*d)/((b*x^3 + a)^2*a^2*b)$

maple [A] time = 0.05, size = 256, normalized size = 1.07

$$\frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b} - \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x)`

[Out] $(2/9/a^2*c*b*x^5+1/18/a*e*x^4+7/18/a*c*x^2-1/9/b*e*x-1/6/b*d)/(b*x^3+a)^2+1/27/(a/b)^{(2/3)}/a/b^2*e*\ln(x+(a/b)^{(1/3)})-1/54/(a/b)^{(2/3)}/a/b^2*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-2/27/(a/b)^{(1/3)}/a^2/b*c*\ln(x+(a/b)^{(1/3)})+1/27/(a/b)^{(1/3)}/a^2/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/27*3^{(1/2)}/(a/b)^{(1/3)}/a^2/b*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 3.06, size = 223, normalized size = 0.93

$$\frac{4b^2cx^5 + abex^4 + 7abcx^2 - 2a^2ex - 3a^2d}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{\sqrt{3}\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + ae\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - ae\right)\log\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $1/18*(4*b^2*c*x^5 + a*b*e*x^4 + 7*a*b*c*x^2 - 2*a^2*e*x - 3*a^2*d)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + 1/27*\sqrt{3}*(2*b*c*(a/b)^{(1/3)} + a*e)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)}) + 1/54*(2*b*c*(a/b)^{(1/3)} - a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) - 1/27*(2*b*c*(a/b)^{(1/3)} - a*e)*\log(x + (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)})$

mupad [B] time = 0.23, size = 232, normalized size = 0.97

$$\frac{\frac{7cx^2}{18a} - \frac{d}{6b} + \frac{ex^4}{18a} - \frac{ex}{9b} + \frac{2bcx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln\left(\frac{2ace + \text{root}\left(19683a^7b^4z^3 + 162a^3b^2cez + 8b^2c^3 - a^2e^3, z, k\right)^2 a^5 b^2}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^3,x)`

[Out] $((7*c*x^2)/(18*a) - d/(6*b) + (e*x^4)/(18*a) - (e*x)/(9*b) + (2*b*c*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log((2*a*c*e + 729*\text{root}(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z + 8*b^2*c^3 - a^2*e^3, z, k)^2*a^5*b^2 + 4*b$

$*c^2*x + 27*\text{root}(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z + 8*b^2*c^3 - a^2*e^3, z, k)*a^3*b*e*x)/(81*a^4)*\text{root}(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z + 8*b^2*c^3 - a^2*e^3, z, k), k, 1, 3)$

sympy [A] time = 3.99, size = 170, normalized size = 0.71

$$\text{RootSum}\left(19683t^3a^7b^4 + 162ta^3b^2ce - a^2e^3 + 8b^2c^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^5b^3c + 27ta^4be^2 + 8abc^2e}{a^2e^3 + 8b^2c^3}\right)\right)\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] RootSum(19683*_t**3*a**7*b**4 + 162*_t*a**3*b**2*c*e - a**2*e**3 + 8*b**2*c**3, Lambda(_t, _t*log(x + (1458*_t**2*a**5*b**3*c + 27*_t*a**4*b*e**2 + 8*a*b*c**2*e)/(a**2*e**3 + 8*b**2*c**3)))) + (-3*a**2*d - 2*a**2*e*x + 7*a*b*c*x**2 + a*b*e*x**4 + 4*b**2*c*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a**2*b**3*x**6)

$$3.353 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$$

Optimal. Leaf size=225

$$-\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c)\tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] $1/18*x*(4*d*x+5*c)/a^2/(b*x^3+a)+1/6*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)^{2+1/2}$
 $7*(5*b^{(1/3)*c}-2*a^{(1/3)*d})*\ln(a^{(1/3)+b^{(1/3)*x}}/a^{(8/3)}/b^{(2/3)}-1/54*(5*b^{(1/3)*c}-2*a^{(1/3)*d})*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2}}/a^{(8/3)}/b^{(2/3)}-1/27*(5*b^{(1/3)*c}+2*a^{(1/3)*d})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}}/a^{(8/3)}/b^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.19, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c)\tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^3, x]

[Out] $(x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(6*a*b*(a + b*x^3)^2) - ((5*b^{(1/3)*c} + 2*a^{(1/3)*d})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(8/3)*b^{(2/3)}}) + ((5*b^{(1/3)*c} - 2*a^{(1/3)*d})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(27*a^{(8/3)*b^{(2/3)}}) - ((5*b^{(1/3)*c} - 2*a^{(1/3)*d})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}])/(54*a^{(8/3)*b^{(2/3)}})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x](a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a + bx^3)^3} dx &= -\frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{\int \frac{-5c - 4dx}{(a + bx^3)^2} dx}{6a} \\ &= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{10c + 4dx}{a + bx^3} dx}{18a^2} \\ &= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c + 4\sqrt[3]{a}d) + \sqrt[3]{b}(-10\sqrt[3]{b}c + 4\sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{(5c - \frac{2\sqrt[3]{c}}{\sqrt[3]{a}})}{5} \\ &= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{5} \\ &= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{5} \\ &= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{(5\sqrt[3]{b}c + 2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{27} \end{aligned}$$

$$\begin{aligned} &)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 3 \sqrt[3]{1/3} (a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b) \sqrt{-((1/2)^{1/3} (I \sqrt[3]{3} + 1) ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 20 (1/2)^{2/3} c d (-I \sqrt[3]{3} + 1)/(a^5 b ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3}))^2 a^5 b + 160 c d)/(a^5 b))} \log(-1/2 * ((1/2)^{1/3} (I \sqrt[3]{3} + 1) ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 20 (1/2)^{2/3} c d (-I \sqrt[3]{3} + 1)/(a^5 b ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3}))^2 a^6 b d + 25/2 * ((1/2)^{1/3} (I \sqrt[3]{3} + 1) ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 20 (1/2)^{2/3} c d (-I \sqrt[3]{3} + 1)/(a^5 b ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3})) a^3 b c^2 - 40 a^3 c d^2 + 2 (125 b^3 c^3 + 8 a^4 d^3) x - 3/2 \sqrt[3]{1/3} * ((1/2)^{1/3} (I \sqrt[3]{3} + 1) ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 20 (1/2)^{2/3} c d (-I \sqrt[3]{3} + 1)/(a^5 b ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3})) a^6 b d + 25 a^3 b c^2) \sqrt{-((1/2)^{1/3} (I \sqrt[3]{3} + 1) ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3} - 20 (1/2)^{2/3} c d (-I \sqrt[3]{3} + 1)/(a^5 b ((125 b^3 c^3 + 8 a^4 d^3)/(a^8 b^2) + (125 b^3 c^3 - 8 a^4 d^3)/(a^8 b^2))^{1/3}))^2 a^5 b + 160 c d)/(a^5 b))} / (a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b) \end{aligned}$$

giac [A] time = 0.21, size = 210, normalized size = 0.93

$$\frac{\sqrt{3} \left(5bc - 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(5bc + 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(2d \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27 \sqrt[3]{3} (5bc - 2(-ab^2)^{1/3} d) \arctan(1/3 \sqrt[3]{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-ab^2)^{2/3} a^2) - 1/54 (5bc + 2(-ab^2)^{1/3} d) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{2/3} a^2) - 1/27 (2d(-a/b)^{1/3} + 5c) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / a^3 + 1/18 (4b^2 d x^5 + 5b^2 c x^4 + 7a b d x^2 + 8a b c x - 3a^2 e) / ((b x^3 + a)^2 a^2 b)$

maple [A] time = 0.05, size = 308, normalized size = 1.37

$$\frac{e x^3}{6 (b x^3 + a)^2 a} + \frac{d x^2}{6 (b x^3 + a)^2 a} + \frac{c x}{6 (b x^3 + a)^2 a} + \frac{2 d x^2}{9 (b x^3 + a) a^2} + \frac{5 c x}{18 (b x^3 + a) a^2} - \frac{e}{6 (b x^3 + a) a b} + \frac{5 \sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] $1/6 (b x^3 + a)^2 / a^2 c x + 5/18 c / a^2 x / (b x^3 + a) + 5/27 (a/b)^{2/3} / a^2 / b c \ln(x + (a/b)^{1/3}) - 5/54 (a/b)^{2/3} / a^2 / b c \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 5/27 (a/b)^{2/3} * 3^{1/2} / a^2 / b c \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 1/6 a / (b x^3 + a)^2 * x^2 d + 2/9 d / a^2 * x^2 / (b x^3 + a) - 2/27 a^2 / b / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * d + 1/27 a^2 / b / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * d + 2/27$

$$a^2/b^3 \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) \cdot d + 1/6 \cdot e/a \cdot x^3 / (b \cdot x^3 + a)^2 - 1/6 \cdot e/a/b / (b \cdot x^3 + a)$$

maxima [A] time = 2.99, size = 219, normalized size = 0.97

$$\frac{4b^2dx^5 + 5b^2cx^4 + 7abd^2x^2 + 8abcx - 3a^2e}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{\sqrt{3} \left(2d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(2d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b^2*d*x^5 + 5*b^2*c*x^4 + 7*a*b*d*x^2 + 8*a*b*c*x - 3*a^2*e)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + 1/27*sqrt(3)*(2*d*(a/b)^(1/3) + 5*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b*(a/b)^(2/3)) + 1/54*(2*d*(a/b)^(1/3) - 5*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/27*(2*d*(a/b)^(1/3) - 5*c)*log(x + (a/b)^(1/3))/(a^2*b*(a/b)^(2/3))

mupad [B] time = 0.26, size = 212, normalized size = 0.94

$$\frac{\frac{7dx^2}{18a} - \frac{e}{6b} + \frac{4cx}{9a} + \frac{5bcx^4}{18a^2} + \frac{2bdx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(10cd + 4d^2x + \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8a^8d^3, z, k \right)^2 a^5 b + 135 \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8a^8d^3, z, k \right) a^2 b c x \right)}{81a^4} \right) \cdot \text{root} \left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8a^8d^3, z, k \right), k, 1, 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^3,x)

[Out] ((7*d*x^2)/(18*a) - e/(6*b) + (4*c*x)/(9*a) + (5*b*c*x^4)/(18*a^2) + (2*b*d*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((b*(10*c*d + 4*d^2*x + 729*root(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k)^2*a^5*b + 135*root(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k)*a^2*b*c*x))/(81*a^4))*root(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k), k, 1, 3)

sympy [A] time = 2.28, size = 163, normalized size = 0.72

$$\text{RootSum} \left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log \left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3} \right) \right) \right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] RootSum(19683*_t**3*a**8*b**2 + 810*_t*a**3*b*c*d + 8*a*d**3 - 125*b*c**3, Lambda(_t, _t*log(x + (1458*_t**2*a**6*b*d + 675*_t*a**3*b*c**2 + 40*a*c*d**2)/(8*a*d**3 + 125*b*c**3)))) + (-3*a**2*e + 8*a*b*c*x + 7*a*b*d*x**2 + 5*b**2*c*x**4 + 4*b**2*d*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a**2*b**3*x**6)

$$3.354 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=257

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{2\sqrt[3]{a}e + 5\sqrt[3]{b}d}{9\sqrt{3}a^{8/3}b^{2/3}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] $1/6*x*(-b*c*x^2+a*e*x+a*d)/a^2/(b*x^3+a)^2+1/18*x*(-9*b*c*x^2+4*a*e*x+5*a*d)/a^3/(b*x^3+a)+c*\ln(x)/a^3+1/27*(5*b^(1/3)*d-2*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(2/3)-1/54*(5*b^(1/3)*d-2*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(2/3)-1/3*c*\ln(b*x^3+a)/a^3-1/27*(5*b^(1/3)*d+2*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 0.41, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{2\sqrt[3]{a}e + 5\sqrt[3]{b}d}{9\sqrt{3}a^{8/3}b^{2/3}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] $(x*(a*d + a*e*x - b*c*x^2))/(6*a^2*(a + b*x^3)^2) + (x*(5*a*d + 4*a*e*x - 9*b*c*x^2))/(18*a^3*(a + b*x^3)) - ((5*b^(1/3)*d + 2*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))])/(9*\text{Sqrt}[3]*a^(8/3)*b^(2/3)) + (c*\text{Log}[x])/a^3 + ((5*b^(1/3)*d - 2*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*d - 2*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^(2/3)) - (c*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^3} dx &= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 5bdx - 4bex^2 + \frac{3b^2cx^3}{a}}{x(a+bx^3)^2} dx}{6ab} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^2c + 10b^2dx + 4b^2ex^2}{x(a+bx^3)} dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^2c}{ax} + \frac{2b^2(5ad + 2aex - 9bcx^2)}{a(a+bx^3)} \right) dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex - 9bcx^2}{a+bx^3} dx}{9a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex}{a+bx^3} dx}{9a^3} - \frac{(bc) \int \frac{x^2}{a+bx^3} dx}{a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} - \frac{c \log(a + bx^3)}{3a^3} + \frac{\int \frac{\sqrt[3]{a}(10a\sqrt[3]{b}d - 2\sqrt[3]{a}e)}{27a^{8/3}b^{2/3}} dx}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} - \frac{(5\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx^3}}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{c \log(a + bx^3)}{3a^3}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 229, normalized size = 0.89

$$\frac{(2a^{2/3}e - 5\sqrt[3]{a}\sqrt[3]{bd}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2)}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{bd} - 2a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{b^{2/3}} + \frac{9a^2(c + x(d + ex))}{(a + bx^3)^2} - \frac{2\sqrt{3}\sqrt[3]{a}(2\sqrt[3]{a}e + 5\sqrt[3]{bd}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}}$$

54a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] ((9*a^2*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*(6*c + x*(5*d + 4*e*x)))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(5*b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 54*c*Log[x] + (2*(5*a^(1/3)*b^(1/3)*d - 2*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-5*a^(1/3)*b^(1/3)*d + 2*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) - 18*c*Log[a + b*x^3])/(54*a^3)

fricas [C] time = 2.53, size = 5229, normalized size = 20.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")`

[Out]
$$\begin{aligned} & 1/2916*(648*a*b*e*x^5 + 810*a*b*d*x^4 + 972*a*b*c*x^3 + 1134*a^2*e*x^2 + 12 \\ & 96*a^2*d*x + 1458*a^2*c - 2*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*((-I*\sqrt{3}) \\ & + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(\\ & 81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - \\ & 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1 \\ & /3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(\\ & a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8 \\ & *a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 486*c/a^3)*\log(1/1 \\ & 458*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^ \\ & ^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a* \\ & e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a \\ & *b)/(a^9*b^2))^((1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^ \\ & 2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366 \\ & *(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 4 \\ & 86*c/a^3)^2*a^6*b*e + 225*b*c*d^2 + 162*b*c^2*e + 40*a*d*e^2 - 1/54*(25*a^3 \\ & *b*d^2 + 36*a^3*b*c*e)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e) \\ &)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/3936 \\ & 6*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(2 \\ & 5*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^ \\ & 9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/ \\ & (a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(\\ & a^9*b^2))^((1/3) + 486*c/a^3) + (125*b*d^3 + 8*a*e^3)*x - (1458*b^2*c*x^6 + \\ & 2916*a*b*c*x^3 + 1458*a^2*c - (a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*((-I*\sqrt{3} \\ & (3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/145 \\ & 8*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) \\ & - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2)) \\ & ^((1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)* \\ & c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 \\ & + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 486*c/a^3) - 3* \\ & \sqrt{1/3}*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*c^ \\ & 2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + \\ & 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(72 \\ & 9*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 729*(\\ & I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/ \\ & 39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - \\ & 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 486*c/a^3)^2*a^6*b - 972*((-I \\ & *\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + \\ & 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^ \\ & 8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9 \\ & *b^2))^((1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a \\ & *d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^ \\ & 2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 486*c/a^3 \\ &)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))*\log(-1/1458*((-I*\sqrt{3} \\ & + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458* \\ & (81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - \\ & 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((\\ & 1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/ \\ & (a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + \\ & 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) + 486*c/a^3)^2*a^6* \\ & b*e - 225*b*c*d^2 - 162*b*c^2*e - 40*a*d*e^2 + 1/54*(25*a^3*b*d^2 + 36*a^3* \\ & b*c*e)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/2 \\ & 7*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8 \\ & *a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e) \\ &)*a*b)/(a^9*b^2))^((1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b \\ & *c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39 \\ & 366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^((1/3) \end{aligned}$$

$$\begin{aligned}
& + 486*c/a^3) + 2*(125*b*d^3 + 8*a*e^3)*x + 1/486*sqrt(1/3)*(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)*a^6*b*e + 675*a^3*b*d^2 - 486*a^3*b*c*e)*sqrt(-(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)^2*a^6*b - 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))) - (1458*b^2*c*x^6 + 2916*a*b*c*x^3 + 1458*a^2*c - (a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5))*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3) + 3*sqrt(1/3)*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*sqrt(-(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)^2*a^6*b - 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))) * log(-1/1458*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)^2*a^6*b*e - 225*b*c*d^2 - 162*b*c^2*e - 40*a*d*e^2 + 1/54*(25*a^3*b*d^2 + 36*a^3*b*c*e))*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3) + 2*(125*b*d^3 + 8*a*e^3)*x - 1/486*sqrt(1/3)*(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)
\end{aligned}$$

) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)*a^6*b*e + 675*a^3*b*d^2 - 486*a^3*b*c*e)*sqrt(-(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)^2*a^6*b - 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))) + 2916*(b^2*c*x^6 + 2*a*b*c*x^3 + a^2*c)*log(x))/(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)

giac [A] time = 0.24, size = 253, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 2(-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right) \left(5bd + 2(-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + c \log(|bx^3|)}{27(-ab^2)^{\frac{2}{3}} a^2} - \frac{54(-ab^2)^{\frac{2}{3}} a^2}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(5*b*d - 2*(-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/54*(5*b*d + 2*(-a*b^2)^(1/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) - 1/3*c*log(abs(b*x^3 + a))/a^3 + c*log(abs(x))/a^3 + 1/18*(4*a*b*x^5*e + 5*a*b*d*x^4 + 6*a*b*c*x^3 + 7*a^2*x^2*e + 8*a^2*d*x + 9*a^2*c)/((b*x^3 + a)^2*a^3) - 1/27*(2*a^4*b*(-a/b)^(1/3)*e + 5*a^4*b*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b)

maple [A] time = 0.07, size = 331, normalized size = 1.29

$$\frac{2be x^5}{9(bx^3 + a)^2 a^2} + \frac{5bd x^4}{18(bx^3 + a)^2 a^2} + \frac{bc x^3}{3(bx^3 + a)^2 a^2} + \frac{7e x^2}{18(bx^3 + a)^2 a} + \frac{4dx}{9(bx^3 + a)^2 a} + \frac{c}{2(bx^3 + a)^2 a} + \frac{5\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right) \left(5bd + 2(-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + c \log(|bx^3|)}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^3,x)

[Out] 2/9/a^2/(b*x^3+a)^2*b*e*x^5+5/18/(b*x^3+a)^2/a^2*b*d*x^4+1/3/a^2/(b*x^3+a)^2*x^3*c*b+7/18/a/(b*x^3+a)^2*e*x^2+4/9/(b*x^3+a)^2/a*d*x+1/2/(b*x^3+a)^2/a*c+5/27/(a/b)^(2/3)/a^2/b*d*ln(x+(a/b)^(1/3))-5/54/(a/b)^(2/3)/a^2/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/27/a^2*e/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27/a^2*e/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27/a^2*e*3^(1/2)/b/

$(a/b)^{1/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) - 1/3/a^3 \cdot c \cdot \ln(b \cdot x^3 + a) + 1/a^3 \cdot c \cdot \ln(x)$

maxima [A] time = 3.00, size = 246, normalized size = 0.96

$$\frac{4 b e x^5 + 5 b d x^4 + 6 b c x^3 + 7 a e x^2 + 8 a d x + 9 a c}{18 (a^2 b^2 x^6 + 2 a^3 b x^3 + a^4)} + \frac{c \log(x)}{a^3} + \frac{\sqrt{3} \left(2 a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5 a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b*e*x^5 + 5*b*d*x^4 + 6*b*c*x^3 + 7*a*e*x^2 + 8*a*d*x + 9*a*c)/(a^2*b^2*x^6 + 2*a^3*b*x^3 + a^4) + c*log(x)/a^3 + 1/27*sqrt(3)*(2*a*e*(a/b)^(2/3) + 5*a*d*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 - 1/54*(18*b*c*(a/b)^(2/3) - 2*a*e*(a/b)^(1/3) + 5*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1/27*(9*b*c*(a/b)^(2/3) + 2*a*e*(a/b)^(1/3) - 5*a*d)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 5.44, size = 540, normalized size = 2.10

$$\frac{\frac{c}{2a} + \frac{7ex^2}{18a} + \frac{4dx}{9a} + \frac{bcx^3}{3a^2} + \frac{5bdx^4}{18a^2} + \frac{2bex^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{25b^2cd^2 - 18b^2c^2e}{81a^6} - \text{root} \left(19683a^9b^2z^3 + 19683a^6b^2c^2z^2 + 810a^4b^2d^2e + 6561a^3b^2c^2z + 270a^2b^2c^2e - 125a^2b^2d^3 + 8a^2e^3 + 729b^2c^3, z, k \right) \right) \right) \cdot \left(\frac{25a^3b^2d^2 + 36a^3b^2c^2e}{81a^6} + \text{root} \left(19683a^9b^2z^3 + 19683a^6b^2c^2z^2 + 810a^4b^2d^2e + 6561a^3b^2c^2z + 270a^2b^2c^2e - 125a^2b^2d^3 + 8a^2e^3 + 729b^2c^3, z, k \right) \right) \cdot \left(\frac{36 \cdot \text{root} \left(19683a^9b^2z^3 + 19683a^6b^2c^2z^2 + 810a^4b^2d^2e + 6561a^3b^2c^2z + 270a^2b^2c^2e - 125a^2b^2d^3 + 8a^2e^3 + 729b^2c^3, z, k \right) \cdot a^2 \cdot b^3 \cdot x - (2b^2e)/3 + (24b^3c^2x)/a}{(729a^6)} + \frac{x \cdot (2916a^2b^3c^2 + 900a^3b^2d^2e)}{(729a^6)} - \frac{x \cdot (8a^2b^2e^3 - 125b^2d^3 + 180b^2c^2d^2e)}{(729a^6)} \right) \cdot \text{root} \left(19683a^9b^2z^3 + 19683a^6b^2c^2z^2 + 810a^4b^2d^2e + 6561a^3b^2c^2z + 270a^2b^2c^2e - 125a^2b^2d^3 + 8a^2e^3 + 729b^2c^3, z, k \right), k, 1, 3) + (c \cdot \log(x))/a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^3),x)

[Out] (c/(2*a) + (7*e*x^2)/(18*a) + (4*d*x)/(9*a) + (b*c*x^3)/(3*a^2) + (5*b*d*x^4)/(18*a^2) + (2*b*e*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((25*b^2*c*d^2 - 18*b^2*c^2*e)/(81*a^6) - root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c^2*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a^2*b^2*c^2*e - 125*a^2*b^2*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*((25*a^3*b^2*d^2 + 36*a^3*b^2*c^2*e)/(81*a^6) + root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c^2*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a^2*b^2*c^2*e - 125*a^2*b^2*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*(36*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c^2*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a^2*b^2*c^2*e - 125*a^2*b^2*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k)*a^2*b^3*x - (2*b^2*e)/3 + (24*b^3*c^2*x)/a) + (x*(2916*a^2*b^3*c^2 + 900*a^3*b^2*d^2*e))/(729*a^6) - (x*(8*a^2*b^2*e^3 - 125*b^2*d^3 + 180*b^2*c^2*d^2e))/(729*a^6))*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c^2*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a^2*b^2*c^2*e - 125*a^2*b^2*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k), k, 1, 3) + (c*log(x))/a^3

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**3,x)

[Out] Timed out

$$3.355 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=267

$$-\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + b^{1/3}x}\right)}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}$$

[Out] $-\frac{c}{a^3 x} + \frac{1}{6} x (-b d x^2 - b c x + a e) / a^2 (b x^3 + a)^2 + \frac{1}{18} x (-9 b d x^2 - 10 b c x + 5 a e) / a^3 (b x^3 + a) + d \ln(x) / a^3 + \frac{1}{27} (14 b^{2/3} c + 5 a^{2/3} e) \ln(a^{1/3} + b^{1/3} x) / a^{10/3} / b^{1/3} - \frac{1}{54} (14 b^{2/3} c + 5 a^{2/3} e) \ln(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / a^{10/3} / b^{1/3} - \frac{1}{3} d \ln(b x^3 + a) / a^3 + \frac{1}{2} (14 b^{2/3} c - 5 a^{2/3} e) \arctan(1/3 (a^{1/3} - 2 b^{1/3} x) / a^{1/3}) / a^{10/3} / b^{1/3}$

Rubi [A] time = 0.46, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + b^{1/3}x}\right)}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] $-\frac{c}{(a^3 x)} + \frac{x(a e - b c x - b d x^2)}{(6 a^2 (a + b x^3)^2) + (x(5 a e - 10 b c x - 9 b d x^2)) / (18 a^3 (a + b x^3))} + \frac{((14 b^{2/3} c - 5 a^{2/3} e) \operatorname{ArcTan}[\frac{a^{1/3} - 2 b^{1/3} x}{\sqrt[3]{3} a^{1/3}}]) / (9 \sqrt[3]{3} a^{10/3} b^{1/3}) + (d \operatorname{Log}[x]) / a^3 + ((14 b^{2/3} c + 5 a^{2/3} e) \operatorname{Log}[a^{1/3} + b^{1/3} x]) / (27 a^{10/3} b^{1/3}) - ((14 b^{2/3} c + 5 a^{2/3} e) \operatorname{Log}[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2]) / (54 a^{10/3} b^{1/3}) - (d \operatorname{Log}[a + b x^3]) / (3 a^3)}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &&
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^3} dx &= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 5bex^2 + \frac{4b^2cx^3}{a} + \frac{3b^2dx^4}{a}}{x^2(a + bx^3)^2} dx}{6ab} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 10b^3ex^2 - \frac{10b^4cx^3}{a}}{x^2(a + bx^3)} dx}{18a^2b^3} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^2} + \frac{18b^3d}{ax} + \frac{2b^3(5ae - 14bcx - 9bdx^2)}{a(a + bx^3)} \right) dx}{18a^2b^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx - 9bdx^2}{a + bx^3} dx}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx}{a + bx^3} dx}{9a^3} - \frac{(bd)}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} - \frac{d \log(a + bx^3)}{3a^3} + \frac{\int \frac{5ae - 14bcx}{a + bx^3} dx}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log(a + bx^3)}{27a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log(a + bx^3)}{27a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{10/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 248, normalized size = 0.93

$$\frac{(14a^{2/3}b^{2/3}c + 5a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{\sqrt[3]{b}} + \frac{2(14a^{2/3}b^{2/3}c + 5a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2\sqrt{3}a^{2/3}(5a^{2/3}e - 14b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + \frac{9a^2(a + bx^3)}{54a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] ((-54*a*c)/x + (3*a*(6*a*d + 5*a*e*x - 10*b*c*x^2))/(a + b*x^3) + (9*a^2*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^2 - (2*sqrt[3]*a^(2/3)*(-14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + 54*a*d*Log[x] + (2*(14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) - ((14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) - 18*a*d*Log[a + b*x^3]/(54*a^4)

fricas [C] time = 3.33, size = 5112, normalized size = 19.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2916*(4536*b^2*c*x^6 - 810*a*b*e*x^5 - 972*a*b*d*x^4 + 7938*a*b*c*x^3 - \\ & 1296*a^2*e*x^2 - 1458*a^2*d*x + 2916*a^2*c + 2*(a^3*b^2*x^7 + 2*a^4*b*x^4 + \\ & a^5*x)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a \\ & ^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\ & 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3 \\ &)/(a^{10}*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 7 \\ & 0*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e) \\ & *a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 486 \\ & *d/a^3)*\log(-7/1458*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/ \\ & (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\ & 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - \\ & 125*a^2*e^3)/(a^{10}*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458 \\ & *(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 \\ & - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b)) \\ & ^{1/3} + 486*d/a^3)^2*a^7*b*c - 1134*a*b*c*d^2 + 1960*a*b*c^2*e + 225*a^2*d \\ & *e^2 + 1/54*(252*a^4*b*c*d - 25*a^5*e^2)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (8 \\ & 1*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39 \\ & 366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/ \\ & 39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(- \\ & 1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125 \\ & *a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 1 \\ & 25*a^2*e^3)/(a^{10}*b))^{1/3} + 486*d/a^3) - (2744*b^2*c^3 - 125*a^2*e^3)*x) \\ & + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2*a^4*b* \\ & x^4 + a^5*x)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27* \\ & d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2* \\ & e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^ \\ & 2*e^3)/(a^{10}*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^ \\ & 2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c \\ & *d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} \\ & + 486*d/a^3) + 3*\sqrt{1/3}*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*\sqrt{-(((-I* \\ & \sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(\\ & 81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - \\ & 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{ \\ & (1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 \\ & + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b \\ &) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 486*d/a^3)^2*a^6 \\ & - 972*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^ \\ & 9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\ & 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3) \\ &)/(a^{10}*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\ & *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\ & a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 486* \\ & d/a^3)*a^3*d + 236196*d^2 - 816480*c*e/a^6))*\log(7/1458*((-I*\sqrt{3}) + 1)* \\ & (81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c \\ & *e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a* \\ & b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 729*(I \\ & *\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(27 \\ & 44*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(\\ & 2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 486*d/a^3)^2*a^7*b*c + 1134*a \\ & *b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25*a^5*e^ \\ & 2)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + \\ & 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(\\ & 27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^ \\ & 10*b))^{1/3} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e) \\ &)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b) \\ &)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{1/3} + 486*d/a^ \end{aligned}$$

$$\begin{aligned}
& 3) - 2*(2744*b^2*c^3 - 125*a^2*e^3)*x + 1/486*\sqrt{1/3}*(7*((-I*\sqrt{3}) + 1) \\
&)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\
& *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\
& a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 729* \\
& (I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(\\
& 2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366 \\
& *(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 486*d/a^3)*a^7*b*c - 3402*a \\
& ^4*b*c*d - 675*a^5*e^2)*\sqrt{-(((I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70 \\
& *c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744* \\
& b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(274 \\
& 4*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a \\
& ^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\
& 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3 \\
&)/(a^{10*b}))^{(1/3)} + 486*d/a^3)^2*a^6 - 972*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - \\
& (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/ \\
& 39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - \\
& 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)* \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e) \\
& /a^6)) + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2 \\
& *a^4*b*x^4 + a^5*x))*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/ \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458 \\
& *(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 \\
& - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})) \\
& ^{(1/3)} + 486*d/a^3) - 3*\sqrt{1/3}*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*\sqrt{(\\
& -(((I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1 \\
& /1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(2 \\
& 7*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{1 \\
& 0*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e) \\
& *d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/ \\
& (a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 486*d/a^3 \\
&)^2*a^6 - 972*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27 \\
& *d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2 \\
& *e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a \\
& ^2*e^3)/(a^{10*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d \\
& ^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70* \\
& c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} \\
& + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e)/a^6))*\log(7/1458*((-I*\sqrt{3} \\
&) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 \\
& - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c* \\
& d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + \\
& 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39 \\
& 366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/ \\
& 39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 486*d/a^3)^2*a^7*b*c + \\
& 1134*a*b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25 \\
& *a^5*e^2))*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3 \\
& /a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 \\
& - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e \\
& ^3)/(a^{10*b}))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - \\
& 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d* \\
& e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} + 4 \\
& 86*d/a^3) - 2*(2744*b^2*c^3 - 125*a^2*e^3)*x - 1/486*\sqrt{1/3}*(7*((-I*\sqrt{3} \\
& (3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d \\
& ^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70* \\
& c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}))^{(1/3)} \\
& + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/
\end{aligned}$$

39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3)*a^7*b*c - 3402*a^4*b*c*d - 675*a^5*e^2)*sqrt(-(((I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3)^2*a^6 - 972*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e/a^6)) - 2916*(b^2*d*x^7 + 2*a*b*d*x^4 + a^2*d*x)*log(x))/(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)

giac [A] time = 0.21, size = 273, normalized size = 1.02

$$-\frac{d \log(|bx^3 + a|)}{3a^3} + \frac{d \log(|x|)}{a^3} + \frac{\sqrt{3} \left(5(-ab^2)^{\frac{1}{3}} ae + 14(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b} + \frac{\left(5(-ab^2)^{\frac{1}{3}} ae - 14(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/3*d*log(abs(b*x^3 + a))/a^3 + d*log(abs(x))/a^3 + 1/27*sqrt(3)*(5*(-a*b^2)^(1/3)*a*e + 14*(-a*b^2)^(2/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^4*b) + 1/54*(5*(-a*b^2)^(1/3)*a*e - 14*(-a*b^2)^(2/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^4*b) - 1/18*(28*b^2*c*x^6 - 5*a*b*x^5*e - 6*a*b*d*x^4 + 49*a*b*c*x^3 - 8*a^2*x^2*e - 9*a^2*d*x + 18*a^2*c)/((b*x^3 + a)^2*a^3*x) + 1/27*(14*a^3*b^2*c*(-a/b)^(1/3) - 5*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b)

maple [A] time = 0.06, size = 334, normalized size = 1.25

$$-\frac{5b^2cx^5}{9(bx^3+a)^2a^3} + \frac{5bex^4}{18(bx^3+a)^2a^2} + \frac{bdx^3}{3(bx^3+a)^2a^2} - \frac{13bcx^2}{18(bx^3+a)^2a^2} + \frac{4ex}{9(bx^3+a)^2a} + \frac{d}{2(bx^3+a)^2a} + \frac{5\sqrt{3}}{27a^4b} \left(5(-ab^2)^{\frac{1}{3}} ae + 14(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)

[Out] -5/9/(b*x^3+a)^2/a^3*b^2*c*x^5+5/18/(b*x^3+a)^2/a^2*b*e*x^4+1/3/a^2/(b*x^3+a)^2*b*d*x^3-13/18/(b*x^3+a)^2/a^2*b*c*x^2+4/9/(b*x^3+a)^2/a*e*x+1/2/(b*x^3+a)^2/a*d+5/27/(a/b)^(2/3)/a^2/b*e*ln(x+(a/b)^(1/3))-5/54/(a/b)^(2/3)/a^2/b*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+14/27/a^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c-7/27/a^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-14/27/a^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/3/a^3*d*ln(b*x^3+a)-1/a^3*c/x+1/a^3*d*ln(x)

maxima [A] time = 3.09, size = 266, normalized size = 1.00

$$\frac{28 b^2 c x^6 - 5 a b e x^5 - 6 a b d x^4 + 49 a b c x^3 - 8 a^2 e x^2 - 9 a^2 d x + 18 a^2 c}{18 (a^3 b^2 x^7 + 2 a^4 b x^4 + a^5 x)} + \frac{d \log(x)}{a^3} - \frac{\sqrt{3} \left(14 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - 5 a e \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}}}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*(28*b^2*c*x^6 - 5*a*b*e*x^5 - 6*a*b*d*x^4 + 49*a*b*c*x^3 - 8*a^2*e*x^2 - 9*a^2*d*x + 18*a^2*c)/(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x) + d*log(x)/a^3 - 1/27*sqrt(3)*(14*b*c*(a/b)^(2/3) - 5*a*e*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 - 1/54*(18*b*d*(a/b)^(2/3) + 14*b*c*(a/b)^(1/3) + 5*a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1/27*(9*b*d*(a/b)^(2/3) - 14*b*c*(a/b)^(1/3) - 5*a*e)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 5.46, size = 793, normalized size = 2.97

$$\frac{4ex^2}{9a} - \frac{c}{a} + \frac{dx}{2a} - \frac{14b^2cx^6}{9a^3} - \frac{49bcx^3}{18a^2} + \frac{bdx^4}{3a^2} + \frac{5bex^5}{18a^2} + \left(\sum_{k=1}^3 \ln \left(\frac{b^2 \left(-\sqrt[3]{19683 a^{10} b z^3 + 19683 a^7 b d z^2 - 5670 a^4 b^2 c e z^2 - 5670 a^4 b^2 c^3} \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^3),x)

[Out] ((4*e*x^2)/(9*a) - c/a + (d*x)/(2*a) - (14*b^2*c*x^6)/(9*a^3) - (49*b*c*x^3)/(18*a^2) + (b*d*x^4)/(3*a^2) + (5*b*e*x^5)/(18*a^2))/(a^2*x + b^2*x^7 + 2*a*b*x^4) + symsum(log((b^2*(225*a^2*d*e^2 - 225*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^5*e^2 + 2744*b^2*c^3*x + 125*a^2*e^3*x + 1134*a*b*c*d^2 - 3402*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^2*a^7*b*c - 26244*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^3*a^10*b*x - 2916*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*d^2*x - 17496*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^2*a^7*b*d*x + 2268*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*c*d + 6300*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*c*d*e*x + 1260*a*b*c*d*e*x))/(729*a^8))*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k), k, 1, 3) + (d*log(x))/a^3

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)

[Out] Timed out

$$3.356 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=276

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}d + 10\sqrt[3]{b}c)}{27a^{11/3}}$$

[Out] $-1/2*c/a^3/x^2-d/a^3/x-1/6*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)^2-1/18*x*(9*b*e*x^2+10*b*d*x+11*b*c)/a^3/(b*x^3+a)+e*\ln(x)/a^3-2/27*b^(1/3)*(10*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)+1/27*b^(1/3)*(10*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)-1/3*e*\ln(b*x^3+a)/a^3+2/27*b^(1/3)*(10*b^(1/3)*c+7*a^(1/3)*d)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)*3^(1/2)$

Rubi [A] time = 0.50, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d)}{27a^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c + b*d*x + b*e*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c + 10*b*d*x + 9*b*e*x^2))/(18*a^3*(a + b*x^3)) + (2*b^(1/3)*(10*b^(1/3)*c + 7*a^(1/3)*d)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(11/3)) + (e*\text{Log}[x])/a^3 - (2*b^(1/3)*(10*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)) + (b^(1/3)*(10*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(27*a^(11/3)) - (e*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3(a + bx^3)^3} dx &= \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{5b^2cx^3}{a} + \frac{4b^2dx^4}{a} + \frac{3b^2ex^5}{a}}{x^3(a + bx^3)^2} dx}{6ab} \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{22b^4cx^3}{a} - \frac{10b^4dx^4}{a}}{x^3(a + bx^3)}}{18a^2b^3} \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^3} + \frac{18b^3d}{ax^2} + \frac{18b^3e}{ax} - \frac{2b^4(20c + 14d)}{a(a + bx^3)} \right)}{18a^2b^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c + 14d}{a + bx^3}}{9a^2} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c + 14d}{a + bx^3}}{9a^2} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{e \log(a + bx^3)}{3a^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt[3]{b} (10\sqrt[3]{a}c + 7\sqrt[3]{b}d)}{9\sqrt[3]{a}} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt[3]{b} (10\sqrt[3]{a}c + 7\sqrt[3]{b}d)}{9\sqrt[3]{a}}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 253, normalized size = 0.92

$$2\sqrt[3]{b} (10\sqrt[3]{a} \sqrt[3]{b} c - 7a^{2/3} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 4\sqrt[3]{b} (7a^{2/3} d - 10\sqrt[3]{a} \sqrt[3]{b} c) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + \frac{9a^2(a + bx^3)}{9\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out] ((-27*a*c)/x^2 - (54*a*d)/x + (9*a^2*(a*e - b*x*(c + d*x)))/(a + b*x^3)^2 + (3*a*(6*a*e - b*x*(11*c + 10*d*x)))/(a + b*x^3) + 4*sqrt[3]*a^(1/3)*b^(1/3)*(10*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 54*a*e*Log[x] + 4*b^(1/3)*(-10*a^(1/3)*b^(1/3)*c + 7*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + 2*b^(1/3)*(10*a^(1/3)*b^(1/3)*c - 7*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 18*a*e*Log[a + b*x^3]/(54*a^4)

fricas [C] time = 3.06, size = 4911, normalized size = 17.79

result too large to display

$$\begin{aligned}
& ^{11})^{(1/3)} + 486*e/a^3) + 8*(1000*b^2*c^3 + 343*a*b*d^3)*x + 1/972*sqrt(1/3) \\
&)*(7*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3 \\
& /a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d \\
& ^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)* \\
& a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + \\
& 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000 \\
& *b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a \\
& ^3)*a^8*d - 10800*a^4*b*c^2 - 3402*a^5*d*e)*sqrt(-(((-I*sqrt(3) + 1)*(81*e^ \\
& 2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81 \\
& *a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^ \\
& 2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sq \\
& r(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(\\
& 1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(\\
& 49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*sqrt(3) \\
& + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280 \\
& *b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/393 \\
& 66*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + \\
& 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 \\
& + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2 \\
& *e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a^3)*a^4*e + 326592 \\
& 0*b*c*d + 236196*a*e^2)/a^7)) + (1458*b^2*e*x^8 + 2916*a*b*e*x^5 + 1458*a^2 \\
& *e*x^2 - (a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^ \\
& 6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e \\
& ^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^ \\
& 3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) \\
& + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d \\
& ^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a^3) + 3*sqrt(1/3)*(a^3*b^2*x^8 + \\
& 2*a^4*b*x^5 + a^5*x^2)*sqrt(-(((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + \\
& 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19 \\
& 683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - \\
& 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/ \\
& a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^ \\
& 3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a \\
& *b)/a^11)^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (2 \\
& 80*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/ \\
& a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 72 \\
& 9*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)* \\
& (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 \\
& + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 1 \\
& 35*c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^ \\
& 2)/a^7))*log(-7/2916*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2) \\
& /a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d \\
& ^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1 \\
& 458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 \\
& - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11) \\
& ^{(1/3)} + 486*e/a^3)^2*a^8*d - 3920*a*b*c*d^2 + 1800*a*b*c^2*e - 567*a^2*d*e \\
& ^2 - 1/27*(100*a^4*b*c^2 - 63*a^5*d*e))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280 \\
& *b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^ \\
& 10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729* \\
& a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + \\
& 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135 \\
& *c*d*e)*a*b)/a^11)^{(1/3)} + 486*e/a^3) + 8*(1000*b^2*c^3 + 343*a*b*d^3)*x - \\
& 1/972*sqrt(1/3)*(7*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a \\
& ^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b \\
& *c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 \\
& - 135*c*d*e)*a*b)/a^11)^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/145
\end{aligned}$$

8*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^((1/3) + 486*e/a^3)*a^8*d - 10800*a^4*b*c^2 - 3402*a^5*d*e)*sqrt(-(((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 486*e/a^3)^2*a^7 - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^2)/a^7)) - 2916*(b^2*e*x^8 + 2*a*b*e*x^5 + a^2*e*x^2)*log(x))/(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2)

giac [A] time = 0.19, size = 282, normalized size = 1.02

$$-\frac{e \log(|bx^3 + a|)}{3a^3} + \frac{e \log(|x|)}{a^3} - \frac{2\sqrt{3} \left(10(-ab^2)^{\frac{1}{3}}bc - 7(-ab^2)^{\frac{2}{3}}d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b} - \frac{\left(10(-ab^2)^{\frac{1}{3}}bc + 7 \right)}{27a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^3 + e*log(abs(x))/a^3 - 2/27*sqrt(3)*(10*(-a*b^2)^(1/3)*b*c - 7*(-a*b^2)^(2/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^4*b) - 1/27*(10*(-a*b^2)^(1/3)*b*c + 7*(-a*b^2)^(2/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^4*b) - 1/18*(28*b^2*d*x^7 + 20*b^2*c*x^6 - 6*a*b*x^5*e + 49*a*b*d*x^4 + 32*a*b*c*x^3 - 9*a^2*x^2*e + 18*a^2*d*x + 9*a^2*c)/((b*x^4 + a*x)^2*a^3) + 2/27*(7*a^3*b^2*d*(-a/b)^(1/3) + 10*a^3*b^2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b)

maple [A] time = 0.06, size = 337, normalized size = 1.22

$$\frac{5b^2dx^5}{9(bx^3 + a)^2 a^3} - \frac{11b^2cx^4}{18(bx^3 + a)^2 a^3} + \frac{bex^3}{3(bx^3 + a)^2 a^2} - \frac{13bdx^2}{18(bx^3 + a)^2 a^2} - \frac{7bcx}{9(bx^3 + a)^2 a^2} + \frac{e}{2(bx^3 + a)^2 a} - \frac{20\sqrt{3}d}{27a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)

[Out] -5/9/(b*x^3+a)^2/a^3*b^2*d*x^5-11/18/(b*x^3+a)^2/a^3*b^2*c*x^4+1/3*b/a^2/(b*x^3+a)^2*e*x^3-13/18/(b*x^3+a)^2/a^2*b*d*x^2-7/9/(b*x^3+a)^2/a^2*b*c*x+1/2/a/(b*x^3+a)^2*e-20/27/(a/b)^(2/3)/a^3*c*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-20/27/(a/b)^(2/3)*3^(1/2)/a^3*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+14/27/a^3*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-7/27/a^3*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-14/27/a^3*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^3*e*ln(b*x^3+a)-1/a^3*d/x+1/a^3*e*ln(x)-1/2/a^3*c/x^2

maxima [A] time = 3.11, size = 265, normalized size = 0.96

$$\frac{28b^2dx^7 + 20b^2cx^6 - 6abex^5 + 49abdx^4 + 32abcx^3 - 9a^2ex^2 + 18a^2dx + 9a^2c}{18(a^3b^2x^8 + 2a^4bx^5 + a^5x^2)} + \frac{e \log(x)}{a^3} - 2\sqrt{3} \left(7bd \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*(28*b^2*d*x^7 + 20*b^2*c*x^6 - 6*a*b*e*x^5 + 49*a*b*d*x^4 + 32*a*b*c*x^3 - 9*a^2*e*x^2 + 18*a^2*d*x + 9*a^2*c)/(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2) + e*log(x)/a^3 - 2/27*sqrt(3)*(7*b*d*(a/b)^(2/3) + 10*b*c*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 - 1/27*(9*e*(a/b)^(2/3) + 7*d*(a/b)^(1/3) - 10*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*(a/b)^(2/3)) - 1/27*(9*e*(a/b)^(2/3) - 14*d*(a/b)^(1/3) + 20*c)*log(x + (a/b)^(1/3))/(a^3*(a/b)^(2/3))

mupad [B] time = 5.36, size = 778, normalized size = 2.82

$$\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root} \left(19683 a^{11} z^3 + 19683 a^8 e z^2 + 22680 a^4 b c d z + 6561 a^5 e^2 z + 7560 a b c d e - 2744 a b d^3 + \dots \right) \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^3),x)

[Out] symsum(log(-(2*b^3*(1701*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*d - 567*a^2*d*e^2 + 13122*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^3*a^11*x + 4000*b^2*c^3*x - 1134*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*d*e - 1800*a*b*c^2*e - 1372*a*b*d^3*x + 1800*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c^2 + 1458*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*e^2*x + 8748*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*e*x + 12600*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c*d*x + 2520*a*b*c*d*e*x))/(729*a^9))*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (e*x^2)/(2*a) + (d*x)/a + (10*b^2*c*x^6)/(9*a^3) + (14*b^2*d*x^7)/(9*a^3) + (16*b*c*x^3)/(9*a^2) + (49*b*d*x^4)/(18*a^2) - (b*e*x^5)/(3*a^2))/(a^2*x^2 + b^2*x^8 + 2*a*b*x^5) + (e*log(x))/a^3

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

$$3.357 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=298

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}e + 10\sqrt[3]{b}d)}{27a^{11/3}}$$

[Out] $-1/3*c/a^3/x^3-1/2*d/a^3/x^2-e/a^3/x-1/6*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)^2-1/18*x*(11*b*d+10*b*x*e-15*b^2*c*x^2/a)/a^3/(b*x^3+a)-3*b*c*\ln(x)/a^4-2/27*b^(1/3)*(10*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)+1/27*b^(1/3)*(10*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)+b*c*\ln(b*x^3+a)/a^4+2/27*b^(1/3)*(10*b^(1/3)*d+7*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)*3^(1/2)$

Rubi [A] time = 0.59, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{x\left(-\frac{15b^2cx^2}{a} + 11bd + 10bex\right)}{18a^3(a+bx^3)} - \frac{x\left(-\frac{b^2cx^2}{a} + bd + bex\right)}{6a^2(a+bx^3)^2} + \frac{\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} + \frac{bc \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d + 10*b*e*x - (15*b^2*c*x^2)/a))/(18*a^3*(a + b*x^3)) + (2*b^(1/3)*(10*b^(1/3)*d + 7*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(11/3)) - (3*b*c*\text{Log}[x])/a^4 - (2*b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)) + (b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(27*a^(11/3)) + (b*c*\text{Log}[a + b*x^3])/a^4$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^3} dx &= \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{6b^2cx^3}{a} + \frac{5b^2dx^4}{a} + \frac{4b^2ex^5}{a} - \frac{3b^3cx^6}{a^2}}{x^4(a + bx^3)^2} dx}{6ab} \\
&= \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{36b^4cx^3}{a} - \frac{22b^4dx^4}{a} - 10b^4ex^5}{x^4(a + bx^3)}}{18a^2b^3} \\
&= \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^4} + \frac{18b^3d}{ax^3} + \frac{18b^3e}{ax^2} - \frac{54b^4c}{a^2x} - \frac{2b^4d}{a^2} - \frac{2b^4e}{a^2} \right) dx}{18a^2b^3} \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} + \dots \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd + bex - \frac{b^2cx^2}{a} \right)}{6a^2(a + bx^3)^2} - \frac{x \left(11bd + 10bex - \frac{15b^2cx^2}{a} \right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} + \frac{2\sqrt[3]{b} (10\sqrt[3]{b}d - 7a^{2/3}e)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 255, normalized size = 0.86

$$-2\sqrt[3]{b} (10\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) + 4\sqrt[3]{b} (10\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + \frac{9a^2b^2c}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out]
$$-1/54 * ((18*a*c)/x^3 + (27*a*d)/x^2 + (54*a*e)/x + (9*a^2*b*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*b*(12*c + x*(11*d + 10*e*x)))/(a + b*x^3) - 4*sqrt[3]*a^{1/3}*b^{1/3}*(10*b^{1/3}*d + 7*a^{1/3}*e)*ArcTan[(1 - (2*b^{1/3}*x)/a^{1/3})/sqrt[3]] + 162*b*c*Log[x] + 4*b^{1/3}*(10*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*Log[a^{1/3} + b^{1/3}*x] - 2*b^{1/3}*(10*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*Log[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2] - 54*b*c*Log[a + b*x^3])/a^4$$

fricas [C] time = 3.66, size = 5550, normalized size = 18.62

result too large to display

$$\begin{aligned}
& d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)* \\
& a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1 \\
& 000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (\\
& 19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} \\
&) - 54*b*c/a^4 + 8*(1000*b^2*d^3 + 343*a*b*e^3)*x + 3/4*\text{sqrt}(1/3)*(7*(2*(1 \\
& /2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a \\
& ^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c \\
& ^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 \\
& - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^ \\
& 3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e) \\
&)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^ \\
& 2)/a^{12})^{(1/3)} - 54*b*c/a^4)*a^8*e - 400*a^4*b*d^2 + 378*a^4*b*c*e)*\text{sqrt}(- \\
& (2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d \\
& *e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729* \\
& b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200 \\
& *d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b \\
& ^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b \\
& *d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e) \\
&)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + \\
& 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} \\
& + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^ \\
& 12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12} \\
&)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + \\
& 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c \\
& ^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/ \\
& a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8)) - (162*b^3*c*x^9 + 324*a* \\
& b^2*c*x^6 + 162*a^2*b*c*x^3 + (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*(2*(1/2) \\
&)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8 \\
&)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 \\
& + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - \\
& 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/ \\
& a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b \\
& *c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2) \\
& /a^{12})^{(1/3)} - 54*b*c/a^4) - 3*\text{sqrt}(1/3)*(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x \\
& ^3)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 \\
& + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} \\
& - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^ \\
& 3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + \\
& 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^ \\
& 2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - \\
& 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^ \\
& 3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b* \\
& d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)* \\
& a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1 \\
& 000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (\\
& 19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} \\
&) - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8))*\log(-7/4*(2*(1 \\
& /2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a \\
& ^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c \\
& ^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 \\
& - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^ \\
& 3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e) \\
&)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^ \\
& 2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8*e - 5400*b^2*c*d^2 - 5103*b^2*c^2*e - 39 \\
& 20*a*b*d*e^2 - (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + \\
& 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} \\
& + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a \\
& ^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{1
\end{aligned}$$

$$2)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} - 54 * b * c / a^4 + 8 * (1000 * b^2 * d^3 + 343 * a * b * e^3) * x - 3/4 * \text{sqrt}(1/3) * (7 * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (729 * b^2 * c^2 / a^8 - (729 * b^2 * c^2 + 280 * a * b * d * e) / a^8)) / (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} - 54 * b * c / a^4) * a^8 * e - 400 * a^4 * b * d^2 + 378 * a^4 * b * c * e) * \text{sqrt}(-((2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (729 * b^2 * c^2 / a^8 - (729 * b^2 * c^2 + 280 * a * b * d * e) / a^8)) / (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} - 54 * b * c / a^4) * a^8 + 108 * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (729 * b^2 * c^2 / a^8 - (729 * b^2 * c^2 + 280 * a * b * d * e) / a^8)) / (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (39366 * b^3 * c^3 / a^{12} + 8 * (1000 * b * d^3 + 343 * a * e^3) * b / a^{11} - 81 * (729 * b^2 * c^2 + 280 * a * b * d * e) * b * c / a^{12} + (19683 * b^3 * c^3 + 2744 * a^2 * b * e^3 - 40 * (200 * d^3 - 567 * c * d * e) * a * b^2) / a^{12})^{(1/3)} - 54 * b * c / a^4) * a^4 * b * c + 2916 * b^2 * c^2 + 4480 * a * b * d * e) / a^8)) + 324 * (b^3 * c * x^9 + 2 * a * b^2 * c * x^6 + a^2 * b * c * x^3) * \log(x) / (a^4 * b^2 * x^9 + 2 * a^5 * b * x^6 + a^6 * x^3)$$

giac [A] time = 0.26, size = 305, normalized size = 1.02

$$\frac{bc \log(|bx^3 + a|)}{a^4} - \frac{3bc \log(|x|)}{a^4} - \frac{2\sqrt{3} \left(10(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b} - \left(10(-ab^2)^{\frac{1}{3}}bd \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")

[Out] $b * c * \log(\text{abs}(b * x^3 + a)) / a^4 - 3 * b * c * \log(\text{abs}(x)) / a^4 - 2 / 27 * \text{sqrt}(3) * (10 * (-a * b^2)^{(1/3)} * b * d - 7 * (-a * b^2)^{(2/3)} * e) * \arctan(1/3 * \text{sqrt}(3) * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^4 * b) - 1/27 * (10 * (-a * b^2)^{(1/3)} * b * d + 7 * (-a * b^2)^{(2/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^4 * b) + 2/27 * (7 * a^5 * b^2 * (-a/b)^{(1/3)} * e + 10 * a^5 * b^2 * d) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^9 * b) - 1/18 * (28 * a * b^2 * x^8 * e + 20 * a * b^2 * d * x^7 + 18 * a * b^2 * c * x^6 + 49 * a^2 * b * x^5 * e + 32 * a^2 * b * d * x^4 + 27 * a^2 * b * c * x^3 + 18 * a^3 * x^2 * e + 9 * a^3 * d * x + 6 * a^3 * c) / ((b * x^3 + a)^2 * a^4 * x^3)$

maple [A] time = 0.06, size = 351, normalized size = 1.18

$$\frac{5b^2ex^5}{9(bx^3+a)^2a^3} - \frac{11b^2dx^4}{18(bx^3+a)^2a^3} - \frac{2b^2cx^3}{3(bx^3+a)^2a^3} - \frac{13bex^2}{18(bx^3+a)^2a^2} - \frac{7bdx}{9(bx^3+a)^2a^2} - \frac{5bc}{6(bx^3+a)^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)
[Out] -5/9/(b*x^3+a)^2/a^3*b^2*e*x^5-11/18/(b*x^3+a)^2/a^3*b^2*d*x^4-2/3/a^3*b^2/(b*x^3+a)^2*x^3*c-13/18/a^2/(b*x^3+a)^2*x^2*b*e-7/9/(b*x^3+a)^2/a^2*b*d*x-5/6/(b*x^3+a)^2/a^2*b*c-20/27/(a/b)^(2/3)/a^3*d*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-20/27/(a/b)^(2/3)*3^(1/2)/a^3*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+14/27/a^3*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-7/27/(a/b)^(1/3)/a^3*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-14/27*3^(1/2)/(a/b)^(1/3)/a^3*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/a^4*b*c*ln(b*x^3+a)-1/3/a^3*c/x^3-1/2/a^3*d/x^2-1/a^3*e/x-3/a^4*b*c*ln(x)
maxima [A] time = 3.03, size = 283, normalized size = 0.95
```

$$\frac{28 b^2 e x^8 + 20 b^2 d x^7 + 18 b^2 c x^6 + 49 a b e x^5 + 32 a b d x^4 + 27 a b c x^3 + 18 a^2 e x^2 + 9 a^2 d x + 6 a^2 c - 3 b c \log(x)}{18 (a^3 b^2 x^9 + 2 a^4 b x^6 + a^5 x^3)} \frac{2 \sqrt{3}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")
[Out] -1/18*(28*b^2*e*x^8 + 20*b^2*d*x^7 + 18*b^2*c*x^6 + 49*a*b*e*x^5 + 32*a*b*d*x^4 + 27*a*b*c*x^3 + 18*a^2*e*x^2 + 9*a^2*d*x + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 + a^5*x^3) - 3*b*c*log(x)/a^4 - 2/27*sqrt(3)*(7*a*e*(a/b)^(2/3) + 10*a*d*(a/b)^(1/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^5 + 1/27*(27*b*c*(a/b)^(2/3) - 7*a*e*(a/b)^(1/3) + 10*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*(a/b)^(2/3)) + 1/27*(27*b*c*(a/b)^(2/3) + 14*a*e*(a/b)^(1/3) - 20*a*d)*log(x + (a/b)^(1/3))/(a^4*(a/b)^(2/3))
mupad [B] time = 0.46, size = 870, normalized size = 2.92
```

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 - 19683 b^3 c^3, z, k) \right)^2 a^8 e + 5400 b^2 c d^2 - 5103 b^2 c^2 e + 13122 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k)^3 a^{11} x + 4000 b^2 d^3 x - 1372 a b e^3 x + 1800 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k) a^4 b d^2 - 26244 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k)^2 a^7 b c x + 13122 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k) a^3 b^2 c^2 x + 3402 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k) a^4 b c e - 7560 b^2 c d e x + 12600 \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k) a^4 b d e x \right) \right) / (729 a^9) \text{root}(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^2 c^2 d^3 + 8000 a b^2 d^3 - 19683 b^3 c^3, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^3),x)
[Out] symsum(log(-(2*b^3*(1701*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^2*a^8*e + 5400*b^2*c*d^2 - 5103*b^2*c^2*e + 13122*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^3*a^11*x + 4000*b^2*d^3*x - 1372*a*b*e^3*x + 1800*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*d^2 - 26244*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^2*a^7*b*c*x + 13122*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^3*b^2*c^2*x + 3402*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*c*e - 7560*b^2*c*d*e*x + 12600*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*d*e*x))/(729*a^9))*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b^2*c^2*d^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)
```

$$9a^4b^2c^2z - 22680ab^2cde - 2744a^2be^3 + 8000ab^2d^3 - 19683b^3c^3, z, k), k, 1, 3) - (c/(3a) + (e*x^2)/a + (d*x)/(2a) + (b^2*c*x^6)/a^3 + (10*b^2*d*x^7)/(9*a^3) + (14*b^2*e*x^8)/(9*a^3) + (3*b*c*x^3)/(2*a^2) + (16*b*d*x^4)/(9*a^2) + (49*b*e*x^5)/(18*a^2))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6) - (3*b*c*log(x))/a^4$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**3,x)

[Out] Timed out

$$3.358 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=248

$$\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

[Out] 1/9*(-e*x^2-d*x-c)/b/(b*x^3+a)^3+1/54*x*(2*e*x+d)/a/b/(b*x^3+a)^2+1/162*x*(8*e*x+5*d)/a^2/b/(b*x^3+a)+1/243*(5*b^(1/3)*d-4*a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(5/3)-1/486*(5*b^(1/3)*d-4*a^(1/3)*e)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(5/3)-1/243*(5*b^(1/3)*d+4*a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.24, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] -(c + d*x + e*x^2)/(9*b*(a + b*x^3)^3) + (x*(d + 2*e*x))/(54*a*b*(a + b*x^3)^2) + (x*(5*d + 8*e*x))/(162*a^2*b*(a + b*x^3)) - ((5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(8/3)*b^(5/3)) + ((5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(8/3)*b^(5/3)) - ((5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(486*a^(8/3)*b^(5/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^4} dx &= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{\int \frac{d+2ex}{(a+bx^3)^3} dx}{9b} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} - \frac{\int \frac{-5d-8ex}{(a+bx^3)^2} dx}{54ab} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} + \frac{\int \frac{10d+8ex}{a+bx^3} dx}{162a^2b} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}d+8\sqrt[3]{a}e)+\sqrt[3]{b}(-10\sqrt[3]{b}d)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{8/3}b^{4/3}} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{243a^{8/3}b^{5/3}} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{243a^{8/3}b^{5/3}} \\
&= -\frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} - \frac{(5\sqrt[3]{b}d + 4\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-\sqrt[3]{bx}}{\sqrt{3}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 230, normalized size = 0.93

$$\frac{(4\sqrt[3]{a}e-5\sqrt[3]{b}d)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{a^{8/3}} + \frac{2(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{a^{8/3}} - \frac{2\sqrt{3}(4\sqrt[3]{a}e+5\sqrt[3]{b}d)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{a^{8/3}} + \frac{3b^{2/3}x(5d+8ex)}{a^2(a+bx^3)} - \frac{54b^2}{486b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] ((9*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)^2) + (3*b^(2/3)*x*(5*d + 8*e*x))/(a^2*(a + b*x^3)) - (54*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3)^3 - (2*sqrt[3]*(5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(8/3) + (2*(5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(8/3) + ((-5*b^(1/3)*d + 4*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(8/3))/(486*b^(5/3))

fricas [C] time = 3.58, size = 2364, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/972*(48*b^2*e*x^8 + 30*b^2*d*x^7 + 132*a*b*e*x^5 + 78*a*b*d*x^4 - 24*a^2*e*x^2 - 60*a^2*d*x - 108*a^2*c - 2*(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2

$$\begin{aligned}
& *x^3 + a^5*b) * ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
&) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) \\
&) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/ \\
& (a^8*b^5))^{(1/3)}) * \log(((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3) \\
&)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (\\
& -I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 6 \\
& 4*a*e^3)/(a^8*b^5))^{(1/3)})^2 * a^6 * b^3 * e - 25/2 * ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) \\
& * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} \\
&) - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a \\
& ^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}) * a^3 * b^2 * d^2 + 160 * a * d * e \\
& ^2 + (125*b*d^3 + 64*a*e^3) * x) + ((a^2 * b^4 * x^9 + 3 * a^3 * b^3 * x^6 + 3 * a^4 * b^2 * \\
& x^3 + a^5 * b) * ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
& + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) \\
& + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a \\
& ^8*b^5))^{(1/3)})) + 3 * \text{sqrt}(1/3) * (a^2 * b^4 * x^9 + 3 * a^3 * b^3 * x^6 + 3 * a^4 * b^2 * x^ \\
& 3 + a^5 * b) * \text{sqrt}(-(((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8 \\
& * b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sq} \\
& \text{rt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e \\
& ^3)/(a^8*b^5))^{(1/3)}))^2 * a^5 * b^3 + 320 * d * e)/(a^5 * b^3)) * \log(-((1/2)^{(1/3)} * (\\
& I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a \\
& ^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 \\
& + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^2 * a^6 * b^3 \\
& * e + 25/2 * ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + \\
& (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + \\
& 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8 \\
& * b^5))^{(1/3)})) * a^3 * b^2 * d^2 - 160 * a * d * e^2 + 2 * (125*b*d^3 + 64*a*e^3) * x + 3/2 \\
& * \text{sqrt}(1/3) * (2 * ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
&) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) \\
&) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a \\
& ^8*b^5))^{(1/3)})) * a^6 * b^3 * e + 25 * a^3 * b^2 * d^2) * \text{sqrt}(-(((1/2)^{(1/3)} * (I*\text{sqrt}(\\
& 3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5) \\
&))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a * \\
& e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^2 * a^5 * b^3 + 320 * \\
& d * e)/(a^5 * b^3)) + ((a^2 * b^4 * x^9 + 3 * a^3 * b^3 * x^6 + 3 * a^4 * b^2 * x^3 + a^5 * b) * (\\
& (1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 \\
& - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 \\
& * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} \\
&))) - 3 * \text{sqrt}(1/3) * (a^2 * b^4 * x^9 + 3 * a^3 * b^3 * x^6 + 3 * a^4 * b^2 * x^3 + a^5 * b) * \text{sq} \\
& \text{rt}(-(((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b \\
& * d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^ \\
& 5 * b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5)) \\
& ^{(1/3)}))^2 * a^5 * b^3 + 320 * d * e)/(a^5 * b^3)) * \log(-((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) \\
& * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} \\
&) - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a \\
& ^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^2 * a^6 * b^3 * e + 25/2 * ((1/ \\
& 2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 6 \\
& 4*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((\\
& 125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)})) \\
& * a^3 * b^2 * d^2 - 160 * a * d * e^2 + 2 * (125*b*d^3 + 64*a*e^3) * x - 3/2 * \text{sqrt}(1/3) * (2 * \\
& ((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 \\
& - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^ \\
& 3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/ \\
& 3)})) * a^6 * b^3 * e + 25 * a^3 * b^2 * d^2) * \text{sqrt}(-(((1/2)^{(1/3)} * (I*\text{sqrt}(3) + 1) * ((125 * \\
& b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40 * \\
& (1/2)^{(2/3)} * d * e * (-I*\text{sqrt}(3) + 1)/(a^5*b^3 * ((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
& + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^2 * a^5 * b^3 + 320 * d * e)/(a^5 * b^3) \\
&))/(a^2 * b^4 * x^9 + 3 * a^3 * b^3 * x^6 + 3 * a^4 * b^2 * x^3 + a^5 * b)
\end{aligned}$$

giac [A] time = 0.21, size = 242, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 4(-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 (-ab^2)^{\frac{2}{3}} a^2 b} - \frac{\left(5bd + 4(-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{486 (-ab^2)^{\frac{2}{3}} a^2 b} - \frac{\left(4 \left(\frac{a}{b} \right)^{\frac{1}{3}} e \right)}{243 (-ab^2)^{\frac{2}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-\frac{1}{243} \sqrt{3} (5bd - 4(-ab^2)^{\frac{1}{3}} e) \arctan\left(\frac{1}{3} \sqrt{3} (2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}) / \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / \left(\frac{a}{b}\right)^{\frac{1}{3}} - \frac{1}{486} (5bd + 4(-ab^2)^{\frac{1}{3}} e) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) / \left(\frac{a}{b}\right)^{\frac{1}{3}} - \frac{1}{243} (4 \left(\frac{a}{b}\right)^{\frac{1}{3}} e + 5d) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\frac{abs(x - \left(\frac{a}{b}\right)^{\frac{1}{3}})}{a^3 b}\right) + \frac{1}{162} (8b^2 x^8 e + 5b^2 d x^7 + 22abx^5 e + 13ab^2 d x^4 - 4a^2 x^2 e - 10a^2 d x - 18a^2 c) / (b^3 x^3 + a^4)$

maple [A] time = 0.06, size = 275, normalized size = 1.11

$$\frac{5\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{243 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2 b^2} + \frac{5d \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{243 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2 b^2} - \frac{5d \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{486 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2 b^2} + \frac{4\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b^2} - \frac{4e \ln \left(\dots \right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] $\frac{4}{81} a^{-2} b e x^8 + \frac{5}{162} a^{-2} d b x^7 + \frac{11}{81} a e x^5 + \frac{13}{162} a d x^4 - \frac{2}{81} b e x^2 - \frac{5}{81} b d x - \frac{1}{9} b c / (b^3 x^3 + a^4) + \frac{5}{243} a^{-2} b^2 d / (a/b)^{\frac{2}{3}} \ln(x + (a/b)^{\frac{1}{3}}) - \frac{5}{486} a^{-2} b^2 d / (a/b)^{\frac{2}{3}} \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) + \frac{5}{243} a^{-2} b^2 d / (a/b)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} (2x + (a/b)^{\frac{1}{3}}) / (a/b)^{\frac{1}{3}}\right) - \frac{4}{243} a^{-2} b^2 e / (a/b)^{\frac{1}{3}} \ln(x + (a/b)^{\frac{1}{3}}) + \frac{2}{243} a^{-2} b^2 e / (a/b)^{\frac{1}{3}} \ln(x^2 - (a/b)^{\frac{1}{3}} x + (a/b)^{\frac{2}{3}}) + \frac{4}{243} a^{-2} b^2 e 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} (2x + (a/b)^{\frac{1}{3}}) / (a/b)^{\frac{1}{3}}\right)$

maxima [A] time = 3.01, size = 248, normalized size = 1.00

$$\frac{8b^2ex^8 + 5b^2dx^7 + 22abex^5 + 13abdx^4 - 4a^2ex^2 - 10a^2dx - 18a^2c}{162(a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b)} + \frac{\sqrt{3} \left(4e \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 a^2 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{162} (8b^2 e x^8 + 5b^2 d x^7 + 22ab e x^5 + 13ab d x^4 - 4a^2 e x^2 - 10a^2 d x - 18a^2 c) / (a^2 b^4 x^9 + 3a^3 b^3 x^6 + 3a^4 b^2 x^3 + a^5 b) + \frac{1}{243} \sqrt{3} (4e (a/b)^{\frac{1}{3}} + 5d) \arctan\left(\frac{1}{3} \sqrt{3} (2x - (a/b)^{\frac{1}{3}}) / (a/b)^{\frac{1}{3}}\right) / (a/b)^{\frac{1}{3}} + \frac{1}{486} (4e (a/b)^{\frac{1}{3}} - 5d) \log\left(x^2 - x (a/b)^{\frac{1}{3}} + (a/b)^{\frac{2}{3}}\right) / (a/b)^{\frac{1}{3}} - \frac{1}{243} (4e (a/b)^{\frac{1}{3}} - 5d) \log\left(x + (a/b)^{\frac{1}{3}}\right) / (a/b)^{\frac{1}{3}}$

mupad [B] time = 0.27, size = 253, normalized size = 1.02

$$\left(\sum_{k=1}^3 \ln \left(\frac{20de + 16e^2x + \text{root}(14348907a^8b^5z^3 + 14580a^3b^2dez - 125bd^3 + 64ae^3, z, k)^2 a^5b^3 59049 + r}{a^4b 6561} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^4, x)

[Out] symsum(log((20*d*e + 16*e^2*x + 59049*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)^2*a^5*b^3 + 1215*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)*a^2*b^2*d*x)/(6561*a^4*b))*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k), k, 1, 3) + ((13*d*x^4)/(162*a) - c/(9*b) + (11*e*x^5)/(81*a) - (2*e*x^2)/(81*b) - (5*d*x)/(81*b) + (5*b*d*x^7)/(162*a^2) + (4*b*e*x^8)/(81*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)

sympy [A] time = 17.94, size = 201, normalized size = 0.81

$$\text{RootSum}\left(14348907t^3a^8b^5 + 14580ta^3b^2de + 64ae^3 - 125bd^3, \left(t \mapsto t \log\left(x + \frac{236196t^2a^6b^3e + 6075ta^3b^2d^2}{64ae^3 + 125bd^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**4, x)

[Out] RootSum(14348907*_t**3*a**8*b**5 + 14580*_t*a**3*b**2*d*e + 64*a*e**3 - 125*b*d**3, Lambda(_t, _t*log(x + (236196*_t**2*a**6*b**3*e + 6075*_t*a**3*b**2*d**2 + 160*a*d*e**2)/(64*a*e**3 + 125*b*d**3)))) + (-18*a**2*c - 10*a**2*d*x - 4*a**2*e*x**2 + 13*a*b*d*x**4 + 22*a*b*e*x**5 + 5*b**2*d*x**7 + 8*b**2*e*x**8)/(162*a**5*b + 486*a**4*b**2*x**3 + 486*a**3*b**3*x**6 + 162*a**2*b**4*x**9)

$$3.359 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=270

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3} a^{10/3}b^{4/3}}$$

[Out] $-1/9*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^3+1/162*x*(28*b*c*x+5*a*e)/a^3/b/(b*x^3+a)+1/54*(-6*a*d+x*(7*b*c*x+a*e))/a^2/b/(b*x^3+a)^2-1/243*(14*b^(2/3)*c-5*a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(10/3)/b^(4/3)+1/486*(14*b^(2/3)*c-5*a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(10/3)/b^(4/3)-1/243*(14*b^(2/3)*c+5*a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(10/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.25, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1828, 1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3} a^{10/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(9*a*b*(a + b*x^3)^3) + (x*(5*a*e + 28*b*c*x))/(162*a^3*b*(a + b*x^3)) - (6*a*d - x*(a*e + 7*b*c*x))/(54*a^2*b*(a + b*x^3)^2) - ((14*b^(2/3)*c + 5*a^(2/3)*e)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3)))/(81*\text{Sqrt}[3]*a^(10/3)*b^(4/3)) - ((14*b^(2/3)*c - 5*a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(10/3)*b^(4/3)) + ((14*b^(2/3)*c - 5*a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(486*a^(10/3)*b^(4/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^4} dx &= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{\int \frac{-ae - 7bcx - 6bdx^2}{(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} + \frac{\int \frac{5ae + 28bcx}{(a + bx^3)^2} dx}{54a^2b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{-10ae - 28bcx}{a + bx^3} dx}{162a^3b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{\sqrt[3]{a}(-28\sqrt[3]{a}bc - 20a\sqrt[3]{b}e)}{a^{2/3} - \sqrt[3]{a}} dx}{486a^4b^{5/3}} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}b^4} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}b^4} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c + 5a^{2/3}e) \tan^{-1}}{81\sqrt{3}a^{10/3}b^4}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 241, normalized size = 0.89

$$\frac{a^{2/3}\sqrt[3]{b}(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2\sqrt{3}a^{2/3}\sqrt[3]{b}(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) + 2(5a^{4/3}b^{5/3})}{486a^4b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] ((3*a*b^(2/3)*(28*b^3*c*x^8 - 2*a^3*(9*d + 5*e*x) + a*b^2*x^5*(77*c + 5*e*x^2) + a^2*b*x^2*(67*c + 13*e*x^2)))/(a + b*x^3)^3 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-14*a^(2/3)*b*c + 5*a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] + a^(2/3)*b^(1/3)*(14*b^(2/3)*c - 5*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(486*a^4*b^(5/3))

fricas [C] time = 3.27, size = 2646, normalized size = 9.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/972*(168*b^3*c*x^8 + 30*a*b^2*e*x^7 + 462*a*b^2*c*x^5 + 78*a^2*b*e*x^4 + 402*a^2*b*c*x^2 - 60*a^3*e*x - 108*a^3*d - 2*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((2744*b^2*c^3 + 125*a

$$\begin{aligned}
& ^2e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(\\
& 1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10} \\
& 0*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)})) * \log(7/2*((1/2)^{(1/3)} \\
& *(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 \\
& 3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(\\
& a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2* \\
& e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^7*b^3*c} - 25/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((\\
& 2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10} \\
& *b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 \\
& + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} \\
&))*a^5*b*e^2 + 1960*a*b*c^2*e + (2744*b^2*c^3 + 125*a^2*e^3)*x) + ((a^3*b^4 \\
& *x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)* \\
& ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10} \\
& b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^ \\
& ^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/ \\
& 3))) + 3*\text{sqrt}(1/3)*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*\text{sq} \\
& \text{rt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I* \\
& \text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2* \\
& c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^6*b^2} + 1120*c*e)/(a^6*b^2))) * \log \\
& (-7/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(- \\
& I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^ \\
& 2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^7*b^3*c} + 25/2*((1/2)^{(1/3)}*(I \\
& *\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 12 \\
& 5*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^ \\
& 2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(\\
& a^{10}b^4))^{(1/3)})) * a^5*b*e^2 - 1960*a*b*c^2*e + 2*(2744*b^2*c^3 + 125*a^2*e \\
& ^3)*x + 3/2*\text{sqrt}(1/3)*(7*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125* \\
& a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140* \\
& (1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10} \\
& b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)})) * a^7*b^3*c + 25*a \\
& ^5*b*e^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3) \\
& / (a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2 \\
& /3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^6*b^2} + 1120*c*e)/(a \\
& ^6*b^2))) + ((a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^{(1/3)} \\
& *(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^ \\
& ^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/ \\
& (a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2 \\
& *e^3)/(a^{10}b^4))^{(1/3)})) - 3*\text{sqrt}(1/3)*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^ \\
& 5*b^2*x^3 + a^6*b)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125 \\
& *a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140 \\
& *(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a \\
& ^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^6*b^2} + 112 \\
& 0*c*e)/(a^6*b^2))) * \log(-7/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 1 \\
& 25*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 1 \\
& 40*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/ \\
& (a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)}))^{2*a^7*b^3*c} + \\
& 25/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I \\
& *\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2 \\
& *c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/3)})) * a^5*b*e^2 - 1960*a*b*c^2*e + 2*(274 \\
& 4*b^2*c^3 + 125*a^2*e^3)*x - 3/2*\text{sqrt}(1/3)*(7*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)* \\
& ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10} \\
& b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^ \\
& ^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))^{(1/ \\
& 3))) * a^7*b^3*c + 25*a^5*b*e^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b \\
& ^2*c^3 + 125*a^2*e^3)/(a^{10}b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}b^4))
\end{aligned}$$

$$\frac{\sqrt[3]{5ae - 14(-ab^2)^{\frac{1}{3}}c} \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)}{243(-ab^2)^{\frac{2}{3}}a^3 + 486(-ab^2)^{\frac{2}{3}}a^3}$$

giac [A] time = 0.24, size = 244, normalized size = 0.90

$$\frac{\sqrt{3}\left(5ae - 14(-ab^2)^{\frac{1}{3}}c\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)}{243(-ab^2)^{\frac{2}{3}}a^3 + 486(-ab^2)^{\frac{2}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-\frac{1}{243}\sqrt{3}(5ae - 14(-ab^2)^{\frac{1}{3}}c) \arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right) + \frac{1}{162}(28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d) / (b^3x^3 + a^3)$

maple [A] time = 0.06, size = 278, normalized size = 1.03

$$\frac{5\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right) + 5e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - 5e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + 14\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right) + 14c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2 + 243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2 - 486\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2 + 243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^3b + 243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] $\frac{14}{81}c/a^3b^2x^8 + \frac{5}{162}a^2b^2ex^7 + \frac{77}{162}ab^2cx^5 + \frac{13}{162}a^2bex^4 + \frac{67}{162}a^2bcx^2 - \frac{10}{162}a^3ex - \frac{18}{162}a^3d}{(b^3x^3 + a^3)} + \frac{\sqrt{3}\left(14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)}{243a^3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$

maxima [A] time = 3.03, size = 260, normalized size = 0.96

$$\frac{28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d}{162(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b)} + \frac{\sqrt{3}\left(14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)}{243a^3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{162}(28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d) / (a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b) + \frac{\sqrt{3}\left(14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) \left(5ae + 14(-ab^2)^{\frac{1}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(14bc\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)}{243a^3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$

$$\sqrt[2]{x^3 + a^6 b} + \frac{1}{243} \sqrt[3]{3} (14bc(a/b)^{1/3} + 5ae) \arctan\left(\frac{1}{3} \sqrt[3]{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a^3 b^2 (a/b)^{2/3}) + \frac{1}{486} (14bc(a/b)^{1/3} - 5ae) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^3 b^2 (a/b)^{2/3}) - \frac{1}{243} (14bc(a/b)^{1/3} - 5ae) \log(x + (a/b)^{1/3}) / (a^3 b^2 (a/b)^{2/3})$$

mupad [B] time = 0.24, size = 265, normalized size = 0.98

$$\frac{\frac{67cx^2}{162a} - \frac{d}{9b} + \frac{13ex^4}{162a} - \frac{5ex}{81b} + \frac{14b^2cx^8}{81a^3} + \frac{77bcx^5}{162a^2} + \frac{5bex^7}{162a^2}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \ln \left(\frac{70ace + \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2c^3e^3, z, k)^2 a^7 b^2 + 196b^2 c^2 x + 1215 \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2c^3e^3, z, k) a^4 b e x}{6561a^6} \right) \right) \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2c^3e^3, z, k), k, 1, 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^4, x)

[Out] ((67*c*x^2)/(162*a) - d/(9*b) + (13*e*x^4)/(162*a) - (5*e*x)/(81*b) + (14*b^2*c*x^8)/(81*a^3) + (77*b*c*x^5)/(162*a^2) + (5*b*e*x^7)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log((70*a*c*e + 59049*root(14348907*a^10*b^4*z^3 + 51030*a^4*b^2*c^3*e^3 - 125*a^2*e^3 + 2744*b^2*c^3, z, k)^2*a^7*b^2 + 196*b*c^2*x + 1215*root(14348907*a^10*b^4*z^3 + 51030*a^4*b^2*c^3*e^3, z, k)*a^4*b*e*x)/(6561*a^6))*root(14348907*a^10*b^4*z^3 + 51030*a^4*b^2*c^3*e^3 - 125*a^2*e^3 + 2744*b^2*c^3, z, k), k, 1, 3)

sympy [A] time = 8.79, size = 214, normalized size = 0.79

$$\text{RootSum}\left(14348907t^3a^{10}b^4 + 51030ta^4b^2ce - 125a^2e^3 + 2744b^2c^3, \left(t \mapsto t \log\left(x + \frac{826686t^2a^7b^3c + 6075ta^5}{125a^2e^3 + 2744b^2c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**4, x)

[Out] RootSum(14348907*_t**3*a**10*b**4 + 51030*_t*a**4*b**2*c*e - 125*a**2*e**3 + 2744*b**2*c**3, Lambda(_t, _t*log(x + (826686*_t**2*a**7*b**3*c + 6075*_t*a**5*b*e**2 + 1960*a*b*c**2*e)/(125*a**2*e**3 + 2744*b**2*c**3)))) + (-18*a**3*d - 10*a**3*e*x + 67*a**2*b*c*x**2 + 13*a**2*b*e*x**4 + 77*a*b**2*c*x**5 + 5*a*b**2*e*x**7 + 28*b**3*c*x**8)/(162*a**6*b + 486*a**5*b**2*x**3 + 486*a**4*b**3*x**6 + 162*a**3*b**4*x**9)

$$3.360 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$$

Optimal. Leaf size=250

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] 1/54*x*(7*d*x+8*c)/a^2/(b*x^3+a)^2+2/81*x*(7*d*x+10*c)/a^3/(b*x^3+a)+1/9*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)^3+2/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)-1/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-2/243*(20*b^(1/3)*c+7*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.22, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^4, x]

[Out] (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(9*a*b*(a + b*x^3)^3) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^4} dx &= \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-8c-7dx}{(a+bx^3)^3} dx}{9a} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{\int \frac{40c+28dx}{(a+bx^3)^2} dx}{54a^2} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-80c-28dx}{a+bx^3} dx}{162a^3} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c-28\sqrt[3]{a}d) + \sqrt[3]{b}(80\sqrt[3]{b}c-28\sqrt[3]{a}d)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{2(20\sqrt[3]{b}c + 7\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 239, normalized size = 0.96

$$\frac{2(7a^{2/3}d - 20\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c - 7a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{54a^3(ae - bx(c + dx))}{b(a + bx^3)^3} + \frac{9a^2x(8c + 7dx)}{(a + bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{b}c + 2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{486a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^4, x]

[Out] ((9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2 + (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (54*a^3*(a*e - b*x*(c + d*x)))/(b*(a + b*x^3)^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (4*(20*a^(1/3)*b^(1/3)*c - 7*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (2*(-20*a^(1/3)*b^(1/3)*c + 7*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(486*a^4)

fricas [C] time = 2.67, size = 2344, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/972*(168*b^3*d*x^8 + 240*b^3*c*x^7 + 462*a*b^2*d*x^5 + 624*a*b^2*c*x^4 + 402*a^2*b*d*x^2 + 492*a^2*b*c*x - 108*a^3*e - 2*(a^3*b^4*x^9 + 3*a^4*b^3*x^8

giac [A] time = 0.21, size = 234, normalized size = 0.94

$$\frac{2\sqrt{3}\left(20bc - 7(-ab^2)^{\frac{1}{3}}d\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{\left(20bc + 7(-ab^2)^{\frac{1}{3}}d\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{2(7d}{$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] -2/243*sqrt(3)*(20*b*c - 7*(-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) - 1/243*(20*b*c + 7*(-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) - 2/43*(7*d*(-a/b)^(1/3) + 20*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^4 + 1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/((b*x^3 + a)^3*a^3*b)

maple [A] time = 0.06, size = 360, normalized size = 1.44

$$\frac{ex^3}{9(bx^3+a)^3a} + \frac{dx^2}{9(bx^3+a)^3a} + \frac{ex^3}{9(bx^3+a)^2a^2} + \frac{cx}{9(bx^3+a)^3a} + \frac{7dx^2}{54(bx^3+a)^2a^2} + \frac{4cx}{27(bx^3+a)^2a^2} + \frac{14dx}{81(bx^3+a)^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] 1/9*c/a*x/(b*x^3+a)^3+4/27*c/a^2*x/(b*x^3+a)^2+20/81*c/a^3*x/(b*x^3+a)+40/243*c/a^3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-20/243*c/a^3/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+40/243*c/a^3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9*d/a*x^2/(b*x^3+a)^3+7/54*d/a^2*x^2/(b*x^3+a)^2+14/81*d/a^3*x^2/(b*x^3+a)-14/243*d/a^3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/243*d/a^3/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/243*d/a^3*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9*e/a*x^3/(b*x^3+a)^3+1/9*e/a^2*x^3/(b*x^3+a)^2-1/9*e/a^2/b/(b*x^3+a)

maxima [A] time = 2.99, size = 254, normalized size = 1.02

$$\frac{28b^3dx^8 + 40b^3cx^7 + 77ab^2dx^5 + 104ab^2cx^4 + 67a^2bdx^2 + 82a^2bcx - 18a^3e}{162(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b)} + \frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) + 2/243*sqrt(3)*(7*d*(a/b)^(1/3) + 20*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b*(a/b)^(2/3)) + 1/243*(7*d*(a/b)^(1/3) + 20*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^4

$$\frac{(1/3) - 20*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)))/(a^3*b*(a/b)^{(2/3))} - 2/243*(7*d*(a/b)^{(1/3)} - 20*c)*\log(x + (a/b)^{(1/3)))/(a^3*b*(a/b)^{(2/3))}$$

mupad [B] time = 0.28, size = 247, normalized size = 0.99

$$\frac{\frac{67dx^2}{162a} - \frac{e}{9b} + \frac{41cx}{81a} + \frac{20b^2cx^7}{81a^3} + \frac{14b^2dx^8}{81a^3} + \frac{52bcx^4}{81a^2} + \frac{77bdx^5}{162a^2}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(560cd + 196d^2x + \text{root}(14348907a^{11}b^2z^3 + 408240a^4b^3cdz - 64000b^3c^3 + 2744ad^3, z, k) \right)^2 a^7 b + 9720 \text{root}(14348907a^{11}b^2z^3 + 408240a^4b^3cdz - 64000b^3c^3 + 2744ad^3, z, k) a^3 b^3 c x)}{(561a^6)} \right) \right) \text{root}(14348907a^{11}b^2z^3 + 408240a^4b^3cdz - 64000b^3c^3 + 2744ad^3, z, k), k, 1, 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^4,x)

[Out] ((67*d*x^2)/(162*a) - e/(9*b) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b^3*c*d*z - 64000*b^3*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b^3*c*d*z - 64000*b^3*c^3 + 2744*a*d^3, z, k)*a^3*b^3*c*x))/(561*a^6))*root(14348907*a^11*b^2*z^3 + 408240*a^4*b^3*c*d*z - 64000*b^3*c^3 + 2744*a*d^3, z, k), k, 1, 3)

sympy [A] time = 4.47, size = 202, normalized size = 0.81

$$\text{RootSum} \left(14348907t^3a^{11}b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, \left(t \mapsto t \log \left(x + \frac{413343t^2a^8bd + 194400}{1372ad^3 + 32000b^3c^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**4,x)

[Out] RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (-18*a**3*e + 82*a**2*b*c*x + 67*a**2*b*d*x**2 + 104*a*b**2*c*x**4 + 77*a*b**2*d*x**5 + 40*b**3*c*x**7 + 28*b**3*d*x**8)/(162*a**6*b + 486*a**5*b**2*x**3 + 486*a**4*b**3*x**6 + 162*a**3*b**4*x**9)

$$3.361 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$$

Optimal. Leaf size=291

$$\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] 1/9*x*(-b*c*x^2+a*e*x+a*d)/a^2/(b*x^3+a)^3+1/54*x*(-15*b*c*x^2+7*a*e*x+8*a*d)/a^3/(b*x^3+a)^2+1/162*x*(-99*b*c*x^2+28*a*e*x+40*a*d)/a^4/(b*x^3+a)+c*ln(x)/a^4+2/243*(20*b^(1/3)*d-7*a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)-1/243*(20*b^(1/3)*d-7*a^(1/3)*e)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-1/3*c*ln(b*x^3+a)/a^4-2/243*(20*b^(1/3)*d+7*a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.52, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(9*a^2*(a + b*x^3)^3) + (x*(8*a*d + 7*a*e*x - 15*b*c*x^2))/(54*a^3*(a + b*x^3)^2) + (x*(40*a*d + 28*a*e*x - 99*b*c*x^2))/(162*a^4*(a + b*x^3)) - (2*(20*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (c*Log[x])/a^4 + (2*(20*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3)) - (c*Log[a + b*x^3])/(3*a^4)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_.)^{(m_.)})^{(n_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[(A_.) + (B_.)*(x_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] \ /; \ \text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^4} dx &= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 8bdx - 7bex^2 + \frac{6b^2cx^3}{a}}{x(a+bx^3)^3} dx}{9ab} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^2c + 40b^2dx + 28b^2ex^2 - \frac{45b^3cx^3}{a}}{x(a+bx^3)^2} dx}{54a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \frac{-162b^3c - 80b^3dx - 54b^3ex^2}{x(a+bx^3)}}{162a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \left(-\frac{162b^3c}{ax}\right)}{162a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} - \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{2(20\sqrt[3]{b}d - 7a^{2/3}e)}{486a^4}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 259, normalized size = 0.89

$$\frac{2(7a^{2/3}e - 20\sqrt[3]{a}\sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}d - 7a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} + \frac{54a^3(c + x(d + ex))}{(a + bx^3)^3} + \frac{9a^2(9c + x(8d + 7ex))}{(a + bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}}{486a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] ((54*a^3*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*(9*c + x*(8*d + 7*e*x)))/(a + b*x^3)^2 + (6*a*(27*c + 2*x*(10*d + 7*e*x)))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 486*c*Log[x] + (4*(20*a^(1/3)*b^(1/3)*d - 7*a^(2/3)*e)*Lo

$$\frac{g[a^{1/3} + b^{1/3}x]}{b^{2/3}} + \frac{(2(-20a^{1/3}b^{1/3}d + 7a^{2/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{b^{2/3}} - \frac{162c \operatorname{Log}[a + bx^3]}{(486a^4)}$$

fricas [C] time = 3.53, size = 5370, normalized size = 18.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="fricas")

[Out] $\frac{1}{236196} (40824 a^2 b^2 e x^8 + 58320 a^2 b^2 d x^7 + 78732 a^2 b^2 c x^6 + 11226 a^2 b^2 e x^5 + 151632 a^2 b^2 d x^4 + 196830 a^2 b^2 c x^3 + 97686 a^3 e x^2 + 119556 a^3 d x + 144342 a^3 c - 2(a^4 b^3 x^9 + 3 a^5 b^2 x^6 + 3 a^6 b x^3 + a^7) \cdot ((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4 \cdot \log(7/236196 \cdot ((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4)^2 a^8 b e + 64800 b c d^2 + 45927 b c^2 e + 7840 a d e^2 - 1/243 (400 a^4 b d^2 + 567 a^4 b c e) \cdot ((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4 + 4 (8000 b d^3 + 343 a e^3) x - (118098 b^3 c x^9 + 354294 a b^2 c x^6 + 354294 a^2 b c x^3 + 118098 a^3 c - (a^4 b^3 x^9 + 3 a^5 b^2 x^6 + 3 a^6 b x^3 + a^7) \cdot ((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4 - 3 \sqrt{1/3} \cdot (a^4 b^3 x^9 + 3 a^5 b^2 x^6 + 3 a^6 b x^3 + a^7) \cdot \sqrt{-(((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4)^2 a^8 b - 78732 \cdot ((-I \sqrt{3} + 1) \cdot (6561 c^2 / a^8 - (6561 b c^2 + 560 a d e) / (a^8 b))) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4 + 4 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 59049 (I \sqrt{3} + 1) \cdot (-1/27 c^3 / a^{12} + 1/118098 (6561 b c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b d^3 + 343 a e^3) / (a^{11} b^2) - 1/28697814 (531441 b^2 c^3 + 2744 a^2 e^3 - 80 (800 d^3 - 1701 c d e) a b) / (a^{12} b^2))^{1/3} + 39366 c / a^4$

$$\begin{aligned}
& *d*e)*a*b)/(a^{12}b^2))^{(1/3)} + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 52 \\
& 9079040*a*d*e)/(a^8*b)))*\log(-7/236196*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6 \\
& 561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 56 \\
& 0*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28 \\
& 697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{1 \\
& 2*b^2))^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^ \\
& 2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) \\
& - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b \\
&)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)^2*a^8*b*e - 64800*b*c*d^2 - 45927*b*c^2* \\
& e - 7840*a*d*e^2 + 1/243*(400*a^4*b*d^2 + 567*a^4*b*c*e)*((-I*\sqrt{3}) + 1)* \\
& (6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/11809 \\
& 8*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3) \\
& / (a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 170 \\
& 1*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1 \\
& /118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343* \\
& a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 \\
& - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4) + 8*(8000*b*d^3 + 343* \\
& a*e^3)*x + 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c \\
& ^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e \\
&)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814* \\
& (531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2)) \\
& ^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560 \\
& *a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/286 \\
& 97814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12} \\
& *b^2))^{(1/3)} + 39366*c/a^4)*a^8*b*e + 388800*a^4*b*d^2 - 275562*a^4*b*c*e)* \\
& \sqrt{-(((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/ \\
& (-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907 \\
& *(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^ \\
& 2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3}) \\
& + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14 \\
& 348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2 \\
& 744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^ \\
& 4)^2*a^8*b - 78732*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d* \\
& e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) \\
& + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c \\
& ^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 5904 \\
& 9*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^ \\
& 12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441 \\
& *b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} \\
& + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b)) - (1 \\
& 18098*b^3*c*x^9 + 354294*a*b^2*c*x^6 + 354294*a^2*b*c*x^3 + 118098*a^3*c - \\
& (a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7))*((-I*\sqrt{3}) + 1)*(6561*c \\
& ^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561 \\
& *b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11} \\
& b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e) \\
&)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1/118098 \\
& *(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/ \\
& (a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701 \\
& *c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4) + 3*\sqrt{1/3}*(a^4*b^3*x^9 + \\
& 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)*\sqrt{-(((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - \\
& (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + \\
& 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1 \\
& /28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(\\
& a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b \\
& *c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^ \\
& 2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)* \\
& a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)^2*a^8*b - 78732*((-I*\sqrt{3}) + 1)*(65 \\
& 61*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(\\
& 6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a
\end{aligned}$$

$$\begin{aligned} & \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 a^4 b^2 c + 1549681956 b^2 c^2 + 529079040 a d e / (a^8 b)) * \log(-7/236196 * ((-I \sqrt{3} + 1) * (6561 c^2 / a^8 - (6561 b^2 c^2 + 560 a d e) / (a^8 b)) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2)) \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 a^2 a^8 b^2 e - 64800 b^2 c d^2 - 45927 b^2 c^2 e - 7840 a d e^2 + 1/243 (400 a^4 b^2 d^2 + 567 a^4 b^2 c e) * ((-I \sqrt{3} + 1) * (6561 c^2 / a^8 - (6561 b^2 c^2 + 560 a d e) / (a^8 b)) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2)) \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 + 8 * (8000 b^2 d^3 + 343 a e^3) * x - 1/78732 * \sqrt{1/3} * (7 * ((-I \sqrt{3} + 1) * (6561 c^2 / a^8 - (6561 b^2 c^2 + 560 a d e) / (a^8 b)) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2)) \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 a^8 b^2 e + 388800 a^4 b^2 d^2 - 275562 a^4 b^2 c e) * \sqrt{(((-I \sqrt{3} + 1) * (6561 c^2 / a^8 - (6561 b^2 c^2 + 560 a d e) / (a^8 b)) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2)) \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 a^8 b - 78732 * ((-I \sqrt{3} + 1) * (6561 c^2 / a^8 - (6561 b^2 c^2 + 560 a d e) / (a^8 b)) / (-1/27 c^3 / a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2)) \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 59049 (I \sqrt{3} + 1) \frac{(-1/27 c^3/a^{12} + 1/118098 (6561 b^2 c^2 + 560 a d e) c / (a^{12} b) + 4/14348907 (8000 b^2 d^3 + 343 a e^3) / (a^{11} b^2))}{(a^{11} b^2)} \\ & - \frac{1}{28697814} \frac{(531441 b^2 c^3 + 2744 a^2 e^3 - 80(800 d^3 - 1701 c d e) a b)}{(a^{12} b^2)^{1/3}} + 39366 c / a^4 a^4 b^2 c + 1549681956 b^2 c^2 + 529079040 a d e / (a^8 b)) \\ & + 236196 * (b^3 c x^9 + 3 a b^2 c x^6 + 3 a^2 b c x^3 + a^3 c) * \log(x) / (a^4 b^3 x^9 + 3 a^5 b^2 x^6 + 3 a^6 b x^3 + a^7) \end{aligned}$$

giac [A] time = 0.24, size = 290, normalized size = 1.00

$$\frac{2\sqrt{3}\left(20bd - 7(-ab^2)^{\frac{1}{3}}e\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{\left(20bd + 7(-ab^2)^{\frac{1}{3}}e\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} c \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="giac")

[Out] -2/243*sqrt(3)*(20*b*d - 7*(-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/

$$\frac{b^{1/3}}{(-a/b)^{1/3}} \left/ \frac{(-a*b^2)^{2/3} * a^3 - 1/243 * (20*b*d + 7*(-a*b^2)^{1/3} * e) * \log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})}{(-a*b^2)^{2/3} * a^3 - 1/3 * c * \log(\text{abs}(b*x^3 + a)) / a^4 + c * \log(\text{abs}(x)) / a^4 + 1/162 * (28*a*b^2*x^8*e + 40*a*b^2*d*x^7 + 54*a*b^2*c*x^6 + 77*a^2*b*x^5*e + 104*a^2*b*d*x^4 + 135*a^2*b*c*x^3 + 67*a^3*x^2*e + 82*a^3*d*x + 99*a^3*c)} \right/ \frac{2/243 * (7*a^5*b*(-a/b)^{1/3} * e + 20*a^5*b*d) * (-a/b)^{1/3} * \log(\text{abs}(x - (-a/b)^{1/3}))}{a^9 * b}$$

maple [A] time = 0.06, size = 394, normalized size = 1.35

$$\frac{14b^2ex^8}{81(bx^3+a)^3a^3} + \frac{20b^2dx^7}{81(bx^3+a)^3a^3} + \frac{b^2cx^6}{3(bx^3+a)^3a^3} + \frac{77bex^5}{162(bx^3+a)^3a^2} + \frac{52bdx^4}{81(bx^3+a)^3a^2} + \frac{5bcx^3}{6(bx^3+a)^3a^2} + \frac{c \log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^4,x)

[Out] $\frac{14}{81} \frac{1}{a^3} \frac{1}{(bx^3+a)^3} b^2 e x^8 + \frac{20}{81} \frac{1}{a^3} \frac{1}{(bx^3+a)^3} b^2 d x^7 + \frac{1}{3} \frac{1}{a^3} \frac{1}{(bx^3+a)^3} b^2 c x^6 + \frac{77}{162} \frac{1}{a^2} \frac{1}{(bx^3+a)^3} b e x^5 + \frac{52}{81} \frac{1}{a^2} \frac{1}{(bx^3+a)^3} b d x^4 + \frac{5}{6} \frac{1}{a^2} \frac{1}{(bx^3+a)^3} b c x^3 + \frac{67}{162} \frac{1}{a} \frac{1}{(bx^3+a)^3} e x^2 + \frac{41}{81} \frac{1}{a} \frac{1}{(bx^3+a)^3} d x + \frac{11}{18} \frac{1}{a} \frac{1}{(bx^3+a)^3} c + \frac{40}{243} \frac{1}{a^3} \frac{d}{b} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) - \frac{20}{243} \frac{1}{a^3} \frac{d}{b} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{40}{243} \frac{1}{a^3} \frac{d}{b} \frac{1}{(a/b)^{2/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{14}{243} \frac{1}{a^3} \frac{e}{b} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{7}{243} \frac{1}{a^3} \frac{e}{b} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{14}{243} \frac{1}{a^3} \frac{e}{b} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{\frac{1}{2}} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{1}{3} c \ln(bx^3+a) / a^4 + c \ln(x) / a^4$

maxima [A] time = 3.04, size = 293, normalized size = 1.01

$$\frac{28b^2ex^8 + 40b^2dx^7 + 54b^2cx^6 + 77abex^5 + 104abdx^4 + 135abcx^3 + 67a^2ex^2 + 82a^2dx + 99a^2c}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)} + \frac{c \log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{162} \frac{1}{a^3} \frac{1}{(bx^3+a)^3} (28*b^2*e*x^8 + 40*b^2*d*x^7 + 54*b^2*c*x^6 + 77*a*b*e*x^5 + 104*a*b*d*x^4 + 135*a*b*c*x^3 + 67*a^2*e*x^2 + 82*a^2*d*x + 99*a^2*c) / (a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + \frac{c * \log(x)}{a^4} + \frac{2}{243} \frac{1}{a^5} \sqrt{3} \frac{1}{(a/b)^{1/3}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2*x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) - \frac{1}{243} \frac{1}{a^3} \frac{1}{(a/b)^{2/3}} (81*b*c*(a/b)^{2/3} - 7*a*e*(a/b)^{1/3} + 20*a*d) * \log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3}) / (a^4*b*(a/b)^{2/3}) - \frac{1}{243} \frac{1}{a^3} \frac{1}{(a/b)^{2/3}} (81*b*c*(a/b)^{2/3} + 14*a*e*(a/b)^{1/3} - 40*a*d) * \log(x + (a/b)^{1/3}) / (a^4*b*(a/b)^{2/3})$

mupad [B] time = 5.40, size = 871, normalized size = 2.99

$$\frac{\frac{11c}{18a} + \frac{67ex^2}{162a} + \frac{41dx}{81a} + \frac{b^2cx^6}{3a^3} + \frac{20b^2dx^7}{81a^3} + \frac{14b^2ex^8}{81a^3} + \frac{5bcx^3}{6a^2} + \frac{52bdx^4}{81a^2} + \frac{77bex^5}{162a^2}}{a^3 + 3a^2bx^3 + 3a^5bx^3 + b^3x^9} + \sum_{k=1}^3 \ln \left(-\frac{b(-64800bcd^2 + 45927}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^4),x)
```

```
[Out] ((11*c)/(18*a) + (67*e*x^2)/(162*a) + (41*d*x)/(81*a) + (b^2*c*x^6)/(3*a^3)
+ (20*b^2*d*x^7)/(81*a^3) + (14*b^2*e*x^8)/(81*a^3) + (5*b*c*x^3)/(6*a^2)
+ (52*b*d*x^4)/(81*a^2) + (77*b*e*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*
x^3 + 3*a*b^2*x^6) + symsum(log(-(2*b*(45927*b*c^2*e - 64800*b*c*d^2 + 1372
*a*e^3*x - 32000*b*d^3*x + 9565938*root(14348907*a^12*b^2*z^3 + 14348907*a^
8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e
- 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^3*a^11*b^2*x + 6480
0*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z
+ 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 +
531441*b^2*c^3, z, k)*a^4*b*d^2 - 137781*root(14348907*a^12*b^2*z^3 + 1434
8907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*
b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^2*a^8*b*e +
45360*b*c*d*e*x + 1062882*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z
^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*
a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^3*b^2*c^2*x + 6377292*root
(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782
969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 53144
1*b^2*c^3, z, k)^2*a^7*b^2*c*x + 91854*root(14348907*a^12*b^2*z^3 + 1434890
7*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c
*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^4*b*c*e + 226
800*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*
z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3
+ 531441*b^2*c^3, z, k)*a^4*b*d*e*x))/(531441*a^9))*root(14348907*a^12*b^2
*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z
+ 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k),
k, 1, 3) + (c*log(x))/a^4
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**4,x)
```

```
[Out] Timed out
```

$$3.362 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$$

Optimal. Leaf size=301

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e) \arctan(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x})}{81\sqrt{3} a^{13/3}}$$

[Out] $-c/a^4/x+1/9*x*(-b*d*x^2-b*c*x+a*e)/a^2/(b*x^3+a)^3+1/54*x*(-15*b*d*x^2-16*b*c*x+8*a*e)/a^3/(b*x^3+a)^2+1/162*x*(-99*b*d*x^2-118*b*c*x+40*a*e)/a^4/(b*x^3+a)+d*\ln(x)/a^4+20/243*(7*b^(2/3)*c+2*a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(13/3)/b^(1/3)-10/243*(7*b^(2/3)*c+2*a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(13/3)/b^(1/3)-1/3*d*\ln(b*x^3+a)/a^4+20/243*(7*b^(2/3)*c-2*a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(13/3)/b^(1/3)*3^(1/2)$

Rubi [A] time = 0.60, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e) \arctan(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x})}{81\sqrt{3} a^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

[Out] $-(c/(a^4*x)) + (x*(a*e - b*c*x - b*d*x^2))/(9*a^2*(a + b*x^3)^3) + (x*(8*a*e - 16*b*c*x - 15*b*d*x^2))/(54*a^3*(a + b*x^3)^2) + (x*(40*a*e - 118*b*c*x - 99*b*d*x^2))/(162*a^4*(a + b*x^3)) + (20*(7*b^(2/3)*c - 2*a^(2/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(81*\text{Sqrt}[3]*a^(13/3)*b^(1/3)) + (d*\text{Log}[x])/a^4 + (20*(7*b^(2/3)*c + 2*a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(13/3)*b^(1/3)) - (10*(7*b^(2/3)*c + 2*a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(13/3)*b^(1/3)) - (d*\text{Log}[a + b*x^3]/(3*a^4))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_.)^{(m_.)})^{(n_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n] \&\& \text{!IGtQ}[m, 0]$

Rule 1860

$\text{Int}[(A_.) + (B_.)*(x_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; \text{FreeQ}[\{a, b, A, B\}, x] \&\& \text{NeQ}[a*B^3 - b*A^3, 0] \&\& \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] /; \text{EqQ}[a*B^3 - b*A^3, 0] \|\ \text{!RationalQ}[a/b]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\int \frac{c + dx + ex^2}{x^2(a + bx^3)^4} dx = \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 8bex^2 + \frac{7b^2cx^3}{a} + \frac{6b^2dx^4}{a}}{x^2(a + bx^3)^3} dx}{9ab}$$

$$= \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 40b^3ex^2 - \frac{64b^4cx^3}{a} - \frac{45b^4dx^4}{a}}{x^2(a + bx^3)^2} dx}{54a^2b^3}$$

$$= \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} - \frac{\int \frac{-162b^5c}{x^2(a + bx^3)^2} dx}{162a^4}$$

$$= \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} - \frac{\int \left(-\frac{162b^5c}{ax^2} \right) dx}{162a^4}$$

$$= -\frac{c}{a^4x} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{162b^5c}{162a^4}$$

$$= -\frac{c}{a^4x} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{162b^5c}{162a^4}$$

$$= -\frac{c}{a^4x} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{162b^5c}{162a^4}$$

$$= -\frac{c}{a^4x} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{162b^5c}{162a^4}$$

$$= -\frac{c}{a^4x} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{162b^5c}{162a^4}$$

Mathematica [A] time = 0.31, size = 279, normalized size = 0.93

$$\frac{20(7a^{2/3}b^{2/3}c + 2a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2})}{\sqrt[3]{b}} + \frac{40(7a^{2/3}b^{2/3}c + 2a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{\sqrt[3]{b}} - \frac{40\sqrt{3} a^{2/3} (2a^{2/3}e - 7b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + \frac{54a^3}{486a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]
[Out] ((-486*a*c)/x + (9*a^2*(9*a*d + 8*a*e*x - 16*b*c*x^2))/(a + b*x^3)^2 + (6*a*(27*a*d + 20*a*e*x - 59*b*c*x^2))/(a + b*x^3) + (54*a^3*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^3 - (40*sqrt[3]*a^(2/3)*(-7*b^(2/3)*c + 2*a^(2/3)*e)*
```

$$\text{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]/b^{1/3} + 486ad \log[x] + (40 * (7a^{2/3}b^{2/3}c + 2a^{4/3}e) \log[a^{1/3} + b^{1/3}x])/b^{1/3} - (20 * (7a^{2/3}b^{2/3}c + 2a^{4/3}e) \log[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/b^{1/3} - 162ad \log[a + bx^3]/(486a^5)$$

fricas [C] time = 3.51, size = 5250, normalized size = 17.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/236196*(408240*b^3*c*x^9 - 58320*a*b^2*e*x^8 - 78732*a*b^2*d*x^7 + 11226 \\ & 60*a*b^2*c*x^6 - 151632*a^2*b*e*x^5 - 196830*a^2*b*d*x^4 + 976860*a^2*b*c*x \\ & ^3 - 119556*a^3*e*x^2 - 144342*a^3*d*x + 236196*a^3*c + 2*(a^4*b^3*x^{10} + 3 \\ & *a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 - (6561 \\ & *d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} \\ & + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\ & *e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} \\ & + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\ & /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\ & c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} \\ & + 39366*d/a^4)*\log(-7/236196*((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 - (6561*d^2 \\ & - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} \\ & + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\ & *e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} \\ & + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\ & /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\ & *e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} \\ & + 39366*d/a^4)^2*a^9*b*c - 45927*a*b*c*d^2 + 78400*a*b*c^2*e + 6480*a^2*d* \\ & e^2 + 1/243*(567*a^5*b*c*d - 40*a^6*e^2)*((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 - \\ & (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e) \\ & *d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 560 \\ & 0*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} \\ & + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c \\ & *e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\ & 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b \\ &))^{1/3} + 39366*d/a^4) - 400*(343*b^2*c^3 - 8*a^2*e^3)*x + (118098*b^3*d* \\ & x^{10} + 354294*a*b^2*d*x^7 + 354294*a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3* \\ & x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 \\ & - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c \\ & *e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\ & 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b \\ &))^{1/3} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 560 \\ & 0*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 \\ & - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13} \\ & *b))^{1/3} + 39366*d/a^4) + 3*\text{sqrt}(1/3)*(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3* \\ & a^6*b*x^4 + a^7*x)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 560 \\ & 0*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286 \\ & 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\ & a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} + 59049*(\\ & I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/ \\ & 28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b \\ &)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} + 3936 \\ & 6*d/a^4)^2*a^8 - 78732*((-I*\text{sqrt}(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c \\ & *e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286978 \\ & 14*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13} \\ & *b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{1/3} + 59049*(I*s \\ & \text{qrt}(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286 \\ & 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\ & \end{aligned}$$

$$\begin{aligned}
& a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d \\
& /a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8))*\log(7/236196*((-I*\sqrt{3} \\
& (3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118 \\
& 098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2* \\
& e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^ \\
& 3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/ \\
& 118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a \\
& ^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2 \\
& *c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^ \\
& 2 - 78400*a*b*c^2*e - 6480*a^2*d*e^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2)*(\\
& (-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64 \\
& 000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(34 \\
& 3*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\
& ^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + \\
& 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907* \\
& (343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4) - 800*(343*b^2*c^3 \\
& - 8*a^2*e^3)*x + 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6 \\
& 561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1 \\
& /3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e \\
&)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 56 \\
& 00*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b)) \\
& ^{(1/3)} + 39366*d/a^4)*a^9*b*c - 275562*a^5*b*c*d - 38880*a^6*e^2)*\sqrt{-(((\\
& -I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I* \\
& \sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1 \\
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 \\
& - 5290790400*c*e)/a^8)) + (118098*b^3*d*x^{10} + 354294*a*b^2*d*x^7 + 354294 \\
& *a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 \\
& + a^7*x))*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/ \\
& 27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b \\
& ^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/1 \\
& 4348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(- \\
& 1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(274400 \\
& 0*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 400 \\
& 0/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4) - 3*\sqrt{ \\
& t(1/3)*(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*\sqrt{-(((-I*\sqrt{ \\
& t(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11 \\
& 8098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2 \\
& *e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c \\
& ^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1 \\
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I*\sqrt{3} \\
&) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11809 \\
& 8*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^ \\
& 3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3
\end{aligned}$$

$$\begin{aligned}
 & - 8a^2e^3/(a^{13}b))^{(1/3)} + 59049(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8)*\log(7/236196*((-I\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^2 - 78400*a*b*c^2*e - 6480*a^2*d*e^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2))*((-I\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4) - 800*(343*b^2*c^3 - 8*a^2*e^3)*x - 1/78732*\sqrt{1/3})*7*((-I\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)*a^9*b*c - 275562*a^5*b*c*d - 38880*a^6*e^2)*\sqrt{-(((-I\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8)) - 236196*(b^3*d*x^10 + 3*a*b^2*d*x^7 + 3*a^2*b*d*x^4 + a^3*d*x)*\log(x))/(a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)
 \end{aligned}$$

giac [A] time = 0.18, size = 310, normalized size = 1.03

$$\frac{d \log(|bx^3 + a|)}{3a^4} + \frac{d \log(|x|)}{a^4} + \frac{20\sqrt{3} \left(2(-ab^2)^{\frac{1}{3}}ae + 7(-ab^2)^{\frac{2}{3}}c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{243a^5b} + \frac{10 \left(2(-ab^2)^{\frac{1}{3}}ae \right)}{243a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="giac")

[Out] -1/3*d*log(abs(b*x^3 + a))/a^4 + d*log(abs(x))/a^4 + 20/243*sqrt(3)*(2*(-a*b^2)^(1/3)*a*e + 7*(-a*b^2)^(2/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/a^5*b + 10/243*(2*(-a*b^2)^(1/3)*a*e - 7*(-a*b^2)^(2/3)*c

) $\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/(a^5b) - 1/162(280b^3cx^9 - 40ab^2x^8e - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2b^2x^5e - 135a^2b^2dx^4 + 670a^2b^2cx^3 - 82a^3x^2e - 99a^3dx + 162a^3c)/(b^3x^3 + a)^3a^4x + 20/243(7a^4b^2c(-a/b)^{1/3} - 2a^5b^2e)(-a/b)^{1/3}\log(\text{abs}(x - (-a/b)^{1/3}))/a^9b$

maple [A] time = 0.07, size = 397, normalized size = 1.32

$$\frac{59b^3cx^8}{81(bx^3+a)^3a^4} + \frac{20b^2ex^7}{81(bx^3+a)^3a^3} + \frac{b^2dx^6}{3(bx^3+a)^3a^3} - \frac{142b^2cx^5}{81(bx^3+a)^3a^3} + \frac{52bex^4}{81(bx^3+a)^3a^2} + \frac{5bdx^3}{6(bx^3+a)^3a^2} - \frac{1}{81}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/x^2/(b*x^3+a)^4, x)$

[Out] $-59/81/a^4/(b*x^3+a)^3*b^3*c*x^8+20/81/a^3/(b*x^3+a)^3*b^2*e*x^7+1/3/a^3/(b*x^3+a)^3*b^2*d*x^6-142/81/a^3/(b*x^3+a)^3*b^2*c*x^5+52/81/a^2/(b*x^3+a)^3*b*e*x^4+5/6/a^2/(b*x^3+a)^3*b*d*x^3-92/81/a^2/(b*x^3+a)^3*b*c*x^2+41/81/a/(b*x^3+a)^3*e*x+11/18/a/(b*x^3+a)^3*d+40/243/a^3*e/b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})-20/243/a^3*e/b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})+40/243/a^3*e/b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))+140/243/a^4*c/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})-70/243/a^4*c/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})-140/243/a^4*c*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))-1/3*d*\ln(b*x^3+a)/a^4-c/a^4/x+d*\ln(x)/a^4$

maxima [A] time = 3.00, size = 313, normalized size = 1.04

$$\frac{280b^3cx^9 - 40ab^2ex^8 - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2bex^5 - 135a^2bdx^4 + 670a^2bcx^3 - 82a^3ex^2 - 99a^3dx + 162a^3c}{162(a^4b^3x^{10} + 3a^5b^2x^7 + 3a^6bx^4 + a^7x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/x^2/(b*x^3+a)^4, x, \text{algorithm}="maxima")$

[Out] $-1/162(280b^3cx^9 - 40ab^2ex^8 - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2b^2ex^5 - 135a^2b^2dx^4 + 670a^2b^2cx^3 - 82a^3ex^2 - 99a^3dx + 162a^3c)/(a^4b^3x^{10} + 3a^5b^2x^7 + 3a^6bx^4 + a^7x) + d*\log(x)/a^4 - 20/243*\sqrt{3}*(7b*c*(a/b)^{2/3} - 2a*e*(a/b)^{1/3})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3}))/a^5 - 1/243*(81b*d*(a/b)^{2/3} + 70b*c*(a/b)^{1/3} + 20a*e)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4b*(a/b)^{2/3}) - 1/243*(81b*d*(a/b)^{2/3} - 140b*c*(a/b)^{1/3} - 40a*e)*\log(x + (a/b)^{1/3})/(a^4b*(a/b)^{2/3})$

mupad [B] time = 5.43, size = 840, normalized size = 2.79

$$\frac{41ex^2}{81a} - \frac{c}{a} + \frac{11dx}{18a} - \frac{385b^2cx^6}{81a^3} - \frac{140b^3cx^9}{81a^4} + \frac{b^2dx^7}{3a^3} + \frac{20b^2ex^8}{81a^3} - \frac{335bcx^3}{81a^2} + \frac{5bdx^4}{6a^2} + \frac{52bex^5}{81a^2} + \left(\sum_{k=1}^3 \ln \left(\frac{b^2 \left(-\text{root}(14348 \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^4),x)

[Out] $\left(\frac{41ex^2}{81a} - \frac{c}{a} + \frac{11dx}{18a} - \frac{385b^2cx^6}{81a^3} - \frac{140b^3c^2x^9}{81a^4} + \frac{b^2d^2x^7}{3a^3} + \frac{20b^2e^2x^8}{81a^3} - \frac{335b^2cx^3}{81a^2} + \frac{5b^2d^2x^4}{6a^2} + \frac{52b^2e^2x^5}{81a^2}\right) / (a^3x + b^3x^{10} + 3a^2b^2x^4 + 3ab^2x^7) + \text{symsum}(\log((4b^2(32400a^2de^2 - 32400\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k)a^6e^2 + 686000b^2c^3x + 16000a^2e^3x + 229635abcd^2 - 688905\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k))^2a^9b^2c^3x - 4782969\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k))^3a^{13}bx - 531441\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k)a^5bd^2x - 3188646\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k))^2a^9bdx + 459270\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k)a^5bcd + 1134000\text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k)a^5bcdex + 226800abcdex)) / (531441a^{11}) * \text{root}(14348907a^{13}bz^3 + 14348907a^9bdz^2 - 4082400a^5b^2c^3e^2z + 4782969a^5bd^2z - 1360800abcde + 531441abd^3 - 64000a^2e^3 - 2744000b^2c^3, z, k), k, 1, 3) + (d \log(x)) / a^4$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**4,x)

[Out] Timed out

$$3.363 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$$

Optimal. Leaf size=310

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}d)}{243a^{14/3}}$$

[Out] $-1/2*c/a^4/x^2-d/a^4/x-1/9*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)^3-1/54*x*(15*b*e*x^2+16*b*d*x+17*b*c)/a^3/(b*x^3+a)^2-1/162*x*(99*b*e*x^2+118*b*d*x+139*b*c)/a^4/(b*x^3+a)+e*\ln(x)/a^4-20/243*b^(1/3)*(11*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(1/3)+b^(1/3)*x)/a^(14/3)+10/243*b^(1/3)*(11*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(14/3)-1/3*e*\ln(b*x^3+a)/a^4+20/243*b^(1/3)*(11*b^(1/3)*c+7*a^(1/3)*d)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(14/3)*3^(1/2)$

Rubi [A] time = 0.66, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] $-c/(2*a^4*x^2) - d/(a^4*x) - (x*(b*c + b*d*x + b*e*x^2))/(9*a^2*(a + b*x^3)^3) - (x*(17*b*c + 16*b*d*x + 15*b*e*x^2))/(54*a^3*(a + b*x^3)^2) - (x*(139*b*c + 118*b*d*x + 99*b*e*x^2))/(162*a^4*(a + b*x^3)) + (20*b^(1/3)*(11*b^(1/3)*c + 7*a^(1/3)*d)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(8*1*\text{Sqrt}[3]*a^(14/3)) + (e*\text{Log}[x])/a^4 - (20*b^(1/3)*(11*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(14/3)) + (10*b^(1/3)*(11*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(14/3)) - (e*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_.)^{(m_.)})^{(n_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[(A_.) + (B_.)*(x_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] \ /; \ \text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3(a + bx^3)^4} dx &= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 9bex^2 + \frac{8b^2cx^3}{a} + \frac{7b^2dx^4}{a} + \frac{6b^2ex^5}{a}}{x^3(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{85b^4cx^3}{a} - \frac{64b^4dx^4}{a} - 4b^4ex^5}{x^3(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \frac{-}{x^3(a + bx^3)^2} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \left(- \right) \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 284, normalized size = 0.92

$$20\sqrt[3]{b} (11\sqrt[3]{a} \sqrt[3]{b} c - 7a^{2/3} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 40\sqrt[3]{b} (7a^{2/3} d - 11\sqrt[3]{a} \sqrt[3]{b} c) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + \frac{54a^3(a + bx^3)}{(a + bx^3)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] ((-243*a*c)/x^2 - (486*a*d)/x + (54*a^3*(a*e - b*x*(c + d*x)))/(a + b*x^3)^3 + (9*a^2*(9*a*e - b*x*(17*c + 16*d*x)))/(a + b*x^3)^2 + (3*a*(54*a*e - b*x*(139*c + 118*d*x)))/(a + b*x^3) + 40*sqrt[3]*a^(1/3)*b^(1/3)*(11*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 486*a*e*Log[

$$x] + 40*b^{(1/3)}*(-11*a^{(1/3)}*b^{(1/3)}*c + 7*a^{(2/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)} *x] + 20*b^{(1/3)}*(11*a^{(1/3)}*b^{(1/3)}*c - 7*a^{(2/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)} *b^{(1/3)}*x + b^{(2/3)}*x^2] - 162*a*e*\text{Log}[a + b*x^3]/(486*a^5)$$

fricas [C] time = 2.96, size = 5049, normalized size = 16.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/236196*(408240*b^3*d*x^{10} + 320760*b^3*c*x^9 - 78732*a*b^2*e*x^8 + 11226 \\ & 60*a*b^2*d*x^7 + 833976*a*b^2*c*x^6 - 196830*a^2*b*e*x^5 + 976860*a^2*b*d*x \\ & ^4 + 657558*a^2*b*c*x^3 - 144342*a^3*e*x^2 + 236196*a^3*d*x + 118098*a^3*c \\ & + 2*(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)*((-I*\text{sqrt}(3) + 1 \\ &)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/11809 \\ & 8*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3 \\ &)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - \\ & 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/11 \\ & 8098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a* \\ & d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\ & - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4*\text{log}(7/236196*((-I*\text{sqrt}(3) + \\ & 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/1180 \\ & 98*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^ \\ & 3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - \\ & 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/1 \\ & 18098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a \\ & *d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^ \\ & 3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d + 431200*a*b*c*d^2 \\ & - 196020*a*b*c^2*e + 45927*a^2*d*e^2 + 1/243*(1210*a^5*b*c^2 - 567*a^6*d*e \\ &)*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27* \\ & e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331 \\ & *b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 \\ & - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/ \\ & 27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1 \\ & 331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e \\ & ^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 400*(133 \\ & 1*b^2*c^3 + 343*a*b*d^3)*x) + (118098*b^3*e*x^{11} + 354294*a*b^2*e*x^8 + 354 \\ & 294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b \\ & *x^5 + a^7*x^2)*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^ \\ & 2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000 \\ & /14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\ & 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sq \\ & rt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4 \\ & 000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\ & + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\ & a^4) - 3*\text{sqrt}(1/3)*(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)*s \\ & \text{qrt}(-(((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1 \\ & /27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(\\ & 1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2* \\ & e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)* \\ & (-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/1434890 \\ & 7*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a \\ & ^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^9 \\ & - 78732*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(- \\ & -1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907 \\ & *(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^ \\ & 2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1 \\ &)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348 \\ & 907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441 \end{aligned}$$

$$\begin{aligned}
& *a^2e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^5* \\
& e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9))*\log(-7/236196*((-I*\sqrt{3}) \\
& + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/11 \\
& 8098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a* \\
& d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\
& - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1 \\
& /118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343 \\
& *a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980* \\
& d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d - 431200*a*b*c*d \\
& ^2 + 196020*a*b*c^2*e - 45927*a^2*d*e^2 - 1/243*(1210*a^5*b*c^2 - 567*a^6*d \\
& *e)*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/2 \\
& 7*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(13 \\
& 31*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^ \\
& 3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(- \\
& 1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907* \\
& (1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2 \\
& *e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 800*(1 \\
& 331*b^2*c^3 + 343*a*b*d^3)*x + 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3} + 1)*(6561 \\
& *e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(3080 \\
& 0*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{1 \\
& 4} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c* \\
& d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(3 \\
& 0800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/ \\
& a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673 \\
& *c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^{10}*d - 1176120*a^5*b*c^2 - 275562 \\
& *a^6*d*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^ \\
& 2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000 \\
& /14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{ \\
& rt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4 \\
& 000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\
& a^4)^2*a^9 - 78732*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a* \\
& e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 40 \\
& 00/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I* \\
& sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + \\
& 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c \\
& ^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366* \\
& e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9)) + (118098*b^3*e* \\
& x^{11} + 354294*a*b^2*e*x^8 + 354294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^ \\
& 3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2))*((-I*\sqrt{3} + 1)*(6561*e^2 \\
& /a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b* \\
& c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - \\
& 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e) \\
& *a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800 \\
& *b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d \\
& *e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 3*\sqrt{1/3}*(a^4*b^3*x^{11} + 3*a^5*b^2 \\
& *x^8 + 3*a^6*b*x^5 + a^7*x^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (308 \\
& 00*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561* \\
& a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814* \\
& (10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14} \\
& ^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 65 \\
& 61*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/286978 \\
& 14*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{ \\
& 14})^{(1/3)} + 39366*e/a^4)^2*a^9 - 78732*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (3 \\
& 0800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 656 \\
& 1*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/2869781
\end{aligned}$$

```

4*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^1
4)^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d +
6561*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/2869
7814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/
a^14)^(1/3) + 39366*e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^
9))*log(-7/236196*((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e
^2)/a^9)/(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^13 + 400
0/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814*(10648000*b^2*c^3 +
531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14)^(1/3) + 59049*(I*s
qrt(3) + 1)*(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^13 +
4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814*(10648000*b^2*c^
3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14)^(1/3) + 39366*e
/a^4)^2*a^10*d - 431200*a*b*c*d^2 + 196020*a*b*c^2*e - 45927*a^2*d*e^2 - 1/
243*(1210*a^5*b*c^2 - 567*a^6*d*e)*((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (30800
*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561*a*
e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814*(1
0648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14)^(
1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561
*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814
*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14
)^(1/3) + 39366*e/a^4) + 800*(1331*b^2*c^3 + 343*a*b*d^3)*x - 1/78732*sqrt(
1/3)*(7*((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-
1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^13 + 4000/14348907
*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814*(10648000*b^2*c^3 + 531441*a^
2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14)^(1/3) + 59049*(I*sqrt(3) + 1
)*(-1/27*e^3/a^12 + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^13 + 4000/14348
907*(1331*b*c^3 + 343*a*d^3)*b/a^14 - 1/28697814*(10648000*b^2*c^3 + 531441
*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^14)^(1/3) + 39366*e/a^4)*a^10
*d - 1176120*a^5*b*c^2 - 275562*a^6*d*e)*sqrt(-(((I*sqrt(3) + 1)*(6561*e^2
/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^12 + 1/118098*(30800*b*
c*d + 6561*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14 -
1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)
*a*b)/a^14)^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^12 + 1/118098*(30800
*b*c*d + 6561*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14
- 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d
*e)*a*b)/a^14)^(1/3) + 39366*e/a^4)^2*a^9 - 78732*((-I*sqrt(3) + 1)*(6561*e
^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^12 + 1/118098*(30800*
b*c*d + 6561*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^14
- 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*
e)*a*b)/a^14)^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^12 + 1/118098*(308
00*b*c*d + 6561*a*e^2)*e/a^13 + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^
14 - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c
*d*e)*a*b)/a^14)^(1/3) + 39366*e/a^4)*a^5*e + 29099347200*b*c*d + 154968195
6*a*e^2)/a^9)) - 236196*(b^3*e*x^11 + 3*a*b^2*e*x^8 + 3*a^2*b*e*x^5 + a^3*e
*x^2)*log(x))/(a^4*b^3*x^11 + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)

```

giac [A] time = 0.18, size = 320, normalized size = 1.03

$$\frac{\frac{e \log(|bx^3 + a|)}{3a^4} + \frac{e \log(|x|)}{a^4} - \frac{20\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bc - 7(-ab^2)^{\frac{2}{3}}d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243a^5b}}{10 \left(11(-ab^2)^{\frac{1}{3}}b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^4 + e*log(abs(x))/a^4 - 20/243*sqrt(3)*(11*(-a*b^2)^(1/3)*b*c - 7*(-a*b^2)^(2/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)

))/(-a/b)^(1/3))/(a^5*b) - 10/243*(11*(-a*b^2)^(1/3)*b*c + 7*(-a*b^2)^(2/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^5*b) + 20/243*(7*a^4*b^2*d*(-a/b)^(1/3) + 11*a^4*b^2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b) - 1/162*(280*b^3*d*x^10 + 220*b^3*c*x^9 - 54*a*b^2*x^8*e + 770*a*b^2*d*x^7 + 572*a*b^2*c*x^6 - 135*a^2*b*x^5*e + 670*a^2*b*d*x^4 + 451*a^2*b*c*x^3 - 99*a^3*x^2*e + 162*a^3*d*x + 81*a^3*c)/((b*x^3 + a)^3*a^4*x^2)

maple [A] time = 0.07, size = 400, normalized size = 1.29

$$\frac{59b^3dx^8}{81(bx^3+a)^3a^4} - \frac{139b^3cx^7}{162(bx^3+a)^3a^4} + \frac{b^2ex^6}{3(bx^3+a)^3a^3} - \frac{142b^2dx^5}{81(bx^3+a)^3a^3} - \frac{329b^2cx^4}{162(bx^3+a)^3a^3} + \frac{5bex^3}{6(bx^3+a)^3a^2} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x)

[Out] -59/81/a^4*b^3/(b*x^3+a)^3*d*x^8-139/162/a^4*b^3/(b*x^3+a)^3*c*x^7+1/3/a^3*b^2/(b*x^3+a)^3*e*x^6-142/81/a^3*b^2/(b*x^3+a)^3*d*x^5-329/162/a^3*b^2/(b*x^3+a)^3*c*x^4+5/6/a^2*b/(b*x^3+a)^3*e*x^3-92/81/a^2*b/(b*x^3+a)^3*d*x^2-104/81/a^2*b/(b*x^3+a)^3*c*x+11/18/a/(b*x^3+a)^3*e-220/243/a^4*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+110/243/a^4*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-220/243/a^4*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+140/243/a^4*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-70/243/a^4*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-140/243/a^4*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*e*ln(b*x^3+a)/a^4-1/2*c/a^4/x^2-d/a^4/x+e*ln(x)/a^4

maxima [A] time = 3.10, size = 312, normalized size = 1.01

$$\frac{280b^3dx^{10} + 220b^3cx^9 - 54ab^2ex^8 + 770ab^2dx^7 + 572ab^2cx^6 - 135a^2bex^5 + 670a^2bdx^4 + 451a^2bcx^3 - 99a^3e^2x^2 + 162a^3d^2x + 81a^3c^2}{162(a^4b^3x^{11} + 3a^5b^2x^8 + 3a^6bx^5 + a^7x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="maxima")

[Out] -1/162*(280*b^3*d*x^10 + 220*b^3*c*x^9 - 54*a*b^2*e*x^8 + 770*a*b^2*d*x^7 + 572*a*b^2*c*x^6 - 135*a^2*b*e*x^5 + 670*a^2*b*d*x^4 + 451*a^2*b*c*x^3 - 99*a^3*e*x^2 + 162*a^3*d*x + 81*a^3*c)/(a^4*b^3*x^11 + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2) + e*log(x)/a^4 - 20/243*sqrt(3)*(7*b*d*(a/b)^(2/3) + 11*b*c*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^5 - 1/243*(81*e*(a/b)^(2/3) + 70*d*(a/b)^(1/3) - 110*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*(a/b)^(2/3)) - 1/243*(81*e*(a/b)^(2/3) - 140*d*(a/b)^(1/3) + 220*c)*log(x + (a/b)^(1/3))/(a^4*(a/b)^(2/3))

mupad [B] time = 5.38, size = 825, normalized size = 2.66

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root} \left(14348907 a^{14} z^3 + 14348907 a^{10} e z^2 + 22453200 a^5 b c d z + 4782969 a^6 e^2 z + 7484400 a b c a \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^4),x)`

[Out] `symsum(log(-(4*b^3*(688905*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^2*a^10*d - 229635*a^2*d*e^2 + 4782969*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^3*a^14*x + 2662000*b^2*c^3*x - 459270*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^6*d*e - 980100*a*b*c^2*e - 686000*a*b*d^3*x + 980100*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^5*b*c^2 + 531441*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^6*e^2*x + 3188646*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^2*a^10*e*x + 6237000*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^5*b*c*d*x + 1247400*a*b*c*d*e*x))/(531441*a^12))*root(14348907*a^14*z^3 + 14348907*a^10*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (11*e*x^2)/(18*a) + (d*x)/a + (286*b^2*c*x^6)/(81*a^3) + (110*b^3*c*x^9)/(81*a^4) + (385*b^2*d*x^7)/(81*a^3) + (140*b^3*d*x^10)/(81*a^4) - (b^2*e*x^8)/(3*a^3) + (451*b*c*x^3)/(162*a^2) + (335*b*d*x^4)/(81*a^2) - (5*b*e*x^5)/(6*a^2))/(a^3*x^2 + b^3*x^11 + 3*a^2*b*x^5 + 3*a*b^2*x^8) + (e*log(x))/a^4`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**4,x)`

[Out] Timed out

$$3.364 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$$

Optimal. Leaf size=340

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e)}{243a^{14/3}}$$

[Out] $-1/3*c/a^4/x^3-1/2*d/a^4/x^2-e/a^4/x-1/9*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)^3-1/54*x*(17*b*d+16*b*x*e-24*b^2*c*x^2/a)/a^3/(b*x^3+a)^2-1/162*x*(13*9*b*d+118*b*x*e-234*b^2*c*x^2/a)/a^4/(b*x^3+a)-4*b*c*\ln(x)/a^5-20/243*b^(1/3)*(11*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(14/3)+10/243*b^(1/3)*(11*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(14/3)+4/3*b*c*\ln(b*x^3+a)/a^5+20/243*b^(1/3)*(11*b^(1/3)*d+7*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(14/3)*3^(1/2)$

Rubi [A] time = 0.77, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(-\frac{234b^2cx^2}{a} + 139bd + 118bex \right)}{162a^4(a+bx^3)} - \frac{x \left(-\frac{24b^2cx^2}{a} + 17bd + 16bex \right)}{54a^3(a+bx^3)^2} - \frac{x \left(-\frac{b^2cx^2}{a} + bd + bex \right)}{9a^2(a+bx^3)^3} + \frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e)}{243a^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out] $-c/(3*a^4*x^3) - d/(2*a^4*x^2) - e/(a^4*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(9*a^2*(a + b*x^3)^3) - (x*(17*b*d + 16*b*e*x - (24*b^2*c*x^2)/a))/(54*a^3*(a + b*x^3)^2) - (x*(139*b*d + 118*b*e*x - (234*b^2*c*x^2)/a))/(162*a^4*(a + b*x^3)) + (20*b^(1/3)*(11*b^(1/3)*d + 7*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(81*\text{Sqrt}[3]*a^(14/3)) - (4*b*c*\text{Log}[x])/a^5 - (20*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(14/3)) + (10*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(14/3)) + (4*b*c*\text{Log}[a + b*x^3]/(3*a^5)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)*((a_)+(b_)*(x_)^{(n_))^{(p_)}}, x_Symbol\} \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q]/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[\{(Pq_)*((c_)*(x_))^{(m_)/((a_)+(b_)*(x_)^{(n_)}), x_Symbol\} \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n] \&\& \text{!IGtQ}[m, 0]$

Rule 1860

$\text{Int}[\{(A_)+(B_)*(x_)/((a_)+(b_)*(x_)^3), x_Symbol\} \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; \text{FreeQ}[\{a, b, A, B\}, x] \&\& \text{NeQ}[a*B^3 - b*A^3, 0] \&\& \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)/((a_)+(b_)*(x_)^3), x_Symbol\} \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] /; \text{EqQ}[a*B^3 - b*A^3, 0] \|\ \text{!RationalQ}[a/b]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^4} dx &= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 9bex^2 + \frac{9b^2cx^3}{a} + \frac{8b^2dx^4}{a} + \frac{7b^2ex^5}{a} - \frac{6b^3cx^6}{a^2}}{x^4(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a} - \frac{6b^5ex^5}{a^2}}{x^4(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \frac{\int \frac{-108b^4cx^3 - 85b^4dx^4 - 6b^5ex^5}{x^4(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \frac{\int \frac{-108b^4cx^3 - 85b^4dx^4 - 6b^5ex^5}{x^4(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 284, normalized size = 0.84

$$-20\sqrt[3]{b} \left(11\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right) + 40\sqrt[3]{b} \left(11\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) + \frac{54}{162a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out] -1/486*((162*a*c)/x^3 + (243*a*d)/x^2 + (486*a*e)/x + (54*a^3*b*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*b*(18*c + x*(17*d + 16*e*x)))/(a + b*x^3)^2 + (3*a*b*(162*c + x*(139*d + 118*e*x)))/(a + b*x^3) - 40*sqrt[3]*a^(1/3)*b^(1/3)*(11*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]

3]] + 1944*b*c*Log[x] + 40*b^(1/3)*(11*a^(1/3)*b^(1/3)*d - 7*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] - 20*b^(1/3)*(11*a^(1/3)*b^(1/3)*d - 7*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 648*b*c*Log[a + b*x^3])/a^5

fricas [C] time = 3.39, size = 5670, normalized size = 16.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$-1/486*(840*a*b^3*e*x^{11} + 660*a*b^3*d*x^{10} + 648*a*b^3*c*x^9 + 2310*a^2*b^2*e*x^8 + 1716*a^2*b^2*d*x^7 + 1620*a^2*b^2*c*x^6 + 2010*a^3*b*e*x^5 + 1353*a^3*b*d*x^4 + 1188*a^3*b*c*x^3 + 486*a^4*e*x^2 + 243*a^4*d*x + 162*a^4*c + 2*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)*\log(7*(4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)^2*a^{10}*e + 784080*b^2*c*d^2 + 734832*b^2*c^2*e + 431200*a*b*d*e^2 + 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5) + 400*(1331*b^2*d^3 + 343*a*b*e^3)*x) - (972*b^4*c*x^{12} + 2916*a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*sqrt(-((4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5) + 3*sqrt(1/3)*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*sqrt(-((4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)^2*a^{10} + 648*(4^{2/3})*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)*a^5*b*c + 1$$

$$\begin{aligned}
& 04976*b^2*c^2 + 123200*a*b*d*e)/a^{10}))*\log(-7*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(65 \\
& 61*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} \\
& + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)* \\
& b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a \\
& *b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(13 \\
& 31*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15} \\
&)^{(1/3)} - 324*b*c/a^5)^2*a^{10}*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431 \\
& 200*a*b*d*e^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3}) + 1 \\
&)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3 \\
& /a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b* \\
& d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d \\
& *e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 12 \\
& 5*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a \\
& ^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2) \\
& /a^{15})^{(1/3)} - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x + 3*sqrt(1 \\
& /3)*(7*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925* \\
& a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} \\
& - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2* \\
& b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) \\
& + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(656 \\
& 1*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 27 \\
& 5*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^{10}*e - 2420*a^ \\
& 5*b*d^2 + 2268*a^5*b*c*e)*sqrt(-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5)^2*a^{10} + 648*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561 \\
& *b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(\\
& 1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b \\
& /a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 4287 \\
& 5*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)* \\
& a^5*b*c + 104976*b^2*c^2 + 123200*a*b*d*e)/a^{10})) - (972*b^4*c*x^{12} + 2916* \\
& a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^{12} + 3*a^6* \\
& b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5) - 3*sqrt(1/3)*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x \\
& ^3)*sqrt(-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1 \\
& 925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a \\
& ^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875* \\
& a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{ \\
& 3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)^2*a^{10} + 648 \\
& *(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d* \\
& e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)* \\
& (1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*
\end{aligned}$$

```

c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605
*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) - 324*b*c/a^5)*a^5*b*c + 104976*b^2*c
^2 + 123200*a*b*d*e)/a^10))*log(-7*(4^(2/3)*(-I*sqrt(3) + 1)*(6561*b^2*c^2/
a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125*(133
1*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 +
(531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)
^(1/3) + 4^(1/3)*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 +
343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^
3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) - 3
24*b*c/a^5)^2*a^10*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431200*a*b*d*e
^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^(2/3)*(-I*sqrt(3) + 1)*(6561*b^2
*c^2/a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125
*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^
15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/
a^15)^(1/3) + 4^(1/3)*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d
^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (5314
41*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3
) - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x - 3*sqrt(1/3)*(7*(4^(
2/3)*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^
10)/(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561
*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275
*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) + 4^(1/3)*(I*sqrt(3) + 1)*(10628
82*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 +
1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3
- 1701*c*d*e)*a*b^2)/a^15)^(1/3) - 324*b*c/a^5)*a^10*e - 2420*a^5*b*d^2 + 2
268*a^5*b*c*e)*sqrt(-((4^(2/3)*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^10 - (6561*
b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343
*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c
^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) + 4^(1
/3)*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/
a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875
*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) - 324*b*c/a^5)^2
*a^10 + 648*(4^(2/3)*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^10 - (6561*b^2*c^2 +
1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/
a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875
*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) + 4^(1/3)*(I*squr
t(3) + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243
*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3
- 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^(1/3) - 324*b*c/a^5)*a^5*b*c + 1
04976*b^2*c^2 + 123200*a*b*d*e)/a^10)) + 1944*(b^4*c*x^12 + 3*a*b^3*c*x^9 +
3*a^2*b^2*c*x^6 + a^3*b*c*x^3)*log(x))/(a^5*b^3*x^12 + 3*a^6*b^2*x^9 + 3*a
^7*b*x^6 + a^8*x^3)

```

giac [A] time = 0.20, size = 333, normalized size = 0.98

$$\frac{4bc \log(|bx^3 + a|)}{3a^5} - \frac{4bc \log(|x|)}{a^5} - \frac{20\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243a^5b} + 10 \left(11(-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="giac")

[Out] 4/3*b*c*log(abs(b*x^3 + a))/a^5 - 4*b*c*log(abs(x))/a^5 - 20/243*sqrt(3)*(11*(-a*b^2)^(1/3)*b*d - 7*(-a*b^2)^(2/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^5*b) - 10/243*(11*(-a*b^2)^(1/3)*b*d + 7*(-a*b^2)^(2/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^5*b) - 1/162*(280*b^3*x^11*e + 220*b^3*d*x^10 + 216*b^3*c*x^9 + 770*a*b^2*x^8*e + 572*a*b^2*d*x^7

$$+ 540*a*b^2*c*x^6 + 670*a^2*b*x^5*e + 451*a^2*b*d*x^4 + 396*a^2*b*c*x^3 + 162*a^3*x^2*e + 81*a^3*d*x + 54*a^3*c)/((b*x^4 + a*x)^3*a^4) + 20/243*(7*a^6*b^2*(-a/b)^(1/3)*e + 11*a^6*b^2*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^11*b)$$

maple [A] time = 0.07, size = 415, normalized size = 1.22

$$\frac{59b^3ex^8}{81(bx^3+a)^3a^4} - \frac{139b^3dx^7}{162(bx^3+a)^3a^4} - \frac{b^3cx^6}{(bx^3+a)^3a^4} - \frac{142b^2ex^5}{81(bx^3+a)^3a^3} - \frac{329b^2dx^4}{162(bx^3+a)^3a^3} - \frac{7b^2cx^3}{3(bx^3+a)^3a^3} - 81$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x)
```

```
[Out] -59/81/a^4*b^3/(b*x^3+a)^3*e*x^8-139/162/a^4*b^3/(b*x^3+a)^3*d*x^7-1/a^4*b^3/(b*x^3+a)^3*c*x^6-142/81/a^3*b^2/(b*x^3+a)^3*e*x^5-329/162/a^3*b^2/(b*x^3+a)^3*d*x^4-7/3/a^3*b^2/(b*x^3+a)^3*c*x^3-92/81/a^2*b/(b*x^3+a)^3*e*x^2-104/81/a^2*b/(b*x^3+a)^3*d*x-13/9/a^2*b/(b*x^3+a)^3*c-220/243/a^4*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+110/243/a^4*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-220/243/a^4*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+140/243/a^4*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-70/243/a^4*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-140/243/a^4*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+4/3*b*c*ln(b*x^3+a)/a^5-1/3*c/a^4/x^3-1/2*d/a^4/x^2-e/a^4/x-4*b*c*ln(x)/a^5
```

maxima [A] time = 3.08, size = 330, normalized size = 0.97

$$\frac{280 b^3 e x^{11} + 220 b^3 d x^{10} + 216 b^3 c x^9 + 770 a b^2 e x^8 + 572 a b^2 d x^7 + 540 a b^2 c x^6 + 670 a^2 b e x^5 + 451 a^2 b d x^4 + 396 a^2 b c x^3 + 162 a^3 e x^2 + 81 a^3 d x + 54 a^3 c}{162 (a^4 b^3 x^{12} + 3 a^5 b^2 x^9 + 3 a^6 b x^6 + a^7 x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="maxima")
```

```
[Out] -1/162*(280*b^3*e*x^11 + 220*b^3*d*x^10 + 216*b^3*c*x^9 + 770*a*b^2*e*x^8 + 572*a*b^2*d*x^7 + 540*a*b^2*c*x^6 + 670*a^2*b*e*x^5 + 451*a^2*b*d*x^4 + 396*a^2*b*c*x^3 + 162*a^3*e*x^2 + 81*a^3*d*x + 54*a^3*c)/(a^4*b^3*x^12 + 3*a^5*b^2*x^9 + 3*a^6*b*x^6 + a^7*x^3) - 4*b*c*log(x)/a^5 - 20/243*sqrt(3)*(7*a*e*(a/b)^(2/3) + 11*a*d*(a/b)^(1/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3)))/(a/b)^(1/3))/a^6 + 2/243*(162*b*c*(a/b)^(2/3) - 35*a*e*(a/b)^(1/3) + 55*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(2/3)) + 4/243*(81*b*c*(a/b)^(2/3) + 35*a*e*(a/b)^(1/3) - 55*a*d)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(2/3))
```

mupad [B] time = 0.52, size = 918, normalized size = 2.70

$$\left(\sum_{k=1}^3 \ln \left(- \frac{b^3 \left(\text{root} \left(14348907 a^{15} z^3 - 57395628 a^{10} b c z^2 + 22453200 a^6 b d e z + 76527504 a^5 b^2 c^2 z - 29937600 \right)}{\dots} \right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^4),x)

[Out] symsum(log(-(4*b^3*(688905*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^2*a^10*e + 3920400*b^2*c*d^2 - 3674160*b^2*c^2*e + 4782969*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^3*a^14*x + 2662000*b^2*d^3*x - 686000*a*b*e^3*x + 980100*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*d^2 - 12754584*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^2*a^9*b*c*x + 8503056*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^4*b^2*c^2*x + 1837080*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*c*e - 4989600*b^2*c*d*e*x + 6237000*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*d*e*x))/(531441*a^12))*root(14348907*a^15*z^3 - 57395628*a^10*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (d*x)/(2*a) + (10*b^2*c*x^6)/(3*a^3) + (4*b^3*c*x^9)/(3*a^4) + (286*b^2*d*x^7)/(81*a^3) + (110*b^3*d*x^10)/(81*a^4) + (385*b^2*e*x^8)/(81*a^3) + (140*b^3*e*x^11)/(81*a^4) + (22*b*c*x^3)/(9*a^2) + (451*b*d*x^4)/(162*a^2) + (335*b*e*x^5)/(81*a^2))/(a^3*x^3 + b^3*x^12 + 3*a^2*b*x^6 + 3*a*b^2*x^9) - (4*b*c*log(x))/a^5

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**4,x)

[Out] Timed out

$$3.365 \quad \int \frac{2ax - x^2}{a^3 + x^3} dx$$

Optimal. Leaf size=29

$$-\log(a + x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a+x) - 2/3 \cdot \arctan(1/3 \cdot (a-2x)/a) \cdot 3^{1/2}$

Rubi [A] time = 0.06, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a + x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a*x - x^2)/(a^3 + x^3), x]$

[Out] $(-2*\text{ArcTan}[(a - 2*x)/(\text{Sqrt}[3]*a)])/\text{Sqrt}[3] - \text{Log}[a + x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /;$ $\text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /;$ $\text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ $\text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /;$ $\text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1593

$\text{Int}[(u_)*((a_)*(x_)^{p_}) + (b_)*(x_)^{q_})^{n_}, x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)*(a + b*x^{(q-p)})^n}, x] /;$ $\text{FreeQ}\{a, b, p, q\}, x \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] /;$ $\text{EqQ}[A - \text{Rt}[a/b, 3]*B - 2*\text{Rt}[a/b, 3]^2*C, 0] /;$ $\text{FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{2ax - x^2}{a^3 + x^3} dx &= \int \frac{(2a - x)x}{a^3 + x^3} dx \\
&= a \int \frac{1}{a^2 - ax + x^2} dx - \int \frac{1}{a + x} dx \\
&= -\log(a + x) + 2 \operatorname{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{a} \right) \\
&= -\frac{2 \tan^{-1} \left(\frac{a-2x}{\sqrt{3}a} \right)}{\sqrt{3}} - \log(a + x)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3 + x^3) + \log(a^2 - ax + x^2) - 2 \log(a + x) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - a}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*a*x - x^2)/(a^3 + x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-a + 2*x)/(Sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x + x^2] - Log[a^3 + x^3])/3

fricas [A] time = 0.58, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(|a + x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(abs(a + x))

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3} \arctan \left(\frac{(-a+2x)\sqrt{3}}{3a} \right)}{3} - \ln(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x-x^2)/(a^3+x^3), x)

[Out] -ln(a+x)+2/3*3^(1/2)*arctan(1/3*(2*x-a)*3^(1/2)/a)

maxima [A] time = 2.89, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

mupad [B] time = 4.97, size = 26, normalized size = 0.90

$$-\ln(a+x) - \frac{2\sqrt{3} \operatorname{atan}\left(-\frac{\sqrt{3}a}{a-2x}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x - x^2)/(a^3 + x^3),x)

[Out] -log(a + x) - (2*3^(1/2)*atan(-(3^(1/2)*a)/(a - 2*x)))/3

sympy [C] time = 0.18, size = 54, normalized size = 1.86

$$-\log(a+x) - \frac{\sqrt{3}i \log\left(-\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x**2)/(a**3+x**3),x)

[Out] -log(a + x) - sqrt(3)*I*log(-a/2 - sqrt(3)*I*a/2 + x)/3 + sqrt(3)*I*log(-a/2 + sqrt(3)*I*a/2 + x)/3

$$3.366 \quad \int \frac{(2a-x)x}{a^3+x^3} dx$$

Optimal. Leaf size=29

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a+x) - 2/3 \cdot \arctan(1/3 \cdot (a-2x)/a \cdot 3^{(1/2)}) \cdot 3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2*a - x)*x)/(a^3 + x^3), x]

[Out] $(-2 \cdot \text{ArcTan}[(a - 2x)/(\text{Sqrt}[3] \cdot a)])/\text{Sqrt}[3] - \text{Log}[a + x]$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{(2a-x)x}{a^3+x^3} dx &= a \int \frac{1}{a^2-ax+x^2} dx - \int \frac{1}{a+x} dx \\ &= -\log(a+x) + 2 \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{a}\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a+x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3 + x^3) + \log(a^2 - ax + x^2) - 2\log(a + x) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - a}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2*a - x)*x)/(a^3 + x^3),x]

[Out] (2*Sqrt[3]*ArcTan[(-a + 2*x)/(Sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x + x^2] - Log[a^3 + x^3])/3

fricas [A] time = 0.75, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3),x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(|a + x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(abs(a + x))

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3} \arctan \left(\frac{(-a+2x)\sqrt{3}}{3a} \right)}{3} - \ln(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a-x)*x/(a^3+x^3),x)

[Out] 2/3*3^(1/2)*arctan(1/3*(-a+2*x)*3^(1/2)/a)-ln(a+x)

maxima [A] time = 2.97, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

mupad [B] time = 0.03, size = 26, normalized size = 0.90

$$-\ln(a + x) - \frac{2\sqrt{3} \operatorname{atan} \left(-\frac{\sqrt{3}a}{a-2x} \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*a - x))/(a^3 + x^3),x)`

[Out] $-\log(a + x) - (2\sqrt{3} \operatorname{atan}(-\sqrt{3}a/(a - 2x)))/3$

sympy [C] time = 0.17, size = 54, normalized size = 1.86

$$-\log(a + x) - \frac{\sqrt{3}i \log\left(-\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a-x)*x/(a**3+x**3),x)`

[Out] $-\log(a + x) - \sqrt{3}i \log(-a/2 - \sqrt{3}i a/2 + x)/3 + \sqrt{3}i \log(-a/2 + \sqrt{3}i a/2 + x)/3$

$$3.367 \quad \int \frac{2ax+x^2}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a-x) - 2/3 * \arctan(1/3 * (a+2*x)/a * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a*x + x^2)/(a^3 - x^3), x]$

[Out] $(-2*\text{ArcTan}[(a + 2*x)/(\text{Sqrt}[3]*a)])/\text{Sqrt}[3] - \text{Log}[a - x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S \text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1593

$\text{Int}[(u_)*((a_)*(x_)^{(p_)} + (b_)*(x_)^{(q_))^{(n_)}], x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)})^n, x] /; \text{FreeQ}\{a, b, p, q\}, x \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q-p]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q+x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] /; \text{EqQ}[A - \text{Rt}[a/b, 3]*B - 2*\text{Rt}[a/b, 3]^2*C, 0] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{2ax + x^2}{a^3 - x^3} dx &= \int \frac{x(2a + x)}{a^3 - x^3} dx \\
&= -\left(a \int \frac{1}{a^2 + ax + x^2} dx\right) - \int \frac{1}{-a + x} dx \\
&= -\log(a - x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{a}\right) \\
&= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a - x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2 \log(x - a) - 2\sqrt{3} \tan^{-1}\left(\frac{a + 2x}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*a*x + x^2)/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

fricas [A] time = 0.60, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a + 2x)}{3a}\right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3), x, algorithm="fricas")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a + 2x)}{3a}\right) - \log(|-a + x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3), x, algorithm="giac")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(abs(-a + x))

maple [A] time = 0.05, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3} \arctan\left(\frac{(a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x+x^2)/(a^3-x^3), x)

[Out] -2/3*arctan(1/3*(a+2*x)/a*3^(1/2))*3^(1/2)-ln(x-a)

maxima [A] time = 2.92, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a + 2x)}{3a}\right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="maxima")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

mupad [B] time = 4.95, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}a}{a+2x}\right)}{3} - \ln(x-a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x + x^2)/(a^3 - x^3),x)

[Out] (2*3^(1/2)*atan((3^(1/2)*a)/(a + 2*x)))/3 - log(x - a)

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a+x) + \frac{\sqrt{3}i \log\left(\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x**2)/(a**3-x**3),x)

[Out] -log(-a + x) + sqrt(3)*I*log(a/2 - sqrt(3)*I*a/2 + x)/3 - sqrt(3)*I*log(a/2 + sqrt(3)*I*a/2 + x)/3

$$3.368 \quad \int \frac{x(2a+x)}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a-x) - 2/3 \cdot \arctan(1/3 \cdot (a+2x)/a \cdot 3^{1/2}) \cdot 3^{1/2}$

Rubi [A] time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(2*a + x))/(a^3 - x^3), x]$

[Out] $(-2*\text{ArcTan}[(a + 2*x)/(\text{Sqrt}[3]*a)])/\text{Sqrt}[3] - \text{Log}[a - x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_)) + (c_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] /; \text{EqQ}[A - \text{Rt}[a/b, 3]*B - 2*\text{Rt}[a/b, 3]^2*C, 0] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned} \int \frac{x(2a+x)}{a^3-x^3} dx &= -\left(a \int \frac{1}{a^2+ax+x^2} dx\right) - \int \frac{1}{-a+x} dx \\ &= -\log(a-x) + 2 \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{a}\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a-x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2\log(x - a) - 2\sqrt{3} \tan^{-1} \left(\frac{a + 2x}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*a + x))/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

fricas [A] time = 0.60, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan \left(\frac{\sqrt{3}(a + 2x)}{3a} \right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3), x, algorithm="fricas")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3} \sqrt{3} \arctan \left(\frac{\sqrt{3}(a + 2x)}{3a} \right) - \log(|-a + x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3), x, algorithm="giac")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(abs(-a + x))

maple [A] time = 0.06, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3} \arctan \left(\frac{(a+2x)\sqrt{3}}{3a} \right)}{3} - \ln(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*a+x)/(a^3-x^3), x)

[Out] -2/3*3^(1/2)*arctan(1/3*(a+2*x)*3^(1/2)/a)-ln(-a+x)

maxima [A] time = 2.84, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan \left(\frac{\sqrt{3}(a + 2x)}{3a} \right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3), x, algorithm="maxima")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

mupad [B] time = 0.03, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3} \operatorname{atan} \left(\frac{\sqrt{3}a}{a+2x} \right)}{3} - \ln(x - a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*a + x))/(a^3 - x^3),x)`

[Out] $(2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}a}{a + 2x}\right))/3 - \log(x - a)$

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a + x) + \frac{\sqrt{3}i \log\left(\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*a+x)/(a**3-x**3),x)`

[Out] $-\log(-a + x) + \sqrt{3}i \log(a/2 - \sqrt{3}i a/2 + x)/3 - \sqrt{3}i \log(a/2 + \sqrt{3}i a/2 + x)/3$

$$3.369 \quad \int \frac{x \left(-2 \sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] C*ln((a/b)^(1/3)+x)/b+2/3*C*arctan(1/3*(1-2*x/(a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.09, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3),x]

[Out] (2*C*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{x \left(-2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b} \right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\
&= \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} - \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}} \right)}{b} \\
&= \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} + \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.04, size = 146, normalized size = 2.92

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a + bx^3 \right) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{a} b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3]))/(3*a^(1/3)*b)

fricas [A] time = 0.57, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3} C \arctan \left(\frac{2\sqrt{3} b x \left(\frac{a}{b} \right)^{2/3} - \sqrt{3} a}{3a} \right) - 3 C \log \left(x + \left(\frac{a}{b} \right)^{1/3} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x + (a/b)^(1/3)))/b

giac [B] time = 0.48, size = 174, normalized size = 3.48

$$\frac{\left(C b \left(-\frac{a}{b} \right)^{2/3} - 2 \left(a b^2 \right)^{1/3} C \left(-\frac{a}{b} \right)^{1/3} \right) \left(-\frac{a}{b} \right)^{1/3} \log \left(\left| x - \left(-\frac{a}{b} \right)^{1/3} \right| \right) + \sqrt{3} \left(a b^2 - \sqrt{3} \sqrt{a^2 b^4} i \right) C \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{1/3} \right)}{3 \left(-\frac{a}{b} \right)^{1/3}} \right)}{3 a b + 3 a b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="giac")

[Out] -1/3*(C*b*(-a/b)^(2/3) - 2*(a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b) - 1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) + 1/6*(3*a

$*b^2 - \sqrt{3}*\sqrt{a^2*b^4}*i)*C*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a*b^3)$

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x)`

[Out] $2/3*C/b*\ln(x+(a/b)^{(1/3)})-1/3*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3*3^{(1/2)}*C/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [A] time = 3.07, size = 51, normalized size = 1.02

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-2/3*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/b + C*\log(x + (a/b)^{(1/3)})/b$

mupad [B] time = 5.22, size = 154, normalized size = 3.08

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right)^2 a b^2 9 - C \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right) a b + 4 C^2 b x x (a/b)^{(2/3)}/b^3 * \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right), k, 1, 3)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x - 2*C*(a/b)^(1/3)))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + 9*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)^2*a*b^2 - 6*C*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)*a*b + 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.32, size = 100, normalized size = 2.00

$$\frac{C \left(\log\left(\frac{a}{\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3} i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3} i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x*(-2*(a/b)**(1/3)*C+C*x)/(b*x**3+a),x)
```

```
[Out] C*(log(a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.370 \quad \int \frac{x \left(-2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] $-C \ln \left((-a/b)^{(1/3)} + x \right) / b - 2/3 C \arctan \left(1/3 * (1 - 2*x / (-a/b)^{(1/3)}) * 3^{(1/2)} \right) / b * 3^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] `Int[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3),x]`

[Out] $(-2*C*ArcTan[(1 - (2*x)/(-a/b))^{(1/3)})/Sqrt[3]]/(Sqrt[3]*b) - (C*Log[(-(a/b))^{(1/3)} + x])/b$

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1867

`Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]`

Rubi steps

$$\int \frac{x \left(-2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx = -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b}$$

$$= -\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} + \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b}$$

$$= -\frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} - \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b}$$

Mathematica [B] time = 0.08, size = 149, normalized size = 2.81

$$C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a - bx^3 \right) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \right)$$

$$3\sqrt[3]{ab}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3),x]

[Out] -1/3*(C*(-2*Sqrt[3]*(-(a/b))^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-(a/b))^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3]))/(a^(1/3)*b)

fricas [A] time = 0.62, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3} C \arctan \left(\frac{2\sqrt{3} bx \left(-\frac{a}{b}\right)^{2/3} + \sqrt{3} a}{3a} \right) + 3 C \log \left(x + \left(-\frac{a}{b}\right)^{1/3} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) + sqrt(3)*a)/a) + 3*C*log(x + (-a/b)^(1/3)))/b

giac [B] time = 0.21, size = 165, normalized size = 3.11

$$\frac{\left(Cb \left(\frac{a}{b}\right)^{2/3} - 2 \left(-ab^2\right)^{1/3} C \left(\frac{a}{b}\right)^{1/3} \right) \left(\frac{a}{b}\right)^{1/3} \log \left(\left| x - \left(\frac{a}{b}\right)^{1/3} \right| \right) + \sqrt{3} \left(ab^2 + \sqrt{3} \sqrt{a^2 b^4} i \right) C \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{1/3} \right)}{3 \left(\frac{a}{b}\right)^{1/3}} \right)}{3ab} + \frac{\left(3ab^2 \right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="giac")

[Out] -1/3*(C*b*(a/b)^(2/3) - 2*(-a*b^2)^(1/3)*C*(a/b)^(1/3))*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b) + 1/3*sqrt(3)*(a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/6*(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3)

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C\arctan\left(\frac{\left(\frac{\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C\ln\left(x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C\ln\left(x^2+\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{C\ln\left(bx^3-a\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x)

[Out] 2/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x-(a/b)^(1/3))-1/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(1/3)*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [B] time = 3.02, size = 166, normalized size = 3.13

$$\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}+C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2+x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}-\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}-2C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}-\frac{2\sqrt{3}\left(Ca-\left(3C\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="maxima")

[Out] -1/3*(C*(a/b)^(1/3)+C*(-a/b)^(1/3))*log(x^2+x*(a/b)^(1/3)+(a/b)^(2/3))/(b*(a/b)^(1/3))-1/3*(C*(a/b)^(1/3)-2*C*(-a/b)^(1/3))*log(x-(a/b)^(1/3))/(b*(a/b)^(1/3))-2/9*sqrt(3)*(C*a-(3*C*(a/b)^(2/3)*(-a/b)^(1/3)+C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x+(a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 5.25, size = 156, normalized size = 2.94

$$\sum_{k=1}^3 \ln\left(-\frac{C^2 a + \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right)^2 a b^2 9 + C \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right)^2 a b^2 9 + 6 C \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right) a b - 4 C^2 b x x \left(-\frac{a}{b}\right)^{\frac{2}{3}} / b^3}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x - 2*C*(-a/b)^(1/3)))/(a - b*x^3),x)

[Out] symsum(log(-(C^2*a + 9*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)^2*a*b^2 + 6*C*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)*a*b - 4*C^2*b*x*x*(-a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k), k, 1, 3)

sympy [C] time = 0.35, size = 110, normalized size = 2.08

$$\frac{C\left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}}+x\right)-\frac{\sqrt{3}i\log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}-\frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}+x\right)}{3}+\frac{\sqrt{3}i\log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}+\frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}+x\right)}{3}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-2*(-a/b)**(1/3)*C+C*x)/(-b*x**3+a),x)
```

```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)) - s  
sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.371 \quad \int \frac{x \left(2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b+2/3*C*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(x*(2*(-a/b))^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (2*C*ArcTan[(1 + (2*x)/(-a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(-a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{x \left(2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\
&= \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} - \frac{(2C) \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b} \\
&= \frac{2C \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} + \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.05, size = 148, normalized size = 2.74

$$\frac{C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a + bx^3 \right) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{a} b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(-(a/b))^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-(a/b))^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-(a/b))^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] + (-(a/b))^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3]))/(3*a^(1/3)*b)

fricas [A] time = 0.54, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3} C \arctan \left(\frac{2\sqrt{3} b x \left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3} a}{3a} \right) - 3 C \log \left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x - (-a/b)^(1/3)))/b

giac [B] time = 0.19, size = 97, normalized size = 1.80

$$\frac{2\sqrt{3} C \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3b} - \frac{\left(C b \left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2 \left(-ab^2\right)^{\frac{1}{3}} C \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right| \right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b*(-a/b)^(2/3) + 2*(-a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b)

maple [B] time = 0.06, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{C\ln(bx^3+a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x)

[Out] -2/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(1/3)*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [B] time = 2.99, size = 167, normalized size = 3.09

$$\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}+C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}-2C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{2\sqrt{3}\left(Ca-\left(3C\left(\frac{a}{b}\right)^{\frac{2}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*(C*(a/b)^(1/3)+C*(-a/b)^(1/3))*log(x^2-x*(a/b)^(1/3)+(a/b)^(2/3))/(b*(a/b)^(1/3))+1/3*(C*(a/b)^(1/3)-2*C*(-a/b)^(1/3))*log(x+(a/b)^(1/3))/(b*(a/b)^(1/3))-2/9*sqrt(3)*(C*a-(3*C*(a/b)^(2/3)*(-a/b)^(1/3)+C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x-(a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 5.22, size = 155, normalized size = 2.87

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right)^2 a b^2 9 - C \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x+2*C*(-a/b)^(1/3)))/(a+b*x^3),x)

[Out] symsum(log((C^2*a+9*root(27*a*b^3*z^3-27*C*a*b^2*z^2+9*C^2*a*b*z-9*C^3*a,z,k)^2*a*b^2-6*C*root(27*a*b^3*z^3-27*C*a*b^2*z^2+9*C^2*a*b*z-9*C^3*a,z,k)*a*b+4*C^2*b*x*(-a/b)^(2/3))/b^3)*root(27*a*b^3*z^3-27*C*a*b^2*z^2+9*C^2*a*b*z-9*C^3*a,z,k),k,1,3)

sympy [C] time = 0.32, size = 109, normalized size = 2.02

$$\frac{C\left(\log\left(\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x\right)+\frac{\sqrt{3}i\log\left(\frac{-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}-\frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x}{3}\right)}{3}-\frac{\sqrt{3}i\log\left(\frac{-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+\frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}+x}{3}\right)}{3}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(2*(-a/b)**(1/3)*C+C*x)/(b*x**3+a),x)
```

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.372 \quad \int \frac{x \left(2 \sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] $-C \ln \left(\left(\frac{a}{b} \right)^{1/3} - x \right) / b - 2/3 C \arctan \left(\frac{1 + 2x / \left(\frac{a}{b} \right)^{1/3}}{\sqrt{3}} \right) / b \sqrt{3}$

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] `Int[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3),x]`

[Out] $(-2C \operatorname{ArcTan}[(1 + (2x) / (a/b)^{1/3}) / \sqrt{3}]) / (\sqrt{3} b) - (C \operatorname{Log}[(a/b)^{1/3} - x]) / b$

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1869

`Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = -(a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + -(a/b)^(1/3)*B - 2*(-(a/b))^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]`

Rubi steps

$$\begin{aligned}
\int \frac{x \left(2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\
&= -\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} + \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}} \right)}{b} \\
&= -\frac{2C \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} - \frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b}
\end{aligned}$$

Mathematica [B] time = 0.06, size = 147, normalized size = 2.77

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a - bx^3 \right) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{a} b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] -1/3*(C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3])/b)

fricas [A] time = 0.69, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3} C \arctan \left(\frac{2\sqrt{3} b x \left(\frac{a}{b}\right)^{2/3} + \sqrt{3} a}{3a} \right) + 3 C \log \left(x - \left(\frac{a}{b}\right)^{1/3} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) + 3*C*log(x - (a/b)^(1/3)))/b

giac [A] time = 0.20, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3} C \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{1/3} \right)}{3 \left(\frac{a}{b}\right)^{1/3}} \right)}{3b} - \frac{\left(C b \left(\frac{a}{b}\right)^{2/3} + 2 \left(ab^2\right)^{1/3} C \left(\frac{a}{b}\right)^{1/3} \right) \left(\frac{a}{b}\right)^{1/3} \log \left(\left| x - \left(\frac{a}{b}\right)^{1/3} \right| \right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b*(a/b)^(2/3) + 2*(a*b^2)^(1/3)*C*(a/b)^(1/3))*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3} C \arctan\left(\frac{\left(\frac{2x}{\frac{1}{b}+1}\sqrt{3}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))-2/3*3^(1/2)*C/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.02, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="maxima")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - C*log(x - (a/b)^(1/3))/b

mupad [B] time = 5.23, size = 155, normalized size = 2.92

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right)^2 a b^2 9 + C \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 27 C^2 a b z + 9 C^3 a, z, k\right) a b}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x + 2*C*(a/b)^(1/3)))/(a - b*x^3),x)

[Out] symsum(log(-(C^2*a + 9*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)^2*a*b^2 + 6*C*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)*a*b - 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k), k, 1, 3)

sympy [C] time = 0.37, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i \log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)**(1/3)*C+C*x)/(-b*x**3+a),x)

[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.373 \quad \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{8}x^8(af+bc)+\frac{1}{9}x^9(ag+bd)+\frac{1}{10}x^{10}(ah+be)+\frac{1}{5}acx^5+\frac{1}{6}adx^6+\frac{1}{7}aex^7+\frac{1}{11}bfx^{11}+\frac{1}{12}bgx^{12}+\frac{1}{13}bhx^{13}$$

[Out] 1/5*a*c*x^5+1/6*a*d*x^6+1/7*a*e*x^7+1/8*(a*f+b*c)*x^8+1/9*(a*g+b*d)*x^9+1/10*(a*h+b*e)*x^10+1/11*b*f*x^11+1/12*b*g*x^12+1/13*b*h*x^13

Rubi [A] time = 0.12, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{8}x^8(af+bc)+\frac{1}{9}x^9(ag+bd)+\frac{1}{10}x^{10}(ah+be)+\frac{1}{5}acx^5+\frac{1}{6}adx^6+\frac{1}{7}aex^7+\frac{1}{11}bfx^{11}+\frac{1}{12}bgx^{12}+\frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^10)/10 + (b*f*x^11)/11 + (b*g*x^12)/12 + (b*h*x^13)/13

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^4 + adx^5 + aex^6 + (bc + af)x^7 + (bd + ag)x^8 + \\ &= \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{8}(bc + af)x^8 + \frac{1}{9}(bd + ag)x^9 + \dots \end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{8}x^8(af+bc)+\frac{1}{9}x^9(ag+bd)+\frac{1}{10}x^{10}(ah+be)+\frac{1}{5}acx^5+\frac{1}{6}adx^6+\frac{1}{7}aex^7+\frac{1}{11}bfx^{11}+\frac{1}{12}bgx^{12}+\frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^10)/10 + (b*f*x^11)/11 + (b*g*x^12)/12 + (b*h*x^13)/13

fricas [A] time = 0.55, size = 85, normalized size = 0.88

$$\frac{1}{13}x^{13}hb+\frac{1}{12}x^{12}gb+\frac{1}{11}x^{11}fb+\frac{1}{10}x^{10}eb+\frac{1}{10}x^{10}ha+\frac{1}{9}x^9db+\frac{1}{9}x^9ga+\frac{1}{8}x^8cb+\frac{1}{8}x^8fa+\frac{1}{7}x^7ea+\frac{1}{6}x^6da+\frac{1}{5}x^5ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $\frac{1}{13}bx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}ahx^{10} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{9}agx^9 + \frac{1}{8}bcx^8 + \frac{1}{8}afx^8 + \frac{1}{7}ax^7e + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$
 $+ \frac{1}{9}x^9d + \frac{1}{9}x^9g + \frac{1}{8}x^8c + \frac{1}{8}x^8f + \frac{1}{7}x^7e + \frac{1}{6}x^6d + \frac{1}{5}x^5c$

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}ahx^{10} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{9}agx^9 + \frac{1}{8}bcx^8 + \frac{1}{8}afx^8 + \frac{1}{7}ax^7e + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="giac")

[Out] $\frac{1}{13}b*h*x^{13} + \frac{1}{12}b*g*x^{12} + \frac{1}{11}b*f*x^{11} + \frac{1}{10}a*h*x^{10} + \frac{1}{10}b*x^{10}$
 $*e + \frac{1}{9}b*d*x^9 + \frac{1}{9}a*g*x^9 + \frac{1}{8}b*c*x^8 + \frac{1}{8}a*f*x^8 + \frac{1}{7}a*x^7*e + \frac{1}{6}a*d*x^6 + \frac{1}{5}a*c*x^5$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \frac{(ah+be)x^{10}}{10} + \frac{aex^7}{7} + \frac{(ag+bd)x^9}{9} + \frac{adx^6}{6} + \frac{(af+bc)x^8}{8} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x)

[Out] $\frac{1}{5}a*c*x^5 + \frac{1}{6}a*d*x^6 + \frac{1}{7}a*e*x^7 + \frac{1}{8}(a*f+b*c)*x^8 + \frac{1}{9}(a*g+b*d)*x^9 + \frac{1}{10}(a*h+b*e)*x^{10}$
 $+ \frac{1}{11}b*f*x^{11} + \frac{1}{12}b*g*x^{12} + \frac{1}{13}b*h*x^{13}$

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}(be+ah)x^{10} + \frac{1}{9}(bd+ag)x^9 + \frac{1}{7}aex^7 + \frac{1}{8}(bc+af)x^8 + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="maxima")

[Out] $\frac{1}{13}b*h*x^{13} + \frac{1}{12}b*g*x^{12} + \frac{1}{11}b*f*x^{11} + \frac{1}{10}(b*e + a*h)*x^{10} + \frac{1}{9}(b*d + a*g)*x^9$
 $+ \frac{1}{7}a*e*x^7 + \frac{1}{8}(b*c + a*f)*x^8 + \frac{1}{6}a*d*x^6 + \frac{1}{5}a*c*x^5$

mupad [B] time = 0.05, size = 82, normalized size = 0.85

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \left(\frac{be}{10} + \frac{ah}{10}\right)x^{10} + \left(\frac{bd}{9} + \frac{ag}{9}\right)x^9 + \left(\frac{bc}{8} + \frac{af}{8}\right)x^8 + \frac{aex^7}{7} + \frac{adx^6}{6} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)$, x)

[Out] $x^8*((b*c)/8 + (a*f)/8) + x^9*((b*d)/9 + (a*g)/9) + x^{10}*((b*e)/10 + (a*h)/10)$
 $+ (b*h*x^{13})/13 + (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + (b*f*x^{11})/11 + (b*g*x^{12})/12$

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^5}{5} + \frac{adx^6}{6} + \frac{aex^7}{7} + \frac{bfx^{11}}{11} + \frac{bgx^{12}}{12} + \frac{bhx^{13}}{13} + x^{10}\left(\frac{ah}{10} + \frac{be}{10}\right) + x^9\left(\frac{ag}{9} + \frac{bd}{9}\right) + x^8\left(\frac{af}{8} + \frac{bc}{8}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x**5/5 + a*d*x**6/6 + a*e*x**7/7 + b*f*x**11/11 + b*g*x**12/12 + b*h*x**13/13 + x**10*(a*h/10 + b*e/10) + x**9*(a*g/9 + b*d/9) + x**8*(a*f/8 + b*c/8)

$$3.374 \quad \int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{7}x^7(af+bc)+\frac{1}{8}x^8(ag+bd)+\frac{1}{9}x^9(ah+be)+\frac{1}{4}acx^4+\frac{1}{5}adx^5+\frac{1}{6}aex^6+\frac{1}{10}bfx^{10}+\frac{1}{11}bgx^{11}+\frac{1}{12}bhx^{12}$$

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*(a*f+b*c)*x^7+1/8*(a*g+b*d)*x^8+1/9*(a*h+b*e)*x^9+1/10*b*f*x^10+1/11*b*g*x^11+1/12*b*h*x^12

Rubi [A] time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{7}x^7(af+bc)+\frac{1}{8}x^8(ag+bd)+\frac{1}{9}x^9(ah+be)+\frac{1}{4}acx^4+\frac{1}{5}adx^5+\frac{1}{6}aex^6+\frac{1}{10}bfx^{10}+\frac{1}{11}bgx^{11}+\frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^10)/10 + (b*g*x^11)/11 + (b*h*x^12)/12

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^3 + adx^4 + aex^5 + (bc + af)x^6 + (bd + ag)x^7 + (be + ah)x^8 + bcdx^9 + bdx^{10} + bex^{11} + bfgx^{12} + bhx^{13}) dx \\ &= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}(bc + af)x^7 + \frac{1}{8}(bd + ag)x^8 + \frac{1}{9}(be + ah)x^9 + \frac{1}{10}bcdx^{10} + \frac{1}{11}bdx^{11} + \frac{1}{12}bex^{12} + \frac{1}{13}bfgx^{13} + \frac{1}{14}bhx^{14} \end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{7}x^7(af+bc)+\frac{1}{8}x^8(ag+bd)+\frac{1}{9}x^9(ah+be)+\frac{1}{4}acx^4+\frac{1}{5}adx^5+\frac{1}{6}aex^6+\frac{1}{10}bfx^{10}+\frac{1}{11}bgx^{11}+\frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^10)/10 + (b*g*x^11)/11 + (b*h*x^12)/12

fricas [A] time = 0.40, size = 85, normalized size = 0.88

$$\frac{1}{12}x^{12}hb+\frac{1}{11}x^{11}gb+\frac{1}{10}x^{10}fb+\frac{1}{9}x^9eb+\frac{1}{9}x^9ha+\frac{1}{8}x^8db+\frac{1}{8}x^8ga+\frac{1}{7}x^7cb+\frac{1}{7}x^7fa+\frac{1}{6}x^6ea+\frac{1}{5}x^5da+\frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $\frac{1}{12}bx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}ahx^9 + \frac{1}{9}bx^9e + \frac{1}{8}bdx^8 + \frac{1}{8}agx^8 + \frac{1}{7}bcx^7 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4 + \frac{1}{5}d^5x^5 + \frac{1}{4}c^4x^4$

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}ahx^9 + \frac{1}{9}bx^9e + \frac{1}{8}bdx^8 + \frac{1}{8}agx^8 + \frac{1}{7}bcx^7 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="giac")

[Out] $\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2g*x^{11} + \frac{1}{10}b^2f*x^{10} + \frac{1}{9}a^2h*x^9 + \frac{1}{9}b^2e*x^9 + \frac{1}{8}b^2d*x^8 + \frac{1}{8}a^2g*x^8 + \frac{1}{7}b^2c*x^7 + \frac{1}{7}a^2f*x^7 + \frac{1}{6}a^2e*x^6 + \frac{1}{5}a^2d*x^5 + \frac{1}{4}a^2c*x^4$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \frac{(ah+be)x^9}{9} + \frac{aex^6}{6} + \frac{(ag+bd)x^8}{8} + \frac{adx^5}{5} + \frac{(af+bc)x^7}{7} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x)

[Out] $\frac{1}{4}a^2c*x^4 + \frac{1}{5}a^2d*x^5 + \frac{1}{6}a^2e*x^6 + \frac{1}{7}(a^2f+b^2c)*x^7 + \frac{1}{8}(a^2g+b^2d)*x^8 + \frac{1}{9}(a^2h+b^2e)*x^9 + \frac{1}{10}b^2f*x^{10} + \frac{1}{11}b^2g*x^{11} + \frac{1}{12}b^2h*x^{12}$

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}(be+ah)x^9 + \frac{1}{8}(bd+ag)x^8 + \frac{1}{6}aex^6 + \frac{1}{7}(bc+af)x^7 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="maxima")

[Out] $\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2g*x^{11} + \frac{1}{10}b^2f*x^{10} + \frac{1}{9}(b^2e+a^2h)*x^9 + \frac{1}{8}(b^2d+a^2g)*x^8 + \frac{1}{6}a^2e*x^6 + \frac{1}{7}(b^2c+a^2f)*x^7 + \frac{1}{5}a^2d*x^5 + \frac{1}{4}a^2c*x^4$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \left(\frac{be}{9} + \frac{ah}{9}\right)x^9 + \left(\frac{bd}{8} + \frac{ag}{8}\right)x^8 + \left(\frac{bc}{7} + \frac{af}{7}\right)x^7 + \frac{aex^6}{6} + \frac{adx^5}{5} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^3*(a+b*x^3)*(c+d*x+e*x^2+f*x^3+g*x^4+h*x^5)$, x)

[Out] $x^7*((b*c)/7 + (a*f)/7) + x^8*((b*d)/8 + (a*g)/8) + x^9*((b*e)/9 + (a*h)/9) + (b*h*x^{12})/12 + (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (b*f*x^{10})/10 + (b*g*x^{11})/11$

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^4}{4} + \frac{adx^5}{5} + \frac{aex^6}{6} + \frac{bfx^{10}}{10} + \frac{bgx^{11}}{11} + \frac{bhx^{12}}{12} + x^9\left(\frac{ah}{9} + \frac{be}{9}\right) + x^8\left(\frac{ag}{8} + \frac{bd}{8}\right) + x^7\left(\frac{af}{7} + \frac{bc}{7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x)

[Out] $a^2c*x^4/4 + a^2d*x^5/5 + a^2e*x^6/6 + b^2f*x^{10}/10 + b^2g*x^{11}/11 + b^2h*x^{12}/12 + x^9*(a^2h/9 + b^2e/9) + x^8*(a^2g/8 + b^2d/8) + x^7*(a^2f/7 + b^2c/7)$

$$3.375 \quad \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

[Out] 1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*(a*f+b*c)*x^6+1/7*(a*g+b*d)*x^7+1/8*(a*h+b*e)*x^8+1/9*b*f*x^9+1/10*b*g*x^10+1/11*b*h*x^11

Rubi [A] time = 0.09, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^10)/10 + (b*h*x^11)/11

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^2 + adx^3 + aex^4 + (bc + af)x^5 + (bd + ag)x^6 + (be + ah)x^7 + bfx^8 + bgx^9 + b gx^{10} + bhx^{11}) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}(bc + af)x^6 + \frac{1}{7}(bd + ag)x^7 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11} \end{aligned}$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^10)/10 + (b*h*x^11)/11

fricas [A] time = 0.52, size = 85, normalized size = 0.88

$$\frac{1}{11}x^{11}hb + \frac{1}{10}x^{10}gb + \frac{1}{9}x^9fb + \frac{1}{8}x^8eb + \frac{1}{8}x^8ha + \frac{1}{7}x^7db + \frac{1}{7}x^7ga + \frac{1}{6}x^6cb + \frac{1}{6}x^6fa + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $\frac{1}{11}bx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}ahx^8 + \frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{7}agx^7 + \frac{1}{6}bcx^6 + \frac{1}{6}afx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3 + \frac{1}{4}d^4a + \frac{1}{3}x^3c^3a$

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}ahx^8 + \frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{7}agx^7 + \frac{1}{6}bcx^6 + \frac{1}{6}afx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")`

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}a^2hx^8 + \frac{1}{8}b^2x^8e + \frac{1}{7}b^2d^2x^7 + \frac{1}{7}a^2g^2x^7 + \frac{1}{6}b^2c^2x^6 + \frac{1}{6}a^2f^2x^6 + \frac{1}{5}a^2x^5e + \frac{1}{4}a^2d^2x^4 + \frac{1}{3}a^2c^2x^3$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \frac{(ah+be)x^8}{8} + \frac{aex^5}{5} + \frac{(ag+bd)x^7}{7} + \frac{adx^4}{4} + \frac{(af+bc)x^6}{6} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $\frac{1}{3}a^2cx^3 + \frac{1}{4}a^2d^2x^4 + \frac{1}{5}a^2e^2x^5 + \frac{1}{6}(a^2f+b^2c)x^6 + \frac{1}{7}(a^2g+b^2d)x^7 + \frac{1}{8}(a^2h+b^2e)x^8 + \frac{1}{9}b^2fx^9 + \frac{1}{10}b^2gx^{10} + \frac{1}{11}b^2hx^{11}$

maxima [A] time = 1.34, size = 79, normalized size = 0.81

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}(be+ah)x^8 + \frac{1}{7}(bd+ag)x^7 + \frac{1}{5}aex^5 + \frac{1}{6}(bc+af)x^6 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e+a^2h)x^8 + \frac{1}{7}(b^2d+a^2g)x^7 + \frac{1}{6}(b^2c+a^2f)x^6 + \frac{1}{4}a^2d^2x^4 + \frac{1}{3}a^2c^2x^3$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \left(\frac{be}{8} + \frac{ah}{8}\right)x^8 + \left(\frac{bd}{7} + \frac{ag}{7}\right)x^7 + \left(\frac{bc}{6} + \frac{af}{6}\right)x^6 + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*x^3)*(c+d*x+e*x^2+f*x^3+g*x^4+h*x^5),x)`

[Out] $x^6\left(\frac{b^2c}{6} + \frac{a^2f}{6}\right) + x^7\left(\frac{b^2d}{7} + \frac{a^2g}{7}\right) + x^8\left(\frac{b^2e}{8} + \frac{a^2h}{8}\right) + \frac{b^2hx^{11}}{11} + \frac{a^2cx^3}{3} + \frac{a^2d^2x^4}{4} + \frac{a^2e^2x^5}{5} + \frac{b^2fx^9}{9} + \frac{b^2gx^{10}}{10}$

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bfx^9}{9} + \frac{bgx^{10}}{10} + \frac{bhx^{11}}{11} + x^8\left(\frac{ah}{8} + \frac{be}{8}\right) + x^7\left(\frac{ag}{7} + \frac{bd}{7}\right) + x^6\left(\frac{af}{6} + \frac{bc}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a^2cx^{**3}/3 + a^2d^2x^{**4}/4 + a^2e^2x^{**5}/5 + b^2fx^{**9}/9 + b^2gx^{**10}/10 + b^2hx^{**11}/11 + x^{**8}(a^2h/8 + b^2e/8) + x^{**7}(a^2g/7 + b^2d/7) + x^{**6}(a^2f/6 + b^2c/6)$

3.376 $\int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$

Optimal. Leaf size=97

$$\frac{1}{5}x^5(af+bc) + \frac{1}{6}x^6(ag+bd) + \frac{1}{7}x^7(ah+be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

[Out] $1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*(a*f+b*c)*x^5+1/6*(a*g+b*d)*x^6+1/7*(a*h+b*e)*x^7+1/8*b*f*x^8+1/9*b*g*x^9+1/10*b*h*x^{10}$

Rubi [A] time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1820}

$$\frac{1}{5}x^5(af+bc) + \frac{1}{6}x^6(ag+bd) + \frac{1}{7}x^7(ah+be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^{10})/10$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (acx + adx^2 + aex^3 + (bc + af)x^4 + (bd + ag)x^5 + (be + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}(bc + af)x^5 + \frac{1}{6}(bd + ag)x^6 +$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{5}x^5(af+bc) + \frac{1}{6}x^6(ag+bd) + \frac{1}{7}x^7(ah+be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^{10})/10$

fricas [A] time = 0.71, size = 85, normalized size = 0.88

$$\frac{1}{10}x^{10}hb + \frac{1}{9}x^9gb + \frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{7}x^7ha + \frac{1}{6}x^6db + \frac{1}{6}x^6ga + \frac{1}{5}x^5cb + \frac{1}{5}x^5fa + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $\frac{1}{10}bx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}ahx^7 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{6}agx^6 + \frac{1}{5}bcx^5 + \frac{1}{5}afx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$
 $\frac{1}{6}x^6d + \frac{1}{6}ax^6g + \frac{1}{5}x^5c + \frac{1}{5}x^5f + \frac{1}{4}x^4e + \frac{1}{3}x^3d + \frac{1}{2}x^2c$

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}ahx^7 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{6}agx^6 + \frac{1}{5}bcx^5 + \frac{1}{5}afx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{1}{7}a^2hx^7 + \frac{1}{7}b^2x^7e + \frac{1}{6}b^2dx^6 + \frac{1}{6}a^2gx^6 + \frac{1}{5}b^2cx^5 + \frac{1}{5}a^2fx^5 + \frac{1}{4}a^2x^4e + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \frac{(ah+be)x^7}{7} + \frac{aex^4}{4} + \frac{(ag+bd)x^6}{6} + \frac{adx^3}{3} + \frac{(af+bc)x^5}{5} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{1}{5}(af+bc)x^5 + \frac{1}{6}(ag+bd)x^6 + \frac{1}{7}(ah+be)x^7 + \frac{1}{8}b^2fx^8 + \frac{1}{9}b^2gx^9 + \frac{1}{10}b^2hx^{10}$

maxima [A] time = 1.37, size = 79, normalized size = 0.81

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}(be+ah)x^7 + \frac{1}{6}(bd+ag)x^6 + \frac{1}{4}aex^4 + \frac{1}{5}(bc+af)x^5 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{1}{7}(b^2e+a^2h)x^7 + \frac{1}{6}(b^2d+a^2g)x^6 + \frac{1}{4}a^2ex^4 + \frac{1}{5}(b^2c+a^2f)x^5 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \left(\frac{be}{7} + \frac{ah}{7}\right)x^7 + \left(\frac{bd}{6} + \frac{ag}{6}\right)x^6 + \left(\frac{bc}{5} + \frac{af}{5}\right)x^5 + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*x^3)*(c+d*x+e*x^2+f*x^3+g*x^4+h*x^5),x)

[Out] $x^5\left(\frac{bc}{5} + \frac{af}{5}\right) + x^6\left(\frac{bd}{6} + \frac{ag}{6}\right) + x^7\left(\frac{be}{7} + \frac{ah}{7}\right) + \frac{b^2hx^{10}}{10} + \frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{b^2fx^8}{8} + \frac{b^2gx^9}{9}$

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bfx^8}{8} + \frac{bgx^9}{9} + \frac{bhx^{10}}{10} + x^7\left(\frac{ah}{7} + \frac{be}{7}\right) + x^6\left(\frac{ag}{6} + \frac{bd}{6}\right) + x^5\left(\frac{af}{5} + \frac{bc}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] $a^2cx^{2/2} + a^2dx^{3/3} + a^2ex^{4/4} + b^2fx^{8/8} + b^2gx^{9/9} + b^2hx^{10/10} + x^{7/7}(ah/7 + be/7) + x^{6/6}(ag/6 + bd/6) + x^{5/5}(af/5 + bc/5)$

$$3.377 \quad \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=92

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*(a*f+b*c)*x^4+1/5*(a*g+b*d)*x^5+1/6*(a*h+b*e)*x^6+1/7*b*f*x^7+1/8*b*g*x^8+1/9*b*h*x^9

Rubi [A] time = 0.07, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1850}

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (ac + adx + aex^2 + (bc + af)x^3 + (bd + ag)x^4 + (be + ah)x^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}(bc + af)x^4 + \frac{1}{5}(bd + ag)x^5 + \frac{1}{6}(be + ah)x^6 \end{aligned}$$

Mathematica [A] time = 0.02, size = 92, normalized size = 1.00

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

fricas [A] time = 0.52, size = 82, normalized size = 0.89

$$\frac{1}{9}x^9hb + \frac{1}{8}x^8gb + \frac{1}{7}x^7fb + \frac{1}{6}x^6eb + \frac{1}{6}x^6ha + \frac{1}{5}x^5db + \frac{1}{5}x^5ga + \frac{1}{4}x^4cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/9*x^9*h*b + 1/8*x^8*g*b + 1/7*x^7*f*b + 1/6*x^6*e*b + 1/6*x^6*h*a + 1/5*x^5*d*b + 1/5*x^5*g*a + 1/4*x^4*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 84, normalized size = 0.91

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}ahx^6 + \frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{5}agx^5 + \frac{1}{4}bcx^4 + \frac{1}{4}afx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*a*h*x^6 + 1/6*b*x^6*e + 1/5*b*d*x^5 + 1/5*a*g*x^5 + 1/4*b*c*x^4 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \frac{(ah+be)x^6}{6} + \frac{aex^3}{3} + \frac{(ag+bd)x^5}{5} + \frac{adx^2}{2} + \frac{(af+bc)x^4}{4} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*(a*f+b*c)*x^4+1/5*(a*g+b*d)*x^5+1/6*(a*h+b*e)*x^6+1/7*b*f*x^7+1/8*b*g*x^8+1/9*b*h*x^9

maxima [A] time = 1.40, size = 76, normalized size = 0.83

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}(be+ah)x^6 + \frac{1}{5}(bd+ag)x^5 + \frac{1}{3}aex^3 + \frac{1}{4}(bc+af)x^4 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*(b*e + a*h)*x^6 + 1/5*(b*d + a*g)*x^5 + 1/3*a*e*x^3 + 1/4*(b*c + a*f)*x^4 + 1/2*a*d*x^2 + a*c*x

mupad [B] time = 0.04, size = 79, normalized size = 0.86

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \left(\frac{be}{6} + \frac{ah}{6}\right)x^6 + \left(\frac{bd}{5} + \frac{ag}{5}\right)x^5 + \left(\frac{bc}{4} + \frac{af}{4}\right)x^4 + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^4*((b*c)/4 + (a*f)/4) + x^5*((b*d)/5 + (a*g)/5) + x^6*((b*e)/6 + (a*h)/6) + (b*h*x^9)/9 + a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*f*x^7)/7 + (b*g*x^8)/8

sympy [A] time = 0.08, size = 87, normalized size = 0.95

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bfx^7}{7} + \frac{bgx^8}{8} + \frac{bhx^9}{9} + x^6\left(\frac{ah}{6} + \frac{be}{6}\right) + x^5\left(\frac{ag}{5} + \frac{bd}{5}\right) + x^4\left(\frac{af}{4} + \frac{bc}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*f*x**7/7 + b*g*x**8/8 + b*h*x**9/9 + x**6*(a*h/6 + b*e/6) + x**5*(a*g/5 + b*d/5) + x**4*(a*f/4 + b*c/4)

$$3.378 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=88

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

[Out] a*d*x+1/2*a*e*x^2+1/3*(a*f+b*c)*x^3+1/4*(a*g+b*d)*x^4+1/5*(a*h+b*e)*x^5+1/6*b*f*x^6+1/7*b*g*x^7+1/8*b*h*x^8+a*c*ln(x)

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx = \int \left(ad + \frac{ac}{x} + aex + (bc+af)x^2 + (bd+ag)x^3 + (be+ah)x^4 \right) dx$$

$$= adx + \frac{1}{2}aex^2 + \frac{1}{3}(bc+af)x^3 + \frac{1}{4}(bd+ag)x^4 + \frac{1}{5}(be+ah)x^5$$

Mathematica [A] time = 0.07, size = 88, normalized size = 1.00

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*Log[x]

fricas [A] time = 0.52, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be+ah)x^5 + \frac{1}{4}(bd+ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc+af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] $\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(b^2e + a^2h)x^5 + \frac{1}{4}(bd + a^2g)x^4 + \frac{1}{2}a^2ex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$

giac [A] time = 0.15, size = 83, normalized size = 0.94

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}ahx^5 + \frac{1}{5}bx^5e + \frac{1}{4}bdx^4 + \frac{1}{4}agx^4 + \frac{1}{3}bcx^3 + \frac{1}{3}afx^3 + \frac{1}{2}ax^2e + adx + ac \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{1}{5}a^2hx^5 + \frac{1}{5}b^2ex^5 + \frac{1}{4}b^2dx^4 + \frac{1}{4}a^2gx^4 + \frac{1}{3}b^2cx^3 + \frac{1}{3}a^2fx^3 + \frac{1}{2}a^2ex^2 + adx + ac \log(\text{abs}(x))$

maple [A] time = 0.05, size = 81, normalized size = 0.92

$$\frac{bhx^8}{8} + \frac{bgx^7}{7} + \frac{bfx^6}{6} + \frac{ahx^5}{5} + \frac{bex^5}{5} + \frac{agx^4}{4} + \frac{bdx^4}{4} + \frac{afx^3}{3} + \frac{bcx^3}{3} + \frac{aex^2}{2} + ac \ln(x) + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] $\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{1}{5}x^5a^2h + \frac{1}{5}b^2ex^5 + \frac{1}{4}x^4a^2g + \frac{1}{4}b^2dx^4 + \frac{1}{3}x^3a^2f + \frac{1}{3}b^2cx^3 + \frac{1}{2}a^2ex^2 + adx + ac \ln(x)$

maxima [A] time = 1.34, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be + ah)x^5 + \frac{1}{4}(bd + ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] $\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{1}{5}(b^2e + a^2h)x^5 + \frac{1}{4}(bd + a^2g)x^4 + \frac{1}{2}a^2ex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$

mupad [B] time = 0.05, size = 77, normalized size = 0.88

$$x^3 \left(\frac{bc}{3} + \frac{af}{3} \right) + x^4 \left(\frac{bd}{4} + \frac{ag}{4} \right) + x^5 \left(\frac{be}{5} + \frac{ah}{5} \right) + \frac{bhx^8}{8} + ac \ln(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] $x^3*((bc)/3 + (af)/3) + x^4*((bd)/4 + (ag)/4) + x^5*((be)/5 + (ah)/5) + (b^2hx^8)/8 + ac \log(x) + adx + (a^2ex^2)/2 + (b^2fx^6)/6 + (b^2gx^7)/7$

sympy [A] time = 0.22, size = 85, normalized size = 0.97

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7} + \frac{bhx^8}{8} + x^5 \left(\frac{ah}{5} + \frac{be}{5} \right) + x^4 \left(\frac{ag}{4} + \frac{bd}{4} \right) + x^3 \left(\frac{af}{3} + \frac{bc}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] $ac \log(x) + adx + a^2ex^2/2 + b^2fx^6/6 + b^2gx^7/7 + b^2hx^8/8 + x^5(a^2h/5 + b^2e/5) + x^4(a^2g/4 + b^2d/4) + x^3(a^2f/3 + b^2c/3)$

$$3.379 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=86

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

[Out] $-a*c/x+a*e*x+1/2*(a*f+b*c)*x^2+1/3*(a*g+b*d)*x^3+1/4*(a*h+b*e)*x^4+1/5*b*f*x^5+1/6*b*g*x^6+1/7*b*h*x^7+a*d*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/x^2, x]$

[Out] $-((a*c)/x) + a*e*x + ((b*c + a*f)*x^2)/2 + ((b*d + a*g)*x^3)/3 + ((b*e + a*h)*x^4)/4 + (b*f*x^5)/5 + (b*g*x^6)/6 + (b*h*x^7)/7 + a*d*\text{Log}[x]$

Rule 1820

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_)+(b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow$
 $\text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, m, n\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 1])$

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx = \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + (bc+af)x + (bd+ag)x^2 + (be+ah)x^3 - \frac{ac}{x} + aex + \frac{1}{2}(bc+af)x^2 + \frac{1}{3}(bd+ag)x^3 + \frac{1}{4}(be+ah)x^4 + \dots \right) dx$$

Mathematica [A] time = 0.07, size = 86, normalized size = 1.00

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/x^2, x]$

[Out] $-((a*c)/x) + a*e*x + ((b*c + a*f)*x^2)/2 + ((b*d + a*g)*x^3)/3 + ((b*e + a*h)*x^4)/4 + (b*f*x^5)/5 + (b*g*x^6)/6 + (b*h*x^7)/7 + a*d*\text{Log}[x]$

fricas [A] time = 0.52, size = 81, normalized size = 0.94

$$\frac{60 b h x^8 + 70 b g x^7 + 84 b f x^6 + 105 (b e + a h) x^5 + 140 (b d + a g) x^4 + 420 a e x^2 + 210 (b c + a f) x^3 + 420 a d x \log(x)}{420 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1}{420}(60*b*h*x^8 + 70*b*g*x^7 + 84*b*f*x^6 + 105*(b*e + a*h)*x^5 + 140*(b*d + a*g)*x^4 + 420*a*e*x^2 + 210*(b*c + a*f)*x^3 + 420*a*d*x*\log(x) - 420*a*c)/x$

giac [A] time = 0.16, size = 83, normalized size = 0.97

$$\frac{1}{7}bhx^7 + \frac{1}{6}bgx^6 + \frac{1}{5}bfx^5 + \frac{1}{4}ahx^4 + \frac{1}{4}bx^4e + \frac{1}{3}bdx^3 + \frac{1}{3}agx^3 + \frac{1}{2}bcx^2 + \frac{1}{2}afx^2 + aex + ad \log(|x|) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*a*h*x^4 + \frac{1}{4}*b*x^4*e + \frac{1}{3}*b*d*x^3 + \frac{1}{3}*a*g*x^3 + \frac{1}{2}*b*c*x^2 + \frac{1}{2}*a*f*x^2 + a*x*e + a*d*\log(\text{abs}(x)) - a*c/x$

maple [A] time = 0.05, size = 81, normalized size = 0.94

$$\frac{bhx^7}{7} + \frac{bgx^6}{6} + \frac{bfx^5}{5} + \frac{ahx^4}{4} + \frac{bex^4}{4} + \frac{agx^3}{3} + \frac{bdx^3}{3} + \frac{afx^2}{2} + \frac{bcx^2}{2} + ad \ln(x) + aex - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*x^4*a*h + \frac{1}{4}*b*e*x^4 + \frac{1}{3}*x^3*a*g + \frac{1}{3}*b*d*x^3 + \frac{1}{2}*x^2*a*f + \frac{1}{2}*b*c*x^2 + a*e*x - a*c/x + a*d*\ln(x)$

maxima [A] time = 1.35, size = 74, normalized size = 0.86

$$\frac{1}{7}bhx^7 + \frac{1}{6}bgx^6 + \frac{1}{5}bfx^5 + \frac{1}{4}(be + ah)x^4 + \frac{1}{3}(bd + ag)x^3 + aex + \frac{1}{2}(bc + af)x^2 + ad \log(x) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*(b*e + a*h)*x^4 + \frac{1}{3}*(b*d + a*g)*x^3 + a*e*x + \frac{1}{2}*(b*c + a*f)*x^2 + a*d*\log(x) - a*c/x$

mupad [B] time = 0.05, size = 77, normalized size = 0.90

$$x^2 \left(\frac{bc}{2} + \frac{af}{2} \right) + x^3 \left(\frac{bd}{3} + \frac{ag}{3} \right) + x^4 \left(\frac{be}{4} + \frac{ah}{4} \right) + \frac{bhx^7}{7} + ad \ln(x) + aex - \frac{ac}{x} + \frac{bfx^5}{5} + \frac{bgx^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)

[Out] $x^2*((b*c)/2 + (a*f)/2) + x^3*((b*d)/3 + (a*g)/3) + x^4*((b*e)/4 + (a*h)/4) + (b*h*x^7)/7 + a*d*\log(x) + a*e*x - (a*c)/x + (b*f*x^5)/5 + (b*g*x^6)/6$

sympy [A] time = 0.23, size = 82, normalized size = 0.95

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bfx^5}{5} + \frac{bgx^6}{6} + \frac{bhx^7}{7} + x^4 \left(\frac{ah}{4} + \frac{be}{4} \right) + x^3 \left(\frac{ag}{3} + \frac{bd}{3} \right) + x^2 \left(\frac{af}{2} + \frac{bc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] $-a*c/x + a*d*\log(x) + a*e*x + b*f*x**5/5 + b*g*x**6/6 + b*h*x**7/7 + x**4*(a*h/4 + b*e/4) + x**3*(a*g/3 + b*d/3) + x**2*(a*f/2 + b*c/2)$

$$3.380 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=86

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

[Out] $-1/2*a*c/x^2-a*d/x+(a*f+b*c)*x+1/2*(a*g+b*d)*x^2+1/3*(a*h+b*e)*x^3+1/4*b*f*x^4+1/5*b*g*x^5+1/6*b*h*x^6+a*e*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] $-(a*c)/(2*x^2) - (a*d)/x + (b*c + a*f)*x + ((b*d + a*g)*x^2)/2 + ((b*e + a*h)*x^3)/3 + (b*f*x^4)/4 + (b*g*x^5)/5 + (b*h*x^6)/6 + a*e*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx = \int \left(bc \left(1 + \frac{af}{bc} \right) + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + (bd + ag)x + (be + ah)x^2 \right. \\ \left. - \frac{ac}{2x^2} - \frac{ad}{x} + (bc + af)x + \frac{1}{2}(bd + ag)x^2 + \frac{1}{3}(be + ah)x^3 + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6 \right) dx$$

Mathematica [A] time = 0.07, size = 78, normalized size = 0.91

$$\frac{a(-3c - 6dx + 6fx^3 + 3gx^4 + 2hx^5)}{6x^2} + ae \log(x) + bcx + \frac{1}{60}bx^2(30d + x(20e + 15fx + 12gx^2 + 10hx^3))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] $b*c*x + (a*(-3*c - 6*d*x + 6*f*x^3 + 3*g*x^4 + 2*h*x^5))/(6*x^2) + (b*x^2*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/60 + a*e*\text{Log}[x]$

fricas [A] time = 0.59, size = 81, normalized size = 0.94

$$\frac{10bhx^8 + 12bgx^7 + 15bfx^6 + 20(be + ah)x^5 + 30(bd + ag)x^4 + 60aex^2 \log(x) + 60(bc + af)x^3 - 60adx - 30a}{60x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] $1/60*(10*b*h*x^8 + 12*b*g*x^7 + 15*b*f*x^6 + 20*(b*e + a*h)*x^5 + 30*(b*d + a*g)*x^4 + 60*a*e*x^2*\log(x) + 60*(b*c + a*f)*x^3 - 60*a*d*x - 30*a*c)/x^2$

giac [A] time = 0.16, size = 80, normalized size = 0.93

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}ahx^3 + \frac{1}{3}bx^3e + \frac{1}{2}bdx^2 + \frac{1}{2}agx^2 + bcx + afx + ae \log(|x|) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")`

[Out] $1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*a*h*x^3 + 1/3*b*x^3*e + 1/2*b*d*x^2 + 1/2*a*g*x^2 + b*c*x + a*f*x + a*e*\log(\text{abs}(x)) - 1/2*(2*a*d*x + a*c)/x^2$

maple [A] time = 0.05, size = 78, normalized size = 0.91

$$\frac{bhx^6}{6} + \frac{bgx^5}{5} + \frac{bfx^4}{4} + \frac{ahx^3}{3} + \frac{bex^3}{3} + \frac{agx^2}{2} + \frac{bdx^2}{2} + ae \ln(x) + afx + bcx - \frac{ad}{x} - \frac{ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)`

[Out] $1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*x^3*a*h + 1/3*b*e*x^3 + 1/2*x^2*a*g + 1/2*b*d*x^2 + a*f*x + b*c*x - 1/2*a*c/x^2 - a*d/x + a*e*\ln(x)$

maxima [A] time = 1.34, size = 74, normalized size = 0.86

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}(be + ah)x^3 + \frac{1}{2}(bd + ag)x^2 + ae \log(x) + (bc + af)x - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")`

[Out] $1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*(b*e + a*h)*x^3 + 1/2*(b*d + a*g)*x^2 + a*e*\log(x) + (b*c + a*f)*x - 1/2*(2*a*d*x + a*c)/x^2$

mapad [B] time = 0.04, size = 76, normalized size = 0.88

$$x(bc + af) - \frac{ac + adx}{x^2} + x^2\left(\frac{bd}{2} + \frac{ag}{2}\right) + x^3\left(\frac{be}{3} + \frac{ah}{3}\right) + \frac{bhx^6}{6} + ae \ln(x) + \frac{bfx^4}{4} + \frac{bgx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)`

[Out] $x*(b*c + a*f) - ((a*c)/2 + a*d*x)/x^2 + x^2*((b*d)/2 + (a*g)/2) + x^3*((b*e)/3 + (a*h)/3) + (b*h*x^6)/6 + a*e*\log(x) + (b*f*x^4)/4 + (b*g*x^5)/5$

sympy [A] time = 0.31, size = 83, normalized size = 0.97

$$ae \log(x) + \frac{bfx^4}{4} + \frac{bgx^5}{5} + \frac{bhx^6}{6} + x^3\left(\frac{ah}{3} + \frac{be}{3}\right) + x^2\left(\frac{ag}{2} + \frac{bd}{2}\right) + x(af + bc) + \frac{-ac - 2adx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)`

[Out] $a*e*\log(x) + b*f*x**4/4 + b*g*x**5/5 + b*h*x**6/6 + x**3*(a*h/3 + b*e/3) + x**2*(a*g/2 + b*d/2) + x*(a*f + b*c) + (-a*c - 2*a*d*x)/(2*x**2)$

$$3.381 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=86

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

[Out] $-1/3*a*c/x^3-1/2*a*d/x^2-a*e/x+(a*g+b*d)*x+1/2*(a*h+b*e)*x^2+1/3*b*f*x^3+1/4*b*g*x^4+1/5*b*h*x^5+(a*f+b*c)*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a*c)/(3*x^3) - (a*d)/(2*x^2) - (a*e)/x + (b*d + a*g)*x + ((b*e + a*h)*x^2)/2 + (b*f*x^3)/3 + (b*g*x^4)/4 + (b*h*x^5)/5 + (b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^4} dx &= \int \left(bd \left(1 + \frac{ag}{bd} \right) + \frac{ac}{x^4} + \frac{ad}{x^3} + \frac{ae}{x^2} + \frac{bc + af}{x} + (be + ah)x + b \right) dx \\ &= -\frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + (bd + ag)x + \frac{1}{2}(be + ah)x^2 + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5 + (bc + af)\log(x) \end{aligned}$$

Mathematica [A] time = 0.07, size = 76, normalized size = 0.88

$$\log(x)(af+bc) - \frac{a(2c + 3x(d + 2ex - (x^3(2g + hx))))}{6x^3} + \frac{1}{60}bx(60d + x(30e + x(20f + 15gx + 12hx^2)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-1/6*(a*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x)))/x^3 + (b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/60 + (b*c + a*f)*\text{Log}[x]$

fricas [A] time = 0.94, size = 81, normalized size = 0.94

$$\frac{12bhx^8 + 15bgx^7 + 20bfx^6 + 30(be + ah)x^5 + 60(bd + ag)x^4 + 60(bc + af)x^3 \log(x) - 60aex^2 - 30adx - 20a}{60x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] $1/60*(12*b*h*x^8 + 15*b*g*x^7 + 20*b*f*x^6 + 30*(b*e + a*h)*x^5 + 60*(b*d + a*g)*x^4 + 60*(b*c + a*f)*x^3*\log(x) - 60*a*e*x^2 - 30*a*d*x - 20*a*c)/x^3$

giac [A] time = 0.17, size = 79, normalized size = 0.92

$$\frac{1}{5}bhx^5 + \frac{1}{4}bgx^4 + \frac{1}{3}bfx^3 + \frac{1}{2}ahx^2 + \frac{1}{2}bx^2e + bdx + agx + (bc + af)\log(|x|) - \frac{6ax^2e + 3adx + 2ac}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")`

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*a*h*x^2 + 1/2*b*x^2*e + b*d*x + a*g*x + (b*c + a*f)*\log(\text{abs}(x)) - 1/6*(6*a*x^2*e + 3*a*d*x + 2*a*c)/x^3$

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^5}{5} + \frac{bgx^4}{4} + \frac{bfx^3}{3} + \frac{ahx^2}{2} + \frac{bex^2}{2} + af\ln(x) + agx + bc\ln(x) + bdx - \frac{ae}{x} - \frac{ad}{2x^2} - \frac{ac}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)`

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*x^2*a*h + 1/2*b*e*x^2 + a*g*x + x*b*d - 1/3*a*c/x^3 - 1/2*a*d/x^2 - a*e/x + \ln(x)*a*f + \ln(x)*b*c$

maxima [A] time = 1.36, size = 75, normalized size = 0.87

$$\frac{1}{5}bhx^5 + \frac{1}{4}bgx^4 + \frac{1}{3}bfx^3 + \frac{1}{2}(be + ah)x^2 + (bd + ag)x + (bc + af)\log(x) - \frac{6aex^2 + 3adx + 2ac}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")`

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*(b*e + a*h)*x^2 + (b*d + a*g)*x + (b*c + a*f)*\log(x) - 1/6*(6*a*e*x^2 + 3*a*d*x + 2*a*c)/x^3$

mupad [B] time = 0.04, size = 75, normalized size = 0.87

$$x(bd + ag) - \frac{aex^2 + \frac{adx}{2} + \frac{ac}{3}}{x^3} + x^2\left(\frac{be}{2} + \frac{ah}{2}\right) + \ln(x)(bc + af) + \frac{bhx^5}{5} + \frac{bfx^3}{3} + \frac{bgx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)`

[Out] $x*(b*d + a*g) - ((a*c)/3 + (a*d*x)/2 + a*e*x^2)/x^3 + x^2*((b*e)/2 + (a*h)/2) + \log(x)*(b*c + a*f) + (b*h*x^5)/5 + (b*f*x^3)/3 + (b*g*x^4)/4$

sympy [A] time = 0.67, size = 83, normalized size = 0.97

$$\frac{bfx^3}{3} + \frac{bgx^4}{4} + \frac{bhx^5}{5} + x^2\left(\frac{ah}{2} + \frac{be}{2}\right) + x(ag + bd) + (af + bc)\log(x) + \frac{-2ac - 3adx - 6aex^2}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)`

[Out] $b*f*x**3/3 + b*g*x**4/4 + b*h*x**5/5 + x**2*(a*h/2 + b*e/2) + x*(a*g + b*d) + (a*f + b*c)*\log(x) + (-2*a*c - 3*a*d*x - 6*a*e*x**2)/(6*x**3)$

$$3.382 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=86

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

[Out] $-1/4*a*c/x^4-1/3*a*d/x^3-1/2*a*e/x^2+(-a*f-b*c)/x+(a*h+b*e)*x+1/2*b*f*x^2+1/3*b*g*x^3+1/4*b*h*x^4+(a*g+b*d)*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $-(a*c)/(4*x^4) - (a*d)/(3*x^3) - (a*e)/(2*x^2) - (b*c + a*f)/x + (b*e + a*h)*x + (b*f*x^2)/2 + (b*g*x^3)/3 + (b*h*x^4)/4 + (b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx &= \int \left(be \left(1 + \frac{ah}{be} \right) + \frac{ac}{x^5} + \frac{ad}{x^4} + \frac{ae}{x^3} + \frac{bc+af}{x^2} + \frac{bd+ag}{x} + bfx \right) dx \\ &= -\frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} - \frac{bc+af}{x} + (be+ah)x + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4 \end{aligned}$$

Mathematica [A] time = 0.08, size = 77, normalized size = 0.90

$$\log(x)(ag+bd) - \frac{a(3c+4dx+6x^2(e+2fx-2hx^3))}{12x^4} + b \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f+4gx+3hx^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $b*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) - (a*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (b*d + a*g)*\text{Log}[x]$

fricas [A] time = 0.42, size = 81, normalized size = 0.94

$$\frac{3bhx^8 + 4bgx^7 + 6bfx^6 + 12(be+ah)x^5 + 12(bd+ag)x^4 \log(x) - 6aex^2 - 12(bc+af)x^3 - 4adx - 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] $1/12*(3*b*h*x^8 + 4*b*g*x^7 + 6*b*f*x^6 + 12*(b*e + a*h)*x^5 + 12*(b*d + a*g)*x^4*\log(x) - 6*a*e*x^2 - 12*(b*c + a*f)*x^3 - 4*a*d*x - 3*a*c)/x^4$

giac [A] time = 0.15, size = 77, normalized size = 0.90

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + ahx + bxe + (bd + ag)\log(|x|) - \frac{12(bc + af)x^3 + 6ax^2e + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")`

[Out] $1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + a*h*x + b*x*e + (b*d + a*g)*\log(abs(x)) - 1/12*(12*(b*c + a*f)*x^3 + 6*a*x^2*e + 4*a*d*x + 3*a*c)/x^4$

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^4}{4} + \frac{bgx^3}{3} + \frac{bfx^2}{2} + ag\ln(x) + ahx + bd\ln(x) + bex - \frac{af}{x} - \frac{bc}{x} - \frac{ae}{2x^2} - \frac{ad}{3x^3} - \frac{ac}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)`

[Out] $1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + a*h*x + b*e*x - 1/4*a*c/x^4 - 1/3*a*d/x^3 - 1/2*a*e/x^2 - 1/x*a*f - 1/x*b*c + \ln(x)*a*g + \ln(x)*b*d$

maxima [A] time = 1.34, size = 75, normalized size = 0.87

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + (be + ah)x + (bd + ag)\log(x) - \frac{6aex^2 + 12(bc + af)x^3 + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")`

[Out] $1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + (b*e + a*h)*x + (b*d + a*g)*\log(x) - 1/12*(6*a*e*x^2 + 12*(b*c + a*f)*x^3 + 4*a*d*x + 3*a*c)/x^4$

mupad [B] time = 4.98, size = 74, normalized size = 0.86

$$x(be + ah) - \frac{(bc + af)x^3 + \frac{aex^2}{2} + \frac{adx}{3} + \frac{ac}{4}}{x^4} + \ln(x)(bd + ag) + \frac{bhx^4}{4} + \frac{bfx^2}{2} + \frac{bgx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)`

[Out] $x*(b*e + a*h) - ((a*c)/4 + x^3*(b*c + a*f) + (a*d*x)/3 + (a*e*x^2)/2)/x^4 + \log(x)*(b*d + a*g) + (b*h*x^4)/4 + (b*f*x^2)/2 + (b*g*x^3)/3$

sympy [A] time = 2.57, size = 83, normalized size = 0.97

$$\frac{bfx^2}{2} + \frac{bgx^3}{3} + \frac{bhx^4}{4} + x(ah + be) + (ag + bd)\log(x) + \frac{-3ac - 4adx - 6aex^2 + x^3(-12af - 12bc)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)`

[Out] $b*f*x**2/2 + b*g*x**3/3 + b*h*x**4/4 + x*(a*h + b*e) + (a*g + b*d)*\log(x) + (-3*a*c - 4*a*d*x - 6*a*e*x**2 + x**3*(-12*a*f - 12*b*c))/(12*x**4)$

$$3.383 \quad \int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{16}b^2hx^{16}$$

[Out] $\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{16}b^2hx^{16}$

Rubi [A] time = 0.21, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{16}b^2hx^{16}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $\frac{(a^2cx^5)}{5} + \frac{(a^2dx^6)}{6} + \frac{(a^2ex^7)}{7} + \frac{(a(2bc + af)x^8)}{8} + \frac{(a(2bd + ag)x^9)}{9} + \frac{(a(2be + ah)x^{10})}{10} + \frac{(b(b^2c + 2af)x^{11})}{11} + \frac{(b(b^2d + 2ag)x^{12})}{12} + \frac{(b(b^2e + 2ah)x^{13})}{13} + \frac{(b^2fx^{14})}{14} + \frac{(b^2gx^{15})}{15} + \frac{(b^2hx^{16})}{16}$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^2cx^4 + a^2dx^5 + a^2ex^6 + a(2bc + af)x^7 + a(2bd + ag)x^8 + a(2be + ah)x^9 + (b^2c + 2af)x^{11} + (b^2d + 2ag)x^{12} + (b^2e + 2ah)x^{13} + b^2fx^{14} + b^2gx^{15} + b^2hx^{16}) dx$$

$$= \frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{8}a(2bc + af)x^8 + \frac{1}{9}a(2bd + ag)x^9 + \frac{1}{11}(b^2c + 2af)x^{11} + \frac{1}{12}(b^2d + 2ag)x^{12} + \frac{1}{13}(b^2e + 2ah)x^{13} + \frac{1}{14}b^2fx^{14} + \frac{1}{15}b^2gx^{15} + \frac{1}{16}b^2hx^{16}$$

Mathematica [A] time = 0.05, size = 163, normalized size = 1.00

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{16}b^2hx^{16}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $\frac{(a^2cx^5)}{5} + \frac{(a^2dx^6)}{6} + \frac{(a^2ex^7)}{7} + \frac{(a(2bc + af)x^8)}{8} + \frac{(a(2bd + ag)x^9)}{9} + \frac{(a(2be + ah)x^{10})}{10} + \frac{(b(b^2c + 2af)x^{11})}{11} + \frac{(b(b^2d + 2ag)x^{12})}{12} + \frac{(b(b^2e + 2ah)x^{13})}{13} + \frac{(b^2fx^{14})}{14} + \frac{(b^2gx^{15})}{15} + \frac{(b^2hx^{16})}{16}$

fricas [A] time = 0.36, size = 157, normalized size = 0.96

$$\frac{1}{16}x^{16}hb^2 + \frac{1}{15}x^{15}gb^2 + \frac{1}{14}x^{14}fb^2 + \frac{1}{13}x^{13}eb^2 + \frac{2}{13}x^{13}hba + \frac{1}{12}x^{12}db^2 + \frac{1}{6}x^{12}gba + \frac{1}{11}x^{11}cb^2 + \frac{2}{11}x^{11}fba + \frac{1}{5}x^{10}eba + \frac{1}{10}x^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/16*x^16*h*b^2 + 1/15*x^15*g*b^2 + 1/14*x^14*f*b^2 + 1/13*x^13*e*b^2 + 2/13*x^13*h*b*a + 1/12*x^12*d*b^2 + 1/6*x^12*g*b*a + 1/11*x^11*c*b^2 + 2/11*x^11*f*b*a + 1/5*x^10*e*b*a + 1/10*x^10*h*a^2 + 2/9*x^9*d*b*a + 1/9*x^9*g*a^2 + 1/4*x^8*c*b*a + 1/8*x^8*f*a^2 + 1/7*x^7*e*a^2 + 1/6*x^6*d*a^2 + 1/5*x^5*c*a^2

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{16} b^2 h x^{16} + \frac{1}{15} b^2 g x^{15} + \frac{1}{14} b^2 f x^{14} + \frac{2}{13} a b h x^{13} + \frac{1}{13} b^2 x^{13} e + \frac{1}{12} b^2 d x^{12} + \frac{1}{6} a b g x^{12} + \frac{1}{11} b^2 c x^{11} + \frac{2}{11} a b f x^{11} + \frac{1}{10} a^2 h x^{10} + \frac{1}{10} a^2 e x^7 + \frac{1}{10} (a^2 h + 2 b e a) x^{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/16*b^2*h*x^16 + 1/15*b^2*g*x^15 + 1/14*b^2*f*x^14 + 2/13*a*b*h*x^13 + 1/13*b^2*x^13*e + 1/12*b^2*d*x^12 + 1/6*a*b*g*x^12 + 1/11*b^2*c*x^11 + 2/11*a*b*f*x^11 + 1/10*a^2*h*x^10 + 1/5*a*b*x^10*e + 2/9*a*b*d*x^9 + 1/9*a^2*g*x^9 + 1/4*a*b*c*x^8 + 1/8*a^2*f*x^8 + 1/7*a^2*x^7*e + 1/6*a^2*d*x^6 + 1/5*a^2*c*x^5

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2 h x^{16}}{16} + \frac{b^2 g x^{15}}{15} + \frac{b^2 f x^{14}}{14} + \frac{(2 a b h + b^2 e) x^{13}}{13} + \frac{(2 a b g + b^2 d) x^{12}}{12} + \frac{(2 a b f + c b^2) x^{11}}{11} + \frac{a^2 e x^7}{7} + \frac{(a^2 h + 2 b e a) x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/16*b^2*h*x^16+1/15*b^2*g*x^15+1/14*b^2*f*x^14+1/13*(2*a*b*h+b^2*e)*x^13+1/12*(2*a*b*g+b^2*d)*x^12+1/11*(2*a*b*f+b^2*c)*x^11+1/10*(a^2*h+2*a*b*e)*x^10+1/9*(a^2*g+2*a*b*d)*x^9+1/8*(a^2*f+2*a*b*c)*x^8+1/7*a^2*e*x^7+1/6*a^2*d*x^6+1/5*a^2*c*x^5

maxima [A] time = 1.37, size = 151, normalized size = 0.93

$$\frac{1}{16} b^2 h x^{16} + \frac{1}{15} b^2 g x^{15} + \frac{1}{14} b^2 f x^{14} + \frac{1}{13} (b^2 e + 2 a b h) x^{13} + \frac{1}{12} (b^2 d + 2 a b g) x^{12} + \frac{1}{11} (b^2 c + 2 a b f) x^{11} + \frac{1}{10} (2 a b e + a^2 h + 2 b e a) x^{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/16*b^2*h*x^16 + 1/15*b^2*g*x^15 + 1/14*b^2*f*x^14 + 1/13*(b^2*e + 2*a*b*h)*x^13 + 1/12*(b^2*d + 2*a*b*g)*x^12 + 1/11*(b^2*c + 2*a*b*f)*x^11 + 1/10*(2*a*b*e + a^2*h)*x^10 + 1/7*a^2*e*x^7 + 1/9*(2*a*b*d + a^2*g)*x^9 + 1/6*a^2*d*x^6 + 1/8*(2*a*b*c + a^2*f)*x^8 + 1/5*a^2*c*x^5

mupad [B] time = 0.10, size = 151, normalized size = 0.93

$$x^8 \left(\frac{f a^2}{8} + \frac{b c a}{4} \right) + x^{11} \left(\frac{c b^2}{11} + \frac{2 a f b}{11} \right) + x^9 \left(\frac{g a^2}{9} + \frac{2 b d a}{9} \right) + x^{12} \left(\frac{d b^2}{12} + \frac{a g b}{6} \right) + x^{10} \left(\frac{h a^2}{10} + \frac{b e a}{5} \right) + x^{13} \left(\frac{e b^2}{13} + \frac{2 a b h}{13} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)
```

```
[Out] x^8*((a^2*f)/8 + (a*b*c)/4) + x^11*((b^2*c)/11 + (2*a*b*f)/11) + x^9*((a^2*g)/9 + (2*a*b*d)/9) + x^12*((b^2*d)/12 + (a*b*g)/6) + x^10*((a^2*h)/10 + (a*b*e)/5) + x^13*((b^2*e)/13 + (2*a*b*h)/13) + (a^2*c*x^5)/5 + (a^2*d*x^6)/6 + (a^2*e*x^7)/7 + (b^2*f*x^14)/14 + (b^2*g*x^15)/15 + (b^2*h*x^16)/16
```

```
sympy [A] time = 0.10, size = 167, normalized size = 1.02
```

$$\frac{a^2cx^5}{5} + \frac{a^2dx^6}{6} + \frac{a^2ex^7}{7} + \frac{b^2fx^{14}}{14} + \frac{b^2gx^{15}}{15} + \frac{b^2hx^{16}}{16} + x^{13} \left(\frac{2abh}{13} + \frac{b^2e}{13} \right) + x^{12} \left(\frac{abg}{6} + \frac{b^2d}{12} \right) + x^{11} \left(\frac{2abf}{11} + \frac{b^2c}{11} \right) + x^{10} \left(\frac{a^2h}{10} + \frac{a^2e}{5} \right) + x^9 \left(\frac{a^2g}{9} + \frac{2abd}{9} \right) + x^8 \left(\frac{a^2f}{8} + \frac{abc}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)
```

```
[Out] a**2*c*x**5/5 + a**2*d*x**6/6 + a**2*e*x**7/7 + b**2*f*x**14/14 + b**2*g*x**15/15 + b**2*h*x**16/16 + x**13*(2*a*b*h/13 + b**2*e/13) + x**12*(a*b*g/6 + b**2*d/12) + x**11*(2*a*b*f/11 + b**2*c/11) + x**10*(a**2*h/10 + a*b*e/5) + x**9*(a**2*g/9 + 2*a*b*d/9) + x**8*(a**2*f/8 + a*b*c/4)
```

$$3.384 \quad \int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+bd)$$

[Out] 1/4*a^2*c*x^4+1/5*a^2*d*x^5+1/6*a^2*e*x^6+1/7*a*(a*f+2*b*c)*x^7+1/8*a*(a*g+2*b*d)*x^8+1/9*a*(a*h+2*b*e)*x^9+1/10*b*(2*a*f+b*c)*x^10+1/11*b*(2*a*g+b*d)*x^11+1/12*b*(2*a*h+b*e)*x^12+1/13*b^2*f*x^13+1/14*b^2*g*x^14+1/15*b^2*h*x^15

Rubi [A] time = 0.16, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+bd)$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^10)/10 + (b*(b*d + 2*a*g)*x^11)/11 + (b*(b*e + 2*a*h)*x^12)/12 + (b^2*f*x^13)/13 + (b^2*g*x^14)/14 + (b^2*h*x^15)/15

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^2cx^3 + a^2dx^4 + a^2ex^5 + a(2bc + af)x^6 + a(2bd + af)x^7 + \frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a(2bc + af)x^7 + \frac{1}{8}a(2bd + af)x^8 + \frac{1}{9}a(2be + ah)x^9 + \frac{1}{10}b(b^2c + 2af)x^{10} + \frac{1}{11}b(b^2d + 2ag)x^{11} + \frac{1}{12}b(b^2e + 2ah)x^{12} + \frac{1}{13}b^2fx^{13} + \frac{1}{14}b^2gx^{14} + \frac{1}{15}b^2hx^{15}) dx$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.00

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+bd)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^10)/10 + (b*(b*d + 2*a*g)*x^11)/11 + (b*(b*e + 2*a*h)*x^12)/12 + (b^2*f*x^13)/13 + (b^2*g*x^14)/14 + (b^2*h*x^15)/15

fricas [A] time = 0.35, size = 157, normalized size = 0.96

$$\frac{1}{15}x^{15}hb^2 + \frac{1}{14}x^{14}gb^2 + \frac{1}{13}x^{13}fb^2 + \frac{1}{12}x^{12}eb^2 + \frac{1}{6}x^{12}hba + \frac{1}{11}x^{11}db^2 + \frac{2}{11}x^{11}gba + \frac{1}{10}x^{10}cb^2 + \frac{1}{5}x^{10}fba + \frac{2}{9}x^9eba + \frac{1}{9}x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $\frac{1}{15}x^{15}hb^2 + \frac{1}{14}x^{14}g*b^2 + \frac{1}{13}x^{13}f*b^2 + \frac{1}{12}x^{12}e*b^2 + \frac{1}{6}x^{12}h*b*a + \frac{1}{11}x^{11}d*b^2 + \frac{2}{11}x^{11}g*b*a + \frac{1}{10}x^{10}c*b^2 + \frac{1}{5}x^{10}f*b*a + \frac{2}{9}x^9e*b*a + \frac{1}{9}x^9h*a^2 + \frac{1}{4}x^8d*b*a + \frac{1}{8}x^8g*a^2 + \frac{2}{7}x^7c*b*a + \frac{1}{7}x^7f*a^2 + \frac{1}{6}x^6e*a^2 + \frac{1}{5}x^5d*a^2 + \frac{1}{4}x^4c*a^2$

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{6}abhx^{12} + \frac{1}{12}b^2x^{12}e + \frac{1}{11}b^2dx^{11} + \frac{2}{11}abgx^{11} + \frac{1}{10}b^2cx^{10} + \frac{1}{5}abfx^{10} + \frac{1}{9}a^2hx^9 + \frac{2}{9}a^2gx^8 + \frac{1}{8}a^2fx^7 + \frac{1}{7}a^2ex^6 + \frac{1}{6}a^2dx^5 + \frac{1}{5}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{15}b^2h*x^{15} + \frac{1}{14}b^2g*x^{14} + \frac{1}{13}b^2f*x^{13} + \frac{1}{6}a*b*h*x^{12} + \frac{1}{12}b^2*x^{12}e + \frac{1}{11}b^2*d*x^{11} + \frac{2}{11}a*b*g*x^{11} + \frac{1}{10}b^2*c*x^{10} + \frac{1}{5}a*b*f*x^{10} + \frac{1}{9}a^2*h*x^9 + \frac{2}{9}a*b*x^9e + \frac{1}{4}a*b*d*x^8 + \frac{1}{8}a^2*g*x^8 + \frac{2}{7}a*b*c*x^7 + \frac{1}{7}a^2*f*x^7 + \frac{1}{6}a^2*x^6e + \frac{1}{5}a^2*d*x^5 + \frac{1}{4}a^2*c*x^4$

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2hx^{15}}{15} + \frac{b^2gx^{14}}{14} + \frac{b^2fx^{13}}{13} + \frac{(2abh + b^2e)x^{12}}{12} + \frac{(2abg + b^2d)x^{11}}{11} + \frac{(2abf + cb^2)x^{10}}{10} + \frac{a^2ex^6}{6} + \frac{(a^2h + 2bea)x^9}{9} + \frac{a^2c}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{15}b^2h*x^{15} + \frac{1}{14}b^2g*x^{14} + \frac{1}{13}b^2f*x^{13} + \frac{1}{12}(2a*b*h + b^2e)*x^{12} + \frac{1}{11}(2a*b*g + b^2d)*x^{11} + \frac{1}{10}(2a*b*f + b^2c)*x^{10} + \frac{1}{9}(a^2h + 2a*b*e)*x^9 + \frac{1}{8}(a^2g + 2a*b*d)*x^8 + \frac{1}{7}(a^2f + 2a*b*c)*x^7 + \frac{1}{6}a^2e*x^6 + \frac{1}{5}a^2d*x^5 + \frac{1}{4}a^2c*x^4$

maxima [A] time = 1.35, size = 151, normalized size = 0.93

$$\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{12}(b^2e + 2abh)x^{12} + \frac{1}{11}(b^2d + 2abg)x^{11} + \frac{1}{10}(b^2c + 2abf)x^{10} + \frac{1}{9}(2abe + a^2h)x^9 + \frac{1}{8}(2agd + a^2bde)x^8 + \frac{1}{7}(2abfc + a^2b^2c)x^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{15}b^2h*x^{15} + \frac{1}{14}b^2g*x^{14} + \frac{1}{13}b^2f*x^{13} + \frac{1}{12}(b^2e + 2a*b*h)*x^{12} + \frac{1}{11}(b^2d + 2a*b*g)*x^{11} + \frac{1}{10}(b^2c + 2a*b*f)*x^{10} + \frac{1}{9}(2a*b*e + a^2h)*x^9 + \frac{1}{6}a^2e*x^6 + \frac{1}{8}(2a*b*d + a^2g)*x^8 + \frac{1}{5}a^2d*x^5 + \frac{1}{7}(2a*b*c + a^2f)*x^7 + \frac{1}{4}a^2c*x^4$

mupad [B] time = 0.09, size = 151, normalized size = 0.93

$$x^7 \left(\frac{fa^2}{7} + \frac{2bca}{7} \right) + x^{10} \left(\frac{cb^2}{10} + \frac{afb}{5} \right) + x^8 \left(\frac{ga^2}{8} + \frac{bda}{4} \right) + x^{11} \left(\frac{db^2}{11} + \frac{2agb}{11} \right) + x^9 \left(\frac{ha^2}{9} + \frac{2bea}{9} \right) + x^{12} \left(\frac{eb^2}{12} + \frac{2abf}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^7*((a^2*f)/7 + (2*a*b*c)/7) + x^{10}*((b^2*c)/10 + (a*b*f)/5) + x^8*((a^2*g)/8 + (a*b*d)/4) + x^{11}*((b^2*d)/11 + (2*a*b*g)/11) + x^9*((a^2*h)/9 + (2*a*b*e)/9) + x^{12}*((b^2*e)/12 + (a*b*h)/6) + (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (b^2*f*x^{13})/13 + (b^2*g*x^{14})/14 + (b^2*h*x^{15})/15$

sympy [A] time = 0.11, size = 167, normalized size = 1.02

$$\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{b^2fx^{13}}{13} + \frac{b^2gx^{14}}{14} + \frac{b^2hx^{15}}{15} + x^{12} \left(\frac{abh}{6} + \frac{b^2e}{12} \right) + x^{11} \left(\frac{2abg}{11} + \frac{b^2d}{11} \right) + x^{10} \left(\frac{abf}{5} + \frac{b^2c}{10} \right) + x^9 \left(\frac{a^2h}{9} + \frac{2abe}{9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**2*c*x**4/4 + a**2*d*x**5/5 + a**2*e*x**6/6 + b**2*f*x**13/13 + b**2*g*x**14/14 + b**2*h*x**15/15 + x**12*(a*b*h/6 + b**2*e/12) + x**11*(2*a*b*g/11 + b**2*d/11) + x**10*(a*b*f/5 + b**2*c/10) + x**9*(a**2*h/9 + 2*a*b*e/9) + x**8*(a**2*g/8 + a*b*d/4) + x**7*(a**2*f/7 + 2*a*b*c/7)$

$$3.385 \quad \int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=158

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}a$$

[Out] $\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{1}{7}a*(a*g+2*b*d)*x^7 + \frac{1}{8}a*(a*h+2*b*e)*x^8 + \frac{2}{9}a*b*f*x^9 + \frac{1}{10}b*(2*a*g+b*d)*x^{10} + \frac{1}{11}b*(2*a*h+b*e)*x^{11} + \frac{1}{12}b^2*f*x^{12} + \frac{1}{13}b^2*g*x^{13} + \frac{1}{14}b^2*h*x^{14} + \frac{1}{9}c*(b*x^3+a)^3/b$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}a$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a^2*f*x^6)/6 + (a*(2*b*d + a*g)*x^7)/7 + (a*(2*b*e + a*h)*x^8)/8 + (2*a*b*f*x^9)/9 + (b*(b*d + 2*a*g)*x^{10})/10 + (b*(b*e + 2*a*h)*x^{11})/11 + (b^2*f*x^{12})/12 + (b^2*g*x^{13})/13 + (b^2*h*x^{14})/14 + (c*(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-cx^2 + x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\ &= \frac{c(a + bx^3)^3}{9b} + \int (a^2dx^3 + a^2ex^4 + a^2fx^5 + a(2bd + ag)x^6 + a(2be + ah)x^7 + a^2bx^8 + a^2cx^9) dx \\ &= \frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{1}{7}a(2bd + ag)x^7 + \frac{1}{8}a(2be + ah)x^8 + \frac{1}{9}a^2bx^9 + \frac{1}{10}a^2cx^{10} \end{aligned}$$

Mathematica [A] time = 0.08, size = 150, normalized size = 0.95

$$a^2 \left(\frac{cx^3}{3} + \frac{dx^4}{4} + \frac{ex^5}{5} + \frac{fx^6}{6} + \frac{gx^7}{7} + \frac{hx^8}{8} \right) + ab \left(\frac{cx^6}{3} + \frac{2dx^7}{7} + \frac{ex^8}{4} + \frac{2fx^9}{9} + \frac{gx^{10}}{5} + \frac{2hx^{11}}{11} \right) + \frac{b^2x^9(20020c + 3x^2)}{9b}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] a^2*((c*x^3)/3 + (d*x^4)/4 + (e*x^5)/5 + (f*x^6)/6 + (g*x^7)/7 + (h*x^8)/8) + a*b*((c*x^6)/3 + (2*d*x^7)/7 + (e*x^8)/4 + (2*f*x^9)/9 + (g*x^10)/5 + (2*h*x^11)/11) + (b^2*x^9*(20020*c + 3*x*(6006*d + 5460*e*x + 55*x^2*(91*f + 84*g*x + 78*h*x^2))))/180180

fricas [A] time = 0.36, size = 157, normalized size = 0.99

$$\frac{1}{14}x^{14}hb^2 + \frac{1}{13}x^{13}gb^2 + \frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{2}{11}x^{11}hba + \frac{1}{10}x^{10}db^2 + \frac{1}{5}x^{10}gba + \frac{1}{9}x^9cb^2 + \frac{2}{9}x^9fba + \frac{1}{4}x^8eba + \frac{1}{8}x^8ha$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/14*x^14*h*b^2 + 1/13*x^13*g*b^2 + 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 2/11*x^11*h*b*a + 1/10*x^10*d*b^2 + 1/5*x^10*g*b*a + 1/9*x^9*c*b^2 + 2/9*x^9*f*b*a + 1/4*x^8*e*b*a + 1/8*x^8*h*a^2 + 2/7*x^7*d*b*a + 1/7*x^7*g*a^2 + 1/3*x^6*c*b*a + 1/6*x^6*f*a^2 + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2

giac [A] time = 0.18, size = 160, normalized size = 1.01

$$\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{2}{11}abhx^{11} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{5}abgx^{10} + \frac{1}{9}b^2cx^9 + \frac{2}{9}abfx^9 + \frac{1}{8}a^2hx^8 + \frac{1}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/14*b^2*h*x^14 + 1/13*b^2*g*x^13 + 1/12*b^2*f*x^12 + 2/11*a*b*h*x^11 + 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/5*a*b*g*x^10 + 1/9*b^2*c*x^9 + 2/9*a*b*f*x^9 + 1/8*a^2*h*x^8 + 1/4*a*b*x^8*e + 2/7*a*b*d*x^7 + 1/7*a^2*g*x^7 + 1/3*a*b*c*x^6 + 1/6*a^2*f*x^6 + 1/5*a^2*x^5*e + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{14}}{14} + \frac{b^2gx^{13}}{13} + \frac{b^2fx^{12}}{12} + \frac{(2abh + b^2e)x^{11}}{11} + \frac{(2abg + b^2d)x^{10}}{10} + \frac{(2abf + cb^2)x^9}{9} + \frac{a^2ex^5}{5} + \frac{(a^2h + 2bea)x^8}{8} + \frac{a^2c}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/14*b^2*h*x^14+1/13*b^2*g*x^13+1/12*b^2*f*x^12+1/11*(2*a*b*h+b^2*e)*x^11+1/10*(2*a*b*g+b^2*d)*x^10+1/9*(2*a*b*f+b^2*c)*x^9+1/8*(a^2*h+2*a*b*e)*x^8+1/7*(a^2*g+2*a*b*d)*x^7+1/6*(a^2*f+2*a*b*c)*x^6+1/5*a^2*e*x^5+1/4*a^2*d*x^4+1/3*a^2*c*x^3

maxima [A] time = 1.38, size = 151, normalized size = 0.96

$$\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(b^2e + 2abh)x^{11} + \frac{1}{10}(b^2d + 2abg)x^{10} + \frac{1}{9}(b^2c + 2abf)x^9 + \frac{1}{8}(2abe + a^2c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/14*b^2*h*x^14 + 1/13*b^2*g*x^13 + 1/12*b^2*f*x^12 + 1/11*(b^2*e + 2*a*b*h)*x^11 + 1/10*(b^2*d + 2*a*b*g)*x^10 + 1/9*(b^2*c + 2*a*b*f)*x^9 + 1/8*(2*a

$*b*e + a^2*h)*x^8 + 1/5*a^2*e*x^5 + 1/7*(2*a*b*d + a^2*g)*x^7 + 1/4*a^2*d*x^4 + 1/6*(2*a*b*c + a^2*f)*x^6 + 1/3*a^2*c*x^3$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^6 \left(\frac{fa^2}{6} + \frac{bca}{3} \right) + x^9 \left(\frac{cb^2}{9} + \frac{2afb}{9} \right) + x^7 \left(\frac{ga^2}{7} + \frac{2bda}{7} \right) + x^{10} \left(\frac{db^2}{10} + \frac{agb}{5} \right) + x^8 \left(\frac{ha^2}{8} + \frac{bea}{4} \right) + x^{11} \left(\frac{eb^2}{11} + \frac{2}{11} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^6*((a^2*f)/6 + (a*b*c)/3) + x^9*((b^2*c)/9 + (2*a*b*f)/9) + x^7*((a^2*g)/7 + (2*a*b*d)/7) + x^{10}*((b^2*d)/10 + (a*b*g)/5) + x^8*((a^2*h)/8 + (a*b*e)/4) + x^{11}*((b^2*e)/11 + (2*a*b*h)/11) + (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (b^2*f*x^{12})/12 + (b^2*g*x^{13})/13 + (b^2*h*x^{14})/14$

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{b^2fx^{12}}{12} + \frac{b^2gx^{13}}{13} + \frac{b^2hx^{14}}{14} + x^{11} \left(\frac{2abh}{11} + \frac{b^2e}{11} \right) + x^{10} \left(\frac{abg}{5} + \frac{b^2d}{10} \right) + x^9 \left(\frac{2abf}{9} + \frac{b^2c}{9} \right) + x^8 \left(\frac{a^2h}{8} + \frac{a*b*e}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

[Out] $a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + b**2*f*x**12/12 + b**2*g*x**13/13 + b**2*h*x**14/14 + x**11*(2*a*b*h/11 + b**2*e/11) + x**10*(a*b*g/5 + b**2*d/10) + x**9*(2*a*b*f/9 + b**2*c/9) + x**8*(a**2*h/8 + a*b*e/4) + x**7*(a**2*g/7 + 2*a*b*d/7) + x**6*(a**2*f/6 + a*b*c/3)$

3.386 $\int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$

Optimal. Leaf size=158

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}b^2fx^{11} + \frac{1}{12}b^2gx^{12} + \frac{1}{13}b^2hx^{13} + \frac{1}{9}d*(b*x^3+a)^3/b$$

[Out] $1/2*a^2*c*x^2+1/4*a^2*e*x^4+1/5*a*(a*f+2*b*c)*x^5+1/6*a^2*g*x^6+1/7*a*(a*h+2*b*e)*x^7+1/8*b*(2*a*f+b*c)*x^8+2/9*a*b*g*x^9+1/10*b*(2*a*h+b*e)*x^{10}+1/11*b^2*f*x^{11}+1/12*b^2*g*x^{12}+1/13*b^2*h*x^{13}+1/9*d*(b*x^3+a)^3/b$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}b^2fx^{11} + \frac{1}{12}b^2gx^{12} + \frac{1}{13}b^2hx^{13} + \frac{1}{9}d*(b*x^3+a)^3/b$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*c*x^2)/2 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a^2*g*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (2*a*b*g*x^9)/9 + (b*(b*e + 2*a*h)*x^{10})/10 + (b^2*f*x^{11})/11 + (b^2*g*x^{12})/12 + (b^2*h*x^{13})/13 + (d*(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{d(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-dx^2 + x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\ &= \frac{d(a + bx^3)^3}{9b} + \int (a^2cx + a^2ex^3 + a(2bc + af)x^4 + a^2gx^5 + a^2hx^6) dx \\ &= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{5}a(2bc + af)x^5 + \frac{1}{6}a^2gx^6 + \frac{1}{7}a^2hx^7 \end{aligned}$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.03

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{1}{9}bx^9(2ag+bd) + \frac{1}{6}ax^6(ag+2bd) + \frac{1}{10}bx^{10}(2ah+be) + \frac{2}{9}b^2fx^{11} + \frac{1}{12}b^2gx^{12} + \frac{1}{13}b^2hx^{13} + \frac{1}{9}d*(b*x^3+a)^3/b$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a*(2*b*d + a*g)*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (b*(b*d + 2*a*g)*x^9)/9 + (b*(b*e + 2*a*h)*x^10)/10 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13

fricas [A] time = 0.36, size = 157, normalized size = 0.99

$$\frac{1}{13}x^{13}hb^2 + \frac{1}{12}x^{12}gb^2 + \frac{1}{11}x^{11}fb^2 + \frac{1}{10}x^{10}eb^2 + \frac{1}{5}x^{10}hba + \frac{1}{9}x^9db^2 + \frac{2}{9}x^9gba + \frac{1}{8}x^8cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{7}x^7ha^2 + \frac{1}{3}x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/13*x^13*h*b^2 + 1/12*x^12*g*b^2 + 1/11*x^11*f*b^2 + 1/10*x^10*e*b^2 + 1/5*x^10*h*b*a + 1/9*x^9*d*b^2 + 2/9*x^9*g*b*a + 1/8*x^8*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/7*x^7*h*a^2 + 1/3*x^6*d*b*a + 1/6*x^6*g*a^2 + 2/5*x^5*c*b*a + 1/5*x^5*f*a^2 + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2

giac [A] time = 0.19, size = 160, normalized size = 1.01

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{5}abhx^{10} + \frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{2}{9}abgx^9 + \frac{1}{8}b^2cx^8 + \frac{1}{4}abfx^8 + \frac{1}{7}a^2hx^7 + \frac{2}{7}abx^7e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/13*b^2*h*x^13 + 1/12*b^2*g*x^12 + 1/11*b^2*f*x^11 + 1/5*a*b*h*x^10 + 1/10*b^2*x^10*e + 1/9*b^2*d*x^9 + 2/9*a*b*g*x^9 + 1/8*b^2*c*x^8 + 1/4*a*b*f*x^8 + 1/7*a^2*h*x^7 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 1/6*a^2*g*x^6 + 2/5*a*b*c*x^5 + 1/5*a^2*f*x^5 + 1/4*a^2*x^4*e + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{13}}{13} + \frac{b^2gx^{12}}{12} + \frac{b^2fx^{11}}{11} + \frac{(2abh + b^2e)x^{10}}{10} + \frac{(2abg + b^2d)x^9}{9} + \frac{(2abf + cb^2)x^8}{8} + \frac{a^2ex^4}{4} + \frac{(a^2h + 2bea)x^7}{7} + \frac{a^2dx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/13*b^2*h*x^13+1/12*b^2*g*x^12+1/11*b^2*f*x^11+1/10*(2*a*b*h+b^2*e)*x^10+1/9*(2*a*b*g+b^2*d)*x^9+1/8*(2*a*b*f+b^2*c)*x^8+1/7*(a^2*h+2*a*b*e)*x^7+1/6*(a^2*g+2*a*b*d)*x^6+1/5*(a^2*f+2*a*b*c)*x^5+1/4*a^2*e*x^4+1/3*a^2*d*x^3+1/2*a^2*c*x^2

maxima [A] time = 1.28, size = 151, normalized size = 0.96

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{10}(b^2e + 2abh)x^{10} + \frac{1}{9}(b^2d + 2abg)x^9 + \frac{1}{8}(b^2c + 2abf)x^8 + \frac{1}{7}(2abe + a^2h)x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/13*b^2*h*x^13 + 1/12*b^2*g*x^12 + 1/11*b^2*f*x^11 + 1/10*(b^2*e + 2*a*b*h)*x^10 + 1/9*(b^2*d + 2*a*b*g)*x^9 + 1/8*(b^2*c + 2*a*b*f)*x^8 + 1/7*(2*a*b

$$*e + a^2*h)*x^7 + 1/4*a^2*e*x^4 + 1/6*(2*a*b*d + a^2*g)*x^6 + 1/3*a^2*d*x^3 + 1/5*(2*a*b*c + a^2*f)*x^5 + 1/2*a^2*c*x^2$$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^5 \left(\frac{f a^2}{5} + \frac{2 b c a}{5} \right) + x^8 \left(\frac{c b^2}{8} + \frac{a f b}{4} \right) + x^6 \left(\frac{g a^2}{6} + \frac{b d a}{3} \right) + x^9 \left(\frac{d b^2}{9} + \frac{2 a g b}{9} \right) + x^7 \left(\frac{h a^2}{7} + \frac{2 b e a}{7} \right) + x^{10} \left(\frac{e b^2}{10} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^5*((a^2*f)/5 + (2*a*b*c)/5) + x^8*((b^2*c)/8 + (a*b*f)/4) + x^6*((a^2*g)/6 + (a*b*d)/3) + x^9*((b^2*d)/9 + (2*a*b*g)/9) + x^7*((a^2*h)/7 + (2*a*b*e)/7) + x^10*((b^2*e)/10 + (a*b*h)/5) + (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2 c x^2}{2} + \frac{a^2 d x^3}{3} + \frac{a^2 e x^4}{4} + \frac{b^2 f x^{11}}{11} + \frac{b^2 g x^{12}}{12} + \frac{b^2 h x^{13}}{13} + x^{10} \left(\frac{a b h}{5} + \frac{b^2 e}{10} \right) + x^9 \left(\frac{2 a b g}{9} + \frac{b^2 d}{9} \right) + x^8 \left(\frac{a b f}{4} + \frac{b^2 c}{8} \right) + x^7 \left(\frac{a^2 h}{7} + \frac{2 a b e}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + b**2*f*x**11/11 + b**2*g*x**12/12 + b**2*h*x**13/13 + x**10*(a*b*h/5 + b**2*e/10) + x**9*(2*a*b*g/9 + b**2*d/9) + x**8*(a*b*f/4 + b**2*c/8) + x**7*(a**2*h/7 + 2*a*b*e/7) + x**6*(a**2*g/6 + a*b*d/3) + x**5*(a**2*f/5 + 2*a*b*c/5)

$$3.387 \quad \int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=153

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 + \dots$$

[Out] a^2*c*x+1/2*a^2*d*x^2+1/4*a*(a*f+2*b*c)*x^4+1/5*a*(a*g+2*b*d)*x^5+1/6*a^2*h*x^6+1/7*b*(2*a*f+b*c)*x^7+1/8*b*(2*a*g+b*d)*x^8+2/9*a*b*h*x^9+1/10*b^2*f*x^10+1/11*b^2*g*x^11+1/12*b^2*h*x^12+1/9*e*(b*x^3+a)^3/b

Rubi [A] time = 0.13, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*(2*b*c + a*f)*x^4)/4 + (a*(2*b*d + a*g)*x^5)/5 + (a^2*h*x^6)/6 + (b*(b*c + 2*a*f)*x^7)/7 + (b*(b*d + 2*a*g)*x^8)/8 + (2*a*b*h*x^9)/9 + (b^2*f*x^10)/10 + (b^2*g*x^11)/11 + (b^2*h*x^12)/12 + (e*(a + b*x^3)^3)/(9*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (c + dx + fx^3 + gx^4 + hx^5) dx \\ &= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + a(2bc + af)x^3 + a(2bd + ag)x^4 + a^2ex^5) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{4}a(2bc + af)x^4 + \frac{1}{5}a(2bd + ag)x^5 + \frac{1}{6}a^2hx^6 + \dots \end{aligned}$$

Mathematica [A] time = 0.09, size = 125, normalized size = 0.82

$$462a^2x(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + 22abx^4(630c + x(504d + 5x(84e + x(72f + 7x(9g + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (b^2*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2)) + 462*a^2*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 22*a*b*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/27720

fricas [A] time = 0.40, size = 154, normalized size = 1.01

$$\frac{1}{12}x^{12}hb^2 + \frac{1}{11}x^{11}gb^2 + \frac{1}{10}x^{10}fb^2 + \frac{1}{9}x^9eb^2 + \frac{2}{9}x^9hba + \frac{1}{8}x^8db^2 + \frac{1}{4}x^8gba + \frac{1}{7}x^7cb^2 + \frac{2}{7}x^7fba + \frac{1}{3}x^6eba + \frac{1}{6}x^6ha^2 + \frac{2}{5}x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/12*x^12*h*b^2 + 1/11*x^11*g*b^2 + 1/10*x^10*f*b^2 + 1/9*x^9*e*b^2 + 2/9*x^9*h*b*a + 1/8*x^8*d*b^2 + 1/4*x^8*g*b*a + 1/7*x^7*c*b^2 + 2/7*x^7*f*b*a + 1/3*x^6*e*b*a + 1/6*x^6*h*a^2 + 2/5*x^5*d*b*a + 1/5*x^5*g*a^2 + 1/2*x^4*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.16, size = 157, normalized size = 1.03

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{2}{9}abhx^9 + \frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{4}abgx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{7}abfx^7 + \frac{1}{6}a^2hx^6 + \frac{1}{3}abx^6e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] 1/12*b^2*h*x^12 + 1/11*b^2*g*x^11 + 1/10*b^2*f*x^10 + 2/9*a*b*h*x^9 + 1/9*b^2*x^9*e + 1/8*b^2*d*x^8 + 1/4*a*b*g*x^8 + 1/7*b^2*c*x^7 + 2/7*a*b*f*x^7 + 1/6*a^2*h*x^6 + 1/3*a*b*x^6*e + 2/5*a*b*d*x^5 + 1/5*a^2*g*x^5 + 1/2*a*b*c*x^4 + 1/4*a^2*f*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 149, normalized size = 0.97

$$\frac{b^2hx^{12}}{12} + \frac{b^2gx^{11}}{11} + \frac{b^2fx^{10}}{10} + \frac{(2abh + b^2e)x^9}{9} + \frac{(2abg + b^2d)x^8}{8} + \frac{(2abf + cb^2)x^7}{7} + \frac{a^2ex^3}{3} + \frac{(a^2h + 2bea)x^6}{6} + \frac{a^2c}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] 1/12*b^2*h*x^12+1/11*b^2*g*x^11+1/10*b^2*f*x^10+1/9*(2*a*b*h+b^2*e)*x^9+1/8*(2*a*b*g+b^2*d)*x^8+1/7*(2*a*b*f+b^2*c)*x^7+1/6*(a^2*h+2*a*b*e)*x^6+1/5*(a^2*g+2*a*b*d)*x^5+1/4*(a^2*f+2*a*b*c)*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x

maxima [A] time = 1.32, size = 148, normalized size = 0.97

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{1}{9}(b^2e + 2abh)x^9 + \frac{1}{8}(b^2d + 2abg)x^8 + \frac{1}{7}(b^2c + 2abf)x^7 + \frac{1}{6}(2abe + a^2h)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")

[Out] 1/12*b^2*h*x^12 + 1/11*b^2*g*x^11 + 1/10*b^2*f*x^10 + 1/9*(b^2*e + 2*a*b*h)*x^9 + 1/8*(b^2*d + 2*a*b*g)*x^8 + 1/7*(b^2*c + 2*a*b*f)*x^7 + 1/6*(2*a*b*e

$$+ a^2 h x^6 + \frac{1}{3} a^2 e x^3 + \frac{1}{5} (2 a b d + a^2 g) x^5 + \frac{1}{2} a^2 d x^2 + \frac{1}{4} (2 a b c + a^2 f) x^4 + a^2 c x$$

mupad [B] time = 0.09, size = 148, normalized size = 0.97

$$x^4 \left(\frac{f a^2}{4} + \frac{b c a}{2} \right) + x^7 \left(\frac{c b^2}{7} + \frac{2 a f b}{7} \right) + x^5 \left(\frac{g a^2}{5} + \frac{2 b d a}{5} \right) + x^8 \left(\frac{d b^2}{8} + \frac{a g b}{4} \right) + x^6 \left(\frac{h a^2}{6} + \frac{b e a}{3} \right) + x^9 \left(\frac{e b^2}{9} + \frac{2 a b e}{9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^4*((a^2*f)/4 + (a*b*c)/2) + x^7*((b^2*c)/7 + (2*a*b*f)/7) + x^5*((a^2*g)/5 + (2*a*b*d)/5) + x^8*((b^2*d)/8 + (a*b*g)/4) + x^6*((a^2*h)/6 + (a*b*e)/3) + x^9*((b^2*e)/9 + (2*a*b*h)/9) + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (b^2*f*x^10)/10 + (b^2*g*x^11)/11 + (b^2*h*x^12)/12 + a^2*c*x

sympy [A] time = 0.10, size = 163, normalized size = 1.07

$$a^2 c x + \frac{a^2 d x^2}{2} + \frac{a^2 e x^3}{3} + \frac{b^2 f x^{10}}{10} + \frac{b^2 g x^{11}}{11} + \frac{b^2 h x^{12}}{12} + x^9 \left(\frac{2 a b h}{9} + \frac{b^2 e}{9} \right) + x^8 \left(\frac{a b g}{4} + \frac{b^2 d}{8} \right) + x^7 \left(\frac{2 a b f}{7} + \frac{b^2 c}{7} \right) + x^6 \left(\frac{a^2 h}{6} + \frac{a b e}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + b**2*f*x**10/10 + b**2*g*x**11/11 + b**2*h*x**12/12 + x**9*(2*a*b*h/9 + b**2*e/9) + x**8*(a*b*g/4 + b**2*d/8) + x**7*(2*a*b*f/7 + b**2*c/7) + x**6*(a**2*h/6 + a*b*e/3) + x**5*(a**2*g/5 + 2*a*b*d/5) + x**4*(a**2*f/4 + a*b*c/2)

$$3.388 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=149

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

[Out] $a^2d*x + 1/2*a^2*e*x^2 + 2/3*a*b*c*x^3 + 1/4*a*(a*g+2*b*d)*x^4 + 1/5*a*(a*h+2*b*e)*x^5 + 1/6*b^2*c*x^6 + 1/7*b*(2*a*g+b*d)*x^7 + 1/8*b*(2*a*h+b*e)*x^8 + 1/10*b^2*g*x^10 + 1/11*b^2*h*x^11 + 1/9*f*(b*x^3+a)^3/b + a^2*c*\ln(x)$

Rubi [A] time = 0.11, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4 + (a*(2*b*e + a*h)*x^5)/5 + (b^2*c*x^6)/6 + (b*(b*d + 2*a*g)*x^7)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*g*x^10)/10 + (b^2*h*x^11)/11 + (f*(a + b*x^3)^3)/(9*b) + a^2*c*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx &= \frac{f(a+bx^3)^3}{9b} + \int \frac{(a+bx^3)^2(c+dx+ex^2+gx^4+hx^5)}{x} dx \\ &= \frac{f(a+bx^3)^3}{9b} + \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 \right) dx \\ &= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{4}a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 + \frac{f(a+bx^3)^3}{9b} \end{aligned}$$

Mathematica [A] time = 0.05, size = 154, normalized size = 1.03

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{1}{6}bx^6(2af+bc) + \frac{1}{3}ax^3(af+2bc) + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^2*d*x + (a^2*e*x^2)/2 + (a*(2*b*c + a*f)*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4 + (a*(2*b*e + a*h)*x^5)/5 + (b*(b*c + 2*a*f)*x^6)/6 + (b*(b*d + 2*a*g)*x^7)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*f*x^9)/9 + (b^2*g*x^10)/10 + (b^2*h*x^11)/11 + a^2*c*Log[x]

fricas [A] time = 0.40, size = 146, normalized size = 0.98

$$\frac{1}{11} b^2 h x^{11} + \frac{1}{10} b^2 g x^{10} + \frac{1}{9} b^2 f x^9 + \frac{1}{8} (b^2 e + 2 a b h) x^8 + \frac{1}{7} (b^2 d + 2 a b g) x^7 + \frac{1}{6} (b^2 c + 2 a b f) x^6 + \frac{1}{5} (2 a b e + a^2 h) x^5 + \frac{1}{2} a b c x^4 + \frac{1}{2} a^2 d x^3 + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] 1/11*b^2*h*x^11 + 1/10*b^2*g*x^10 + 1/9*b^2*f*x^9 + 1/8*(b^2*e + 2*a*b*h)*x^8 + 1/7*(b^2*d + 2*a*b*g)*x^7 + 1/6*(b^2*c + 2*a*b*f)*x^6 + 1/5*(2*a*b*e + a^2*h)*x^5 + 1/2*a^2*e*x^2 + 1/4*(2*a*b*d + a^2*g)*x^4 + a^2*d*x + 1/3*(2*a*b*c + a^2*f)*x^3 + a^2*c*log(x)

giac [A] time = 0.15, size = 156, normalized size = 1.05

$$\frac{1}{11} b^2 h x^{11} + \frac{1}{10} b^2 g x^{10} + \frac{1}{9} b^2 f x^9 + \frac{1}{4} a b h x^8 + \frac{1}{8} b^2 x^8 e + \frac{1}{7} b^2 d x^7 + \frac{2}{7} a b g x^7 + \frac{1}{6} b^2 c x^6 + \frac{1}{3} a b f x^6 + \frac{1}{5} a^2 h x^5 + \frac{2}{5} a b x^5 e + \frac{1}{2} a b c x^4 + \frac{1}{2} a^2 d x^3 + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] 1/11*b^2*h*x^11 + 1/10*b^2*g*x^10 + 1/9*b^2*f*x^9 + 1/4*a*b*h*x^8 + 1/8*b^2*x^8*e + 1/7*b^2*d*x^7 + 2/7*a*b*g*x^7 + 1/6*b^2*c*x^6 + 1/3*a*b*f*x^6 + 1/5*a^2*h*x^5 + 2/5*a*b*x^5*e + 1/2*a*b*d*x^4 + 1/4*a^2*g*x^4 + 2/3*a*b*c*x^3 + 1/3*a^2*f*x^3 + 1/2*a^2*x^2*e + a^2*d*x + a^2*c*log(abs(x))

maple [A] time = 0.04, size = 153, normalized size = 1.03

$$\frac{b^2 h x^{11}}{11} + \frac{b^2 g x^{10}}{10} + \frac{b^2 f x^9}{9} + \frac{a b h x^8}{4} + \frac{b^2 e x^8}{8} + \frac{2 a b g x^7}{7} + \frac{b^2 d x^7}{7} + \frac{a b f x^6}{3} + \frac{b^2 c x^6}{6} + \frac{a^2 h x^5}{5} + \frac{2 a b e x^5}{5} + \frac{a^2 g x^4}{4} + \frac{a b d x^4}{2} + \frac{1}{2} a^2 d x^3 + a^2 c \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] 1/11*b^2*h*x^11+1/10*b^2*g*x^10+1/9*x^9*f*b^2+1/4*x^8*a*b*h+1/8*b^2*e*x^8+2/7*x^7*a*b*g+1/7*b^2*d*x^7+1/3*x^6*a*b*f+1/6*b^2*c*x^6+1/5*x^5*a^2*h+2/5*a*b*e*x^5+1/4*x^4*a^2*g+1/2*a*b*d*x^4+1/3*x^3*a^2*f+2/3*a*b*c*x^3+1/2*a^2*e*x^2+a^2*d*x+a^2*c*ln(x)

maxima [A] time = 1.31, size = 146, normalized size = 0.98

$$\frac{1}{11} b^2 h x^{11} + \frac{1}{10} b^2 g x^{10} + \frac{1}{9} b^2 f x^9 + \frac{1}{8} (b^2 e + 2 a b h) x^8 + \frac{1}{7} (b^2 d + 2 a b g) x^7 + \frac{1}{6} (b^2 c + 2 a b f) x^6 + \frac{1}{5} (2 a b e + a^2 h) x^5 + \frac{1}{2} a b c x^4 + \frac{1}{2} a^2 d x^3 + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] 1/11*b^2*h*x^11 + 1/10*b^2*g*x^10 + 1/9*b^2*f*x^9 + 1/8*(b^2*e + 2*a*b*h)*x^8 + 1/7*(b^2*d + 2*a*b*g)*x^7 + 1/6*(b^2*c + 2*a*b*f)*x^6 + 1/5*(2*a*b*e + a^2*h)*x^5 + 1/2*a^2*e*x^2 + 1/4*(2*a*b*d + a^2*g)*x^4 + a^2*d*x + 1/3*(2*a*b*c + a^2*f)*x^3 + a^2*c*log(x)

$a^2 h x^5 + \frac{1}{2} a^2 e x^2 + \frac{1}{4} (2 a b d + a^2 g) x^4 + a^2 d x + \frac{1}{3} (2 a b c + a^2 f) x^3 + a^2 c \log(x)$

mupad [B] time = 0.10, size = 146, normalized size = 0.98

$$x^3 \left(\frac{f a^2}{3} + \frac{2 b c a}{3} \right) + x^6 \left(\frac{c b^2}{6} + \frac{a f b}{3} \right) + x^4 \left(\frac{g a^2}{4} + \frac{b d a}{2} \right) + x^7 \left(\frac{d b^2}{7} + \frac{2 a g b}{7} \right) + x^5 \left(\frac{h a^2}{5} + \frac{2 b e a}{5} \right) + x^8 \left(\frac{e b^2}{8} + \frac{a^2 c \log(x)}{3} + a^2 d x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] $x^3 * ((a^2 * f) / 3 + (2 * a * b * c) / 3) + x^6 * ((b^2 * c) / 6 + (a * b * f) / 3) + x^4 * ((a^2 * g) / 4 + (a * b * d) / 2) + x^7 * ((b^2 * d) / 7 + (2 * a * b * g) / 7) + x^5 * ((a^2 * h) / 5 + (2 * a * b * e) / 5) + x^8 * ((b^2 * e) / 8 + (a * b * h) / 4) + (a^2 * e * x^2) / 2 + (b^2 * f * x^9) / 9 + (b^2 * g * x^{10}) / 10 + (b^2 * h * x^{11}) / 11 + a^2 * c * \log(x) + a^2 * d * x$

sympy [A] time = 0.34, size = 162, normalized size = 1.09

$$a^2 c \log(x) + a^2 d x + \frac{a^2 e x^2}{2} + \frac{b^2 f x^9}{9} + \frac{b^2 g x^{10}}{10} + \frac{b^2 h x^{11}}{11} + x^8 \left(\frac{a b h}{4} + \frac{b^2 e}{8} \right) + x^7 \left(\frac{2 a b g}{7} + \frac{b^2 d}{7} \right) + x^6 \left(\frac{a b f}{3} + \frac{b^2 c}{6} \right) + x^5 \left(\frac{a^2 h}{5} + \frac{2 a b e}{5} \right) + x^4 \left(\frac{a^2 g}{4} + \frac{a b d}{2} \right) + x^3 \left(\frac{a^2 f}{3} + \frac{2 a b c}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] $a^2 * c * \log(x) + a^2 * d * x + a^2 * e * x^2 / 2 + b^2 * f * x^9 / 9 + b^2 * g * x^{10} / 10 + b^2 * h * x^{11} / 11 + x^8 * (a * b * h / 4 + b^2 * e / 8) + x^7 * (2 * a * b * g / 7 + b^2 * d / 7) + x^6 * (a * b * f / 3 + b^2 * c / 6) + x^5 * (a^2 * h / 5 + 2 * a * b * e / 5) + x^4 * (a^2 * g / 4 + a * b * d / 2) + x^3 * (a^2 * f / 3 + 2 * a * b * c / 3)$

$$3.389 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} + \dots$$

[Out] $-a^2c/x + a^2e*x + 1/2*a*(a*f+2*b*c)*x^2 + 2/3*a*b*d*x^3 + 1/4*a*(a*h+2*b*e)*x^4 + 1/5*b*(2*a*f+b*c)*x^5 + 1/6*b^2*d*x^6 + 1/7*b*(2*a*h+b*e)*x^7 + 1/8*b^2*f*x^8 + 1/10*b^2*h*x^10 + 1/9*g*(b*x^3+a)^3/b + a^2*d*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

[Out] $-((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (2*a*b*d*x^3)/3 + (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b^2*d*x^6)/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*h*x^10)/10 + (g*(a + b*x^3)^3)/(9*b) + a^2*d*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx &= \frac{g(a+bx^3)^3}{9b} + \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+hx^5)}{x^2} dx \\ &= \frac{g(a+bx^3)^3}{9b} + \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + a(2bc+af)x + 2abd \right) dx \\ &= -\frac{a^2c}{x} + a^2ex + \frac{1}{2}a(2bc+af)x^2 + \frac{2}{3}abdx^3 + \frac{1}{4}a(2be+ah)x^4 + \dots \end{aligned}$$

Mathematica [A] time = 0.07, size = 152, normalized size = 1.03

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{1}{6}bx^6(2ag+bd) + \frac{1}{3}ax^3(ag+2bd) + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(a$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] -((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (a*(2*b*d + a*g)*x^3)/3 + (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b*(b*d + 2*a*g)*x^6)/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*g*x^9)/9 + (b^2*h*x^10)/10 + a^2*d*Log[x]

fricas [A] time = 0.42, size = 153, normalized size = 1.04

$$\frac{252 b^2 h x^{11} + 280 b^2 g x^{10} + 315 b^2 f x^9 + 360 (b^2 e + 2 a b h) x^8 + 420 (b^2 d + 2 a b g) x^7 + 504 (b^2 c + 2 a b f) x^6 + 630 (2 a b e + a^2 h) x^5 + 2520 a^2 e x^2 + 840 (2 a b d + a^2 g) x^4 + 2520 a^2 d x \log(x) + 1260 (2 a b c + a^2 f) x^3 - 2520 a^2 c}{2520 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] 1/2520*(252*b^2*h*x^11 + 280*b^2*g*x^10 + 315*b^2*f*x^9 + 360*(b^2*e + 2*a*b*h)*x^8 + 420*(b^2*d + 2*a*b*g)*x^7 + 504*(b^2*c + 2*a*b*f)*x^6 + 630*(2*a*b*e + a^2*h)*x^5 + 2520*a^2*e*x^2 + 840*(2*a*b*d + a^2*g)*x^4 + 2520*a^2*d*x*log(x) + 1260*(2*a*b*c + a^2*f)*x^3 - 2520*a^2*c)/x

giac [A] time = 0.15, size = 155, normalized size = 1.05

$$\frac{1}{10} b^2 h x^{10} + \frac{1}{9} b^2 g x^9 + \frac{1}{8} b^2 f x^8 + \frac{2}{7} a b h x^7 + \frac{1}{7} b^2 x^7 e + \frac{1}{6} b^2 d x^6 + \frac{1}{3} a b g x^6 + \frac{1}{5} b^2 c x^5 + \frac{2}{5} a b f x^5 + \frac{1}{4} a^2 h x^4 + \frac{1}{2} a b x^4 e + \frac{2}{3} a^2 e x^2 + \frac{1}{3} a^2 d \log(\text{abs}(x)) - \frac{a^2 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] 1/10*b^2*h*x^10 + 1/9*b^2*g*x^9 + 1/8*b^2*f*x^8 + 2/7*a*b*h*x^7 + 1/7*b^2*x^7*e + 1/6*b^2*d*x^6 + 1/3*a*b*g*x^6 + 1/5*b^2*c*x^5 + 2/5*a*b*f*x^5 + 1/4*a^2*h*x^4 + 1/2*a*b*x^4*e + 2/3*a*b*d*x^3 + 1/3*a^2*g*x^3 + a*b*c*x^2 + 1/2*a^2*f*x^2 + a^2*x*e + a^2*d*log(abs(x)) - a^2*c/x

maple [A] time = 0.05, size = 152, normalized size = 1.03

$$\frac{b^2 h x^{10}}{10} + \frac{b^2 g x^9}{9} + \frac{b^2 f x^8}{8} + \frac{2 a b h x^7}{7} + \frac{b^2 e x^7}{7} + \frac{a b g x^6}{3} + \frac{b^2 d x^6}{6} + \frac{2 a b f x^5}{5} + \frac{b^2 c x^5}{5} + \frac{a^2 h x^4}{4} + \frac{a b e x^4}{2} + \frac{a^2 g x^3}{3} + \frac{2 a b d x^3}{3} + \frac{a^2 f x^2}{2} + a^2 x e + a^2 d \ln(x) - \frac{a^2 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] 1/10*b^2*h*x^10+1/9*b^2*g*x^9+1/8*b^2*f*x^8+2/7*x^7*a*b*h+1/7*b^2*e*x^7+1/3*x^6*a*b*g+1/6*b^2*d*x^6+2/5*x^5*a*b*f+1/5*b^2*c*x^5+1/4*x^4*a^2*h+1/2*a*b*e*x^4+1/3*x^3*a^2*g+2/3*a*b*d*x^3+1/2*a^2*f*x^2+a*b*c*x^2+a^2*e*x-a^2*c/x+a^2*d*ln(x)

maxima [A] time = 1.40, size = 146, normalized size = 0.99

$$\frac{1}{10} b^2 h x^{10} + \frac{1}{9} b^2 g x^9 + \frac{1}{8} b^2 f x^8 + \frac{1}{7} (b^2 e + 2 a b h) x^7 + \frac{1}{6} (b^2 d + 2 a b g) x^6 + \frac{1}{5} (b^2 c + 2 a b f) x^5 + \frac{1}{4} (2 a b e + a^2 h) x^4 + \frac{2}{3} a^2 g x^3 + \frac{2}{3} a b d x^3 + \frac{1}{2} a^2 f x^2 + a b c x^2 + a^2 e x - \frac{a^2 c}{x} + a^2 d \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] $1/10*b^2*h*x^{10} + 1/9*b^2*g*x^9 + 1/8*b^2*f*x^8 + 1/7*(b^2*e + 2*a*b*h)*x^7 + 1/6*(b^2*d + 2*a*b*g)*x^6 + 1/5*(b^2*c + 2*a*b*f)*x^5 + 1/4*(2*a*b*e + a^2*h)*x^4 + a^2*e*x + 1/3*(2*a*b*d + a^2*g)*x^3 + a^2*d*\log(x) + 1/2*(2*a*b*c + a^2*f)*x^2 - a^2*c/x$

mupad [B] time = 0.10, size = 145, normalized size = 0.99

$$x^2 \left(\frac{fa^2}{2} + bca \right) + x^5 \left(\frac{cb^2}{5} + \frac{2afb}{5} \right) + x^3 \left(\frac{ga^2}{3} + \frac{2bda}{3} \right) + x^6 \left(\frac{db^2}{6} + \frac{agb}{3} \right) + x^4 \left(\frac{ha^2}{4} + \frac{bea}{2} \right) + x^7 \left(\frac{eb^2}{7} + \frac{2ah}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)`

[Out] $x^2*((a^2*f)/2 + a*b*c) + x^5*((b^2*c)/5 + (2*a*b*f)/5) + x^3*((a^2*g)/3 + (2*a*b*d)/3) + x^6*((b^2*d)/6 + (a*b*g)/3) + x^4*((a^2*h)/4 + (a*b*e)/2) + x^7*((b^2*e)/7 + (2*a*b*h)/7) - (a^2*c)/x + (b^2*f*x^8)/8 + (b^2*g*x^9)/9 + (b^2*h*x^{10})/10 + a^2*d*\log(x) + a^2*e*x$

sympy [A] time = 0.36, size = 156, normalized size = 1.06

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{b^2fx^8}{8} + \frac{b^2gx^9}{9} + \frac{b^2hx^{10}}{10} + x^7 \left(\frac{2abh}{7} + \frac{b^2e}{7} \right) + x^6 \left(\frac{abg}{3} + \frac{b^2d}{6} \right) + x^5 \left(\frac{2abf}{5} + \frac{b^2c}{5} \right) + x^4 \left(\frac{a^2h}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)`

[Out] $-a**2*c/x + a**2*d*\log(x) + a**2*e*x + b**2*f*x**8/8 + b**2*g*x**9/9 + b**2*h*x**10/10 + x**7*(2*a*b*h/7 + b**2*e/7) + x**6*(a*b*g/3 + b**2*d/6) + x**5*(2*a*b*f/5 + b**2*c/5) + x**4*(a**2*h/4 + a*b*e/2) + x**3*(a**2*g/3 + 2*a*b*d/3) + x**2*(a**2*f/2 + a*b*c)$

$$3.390 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} +$$

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + a*(a*f+2*b*c)*x + 1/2*a*(a*g+2*b*d)*x^2 + 2/3*a*b*e*x^3 + 1/4*b*(2*a*f+b*c)*x^4 + 1/5*b*(2*a*g+b*d)*x^5 + 1/6*b^2*e*x^6 + 1/7*b^2*f*x^7 + 1/8*b^2*g*x^8 + 1/9*h*(b*x^3+a)^3/b + a^2*e*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} +$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] $-(a^2*c)/(2*x^2) - (a^2*d)/x + a*(2*b*c + a*f)*x + (a*(2*b*d + a*g)*x^2)/2 + (2*a*b*e*x^3)/3 + (b*(b*c + 2*a*f)*x^4)/4 + (b*(b*d + 2*a*g)*x^5)/5 + (b^2*e*x^6)/6 + (b^2*f*x^7)/7 + (b^2*g*x^8)/8 + (h*(a + b*x^3)^3)/(9*b) + a^2*e*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx &= \frac{h(a+bx^3)^3}{9b} + \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4)}{x^3} \\ &= \frac{h(a+bx^3)^3}{9b} + \int \left(a(2bc+af) + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + a(2 \right. \\ &= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a(2bc+af)x + \frac{1}{2}a(2bd+ag)x^2 + \frac{2}{3}abex^3 \end{aligned}$$

Mathematica [A] time = 0.10, size = 127, normalized size = 0.86

$$\frac{a^2(-3c-6dx+x^3(6f+3gx+2hx^2))}{6x^2} + a^2e \log(x) + \frac{1}{30}abx(60c+x(30d+x(20e+15fx+12gx^2+10hx^3)))$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]
[Out] (a^2*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (a*b*x*(60*c +
x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/30 + (b^2*x^4*(630*c
+ x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/2520 + a^2*e*Log[
x]
```

fricas [A] time = 0.44, size = 153, normalized size = 1.04

$$\frac{280 b^2 h x^{11} + 315 b^2 g x^{10} + 360 b^2 f x^9 + 420 (b^2 e + 2 a b h) x^8 + 504 (b^2 d + 2 a b g) x^7 + 630 (b^2 c + 2 a b f) x^6 + 840 (2 a b e + a^2 h) x^5 + 2520 a^2 e x^2 \log(x) + 1260 (2 a b d + a^2 g) x^4 - 2520 a^2 d x + 2520 (2 a b c + a^2 f) x^3 - 1260 a^2 c}{2520 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")
```

```
[Out] 1/2520*(280*b^2*h*x^11 + 315*b^2*g*x^10 + 360*b^2*f*x^9 + 420*(b^2*e + 2*a*b*h)*x^8 + 504*(b^2*d + 2*a*b*g)*x^7 + 630*(b^2*c + 2*a*b*f)*x^6 + 840*(2*a*b*e + a^2*h)*x^5 + 2520*a^2*e*x^2*log(x) + 1260*(2*a*b*d + a^2*g)*x^4 - 2520*a^2*d*x + 2520*(2*a*b*c + a^2*f)*x^3 - 1260*a^2*c)/x^2
```

giac [A] time = 0.15, size = 153, normalized size = 1.04

$$\frac{1}{9} b^2 h x^9 + \frac{1}{8} b^2 g x^8 + \frac{1}{7} b^2 f x^7 + \frac{1}{3} a b h x^6 + \frac{1}{6} b^2 e x^6 + \frac{1}{5} b^2 d x^5 + \frac{2}{5} a b g x^5 + \frac{1}{4} b^2 c x^4 + \frac{1}{2} a b f x^4 + \frac{1}{3} a^2 h x^3 + \frac{2}{3} a b x^3 e + a b d x^2 + a^2 e \log(x) - \frac{1}{2} (2 a^2 d x + a^2 c) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")
```

```
[Out] 1/9*b^2*h*x^9 + 1/8*b^2*g*x^8 + 1/7*b^2*f*x^7 + 1/3*a*b*h*x^6 + 1/6*b^2*e*x^6 + 1/5*b^2*d*x^5 + 2/5*a*b*g*x^5 + 1/4*b^2*c*x^4 + 1/2*a*b*f*x^4 + 1/3*a^2*h*x^3 + 2/3*a*b*x^3*e + a*b*d*x^2 + 1/2*a^2*g*x^2 + 2*a*b*c*x + a^2*f*x + a^2*e*log(abs(x)) - 1/2*(2*a^2*d*x + a^2*c)/x^2
```

maple [A] time = 0.05, size = 150, normalized size = 1.02

$$\frac{b^2 h x^9}{9} + \frac{b^2 g x^8}{8} + \frac{b^2 f x^7}{7} + \frac{a b h x^6}{3} + \frac{b^2 e x^6}{6} + \frac{2 a b g x^5}{5} + \frac{b^2 d x^5}{5} + \frac{a b f x^4}{2} + \frac{b^2 c x^4}{4} + \frac{a^2 h x^3}{3} + \frac{2 a b e x^3}{3} + \frac{a^2 g x^2}{2} + a b d x^2 + a^2 e \log(x) - \frac{1}{2} (2 a^2 d x + a^2 c) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)
```

```
[Out] 1/9*b^2*h*x^9+1/8*b^2*g*x^8+1/7*b^2*f*x^7+1/3*x^6*a*b*h+1/6*b^2*e*x^6+2/5*x^5*a*b*g+1/5*b^2*d*x^5+1/2*x^4*a*b*f+1/4*b^2*c*x^4+1/3*x^3*a^2*h+2/3*a*b*e*x^3+1/2*x^2*a^2*g+a*b*d*x^2+a^2*f*x+2*a*b*c*x-1/2*a^2*c/x^2-a^2*d/x+a^2*e*ln(x)
```

maxima [A] time = 1.35, size = 146, normalized size = 0.99

$$\frac{1}{9} b^2 h x^9 + \frac{1}{8} b^2 g x^8 + \frac{1}{7} b^2 f x^7 + \frac{1}{6} (b^2 e + 2 a b h) x^6 + \frac{1}{5} (b^2 d + 2 a b g) x^5 + \frac{1}{4} (b^2 c + 2 a b f) x^4 + \frac{1}{3} (2 a b e + a^2 h) x^3 + a^2 e \log(x) - \frac{1}{2} (2 a^2 d x + a^2 c) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")
```


[Out] $1/9*b^2*h*x^9 + 1/8*b^2*g*x^8 + 1/7*b^2*f*x^7 + 1/6*(b^2*e + 2*a*b*h)*x^6 + 1/5*(b^2*d + 2*a*b*g)*x^5 + 1/4*(b^2*c + 2*a*b*f)*x^4 + 1/3*(2*a*b*e + a^2*h)*x^3 + a^2*e*\log(x) + 1/2*(2*a*b*d + a^2*g)*x^2 + (2*a*b*c + a^2*f)*x - 1/2*(2*a^2*d*x + a^2*c)/x^2$

mupad [B] time = 5.01, size = 145, normalized size = 0.99

$$x(fa^2 + 2bca) - \frac{\frac{a^2c}{2} + a^2dx}{x^2} + x^4\left(\frac{cb^2}{4} + \frac{afb}{2}\right) + x^2\left(\frac{ga^2}{2} + bda\right) + x^5\left(\frac{db^2}{5} + \frac{2agb}{5}\right) + x^3\left(\frac{ha^2}{3} + \frac{2bea}{3}\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x)`

[Out] $x*(a^2*f + 2*a*b*c) - ((a^2*c)/2 + a^2*d*x)/x^2 + x^4*((b^2*c)/4 + (a*b*f)/2) + x^2*((a^2*g)/2 + a*b*d) + x^5*((b^2*d)/5 + (2*a*b*g)/5) + x^3*((a^2*h)/3 + (2*a*b*e)/3) + x^6*((b^2*e)/6 + (a*b*h)/3) + (b^2*f*x^7)/7 + (b^2*g*x^8)/8 + (b^2*h*x^9)/9 + a^2*e*\log(x)$

sympy [A] time = 0.45, size = 158, normalized size = 1.07

$$a^2e\log(x) + \frac{b^2fx^7}{7} + \frac{b^2gx^8}{8} + \frac{b^2hx^9}{9} + x^6\left(\frac{abh}{3} + \frac{b^2e}{6}\right) + x^5\left(\frac{2abg}{5} + \frac{b^2d}{5}\right) + x^4\left(\frac{abf}{2} + \frac{b^2c}{4}\right) + x^3\left(\frac{a^2h}{3} + \frac{2abe}{3}\right) + x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3, x)`

[Out] $a**2*e*\log(x) + b**2*f*x**7/7 + b**2*g*x**8/8 + b**2*h*x**9/9 + x**6*(a*b*h/3 + b**2*e/6) + x**5*(2*a*b*g/5 + b**2*d/5) + x**4*(a*b*f/2 + b**2*c/4) + x**3*(a**2*h/3 + 2*a*b*e/3) + x**2*(a**2*g/2 + a*b*d) + x*(a**2*f + 2*a*b*c) + (-a**2*c - 2*a**2*d*x)/(2*x**2)$

$$3.391 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be)$$

[Out] $-1/3*a^2*c/x^3 - 1/2*a^2*d/x^2 - a^2*e/x + a*(a*g+2*b*d)*x + 1/2*a*(a*h+2*b*e)*x^2 + 1/3*b*(2*a*f+b*c)*x^3 + 1/4*b*(2*a*g+b*d)*x^4 + 1/5*b*(2*a*h+b*e)*x^5 + 1/6*b^2*f*x^6 + 1/7*b^2*g*x^7 + 1/8*b^2*h*x^8 + a*(a*f+2*b*c)*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a^2*c)/(3*x^3) - (a^2*d)/(2*x^2) - (a^2*e)/x + a*(2*b*d + a*g)*x + (a*(2*b*e + a*h)*x^2)/2 + (b*(b*c + 2*a*f)*x^3)/3 + (b*(b*d + 2*a*g)*x^4)/4 + (b*(b*e + 2*a*h)*x^5)/5 + (b^2*f*x^6)/6 + (b^2*g*x^7)/7 + (b^2*h*x^8)/8 + a*(2*b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a(2bd+ag) + \frac{a^2c}{x^4} + \frac{a^2d}{x^3} + \frac{a^2e}{x^2} + \frac{a(2bc+af)}{x} + a(2be - \frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + a(2bd+ag)x + \frac{1}{2}a(2be+ah)x^2 + \frac{1}{3}b(2af+bc)x^3 + \frac{1}{4}b(2ag+bd)x^4 + \frac{1}{5}b(2ah+be)x^5 + \frac{1}{6}b^2fx^6 + \frac{1}{7}b^2gx^7 + \frac{1}{8}b^2hx^8) \right) dx$$

Mathematica [A] time = 0.10, size = 123, normalized size = 0.81

$$-\frac{a^2(2c+3x(d+2ex-(x^3(2g+hx))))}{6x^3} + a \log(x)(af+2bc) + \frac{1}{30}abx(60d+x(30e+x(20f+15gx+12hx^2))) + \frac{1}{840}b^2x^3(280c+x(210d+x(168e+140fx+120gx^2+105hx^3))) + a(2bc+af)\text{Log}[x]$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-1/6*(a^2*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (a*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/30 + (b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3))))/840 + a*(2*b*c + a*f)*\text{Log}[x]$

fricas [A] time = 0.44, size = 153, normalized size = 1.01

$$\frac{105 b^2 h x^{11} + 120 b^2 g x^{10} + 140 b^2 f x^9 + 168 (b^2 e + 2 a b h) x^8 + 210 (b^2 d + 2 a b g) x^7 + 280 (b^2 c + 2 a b f) x^6 + 420 (2 a^2 c + 3 a^2 d x + a^2 e x^2 + a (2 b d + a g) x^3 + \frac{1}{2} a (2 b e + a h) x^4 + \frac{1}{3} b (2 a f + b c) x^5 + \frac{1}{4} b (2 a g + b d) x^6 + \frac{1}{5} b (2 a h + b e) x^7 + \frac{1}{6} b^2 f x^8 + \frac{1}{7} b^2 g x^9 + \frac{1}{8} b^2 h x^{10}) \ln(x)}{840 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] 1/840*(105*b^2*h*x^11 + 120*b^2*g*x^10 + 140*b^2*f*x^9 + 168*(b^2*e + 2*a*b*h)*x^8 + 210*(b^2*d + 2*a*b*g)*x^7 + 280*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a*b*e + a^2*h)*x^5 - 840*a^2*e*x^2 + 840*(2*a*b*d + a^2*g)*x^4 + 840*(2*a*b*c + a^2*f)*x^3*log(x) - 420*a^2*d*x - 280*a^2*c)/x^3

giac [A] time = 0.17, size = 153, normalized size = 1.01

$$\frac{1}{8} b^2 h x^8 + \frac{1}{7} b^2 g x^7 + \frac{1}{6} b^2 f x^6 + \frac{2}{5} a b h x^5 + \frac{1}{5} b^2 x^5 e + \frac{1}{4} b^2 d x^4 + \frac{1}{2} a b g x^4 + \frac{1}{3} b^2 c x^3 + \frac{2}{3} a b f x^3 + \frac{1}{2} a^2 h x^2 + a b x^2 e + 2 a b d x - 420 a^2 e x^2 + 840 (2 a b d + a^2 g) x^4 + 840 (2 a b c + a^2 f) x^3 \log(x) - 420 a^2 d x - 280 a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] 1/8*b^2*h*x^8 + 1/7*b^2*g*x^7 + 1/6*b^2*f*x^6 + 2/5*a*b*h*x^5 + 1/5*b^2*x^5*e + 1/4*b^2*d*x^4 + 1/2*a*b*g*x^4 + 1/3*b^2*c*x^3 + 2/3*a*b*f*x^3 + 1/2*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + a^2*g*x + (2*a*b*c + a^2*f)*log(abs(x)) - 1/6*(6*a^2*x^2*e + 3*a^2*d*x + 2*a^2*c)/x^3

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^8}{8} + \frac{b^2 g x^7}{7} + \frac{b^2 f x^6}{6} + \frac{2 a b h x^5}{5} + \frac{b^2 e x^5}{5} + \frac{a b g x^4}{2} + \frac{b^2 d x^4}{4} + \frac{2 a b f x^3}{3} + \frac{b^2 c x^3}{3} + \frac{a^2 h x^2}{2} + a b e x^2 + a^2 f \ln(x) + a^2 g x + (2 a b c + a^2 f) \log(\text{abs}(x)) - \frac{1}{6} (6 a^2 x^2 e + 3 a^2 d x + 2 a^2 c) / x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] 1/8*b^2*h*x^8+1/7*b^2*g*x^7+1/6*b^2*f*x^6+2/5*x^5*a*b*h+1/5*x^5*b^2*e+1/2*x^4*a*b*g+1/4*x^4*b^2*d+2/3*x^3*a*b*f+1/3*b^2*c*x^3+1/2*x^2*a^2*h+a*b*e*x^2+a^2*g*x+2*b*d*a*x-1/3*a^2*c/x^3-1/2*a^2*d/x^2-a^2*e/x+ln(x)*a^2*f+2*ln(x)*a*b*c

maxima [A] time = 1.32, size = 147, normalized size = 0.97

$$\frac{1}{8} b^2 h x^8 + \frac{1}{7} b^2 g x^7 + \frac{1}{6} b^2 f x^6 + \frac{1}{5} (b^2 e + 2 a b h) x^5 + \frac{1}{4} (b^2 d + 2 a b g) x^4 + \frac{1}{3} (b^2 c + 2 a b f) x^3 + \frac{1}{2} (2 a b e + a^2 h) x^2 + (2 a b d + a^2 g) x - \frac{1}{3} a^2 c / x^3 - \frac{1}{2} a^2 d / x^2 - a^2 e / x + \ln(x) a^2 f + 2 \ln(x) a b c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] 1/8*b^2*h*x^8 + 1/7*b^2*g*x^7 + 1/6*b^2*f*x^6 + 1/5*(b^2*e + 2*a*b*h)*x^5 + 1/4*(b^2*d + 2*a*b*g)*x^4 + 1/3*(b^2*c + 2*a*b*f)*x^3 + 1/2*(2*a*b*e + a^2*h)*x^2 + (2*a*b*d + a^2*g)*x + (2*a*b*c + a^2*f)*log(x) - 1/6*(6*a^2*e*x^2 + 3*a^2*d*x + 2*a^2*c)/x^3

mupad [B] time = 0.08, size = 145, normalized size = 0.95

$$x (g a^2 + 2 b d a) - \frac{e a^2 x^2 + \frac{d a^2 x}{2} + \frac{c a^2}{3}}{x^3} + x^3 \left(\frac{c b^2}{3} + \frac{2 a f b}{3} \right) + x^4 \left(\frac{d b^2}{4} + \frac{a g b}{2} \right) + x^2 \left(\frac{h a^2}{2} + b e a \right) + x^5 \left(\frac{e b^2}{5} + \frac{2 a b h}{5} \right) + (2 a b d + a^2 g) x + (2 a b c + a^2 f) \log(x) - \frac{1}{6} (6 a^2 e x^2 + 3 a^2 d x + 2 a^2 c) / x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)

```
[Out] x*(a^2*g + 2*a*b*d) - ((a^2*c)/3 + a^2*e*x^2 + (a^2*d*x)/2)/x^3 + x^3*((b^2*c)/3 + (2*a*b*f)/3) + x^4*((b^2*d)/4 + (a*b*g)/2) + x^2*((a^2*h)/2 + a*b*e) + x^5*((b^2*e)/5 + (2*a*b*h)/5) + log(x)*(a^2*f + 2*a*b*c) + (b^2*f*x^6)/6 + (b^2*g*x^7)/7 + (b^2*h*x^8)/8
```

sympy [A] time = 0.88, size = 158, normalized size = 1.04

$$a(a f + 2 b c) \log(x) + \frac{b^2 f x^6}{6} + \frac{b^2 g x^7}{7} + \frac{b^2 h x^8}{8} + x^5 \left(\frac{2 a b h}{5} + \frac{b^2 e}{5} \right) + x^4 \left(\frac{a b g}{2} + \frac{b^2 d}{4} \right) + x^3 \left(\frac{2 a b f}{3} + \frac{b^2 c}{3} \right) + x^2 \left(\frac{a^2 h}{2} + a b e \right) + \frac{a^2 f + 2 a b c}{x^3} + \frac{a^2 d + a b e}{x^4} + \frac{a^2 e + a b f}{x^5} + \frac{a^2 f + 2 a b c}{x^6} + \frac{a^2 g + a b d}{x^7} + \frac{a^2 h + a b e}{x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)
```

```
[Out] a*(a*f + 2*b*c)*log(x) + b**2*f*x**6/6 + b**2*g*x**7/7 + b**2*h*x**8/8 + x**5*(2*a*b*h/5 + b**2*e/5) + x**4*(a*b*g/2 + b**2*d/4) + x**3*(2*a*b*f/3 + b**2*c/3) + x**2*(a**2*h/2 + a*b*e) + x*(a**2*g + 2*a*b*d) + (-2*a**2*c - 3*a**2*d*x - 6*a**2*e*x**2)/(6*x**3)
```

3.392
$$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be)$$

[Out] $-1/4*a^2*c/x^4 - 1/3*a^2*d/x^3 - 1/2*a^2*e/x^2 - a*(a*f+2*b*c)/x + a*(a*h+2*b*e)*x + 1/2*b*(2*a*f+b*c)*x^2 + 1/3*b*(2*a*g+b*d)*x^3 + 1/4*b*(2*a*h+b*e)*x^4 + 1/5*b^2*f*x^5 + 1/6*b^2*g*x^6 + 1/7*b^2*h*x^7 + a*(a*g+2*b*d)*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $-(a^2*c)/(4*x^4) - (a^2*d)/(3*x^3) - (a^2*e)/(2*x^2) - (a*(2*b*c + a*f))/x + a*(2*b*e + a*h)*x + (b*(b*c + 2*a*f)*x^2)/2 + (b*(b*d + 2*a*g)*x^3)/3 + (b*(b*e + 2*a*h)*x^4)/4 + (b^2*f*x^5)/5 + (b^2*g*x^6)/6 + (b^2*h*x^7)/7 + a*(2*b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^5} dx = \int \left(a(2be + ah) + \frac{a^2c}{x^5} + \frac{a^2d}{x^4} + \frac{a^2e}{x^3} + \frac{a(2bc + af)}{x^2} + \frac{a(2ah + be)}{x} \right) dx = -\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} - \frac{a(2bc + af)}{x} + a(2be + ah)x + \frac{1}{2}b^2x^2(2af + bc)$$

Mathematica [A] time = 0.12, size = 125, normalized size = 0.82

$$-\frac{a^2(3c + 4dx + 6x^2(e + 2fx - 2hx^3))}{12x^4} - \frac{2abc}{x} + a \log(x)(ag+2bd) + \frac{1}{6}abx(12e+x(6f+x(4g+3hx))) + \frac{1}{420}b^2x^2(2af+bc)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $(-2*a*b*c)/x - (a^2*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (a*b*x*(12*e + x*(6*f + x*(4*g + 3*h*x))))/6 + (b^2*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3))))/420 + a*(2*b*d + a*g)*\text{Log}[x]$

fricas [A] time = 0.46, size = 153, normalized size = 1.01

$$\frac{60 b^2 h x^{11} + 70 b^2 g x^{10} + 84 b^2 f x^9 + 105 (b^2 e + 2 a b h) x^8 + 140 (b^2 d + 2 a b g) x^7 + 210 (b^2 c + 2 a b f) x^6 + 420 (2 a b e + a^2 h) x^5 + 420 a^2 e x^4 + 420 a^2 d x^3 + 420 a^2 c x^2 + 420 a (2 b c + a f) x + 420 a^2}{420 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/420*(60*b^2*h*x^11 + 70*b^2*g*x^10 + 84*b^2*f*x^9 + 105*(b^2*e + 2*a*b*h)*x^8 + 140*(b^2*d + 2*a*b*g)*x^7 + 210*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a*b*e + a^2*h)*x^5 + 420*(2*a*b*d + a^2*g)*x^4*log(x) - 210*a^2*e*x^2 - 140*a^2*d*x - 420*(2*a*b*c + a^2*f)*x^3 - 105*a^2*c)/x^4

giac [A] time = 0.17, size = 152, normalized size = 1.00

$$\frac{1}{7} b^2 h x^7 + \frac{1}{6} b^2 g x^6 + \frac{1}{5} b^2 f x^5 + \frac{1}{2} a b h x^4 + \frac{1}{4} b^2 e x^4 + \frac{1}{3} b^2 d x^3 + \frac{2}{3} a b g x^3 + \frac{1}{2} b^2 c x^2 + a b f x^2 + a^2 h x + 2 a b e + (2 a b d + a^2 g) \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/7*b^2*h*x^7 + 1/6*b^2*g*x^6 + 1/5*b^2*f*x^5 + 1/2*a*b*h*x^4 + 1/4*b^2*x^4*e + 1/3*b^2*d*x^3 + 2/3*a*b*g*x^3 + 1/2*b^2*c*x^2 + a*b*f*x^2 + a^2*h*x + 2*a*b*x*e + (2*a*b*d + a^2*g)*log(abs(x)) - 1/12*(6*a^2*x^2*e + 4*a^2*d*x + 12*(2*a*b*c + a^2*f)*x^3 + 3*a^2*c)/x^4

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^7}{7} + \frac{b^2 g x^6}{6} + \frac{b^2 f x^5}{5} + \frac{a b h x^4}{2} + \frac{b^2 e x^4}{4} + \frac{2 a b g x^3}{3} + \frac{b^2 d x^3}{3} + a b f x^2 + \frac{b^2 c x^2}{2} + a^2 g \ln(x) + a^2 h x + 2 a b d \ln(x) + 2 a b e - \frac{a^2 c}{x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/7*b^2*h*x^7+1/6*b^2*g*x^6+1/5*b^2*f*x^5+1/2*x^4*a*b*h+1/4*x^4*b^2*e+2/3*x^3*a*b*g+1/3*x^3*b^2*d+x^2*a*b*f+1/2*b^2*c*x^2+a^2*h*x+2*a*b*e*x-1/4*a^2*c/x^4-1/3*a^2*d/x^3-1/2*a^2*e/x^2-a^2/x*f-2*a/x*b*c+ln(x)*a^2*g+2*ln(x)*a*b*d

maxima [A] time = 1.37, size = 147, normalized size = 0.97

$$\frac{1}{7} b^2 h x^7 + \frac{1}{6} b^2 g x^6 + \frac{1}{5} b^2 f x^5 + \frac{1}{4} (b^2 e + 2 a b h) x^4 + \frac{1}{3} (b^2 d + 2 a b g) x^3 + \frac{1}{2} (b^2 c + 2 a b f) x^2 + (2 a b e + a^2 h) x + (2 a b d + a^2 g) \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/7*b^2*h*x^7 + 1/6*b^2*g*x^6 + 1/5*b^2*f*x^5 + 1/4*(b^2*e + 2*a*b*h)*x^4 + 1/3*(b^2*d + 2*a*b*g)*x^3 + 1/2*(b^2*c + 2*a*b*f)*x^2 + (2*a*b*e + a^2*h)*x + (2*a*b*d + a^2*g)*log(x) - 1/12*(6*a^2*e*x^2 + 4*a^2*d*x + 12*(2*a*b*c + a^2*f)*x^3 + 3*a^2*c)/x^4

mupad [B] time = 0.07, size = 145, normalized size = 0.95

$$x (h a^2 + 2 b e a) - \frac{\frac{a^2 c}{4} + x^3 (f a^2 + 2 b c a) + \frac{a^2 e x^2}{2} + \frac{a^2 d x}{3}}{x^4} + x^2 \left(\frac{c b^2}{2} + a f b \right) + x^3 \left(\frac{d b^2}{3} + \frac{2 a g b}{3} \right) + x^4 \left(\frac{e b^2}{4} + \frac{a h}{2} \right) + (2 a b d + a^2 g) \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

```
[Out] x*(a^2*h + 2*a*b*e) - ((a^2*c)/4 + x^3*(a^2*f + 2*a*b*c) + (a^2*e*x^2)/2 +
(a^2*d*x)/3)/x^4 + x^2*((b^2*c)/2 + a*b*f) + x^3*((b^2*d)/3 + (2*a*b*g)/3)
+ x^4*((b^2*e)/4 + (a*b*h)/2) + log(x)*(a^2*g + 2*a*b*d) + (b^2*f*x^5)/5 +
(b^2*g*x^6)/6 + (b^2*h*x^7)/7
```

sympy [A] time = 3.23, size = 156, normalized size = 1.03

$$a(ag + 2bd) \log(x) + \frac{b^2 f x^5}{5} + \frac{b^2 g x^6}{6} + \frac{b^2 h x^7}{7} + x^4 \left(\frac{abh}{2} + \frac{b^2 e}{4} \right) + x^3 \left(\frac{2abg}{3} + \frac{b^2 d}{3} \right) + x^2 \left(abf + \frac{b^2 c}{2} \right) + x(a^2 h + 2ab$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)
```

```
[Out] a*(a*g + 2*b*d)*log(x) + b**2*f*x**5/5 + b**2*g*x**6/6 + b**2*h*x**7/7 + x*
*4*(a*b*h/2 + b**2*e/4) + x**3*(2*a*b*g/3 + b**2*d/3) + x**2*(a*b*f + b**2*
c/2) + x*(a**2*h + 2*a*b*e) + (-3*a**2*c - 4*a**2*d*x - 6*a**2*e*x**2 + x**
3*(-12*a**2*f - 24*a*b*c))/(12*x**4)
```

$$3.393 \quad \int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=223

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

[Out] $\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$

Rubi [A] time = 0.29, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3cx^5)/5 + (a^3dx^6)/6 + (a^3ex^7)/7 + (a^2(3bc + af)x^8)/8 + (a^2(3bd + ag)x^9)/9 + (a^2(3be + ah)x^{10})/10 + (3ab(bc + af)x^{11})/11 + (ab(bd + ag)x^{12})/4 + (3ab(be + ah)x^{13})/13 + (b^2(bc + 3af)x^{14})/14 + (b^2(bd + 3ag)x^{15})/15 + (b^2(be + 3ah)x^{16})/16 + (b^3fx^{17})/17 + (b^3gx^{18})/18 + (b^3hx^{19})/19$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^3cx^4 + a^3dx^5 + a^3ex^6 + a^2(3bc + af)x^7 + a^2(3bd + ag)x^8 + a^2(3be + ah)x^9 + 3ab(bc + af)x^{10} + ab(bd + ag)x^{11} + 3ab(be + ah)x^{12} + b^2(bc + 3af)x^{13} + b^2(bd + 3ag)x^{14} + b^2(be + 3ah)x^{15} + b^3fx^{16} + b^3gx^{17} + b^3hx^{18}) dx$$

$$= \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2(3bc + af)x^8 + \frac{1}{9}a^2(3bd + ag)x^9 + \frac{1}{10}a^2(3be + ah)x^{10} + \frac{3}{11}ab(bc + af)x^{11} + \frac{1}{4}ab(bd + ag)x^{12} + \frac{3}{13}ab(be + ah)x^{13} + \frac{1}{14}b^2(bc + 3af)x^{14} + \frac{1}{15}b^2(bd + 3ag)x^{15} + \frac{1}{16}b^2(be + 3ah)x^{16} + \frac{1}{17}b^3fx^{17} + \frac{1}{18}b^3gx^{18} + \frac{1}{19}b^3hx^{19}$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.00

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3cx^5)/5 + (a^3dx^6)/6 + (a^3ex^7)/7 + (a^2(3bc + af)x^8)/8 + (a^2(3bd + ag)x^9)/9 + (a^2(3be + ah)x^{10})/10 + (3ab(bc + af)x^{11})/11 + (ab(bd + ag)x^{12})/4 + (3ab(be + ah)x^{13})/13 + (b^2(bc + 3af)x^{14})/14 + (b^2(bd + 3ag)x^{15})/15 + (b^2(be + 3ah)x^{16})/16 + (b^3fx^{17})/17 + (b^3gx^{18})/18 + (b^3hx^{19})/19$

fricas [A] time = 0.42, size = 229, normalized size = 1.03

$$\frac{1}{19}x^{19}hb^3 + \frac{1}{18}x^{18}gb^3 + \frac{1}{17}x^{17}fb^3 + \frac{1}{16}x^{16}eb^3 + \frac{3}{16}x^{16}hb^2a + \frac{1}{15}x^{15}db^3 + \frac{1}{5}x^{15}gb^2a + \frac{1}{14}x^{14}cb^3 + \frac{3}{14}x^{14}fb^2a + \frac{3}{13}x^{13}el$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/19*x^19*h*b^3 + 1/18*x^18*g*b^3 + 1/17*x^17*f*b^3 + 1/16*x^16*e*b^3 + 3/16*x^16*h*b^2*a + 1/15*x^15*d*b^3 + 1/5*x^15*g*b^2*a + 1/14*x^14*c*b^3 + 3/14*x^14*f*b^2*a + 3/13*x^13*e*b^2*a + 3/13*x^13*h*b*a^2 + 1/4*x^12*d*b^2*a + 1/4*x^12*g*b*a^2 + 3/11*x^11*c*b^2*a + 3/11*x^11*f*b*a^2 + 3/10*x^10*e*b*a^2 + 1/10*x^10*h*a^3 + 1/3*x^9*d*b*a^2 + 1/9*x^9*g*a^3 + 3/8*x^8*c*b*a^2 + 1/8*x^8*f*a^3 + 1/7*x^7*e*a^3 + 1/6*x^6*d*a^3 + 1/5*x^5*c*a^3

giac [A] time = 0.15, size = 233, normalized size = 1.04

$$\frac{1}{19}b^3hx^{19} + \frac{1}{18}b^3gx^{18} + \frac{1}{17}b^3fx^{17} + \frac{3}{16}ab^2hx^{16} + \frac{1}{16}b^3x^{16}e + \frac{1}{15}b^3dx^{15} + \frac{1}{5}ab^2gx^{15} + \frac{1}{14}b^3cx^{14} + \frac{3}{14}ab^2fx^{14} + \frac{3}{13}ab^2ex^{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/19*b^3*h*x^19 + 1/18*b^3*g*x^18 + 1/17*b^3*f*x^17 + 3/16*a*b^2*h*x^16 + 1/16*b^3*x^16*e + 1/15*b^3*d*x^15 + 1/5*a*b^2*g*x^15 + 1/14*b^3*c*x^14 + 3/14*a*b^2*f*x^14 + 3/13*a^2*b*h*x^13 + 3/13*a*b^2*x^13*e + 1/4*a*b^2*d*x^12 + 1/4*a^2*b*g*x^12 + 3/11*a*b^2*c*x^11 + 3/11*a^2*b*f*x^11 + 1/10*a^3*h*x^10 + 3/10*a^2*b*x^10*e + 1/3*a^2*b*d*x^9 + 1/9*a^3*g*x^9 + 3/8*a^2*b*c*x^8 + 1/8*a^3*f*x^8 + 1/7*a^3*x^7*e + 1/6*a^3*d*x^6 + 1/5*a^3*c*x^5

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3hx^{19}}{19} + \frac{b^3gx^{18}}{18} + \frac{b^3fx^{17}}{17} + \frac{(3ab^2h + b^3e)x^{16}}{16} + \frac{(3ab^2g + b^3d)x^{15}}{15} + \frac{(3ab^2f + b^3c)x^{14}}{14} + \frac{(3a^2bh + 3aeb^2)x^{13}}{13} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/19*b^3*h*x^19+1/18*b^3*g*x^18+1/17*b^3*f*x^17+1/16*(3*a*b^2*h+b^3*e)*x^16+1/15*(3*a*b^2*g+b^3*d)*x^15+1/14*(3*a*b^2*f+b^3*c)*x^14+1/13*(3*a^2*b*h+3*a*b^2*e)*x^13+1/12*(3*a^2*b*g+3*a*b^2*d)*x^12+1/11*(3*a^2*b*f+3*a*b^2*c)*x^11+1/10*(a^3*h+3*a^2*b*e)*x^10+1/9*(a^3*g+3*a^2*b*d)*x^9+1/8*(a^3*f+3*a^2*b*c)*x^8+1/7*a^3*e*x^7+1/6*a^3*d*x^6+1/5*a^3*c*x^5

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{19}b^3hx^{19} + \frac{1}{18}b^3gx^{18} + \frac{1}{17}b^3fx^{17} + \frac{1}{16}(b^3e + 3ab^2h)x^{16} + \frac{1}{15}(b^3d + 3ab^2g)x^{15} + \frac{1}{14}(b^3c + 3ab^2f)x^{14} + \frac{3}{13}(ab^2e + a^2bh)x^{13} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/19*b^3*h*x^19 + 1/18*b^3*g*x^18 + 1/17*b^3*f*x^17 + 1/16*(b^3*e + 3*a*b^2*h)*x^16 + 1/15*(b^3*d + 3*a*b^2*g)*x^15 + 1/14*(b^3*c + 3*a*b^2*f)*x^14 + 3/13*(a*b^2*e + a^2*b*h)*x^13 + 1/4*(a*b^2*d + a^2*b*g)*x^12 + 3/11*(a*b^2*c + a^2*b*f)*x^11 + 1/7*a^3*e*x^7 + 1/10*(3*a^2*b*e + a^3*h)*x^10 + 1/6*a^3

$*d*x^6 + 1/9*(3*a^2*b*d + a^3*g)*x^9 + 1/5*a^3*c*x^5 + 1/8*(3*a^2*b*c + a^3*f)*x^8$

mupad [B] time = 0.17, size = 205, normalized size = 0.92

$$x^8 \left(\frac{f a^3}{8} + \frac{3 b c a^2}{8} \right) + x^{14} \left(\frac{c b^3}{14} + \frac{3 a f b^2}{14} \right) + x^9 \left(\frac{g a^3}{9} + \frac{b d a^2}{3} \right) + x^{15} \left(\frac{d b^3}{15} + \frac{a g b^2}{5} \right) + x^{10} \left(\frac{h a^3}{10} + \frac{3 b e a^2}{10} \right) + x^{16} \left(\frac{a^3 c x^5}{5} + \frac{a^3 d x^6}{6} + \frac{a^3 e x^7}{7} + \frac{b^3 f x^{17}}{17} + \frac{b^3 g x^{18}}{18} + \frac{b^3 h x^{19}}{19} + x^{16} \left(\frac{3 a b^2 h}{16} + \frac{b^3 e}{16} \right) + x^{15} \left(\frac{a b^2 g}{5} + \frac{b^3 d}{15} \right) + x^{14} \left(\frac{3 a b^2 f}{14} + \frac{b^3 c}{14} \right) + x^{13} \left(\frac{3 a^2 b h}{13} + \frac{3 a^2 b e}{13} \right) + x^{12} \left(\frac{a^2 b g}{4} + \frac{a^2 b d}{4} \right) + x^{11} \left(\frac{3 a^2 b f}{11} + \frac{3 a^2 b c}{11} \right) + x^{10} \left(\frac{a^3 h}{10} + \frac{3 a^2 b e}{10} \right) + x^9 \left(\frac{a^3 g}{9} + \frac{a^2 b d}{3} \right) + x^8 \left(\frac{a^3 f}{8} + \frac{3 a^2 b c}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^8*((a^3*f)/8 + (3*a^2*b*c)/8) + x^{14}*((b^3*c)/14 + (3*a*b^2*f)/14) + x^9*((a^3*g)/9 + (a^2*b*d)/3) + x^{15}*((b^3*d)/15 + (a*b^2*g)/5) + x^{10}*((a^3*h)/10 + (3*a^2*b*e)/10) + x^{16}*((b^3*e)/16 + (3*a*b^2*h)/16) + (a^3*c*x^5)/5 + (a^3*d*x^6)/6 + (a^3*e*x^7)/7 + (b^3*f*x^{17})/17 + (b^3*g*x^{18})/18 + (b^3*h*x^{19})/19 + (3*a*b*x^{11}*(b*c + a*f))/11 + (a*b*x^{12}*(b*d + a*g))/4 + (3*a*b*x^{13}*(b*e + a*h))/13$

sympy [A] time = 0.12, size = 246, normalized size = 1.10

$$\frac{a^3 c x^5}{5} + \frac{a^3 d x^6}{6} + \frac{a^3 e x^7}{7} + \frac{b^3 f x^{17}}{17} + \frac{b^3 g x^{18}}{18} + \frac{b^3 h x^{19}}{19} + x^{16} \left(\frac{3 a b^2 h}{16} + \frac{b^3 e}{16} \right) + x^{15} \left(\frac{a b^2 g}{5} + \frac{b^3 d}{15} \right) + x^{14} \left(\frac{3 a b^2 f}{14} + \frac{b^3 c}{14} \right) + x^{13} \left(\frac{3 a^2 b h}{13} + \frac{3 a^2 b e}{13} \right) + x^{12} \left(\frac{a^2 b g}{4} + \frac{a^2 b d}{4} \right) + x^{11} \left(\frac{3 a^2 b f}{11} + \frac{3 a^2 b c}{11} \right) + x^{10} \left(\frac{a^3 h}{10} + \frac{3 a^2 b e}{10} \right) + x^9 \left(\frac{a^3 g}{9} + \frac{a^2 b d}{3} \right) + x^8 \left(\frac{a^3 f}{8} + \frac{3 a^2 b c}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

[Out] $a**3*c*x**5/5 + a**3*d*x**6/6 + a**3*e*x**7/7 + b**3*f*x**17/17 + b**3*g*x**18/18 + b**3*h*x**19/19 + x**16*(3*a*b**2*h/16 + b**3*e/16) + x**15*(a*b**2*g/5 + b**3*d/15) + x**14*(3*a*b**2*f/14 + b**3*c/14) + x**13*(3*a**2*b*h/13 + 3*a*b**2*e/13) + x**12*(a**2*b*g/4 + a*b**2*d/4) + x**11*(3*a**2*b*f/11 + 3*a*b**2*c/11) + x**10*(a**3*h/10 + 3*a**2*b*e/10) + x**9*(a**3*g/9 + a**2*b*d/3) + x**8*(a**3*f/8 + 3*a**2*b*c/8)$

$$3.394 \quad \int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=223

$$\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag$$

[Out] $\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag+b*d)*x^8 + \frac{1}{9}a^2*(a*h+3*b*e)*x^9 + \frac{3}{10}a*b*(a*f+b*c)*x^{10} + \frac{3}{11}a*b*(a*g+b*d)*x^{11} + \frac{1}{4}a*b*(a*h+b*e)*x^{12} + \frac{1}{13}b^2*(3*a*f+b*c)*x^{13} + \frac{1}{14}b^2*(3*a*g+b*d)*x^{14} + \frac{1}{15}b^2*(3*a*h+b*e)*x^{15} + \frac{1}{16}b^3*f*x^{16} + \frac{1}{17}b^3*g*x^{17} + \frac{1}{18}b^3*h*x^{18}$

Rubi [A] time = 0.23, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^2*(3*b*c + a*f)*x^7)/7 + (a^2*(3*b*d + a*g)*x^8)/8 + (a^2*(3*b*e + a*h)*x^9)/9 + (3*a*b*(b*c + a*f)*x^{10})/10 + (3*a*b*(b*d + a*g)*x^{11})/11 + (a*b*(b*e + a*h)*x^{12})/4 + (b^2*(b*c + 3*a*f)*x^{13})/13 + (b^2*(b*d + 3*a*g)*x^{14})/14 + (b^2*(b*e + 3*a*h)*x^{15})/15 + (b^3*f*x^{16})/16 + (b^3*g*x^{17})/17 + (b^3*h*x^{18})/18$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^3cx^3 + a^3dx^4 + a^3ex^5 + a^2(3bc + af)x^6 + a^2(3bd + ah)x^7 + a^2(3be + ah)x^8 + a^2(3af + bc)x^9 + a^2(3ag + b*d)x^{10} + a^2(3b*e + a*h)x^{11} + a*b*(b*e + a*h)x^{12} + (b^2*(b*c + 3*a*f)*x^{13})/13 + (b^2*(b*d + 3*a*g)*x^{14})/14 + (b^2*(b*e + 3*a*h)*x^{15})/15 + (b^3*f*x^{16})/16 + (b^3*g*x^{17})/17 + (b^3*h*x^{18})/18$$

Mathematica [A] time = 0.05, size = 223, normalized size = 1.00

$$\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^2*(3*b*c + a*f)*x^7)/7 + (a^2*(3*b*d + a*g)*x^8)/8 + (a^2*(3*b*e + a*h)*x^9)/9 + (3*a*b*(b*c + a*f)*x^{10})/10 + (3*a*b*(b*d + a*g)*x^{11})/11 + (a*b*(b*e + a*h)*x^{12})/4 + (b^2*(b*c + 3*a*f)*x^{13})/13 + (b^2*(b*d + 3*a*g)*x^{14})/14 + (b^2*(b*e + 3*a*h)*x^{15})/15 + (b^3*f*x^{16})/16 + (b^3*g*x^{17})/17 + (b^3*h*x^{18})/18$

fricas [A] time = 0.39, size = 229, normalized size = 1.03

$$\frac{1}{18}x^{18}hb^3 + \frac{1}{17}x^{17}gb^3 + \frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{5}x^{15}hb^2a + \frac{1}{14}x^{14}db^3 + \frac{3}{14}x^{14}gb^2a + \frac{1}{13}x^{13}cb^3 + \frac{3}{13}x^{13}fb^2a + \frac{1}{4}x^{12}eb^2a +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/18*x^18*h*b^3 + 1/17*x^17*g*b^3 + 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/5*x^15*h*b^2*a + 1/14*x^14*d*b^3 + 3/14*x^14*g*b^2*a + 1/13*x^13*c*b^3 + 3/13*x^13*f*b^2*a + 1/4*x^12*e*b^2*a + 1/4*x^12*h*b*a^2 + 3/11*x^11*d*b^2*a + 3/11*x^11*g*b*a^2 + 3/10*x^10*c*b^2*a + 3/10*x^10*f*b*a^2 + 1/3*x^9*e*b*a^2 + 1/9*x^9*h*a^3 + 3/8*x^8*d*b*a^2 + 1/8*x^8*g*a^3 + 3/7*x^7*c*b*a^2 + 1/7*x^7*f*a^3 + 1/6*x^6*e*a^3 + 1/5*x^5*d*a^3 + 1/4*x^4*c*a^3

giac [A] time = 0.17, size = 233, normalized size = 1.04

$$\frac{1}{18}b^3hx^{18} + \frac{1}{17}b^3gx^{17} + \frac{1}{16}b^3fx^{16} + \frac{1}{5}ab^2hx^{15} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{3}{14}ab^2gx^{14} + \frac{1}{13}b^3cx^{13} + \frac{3}{13}ab^2fx^{13} + \frac{1}{4}a^2bh$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/18*b^3*h*x^18 + 1/17*b^3*g*x^17 + 1/16*b^3*f*x^16 + 1/5*a*b^2*h*x^15 + 1/15*b^3*x^15*e + 1/14*b^3*d*x^14 + 3/14*a*b^2*g*x^14 + 1/13*b^3*c*x^13 + 3/13*a*b^2*f*x^13 + 1/4*a^2*b*h*x^12 + 1/4*a*b^2*x^12*e + 3/11*a*b^2*d*x^11 + 3/11*a^2*b*g*x^11 + 3/10*a*b^2*c*x^10 + 3/10*a^2*b*f*x^10 + 1/9*a^3*h*x^9 + 1/3*a^2*b*x^9*e + 3/8*a^2*b*d*x^8 + 1/8*a^3*g*x^8 + 3/7*a^2*b*c*x^7 + 1/7*a^3*f*x^7 + 1/6*a^3*x^6*e + 1/5*a^3*d*x^5 + 1/4*a^3*c*x^4

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3hx^{18}}{18} + \frac{b^3gx^{17}}{17} + \frac{b^3fx^{16}}{16} + \frac{(3ab^2h + b^3e)x^{15}}{15} + \frac{(3ab^2g + b^3d)x^{14}}{14} + \frac{(3ab^2f + b^3c)x^{13}}{13} + \frac{(3a^2bh + 3aeb^2)x^{12}}{12} + \frac{(3a^2bf + b^3c)x^{11}}{11} + \frac{(3a^2bd + a^2bge)x^{10}}{10} + \frac{(3a^2bf + 3a^2bc)x^9}{9} + \frac{(a^3h + 3a^2be)x^8}{8} + \frac{(a^3g + 3a^2bd)x^7}{7} + \frac{(a^3f + 3a^2bc)x^6}{6} + \frac{a^3ex^5}{5} + \frac{a^3d^2x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/18*b^3*h*x^18+1/17*b^3*g*x^17+1/16*b^3*f*x^16+1/15*(3*a*b^2*h+b^3*e)*x^15+1/14*(3*a*b^2*g+b^3*d)*x^14+1/13*(3*a*b^2*f+b^3*c)*x^13+1/12*(3*a^2*b*h+3*a*b^2*e)*x^12+1/11*(3*a^2*b*g+3*a*b^2*d)*x^11+1/10*(3*a^2*b*f+3*a*b^2*c)*x^10+1/9*(a^3*h+3*a^2*b*e)*x^9+1/8*(a^3*g+3*a^2*b*d)*x^8+1/7*(a^3*f+3*a^2*b*c)*x^7+1/6*a^3*e*x^6+1/5*a^3*d*x^5+1/4*a^3*c*x^4

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{18}b^3hx^{18} + \frac{1}{17}b^3gx^{17} + \frac{1}{16}b^3fx^{16} + \frac{1}{15}(b^3e + 3ab^2h)x^{15} + \frac{1}{14}(b^3d + 3ab^2g)x^{14} + \frac{1}{13}(b^3c + 3ab^2f)x^{13} + \frac{1}{4}(ab^2e + a^2bh)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/18*b^3*h*x^18 + 1/17*b^3*g*x^17 + 1/16*b^3*f*x^16 + 1/15*(b^3*e + 3*a*b^2*h)*x^15 + 1/14*(b^3*d + 3*a*b^2*g)*x^14 + 1/13*(b^3*c + 3*a*b^2*f)*x^13 + 1/4*(a*b^2*e + a^2*b*h)*x^12 + 3/11*(a*b^2*d + a^2*b*g)*x^11 + 3/10*(a*b^2*c + a^2*b*f)*x^10 + 1/6*a^3*e*x^6 + 1/9*(3*a^2*b*e + a^3*h)*x^9 + 1/5*a^3*d

$$3.395 \quad \int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}a$$

[Out] $\frac{1}{4}a^3d*x^4 + \frac{1}{5}a^3e*x^5 + \frac{1}{6}a^3f*x^6 + \frac{1}{7}a^2*(a*g+3*b*d)*x^7 + \frac{1}{8}a^2*(a*h+3*b*e)*x^8 + \frac{1}{3}a^2*b*f*x^9 + \frac{1}{10}a*b*(a*g+b*d)*x^{10} + \frac{1}{11}a*b*(a*h+b*e)*x^{11} + \frac{1}{4}a*b^2*f*x^{12} + \frac{1}{13}b^2*(3*a*g+b*d)*x^{13} + \frac{1}{14}b^2*(3*a*h+b*e)*x^{14} + \frac{1}{15}b^3*f*x^{15} + \frac{1}{16}b^3*g*x^{16} + \frac{1}{17}b^3*h*x^{17} + \frac{1}{12}c*(b*x^3+a)^4/b$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}a$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^3*f*x^6)/6 + (a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a^2*b*f*x^9)/3 + (3*a*b*(b*d + a*g)*x^{10})/10 + (3*a*b*(b*e + a*h)*x^{11})/11 + (a*b^2*f*x^{12})/4 + (b^2*(b*d + 3*a*g)*x^{13})/13 + (b^2*(b*e + 3*a*h)*x^{14})/14 + (b^3*f*x^{15})/15 + (b^3*g*x^{16})/16 + (b^3*h*x^{17})/17 + (c*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-cx^2 + x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\ &= \frac{c(a + bx^3)^4}{12b} + \int (a^3dx^3 + a^3ex^4 + a^3fx^5 + a^2(3bd + ag)x^6 + a^2(3ah + be)x^7 + a^2b^2x^9 + b^2(3ag + bd)x^{13} + b^2(3ah + be)x^{14} + b^3fx^{15} + b^3gx^{16} + b^3hx^{17}) dx \\ &= \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{7}a^2(3bd + ag)x^7 + \frac{1}{8}a^2(3ah + be)x^8 + \frac{1}{3}a^2bfx^9 + \frac{1}{10}a*b*(a*g + b*d)x^{10} + \frac{1}{11}a*b*(a*h + b*e)x^{11} + \frac{1}{4}a*b^2*f*x^{12} + \frac{1}{13}b^2*(3*a*g + b*d)x^{13} + \frac{1}{14}b^2*(3*a*h + b*e)x^{14} + \frac{1}{15}b^3*f*x^{15} + \frac{1}{16}b^3*g*x^{16} + \frac{1}{17}b^3*h*x^{17} + \frac{1}{12}c*(b*x^3 + a)^4/b \end{aligned}$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.05

$$\frac{1}{3}a^3cx^3 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^2x^6(af+3bc) + \frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{12}b^2x^{12}(3af+bc) + \frac{1}{13}b^2x^{13}(3ag$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*(3*b*c + a*f)*x^6)/6 + (a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a*b*(b*c + a*f)*x^9)/3 + (3*a*b*(b*d + a*g)*x^10)/10 + (3*a*b*(b*e + a*h)*x^11)/11 + (b^2*(b*c + 3*a*f)*x^12)/12 + (b^2*(b*d + 3*a*g)*x^13)/13 + (b^2*(b*e + 3*a*h)*x^14)/14 + (b^3*f*x^15)/15 + (b^3*g*x^16)/16 + (b^3*h*x^17)/17

fricas [A] time = 0.37, size = 229, normalized size = 1.08

$$\frac{1}{17}x^{17}hb^3 + \frac{1}{16}x^{16}gb^3 + \frac{1}{15}x^{15}fb^3 + \frac{1}{14}x^{14}eb^3 + \frac{3}{14}x^{14}hb^2a + \frac{1}{13}x^{13}db^3 + \frac{3}{13}x^{13}gb^2a + \frac{1}{12}x^{12}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/17*x^17*h*b^3 + 1/16*x^16*g*b^3 + 1/15*x^15*f*b^3 + 1/14*x^14*e*b^3 + 3/14*x^14*h*b^2*a + 1/13*x^13*d*b^3 + 3/13*x^13*g*b^2*a + 1/12*x^12*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a + 3/11*x^11*h*b*a^2 + 3/10*x^10*d*b^2*a + 3/10*x^10*g*b*a^2 + 1/3*x^9*c*b^2*a + 1/3*x^9*f*b*a^2 + 3/8*x^8*e*b*a^2 + 1/8*x^8*h*a^3 + 3/7*x^7*d*b*a^2 + 1/7*x^7*g*a^3 + 1/2*x^6*c*b*a^2 + 1/6*x^6*f*a^3 + 1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3

giac [A] time = 0.18, size = 233, normalized size = 1.10

$$\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{3}{14}ab^2hx^{14} + \frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{3}{13}ab^2gx^{13} + \frac{1}{12}b^3cx^{12} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] 1/17*b^3*h*x^17 + 1/16*b^3*g*x^16 + 1/15*b^3*f*x^15 + 3/14*a*b^2*h*x^14 + 1/14*b^3*x^14*e + 1/13*b^3*d*x^13 + 3/13*a*b^2*g*x^13 + 1/12*b^3*c*x^12 + 1/4*a*b^2*f*x^12 + 3/11*a^2*b*h*x^11 + 3/11*a*b^2*x^11*e + 3/10*a*b^2*d*x^10 + 3/10*a^2*b*g*x^10 + 1/3*a*b^2*c*x^9 + 1/3*a^2*b*f*x^9 + 1/8*a^3*h*x^8 + 3/8*a^2*b*x^8*e + 3/7*a^2*b*d*x^7 + 1/7*a^3*g*x^7 + 1/2*a^2*b*c*x^6 + 1/6*a^3*f*x^6 + 1/5*a^3*x^5*e + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

maple [A] time = 0.05, size = 224, normalized size = 1.06

$$\frac{b^3hx^{17}}{17} + \frac{b^3gx^{16}}{16} + \frac{b^3fx^{15}}{15} + \frac{(3ab^2h + b^3e)x^{14}}{14} + \frac{(3ab^2g + b^3d)x^{13}}{13} + \frac{(3ab^2f + b^3c)x^{12}}{12} + \frac{(3a^2bh + 3ae b^2)x^{11}}{11} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] 1/17*b^3*h*x^17 + 1/16*b^3*g*x^16 + 1/15*b^3*f*x^15 + 1/14*(3*a*b^2*h + b^3*e)*x^14 + 1/13*(3*a*b^2*g + b^3*d)*x^13 + 1/12*(3*a*b^2*f + b^3*c)*x^12 + 1/11*(3*a^2*b*h + 3*a*b^2*e)*x^11 + 1/10*(3*a^2*b*g + 3*a*b^2*d)*x^10 + 1/9*(3*a^2*b*f + 3*a*b^2*c)*x^9 + 1/8*(a^3*h + 3*a^2*b*e)*x^8 + 1/7*(a^3*g + 3*a^2*b*d)*x^7 + 1/6*(a^3*f + 3*a^2*b*c)*x^6 + 1/5*a^3*e*x^5 + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

maxima [A] time = 1.36, size = 217, normalized size = 1.02

$$\frac{1}{17} b^3 h x^{17} + \frac{1}{16} b^3 g x^{16} + \frac{1}{15} b^3 f x^{15} + \frac{1}{14} (b^3 e + 3 a b^2 h) x^{14} + \frac{1}{13} (b^3 d + 3 a b^2 g) x^{13} + \frac{1}{12} (b^3 c + 3 a b^2 f) x^{12} + \frac{3}{11} (a b^2 e +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/17*b^3*h*x^17 + 1/16*b^3*g*x^16 + 1/15*b^3*f*x^15 + 1/14*(b^3*e + 3*a*b^2*h)*x^14 + 1/13*(b^3*d + 3*a*b^2*g)*x^13 + 1/12*(b^3*c + 3*a*b^2*f)*x^12 + 3/11*(a*b^2*e + a^2*b*h)*x^11 + 3/10*(a*b^2*d + a^2*b*g)*x^10 + 1/3*(a*b^2*c + a^2*b*f)*x^9 + 1/5*a^3*e*x^5 + 1/8*(3*a^2*b*e + a^3*h)*x^8 + 1/4*a^3*d*x^4 + 1/7*(3*a^2*b*d + a^3*g)*x^7 + 1/3*a^3*c*x^3 + 1/6*(3*a^2*b*c + a^3*f)*x^6

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^6 \left(\frac{f a^3}{6} + \frac{b c a^2}{2} \right) + x^{12} \left(\frac{c b^3}{12} + \frac{a f b^2}{4} \right) + x^7 \left(\frac{g a^3}{7} + \frac{3 b d a^2}{7} \right) + x^{13} \left(\frac{d b^3}{13} + \frac{3 a g b^2}{13} \right) + x^8 \left(\frac{h a^3}{8} + \frac{3 b e a^2}{8} \right) + x^{14} \left(\frac{e a^3}{8} + \frac{3 b e a^2}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^6*((a^3*f)/6 + (a^2*b*c)/2) + x^12*((b^3*c)/12 + (a*b^2*f)/4) + x^7*((a^3*g)/7 + (3*a^2*b*d)/7) + x^13*((b^3*d)/13 + (3*a*b^2*g)/13) + x^8*((a^3*h)/8 + (3*a^2*b*e)/8) + x^14*((b^3*e)/14 + (3*a*b^2*h)/14) + (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (b^3*f*x^15)/15 + (b^3*g*x^16)/16 + (b^3*h*x^17)/17 + (a*b*x^9*(b*c + a*f))/3 + (3*a*b*x^10*(b*d + a*g))/10 + (3*a*b*x^11*(b*e + a*h))/11

sympy [A] time = 0.12, size = 246, normalized size = 1.16

$$\frac{a^3 c x^3}{3} + \frac{a^3 d x^4}{4} + \frac{a^3 e x^5}{5} + \frac{b^3 f x^{15}}{15} + \frac{b^3 g x^{16}}{16} + \frac{b^3 h x^{17}}{17} + x^{14} \left(\frac{3 a b^2 h}{14} + \frac{b^3 e}{14} \right) + x^{13} \left(\frac{3 a b^2 g}{13} + \frac{b^3 d}{13} \right) + x^{12} \left(\frac{a b^2 f}{4} + \frac{b^3 c}{12} \right) + x^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + b**3*f*x**15/15 + b**3*g*x**16/16 + b**3*h*x**17/17 + x**14*(3*a*b**2*h/14 + b**3*e/14) + x**13*(3*a*b**2*g/13 + b**3*d/13) + x**12*(a*b**2*f/4 + b**3*c/12) + x**11*(3*a**2*b*h/11 + 3*a*b**2*e/11) + x**10*(3*a**2*b*g/10 + 3*a*b**2*d/10) + x**9*(a**2*b*f/3 + a*b**2*c/3) + x**8*(a**3*h/8 + 3*a**2*b*e/8) + x**7*(a**3*g/7 + 3*a**2*b*d/7) + x**6*(a**3*f/6 + a**2*b*c/2)

$$3.396 \quad \int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{6}a^3gx^6 + \frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) +$$

[Out] $\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2*(af+3bc)*x^5 + \frac{1}{6}a^3gx^6 + \frac{1}{7}a^2*(ah+3be)*x^7 + \frac{1}{3}a^2bgx^9 + \frac{1}{10}a*b*(a*h+b*e)*x^{10} + \frac{1}{11}b^2*(3*a*f+b*c)*x^{11} + \frac{1}{4}a*b^2*g*x^{12} + \frac{1}{13}b^2*(3*a*h+b*e)*x^{13} + \frac{1}{14}b^3*f*x^{14} + \frac{1}{15}b^3*g*x^{15} + \frac{1}{16}b^3*h*x^{16} + \frac{1}{12}d*(b*x^3+a)^4/b$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{6}a^3gx^6 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) +$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3cx^2)/2 + (a^3ex^4)/4 + (a^2*(3bc + af)*x^5)/5 + (a^3gx^6)/6 + (a^2*(3be + ah)*x^7)/7 + (3ab*(bc + af)*x^8)/8 + (a^2b*gx^9)/3 + (3ab*(be + ah)*x^{10})/10 + (b^2*(bc + 3af)*x^{11})/11 + (ab^2*gx^{12})/4 + (b^2*(be + 3ah)*x^{13})/13 + (b^3f*x^{14})/14 + (b^3g*x^{15})/15 + (b^3h*x^{16})/16 + (d*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{d(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-dx^2 + x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\ &= \frac{d(a + bx^3)^4}{12b} + \int (a^3cx + a^3ex^3 + a^2(3bc + af)x^4 + a^2fx^5 + a^2gx^6 + a^2hx^7) dx \\ &= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2(3bc + af)x^5 + \frac{1}{6}a^2gx^6 + \frac{1}{7}a^2hx^7 \end{aligned}$$

Mathematica [A] time = 0.04, size = 223, normalized size = 1.05

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2x^5(af+3bc) + \frac{1}{6}a^2x^6(ag+3bd) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{12}b^2x^{12}(3ag+b$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (a^2*(3*b*c + a*f)*x^5)/5 + (a^2*(3*b*d + a*g)*x^6)/6 + (a^2*(3*b*e + a*h)*x^7)/7 + (3*a*b*(b*c + a*f)*x^8)/8 + (a*b*(b*d + a*g)*x^9)/3 + (3*a*b*(b*e + a*h)*x^10)/10 + (b^2*(b*c + 3*a*f)*x^11)/11 + (b^2*(b*d + 3*a*g)*x^12)/12 + (b^2*(b*e + 3*a*h)*x^13)/13 + (b^3*f*x^14)/14 + (b^3*g*x^15)/15 + (b^3*h*x^16)/16

fricas [A] time = 0.37, size = 229, normalized size = 1.08

$$\frac{1}{16}x^{16}hb^3 + \frac{1}{15}x^{15}gb^3 + \frac{1}{14}x^{14}fb^3 + \frac{1}{13}x^{13}eb^3 + \frac{3}{13}x^{13}hb^2a + \frac{1}{12}x^{12}db^3 + \frac{1}{4}x^{12}gb^2a + \frac{1}{11}x^{11}cb^3 + \frac{3}{11}x^{11}fb^2a + \frac{3}{10}x^{10}eb^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/16*x^16*h*b^3 + 1/15*x^15*g*b^3 + 1/14*x^14*f*b^3 + 1/13*x^13*e*b^3 + 3/13*x^13*h*b^2*a + 1/12*x^12*d*b^3 + 1/4*x^12*g*b^2*a + 1/11*x^11*c*b^3 + 3/11*x^11*f*b^2*a + 3/10*x^10*e*b^2*a + 3/10*x^10*h*b*a^2 + 1/3*x^9*d*b^2*a + 1/3*x^9*g*b*a^2 + 3/8*x^8*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/7*x^7*h*a^3 + 1/2*x^6*d*b*a^2 + 1/6*x^6*g*a^3 + 3/5*x^5*c*b*a^2 + 1/5*x^5*f*a^3 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3

giac [A] time = 0.17, size = 233, normalized size = 1.10

$$\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{3}{13}ab^2hx^{13} + \frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{4}ab^2gx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{11}ab^2fx^{11} + \frac{3}{10}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] 1/16*b^3*h*x^16 + 1/15*b^3*g*x^15 + 1/14*b^3*f*x^14 + 3/13*a*b^2*h*x^13 + 1/13*b^3*x^13*e + 1/12*b^3*d*x^12 + 1/4*a*b^2*g*x^12 + 1/11*b^3*c*x^11 + 3/11*a*b^2*f*x^11 + 3/10*a^2*b*h*x^10 + 3/10*a*b^2*x^10*e + 1/3*a*b^2*d*x^9 + 1/3*a^2*b*g*x^9 + 3/8*a*b^2*c*x^8 + 3/8*a^2*b*f*x^8 + 1/7*a^3*h*x^7 + 3/7*a^2*b*x^7*e + 1/2*a^2*b*d*x^6 + 1/6*a^3*g*x^6 + 3/5*a^2*b*c*x^5 + 1/5*a^3*f*x^5 + 1/4*a^3*x^4*e + 1/3*a^3*d*x^3 + 1/2*a^3*c*x^2

maple [A] time = 0.04, size = 224, normalized size = 1.06

$$\frac{b^3hx^{16}}{16} + \frac{b^3gx^{15}}{15} + \frac{b^3fx^{14}}{14} + \frac{(3ab^2h + b^3e)x^{13}}{13} + \frac{(3ab^2g + b^3d)x^{12}}{12} + \frac{(3ab^2f + b^3c)x^{11}}{11} + \frac{(3a^2bh + 3aeb^2)x^{10}}{10} + \frac{3}{10}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] 1/16*b^3*h*x^16+1/15*b^3*g*x^15+1/14*b^3*f*x^14+1/13*(3*a*b^2*h+b^3*e)*x^13+1/12*(3*a*b^2*g+b^3*d)*x^12+1/11*(3*a*b^2*f+b^3*c)*x^11+1/10*(3*a^2*b*h+3*a*b^2*e)*x^10+1/9*(3*a^2*b*g+3*a*b^2*d)*x^9+1/8*(3*a^2*b*f+3*a*b^2*c)*x^8+1/7*(a^3*h+3*a^2*b*e)*x^7+1/6*(a^3*g+3*a^2*b*d)*x^6+1/5*(a^3*f+3*a^2*b*c)*x^5+1/4*a^3*e*x^4+1/3*a^3*d*x^3+1/2*a^3*c*x^2

maxima [A] time = 1.35, size = 217, normalized size = 1.02

$$\frac{1}{16} b^3 h x^{16} + \frac{1}{15} b^3 g x^{15} + \frac{1}{14} b^3 f x^{14} + \frac{1}{13} (b^3 e + 3 a b^2 h) x^{13} + \frac{1}{12} (b^3 d + 3 a b^2 g) x^{12} + \frac{1}{11} (b^3 c + 3 a b^2 f) x^{11} + \frac{3}{10} (a b^2 e + a^2 b^2 h) x^{10} + \frac{1}{3} (a b^2 d + a^2 b^2 g) x^9 + \frac{3}{8} (a b^2 c + a^2 b^2 f) x^8 + \frac{1}{4} a^3 e x^4 + \frac{1}{7} (3 a^2 b^2 e + a^3 h) x^7 + \frac{1}{3} a^3 d x^3 + \frac{1}{6} (3 a^2 b^2 d + a^3 g) x^6 + \frac{1}{2} a^3 c x^2 + \frac{1}{5} (3 a^2 b^2 c + a^3 f) x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/16*b^3*h*x^16 + 1/15*b^3*g*x^15 + 1/14*b^3*f*x^14 + 1/13*(b^3*e + 3*a*b^2*h)*x^13 + 1/12*(b^3*d + 3*a*b^2*g)*x^12 + 1/11*(b^3*c + 3*a*b^2*f)*x^11 + 3/10*(a*b^2*e + a^2*b^2*h)*x^10 + 1/3*(a*b^2*d + a^2*b^2*g)*x^9 + 3/8*(a*b^2*c + a^2*b^2*f)*x^8 + 1/4*a^3*e*x^4 + 1/7*(3*a^2*b^2*e + a^3*h)*x^7 + 1/3*a^3*d*x^3 + 1/6*(3*a^2*b^2*d + a^3*g)*x^6 + 1/2*a^3*c*x^2 + 1/5*(3*a^2*b^2*c + a^3*f)*x^5

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^5 \left(\frac{f a^3}{5} + \frac{3 b c a^2}{5} \right) + x^{11} \left(\frac{c b^3}{11} + \frac{3 a f b^2}{11} \right) + x^6 \left(\frac{g a^3}{6} + \frac{b d a^2}{2} \right) + x^{12} \left(\frac{d b^3}{12} + \frac{a g b^2}{4} \right) + x^7 \left(\frac{h a^3}{7} + \frac{3 b e a^2}{7} \right) + x^{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^5*((a^3*f)/5 + (3*a^2*b*c)/5) + x^11*((b^3*c)/11 + (3*a*b^2*f)/11) + x^6*((a^3*g)/6 + (a^2*b*d)/2) + x^12*((b^3*d)/12 + (a*b^2*g)/4) + x^7*((a^3*h)/7 + (3*a^2*b*e)/7) + x^13*((b^3*e)/13 + (3*a*b^2*h)/13) + (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (b^3*f*x^14)/14 + (b^3*g*x^15)/15 + (b^3*h*x^16)/16 + (3*a*b*x^8*(b*c + a*f))/8 + (a*b*x^9*(b*d + a*g))/3 + (3*a*b*x^10*(b*e + a*h))/10

sympy [A] time = 0.11, size = 246, normalized size = 1.16

$$\frac{a^3 c x^2}{2} + \frac{a^3 d x^3}{3} + \frac{a^3 e x^4}{4} + \frac{b^3 f x^{14}}{14} + \frac{b^3 g x^{15}}{15} + \frac{b^3 h x^{16}}{16} + x^{13} \left(\frac{3 a b^2 h}{13} + \frac{b^3 e}{13} \right) + x^{12} \left(\frac{a b^2 g}{4} + \frac{b^3 d}{12} \right) + x^{11} \left(\frac{3 a b^2 f}{11} + \frac{b^3 c}{11} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + b**3*f*x**14/14 + b**3*g*x**15/15 + b**3*h*x**16/16 + x**13*(3*a*b**2*h/13 + b**3*e/13) + x**12*(a*b**2*g/4 + b**3*d/12) + x**11*(3*a*b**2*f/11 + b**3*c/11) + x**10*(3*a**2*b*h/10 + 3*a*b**2*e/10) + x**9*(a**2*b*g/3 + a*b**2*d/3) + x**8*(3*a**2*b*f/8 + 3*a*b**2*c/8) + x**7*(a**3*h/7 + 3*a**2*b*e/7) + x**6*(a**3*g/6 + a**2*b*d/2) + x**5*(a**3*f/5 + 3*a**2*b*c/5)

$$3.397 \quad \int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=207

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{12}b^3gx^{14} + \frac{1}{15}b^3hx^{15} + \frac{1}{12}e(a+bx^3)^4/b$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{4}a^2(a^2f+3b^2c)x^4 + \frac{1}{5}a^2(a^2g+3b^2d)x^5 + \frac{1}{6}a^3hx^6 + \frac{3}{7}a^2b(a^2f+b^2c)x^7 + \frac{3}{8}a^2b(a^2g+b^2d)x^8 + \frac{1}{3}a^2b^2hx^9 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{13}b^3fx^{13} + \frac{1}{14}b^3gx^{14} + \frac{1}{15}b^3hx^{15} + \frac{1}{12}e(a+bx^3)^4/b$

Rubi [A] time = 0.18, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{12}b^3gx^{14} + \frac{1}{15}b^3hx^{15} + \frac{1}{12}e(a+bx^3)^4/b$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $a^3cx + (a^3dx^2)/2 + (a^2(3b^2c + a^2f)x^4)/4 + (a^2(3b^2d + a^2g)x^5)/5 + (a^3hx^6)/6 + (3a^2b(b^2c + a^2f)x^7)/7 + (3a^2b(b^2d + a^2g)x^8)/8 + (a^2b^2hx^9)/3 + (b^2(b^2c + 3a^2f)x^{10})/10 + (b^2(b^2d + 3a^2g)x^{11})/11 + (a^2b^2hx^{12})/4 + (b^3fx^{13})/13 + (b^3gx^{14})/14 + (b^3hx^{15})/15 + (e(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (c + dx + fx^3 + gx^4 + hx^5) dx \\ &= \frac{e(a + bx^3)^4}{12b} + \int (a^3c + a^3dx + a^2(3bc + af)x^3 + a^2(3bd + ag)x^4 + a^2(3cd + agd)x^5 + a^2(3cd + agd)x^6 + a^2(3cd + agd)x^7 + a^2(3cd + agd)x^8 + a^2(3cd + agd)x^9 + a^2(3cd + agd)x^{10} + a^2(3cd + agd)x^{11} + a^2(3cd + agd)x^{12} + a^2(3cd + agd)x^{13} + a^2(3cd + agd)x^{14} + a^2(3cd + agd)x^{15}) dx \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{4}a^2(3bc + af)x^4 + \frac{1}{5}a^2(3bd + ag)x^5 + \frac{1}{6}a^3hx^6 + \frac{1}{7}a^2b(3c^2 + a^2f^2)x^7 + \frac{1}{8}a^2b(3d^2 + a^2g^2)x^8 + \frac{1}{9}a^2b^2hx^9 + \frac{1}{10}b^2x^{10}(3af + bc) + \frac{1}{11}b^2x^{11}(3ag + bd) + \frac{1}{12}ab^2x^{12} + \frac{1}{13}b^3fx^{13} + \frac{1}{14}b^3gx^{14} + \frac{1}{15}b^3hx^{15} + \frac{1}{12}e(a + bx^3)^4/b \end{aligned}$$

Mathematica [A] time = 0.11, size = 170, normalized size = 0.82

$$x \left(2002a^3 \left(60c + x \left(30d + x \left(20e + 15fx + 12gx^2 + 10hx^3 \right) \right) \right) + 143a^2bx^3(630c + x(504d + 5x(84e + x(72f + \right.$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (x*(13*a*b^2*x^6*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))) + 2002*a^3*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 2*b^3*x^9*(6006*c + x*(5460*d + 11*x*(455*e + 420*f*x + 390*g*x^2 + 364*h*x^3))) + 143*a^2*b*x^3*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))))/120120

fricas [A] time = 0.37, size = 226, normalized size = 1.09

$$\frac{1}{15}x^{15}hb^3 + \frac{1}{14}x^{14}gb^3 + \frac{1}{13}x^{13}fb^3 + \frac{1}{12}x^{12}eb^3 + \frac{1}{4}x^{12}hb^2a + \frac{1}{11}x^{11}db^3 + \frac{3}{11}x^{11}gb^2a + \frac{1}{10}x^{10}cb^3 + \frac{3}{10}x^{10}fb^2a + \frac{1}{3}x^9eb^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/15*x^15*h*b^3 + 1/14*x^14*g*b^3 + 1/13*x^13*f*b^3 + 1/12*x^12*e*b^3 + 1/4*x^12*h*b^2*a + 1/11*x^11*d*b^3 + 3/11*x^11*g*b^2*a + 1/10*x^10*c*b^3 + 3/10*x^10*f*b^2*a + 1/3*x^9*e*b^2*a + 1/3*x^9*h*b*a^2 + 3/8*x^8*d*b^2*a + 3/8*x^8*g*b*a^2 + 3/7*x^7*c*b^2*a + 3/7*x^7*f*b*a^2 + 1/2*x^6*e*b*a^2 + 1/6*x^6*h*a^3 + 3/5*x^5*d*b*a^2 + 1/5*x^5*g*a^3 + 3/4*x^4*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.15, size = 230, normalized size = 1.11

$$\frac{1}{15}b^3hx^{15} + \frac{1}{14}b^3gx^{14} + \frac{1}{13}b^3fx^{13} + \frac{1}{4}ab^2hx^{12} + \frac{1}{12}b^3x^{12}e + \frac{1}{11}b^3dx^{11} + \frac{3}{11}ab^2gx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{10}ab^2fx^{10} + \frac{1}{3}a^2b^3e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] 1/15*b^3*h*x^15 + 1/14*b^3*g*x^14 + 1/13*b^3*f*x^13 + 1/4*a*b^2*h*x^12 + 1/12*b^3*x^12*e + 1/11*b^3*d*x^11 + 3/11*a*b^2*g*x^11 + 1/10*b^3*c*x^10 + 3/10*a*b^2*f*x^10 + 1/3*a^2*b*h*x^9 + 1/3*a*b^2*x^9*e + 3/8*a*b^2*d*x^8 + 3/8*a^2*b*g*x^8 + 3/7*a*b^2*c*x^7 + 3/7*a^2*b*f*x^7 + 1/6*a^3*h*x^6 + 1/2*a^2*b*x^6*e + 3/5*a^2*b*d*x^5 + 1/5*a^3*g*x^5 + 3/4*a^2*b*c*x^4 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x

maple [A] time = 0.04, size = 221, normalized size = 1.07

$$\frac{b^3hx^{15}}{15} + \frac{b^3gx^{14}}{14} + \frac{b^3fx^{13}}{13} + \frac{(3ab^2h + b^3e)x^{12}}{12} + \frac{(3ab^2g + b^3d)x^{11}}{11} + \frac{(3ab^2f + b^3c)x^{10}}{10} + \frac{(3a^2bh + 3aeb^2)x^9}{9} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] 1/15*b^3*h*x^15 + 1/14*b^3*g*x^14 + 1/13*b^3*f*x^13 + 1/12*(3*a*b^2*h + b^3*e)*x^12 + 1/11*(3*a*b^2*g + b^3*d)*x^11 + 1/10*(3*a*b^2*f + b^3*c)*x^10 + 1/9*(3*a^2*b*h + 3*a*b^2*e)*x^9 + 1/8*(3*a^2*b*g + 3*a*b^2*d)*x^8 + 1/7*(3*a^2*b*f + 3*a*b^2*c)*x^7 + 1/6*(a^3*h + 3*a^2*b*e)*x^6 + 1/5*(a^3*g + 3*a^2*b*d)*x^5 + 1/4*(a^3*f + 3*a^2*b*c)*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x

maxima [A] time = 1.34, size = 214, normalized size = 1.03

$$\frac{1}{15} b^3 h x^{15} + \frac{1}{14} b^3 g x^{14} + \frac{1}{13} b^3 f x^{13} + \frac{1}{12} (b^3 e + 3 a b^2 h) x^{12} + \frac{1}{11} (b^3 d + 3 a b^2 g) x^{11} + \frac{1}{10} (b^3 c + 3 a b^2 f) x^{10} + \frac{1}{3} (a b^2 e + a^2 b^2 h) x^9 + \frac{3}{8} (a b^2 d + a^2 b^2 g) x^8 + \frac{3}{7} (a b^2 c + a^2 b^2 f) x^7 + \frac{1}{3} a^3 e x^3 + \frac{1}{6} (3 a^2 b^2 e + a^3 h) x^6 + \frac{1}{2} a^3 d x^2 + \frac{1}{5} (3 a^2 b^2 d + a^3 g) x^5 + a^3 c x + \frac{1}{4} (3 a^2 b^2 c + a^3 f) x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/15*b^3*h*x^15 + 1/14*b^3*g*x^14 + 1/13*b^3*f*x^13 + 1/12*(b^3*e + 3*a*b^2*h)*x^12 + 1/11*(b^3*d + 3*a*b^2*g)*x^11 + 1/10*(b^3*c + 3*a*b^2*f)*x^10 + 1/3*(a*b^2*e + a^2*b*h)*x^9 + 3/8*(a*b^2*d + a^2*b*g)*x^8 + 3/7*(a*b^2*c + a^2*b*f)*x^7 + 1/3*a^3*e*x^3 + 1/6*(3*a^2*b*e + a^3*h)*x^6 + 1/2*a^3*d*x^2 + 1/5*(3*a^2*b*d + a^3*g)*x^5 + a^3*c*x + 1/4*(3*a^2*b*c + a^3*f)*x^4

mupad [B] time = 0.16, size = 202, normalized size = 0.98

$$x^4 \left(\frac{f a^3}{4} + \frac{3 b c a^2}{4} \right) + x^{10} \left(\frac{c b^3}{10} + \frac{3 a f b^2}{10} \right) + x^5 \left(\frac{g a^3}{5} + \frac{3 b d a^2}{5} \right) + x^{11} \left(\frac{d b^3}{11} + \frac{3 a g b^2}{11} \right) + x^6 \left(\frac{h a^3}{6} + \frac{b e a^2}{2} \right) + x^{12} \left(\frac{a^3 c}{3} + \frac{3 a^2 b^2 e}{3} \right) + x^7 \left(\frac{3 a^2 b^2 d}{8} + \frac{3 a^2 b^2 f}{7} \right) + x^8 \left(\frac{3 a^2 b^2 g}{8} + \frac{3 a^2 b^2 h}{7} \right) + x^9 \left(\frac{3 a^2 b^2 c}{7} + \frac{3 a^2 b^2 f}{7} \right) + x^{10} \left(\frac{3 a^2 b^2 d}{8} + \frac{3 a^2 b^2 g}{8} \right) + x^{11} \left(\frac{3 a^2 b^2 e}{8} + \frac{3 a^2 b^2 h}{8} \right) + x^{12} \left(\frac{3 a^2 b^2 c}{7} + \frac{3 a^2 b^2 f}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^4*((a^3*f)/4 + (3*a^2*b*c)/4) + x^10*((b^3*c)/10 + (3*a*b^2*f)/10) + x^5*((a^3*g)/5 + (3*a^2*b*d)/5) + x^11*((b^3*d)/11 + (3*a*b^2*g)/11) + x^6*((a^3*h)/6 + (a^2*b*e)/2) + x^12*((b^3*e)/12 + (a*b^2*h)/4) + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (b^3*f*x^13)/13 + (b^3*g*x^14)/14 + (b^3*h*x^15)/15 + a^3*c*x + (3*a*b*x^7*(b*c + a*f))/7 + (3*a*b*x^8*(b*d + a*g))/8 + (a*b*x^9*(b*e + a*h))/3

sympy [A] time = 0.12, size = 243, normalized size = 1.17

$$a^3 c x + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{b^3 f x^{13}}{13} + \frac{b^3 g x^{14}}{14} + \frac{b^3 h x^{15}}{15} + x^{12} \left(\frac{a b^2 h}{4} + \frac{b^3 e}{12} \right) + x^{11} \left(\frac{3 a b^2 g}{11} + \frac{b^3 d}{11} \right) + x^{10} \left(\frac{3 a b^2 f}{10} + \frac{b^3 c}{10} \right) + x^9 \left(\frac{3 a b^2 e}{9} + \frac{a^2 b^2 h}{3} \right) + x^8 \left(\frac{3 a b^2 d}{8} + \frac{a^2 b^2 g}{8} \right) + x^7 \left(\frac{3 a b^2 c}{7} + \frac{a^2 b^2 f}{7} \right) + x^6 \left(\frac{3 a b^2 e}{6} + \frac{a^2 b^2 h}{6} \right) + x^5 \left(\frac{3 a b^2 d}{5} + \frac{a^2 b^2 g}{5} \right) + x^4 \left(\frac{3 a b^2 c}{4} + \frac{a^2 b^2 f}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + b**3*f*x**13/13 + b**3*g*x**14/14 + b**3*h*x**15/15 + x**12*(a*b**2*h/4 + b**3*e/12) + x**11*(3*a*b**2*g/11 + b**3*d/11) + x**10*(3*a*b**2*f/10 + b**3*c/10) + x**9*(a**2*b*h/3 + a*b**2*e/3) + x**8*(3*a**2*b*g/8 + 3*a*b**2*d/8) + x**7*(3*a**2*b*f/7 + 3*a*b**2*c/7) + x**6*(a**3*h/6 + a**2*b*e/2) + x**5*(a**3*g/5 + 3*a**2*b*d/5) + x**4*(a**3*f/4 + 3*a**2*b*c/4)

$$3.398 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=200

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{1}{4}a^2x^4(ag+3bd) + \frac{1}{5}a^2x^5(ah+3be) + \frac{1}{2}ab^2cx^6 + \frac{1}{10}b^2x^{10}(3ag+bd) + \frac{1}{11}b^2x^{11}(3a$$

[Out] $a^3d*x + 1/2*a^3e*x^2 + a^2*b*c*x^3 + 1/4*a^2*(a*g+3*b*d)*x^4 + 1/5*a^2*(a*h+3*b*e)*x^5 + 1/2*a*b^2*c*x^6 + 3/7*a*b*(a*g+b*d)*x^7 + 3/8*a*b*(a*h+b*e)*x^8 + 1/9*b^3*c*x^9 + 1/10*b^2*(3*a*g+b*d)*x^{10} + 1/11*b^2*(3*a*h+b*e)*x^{11} + 1/13*b^3*g*x^{13} + 1/14*b^3*h*x^{14} + 1/12*f*(b*x^3+a)^4/b + a^3*c*\ln(x)$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2bcx^3 + \frac{1}{4}a^2x^4(ag+3bd) + \frac{1}{5}a^2x^5(ah+3be) + a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{2}ab^2cx^6 + \frac{1}{10}b^2x^{10}(3ag+bd) + \frac{1}{11}b^2x^{11}(3a$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] $a^3*d*x + (a^3*e*x^2)/2 + a^2*b*c*x^3 + (a^2*(3*b*d + a*g)*x^4)/4 + (a^2*(3*b*e + a*h)*x^5)/5 + (a*b^2*c*x^6)/2 + (3*a*b*(b*d + a*g)*x^7)/7 + (3*a*b*(b*e + a*h)*x^8)/8 + (b^3*c*x^9)/9 + (b^2*(b*d + 3*a*g)*x^{10})/10 + (b^2*(b*e + 3*a*h)*x^{11})/11 + (b^3*g*x^{13})/13 + (b^3*h*x^{14})/14 + (f*(a + b*x^3)^4)/(12*b) + a^3*c*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx &= \frac{f(a+bx^3)^4}{12b} + \int \frac{(a+bx^3)^3 (c+dx+ex^2+gx^4+hx^5)}{x} \\ &= \frac{f(a+bx^3)^4}{12b} + \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + a^2(3ba \right. \\ &= a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{1}{4}a^2(3bd+ag)x^4 + \frac{1}{5}a^2(3be+ \end{aligned}$$

Mathematica [A] time = 0.13, size = 214, normalized size = 1.07

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{3}a^2x^3(af+3bc) + \frac{1}{4}a^2x^4(ag+3bd) + \frac{1}{5}a^2x^5(ah+3be) + \frac{1}{9}b^2x^9(3af+bc) + \frac{1}{10}b^2x^{10}(3ag+$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] $a^3 d x + (a^3 e x^2)/2 + (a^2 (3 b^3 c + a^3 f) x^3)/3 + (a^2 (3 b^3 d + a^3 g) x^4)/4 + (a^2 (3 b^3 e + a^3 h) x^5)/5 + (a b^3 (b^3 c + a^3 f) x^6)/2 + (3 a^2 b^3 (b^3 d + a^3 g) x^7)/7 + (3 a^2 b^3 (b^3 e + a^3 h) x^8)/8 + (b^2 (b^3 c + 3 a^3 f) x^9)/9 + (b^2 (b^3 d + 3 a^3 g) x^{10})/10 + (b^2 (b^3 e + 3 a^3 h) x^{11})/11 + (b^3 f x^{12})/12 + (b^3 g x^{13})/13 + (b^3 h x^{14})/14 + a^3 c \operatorname{Log}[x]$

fricas [A] time = 0.42, size = 212, normalized size = 1.06

$$\frac{1}{14} b^3 h x^{14} + \frac{1}{13} b^3 g x^{13} + \frac{1}{12} b^3 f x^{12} + \frac{1}{11} (b^3 e + 3 a b^2 h) x^{11} + \frac{1}{10} (b^3 d + 3 a b^2 g) x^{10} + \frac{1}{9} (b^3 c + 3 a b^2 f) x^9 + \frac{3}{8} (a b^2 e + a^2 b^3 h)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 1/11*(b^3*e + 3*a*b^2*h)*x^{11} + 1/10*(b^3*d + 3*a*b^2*g)*x^{10} + 1/9*(b^3*c + 3*a*b^2*f)*x^9 + 3/8*(a*b^2*e + a^2*b^3*h)*x^8 + 3/7*(a*b^2*d + a^2*b^3*g)*x^7 + 1/2*(a*b^2*c + a^2*b^3*f)*x^6 + 1/2*a^3*e*x^2 + 1/5*(3*a^2*b^3*e + a^3*h)*x^5 + a^3*d*x + 1/4*(3*a^2*b^3*d + a^3*g)*x^4 + a^3*c*\log(x) + 1/3*(3*a^2*b^3*c + a^3*f)*x^3$

giac [A] time = 0.16, size = 228, normalized size = 1.14

$$\frac{1}{14} b^3 h x^{14} + \frac{1}{13} b^3 g x^{13} + \frac{1}{12} b^3 f x^{12} + \frac{3}{11} a b^2 h x^{11} + \frac{1}{11} b^3 x^{11} e + \frac{1}{10} b^3 d x^{10} + \frac{3}{10} a b^2 g x^{10} + \frac{1}{9} b^3 c x^9 + \frac{1}{3} a b^2 f x^9 + \frac{3}{8} a^2 b h x^8 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 3/11*a*b^2*h*x^{11} + 1/11*b^3*x^{11}*e + 1/10*b^3*d*x^{10} + 3/10*a*b^2*g*x^{10} + 1/9*b^3*c*x^9 + 1/3*a*b^2*f*x^9 + 3/8*a^2*b^3*h*x^8 + 3/8*a*b^2*x^8*e + 3/7*a*b^2*d*x^7 + 3/7*a^2*b^3*g*x^7 + 1/2*a*b^2*c*x^6 + 1/2*a^2*b^3*f*x^6 + 1/5*a^3*h*x^5 + 3/5*a^2*b^3*x^5*e + 3/4*a^2*b^3*d*x^4 + 1/4*a^3*g*x^4 + a^2*b^3*c*x^3 + 1/3*a^3*f*x^3 + 1/2*a^3*x^2*e + a^3*d*x + a^3*c*\log(\operatorname{abs}(x))$

maple [A] time = 0.05, size = 224, normalized size = 1.12

$$\frac{b^3 h x^{14}}{14} + \frac{b^3 g x^{13}}{13} + \frac{b^3 f x^{12}}{12} + \frac{3 a b^2 h x^{11}}{11} + \frac{b^3 e x^{11}}{11} + \frac{3 a b^2 g x^{10}}{10} + \frac{b^3 d x^{10}}{10} + \frac{a b^2 f x^9}{3} + \frac{b^3 c x^9}{9} + \frac{3 a^2 b h x^8}{8} + \frac{3 a b^2 e x^8}{8} + \frac{3 a^2 b^3 h x^8}{8} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 3/11*a*b^2*h*x^{11} + 1/11*b^3*e*x^{11} + 3/10*b^3*d*x^{10} + 1/10*b^3*c*x^9 + 1/9*b^3*f*x^9 + 3/8*a^2*b^3*h*x^8 + 3/8*a*b^2*e*x^8 + 3/7*b^3*c*x^7 + 3/7*a*b^2*d*x^7 + 1/2*b^3*f*x^6 + 1/2*a*b^2*c*x^6 + 1/5*b^3*h*x^5 + 3/5*a^2*b^3*e*x^5 + 1/4*b^3*d*x^4 + 1/4*a^3*g*x^4 + 3/4*a^2*b^3*d*x^4 + 1/3*b^3*c*x^3 + a^2*b^3*f*x^3 + 1/2*a^3*e*x^2 + a^3*d*x + a^3*c*\ln(x)$

maxima [A] time = 1.42, size = 212, normalized size = 1.06

$$\frac{1}{14} b^3 h x^{14} + \frac{1}{13} b^3 g x^{13} + \frac{1}{12} b^3 f x^{12} + \frac{1}{11} (b^3 e + 3 a b^2 h) x^{11} + \frac{1}{10} (b^3 d + 3 a b^2 g) x^{10} + \frac{1}{9} (b^3 c + 3 a b^2 f) x^9 + \frac{3}{8} (a b^2 e + a^2 b^3 h)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] 1/14*b^3*h*x^14 + 1/13*b^3*g*x^13 + 1/12*b^3*f*x^12 + 1/11*(b^3*e + 3*a*b^2*h)*x^11 + 1/10*(b^3*d + 3*a*b^2*g)*x^10 + 1/9*(b^3*c + 3*a*b^2*f)*x^9 + 3/8*(a*b^2*e + a^2*b*h)*x^8 + 3/7*(a*b^2*d + a^2*b*g)*x^7 + 1/2*(a*b^2*c + a^2*b*f)*x^6 + 1/2*a^3*e*x^2 + 1/5*(3*a^2*b*e + a^3*h)*x^5 + a^3*d*x + 1/4*(3*a^2*b*d + a^3*g)*x^4 + a^3*c*log(x) + 1/3*(3*a^2*b*c + a^3*f)*x^3

mupad [B] time = 5.11, size = 199, normalized size = 1.00

$$x^3 \left(\frac{f a^3}{3} + b c a^2 \right) + x^9 \left(\frac{c b^3}{9} + \frac{a f b^2}{3} \right) + x^4 \left(\frac{g a^3}{4} + \frac{3 b d a^2}{4} \right) + x^{10} \left(\frac{d b^3}{10} + \frac{3 a g b^2}{10} \right) + x^5 \left(\frac{h a^3}{5} + \frac{3 b e a^2}{5} \right) + x^{11} \left(\frac{a^3 c}{11} + \frac{3 a^2 b h}{11} \right) + x^8 \left(\frac{a^2 b f}{2} + \frac{b^3 e}{2} \right) + x^7 \left(\frac{3 a^2 b d}{7} + \frac{3 a b^2 g}{7} \right) + x^6 \left(\frac{3 a^2 b c}{2} + \frac{a^2 b f}{2} \right) + x^5 \left(\frac{3 a^2 b e}{5} + \frac{a^3 h}{5} \right) + x^4 \left(\frac{3 a^2 b d}{4} + \frac{a^3 g}{4} \right) + x^3 \left(\frac{3 a^2 b c}{3} + \frac{a^3 f}{3} \right) + a^3 d x + a^3 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] x^3*((a^3*f)/3 + a^2*b*c) + x^9*((b^3*c)/9 + (a*b^2*f)/3) + x^4*((a^3*g)/4 + (3*a^2*b*d)/4) + x^10*((b^3*d)/10 + (3*a*b^2*g)/10) + x^5*((a^3*h)/5 + (3*a^2*b*e)/5) + x^11*((b^3*e)/11 + (3*a*b^2*h)/11) + (a^3*e*x^2)/2 + (b^3*f*x^12)/12 + (b^3*g*x^13)/13 + (b^3*h*x^14)/14 + a^3*c*log(x) + a^3*d*x + (a*b*x^6*(b*c + a*f))/2 + (3*a*b*x^7*(b*d + a*g))/7 + (3*a*b*x^8*(b*e + a*h))/8

sympy [A] time = 0.54, size = 240, normalized size = 1.20

$$a^3 c \log(x) + a^3 d x + \frac{a^3 e x^2}{2} + \frac{b^3 f x^{12}}{12} + \frac{b^3 g x^{13}}{13} + \frac{b^3 h x^{14}}{14} + x^{11} \left(\frac{3 a b^2 h}{11} + \frac{b^3 e}{11} \right) + x^{10} \left(\frac{3 a b^2 g}{10} + \frac{b^3 d}{10} \right) + x^9 \left(\frac{a b^2 f}{3} + \frac{b^3 c}{9} \right) + x^8 \left(\frac{3 a^2 b d}{2} + \frac{3 a^2 b f}{2} \right) + x^5 \left(\frac{3 a^2 b e}{5} + \frac{a^3 h}{5} \right) + x^4 \left(\frac{3 a^2 b d}{4} + \frac{a^3 g}{4} \right) + x^3 \left(\frac{3 a^2 b c}{3} + \frac{a^3 f}{3} \right) + a^3 d x + a^3 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] a**3*c*log(x) + a**3*d*x + a**3*e*x**2/2 + b**3*f*x**12/12 + b**3*g*x**13/13 + b**3*h*x**14/14 + x**11*(3*a*b**2*h/11 + b**3*e/11) + x**10*(3*a*b**2*g/10 + b**3*d/10) + x**9*(a*b**2*f/3 + b**3*c/9) + x**8*(3*a**2*b*h/8 + 3*a*b**2*e/8) + x**7*(3*a**2*b*g/7 + 3*a*b**2*d/7) + x**6*(a**2*b*f/2 + a*b**2*c/2) + x**5*(a**3*h/5 + 3*a**2*b*e/5) + x**4*(a**3*g/4 + 3*a**2*b*d/4) + x**3*(a**3*f/3 + a**2*b*c)

$$3.399 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be)$$

[Out] $-a^3c/x + a^3e*x + 1/2*a^2*(a*f+3*b*c)*x^2 + a^2*b*d*x^3 + 1/4*a^2*(a*h+3*b*e)*x^4 + 3/5*a*b*(a*f+b*c)*x^5 + 1/2*a*b^2*d*x^6 + 3/7*a*b*(a*h+b*e)*x^7 + 1/8*b^2*(3*a*f+b*c)*x^8 + 1/9*b^3*d*x^9 + 1/10*b^2*(3*a*h+b*e)*x^{10} + 1/11*b^3*f*x^{11} + 1/13*b^3*h*x^{13} + 1/12*g*(b*x^3+a)^4/b + a^3*d*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$\frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be) +$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

[Out] $-((a^3*c)/x) + a^3*e*x + (a^2*(3*b*c + a*f)*x^2)/2 + a^2*b*d*x^3 + (a^2*(3*b*e + a*h)*x^4)/4 + (3*a*b*(b*c + a*f)*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b*(b*e + a*h)*x^7)/7 + (b^2*(b*c + 3*a*f)*x^8)/8 + (b^3*d*x^9)/9 + (b^2*(b*e + 3*a*h)*x^{10})/10 + (b^3*f*x^{11})/11 + (b^3*h*x^{13})/13 + (g*(a + b*x^3)^4)/(12*b) + a^3*d*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx &= \frac{g(a+bx^3)^4}{12b} + \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+hx^5)}{x^2} dx \\ &= \frac{g(a+bx^3)^4}{12b} + \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + a^2(3bc+af)x + 3a^2bx^2 \right) dx \\ &= -\frac{a^3c}{x} + a^3ex + \frac{1}{2}a^2(3bc+af)x^2 + a^2bdx^3 + \frac{1}{4}a^2(3be+ah)x^4 \end{aligned}$$

Mathematica [A] time = 0.21, size = 172, normalized size = 0.87

$$a^3 \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f + 4gx + 3hx^2) \right) + a^3d \log(x) + \frac{1}{140}a^2bx^2(210c + x(140d + x(105e + 84fx + 70gx^2 + 60hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] a^3*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) + (b^3*x^8*(6435*c + 5720*d*x + 6*x^2*(858*e + 780*f*x + 715*g*x^2 + 660*h*x^3)))/51480 + (a^2*b*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3)))/140 + (a*b^2*x^5*(504*c + x*(420*d + x*(360*e + 315*f*x + 280*g*x^2 + 252*h*x^3)))/840 + a^3*d*Log[x]

fricas [A] time = 0.44, size = 219, normalized size = 1.11

$$\frac{27720 b^3 h x^{14} + 30030 b^3 g x^{13} + 32760 b^3 f x^{12} + 36036 (b^3 e + 3 a b^2 h) x^{11} + 40040 (b^3 d + 3 a b^2 g) x^{10} + 45045 (b^3 c + 3 a^2 b^2 f) x^9 + 154440 (a^2 b^2 e + a^2 b^2 h) x^8 + 180180 (a^2 b^2 d + a^2 b^2 g) x^7 + 216216 (a^2 b^2 c + a^2 b^2 f) x^6 + 360360 a^3 e x^5 + 90090 (3 a^2 b^2 e + a^3 h) x^5 + 360360 a^3 d x^4 \log(x) + 120120 (3 a^2 b^2 d + a^3 g) x^4 - 360360 a^3 c + 180180 (3 a^2 b^2 c + a^3 f) x^3}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] 1/360360*(27720*b^3*h*x^14 + 30030*b^3*g*x^13 + 32760*b^3*f*x^12 + 36036*(b^3*e + 3*a*b^2*h)*x^11 + 40040*(b^3*d + 3*a*b^2*g)*x^10 + 45045*(b^3*c + 3*a*b^2*f)*x^9 + 154440*(a*b^2*e + a^2*b*h)*x^8 + 180180*(a*b^2*d + a^2*b*g)*x^7 + 216216*(a*b^2*c + a^2*b*f)*x^6 + 360360*a^3*e*x^5 + 90090*(3*a^2*b*e + a^3*h)*x^5 + 360360*a^3*d*x*log(x) + 120120*(3*a^2*b*d + a^3*g)*x^4 - 360360*a^3*c + 180180*(3*a^2*b*c + a^3*f)*x^3)/x

giac [A] time = 0.15, size = 228, normalized size = 1.15

$$\frac{1}{13} b^3 h x^{13} + \frac{1}{12} b^3 g x^{12} + \frac{1}{11} b^3 f x^{11} + \frac{3}{10} a b^2 h x^{10} + \frac{1}{10} b^3 x^{10} e + \frac{1}{9} b^3 d x^9 + \frac{1}{3} a b^2 g x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{8} a b^2 f x^8 + \frac{3}{7} a^2 b h x^7 + \frac{3}{7} a^2 b^2 e x^7 + \frac{3}{7} a^2 b^2 h x^7 + \frac{3}{7} a^2 b^2 g x^7 + \frac{1}{2} a^2 b^2 d x^6 + \frac{1}{2} a^2 b^2 g x^6 + \frac{3}{5} a^2 b^2 c x^5 + \frac{3}{5} a^2 b^2 f x^5 + \frac{1}{4} a^3 h x^4 + \frac{3}{4} a^2 b^2 x^4 e + a^2 b^2 d x^3 + \frac{1}{3} a^3 g x^3 + \frac{3}{2} a^2 b^2 c x^2 + \frac{1}{2} a^3 f x^2 + a^3 x e + a^3 d \log(\text{abs}(x)) - a^3 c/x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] 1/13*b^3*h*x^13 + 1/12*b^3*g*x^12 + 1/11*b^3*f*x^11 + 3/10*a*b^2*h*x^10 + 1/10*b^3*x^10*e + 1/9*b^3*d*x^9 + 1/3*a*b^2*g*x^9 + 1/8*b^3*c*x^8 + 3/8*a*b^2*f*x^8 + 3/7*a^2*b*h*x^7 + 3/7*a*b^2*x^7*e + 1/2*a*b^2*d*x^6 + 1/2*a^2*b*g*x^6 + 3/5*a*b^2*c*x^5 + 3/5*a^2*b*f*x^5 + 1/4*a^3*h*x^4 + 3/4*a^2*b*x^4*e + a^2*b*d*x^3 + 1/3*a^3*g*x^3 + 3/2*a^2*b*c*x^2 + 1/2*a^3*f*x^2 + a^3*x*e + a^3*d*log(abs(x)) - a^3*c/x

maple [A] time = 0.05, size = 224, normalized size = 1.13

$$\frac{b^3 h x^{13}}{13} + \frac{b^3 g x^{12}}{12} + \frac{b^3 f x^{11}}{11} + \frac{3 a b^2 h x^{10}}{10} + \frac{b^3 e x^{10}}{10} + \frac{a b^2 g x^9}{3} + \frac{b^3 d x^9}{9} + \frac{3 a b^2 f x^8}{8} + \frac{b^3 c x^8}{8} + \frac{3 a^2 b h x^7}{7} + \frac{3 a b^2 e x^7}{7} + \frac{3 a^2 b^2 h x^7}{7} + \frac{3 a^2 b^2 g x^7}{7} + \frac{1}{2} a^2 b^2 d x^6 + \frac{1}{2} a^2 b^2 g x^6 + \frac{3}{5} a^2 b^2 c x^5 + \frac{3}{5} a^2 b^2 f x^5 + \frac{1}{4} a^3 h x^4 + \frac{3}{4} a^2 b^2 x^4 e + a^2 b^2 d x^3 + \frac{1}{3} a^3 g x^3 + \frac{3}{2} a^2 b^2 c x^2 + \frac{1}{2} a^3 f x^2 + a^3 x e + a^3 d \ln(x) - a^3 c/x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] 1/13*b^3*h*x^13+1/12*b^3*g*x^12+1/11*b^3*f*x^11+3/10*x^10*a*b^2*h+1/10*b^3*e*x^10+1/3*x^9*a*b^2*g+1/9*b^3*d*x^9+3/8*x^8*a*b^2*f+1/8*b^3*c*x^8+3/7*x^7*a^2*b*h+3/7*a*b^2*e*x^7+1/2*x^6*a^2*b*g+1/2*a*b^2*d*x^6+3/5*x^5*a^2*b*f+3/5*a*b^2*c*x^5+1/4*x^4*a^3*h+3/4*a^2*b*e*x^4+1/3*x^3*a^3*g+a^2*b*d*x^3+1/2*x^2*a^3*f+3/2*a^2*b*c*x^2+a^3*e*x-a^3*c/x+a^3*d*ln(x)

maxima [A] time = 1.29, size = 212, normalized size = 1.07

$$\frac{1}{13} b^3 h x^{13} + \frac{1}{12} b^3 g x^{12} + \frac{1}{11} b^3 f x^{11} + \frac{1}{10} (b^3 e + 3 a b^2 h) x^{10} + \frac{1}{9} (b^3 d + 3 a b^2 g) x^9 + \frac{1}{8} (b^3 c + 3 a b^2 f) x^8 + \frac{3}{7} (a b^2 e + a^2 b^2 h) x^7 + \frac{3}{7} (a b^2 g + a^2 b^2 g) x^7 + \frac{1}{2} a^2 b^2 d x^6 + \frac{1}{2} a^2 b^2 g x^6 + \frac{3}{5} a^2 b^2 c x^5 + \frac{3}{5} a^2 b^2 f x^5 + \frac{1}{4} a^3 h x^4 + \frac{3}{4} a^2 b^2 x^4 e + a^2 b^2 d x^3 + \frac{1}{3} a^3 g x^3 + \frac{3}{2} a^2 b^2 c x^2 + \frac{1}{2} a^3 f x^2 + a^3 x e + a^3 d \ln(x) - a^3 c/x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] 1/13*b^3*h*x^13 + 1/12*b^3*g*x^12 + 1/11*b^3*f*x^11 + 1/10*(b^3*e + 3*a*b^2*h)*x^10 + 1/9*(b^3*d + 3*a*b^2*g)*x^9 + 1/8*(b^3*c + 3*a*b^2*f)*x^8 + 3/7*(a*b^2*e + a^2*b*h)*x^7 + 1/2*(a*b^2*d + a^2*b*g)*x^6 + 3/5*(a*b^2*c + a^2*b*f)*x^5 + a^3*e*x + 1/4*(3*a^2*b*e + a^3*h)*x^4 + a^3*d*log(x) + 1/3*(3*a^2*b*d + a^3*g)*x^3 - a^3*c/x + 1/2*(3*a^2*b*c + a^3*f)*x^2

mupad [B] time = 5.05, size = 199, normalized size = 1.01

$$x^2 \left(\frac{f a^3}{2} + \frac{3 b c a^2}{2} \right) + x^8 \left(\frac{c b^3}{8} + \frac{3 a f b^2}{8} \right) + x^3 \left(\frac{g a^3}{3} + b d a^2 \right) + x^9 \left(\frac{d b^3}{9} + \frac{a g b^2}{3} \right) + x^4 \left(\frac{h a^3}{4} + \frac{3 b e a^2}{4} \right) + x^{10} \left(\frac{e b^3}{10} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)

[Out] x^2*((a^3*f)/2 + (3*a^2*b*c)/2) + x^8*((b^3*c)/8 + (3*a*b^2*f)/8) + x^3*((a^3*g)/3 + a^2*b*d) + x^9*((b^3*d)/9 + (a*b^2*g)/3) + x^4*((a^3*h)/4 + (3*a^2*b*e)/4) + x^10*((b^3*e)/10 + (3*a*b^2*h)/10) - (a^3*c)/x + (b^3*f*x^11)/11 + (b^3*g*x^12)/12 + (b^3*h*x^13)/13 + a^3*d*log(x) + a^3*e*x + (3*a*b*x^5*(b*c + a*f))/5 + (a*b*x^6*(b*d + a*g))/2 + (3*a*b*x^7*(b*e + a*h))/7

sympy [A] time = 0.51, size = 236, normalized size = 1.19

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{b^3fx^{11}}{11} + \frac{b^3gx^{12}}{12} + \frac{b^3hx^{13}}{13} + x^{10} \left(\frac{3ab^2h}{10} + \frac{b^3e}{10} \right) + x^9 \left(\frac{ab^2g}{3} + \frac{b^3d}{9} \right) + x^8 \left(\frac{3ab^2f}{8} + \frac{b^3c}{8} \right) + x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] -a**3*c/x + a**3*d*log(x) + a**3*e*x + b**3*f*x**11/11 + b**3*g*x**12/12 + b**3*h*x**13/13 + x**10*(3*a*b**2*h/10 + b**3*e/10) + x**9*(a*b**2*g/3 + b**3*d/9) + x**8*(3*a*b**2*f/8 + b**3*c/8) + x**7*(3*a**2*b*h/7 + 3*a*b**2*e/7) + x**6*(a**2*b*g/2 + a*b**2*d/2) + x**5*(3*a**2*b*f/5 + 3*a*b**2*c/5) + x**4*(a**3*h/4 + 3*a**2*b*e/4) + x**3*(a**3*g/3 + a**2*b*d) + x**2*(a**3*f/2 + 3*a**2*b*c/2)

$$3.400 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}b^3x^{11}$$

[Out] $-1/2*a^3*c/x^2 - a^3*d/x + a^2*(a*f+3*b*c)*x + 1/2*a^2*(a*g+3*b*d)*x^2 + a^2*b*e*x^3 + 3/4*a*b*(a*f+b*c)*x^4 + 3/5*a*b*(a*g+b*d)*x^5 + 1/2*a*b^2*e*x^6 + 1/7*b^2*(3*a*f+b*c)*x^7 + 1/8*b^2*(3*a*g+b*d)*x^8 + 1/9*b^3*e*x^9 + 1/10*b^3*f*x^{10} + 1/11*b^3*g*x^{11} + 1/12*h*(b*x^3+a)^4/b + a^3*e*\ln(x)$

Rubi [A] time = 0.20, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}b^3x^{11}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] $-(a^3*c)/(2*x^2) - (a^3*d)/x + a^2*(3*b*c + a*f)*x + (a^2*(3*b*d + a*g)*x^2)/2 + a^2*b*e*x^3 + (3*a*b*(b*c + a*f)*x^4)/4 + (3*a*b*(b*d + a*g)*x^5)/5 + (a*b^2*e*x^6)/2 + (b^2*(b*c + 3*a*f)*x^7)/7 + (b^2*(b*d + 3*a*g)*x^8)/8 + (b^3*e*x^9)/9 + (b^3*f*x^{10})/10 + (b^3*g*x^{11})/11 + (h*(a + b*x^3)^4)/(12*b) + a^3*e*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx &= \frac{h(a+bx^3)^4}{12b} + \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4)}{x^3} dx \\ &= \frac{h(a+bx^3)^4}{12b} + \int \left(a^2(3bc+af) + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + a^2 \right) dx \\ &= -\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^2(3bc+af)x + \frac{1}{2}a^2(3bd+ag)x^2 + a^2bex^3 \end{aligned}$$

Mathematica [A] time = 0.15, size = 174, normalized size = 0.88

$$\frac{a^3(-3c-6dx+x^3(6f+3gx+2hx^2))}{6x^2} + a^3e \log(x) + \frac{1}{20}a^2bx(60c+x(30d+x(20e+15fx+12gx^2+10hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] (a^3*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (b^3*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2)))/27720 + (a^2*b*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/20 + (a*b^2*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/840 + a^3*e*Log[x]

fricas [A] time = 0.47, size = 219, normalized size = 1.11

$$\frac{2310 b^3 h x^{14} + 2520 b^3 g x^{13} + 2772 b^3 f x^{12} + 3080 (b^3 e + 3 a b^2 h) x^{11} + 3465 (b^3 d + 3 a b^2 g) x^{10} + 3960 (b^3 c + 3 a b^2 f) x^9 + 13860 (a b^2 e + a^2 b h) x^8 + 16632 (a b^2 d + a^2 b g) x^7 + 20790 (a b^2 c + a^2 b f) x^6 + 27720 a^3 e x^5 \log(x) + 9240 (3 a^2 b e + a^3 h) x^5 - 27720 a^3 d x^4 + 13860 (3 a^2 b d + a^3 g) x^4 - 13860 a^3 c x^3 + 27720 (3 a^2 b c + a^3 f) x^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] 1/27720*(2310*b^3*h*x^14 + 2520*b^3*g*x^13 + 2772*b^3*f*x^12 + 3080*(b^3*e + 3*a*b^2*h)*x^11 + 3465*(b^3*d + 3*a*b^2*g)*x^10 + 3960*(b^3*c + 3*a*b^2*f)*x^9 + 13860*(a*b^2*e + a^2*b*h)*x^8 + 16632*(a*b^2*d + a^2*b*g)*x^7 + 20790*(a*b^2*c + a^2*b*f)*x^6 + 27720*a^3*e*x^5*log(x) + 9240*(3*a^2*b*e + a^3*h)*x^5 - 27720*a^3*d*x^4 + 13860*(3*a^2*b*d + a^3*g)*x^4 - 13860*a^3*c + 27720*(3*a^2*b*c + a^3*f)*x^3)/x^2

giac [A] time = 0.16, size = 226, normalized size = 1.14

$$\frac{1}{12} b^3 h x^{12} + \frac{1}{11} b^3 g x^{11} + \frac{1}{10} b^3 f x^{10} + \frac{1}{3} a b^2 h x^9 + \frac{1}{9} b^3 e x^9 + \frac{1}{8} b^3 d x^8 + \frac{3}{8} a b^2 g x^8 + \frac{1}{7} b^3 c x^7 + \frac{3}{7} a b^2 f x^7 + \frac{1}{2} a^2 b h x^6 + \frac{1}{2} a b^2 e x^6 + \frac{1}{2} a^2 b^2 h x^5 \log(x) + \frac{1}{2} a^3 e x^5 - \frac{1}{2} a^3 d x^4 + \frac{1}{2} a^3 g x^4 - \frac{1}{2} a^3 c x^3 + \frac{1}{2} a^3 f x^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] 1/12*b^3*h*x^12 + 1/11*b^3*g*x^11 + 1/10*b^3*f*x^10 + 1/3*a*b^2*h*x^9 + 1/9*b^3*e*x^9 + 1/8*b^3*d*x^8 + 3/8*a*b^2*g*x^8 + 1/7*b^3*c*x^7 + 3/7*a*b^2*f*x^7 + 1/2*a^2*b*h*x^6 + 1/2*a*b^2*x^6*e + 3/5*a*b^2*d*x^5 + 3/5*a^2*b*g*x^5 + 3/4*a*b^2*c*x^4 + 3/4*a^2*b*f*x^4 + 1/3*a^3*h*x^3 + a^2*b*x^3*e + 3/2*a^2*b*d*x^2 + 1/2*a^3*g*x^2 + 3*a^2*b*c*x + a^3*f*x + a^3*e*log(abs(x)) - 1/2*(2*a^3*d*x + a^3*c)/x^2

maple [A] time = 0.06, size = 222, normalized size = 1.12

$$\frac{b^3 h x^{12}}{12} + \frac{b^3 g x^{11}}{11} + \frac{b^3 f x^{10}}{10} + \frac{a b^2 h x^9}{3} + \frac{b^3 e x^9}{9} + \frac{3 a b^2 g x^8}{8} + \frac{b^3 d x^8}{8} + \frac{3 a b^2 f x^7}{7} + \frac{b^3 c x^7}{7} + \frac{a^2 b h x^6}{2} + \frac{a b^2 e x^6}{2} + \frac{3 a^2 b g x^5}{5} \log(x) + \frac{1}{2} a^3 e x^5 - \frac{1}{2} a^3 d x^4 + \frac{1}{2} a^3 g x^4 - \frac{1}{2} a^3 c x^3 + \frac{1}{2} a^3 f x^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] 1/12*b^3*h*x^12+1/11*b^3*g*x^11+1/10*b^3*f*x^10+1/3*x^9*a*b^2*h+1/9*b^3*e*x^9+3/8*x^8*a*b^2*g+1/8*b^3*d*x^8+3/7*x^7*a*b^2*f+1/7*b^3*c*x^7+1/2*x^6*a^2*b*h+1/2*a*b^2*e*x^6+3/5*x^5*a^2*b*g+3/5*a*b^2*d*x^5+3/4*x^4*a^2*b*f+3/4*a*b^2*c*x^4+1/3*x^3*a^3*h+a^2*b*e*x^3+1/2*x^2*a^3*g+3/2*a^2*b*d*x^2+a^3*f*x+3*a^2*b*c*x-1/2*a^3*c/x^2-a^3*d/x+a^3*e*ln(x)

maxima [A] time = 1.38, size = 212, normalized size = 1.07

$$\frac{1}{12} b^3 h x^{12} + \frac{1}{11} b^3 g x^{11} + \frac{1}{10} b^3 f x^{10} + \frac{1}{9} (b^3 e + 3 a b^2 h) x^9 + \frac{1}{8} (b^3 d + 3 a b^2 g) x^8 + \frac{1}{7} (b^3 c + 3 a b^2 f) x^7 + \frac{1}{2} (a b^2 e + a^2 b h) x^6 + \frac{1}{2} a^2 b^2 g x^5 \log(x) + \frac{1}{2} a^3 e x^5 - \frac{1}{2} a^3 d x^4 + \frac{1}{2} a^3 g x^4 - \frac{1}{2} a^3 c x^3 + \frac{1}{2} a^3 f x^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] 1/12*b^3*h*x^12 + 1/11*b^3*g*x^11 + 1/10*b^3*f*x^10 + 1/9*(b^3*e + 3*a*b^2*h)*x^9 + 1/8*(b^3*d + 3*a*b^2*g)*x^8 + 1/7*(b^3*c + 3*a*b^2*f)*x^7 + 1/2*(a*b^2*e + a^2*b*h)*x^6 + 3/5*(a*b^2*d + a^2*b*g)*x^5 + 3/4*(a*b^2*c + a^2*b*f)*x^4 + a^3*e*log(x) + 1/3*(3*a^2*b*e + a^3*h)*x^3 + 1/2*(3*a^2*b*d + a^3*g)*x^2 + (3*a^2*b*c + a^3*f)*x - 1/2*(2*a^3*d*x + a^3*c)/x^2

mupad [B] time = 0.14, size = 199, normalized size = 1.01

$$x^7 \left(\frac{cb^3}{7} + \frac{3af b^2}{7} \right) + x^2 \left(\frac{g a^3}{2} + \frac{3bd a^2}{2} \right) + x^8 \left(\frac{db^3}{8} + \frac{3ag b^2}{8} \right) + x^3 \left(\frac{ha^3}{3} + be a^2 \right) + x^9 \left(\frac{eb^3}{9} + \frac{ah b^2}{3} \right) - \frac{a^3 c}{2} + \frac{a^3 d}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)

[Out] x^7*((b^3*c)/7 + (3*a*b^2*f)/7) + x^2*((a^3*g)/2 + (3*a^2*b*d)/2) + x^8*((b^3*d)/8 + (3*a*b^2*g)/8) + x^3*((a^3*h)/3 + a^2*b*e) + x^9*((b^3*e)/9 + (a*b^2*h)/3) - ((a^3*c)/2 + a^3*d*x)/x^2 + x*(a^3*f + 3*a^2*b*c) + (b^3*f*x^10)/10 + (b^3*g*x^11)/11 + (b^3*h*x^12)/12 + a^3*e*log(x) + (3*a*b*x^4*(b*c + a*f))/4 + (3*a*b*x^5*(b*d + a*g))/5 + (a*b*x^6*(b*e + a*h))/2

sympy [A] time = 0.59, size = 238, normalized size = 1.20

$$a^3 e \log(x) + \frac{b^3 f x^{10}}{10} + \frac{b^3 g x^{11}}{11} + \frac{b^3 h x^{12}}{12} + x^9 \left(\frac{ab^2 h}{3} + \frac{b^3 e}{9} \right) + x^8 \left(\frac{3ab^2 g}{8} + \frac{b^3 d}{8} \right) + x^7 \left(\frac{3ab^2 f}{7} + \frac{b^3 c}{7} \right) + x^6 \left(\frac{a^2 b h}{2} + \frac{ab^2 e}{2} \right) - \frac{a^3 c}{2} + \frac{a^3 d}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)

[Out] a**3*e*log(x) + b**3*f*x**10/10 + b**3*g*x**11/11 + b**3*h*x**12/12 + x**9*(a*b**2*h/3 + b**3*e/9) + x**8*(3*a*b**2*g/8 + b**3*d/8) + x**7*(3*a*b**2*f/7 + b**3*c/7) + x**6*(a**2*b*h/2 + a*b**2*e/2) + x**5*(3*a**2*b*g/5 + 3*a*b**2*d/5) + x**4*(3*a**2*b*f/4 + 3*a*b**2*c/4) + x**3*(a**3*h/3 + a**2*b*e) + x**2*(a**3*g/2 + 3*a**2*b*d/2) + x*(a**3*f + 3*a**2*b*c) + (-a**3*c - 2*a**3*d*x)/(2*x**2)

$$3.401 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3a$$

[Out] $-1/3*a^3*c/x^3 - 1/2*a^3*d/x^2 - a^3*e/x + a^2*(a*g+3*b*d)*x + 1/2*a^2*(a*h+3*b*e)*x^2 + a*b*(a*f+b*c)*x^3 + 3/4*a*b*(a*g+b*d)*x^4 + 3/5*a*b*(a*h+b*e)*x^5 + 1/6*b^2*(3*a*f+b*c)*x^6 + 1/7*b^2*(3*a*g+b*d)*x^7 + 1/8*b^2*(3*a*h+b*e)*x^8 + 1/9*b^3*f*x^9 + 1/10*b^3*g*x^10 + 1/11*b^3*h*x^11 + a^2*(a*f+3*b*c)*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) - \frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3a$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a^3*c)/(3*x^3) - (a^3*d)/(2*x^2) - (a^3*e)/x + a^2*(3*b*d + a*g)*x + (a^2*(3*b*e + a*h)*x^2)/2 + a*b*(b*c + a*f)*x^3 + (3*a*b*(b*d + a*g)*x^4)/4 + (3*a*b*(b*e + a*h)*x^5)/5 + (b^2*(b*c + 3*a*f)*x^6)/6 + (b^2*(b*d + 3*a*g)*x^7)/7 + (b^2*(b*e + 3*a*h)*x^8)/8 + (b^3*f*x^9)/9 + (b^3*g*x^10)/10 + (b^3*h*x^11)/11 + a^2*(3*b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a^2(3bd+ag) + \frac{a^3c}{x^4} + \frac{a^3d}{x^3} + \frac{a^3e}{x^2} + \frac{a^2(3bc+af)}{x} + a^2(3bd+ag)x + \frac{1}{2}a^2(3be+ah)x^2 + ab \right) dx$$

Mathematica [A] time = 0.15, size = 172, normalized size = 0.82

$$-\frac{a^3(2c+3x(d+2ex-(x^3(2g+hx))))}{6x^3} + a^2 \log(x)(af+3bc) + \frac{1}{20}a^2bx(60d+x(30e+x(20f+15gx+12hx^2)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-1/6*(a^3*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (a^2*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/20 + (a*b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3))))/280 + (b^3*x^6*(4620*c + x*(3960*d + 7*x*(495*e + 4*x*(110*f + 99*g*x + 90*h*x^2))))/27720 + a^2*(3*b*c + a*f)*\text{Log}[x]$

fricas [A] time = 0.45, size = 219, normalized size = 1.05

$$\frac{2520 b^3 h x^{14} + 2772 b^3 g x^{13} + 3080 b^3 f x^{12} + 3465 (b^3 e + 3 a b^2 h) x^{11} + 3960 (b^3 d + 3 a b^2 g) x^{10} + 4620 (b^3 c + 3 a^2 b^2 f) x^9 + 16632 (a b^2 e + a^2 b^2 h) x^8 + 20790 (a b^2 d + a^2 b^2 g) x^7 + 27720 (a b^2 c + a^2 b^2 f) x^6 - 27720 a^3 e x^2 + 13860 (3 a^2 b e + a^3 h) x^5 - 13860 a^3 d x + 27720 (3 a^2 b d + a^3 g) x^4 + 27720 (3 a^2 b c + a^3 f) x^3 \log(x) - 9240 a^3 c}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] 1/27720*(2520*b^3*h*x^14 + 2772*b^3*g*x^13 + 3080*b^3*f*x^12 + 3465*(b^3*e + 3*a*b^2*h)*x^11 + 3960*(b^3*d + 3*a*b^2*g)*x^10 + 4620*(b^3*c + 3*a*b^2*f)*x^9 + 16632*(a*b^2*e + a^2*b^2*h)*x^8 + 20790*(a*b^2*d + a^2*b^2*g)*x^7 + 27720*(a*b^2*c + a^2*b^2*f)*x^6 - 27720*a^3*e*x^2 + 13860*(3*a^2*b*e + a^3*h)*x^5 - 13860*a^3*d*x + 27720*(3*a^2*b*d + a^3*g)*x^4 + 27720*(3*a^2*b*c + a^3*f)*x^3*log(x) - 9240*a^3*c)/x^3

giac [A] time = 0.19, size = 225, normalized size = 1.08

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{3}{8} a b^2 h x^8 + \frac{1}{8} b^3 x^8 e + \frac{1}{7} b^3 d x^7 + \frac{3}{7} a b^2 g x^7 + \frac{1}{6} b^3 c x^6 + \frac{1}{2} a b^2 f x^6 + \frac{3}{5} a^2 b h x^5 + \frac{3}{5} a b^2 e x^5 - \frac{1}{6} (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c) \log(x) - \frac{1}{6} (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] 1/11*b^3*h*x^11 + 1/10*b^3*g*x^10 + 1/9*b^3*f*x^9 + 3/8*a*b^2*h*x^8 + 1/8*b^3*x^8*e + 1/7*b^3*d*x^7 + 3/7*a*b^2*g*x^7 + 1/6*b^3*c*x^6 + 1/2*a*b^2*f*x^6 + 3/5*a^2*b*h*x^5 + 3/5*a*b^2*x^5*e + 3/4*a*b^2*d*x^4 + 3/4*a^2*b*g*x^4 + a*b^2*c*x^3 + a^2*b*f*x^3 + 1/2*a^3*h*x^2 + 3/2*a^2*b*x^2*e + 3*a^2*b*d*x + a^3*g*x + (3*a^2*b*c + a^3*f)*log(abs(x)) - 1/6*(6*a^3*x^2*e + 3*a^3*d*x + 2*a^3*c)/x^3

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3 h x^{11}}{11} + \frac{b^3 g x^{10}}{10} + \frac{b^3 f x^9}{9} + \frac{3 a b^2 h x^8}{8} + \frac{b^3 e x^8}{8} + \frac{3 a b^2 g x^7}{7} + \frac{b^3 d x^7}{7} + \frac{a b^2 f x^6}{2} + \frac{b^3 c x^6}{6} + \frac{3 a^2 b h x^5}{5} + \frac{3 a b^2 e x^5}{5} + \frac{3 a^2 b d x^4}{4} + \frac{3 a^2 b g x^4}{4} + \frac{a b^2 c x^3}{3} + \frac{a^2 b f x^3}{3} + \frac{1}{2} a^3 h x^2 + \frac{3}{2} a^2 b x^2 e + 3 a^2 b d x + a^3 g x + (3 a^2 b c + a^3 f) \log(x) - \frac{1}{6} (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] 1/11*b^3*h*x^11+1/10*b^3*g*x^10+1/9*b^3*f*x^9+3/8*x^8*a*b^2*h+1/8*x^8*b^3*e +3/7*x^7*a*b^2*g+1/7*x^7*b^3*d+1/2*x^6*a*b^2*f+1/6*x^6*b^3*c+3/5*x^5*a^2*b*h+3/5*x^5*a*b^2*e+3/4*x^4*a^2*b*g+3/4*x^4*a*b^2*d+x^3*a^2*b*f+a*b^2*c*x^3+1/2*x^2*a^3*h+3/2*x^2*a^2*b*e+a^3*g*x+3*a^2*d*b*x-1/3*a^3*c/x^3-1/2*a^3*d/x^2-a^3*e/x+ln(x)*a^3*f+3*ln(x)*a^2*b*c

maxima [A] time = 1.36, size = 212, normalized size = 1.01

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{1}{8} (b^3 e + 3 a b^2 h) x^8 + \frac{1}{7} (b^3 d + 3 a b^2 g) x^7 + \frac{1}{6} (b^3 c + 3 a b^2 f) x^6 + \frac{3}{5} (a b^2 e + a^2 b h) x^5 - \frac{1}{6} (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c) \log(x) - \frac{1}{6} (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] 1/11*b^3*h*x^11 + 1/10*b^3*g*x^10 + 1/9*b^3*f*x^9 + 1/8*(b^3*e + 3*a*b^2*h)*x^8 + 1/7*(b^3*d + 3*a*b^2*g)*x^7 + 1/6*(b^3*c + 3*a*b^2*f)*x^6 + 3/5*(a*b^2*e + a^2*b*h)*x^5 + 3/4*(a*b^2*d + a^2*b*g)*x^4 + (a*b^2*c + a^2*b*f)*x^3

+ 1/2*(3*a^2*b*e + a^3*h)*x^2 + (3*a^2*b*d + a^3*g)*x + (3*a^2*b*c + a^3*f)*log(x) - 1/6*(6*a^3*e*x^2 + 3*a^3*d*x + 2*a^3*c)/x^3

mupad [B] time = 0.12, size = 199, normalized size = 0.95

$$x^6 \left(\frac{cb^3}{6} + \frac{afb^2}{2} \right) + x^7 \left(\frac{db^3}{7} + \frac{3agb^2}{7} \right) + x^2 \left(\frac{ha^3}{2} + \frac{3bea^2}{2} \right) + x^8 \left(\frac{eb^3}{8} + \frac{3ahb^2}{8} \right) + \ln(x) (fa^3 + 3bca^2) - \frac{ea^3x}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x)

[Out] x^6*((b^3*c)/6 + (a*b^2*f)/2) + x^7*((b^3*d)/7 + (3*a*b^2*g)/7) + x^2*((a^3*h)/2 + (3*a^2*b*e)/2) + x^8*((b^3*e)/8 + (3*a*b^2*h)/8) + log(x)*(a^3*f + 3*a^2*b*c) - ((a^3*c)/3 + a^3*e*x^2 + (a^3*d*x)/2)/x^3 + x*(a^3*g + 3*a^2*b*d) + (b^3*f*x^9)/9 + (b^3*g*x^10)/10 + (b^3*h*x^11)/11 + a*b*x^3*(b*c + a*f) + (3*a*b*x^4*(b*d + a*g))/4 + (3*a*b*x^5*(b*e + a*h))/5

sympy [A] time = 1.04, size = 236, normalized size = 1.13

$$a^2 (af + 3bc) \log(x) + \frac{b^3 f x^9}{9} + \frac{b^3 g x^{10}}{10} + \frac{b^3 h x^{11}}{11} + x^8 \left(\frac{3ab^2 h}{8} + \frac{b^3 e}{8} \right) + x^7 \left(\frac{3ab^2 g}{7} + \frac{b^3 d}{7} \right) + x^6 \left(\frac{ab^2 f}{2} + \frac{b^3 c}{6} \right) + x^5 \left(\frac{3a^2 h}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4, x)

[Out] a**2*(a*f + 3*b*c)*log(x) + b**3*f*x**9/9 + b**3*g*x**10/10 + b**3*h*x**11/11 + x**8*(3*a*b**2*h/8 + b**3*e/8) + x**7*(3*a*b**2*g/7 + b**3*d/7) + x**6*(a*b**2*f/2 + b**3*c/6) + x**5*(3*a**2*b*h/5 + 3*a*b**2*e/5) + x**4*(3*a**2*b*g/4 + 3*a*b**2*d/4) + x**3*(a**2*b*f + a*b**2*c) + x**2*(a**3*h/2 + 3*a**2*b*e/2) + x*(a**3*g + 3*a**2*b*d) + (-2*a**3*c - 3*a**3*d*x - 6*a**3*e*x**2)/(6*x**3)

$$3.402 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} - \frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3$$

[Out] $-1/4*a^3*c/x^4-1/3*a^3*d/x^3-1/2*a^3*e/x^2-a^2*(a*f+3*b*c)/x+a^2*(a*h+3*b*e)*x+3/2*a*b*(a*f+b*c)*x^2+a*b*(a*g+b*d)*x^3+3/4*a*b*(a*h+b*e)*x^4+1/5*b^2*(3*a*f+b*c)*x^5+1/6*b^2*(3*a*g+b*d)*x^6+1/7*b^2*(3*a*h+b*e)*x^7+1/8*b^3*f*x^8+1/9*b^3*g*x^9+1/10*b^3*h*x^10+a^2*(a*g+3*b*d)*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) - \frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] $-(a^3*c)/(4*x^4) - (a^3*d)/(3*x^3) - (a^3*e)/(2*x^2) - (a^2*(3*b*c + a*f))/x + a^2*(3*b*e + a*h)*x + (3*a*b*(b*c + a*f)*x^2)/2 + a*b*(b*d + a*g)*x^3 + (3*a*b*(b*e + a*h)*x^4)/4 + (b^2*(b*c + 3*a*f)*x^5)/5 + (b^2*(b*d + 3*a*g)*x^6)/6 + (b^2*(b*e + 3*a*h)*x^7)/7 + (b^3*f*x^8)/8 + (b^3*g*x^9)/9 + (b^3*h*x^10)/10 + a^2*(3*b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(a^2(3be+ah) + \frac{a^3c}{x^5} + \frac{a^3d}{x^4} + \frac{a^3e}{x^3} + \frac{a^2(3bc+af)}{x^2} + \frac{a^2(3be+ah)x}{x} + \frac{3a^2b^2x^5(3af+bc)}{5} + \frac{3a^2b^2x^6(3ag+bd)}{6} + \frac{3a^2b^2x^7(3ah+be)}{7} + \frac{b^3f^2x^8}{8} + \frac{b^3g^2x^9}{9} + \frac{b^3h^2x^{10}}{10} \right) dx$$

Mathematica [A] time = 0.16, size = 170, normalized size = 0.81

$$a^2 \log(x)(ag+3bd) + \frac{-210a^3(3c+4dx+6x^2(e+2fx-2hx^3)) + 630a^2bx^3(x^2(12e+6fx+4gx^2+3hx^3) - 1$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] $(-210*a^3*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)) + 630*a^2*b*x^3*(-12*c + x^2*(12*e + 6*f*x + 4*g*x^2 + 3*h*x^3)) + 18*a*b^2*x^6*(210*c + x*(140*d + 105*e*x + 84*f*x^2 + 70*g*x^3 + 60*h*x^4)) + b^3*x^9*(504*c + x*(420*d + 360*e*x + 315*f*x^2 + 280*g*x^3 + 252*h*x^4)))/(2520*x^4) + a^2*(3*b*d + a*g)*\text{Log}[x]$

fricas [A] time = 0.44, size = 219, normalized size = 1.05

$$\frac{252b^3hx^{14} + 280b^3gx^{13} + 315b^3fx^{12} + 360(b^3e + 3ab^2h)x^{11} + 420(b^3d + 3ab^2g)x^{10} + 504(b^3c + 3ab^2f)x^9 + \dots}{x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/2520*(252*b^3*h*x^14 + 280*b^3*g*x^13 + 315*b^3*f*x^12 + 360*(b^3*e + 3*a*b^2*h)*x^11 + 420*(b^3*d + 3*a*b^2*g)*x^10 + 504*(b^3*c + 3*a*b^2*f)*x^9 + 1890*(a*b^2*e + a^2*b*h)*x^8 + 2520*(a*b^2*d + a^2*b*g)*x^7 + 3780*(a*b^2*c + a^2*b*f)*x^6 - 1260*a^3*e*x^2 + 2520*(3*a^2*b*e + a^3*h)*x^5 + 2520*(3*a^2*b*d + a^3*g)*x^4*log(x) - 840*a^3*d*x - 630*a^3*c - 2520*(3*a^2*b*c + a^3*f)*x^3)/x^4

giac [A] time = 0.15, size = 224, normalized size = 1.07

$$\frac{1}{10}b^3hx^{10} + \frac{1}{9}b^3gx^9 + \frac{1}{8}b^3fx^8 + \frac{3}{7}ab^2hx^7 + \frac{1}{7}b^3x^7e + \frac{1}{6}b^3dx^6 + \frac{1}{2}ab^2gx^6 + \frac{1}{5}b^3cx^5 + \frac{3}{5}ab^2fx^5 + \frac{3}{4}a^2bhx^4 + \frac{3}{4}ab^2x^4e + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 3/7*a*b^2*h*x^7 + 1/7*b^3*x^7*e + 1/6*b^3*d*x^6 + 1/2*a*b^2*g*x^6 + 1/5*b^3*c*x^5 + 3/5*a*b^2*f*x^5 + 3/4*a^2*b*h*x^4 + 3/4*a*b^2*x^4*e + a*b^2*d*x^3 + a^2*b*g*x^3 + 3/2*a*b^2*c*x^2 + 3/2*a^2*b*f*x^2 + a^3*h*x + 3*a^2*b*x*e + (3*a^2*b*d + a^3*g)*log(abs(x)) - 1/12*(6*a^3*x^2*e + 4*a^3*d*x + 3*a^3*c + 12*(3*a^2*b*c + a^3*f)*x^3)/x^4

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3hx^{10}}{10} + \frac{b^3gx^9}{9} + \frac{b^3fx^8}{8} + \frac{3ab^2hx^7}{7} + \frac{b^3ex^7}{7} + \frac{ab^2gx^6}{2} + \frac{b^3dx^6}{6} + \frac{3ab^2fx^5}{5} + \frac{b^3cx^5}{5} + \frac{3a^2bhx^4}{4} + \frac{3ab^2ex^4}{4} + a^2bgx^3 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/10*b^3*h*x^10+1/9*b^3*g*x^9+1/8*b^3*f*x^8+3/7*x^7*a*b^2*h+1/7*x^7*b^3*e+1/2*x^6*a*b^2*g+1/6*x^6*b^3*d+3/5*x^5*a*b^2*f+1/5*x^5*b^3*c+3/4*x^4*a^2*b*h+3/4*x^4*a*b^2*e+x^3*a^2*b*g+x^3*a*b^2*d+3/2*x^2*a^2*b*f+3/2*a*b^2*c*x^2+a^3*h*x+3*a^2*b*x*e-1/4*a^3*c/x^4-1/3*a^3*d/x^3-1/2*a^3*e/x^2-a^3/x*f-3*a^2/x*b*c+ln(x)*a^3*g+3*ln(x)*a^2*b*d

maxima [A] time = 1.39, size = 212, normalized size = 1.01

$$\frac{1}{10}b^3hx^{10} + \frac{1}{9}b^3gx^9 + \frac{1}{8}b^3fx^8 + \frac{1}{7}(b^3e + 3ab^2h)x^7 + \frac{1}{6}(b^3d + 3ab^2g)x^6 + \frac{1}{5}(b^3c + 3ab^2f)x^5 + \frac{3}{4}(ab^2e + a^2bh)x^4 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 1/7*(b^3*e + 3*a*b^2*h)*x^7 + 1/6*(b^3*d + 3*a*b^2*g)*x^6 + 1/5*(b^3*c + 3*a*b^2*f)*x^5 + 3/4*(a*b^2*e + a^2*b*h)*x^4 + (a*b^2*d + a^2*b*g)*x^3 + 3/2*(a*b^2*c + a^2*b*f)*x^2 + \dots

$(3a^2be + a^3h)x + (3a^2bd + a^3g)\log(x) - \frac{1}{12}(6a^3ex^2 + 4a^3dx + 3a^3c + 12(3a^2bc + a^3f)x^3)/x^4$

mupad [B] time = 5.03, size = 199, normalized size = 0.95

$$x^5 \left(\frac{cb^3}{5} + \frac{3afb^2}{5} \right) + x^6 \left(\frac{db^3}{6} + \frac{agb^2}{2} \right) + x^7 \left(\frac{eb^3}{7} + \frac{3ahb^2}{7} \right) + \ln(x) (ga^3 + 3bda^2) - \frac{x^3 (fa^3 + 3bca^2) + \frac{a^3}{4}}{x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] $x^5*((b^3c)/5 + (3a*b^2*f)/5) + x^6*((b^3d)/6 + (a*b^2*g)/2) + x^7*((b^3e)/7 + (3a*b^2*h)/7) + \log(x)*(a^3g + 3a^2*b*d) - (x^3*(a^3f + 3a^2*b*c) + (a^3c)/4 + (a^3e*x^2)/2 + (a^3d*x)/3)/x^4 + x*(a^3h + 3a^2*b*e) + (b^3*f*x^8)/8 + (b^3*g*x^9)/9 + (b^3*h*x^{10})/10 + (3a*b*x^2*(b*c + a*f))/2 + a*b*x^3*(b*d + a*g) + (3a*b*x^4*(b*e + a*h))/4$

sympy [A] time = 3.14, size = 235, normalized size = 1.12

$$a^2(ag + 3bd)\log(x) + \frac{b^3fx^8}{8} + \frac{b^3gx^9}{9} + \frac{b^3hx^{10}}{10} + x^7\left(\frac{3ab^2h}{7} + \frac{b^3e}{7}\right) + x^6\left(\frac{ab^2g}{2} + \frac{b^3d}{6}\right) + x^5\left(\frac{3ab^2f}{5} + \frac{b^3c}{5}\right) + x^4\left(\frac{3a^3h}{4} + \frac{3a^2b^2e}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] $a**2*(a*g + 3*b*d)*\log(x) + b**3*f*x**8/8 + b**3*g*x**9/9 + b**3*h*x**10/10 + x**7*(3*a*b**2*h/7 + b**3*e/7) + x**6*(a*b**2*g/2 + b**3*d/6) + x**5*(3*a*b**2*f/5 + b**3*c/5) + x**4*(3*a**2*b*h/4 + 3*a*b**2*e/4) + x**3*(a**2*b*g + a*b**2*d) + x**2*(3*a**2*b*f/2 + 3*a*b**2*c/2) + x*(a**3*h + 3*a**2*b*e) + (-3*a**3*c - 4*a**3*d*x - 6*a**3*e*x**2 + x**3*(-12*a**3*f - 36*a**2*b*c))/(12*x**4)$

$$3.403 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=331

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}}$$

[Out] $-a*(-a*h+b*e)*x/b^3+1/2*(-a*f+b*c)*x^2/b^2+1/3*(-a*g+b*d)*x^3/b^2+1/4*(-a*h+b*e)*x^4/b^2+1/5*f*x^5/b+1/6*g*x^6/b+1/7*h*x^7/b+1/3*a^{(2/3)}*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(10/3)}-1/6*a^{(2/3)}*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(10/3)}-1/3*a*(-a*g+b*d)*\ln(b*x^3+a)/b^3+1/3*a^{(2/3)}*(b^{(5/3)}*c-a^{(2/3)}*b*e-a*b^{(2/3)}*f+a^{(5/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(10/3)}*3^{(1/2)}$

Rubi [A] time = 1.07, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $-((a*(b*e - a*h)*x)/b^3) + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) + (a^{(2/3)}*(b^{(5/3)}*c - a^{(2/3)}*b*e - a*b^{(2/3)}*f + a^{(5/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(10/3)}) + (a^{(2/3)}*(b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(10/3)}) - (a^{(2/3)}*(b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(10/3)}) - (a*(b*d - a*g)*\text{Log}[a + b*x^3])/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_.) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_.) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_.) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^7}{7b} + \frac{\int \frac{x^4(7bc+7bdx+7(be-ah)x^2+7bfx^3+7bgx^4)}{a+bx^3} dx}{7b} \\
&= \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(42b^2c+42b(bd-ag)x+42b(be-ah)x^2+42b^2fx^3)}{a+bx^3} dx}{42b^2} \\
&= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(210b^2(bc-af)+210b^2(bd-ag)x+210b^2(be-ah)x^2)}{a+bx^3} dx}{210b^3} \\
&= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \left(-210a(be-ah) + 210b(bc-af)x + 210b(bd-ag)x^2 \right)}{210b^3} dx \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 334, normalized size = 1.01

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3} b e + a^{5/3} (-h) - a b^{2/3} f + b^{5/3} c\right)}{3b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] (a*(-(b*e) + a*h)*x)/b^3 + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) + (a^(2/3)*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(10/3)) + (a^(2/3)*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(10/3)) + (a^(2/3)*(-(b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(10/3)) + (a*(-(b*d) + a*g)*Log[a + b*x^3])/(3*b^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 380, normalized size = 1.15

$$\frac{(abd - a^2g) \log(|bx^3 + a|)}{3b^3} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} a^2h - (-ab^2)^{\frac{1}{3}} abe - (-ab^2)^{\frac{2}{3}} bc + (-ab^2)^{\frac{2}{3}} af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b}) \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*(a*b*d - a^2*g)*\log(\text{abs}(b*x^3 + a))/b^3 - 1/3*\text{sqrt}(3)*((-a*b^2)^{(1/3)}*a^2*h - (-a*b^2)^{(1/3)}*a*b*e - (-a*b^2)^{(2/3)}*b*c + (-a*b^2)^{(2/3)}*a*f)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^4 - 1/6*((-a*b^2)^{(1/3)}*a^2*h - (-a*b^2)^{(1/3)}*a*b*e + (-a*b^2)^{(2/3)}*b*c - (-a*b^2)^{(2/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^4 + 1/420*(60*b^6*h*x^7 + 70*b^6*g*x^6 + 84*b^6*f*x^5 - 105*a*b^5*h*x^4 + 105*b^6*x^4*e + 140*b^6*d*x^3 - 140*a*b^5*g*x^3 + 210*b^6*c*x^2 - 210*a*b^5*f*x^2 + 420*a^2*b^4*h*x - 420*a*b^5*x*e)/b^7 + 1/3*(a*b^14*c*(-a/b)^{(1/3)} - a^2*b^13*f*(-a/b)^{(1/3)} + a^3*b^12*h - a^2*b^13*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a*b^15)$

maple [B] time = 0.05, size = 533, normalized size = 1.61

$$\frac{hx^7}{7b} + \frac{gx^6}{6b} + \frac{fx^5}{5b} - \frac{ahx^4}{4b^2} + \frac{ex^4}{4b} - \frac{agx^3}{3b^2} + \frac{dx^3}{3b} - \frac{afx^2}{2b^2} + \frac{cx^2}{2b} - \frac{\sqrt{3} a^3 h \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} - \frac{a^3 h \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $1/3*a^2/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3*a^3/b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h-1/3*a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c+1/3*a^2/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/2*a/b^2*f*x^2+1/b^3*a^2*h*x-1/b^2*a*e*x-1/3/b^2*x^3*a*g-1/3*a/b^2*\ln(b*x^3+a)*d-1/4/b^2*x^4*a*h+1/3*a^2/b^3*\ln(b*x^3+a)*g-1/6*a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/6*a^2/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/3*a^2/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f+1/3*a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/6*a^2/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/6*a^3/b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-1/3*a^3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h+1/3*a^2/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e+1/4/b*x^4*e+1/3/b*x^3*d+1/2/b*c*x^2+1/5/b*f*x^5+1/6*g*x^6/b+1/7*h*x^7/b$

maxima [A] time = 2.98, size = 378, normalized size = 1.14

$$\frac{\sqrt{3} \left(ab^2c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2bf \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2be \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^3h \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3ab^3} + \frac{60b^2hx^7 + 70b^2gx^6 + 84b^2fx^5 + 105b^2ex^4 + 140(b^2d - a^2g)x^3 + 210(b^2c - a^2f)x^2 - 420(a^2e - a^2h)x}{b^3} - \frac{1}{6} \left(2a^2b^2d \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2a^2b^2g \left(\frac{a}{b}\right)^{\frac{2}{3}} + a^2b^2c \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2b^2f \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2b^2e - a^3h \right) \log \left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right) - \frac{1}{3} \left(a^2b^2d \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2b^2g \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2b^2c \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2b^2f \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2b^2e + a^3h \right) \log \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) / \left(b^4 \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*sqrt(3)*(a*b^2*c*(a/b)^(2/3) - a^2*b*f*(a/b)^(2/3) - a^2*b*e*(a/b)^(1/3) + a^3*h*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) + 1/420*(60*b^2*h*x^7 + 70*b^2*g*x^6 + 84*b^2*f*x^5 + 105*(b^2*e - a*b*h)*x^4 + 140*(b^2*d - a*b*g)*x^3 + 210*(b^2*c - a*b*f)*x^2 - 420*(a*b*e - a^2*h)*x)/b^3 - 1/6*(2*a*b^2*d*(a/b)^(2/3) - 2*a^2*b*g*(a/b)^(2/3) + a*b^2*c*(a/b)^(1/3) - a^2*b*f*(a/b)^(1/3) + a^2*b*e - a^3*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^4*(a/b)^(2/3)) - 1/3*(a*b^2*d*(a/b)^(2/3) - a^2*b*g*(a/b)^(2/3) - a*b^2*c*(a/b)^(1/3) + a^2*b*f*(a/b)^(1/3) - a^2*b*e + a^3*h)*log(x + (a/b)^(1/3))/(b^4*(a/b)^(2/3))

mupad [B] time = 5.09, size = 1271, normalized size = 3.84

$$x^2 \left(\frac{c}{2b} - \frac{af}{2b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{ag}{3b^2} \right) + x^4 \left(\frac{e}{4b} - \frac{ah}{4b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^{10}z^3 + 27ab^8dz^2 - 27a^2b^7gz^2 - 9a^4b^4fz - 9a^5b^4c \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out] x^2*(c/(2*b) - (a*f)/(2*b^2)) + x^3*(d/(3*b) - (a*g)/(3*b^2)) + x^4*(e/(4*b) - (a*h)/(4*b^2)) + symsum(log(root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k)*((6*a^2*b^4*d - 6*a^3*b^3*g)/b^4 + (x*(3*a^2*b^4*e - 3*a^3*b^3*h))/b^4 + 9*root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k)*a*b^2) + (a^5*g^2 + a^3*b^2*d^2 - a^5*f*h + a^4*b*c*h - 2*a^4*b*d*g + a^4*b*e*f - a^3*b^2*c*e)/b^4 + (x*(a^4*b*f^2 + a^2*b^3*c^2 + a^5*g*h - a^4*b*d*h - a^4*b*e*g - 2*a^3*b^2*c*f + a^3*b^2*d*e))/b^4)*root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k), k, 1, 3) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) - (a*x*(e/b - (a*h)/b^2))/b

sympy [B] time = 60.52, size = 881, normalized size = 2.66

$$x^4 \left(-\frac{ah}{4b^2} + \frac{e}{4b} \right) + x^3 \left(-\frac{ag}{3b^2} + \frac{d}{3b} \right) + x^2 \left(-\frac{af}{2b^2} + \frac{c}{2b} \right) + x \left(\frac{a^2h}{b^3} - \frac{ae}{b^2} \right) + \text{RootSum} \left(27t^3b^{10} + t^2(-27a^2b^7g + 27ab \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] x**4*(-a*h/(4*b**2) + e/(4*b)) + x**3*(-a*g/(3*b**2) + d/(3*b)) + x**2*(-a*f/(2*b**2) + c/(2*b)) + x*(a**2*h/b**3 - a*e/b**2) + RootSum(27*_t**3*b**10 + _t**2*(-27*a**2*b**7*g + 27*a*b**8*d) + _t*(-9*a**4*b**4*f*h + 9*a**4*b**4*g**2 + 9*a**3*b**5*c*h - 18*a**3*b**5*d*g + 9*a**3*b**5*e*f - 9*a**2*b**6*c*e + 9*a**2*b**6*d**2) + a**7*h**3 - 3*a**6*b*e*h**2 + 3*a**6*b*f*g*h - a**6*b*g**3 - 3*a**5*b**2*c*g*h - 3*a**5*b**2*d*f*h + 3*a**5*b**2*d*g**2 + 3*a**5*b**2*e**2*h - 3*a**5*b**2*e*f*g + a**5*b**2*f**3 + 3*a**4*b**3*c*d*h + 3*a**4*b**3*c*e*g - 3*a**4*b**3*c*f**2 - 3*a**4*b**3*d**2*g + 3*a**4*b**3*d*e*f - a**4*b**3*e**3 + 3*a**3*b**4*c**2*f - 3*a**3*b**4*c*d*e + a**3*b**4*d**3 - a**2*b**5*c**3, Lambda(_t, _t*log(x + (-9*_t**2*a*b**7*f + 9*_t**2*b**8*c - 3*_t*a**4*b**3*h**2 + 6*_t*a**3*b**4*e*h + 6*_t*a**3*b**4*f*g - 6*_t*a**2*b**5*c*g - 6*_t*a**2*b**5*d*f - 3*_t*a**2*b**5*e**2 + 6*_t*a*b**6*c*d + a**6*g*h**2 - a**5*b*d*h**2 - 2*a**5*b*e*g*h + 2*a**5*b*f**2*h - a**5*b*f*g**2 - 4*a**4*b**2*c*f*h + a**4*b**2*c*g**2 + 2*a**4*b**2*d*e*h + 2*a**4*b**2*d*f*g + a**4*b**2*e**2*g - 2*a**4*b**2*e*f**2 + 2*a**3*b**3*c**2*h - 2*a**3*b**3*c*d*g + 4*a**3*b**3*c*e*f - a**3*b**3*d**2*f - a**3*b**3*d*e**2 - 2*a**2*b**4*c**2*e + a**2*b**4*c*d**2)/(a**6*h**3 - 3*a**5*b*e*h**2 + 3*a**4*b**2*e**2*h - a**4*b**2*f**3 + 3*a**3*b**3*c*f**2 - a**3*b**3*e**3 - 3*a**2*b**4*c**2*f + a*b**5*c**3))) + f*x**5/(5*b) + g*x**6/(6*b) + h*x**7/(7*b)

$$3.404 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=313

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

[Out] $(-a*f+b*c)*x/b^2+1/2*(-a*g+b*d)*x^2/b^2+1/3*(-a*h+b*e)*x^3/b^2+1/4*f*x^4/b+1/5*g*x^5/b+1/6*h*x^6/b-1/3*a^{(1/3)}*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(8/3)}+1/6*a^{(1/3)}*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(8/3)}-1/3*a*(-a*h+b*e)*\ln(b*x^3+a)/b^3+1/3*a^{(1/3)}*(b^{(4/3)}*c+a^{(1/3)}*b*d-a*b^{(1/3)}*f-a^{(4/3)}*g)*\operatorname{rctan}(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.99, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $((b*c - a*f)*x)/b^2 + ((b*d - a*g)*x^2)/(2*b^2) + ((b*e - a*h)*x^3)/(3*b^2) + (f*x^4)/(4*b) + (g*x^5)/(5*b) + (h*x^6)/(6*b) + (a^{(1/3)}*(b^{(4/3)}*c + a^{(1/3)}*b*d - a*b^{(1/3)}*f - a^{(4/3)}*g)*\operatorname{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\operatorname{Sqrt}[3]*a^{(1/3)})]/(\operatorname{Sqrt}[3]*b^{(8/3)}) - (a^{(1/3)}*(b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\operatorname{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(8/3)}) + (a^{(1/3)}*(b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\operatorname{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(8/3)}) - (a*(b*e - a*h)*\operatorname{Log}[a + b*x^3]/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^6}{6b} + \frac{\int \frac{x^3(6bc+6bdx+6(be-ah)x^2+6bfx^3+6bgx^4)}{a+bx^3} dx}{6b} \\
&= \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(30b^2c+30b(bd-ag)x+30b(be-ah)x^2+30b^2fx^3)}{a+bx^3} dx}{30b^2} \\
&= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(120b^2(bc-af)+120b^2(bd-ag)x+120b^2(be-ah)x^2)}{a+bx^3} dx}{120b^3} \\
&= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int (120b(bc-af) + 120b(bd-ag)x + 120b(be-ah)x^2)}{120b^3} dx \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{ab}{a+bx^3} dx}{6b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{ab}{a+bx^3} dx}{6b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{a(be-ah)}{6b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}}{6b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}}{6b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\sqrt[3]{a}}{6b^3}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 299, normalized size = 0.96

$$10\sqrt[3]{a}\sqrt[3]{b}\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^{4/3}g-\sqrt[3]{a}bd-a\sqrt[3]{b}f+b^{4/3}c)-20\sqrt[3]{a}\sqrt[3]{b}\log(\sqrt[3]{a}+\sqrt[3]{b}x)(a^{4/3}g-\sqrt[3]{a}bd-a\sqrt[3]{b}f+b^{4/3}c)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] (60*b*(b*c - a*f)*x + 30*b*(b*d - a*g)*x^2 + 20*b*(b*e - a*h)*x^3 + 15*b^2*f*x^4 + 12*b^2*g*x^5 + 10*b^2*h*x^6 - 20*Sqrt[3]*a^(1/3)*b^(1/3)*(-b^(4/3)*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 20*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 20*a*(-(b*e) + a*h)*Log[a + b*x^3])/(60*b^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 353, normalized size = 1.13

$$\frac{(a^2h - abe) \log(|bx^3 + a|)}{3b^3} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^2c - (-ab^2)^{\frac{1}{3}} abf - (-ab^2)^{\frac{2}{3}} bd + (-ab^2)^{\frac{2}{3}} ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*(a^2*h - a*b*e)*log(abs(b*x^3 + a))/b^3 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^2*c - (-a*b^2)^(1/3)*a*b*f - (-a*b^2)^(2/3)*b*d + (-a*b^2)^(2/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)*b^2*c - (-a*b^2)^(1/3)*a*b*f + (-a*b^2)^(2/3)*b*d - (-a*b^2)^(2/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^4 + 1/60*(10*b^5*h*x^6 + 12*b^5*g*x^5 + 15*b^5*f*x^4 - 20*a*b^4*h*x^3 + 20*b^5*x^3*e + 30*b^5*d*x^2 - 30*a*b^4*g*x^2 + 60*b^5*c*x - 60*a*b^4*f*x)/b^6 + 1/3*(a*b^12*d*(-a/b)^(1/3) - a^2*b^11*g*(-a/b)^(1/3) + a*b^12*c - a^2*b^11*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^13)

maple [B] time = 0.05, size = 505, normalized size = 1.61

$$\frac{hx^6}{6b} + \frac{gx^5}{5b} + \frac{fx^4}{4b} - \frac{ahx^3}{3b^2} + \frac{ex^3}{3b} - \frac{agx^2}{2b^2} + \frac{dx^2}{2b} + \frac{\sqrt{3} a^2 f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} + \frac{a^2 f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} - \frac{a^2 f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)

[Out] 1/6*h*x^6/b+1/5*g*x^5/b+1/4/b*f*x^4-1/3/b^2*x^3*a*h+1/3/b*e*x^3-1/2/b^2*x^2*a*g+1/2/b*d*x^2-a/b^2*f*x+1/b*c*x+1/3/(a/b)^(2/3)*a^2/b^3*f*ln(x+(a/b)^(1/3))-1/3/(a/b)^(2/3)*a/b^2*c*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*a^2/b^3*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/6/(a/b)^(2/3)*a/b^2*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*a^2/b^3*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/3*a^2/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g+1/3*a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/6*a^2/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/6*a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/3*a^2/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g-1/3*3^(1/2)/(a/b)^(1/3)*a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*a^2/b^3*ln(b*x^3+a)*h-1/3*a/b^2*e*ln(b*x^3+a)

maxima [A] time = 2.90, size = 332, normalized size = 1.06

$$\frac{10bhx^6 + 12bgx^5 + 15bfx^4 + 20(be - ah)x^3 + 30(bd - ag)x^2 + 60(bc - af)x}{60b^2} + \frac{\sqrt{3} \left(ab^2d \left(\frac{a}{b} \right)^{\frac{2}{3}} - a^2bg \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/60*(10*b*h*x^6 + 12*b*g*x^5 + 15*b*f*x^4 + 20*(b*e - a*h)*x^3 + 30*(b*d - a*g)*x^2 + 60*(b*c - a*f)*x)/b^2 - 1/3*sqrt(3)*(a*b^2*d*(a/b)^(2/3) - a^2*b*g*(a/b)^(2/3) + a*b^2*c*(a/b)^(1/3) - a^2*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/6*(2*a*b*e*(a/b)^(2/3) - 2*a^2*h*(a/b)^(2/3) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3) - a*b*c + a^2*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^3*(a/b)^(2/3)) - 1/3*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) - a*b*d*(a/b)^(1/3) + a^2*g*(a/b)^(1/3) + a*b*c - a^2*f)*log(x + (a/b)^(1/3))/(b^3*(a/b)^(2/3))

mupad [B] time = 4.99, size = 1236, normalized size = 3.95

$$x^2 \left(\frac{d}{2b} - \frac{ag}{2b^2} \right) + x^3 \left(\frac{e}{3b} - \frac{ah}{3b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^9z^3 + 27ab^7ez^2 - 27a^2b^6hz^2 + 9ab^6cdz - 18a^3b^4ehz - \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out] x^2*(d/(2*b) - (a*g)/(2*b^2)) + x^3*(e/(3*b) - (a*h)/(3*b^2)) + symsum(log(root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k)*((6*a^2*b^4*e - 6*a^3*b^3*h)/b^4 + (x*(3*a^2*b^3*f - 3*a*b^4*c))/b^3 + 9*root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k)*a*b^2) + (a^5*h^2 + a^3*b^2*e^2 - 2*a^4*b*e*h + a^4*b*f*g + a^2*b^3*c*d - a^3*b^2*c*g - a^3*b^2*d*f)/b^4 + (x*(a^4*g^2 + a^2*b^2*d^2 - a^4*f*h + a^3*b*c*h - 2*a^3*b*d*g + a^3*b*e*f - a^2*b^2*c*e))/b^3)*root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k), k, 1, 3) + x*(c/b - (a*f)/b^2) + (f*x^4)/(4*b) + (g*x^5)/(5*b) + (h*x^6)/(6*b)

sympy [B] time = 73.53, size = 845, normalized size = 2.70

$$x^3 \left(-\frac{ah}{3b^2} + \frac{e}{3b} \right) + x^2 \left(-\frac{ag}{2b^2} + \frac{d}{2b} \right) + x \left(-\frac{af}{b^2} + \frac{c}{b} \right) + \text{RootSum} \left(27t^3b^9 + t^2(-27a^2b^6h + 27ab^7e) + t(9a^4b^3h^2 - 18a^3b^4ehz - \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] x**3*(-a*h/(3*b**2) + e/(3*b)) + x**2*(-a*g/(2*b**2) + d/(2*b)) + x*(-a*f/b**2 + c/b) + RootSum(27*_t**3*b**9 + _t**2*(-27*a**2*b**6*h + 27*a*b**7*e)

$$\begin{aligned}
& + _t*(9*a**4*b**3*h**2 - 18*a**3*b**4*e*h + 9*a**3*b**4*f*g - 9*a**2*b**5*c \\
& *g - 9*a**2*b**5*d*f + 9*a**2*b**5*e**2 + 9*a*b**6*c*d) - a**6*h**3 + 3*a** \\
& 5*b*e*h**2 - 3*a**5*b*f*g*h + a**5*b*g**3 + 3*a**4*b**2*c*g*h + 3*a**4*b**2 \\
& *d*f*h - 3*a**4*b**2*d*g**2 - 3*a**4*b**2*e**2*h + 3*a**4*b**2*e*f*g - a**4 \\
& *b**2*f**3 - 3*a**3*b**3*c*d*h - 3*a**3*b**3*c*e*g + 3*a**3*b**3*c*f**2 + 3 \\
& *a**3*b**3*d**2*g - 3*a**3*b**3*d*e*f + a**3*b**3*e**3 - 3*a**2*b**4*c**2*f \\
& + 3*a**2*b**4*c*d*e - a**2*b**4*d**3 + a*b**5*c**3, \text{Lambda}(_t, _t*\log(x + \\
& (9*_t**2*a*b**6*g - 9*_t**2*b**7*d - 6*_t*a**3*b**3*g*h + 6*_t*a**2*b**4*d* \\
& h + 6*_t*a**2*b**4*e*g + 3*_t*a**2*b**4*f**2 - 6*_t*a*b**5*c*f - 6*_t*a*b** \\
& 5*d*e + 3*_t*b**6*c**2 + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*e*g*h - a** \\
& 4*b*f**2*h + 2*a**4*b*f*g**2 + 2*a**3*b**2*c*f*h - 2*a**3*b**2*c*g**2 + 2*a \\
& **3*b**2*d*e*h - 4*a**3*b**2*d*f*g + a**3*b**2*e**2*g + a**3*b**2*e*f**2 - \\
& a**2*b**3*c**2*h + 4*a**2*b**3*c*d*g - 2*a**2*b**3*c*e*f + 2*a**2*b**3*d**2 \\
& *f - a**2*b**3*d*e**2 + a*b**4*c**2*e - 2*a*b**4*c*d**2))/(a**4*b*g**3 - 3*a \\
& **3*b**2*d*g**2 + a**3*b**2*f**3 - 3*a**2*b**3*c*f**2 + 3*a**2*b**3*d**2*g \\
& + 3*a*b**4*c**2*f - a*b**4*d**3 - b**5*c**3)))) + f*x**4/(4*b) + g*x**5/(5* \\
& b) + h*x**6/(6*b)
\end{aligned}$$

$$3.405 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=294

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b} g\right)}{\sqrt{3} b^{8/3}}$$

[Out] $(-a*g+b*d)*x/b^2+1/2*(-a*h+b*e)*x^2/b^2+1/3*f*x^3/b+1/4*g*x^4/b+1/5*h*x^5/b$
 $-1/3*a^{(1/3)}*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/$
 $b^{(8/3)}+1/6*a^{(1/3)}*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}$
 $*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(8/3)}+1/3*(-a*f+b*c)*\ln(b*x^3+a)/b^2+1/3*a^{(1/3)}$
 $*b^{(4/3)}*d+a^{(1/3)}*b*e-a*b^{(1/3)}*g-a^{(4/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}$
 $*x)/a^{(1/3)}*3^{(1/2)})/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b} g\right)}{\sqrt{3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $((b*d - a*g)*x)/b^2 + ((b*e - a*h)*x^2)/(2*b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b) + (a^{(1/3)}*(b^{(4/3)}*d + a^{(1/3)}*b*e - a*b^{(1/3)}*g - a^{(4/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(8/3)}) - (a^{(1/3)}*(b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(8/3)}) + (a^{(1/3)}*(b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(8/3)}) + ((b*c - a*f)*\text{Log}[a + b*x^3])/ (3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^5}{5b} + \frac{\int \frac{x^2(5bc+5bdx+5(be-ah)x^2+5bfx^3+5bgx^4)}{a+bx^3} dx}{5b} \\
&= \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(20b^2c+20b(bd-ag)x+20b(be-ah)x^2+20b^2fx^3)}{a+bx^3} dx}{20b^2} \\
&= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(60b^2(bc-af)+60b^2(bd-ag)x+60b^2(be-ah)x^2)}{a+bx^3} dx}{60b^3} \\
&= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \left(60b(bd - ag) + 60b(be - ah)x - \frac{60(ab(bd-ag)+ab(be-ah))}{a+bx^3} \right) dx}{60b^3} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag)+ab(be-ah)}{a+bx^3} dx}{b^3} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag)+ab(be-ah)}{a+bx^3} dx}{b^3} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{(bc - af) \log(a + bx^3)}{3b^2} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} \right)}{3b^2} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} \right)}{3b^2} \\
&= \frac{(bd - ag)x}{b^2} + \frac{(be - ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\sqrt[3]{a} \left(b^{4/3}d + \sqrt[3]{a}be \right)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 290, normalized size = 0.99

$$10\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right) \left(a^{4/3}h - \sqrt[3]{a}be - a\sqrt[3]{b}g + b^{4/3}d\right) + 20\sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \left(a^{4/3}(-h) + \sqrt[3]{a}be - a\sqrt[3]{b}g + b^{4/3}d\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] (60*b^(2/3)*(b*d - a*g)*x + 30*b^(2/3)*(b*e - a*h)*x^2 + 20*b^(5/3)*f*x^3 + 15*b^(5/3)*g*x^4 + 12*b^(5/3)*h*x^5 - 20*sqrt[3]*a^(1/3)*(-(b^(4/3)*d) - a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 20*a^(1/3)*(-(b^(4/3)*d) + a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 20*b^(2/3)*(b*c - a*f)*Log[a + b*x^3]/(60*b^(8/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.24, size = 333, normalized size = 1.13

$$\frac{(bc - af) \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^2 d - (-ab^2)^{\frac{1}{3}} abg + (-ab^2)^{\frac{2}{3}} ah - (-ab^2)^{\frac{2}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*(b*c - a*f)*log(abs(b*x^3 + a))/b^2 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^2*d - (-a*b^2)^(1/3)*a*b*g + (-a*b^2)^(2/3)*a*h - (-a*b^2)^(2/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)*b^2*d - (-a*b^2)^(1/3)*a*b*g - (-a*b^2)^(2/3)*a*h + (-a*b^2)^(2/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^4 + 1/60*(12*b^4*h*x^5 + 15*b^4*g*x^4 + 20*b^4*f*x^3 - 30*a*b^3*h*x^2 + 30*b^4*x^2*e + 60*b^4*d*x - 60*a*b^3*g*x)/b^5 - 1/3*(a^2*b^9*h*(-a/b)^(1/3) - a*b^10*d + a^2*b^9*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^11)

maple [B] time = 0.05, size = 483, normalized size = 1.64

$$\frac{hx^5}{5b} + \frac{gx^4}{4b} + \frac{fx^3}{3b} - \frac{ahx^2}{2b^2} + \frac{ex^2}{2b} + \frac{\sqrt{3} a^2 g \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} + \frac{a^2 g \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} - \frac{a^2 g \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)

[Out] 1/5*h*x^5/b+1/4*g*x^4/b+1/3/b*f*x^3-1/2/b^2*x^2*a*h+1/2/b*e*x^2-1/b^2*a*g*x+1/b*d*x+1/3/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a^2*g-1/3/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a*d-1/6/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a^2*g+1/6/(a/b)^(2/3)*a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a^2*g-1/3/(a/b)^(2/3)*3^(1/2)*a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*a^2*h+1/3/b^2*a*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a^2*h-1/6/b^2*a*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a^2*h-1/3/b^2*a*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b^2*ln(b*x^3+a)*a*f+1/3/b*c*ln(b*x^3+a)

maxima [A] time = 3.00, size = 313, normalized size = 1.06

$$\frac{\sqrt{3} \left(abe \left(\frac{a}{b} \right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b} \right)^{\frac{2}{3}} + abd \left(\frac{a}{b} \right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3ab^2} + \frac{12bhx^5 + 15bgx^4 + 20bfx^3 + 30(bd + a^2g)x^2 + (12bh + 15bg + 20bf + 30bd + 30a^2g)x + 12bh + 15bg + 20bf + 30bd + 30a^2g}{60b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out]
$$-1/3*\sqrt{3}*(a*b*e*(a/b)^{(2/3)} - a^2*h*(a/b)^{(2/3)} + a*b*d*(a/b)^{(1/3)} - a^2*g*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2) + 1/60*(12*b*h*x^5 + 15*b*g*x^4 + 20*b*f*x^3 + 30*(b*e - a*h)*x^2 + 60*(b*d - a*g)*x)/b^2 + 1/6*(2*b^2*c*(a/b)^{(2/3)} - 2*a*b*f*(a/b)^{(2/3)} - a*b*e*(a/b)^{(1/3)} + a^2*h*(a/b)^{(1/3)} + a*b*d - a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^3*(a/b)^{(2/3)}) + 1/3*(b^2*c*(a/b)^{(2/3)} - a*b*f*(a/b)^{(2/3)} + a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)} - a*b*d + a^2*g)*\log(x + (a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.02, size = 1170, normalized size = 3.98

$$x^2 \left(\frac{e}{2b} - \frac{ah}{2b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^8z^3 + 27ab^6fz^2 - 27b^7cz^2 - 18ab^5cfz + 9ab^5dez + 9a^3b^3ghz - 9a^2b^4d^2h^2 - 27b^7c^2z^2 - 18a^2b^5c^2fz + 9a^2b^5d^2ez + 9a^3b^3g^2hz - 9a^2b^4d^2h^2 - 9a^2b^4e^2gz + 9a^2b^4d^2h^2 + 9a^2b^4f^2z + 9b^6c^2z + 3a^4b^2f^2g^2h - 3a^3b^4c^2de - 3a^3b^2e^2fg - 3a^3b^2d^2fh - 3a^3b^2c^2gh + 3a^2b^3d^2ef + 3a^2b^3c^2eg + 3a^2b^3c^2dh - 3a^4b^2e^2h^2 + 3a^2b^4c^2f + 3a^3b^2e^2h + 3a^3b^2d^2g^2 - 3a^2b^3d^2g - 3a^2b^3c^2f^2 + a^3b^2f^3 + a^2b^4d^3 + a^5h^3 - a^2b^3e^3 - a^4b^2g^3 - b^5c^3, z, k \right) \right) * \left(\frac{6a^2b^3f - 6a^2b^4c}{b^3} + \frac{x(3a^2b^3g - 3a^2b^4d)}{b^3} + 9*\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k) * a*b^2 \right) + \frac{(a*b^3*c^2 + a^3*b^2*f^2 + a^4*g^2h - a^3*b^2*d^2h - a^3*b^2*e^2g - 2*a^2*b^2*c^2f + a^2*b^2*d^2e)}{b^3} + \frac{(x(a^4*h^2 + a^2*b^2*e^2 + a*b^3*c^2d - 2*a^3*b^2e^2h + a^3*b^2f^2g - a^2*b^2c^2g - a^2*b^2d^2f))}{b^3} * \text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k), k, 1, 3) + x*(d/b - (a*g)/b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out]
$$x^2*(e/(2*b) - (a*h)/(2*b^2)) + \text{symsum}(\log(\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 - 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k) * ((6*a^2*b^3*f - 6*a^2*b^4*c)/b^3 + (x*(3*a^2*b^3*g - 3*a^2*b^4*d))/b^3 + 9*\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k) * a*b^2) + (a*b^3*c^2 + a^3*b^2*f^2 + a^4*g^2h - a^3*b^2*d^2h - a^3*b^2*e^2g - 2*a^2*b^2*c^2f + a^2*b^2*d^2e)/b^3 + (x(a^4*h^2 + a^2*b^2*e^2 + a*b^3*c^2d - 2*a^3*b^2e^2h + a^3*b^2f^2g - a^2*b^2c^2g - a^2*b^2d^2f))/b^3) * \text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k), k, 1, 3) + x*(d/b - (a*g)/b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b)$$

sympy [B] time = 88.70, size = 790, normalized size = 2.69

$$x^2 \left(-\frac{ah}{2b^2} + \frac{e}{2b} \right) + x \left(-\frac{ag}{b^2} + \frac{d}{b} \right) + \text{RootSum} \left(27t^3b^8 + t^2(27ab^6f - 27b^7c) + t(9a^3b^3gh - 9a^2b^4dh - 9a^2b^4eg + 9a^2b^4d^2h^2 - 27b^7c^2z^2 - 18a^2b^5c^2fz + 9a^2b^5d^2ez + 9a^3b^3g^2hz - 9a^2b^4d^2h^2 + 9a^2b^4f^2z + 9b^6c^2z + 3a^4b^2f^2g^2h - 3a^3b^4c^2de - 3a^3b^2e^2fg - 3a^3b^2d^2fh - 3a^3b^2c^2gh + 3a^2b^3d^2ef + 3a^2b^3c^2eg + 3a^2b^3c^2dh - 3a^4b^2e^2h^2 + 3a^2b^4c^2f + 3a^3b^2e^2h + 3a^3b^2d^2g^2 - 3a^2b^3d^2g - 3a^2b^3c^2f^2 + a^3b^2f^3 + a^2b^4d^3 + a^5h^3 - a^2b^3e^3 - a^4b^2g^3 - b^5c^3, z, k) * a*b^2 \right) + \frac{(a*b^3*c^2 + a^3*b^2*f^2 + a^4*g^2h - a^3*b^2*d^2h - a^3*b^2*e^2g - 2*a^2*b^2*c^2f + a^2*b^2*d^2e)}{b^3} + \frac{(x(a^4*h^2 + a^2*b^2*e^2 + a*b^3*c^2d - 2*a^3*b^2e^2h + a^3*b^2f^2g - a^2*b^2c^2g - a^2*b^2d^2f))}{b^3} * \text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g^2*h*z - 9*a^2*b^4*d^2*h^2 + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b^2*f^2*g^2*h - 3*a^3*b^4*c^2*d*e - 3*a^3*b^2*e^2*f*g - 3*a^3*b^2*d^2*f*h - 3*a^3*b^2*c^2*g*h + 3*a^2*b^3*d^2*e*f + 3*a^2*b^3*c^2*e*g + 3*a^2*b^3*c^2*d*h - 3*a^4*b^2*e^2*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d^2*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c^2*f^2 + a^3*b^2*f^3 + a^2*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b^2*g^3 - b^5*c^3, z, k), k, 1, 3) + x*(d/b - (a*g)/b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out]
$$x**2*(-a*h/(2*b**2) + e/(2*b)) + x*(-a*g/b**2 + d/b) + \text{RootSum}(27*_t**3*b**8 + _t**2*(27*a*b**6*f - 27*b**7*c) + _t*(9*a**3*b**3*g*h - 9*a**2*b**4*d*h - 9*a**2*b**4*e*g + 9*a**2*b**4*f**2 - 18*a*b**5*c*f + 9*a*b**5*d*e + 9*b**6*c**2) + a**5*h**3 - 3*a**4*b*e*h**2 + 3*a**4*b*f*g*h - a**4*b*g**3 - 3*a**3*b**2*c*g*h - 3*a**3*b**2*d*f*h + 3*a**3*b**2*d*g**2 + 3*a**3*b**2*e**2$$

$$\begin{aligned}
& h - 3a^{*3}b^{*2}e^{*f}g + a^{*3}b^{*2}f^{*3} + 3a^{*2}b^{*3}c^{*d}h + 3a^{*2}b^{*3}c^{*} \\
& e^{*g} - 3a^{*2}b^{*3}c^{*f}^{*2} - 3a^{*2}b^{*3}d^{*2}^{*}g + 3a^{*2}b^{*3}d^{*e}^{*f} - a^{*2}b^{*} \\
& ^{*3}e^{*3} + 3a^{*}b^{*4}c^{*2}^{*}f - 3a^{*}b^{*4}c^{*d}^{*}e + a^{*}b^{*4}d^{*3} - b^{*5}c^{*3}, \text{Lambd} \\
& a(_t, _t \log(x + (9*_t^{*2}a^{*}b^{*5}h - 9*_t^{*2}b^{*6}e + 6*_t a^{*2}b^{*3}f^{*}h + \\
& 3*_t a^{*2}b^{*3}g^{*2} - 6*_t a^{*}b^{*4}c^{*}h - 6*_t a^{*}b^{*4}d^{*}g - 6*_t a^{*}b^{*4}e^{*}f + \\
& 6*_t b^{*5}c^{*}e + 3*_t b^{*5}d^{*2} + 2a^{*4}g^{*}h^{*2} - 2a^{*3}b^{*}d^{*}h^{*2} - 4a^{*3} \\
& b^{*}e^{*}g^{*}h + a^{*3}b^{*}f^{*2}h + a^{*3}b^{*}f^{*}g^{*2} - 2a^{*2}b^{*2}c^{*}f^{*}h - a^{*2}b^{*2}c^{*}g \\
& ^{*2} + 4a^{*2}b^{*2}d^{*}e^{*}h - 2a^{*2}b^{*2}d^{*}f^{*}g + 2a^{*2}b^{*2}e^{*2}^{*}g - a^{*2}b^{*} \\
& ^{*2}e^{*f}^{*2} + a^{*}b^{*3}c^{*2}^{*}h + 2a^{*}b^{*3}c^{*d}^{*}g + 2a^{*}b^{*3}c^{*e}^{*}f + a^{*}b^{*3}d^{*2}^{*}f \\
& - 2a^{*}b^{*3}d^{*e}^{*2} - b^{*4}c^{*2}^{*}e - b^{*4}c^{*d}^{*2}) / (a^{*4}h^{*3} - 3a^{*3}b^{*}e^{*}h^{*2} \\
& + a^{*3}b^{*}g^{*3} - 3a^{*2}b^{*2}d^{*}g^{*2} + 3a^{*2}b^{*2}e^{*2}^{*}h + 3a^{*}b^{*3}d^{*2}^{*}g \\
& - a^{*}b^{*3}e^{*3} - b^{*4}d^{*3})) + f^{*}x^{*3} / (3^{*}b) + g^{*}x^{*4} / (4^{*}b) + h^{*}x^{*5} / (5^{*}b)
\end{aligned}$$

$$3.406 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=275

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^{2/3}(be-ah) + b^{2/3}(bc-af)\right)}{6\sqrt[3]{a}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^{2/3}(be-ah) + b^{2/3}(bc-af)\right)}{3\sqrt[3]{a}b^{7/3}} + \text{ta}$$

[Out] $(-a*h+b*e)*x/b^2+1/2*f*x^2/b+1/3*g*x^3/b+1/4*h*x^4/b-1/3*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(1/3)}/b^{(7/3)}+1/6*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(7/3)}+1/3*(-a*g+b*d)*\ln(b*x^3+a)/b^2-1/3*(b^{(5/3)}*c-a^{(2/3)}*b*e-a*b^{(2/3)}*f+a^{(5/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.92, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^{2/3}(be-ah) + b^{2/3}(bc-af)\right)}{6\sqrt[3]{a}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^{2/3}(be-ah) + b^{2/3}(bc-af)\right)}{3\sqrt[3]{a}b^{7/3}} + \text{ta}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $((b*e - a*h)*x)/b^2 + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b) - ((b^{(5/3)}*c - a^{(2/3)}*b*e - a*b^{(2/3)}*f + a^{(5/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*a^{(1/3)}*b^{(7/3)}) - ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (3*a^{(1/3)}*b^{(7/3)}) + ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(1/3)}*b^{(7/3)}) + ((b*d - a*g)*\text{Log}[a + b*x^3])/ (3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^4}{4b} + \frac{\int \frac{x(4bc + 4bdx + 4(be-ah)x^2 + 4bf^3 + 4bgx^4)}{a + bx^3} dx}{4b} \\
&= \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(12b^2c + 12b(bd-ag)x + 12b(be-ah)x^2 + 12b^2fx^3)}{a + bx^3} dx}{12b^2} \\
&= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(24b^2(bc-af) + 24b^2(bd-ag)x + 24b^2(be-ah)x^2)}{a + bx^3} dx}{24b^3} \\
&= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \left(24b(be-ah) - \frac{24(ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2)}{a + bx^3} \right) dx}{24b^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2}{a + bx^3} dx}{b^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x}{a + bx^3} dx}{b^3} + \frac{(bd-ag)}{b^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{(bd-ag) \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}x + \sqrt[3]{a}x^2)}{a + bx^3} dx}{\sqrt[3]{a}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{a}}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 272, normalized size = 0.99

$$\frac{2 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3} b e + a^{5/3} (-h) - a b^{2/3} f + b^{5/3} c\right)}{\sqrt[3]{a}} + \frac{4 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c\right)}{\sqrt[3]{a}} - \frac{4 \sqrt{3} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c\right)}{\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] (12*b^(1/3)*(b*e - a*h)*x + 6*b^(4/3)*f*x^2 + 4*b^(4/3)*g*x^3 + 3*b^(4/3)*h*x^4 - (4*sqrt(3)*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(1/3) + (4*(-(b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (2*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3) + 4*b^(1/3)*(b*d - a*g)*Log[a + b*x^3]/(12*b^(7/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 295, normalized size = 1.07

$$\frac{\sqrt{3} \left(a^2 h - a b e - (-a b^2)^{\frac{1}{3}} b c + (-a b^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b} \left(a^2 h - a b e + \left(-a b^2 \right)^{\frac{1}{3}} b c - \left(-a b^2 \right)^{\frac{1}{3}} a f \right) \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{3}}}{\left(-a b^2 \right)^{\frac{1}{3}}} \right) + \frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3} \sqrt{3} (a^2 h - a b e - (-a b^2)^{\frac{1}{3}} b c + (-a b^2)^{\frac{1}{3}} a f) \arctan \left(\frac{\sqrt{3} (2 x + \left(\frac{a}{b} \right)^{\frac{1}{3}})}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \frac{1}{6} (a^2 h - a b e + (-a b^2)^{\frac{1}{3}} b c - (-a b^2)^{\frac{1}{3}} a f) \log \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{3}}}{\left(-a b^2 \right)^{\frac{1}{3}}} \right) + \frac{1}{12} (3 b^3 h x^4 + 4 b^3 g x^3 + 6 b^3 f x^2 - 12 a b^2 h x + 12 b^3 x e) / b^4 - \frac{1}{3} (b^9 c (-a/b)^{\frac{1}{3}} - a b^8 f (-a/b)^{\frac{1}{3}} + a^2 b^7 h - a b^8 e) (-a/b)^{\frac{1}{3}} \log \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{3}}}{\left(-a b^2 \right)^{\frac{1}{3}}} \right) / (a b^9)$

maple [B] time = 0.04, size = 455, normalized size = 1.65

$$\frac{h x^4}{4 b} + \frac{g x^3}{3 b} + \frac{f x^2}{2 b} + \frac{\sqrt{3} a^2 h \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} + \frac{a^2 h \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} - \frac{a^2 h \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} - \frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{4} h x^4 / b + \frac{1}{3} g x^3 / b + \frac{1}{2} b f x^2 - \frac{1}{b^2} a h x + \frac{1}{b} e x + \frac{1}{3} b^3 / (a/b)^{\frac{2}{3}} * \ln(x + (a/b)^{\frac{1}{3}}) * a^2 h - \frac{1}{3} / (a/b)^{\frac{2}{3}} * a/b^2 * e * \ln(x + (a/b)^{\frac{1}{3}}) - \frac{1}{6} / b^3 / (a/b)^{\frac{2}{3}} * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) * a^2 h + \frac{1}{6} / (a/b)^{\frac{2}{3}} * a/b^2 * e * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) + \frac{1}{3} / b^3 / (a/b)^{\frac{2}{3}} * 3^{\frac{1}{2}} * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) * a^2 h - \frac{1}{3} / (a/b)^{\frac{2}{3}} * 3^{\frac{1}{2}} * a/b^2 * e * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) + \frac{1}{3} / (a/b)^{\frac{1}{3}} * a/b^2 * f * \ln(x + (a/b)^{\frac{1}{3}}) - \frac{1}{3} / b / (a/b)^{\frac{1}{3}} * \ln(x + (a/b)^{\frac{1}{3}}) * c - \frac{1}{6} / (a/b)^{\frac{1}{3}} * a/b^2 * f * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) + \frac{1}{6} / b / (a/b)^{\frac{1}{3}} * \ln(x^2 - (a/b)^{\frac{1}{3}} * x + (a/b)^{\frac{2}{3}}) * c - \frac{1}{3} * 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} * a/b^2 * f * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) + \frac{1}{3} / b * 3^{\frac{1}{2}} / (a/b)^{\frac{1}{3}} * \arctan(1/3 * 3^{\frac{1}{2}} * (2 / (a/b)^{\frac{1}{3}} * x - 1)) * c - \frac{1}{3} / b^2 * \ln(b * x^3 + a) * a * g + \frac{1}{3} / b * d * \ln(b * x^3 + a)$

maxima [A] time = 3.03, size = 300, normalized size = 1.09

$$\frac{\sqrt{3} \left(b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b e \left(\frac{a}{b} \right)^{\frac{1}{3}} + a^2 h \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a b^2} + \frac{3 b h x^4 + 4 b g x^3 + 6 b f x^2 + 12 (b e - a h)}{12 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}\left(b^2c\left(\frac{a}{b}\right)^{\frac{2}{3}} - a*b*f\left(\frac{a}{b}\right)^{\frac{2}{3}} - a*b*e\left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2*h\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)*\arctan\left(\frac{1}{3}\sqrt{3}\left(2*x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)/\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)/(a*b^2) + \frac{1}{12}\left(3*b*h*x^4 + 4*b*g*x^3 + 6*b*f*x^2 + 12*(b*e - a*h)*x\right)/b^2 + \frac{1}{6}\left(2*b^2*d*\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2*a*b*g*\left(\frac{a}{b}\right)^{\frac{2}{3}} + b^2*c*\left(\frac{a}{b}\right)^{\frac{1}{3}} - a*b*f*\left(\frac{a}{b}\right)^{\frac{1}{3}} + a*b*e - a^2*h\right)*\log\left(x^2 - x*\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)/(b^3*\left(\frac{a}{b}\right)^{\frac{2}{3}}) + \frac{1}{3}\left(b^2*d*\left(\frac{a}{b}\right)^{\frac{2}{3}} - a*b*g*\left(\frac{a}{b}\right)^{\frac{2}{3}} - b^2*c*\left(\frac{a}{b}\right)^{\frac{1}{3}} + a*b*f*\left(\frac{a}{b}\right)^{\frac{1}{3}} - a*b*e + a^2*h\right)*\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)/(b^3*\left(\frac{a}{b}\right)^{\frac{2}{3}})$

mupad [B] time = 4.99, size = 1161, normalized size = 4.22

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(27 a b^7 z^3 - 27 a b^6 d z^2 + 27 a^2 b^5 g z^2 - 9 a b^5 c e z - 9 a^3 b^3 f h z - 18 a^2 b^4 d g z + 9 a^2 b^4 e f z + 9 a^2 b^4 d g z + 9 a^2 b^4 e f z + 9 a^2 b^4 d g z \right) \right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out] $\text{symsum}(\log(\text{root}(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))*((6*a^2*b^2*g - 6*a*b^3*d)/b^2 + (x*(3*a^2*b^2*h - 3*a*b^3*e))/b^2 + 9*\text{root}(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k)*a*b^2) + (a^3*g^2 + a*b^2*d^2 - a^3*f*h - a*b^2*c*e + a^2*b*c*h - 2*a^2*b*d*g + a^2*b*e*f)/b^2 + (x*(b^3*c^2 + a^2*b*f^2 + a^3*g*h - 2*a*b^2*c*f + a*b^2*d*e - a^2*b*d*h - a^2*b*e*g))/b^2)*\text{root}(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k), k, 1, 3) + x*(e/b - (a*h)/b^2) + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b)$

sympy [B] time = 63.00, size = 811, normalized size = 2.95

$$x\left(-\frac{ah}{b^2} + \frac{e}{b}\right) + \text{RootSum}\left(27t^3ab^7 + t^2(27a^2b^5g - 27ab^6d) + t(-9a^3b^3fh + 9a^3b^3g^2 + 9a^2b^4ch - 18a^2b^4dg + 9a^2b^4d^2z + 9a^3b^3g^2z - 3a^4b^3fgh + 3a^3b^2e^2h + 3a^3b^2d^2g + 3a^2b^3c^2f + a^2b^3e^3 + a^4b^3g^3 + b^5c^3 - a^3b^2f^3 - a^5h^3, z, k), k, 1, 3) + x\left(\frac{e}{b} - \frac{ah}{b^2}\right) + \frac{f*x^2}{2*b} + \frac{g*x^3}{3*b} + \frac{h*x^4}{4*b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] $x*(-a*h/b**2 + e/b) + \text{RootSum}(27*_t**3*a*b**7 + _t**2*(27*a**2*b**5*g - 27*a*b**6*d) + _t*(-9*a**3*b**3*f*h + 9*a**3*b**3*g**2 + 9*a**2*b**4*c*h - 18*a**2*b**4*d*g + 9*a**2*b**4*e*f - 9*a*b**5*c*e + 9*a*b**5*d**2) - a**5*h**3 + 3*a**4*b*e*h**2 - 3*a**4*b*f*g*h + a**4*b*g**3 + 3*a**3*b**2*c*g*h + 3*a**3*b**2*d*f*h - 3*a**3*b**2*d*g**2 - 3*a**3*b**2*e**2*h + 3*a**3*b**2*e*f*g - a**3*b**2*f**3 - 3*a**2*b**3*c*d*h - 3*a**2*b**3*c*e*g + 3*a**2*b**3*c$

$$\begin{aligned}
& f^2 + 3a^2b^3d^2g - 3a^2b^3d^2ef + a^2b^3e^3 - 3ab^4c^2f + 3ab^4c^2de - ab^4d^3 + b^5c^3, \text{Lambda}(t, t \log(x + (-9 \\
& * t^2 a^2 b^5 f + 9 t^2 a b^6 c + 3 t a^4 b^2 h^2 - 6 t a^3 b^3 e h - 6 t a^3 b^3 f g + 6 t a^2 b^4 c g + 6 t a^2 b^4 d f + 3 t \\
& * a^2 b^4 e^2 - 6 t a b^5 c d + a^5 g h^2 - a^4 b d h^2 - 2 a^4 b e g h + 2 a^4 b f^2 h - a^4 b f g^2 - 4 a^3 b^2 c f h + a^3 b^2 c g \\
& **2 + 2 a^3 b^2 d e h + 2 a^3 b^2 d f g + a^3 b^2 e^2 g - 2 a^3 b^2 e f^2 + 2 a^2 b^3 c^2 h - 2 a^2 b^3 c d g + 4 a^2 b^3 c e f - a^2 \\
& * b^3 d^2 f - a^2 b^3 d e^2 - 2 a b^4 c^2 e + a b^4 c^2 d^2) / (a^5 h^3 - 3 a^4 b e h^2 + 3 a^3 b^2 e^2 h - a^3 b^2 f^3 + 3 a^2 b^3 c \\
& * f^2 - a^2 b^3 e^3 - 3 a b^4 c^2 f + b^5 c^3))) + f x^2 / (2 b) + g \\
& * x^3 / (3 b) + h x^4 / (4 b)
\end{aligned}$$

$$3.407 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$$

Optimal. Leaf size=259

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6a^{2/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{2/3} b^{5/3}}$$

[Out] f*x/b+1/2*g*x^2/b+1/3*h*x^3/b+1/3*(b^(1/3)*(-a*f+b*c)-a^(1/3)*(-a*g+b*d))*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(5/3)-1/6*(b^(1/3)*(-a*f+b*c)-a^(1/3)*(-a*g+b*d))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(5/3)+1/3*(-a*h+b*e)*ln(b*x^3+a)/b^2-1/3*(b^(4/3)*c+a^(1/3)*b*d-a*b^(1/3)*f-a^(4/3)*g)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.37, antiderivative size = 257, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(bd-ag)}{\sqrt[3]{b}} - af + bc\right)}{6a^{2/3} b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{2/3} b^{5/3}} \tan^{-1}\left(\frac{\sqrt[3]{a}(bd-ag) - \sqrt[3]{b}(bc-af)}{a^{1/3} - 2b^{1/3}x}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (f*x)/b + (g*x^2)/(2*b) + (h*x^3)/(3*b) - ((b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(5/3)) + ((b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(5/3)) - ((b*c - a*f - (a^(1/3)*(b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(4/3)) + ((b*e - a*h)*Log[a + b*x^3]/(3*b^2))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^3} dx &= \int \left(\frac{f}{b} + \frac{gx}{b} + \frac{hx^2}{b} + \frac{bc - af + (bd - ag)x + (be - ah)x^2}{b(a + bx^3)} \right) dx \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x + (be - ah)x^2}{a + bx^3} dx}{b} \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x}{a + bx^3} dx}{b} + \frac{(be - ah) \int \frac{x^2}{a + bx^3} dx}{b} \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{(be - ah) \log(a + bx^3)}{3b^2} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(bc - af) + \sqrt[3]{a}(bd - ag) - a^{2/3}x)}{a^{2/3} + \sqrt[3]{a}bx} dx}{3b^2} \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} + \frac{(be - ah) \log(a + bx^3)}{3b^2} \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3b^2} \\ &= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} - \frac{(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{2/3}b^{5/3}} \end{aligned}$$

Mathematica [A] time = 0.39, size = 254, normalized size = 0.98

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{2/3}} + \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{2/3}} + \frac{2 \sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2 \sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \left(a^{4/3} g - \sqrt[3]{a} b d + \dots\right)}{a^{2/3}}$$

$$6b^{5/3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (6*b^(2/3)*f*x + 3*b^(2/3)*g*x^2 + 2*b^(2/3)*h*x^3 + (2*sqrt(3)*(-(b^(4/3)*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(2/3) + (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - ((b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + (2*(b*e - a*h)*Log[a + b*x^3])/b^(1/3))/(6*b^(5/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 272, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b} \left(b^2 c - a b f + (-a b^2)^{\frac{1}{3}} b d - (-a b^2)^{\frac{1}{3}} a g \right) \log \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^2*c - a*b*f - (-a*b^2)^(1/3)*b*d + (-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b) - 1/6*(b^2*c - a*b*f + (-a*b^2)^(1/3)*b*d - (-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b) - 1/3*(a*h - b*e)*log(abs(b*x^3 + a))/b^2 + 1/6*(2*b^2*h*x^3 + 3*b^2*g*x^2 + 6*b^2*f*x)/b^3 - 1/3*(b^7*d*(-a/b)^(1/3) - a*b^6*g*(-a/b)^(1/3) + b^7*c - a*b^6*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7)

maple [B] time = 0.05, size = 429, normalized size = 1.66

$$\frac{\frac{h x^3}{3b} + \frac{g x^2}{2b}}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} a f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + a f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} a g \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)

[Out] 1/3*h*x^3/b+1/2*g*x^2/b+1/b*f*x-1/3/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a*f+1/3/(a/b)^(2/3)/b*c*ln(x+(a/b)^(1/3))+1/6/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a*f-1/6/(a/b)^(2/3)/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/(a/b)^(2/3)*3^(1/2)*a/b^2*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/(a/b)^(2/3)*3^(1/2)/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*a*g-1/3/(a/b)^(1/3)/b*d*ln(x+(a/b)^(1/3))-1/6/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a*g+1/6/(a/b)^(1/3)/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a*g+1/3*3^(1/2)/(a/b)^(1/3)/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b^2*ln(b*x^3+a)*a*h+1/3/b*e*ln(b*x^3+a)

maxima [A] time = 3.04, size = 266, normalized size = 1.03

$$\frac{2hx^3 + 3gx^2 + 6fx}{6b} + \frac{\sqrt{3} \left(b^2d \left(\frac{a}{b}\right)^{\frac{2}{3}} - abg \left(\frac{a}{b}\right)^{\frac{2}{3}} + b^2c \left(\frac{a}{b}\right)^{\frac{1}{3}} - abf \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3ab^2} + \left(2be \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] 1/6*(2*h*x^3 + 3*g*x^2 + 6*f*x)/b + 1/3*sqrt(3)*(b^2*d*(a/b)^(2/3) - a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) - a*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2) + 1/6*(2*b*e*(a/b)^(2/3) - 2*a*h*(a/b)^(2/3) + b*d*(a/b)^(1/3) - a*g*(a/b)^(1/3) - b*c + a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^2*(a/b)^(2/3)) + 1/3*(b*e*(a/b)^(2/3) - a*h*(a/b)^(2/3) - b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) + b*c - a*f)*log(x + (a/b)^(1/3))/(b^2*(a/b)^(2/3))

mupad [B] time = 5.03, size = 1150, normalized size = 4.44

$$\left(\sum_{k=1}^3 \ln \left(\frac{a^3 h^2 + a b^2 e^2 + b^3 c d - a b^2 c g - a b^2 d f - 2 a^2 b e h + a^2 b f g}{b^2} \right) + \text{root} \left(27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a b^5 c d z - 18 a^3 b^3 e h z + 9 a^3 b^3 f g z - 9 a^2 b^4 d f z - 9 a^2 b^4 c g z + 9 a^4 b^2 h^2 z + 9 a^2 b^4 e^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right) * \left(\frac{6 a^2 b^2 h - 6 a b^3 e}{b^2} + \frac{x (3 b^3 c - 3 a b^2 f)}{b} + 9 \text{root} \left(27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a b^5 c d z - 18 a^3 b^3 e h z + 9 a^3 b^3 f g z - 9 a^2 b^4 d f z - 9 a^2 b^4 c g z + 9 a^4 b^2 h^2 z + 9 a^2 b^4 e^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right) * a b^2 \right) + \frac{x (b^2 d^2 + a^2 g^2 - b^2 c e - a^2 f h + a b c h - 2 a b d g + a b e f)}{b} \text{root} \left(27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a b^5 c d z - 18 a^3 b^3 e h z + 9 a^3 b^3 f g z - 9 a^2 b^4 d f z - 9 a^2 b^4 c g z + 9 a^4 b^2 h^2 z + 9 a^2 b^4 e^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x)

[Out] symsum(log((a^3*h^2 + a*b^2*e^2 + b^3*c*d - a*b^2*c*g - a*b^2*d*f - 2*a^2*b*e*h + a^2*b*f*g)/b^2 + root(27*a^2*b^6*z^3 + 27*a^3*b^4*h*z^2 - 27*a^2*b^5*e*z^2 + 9*a*b^5*c*d*z - 18*a^3*b^3*e*h*z + 9*a^3*b^3*f*g*z - 9*a^2*b^4*d*f*z - 9*a^2*b^4*c*g*z + 9*a^4*b^2*h^2*z + 9*a^2*b^4*e^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*(6*a^2*b^2*h - 6*a*b^3*e)/b^2 + (x*(3*b^3*c - 3*a*b^2*f))/b + 9*root(27*a^2*b^6*z^3 + 27*a^3*b^4*h*z^2 - 27*a^2*b^5*e*z^2 + 9*a*b^5*c*d*z - 18*a^3*b^3*e*h*z + 9*a^3*b^3*f*g*z - 9*a^2*b^4*d*f*z - 9*a^2*b^4*c*g*z + 9*a^4*b^2*h^2*z + 9*a^2*b^4*e^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*a*b^2) + (x*(b^2*d^2 + a^2*g^2 - b^2*c*e - a^2*f*h + a*b*c*h - 2*a*b*d*g + a*b*e*f))/b)*root(27*a^2*b^6*z^3 + 27*a^3*b^4*h*z^2 - 27*a^2*b^5*e*z^2 + 9*a*b^5*c*d*z - 18*a^3*b^3*e*h*z + 9*a^3*b^3*f*g*z - 9*a^2*b^4*d*f*z - 9*a^2*b^4*c*g*z + 9*a^4*b^2*h^2*z + 9*a^2*b^4*e^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)

```
*e*h*z + 9*a^3*b^3*f*g*z - 9*a^2*b^4*d*f*z - 9*a^2*b^4*c*g*z + 9*a^4*b^2*h^
2*z + 9*a^2*b^4*e^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3
*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^
2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d
*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^
3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k), k, 1, 3) + (g*x^2)/(2*b) + (h
*x^3)/(3*b) + (f*x)/b
```

sympy [B] time = 59.39, size = 804, normalized size = 3.10

$$\text{RootSum}\left(27t^3a^2b^6 + t^2(27a^3b^4h - 27a^2b^5e) + t(9a^4b^2h^2 - 18a^3b^3eh + 9a^3b^3fg - 9a^2b^4cg - 9a^2b^4df + 9a^2b^4e^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*a**2*b**6 + _t**2*(27*a**3*b**4*h - 27*a**2*b**5*e) + _t*(
9*a**4*b**2*h**2 - 18*a**3*b**3*e*h + 9*a**3*b**3*f*g - 9*a**2*b**4*c*g - 9
*a**2*b**4*d*f + 9*a**2*b**4*e**2 + 9*a*b**5*c*d) + a**5*h**3 - 3*a**4*b**e
h**2 + 3*a**4*b*f*g*h - a**4*b*g**3 - 3*a**3*b**2*c*g*h - 3*a**3*b**2*d*f*h
+ 3*a**3*b**2*d*g**2 + 3*a**3*b**2*e**2*h - 3*a**3*b**2*e*f*g + a**3*b**2*
f**3 + 3*a**2*b**3*c*d*h + 3*a**2*b**3*c*e*g - 3*a**2*b**3*c*f**2 - 3*a**2*
b**3*d**2*g + 3*a**2*b**3*d*e*f - a**2*b**3*e**3 + 3*a*b**4*c**2*f - 3*a*b*
**4*c*d*e + a*b**4*d**3 - b**5*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**3*b**
4*g - 9*_t**2*a**2*b**5*d + 6*_t*a**4*b**2*g*h - 6*_t*a**3*b**3*d*h - 6*_t*
a**3*b**3*e*g - 3*_t*a**3*b**3*f**2 + 6*_t*a**2*b**4*c*f + 6*_t*a**2*b**4*d
*e - 3*_t*a*b**5*c**2 + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*e*g*h - a**4
*b*f**2*h + 2*a**4*b*f*g**2 + 2*a**3*b**2*c*f*h - 2*a**3*b**2*c*g**2 + 2*a*
**3*b**2*d*e*h - 4*a**3*b**2*d*f*g + a**3*b**2*e**2*g + a**3*b**2*e*f**2 - a
**2*b**3*c**2*h + 4*a**2*b**3*c*d*g - 2*a**2*b**3*c*e*f + 2*a**2*b**3*d**2*
f - a**2*b**3*d*e**2 + a*b**4*c**2*e - 2*a*b**4*c*d**2))/(a**4*b*g**3 - 3*a*
**3*b**2*d*g**2 + a**3*b**2*f**3 - 3*a**2*b**3*c*f**2 + 3*a**2*b**3*d**2*g +
3*a*b**4*c**2*f - a*b**4*d**3 - b**5*c**3)))) + f*x/b + g*x**2/(2*b) + h*x
**3/(3*b)
```

$$3.408 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$$

Optimal. Leaf size=258

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(\sqrt[3]{b}(bd-ag) - \sqrt[3]{a}(be-ah)\right)}{6a^{2/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(\sqrt[3]{b}(bd-ag) - \sqrt[3]{a}(be-ah)\right)}{3a^{2/3}b^{5/3}}$$

[Out] $g*x/b+1/2*h*x^2/b+c*\ln(x)/a+1/3*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(2/3)}/b^{(5/3)}-1/6*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/a^{(2/3)}/b^{(5/3)}-1/3*(-a*f+b*c)*\ln(b*x^3+a)/a/b-1/3*(b^{(4/3)*d+a^{(1/3)*b*e-a*b^{(1/3)*g}-a^{(4/3)*h}})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(2/3)}/b^{(5/3)*3^{(1/2)}}$

Rubi [A] time = 0.47, antiderivative size = 256, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(-\frac{\sqrt[3]{a}(be-ah)}{\sqrt[3]{b}} - ag + bd\right)}{6a^{2/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(\sqrt[3]{b}(bd-ag) - \sqrt[3]{a}(be-ah)\right)}{3a^{2/3}b^{5/3}} \tan^{-1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) - ((b^{(4/3)*d} + a^{(1/3)*b*e} - a*b^{(1/3)*g} - a^{(4/3)*h})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(2/3)*b^{(5/3)}}) + (c*\text{Log}[x])/a + ((b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(2/3)*b^{(5/3)}}) - ((b*d - a*g - (a^{(1/3)}*(b*e - a*h))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}]/(6*a^{(2/3)*b^{(4/3)}}) - ((b*c - a*f)*\text{Log}[a + b*x^3])/ (3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)} dx &= \int \left(\frac{g}{b} + \frac{c}{ax} + \frac{hx}{b} + \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{ab(a + bx^3)} \right) dx \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{a + bx^3} dx}{ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x}{a + bx^3} dx}{ab} - \frac{(bc - af) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} - \frac{(bc - af) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} (bd - ag) + a^{4/3} (be - ah))}{a^2 + abx^3} dx}{a^{2/3}} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} - \frac{(b^{4/3} d + \sqrt[3]{a} be - a \sqrt[3]{b} g - a^{4/3} h) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} b^{5/3}} + \frac{c \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.31, size = 258, normalized size = 1.00

$$-\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right) + 2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x]

[Out] $(6*a*b^{(2/3)}*g*x + 3*a*b^{(2/3)}*h*x^2 + 2*\text{Sqrt}[3]*a^{(1/3)}*(-(b^{(4/3)}*d) - a^{(1/3)}*b*e + a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + 6*b^{(5/3)}*c*\text{Log}[x] + 2*a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] - 2*b^{(2/3)}*(b*c - a*f)*\text{Log}[a + b*x^3])/(6*a*b^{(5/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 281, normalized size = 1.09

$$\frac{c \log(|x|)}{a} - \frac{\sqrt{3} \left(b^2 d - a b g + (-a b^2)^{\frac{1}{3}} a h - (-a b^2)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b} - \frac{\left(b^2 d - a b g - (-a b^2)^{\frac{1}{3}} a h + \left(-a b^2 \right)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] $c*\log(\text{abs}(x))/a - 1/3*\text{sqrt}(3)*(b^2*d - a*b*g + (-a*b^2)^{(1/3)}*a*h - (-a*b^2)^{(1/3)}*b*e)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b) - 1/6*(b^2*d - a*b*g - (-a*b^2)^{(1/3)}*a*h + (-a*b^2)^{(1/3)}*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b) - 1/3*(b*c - a*f)*\log(\text{abs}(b*x^3 + a))/(a*b) + 1/2*(b*h*x^2 + 2*b*g*x)/b^2 + 1/3*(a^3*b^2*h*(-a/b)^{(1/3)} - a^2*b^3*(-a/b)^{(1/3)}*e - a^2*b^3*d + a^3*b^2*g)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^3*b^3))$

maple [B] time = 0.05, size = 426, normalized size = 1.65

$$\frac{h x^2}{2b} - \frac{\sqrt{3} a g \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a g \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a g \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} a h \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x)

[Out] 1/2/b*h*x^2+1/b*g*x-1/3/b^2*a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g+1/3/(a/b)^(2/3)/b*d*ln(x+(a/b)^(1/3))+1/6/b^2*a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/6/(a/b)^(2/3)/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/b^2*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/3/(a/b)^(2/3)*3^(1/2)/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/b^2*a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h-1/3/(a/b)^(1/3)/b*e*ln(x+(a/b)^(1/3))-1/6/b^2*a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h+1/6/(a/b)^(1/3)/b*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/b^2*a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/3*3^(1/2)/(a/b)^(1/3)/b*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/b*f*ln(b*x^3+a)-1/3/a*c*ln(b*x^3+a)+1/a*c*ln(x)

maxima [A] time = 3.02, size = 290, normalized size = 1.12

$$\frac{c \log(x)}{a} + \frac{hx^2 + 2gx}{2b} + \frac{\sqrt{3} \left(abe \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2h \left(\frac{a}{b}\right)^{\frac{2}{3}} + abd \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3a^2b} \left(2b^2c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2ab \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] c*log(x)/a + 1/2*(h*x^2 + 2*g*x)/b + 1/3*sqrt(3)*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b) - 1/6*(2*b^2*c*(a/b)^(2/3) - 2*a*b*f*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + a*b*d - a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/3*(b^2*c*(a/b)^(2/3) - a*b*f*(a/b)^(2/3) + a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - a*b*d + a^2*g)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))

mupad [B] time = 5.10, size = 1731, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x)

[Out] symsum(log(b^2*c*d^2 - root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k)*(a^3*g^2 - root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))*((x*(33*a^2*b^4*f - 24*a*b^5*c))/b^2 + 3*a^2*b^2*e - 3*a^3*b*h - 36*root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))

$$\begin{aligned}
& 2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d \\
& *g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 \\
& - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k)*a^2*b^3*x) + (x*(4*b^5*c^2 + 1 \\
& 0*a^2*b^3*f^2 - 14*a*b^4*c*f + 10*a*b^4*d*e - 10*a^2*b^3*d*h - 10*a^2*b^3*e \\
& *g + 10*a^3*b^2*g*h))/b^2 + a*b^2*d^2 - a^3*f*h + 2*a*b^2*c*e - 2*a^2*b*c*h \\
& - 2*a^2*b*d*g + a^2*b*e*f) - b^2*c^2*e + a^2*c*g^2 + (x*(b^4*d^3 + a^4*h^3 \\
& - a*b^3*e^3 - a^3*b*g^3 + b^4*c^2*f + a^2*b^2*f^3 + 3*a^2*b^2*d*g^2 + 3*a^ \\
& 2*b^2*e^2*h - 2*b^4*c*d*e - 2*a*b^3*c*f^2 - 3*a*b^3*d^2*g - 3*a^3*b*e*h^2 - \\
& 2*a^2*b^2*c*g*h - 3*a^2*b^2*d*f*h - 3*a^2*b^2*e*f*g + 2*a*b^3*c*d*h + 2*a* \\
& b^3*c*e*g + 3*a*b^3*d*e*f + 3*a^3*b*f*g*h))/b^2 + a*b*c^2*h - a^2*c*f*h - 2 \\
& *a*b*c*d*g + a*b*c*e*f)*root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5 \\
& *c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c \\
& *f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + \\
& 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2 \\
& *b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^ \\
& 2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 \\
& + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z \\
& , k), k, 1, 3) + (h*x^2)/(2*b) + (c*log(x))/a + (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a),x)

[Out] Timed out

$$3.409 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=253

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}} +$$

[Out] $-c/a/x+h*x/b+d*\ln(x)/a+1/3*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(4/3)}/b^{(4/3)}-1/6*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(4/3)}/b^{(4/3)}-1/3*(-a*g+b*d)*\ln(b*x^3+a)/a/b+1/3*(b^{(5/3)*c-a^{(2/3)*b*e-a*b^{(2/3)*f+a^{(5/3)*h}}*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(4/3)}/b^{(4/3)*3^{(1/2)}})$

Rubi [A] time = 0.45, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}} +$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + (h*x)/b + ((b^{(5/3)*c} - a^{(2/3)*b*e} - a*b^{(2/3)*f} + a^{(5/3)*h}) * \text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)*x}]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(4/3)*b^{(4/3)}}) + (d*\text{Log}[x])/a + ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(4/3)*b^{(4/3)}}) - ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}]/(6*a^{(4/3)*b^{(4/3)}}) - ((b*d - a*g)*\text{Log}[a + b*x^3])/ (3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
 imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
 e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
 ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
 t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
 [2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
 xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &&
 & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
 ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
 s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
 - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
 Q[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
 = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
 st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
 /b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)} dx &= \int \left(\frac{h}{b} + \frac{c}{ax^2} + \frac{d}{ax} + \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{ab(a + bx^3)} \right) dx \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{a + bx^3} dx}{ab} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x}{a + bx^3} dx}{ab} - \frac{(bd - ag) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} - \frac{(bd - ag) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}b(bc - af) + 2}{\sqrt[3]{a} - 2\sqrt[3]{bx}}}{\sqrt[3]{a} - 2\sqrt[3]{bx}} dx}{\sqrt[3]{a} - 2\sqrt[3]{bx}} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{3a^{4/3}b^{4/3}} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{3a^{4/3}b^{4/3}} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{4/3}} + \frac{d \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.32, size = 257, normalized size = 1.02

$$\frac{1}{6} \left(\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c)}{a^{4/3} b^{4/3}} + \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{2/3} b e + a^{5/3} (-h) - a b^{2/3} f)}{a^{4/3} b^{4/3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] ((-6*c)/(a*x) + (6*h*x)/b + (2*sqrt[3]*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(4/3)*b^(4/3)) + (6*d*Log[x])/a + (2*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(a^(4/3)*b^(4/3)) + ((-b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(a^(4/3)*b^(4/3)) + (2*(-b*d) + a*g)*Log[a + b*x^3]/(a*b)/6

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 277, normalized size = 1.09

$$\frac{hx}{b} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left(a^2 h - a b e - (-ab^2)^{\frac{1}{3}} b c + (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{\left(a^2 h - a b e + (-ab^2)^{\frac{1}{3}} b c - (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a), x, algorithm="giac")

[Out] h*x/b + d*log(abs(x))/a + 1/3*sqrt(3)*(a^2*h - a*b*e - (-a*b^2)^(1/3)*b*c + (-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) + 1/6*(a^2*h - a*b*e + (-a*b^2)^(1/3)*b*c - (-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/3*(b*d - a*g)*log(abs(b*x^3 + a))/(a*b) - c/(a*x) + 1/3*(a*b^4*c*(-a/b)^(1/3) - a^2*b^3*f*(-a/b)^(1/3) + a^3*b^2*h - a^2*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)

maple [B] time = 0.06, size = 423, normalized size = 1.67

$$\frac{\sqrt{3} a h \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a h \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a h \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{c \ln \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x)
```

```
[Out] h*x/b-1/3/b^2*a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*h+1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/6/b^2*a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/3/b^2*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-1/3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+1/3/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/6/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c+1/3/b*ln(b*x^3+a)*g-1/3/a*d*ln(b*x^3+a)-1/a*c/x+1/a*d*ln(x)
```

maxima [A] time = 3.02, size = 290, normalized size = 1.15

$$\frac{hx}{b} + \frac{d \log(x)}{a} - \frac{\sqrt{3} \left(b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - abf \left(\frac{a}{b} \right)^{\frac{2}{3}} - abe \left(\frac{a}{b} \right)^{\frac{1}{3}} + a^2 h \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} \left(2b^2d \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2abg \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")
```

```
[Out] h*x/b + d*log(x)/a - 1/3*sqrt(3)*(b^2*c*(a/b)^(2/3) - a*b*f*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b) - c/(a*x) - 1/6*(2*b^2*d*(a/b)^(2/3) - 2*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) - a*b*f*(a/b)^(1/3) + a*b*e - a^2*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/3*(b^2*d*(a/b)^(2/3) - a*b*g*(a/b)^(2/3) - b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) - a*b*e + a^2*h)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))
```

mupad [B] time = 5.09, size = 1802, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)),x)
```

```
[Out] symsum(log((b^3*c*d^2 + a^3*d*h^2 + a*b^2*d*e^2 - a*b^2*d^2*f - a*b^2*c*d*g - 2*a^2*b*d*e*h + a^2*b*d*f*g)/a - root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*(root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*((3*a^2*b^3*c - 3*a^3*b^2*f)/a + (x*(24*a^3*b^4*d - 33*a^4*b^3*g))/(a^2*b) + 36*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k))
```

```

^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4
*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e
- 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3
*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^
2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3
- a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*a^2*b^3*x
) + (a^4*h^2 + a^2*b^2*e^2 - 2*a*b^3*c*d - 2*a^3*b*e*h + a^3*b*f*g - a^2*b^
2*c*g + 2*a^2*b^2*d*f)/a + (x*(4*a^2*b^4*d^2 + 10*a^4*b^2*g^2 - 10*a^2*b^4*
c*e + 10*a^3*b^3*c*h - 14*a^3*b^3*d*g + 10*a^3*b^3*e*f - 10*a^4*b^2*f*h))/(
a^2*b)) + (x*(b^5*c^3 - a^5*h^3 + a^4*b*g^3 + a^2*b^3*e^3 - a^3*b^2*f^3 + 3
*a^2*b^3*c*f^2 + a^2*b^3*d^2*g - 2*a^3*b^2*d*g^2 - 3*a^3*b^2*e^2*h - 3*a*b^
4*c^2*f + 3*a^4*b*e*h^2 - 2*a^2*b^3*c*d*h - 3*a^2*b^3*c*e*g - 2*a^2*b^3*d*e
*f + 3*a^3*b^2*c*g*h + 2*a^3*b^2*d*f*h + 3*a^3*b^2*e*f*g + 2*a*b^4*c*d*e -
3*a^4*b*f*g*h))/(a^2*b))*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^
4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*
c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h
- 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*
a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4
*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*
f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3
, z, k), k, 1, 3) + (h*x)/b - c/(a*x) + (d*log(x))/a

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a),x)

[Out] Timed out

$$3.410 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=260

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6a^{5/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{5/3} b^{2/3}}$$

[Out] $-1/2*c/a/x^2-d/a/x+e*\ln(x)/a-1/3*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)}+1/6*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)}-1/3*(-a*h+b*e)*\ln(b*x^3+a)/a/b+1/3*(b^{(4/3)}*c+a^{(1/3)}*b*d-a*b^{(1/3)}*f-a^{(4/3)}*g)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 258, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(bd-ag)}{\sqrt[3]{b}} - af + bc\right)}{6a^{5/3} \sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{5/3} b^{2/3}} + \tan^{-1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) - d/(a*x) + ((b^{(4/3)}*c + a^{(1/3)}*b*d - a*b^{(1/3)}*f - a^{(4/3)}*g)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) + (e*\text{Log}[x])/a - ((b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(5/3)}*b^{(2/3)}) + ((b*c - a*f - (a^{(1/3)}*(b*d - a*g)) / b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(5/3)}*b^{(1/3)}) - ((b*e - a*h)*\text{Log}[a + b*x^3]) / (3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} + \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a(a + bx^3)} \right) dx \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af + (-bd + ag)x}{a + bx^3} dx}{a} + \frac{(-be + ah) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{(be - ah) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(-bc + af) + \sqrt[3]{a}x^2)}{a + bx^3} dx}{\sqrt[3]{a}} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} - \frac{(be - ah) \log(a + bx^3)}{3ab} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} + \frac{(be - ah) \log(a + bx^3)}{3ab} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{2/3}} + \frac{e \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.46, size = 257, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{4/3} c\right)}{b^{2/3}} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt{3} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(a^{4/3} (-g) + \sqrt[3]{b} f\right)}{6 a^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)),x]

[Out] ((-3*a^(2/3)*c)/x^2 - (6*a^(2/3)*d)/x + (2*sqrt(3)*(b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(2/3) + 6*a^(2/3)*e*Log[x] - (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + (2*a^(2/3)*(-b*e) + a*h)*Log[a + b*x^3])/b/(6*a^(5/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 269, normalized size = 1.03

$$\frac{e \log(|x|)}{a} + \frac{\sqrt{3} \left(b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} a} + \frac{\left(b^2 c - a b f + \left(-a b^2 \right)^{\frac{1}{3}} b d - \left(-a b^2 \right)^{\frac{1}{3}} a g \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] e*log(abs(x))/a + 1/3*sqrt(3)*(b^2*c - a*b*f - (-a*b^2)^(1/3)*b*d + (-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) + 1/6*(b^2*c - a*b*f + (-a*b^2)^(1/3)*b*d - (-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) + 1/3*(a*h - b*e)*log(abs(b*x^3 + a))/(a*b) + 1/3*(a*b^2*d*(-a/b)^(1/3) - a^2*b*g*(-a/b)^(1/3) + a*b^2*c - a^2*b*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b) - 1/2*(2*d*x + c)/(a*x^2)

maple [B] time = 0.05, size = 423, normalized size = 1.63

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x)`

[Out] $\frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x+(a/b)^{1/3}) * f - \frac{1}{3} \frac{b}{(a/b)^{2/3}} \frac{1}{a} * c * \ln(x+(a/b)^{1/3}) - \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * f + \frac{1}{6} \frac{b}{(a/b)^{2/3}} \frac{1}{a} * c * \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (1/2) * (2/(a/b)^{1/3} * x - 1)) * f - \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} \frac{1}{a} * c * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{1}{3} \frac{b}{(a/b)^{1/3}} \ln(x+(a/b)^{1/3}) * g + \frac{1}{3} \frac{b}{(a/b)^{1/3}} \frac{1}{a} * d * \ln(x+(a/b)^{1/3}) + \frac{1}{6} \frac{b}{(a/b)^{1/3}} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * g - \frac{1}{6} \frac{b}{(a/b)^{1/3}} \frac{1}{a} * d * \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} * 3^{1/2} \frac{b}{(a/b)^{1/3}} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * g - \frac{1}{3} * 3^{1/2} \frac{b}{(a/b)^{1/3}} \frac{1}{a} * d * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + \frac{1}{3} \frac{b}{b} \ln(b*x^3+a) * h - \frac{1}{3} \frac{1}{a} * e * \ln(b*x^3+a) + \frac{1}{a} * e * \ln(x) - \frac{1}{2} \frac{1}{a} * c / x^2 - \frac{1}{a} * d / x$

maxima [A] time = 3.00, size = 271, normalized size = 1.04

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(b^2 d \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b g \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^2 b} - \left(2 b e \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2 a h \left(\frac{a}{b} \right)^{\frac{2}{3}} + b d \left(\frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")`

[Out] $e * \log(x) / a - \frac{1}{3} * \sqrt{3} * (b^2 * d * (a/b)^{2/3} - a * b * g * (a/b)^{2/3} + b^2 * c * (a/b)^{1/3} - a * b * f * (a/b)^{1/3}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a^2 * b) - \frac{1}{6} * (2 * b * e * (a/b)^{2/3} - 2 * a * h * (a/b)^{2/3} + b * d * (a/b)^{1/3} - a * g * (a/b)^{1/3} - b * c + a * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a * b * (a/b)^{2/3}) - \frac{1}{3} * (b * e * (a/b)^{2/3} - a * h * (a/b)^{2/3} - b * d * (a/b)^{1/3} + a * g * (a/b)^{1/3} + b * c - a * f) * \log(x + (a/b)^{1/3}) / (a * b * (a/b)^{2/3}) - \frac{1}{2} * (2 * d * x + c) / (a * x^2)$

mupad [B] time = 5.20, size = 6948, normalized size = 26.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)),x)`

[Out] `symsum(log(-(b^5*c^3*x - a^5*h^3*x - a^2*b^3*d*e^2 + 36*root(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)^3*a^5*b^3*x - a^3*b^2*e*f^2 + a^3*b^2*e^2*g - a^3*b^2*f^3*x - a*b^4*c^2*e - a*b^4*d^3*x + a^4*b*g^3*x + root(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^2*b^4*c^2 + 3*root(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k), x)`

$$\begin{aligned}
& 2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2 \\
& *z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3* \\
& a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2 \\
& *b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d* \\
& g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 \\
& + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)^2*a^4*b^3*d + \text{root}(27*a^5*b^3*z \\
& ^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g \\
& *z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + \\
& 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b \\
& ^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c \\
& *d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + \\
& 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^ \\
& 2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*f^2 - 3*\text{root}(27*a^5*b^3*z^3 \\
& - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z \\
& - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a \\
& ^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2* \\
& d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d \\
& *h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3* \\
& a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b \\
& ^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)^2*a^5*b^2*g + 2*a^2*b^3*c*e*f + a^3*b^2 \\
& *d*e*h + 10*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18* \\
& a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2 \\
& *b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d* \\
& e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - \\
& 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3* \\
& b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f \\
& ^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^5*b*h \\
& ^2*x - 3*a*b^4*c^2*f*x + 2*a^4*b*e*h^2*x + 4*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*e^2*x + 24*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)^2*a^4*b^3*e*x - 33*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)^2*a^5*b^2*h*x + 3*a^2*b^3*c*f^2*x + 3*a^2*b^3*d^2 \\
& *g*x - 3*a^3*b^2*d*g^2*x - a^3*b^2*e^2*h*x + \text{root}(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)*a^5*b*g*h - a^4*b*e*g*h - 2*\text{root}(27*a^5*b^3*z^3 - \\
& 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - \\
& 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^
\end{aligned}$$

$$\begin{aligned}
& 3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d* \\
& *f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d* \\
& h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a \\
& ^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3 \\
& *e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*c*f - 2*\text{root}(27*a^5*b^3*z^3 - 27 \\
& *a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9* \\
& a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3 \\
& ^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f* \\
& h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + \\
& 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3 \\
& b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e \\
& ^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*d*e - \text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2 \\
& *h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3 \\
& ^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3 \\
& *a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& 4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2 \\
& ^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + \\
& a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*d*h + 2*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2 \\
& *h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3* \\
& d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^ \\
& 3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b \\
& *e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2* \\
& g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4 \\
& *b*g^3 + b^5*c^3, z, k)*a^4*b^2*e*g + 2*a*b^4*c*d*e*x - 3*a^4*b*f*g*h*x + 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e* \\
& h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3* \\
& b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h \\
& - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^2*b^4*c*d*x - 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e* \\
& h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3* \\
& b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h \\
& - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*d*f*x - 1 \\
& 4*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e* \\
& h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3* \\
& b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h \\
& - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*e*h*x + 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e* \\
& h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3* \\
& b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h
\end{aligned}$$

$$\begin{aligned}
& - 3a^3b^2d^2g^2 + 3a^2b^3d^2g + 3a^2b^3c^2f^2 - a^3b^2f^3 - ab^4d^3 - a^5h^3 + a^2b^3e^3 + a^4b^3g^3 + b^5c^3, z, k) \cdot a^4b^2f^3g^3x - 3 \\
& \cdot a^2b^3c^2d^2h^3x - 2a^2b^3c^2e^2g^3x - 2a^2b^3d^2e^2f^3x + 3a^3b^2c^2g^2h^3x + 3a^3b^2d^2f^2h^3x + 2a^3b^2e^2f^2g^3x) / a^3) \cdot \text{root}(27a^5b^3z^3 - 27a^5 \\
& \cdot b^2h^2z^2 + 27a^4b^3e^2z^2 - 18a^4b^2e^2h^2z + 9a^4b^2f^2g^2z - 9a^3b^3 \\
& \cdot d^2f^2z - 9a^3b^3c^2g^2z + 9a^2b^4c^2d^2z + 9a^5b^2h^2z + 9a^3b^3e^2z - 3a^4b^2f^2g^2h^2 + 3a^3b^4c^2d^2e^2 + 3a^3b^2e^2f^2g^2 + 3a^3b^2d^2f^2h^2 + \\
& 3a^3b^2c^2g^2h^2 - 3a^2b^3d^2e^2f^2 - 3a^2b^3c^2e^2g^2 - 3a^2b^3c^2d^2h^2 + 3a^4b^2e^2h^2 - 3a^3b^4c^2f^2 - 3a^3b^2e^2h^2 - 3a^3b^2d^2g^2 + 3a^2b^3 \\
& \cdot d^2g^2 + 3a^2b^3c^2f^2 - a^3b^2f^3 - ab^4d^3 - a^5h^3 + a^2b^3e^3 + a^4b^3g^3 + b^5c^3, z, k), k, 1, 3) - c/(2ax^2) - d/(ax) + (e \cdot \log(x)) / a
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.411 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=276

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{6a^{5/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3a^{5/3} b^{2/3}} + \tan^{-1}\left(\frac{\sqrt[3]{a}(be - ah) - \sqrt[3]{b}(bd - ag)}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)$$

[Out] $-1/3*c/a/x^3 - 1/2*d/a/x^2 - e/a/x - (-a*f+b*c)*\ln(x)/a^2 - 1/3*(b^{(1/3)}*(-a*g+b*d) - a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)} + 1/6*(b^{(1/3)}*(-a*g+b*d) - a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)} + 1/3*(-a*f+b*c)*\ln(b*x^3+a)/a^2 + 1/3*(b^{(4/3)}*d+a^{(1/3)}*b*e-a*b^{(1/3)}*g-a^{(4/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 274, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}} - ag + bd\right)}{6a^{5/3} \sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3a^{5/3} b^{2/3}} + \tan^{-1}\left(\frac{\sqrt[3]{a}(be - ah) - \sqrt[3]{b}(bd - ag)}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] $-c/(3*a*x^3) - d/(2*a*x^2) - e/(a*x) + ((b^{(4/3)}*d + a^{(1/3)}*b*e - a*b^{(1/3)}*g - a^{(4/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) - ((b*c - a*f)*\text{Log}[x])/a^2 - ((b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*a^{(5/3)}*b^{(2/3)}) + ((b*d - a*g - (a^{(1/3)}*(b*e - a*h))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(5/3)}*b^{(1/3)}) + ((b*c - a*f)*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)} dx = \int \left(\frac{c}{ax^4} + \frac{d}{ax^3} + \frac{e}{ax^2} + \frac{-bc + af}{a^2x} + \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)}{a^2(a + bx^3)} \right) dx$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)}{a + bx^3} dx}{a^2}$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x}{a + bx^3} dx}{a^2} + \frac{b \int \frac{bc - af}{a + bx^3} dx}{a^2}$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{(bc - af) \log(a + bx^3)}{3a^2} + \frac{b(bc - af)}{3a^2}$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}} \right) \log(x)}{3a^{5/3} \sqrt[3]{b}}$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}} \right) \log(x)}{3a^{5/3} \sqrt[3]{b}}$$

$$= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} + \frac{\left(b^{4/3}d + \sqrt[3]{a}be - a\sqrt[3]{b}g - a^{4/3}h \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{5/3}b^{2/3}}$$

Mathematica [A] time = 0.55, size = 264, normalized size = 0.96

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)}{b^{2/3}} + \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{6 a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)),x]

[Out] $-\frac{1}{6} \left(\frac{(2ac)/x^3 + (3ad)/x^2 + (6ae)/x + (2\sqrt{3}a^{1/3})(-b^{4/3}d - a^{1/3}be + ab^{1/3}g + a^{4/3}h) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]}{b^{2/3}} + 6(bc - af) \operatorname{Log}[x] + (2a^{1/3})(b^{4/3}d - a^{1/3}be - ab^{1/3}g + a^{4/3}h) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{b^{2/3}}\right] - (a^{1/3})(b^{4/3}d - a^{1/3}be - ab^{1/3}g + a^{4/3}h) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{b^{2/3}}\right] - 2(bc - af) \operatorname{Log}[a + b^3x^3] \right) / a^2$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 291, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 d - abg + (-ab^2)^{\frac{1}{3}} ah - (-ab^2)^{\frac{1}{3}} be \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{-a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{-a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-ab^2\right)^{\frac{2}{3}} a} + \frac{\left(b^2 d - abg - (-ab^2)^{\frac{1}{3}} ah + (-ab^2)^{\frac{1}{3}} be \right) \log\left(\frac{a + b^3 x^3}{a}\right)}{6 \left(-ab^2\right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3} \sqrt{3} (b^2 d - a b g + (-a b^2)^{1/3} a h - (-a b^2)^{1/3} b e) \operatorname{arctan}\left(\frac{2x + (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) / ((-a b^2)^{2/3} a) + \frac{1}{6} (b^2 d - a b g - (-a b^2)^{1/3} a h + (-a b^2)^{1/3} b e) \log\left(\frac{x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}}{(-a b^2)^{2/3} a}\right) + \frac{1}{3} (b c - a f) \log\left(\frac{a + b^3 x^3}{a}\right) - \frac{(b c - a f) \log(x)}{a^2} - \frac{1}{3} (a^4 b h (-a/b)^{1/3} - a^3 b^2 (-a/b)^{1/3} e - a^3 b^2 d + a^4 b g) (-a/b)^{1/3} \log\left(\frac{x - (-a/b)^{1/3}}{a^5 b}\right) - \frac{1}{6} (6 a x^2 e + 3 a d x + 2 a c) / (a^2 x^3)$

maple [B] time = 0.06, size = 442, normalized size = 1.60

$$\frac{\sqrt{3} d \operatorname{arctan}\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} - \frac{\sqrt{3} e \operatorname{arctan}\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x)
```

```
[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d
-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/6/a/(a/b)^(2/3)*ln
(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1
/2)*(2/(a/b)^(1/3)*x-1))*g-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/
(a/b)^(1/3)*x-1))*d-1/3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h+1/3/(a/b)^(1/3)/a
*e*ln(x+(a/b)^(1/3))+1/6/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h-
1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/3*3^(1/2)/b/(a/b)^(
1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h-1/3/a*3^(1/2)/(a/b)^(1/3)*ar
ctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-1/3/a*ln(b*x^3+a)*f+1/3/a^2*b*ln(b*
x^3+a)*c-1/a*e/x-1/3/a*c/x^3-1/2/a*d/x^2+1/a*ln(x)*f-1/a^2*ln(x)*b*c
```

maxima [A] time = 3.08, size = 302, normalized size = 1.09

$$\frac{(bc - af) \log(x)}{a^2} - \frac{\sqrt{3} \left(abe \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b}\right)^{\frac{2}{3}} + abd \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3 a^3} + \frac{\left(2 b^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2 a b^2 c \right)}{3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="maxim
a")
```

```
[Out] -(b*c - a*f)*log(x)/a^2 - 1/3*sqrt(3)*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3
) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(
1/3))/(a/b)^(1/3))/a^3 + 1/6*(2*b^2*c*(a/b)^(2/3) - 2*a*b*f*(a/b)^(2/3) -
a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + a*b*d - a^2*g)*log(x^2 - x*(a/b)^(1
/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) + 1/3*(b^2*c*(a/b)^(2/3) - a*b*f*(a/
b)^(2/3) + a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - a*b*d + a^2*g)*log(x + (
a/b)^(1/3))/(a^2*b*(a/b)^(2/3)) - 1/6*(6*e*x^2 + 3*d*x + 2*c)/(a*x^3)
```

mupad [B] time = 5.87, size = 1842, normalized size = 6.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)),x)
```

```
[Out] symsum(log(- (b^5*c*d^2 - b^5*c^2*e + a^2*b^3*c*g^2 - a^2*b^3*e*f^2 - a^3*b
^2*f*g^2 + a^3*b^2*f^2*h - a*b^4*d^2*f + a*b^4*c^2*h - 2*a^2*b^3*c*f*h + 2*
a^2*b^3*d*f*g - 2*a*b^4*c*d*g + 2*a*b^4*c*e*f)/a^3 - root(27*a^6*b^2*z^3 +
27*a^5*b^2*f*z^2 - 27*a^4*b^3*c*z^2 + 9*a^5*b*g*h*z - 9*a^4*b^2*e*g*z - 9*a
^4*b^2*d*h*z - 18*a^3*b^3*c*f*z + 9*a^3*b^3*d*e*z + 9*a^4*b^2*f^2*z + 9*a^2
*b^4*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*
f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h
- 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^
2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2
*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*((a^2*b^4*d^2 + a^4*b^2*g^2 + 2*a^2*b^4*c
*e - 2*a^3*b^3*c*h - 2*a^3*b^3*d*g - 2*a^3*b^3*e*f + 2*a^4*b^2*f*h)/a^3 + r
oot(27*a^6*b^2*z^3 + 27*a^5*b^2*f*z^2 - 27*a^4*b^3*c*z^2 + 9*a^5*b*g*h*z -
9*a^4*b^2*e*g*z - 9*a^4*b^2*d*h*z - 18*a^3*b^3*c*f*z + 9*a^3*b^3*d*e*z + 9*
a^4*b^2*f^2*z + 9*a^2*b^4*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2
*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*
e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3
*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3
```

$$\begin{aligned}
& 3 - b^5c^3 + a^3b^2f^3 + ab^4d^3 + a^5h^3, z, k) * ((3a^4b^3e - 3a^5b^2h)/a^3 - (x*(24a^3b^4c - 24a^4b^3f))/a^3 + 36*\text{root}(27a^6b^2z^3 + 27a^5b^2f*z^2 - 27a^4b^3c*z^2 + 9a^5b*g*h*z - 9a^4b^2e*g*z - 9a^4b^2d*h*z - 18a^3b^3c*f*z + 9a^3b^3d*e*z + 9a^4b^2f^2*z + 9a^2b^4c^2*z + 3a^4b*f*g*h - 3a*b^4c*d*e - 3a^3b^2e*f*g - 3a^3b^2d*f*h - 3a^3b^2c*g*h + 3a^2b^3d*e*f + 3a^2b^3c*e*g + 3a^2b^3c*d*h - 3a^4b*e*h^2 + 3a*b^4c^2*f + 3a^3b^2e^2*h + 3a^3b^2d*g^2 - 3a^2b^3d^2*g - 3a^2b^3c*f^2 - a^2b^3e^3 - a^4b*g^3 - b^5c^3 + a^3b^2f^3 + ab^4d^3 + a^5h^3, z, k)*a^2b^3*x) + (x*(4a*b^5c^2 + 4a^3b^3f^2 - 8a^2b^4c*f + 10a^2b^4d*e - 10a^3b^3d*h - 10a^3b^3e*g + 10a^4b^2g*h))/a^3) - (x*(b^5d^3 - a*b^4e^3 + a^4b*h^3 - a^3b^2g^3 + 3a^2b^3d*g^2 + 3a^2b^3e^2*h - 3a^3b^2e*h^2 - 2b^5c*d*e - 3a*b^4d^2*g - 2a^2b^3c*g*h - 2a^2b^3d*f*h - 2a^2b^3e*f*g + 2a^3b^2f*g*h + 2a*b^4c*d*h + 2a*b^4c*e*g + 2a*b^4d*e*f))/a^3)*\text{root}(27a^6b^2z^3 + 27a^5b^2f*z^2 - 27a^4b^3c*z^2 + 9a^5b*g*h*z - 9a^4b^2e*g*z - 9a^4b^2d*h*z - 18a^3b^3c*f*z + 9a^3b^3d*e*z + 9a^4b^2f^2*z + 9a^2b^4c^2*z + 3a^4b*f*g*h - 3a*b^4c*d*e - 3a^3b^2e*f*g - 3a^3b^2d*f*h - 3a^3b^2c*g*h + 3a^2b^3d*e*f + 3a^2b^3c*e*g + 3a^2b^3c*d*h - 3a^4b*e*h^2 + 3a*b^4c^2*f + 3a^3b^2e^2*h + 3a^3b^2d*g^2 - 3a^2b^3d^2*g - 3a^2b^3c*f^2 - a^2b^3e^3 - a^4b*g^3 - b^5c^3 + a^3b^2f^3 + ab^4d^3 + a^5h^3, z, k), k, 1, 3) - (c/(3a) + (e*x^2)/a + (d*x)/(2a))/x^3 - (\log(x)*(b*c - a*f))/a^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a), x)

[Out] Timed out

$$3.412 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{18\sqrt[3]{a} b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{9\sqrt[3]{a} b^{10/3}}$$

[Out] $(-2*a*h+b*e)*x/b^3+1/2*f*x^2/b^2+1/3*g*x^3/b^2+1/4*h*x^4/b^2+1/3*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/b^3/(b*x^3+a)-1/9*(b^(2/3)*(-5*a*f+2*b*c)+a^(2/3)*(-7*a*h+4*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(1/3)/b^(10/3)+1/18*(b^(2/3)*(-5*a*f+2*b*c)+a^(2/3)*(-7*a*h+4*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(1/3)/b^(10/3)+1/3*(-2*a*g+b*d)*\ln(b*x^3+a)/b^3-1/9*(2*b^(5/3)*c-4*a^(2/3)*b*e-5*a*b^(2/3)*f+7*a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(1/3)/b^(10/3)*3^(1/2)$

Rubi [A] time = 0.72, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{18\sqrt[3]{a} b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{9\sqrt[3]{a} b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $((b*e - 2*a*h)*x)/b^3 + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*b^3*(a + b*x^3)) - ((2*b^(5/3)*c - 4*a^(2/3)*b*e - 5*a*b^(2/3)*f + 7*a^(5/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(3*\text{Sqrt}[3]*a^(1/3)*b^(10/3)) - ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/ (9*a^(1/3)*b^(10/3)) + ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (18*a^(1/3)*b^(10/3)) + ((b*d - 2*a*g)*\text{Log}[a + b*x^3])/ (3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2cd - be}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[\frac{b + 2cx}{a + bx + cx^2}, x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$

Rule 1828

$\text{Int}[(Pq_.)x^{(m_.)}((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{\text{Floor}[(q-1)/n] + 1}x^mPq, a + bx^n, x], R = \text{PolynomialRemainder}[b^{\text{Floor}[(q-1)/n] + 1}x^mPq, a + bx^n, x]\}, \text{Dist}[1/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[(a + bx^n)^{p+1}\text{ExpandToSum}[a^n(p+1)Q + n(p+1)R + D[xR, x], x], x] - \text{Simp}[(xR(a + bx^n)^{p+1})/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), x]] \ /; \text{GeQ}[q, n] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[\frac{(A_.) + (B_.)x}{(a_.) + (b_.)x^3}, x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[\frac{r(Br - As)}{3as}, \text{Int}[1/(r + sx), x], x] + \text{Dist}[r/(3as), \text{Int}[\frac{r(Br + 2As) + s(Br - As)x}{r^2 - r^2sx + s^2x^2}, x], x]] \ /; \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[aB^3 - bA^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[\frac{P2_}{(a_.) + (b_.)x^3}, x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[\frac{A + Bx}{a + bx^3}, x] + \text{Dist}[C, \text{Int}[x^2/(a + bx^3), x], x] \ /; \text{EqQ}[aB^3 - bA^3, 0] \ || \ !\text{RationalQ}[a/b] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rule 1887

$\text{Int}[\frac{Pq_}{(a_.) + (b_.)x^{(n_.)}}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + bx^n), x], x] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} - \int \frac{a^2(be - ah) - 2ab(bc - af)}{3b^3(a + bx^3)} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} - \frac{\int (-3a(be - 2ah) - 2b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} dx \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.57, size = 334, normalized size = 0.99

$$\frac{2 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(4a^{2/3} b^{4/3} e - 7a^{5/3} \sqrt[3]{b} h - 5abf + 2b^2 c\right)}{\sqrt[3]{a}} + \frac{4 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-4a^{2/3} b^{4/3} e + 7a^{5/3} \sqrt[3]{b} h + 5abf - 2b^2 c\right)}{\sqrt[3]{a}} - \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\sqrt[3]{a}}\right)}{\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (36*b^(2/3)*(b*e - 2*a*h)*x + 18*b^(5/3)*f*x^2 + 12*b^(5/3)*g*x^3 + 9*b^(5/3)*h*x^4 - (12*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a + b*x^3) - (4*sqrt(3)*(2*b^2*c - 4*a^(2/3)*b^(4/3)*e - 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(1/3) + (4*(-2*b^2*c - 4*a^(2/3)*b^(4/3)*e + 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(1/3) + (2*(2*b^2*c + 4*a^(2/3)*b^(4/3)*e - 5*a*b*f - 7*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(1/3) + 12*b^(2/3)*(b*d - 2*a*g)*Log[a + b*x^3]/(36*b^(11/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 357, normalized size = 1.06

$$\frac{\sqrt{3} \left(7a^2h - 4abe - 2(-ab^2)^{\frac{1}{3}}bc + 5(-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}b^2} \left(7a^2h - 4abe + 2(-ab^2)^{\frac{1}{3}}bc - 5(-ab^2)^{\frac{1}{3}}af \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/9*\sqrt{3}*(7*a^2*h - 4*a*b*e - 2*(-a*b^2)^{(1/3)}*b*c + 5*(-a*b^2)^{(1/3)}*a*f)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b^2) - 1/18*(7*a^2*h - 4*a*b*e + 2*(-a*b^2)^{(1/3)}*b*c - 5*(-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b^2) + 1/3*(b*d - 2*a*g)*\log(\text{abs}(b*x^3 + a))/b^3 + 1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 - (a^2*h - a*b*e)*x)/((b*x^3 + a)*b^3) - 1/9*(2*b^6*c*(-a/b)^{(1/3)} - 5*a*b^5*f*(-a/b)^{(1/3)} + 7*a^2*b^4*h - 4*a*b^5*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a*b^7) + 1/12*(3*b^6*h*x^4 + 4*b^6*g*x^3 + 6*b^6*f*x^2 - 24*a*b^5*h*x + 12*b^6*x*e)/b^8$$

maple [B] time = 0.06, size = 562, normalized size = 1.67

$7\sqrt{3} a^2h \arctan$

$$\frac{hx^4}{4b^2} + \frac{afx^2}{3(bx^3+a)b^2} - \frac{cx^2}{3(bx^3+a)b} + \frac{gx^3}{3b^2} - \frac{a^2hx}{3(bx^3+a)b^3} + \frac{aex}{3(bx^3+a)b^2} + \frac{fx^2}{2b^2} - \frac{a^2g}{3(bx^3+a)b^3} + \frac{7\sqrt{3} a^2h \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out]
$$-5/9/b^3*a*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-4/9/b^3*e*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+7/9/b^4*a^2*h/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-7/18/b^4*a^2*h/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9/b^3*e*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/b^2*e*x-1/3/b/(b*x^3+a)*c*x^2-1/3/b^3/(b*x^3+a)*a^2*g+1/3/b^2/(b*x^3+a)*d*a-2/b^3*a*h*x-2/9/b^2*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/9/b^2*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3/b^3*\ln(b*x^3+a)*a*g+2/9/b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/9/b^3*e*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/9/b^3*a*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/18/b^3*a*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3/b^2/(b*x^3+a)*x^2*a*f-1/3/b^3/(b*x^3+a)*a^2*h*x+1/3/b^2/(b*x^3+a)*a*e*x+7/9/b^4*a^2*h/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/3/b^2*\ln(b*x^3+a)*d+1/2/b^2*f*x^2+1/3*g*x^3/b^2+1/4*h*x^4/b^2$$

maxima [A] time = 3.05, size = 364, normalized size = 1.08

$$\frac{abd - a^2g - (b^2c - abf)x^2 + (abe - a^2h)x}{3(b^4x^3 + ab^3)} + \frac{\sqrt{3} \left(2b^2c \left(\frac{a}{b} \right)^{\frac{2}{3}} - 5abf \left(\frac{a}{b} \right)^{\frac{2}{3}} - 4abe \left(\frac{a}{b} \right)^{\frac{1}{3}} + 7a^2h \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 + (a*b*e - a^2*h)*x)/(b^4*x^3 + a*b^3) + \frac{1}{9}\sqrt{3}*(2*b^2*c*(a/b)^{(2/3)} - 5*a*b*f*(a/b)^{(2/3)} - 4*a*b*e*(a/b)^{(1/3)} + 7*a^2*h*(a/b)^{(1/3)})*\arctan(\frac{1}{3}\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^3) + \frac{1}{12}*(3*b*h*x^4 + 4*b*g*x^3 + 6*b*f*x^2 + 12*(b*e - 2*a*h)*x)/b^3 + \frac{1}{18}*(6*b^2*d*(a/b)^{(2/3)} - 12*a*b*g*(a/b)^{(2/3)} + 2*b^2*c*(a/b)^{(1/3)} - 5*a*b*f*(a/b)^{(1/3)} + 4*a*b*e - 7*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^4*(a/b)^{(2/3)}) + \frac{1}{9}*(3*b^2*d*(a/b)^{(2/3)} - 6*a*b*g*(a/b)^{(2/3)} - 2*b^2*c*(a/b)^{(1/3)} + 5*a*b*f*(a/b)^{(1/3)} - 4*a*b*e + 7*a^2*h)*\log(x + (a/b)^{(1/3)})/(b^4*(a/b)^{(2/3)})$

mupad [B] time = 5.11, size = 1241, normalized size = 3.68

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(729 a b^{10} z^3 - 729 a b^8 d z^2 + 1458 a^2 b^7 g z^2 - 216 a b^6 c e z - 945 a^3 b^4 f h z - 972 a^2 b^5 d g z + 540 a^2 b^5 e f z + 378 a^2 b^5 c h z + 243 a^2 b^6 d^2 z + 972 a^3 b^4 g^2 z - 630 a^4 b^2 f g h + 72 a^2 b^4 c d e + 360 a^3 b^2 e f g + 315 a^3 b^2 d f h + 252 a^3 b^2 c g h - 180 a^2 b^3 d e f - 144 a^2 b^3 c e g - 126 a^2 b^3 c d h + 588 a^4 b^2 e h^2 - 60 a^2 b^4 c^2 f - 336 a^3 b^2 e^2 h - 324 a^3 b^2 d g^2 + 162 a^2 b^3 d^2 g + 150 a^2 b^3 c f^2 - 125 a^3 b^2 f^3 + 64 a^2 b^3 e^3 + 216 a^4 b^2 g^3 - 27 a^2 b^4 d^3 - 343 a^5 h^3 + 8 b^5 c^3, z, k \right) \right) * \left(\frac{108 a^2 b^3 g - 54 a^2 b^4 d}{9 b^4} + \frac{x(63 a^2 b^3 h - 36 a^2 b^4 e)}{9 b^4} + 9 \text{root}(729 a^2 b^10 z^3 - 729 a^2 b^8 d z^2 + 1458 a^2 b^7 g z^2 - 216 a^2 b^6 c e z - 945 a^3 b^4 f h z - 972 a^2 b^5 d g z + 540 a^2 b^5 e f z + 378 a^2 b^5 c h z + 243 a^2 b^6 d^2 z + 972 a^3 b^4 g^2 z - 630 a^4 b^2 f g h + 72 a^2 b^4 c d e + 360 a^3 b^2 e f g + 315 a^3 b^2 d f h + 252 a^3 b^2 c g h - 180 a^2 b^3 d e f - 144 a^2 b^3 c e g - 126 a^2 b^3 c d h + 588 a^4 b^2 e h^2 - 60 a^2 b^4 c^2 f - 336 a^3 b^2 e^2 h - 324 a^3 b^2 d g^2 + 162 a^2 b^3 d^2 g + 150 a^2 b^3 c f^2 - 125 a^3 b^2 f^3 + 64 a^2 b^3 e^3 + 216 a^4 b^2 g^3 - 27 a^2 b^4 d^3 - 343 a^5 h^3 + 8 b^5 c^3, z, k) * a b^2 \right) + \frac{36 a^3 g^2 + 9 a^2 b^2 d^2 - 35 a^3 f h - 8 a^2 b^2 c e + 14 a^2 b^2 c h - 36 a^2 b^2 d g + 20 a^2 b^2 e f}{9 b^4} + \frac{x(4 b^3 c^2 + 25 a^2 b^2 f^2 + 42 a^3 g h - 20 a^2 b^2 c f + 12 a^2 b^2 d e - 21 a^2 b^2 d h - 24 a^2 b^2 e g)}{9 b^4} * \text{root}(729 a^2 b^10 z^3 - 729 a^2 b^8 d z^2 + 1458 a^2 b^7 g z^2 - 216 a^2 b^6 c e z - 945 a^3 b^4 f h z - 972 a^2 b^5 d g z + 540 a^2 b^5 e f z + 378 a^2 b^5 c h z + 243 a^2 b^6 d^2 z + 972 a^3 b^4 g^2 z - 630 a^4 b^2 f g h + 72 a^2 b^4 c d e + 360 a^3 b^2 e f g + 315 a^3 b^2 d f h + 252 a^3 b^2 c g h - 180 a^2 b^3 d e f - 144 a^2 b^3 c e g - 126 a^2 b^3 c d h + 588 a^4 b^2 e h^2 - 60 a^2 b^4 c^2 f - 336 a^3 b^2 e^2 h - 324 a^3 b^2 d g^2 + 162 a^2 b^3 d^2 g + 150 a^2 b^3 c f^2 - 125 a^3 b^2 f^3 + 64 a^2 b^3 e^3 + 216 a^4 b^2 g^3 - 27 a^2 b^4 d^3 - 343 a^5 h^3 + 8 b^5 c^3, z, k), k, 1, 3) + \frac{x(e/b^2 - (2*a*h)/b^3) - (x((a^2*h)/3 - (a*b*e)/3) + (a^2*g)/3 + x^2*((b^2*c)/3 - (a*b*f)/3) - (a*b*d)/3)/(a*b^3 + b^4*x^3) + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log(\text{root}(729*a*b^{10}*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b^2*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b^2*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b^2*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k))*((108*a^2*b^3*g - 54*a*b^4*d)/(9*b^4) + (x*(63*a^2*b^3*h - 36*a*b^4*e))/(9*b^4) + 9*\text{root}(729*a^2*b^10*z^3 - 729*a^2*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a^2*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b^2*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b^2*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b^2*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k))*a*b^2) + \frac{36*a^3*g^2 + 9*a^2*b^2*d^2 - 35*a^3*f*h - 8*a^2*b^2*c*e + 14*a^2*b^2*c*h - 36*a^2*b^2*d*g + 20*a^2*b^2*e*f}{9*b^4} + \frac{x(4*b^3*c^2 + 25*a^2*b^2*f^2 + 42*a^3*g*h - 20*a^2*b^2*c*f + 12*a^2*b^2*d*e - 21*a^2*b^2*d*h - 24*a^2*b^2*e*g)}{9*b^4} * \text{root}(729*a^2*b^10*z^3 - 729*a^2*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a^2*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b^2*f*g*h + 72*a^2*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b^2*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b^2*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k), k, 1, 3) + \frac{x(e/b^2 - (2*a*h)/b^3) - (x((a^2*h)/3 - (a*b*e)/3) + (a^2*g)/3 + x^2*((b^2*c)/3 - (a*b*f)/3) - (a*b*d)/3)/(a*b^3 + b^4*x^3) + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.413 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=311

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{18a^{2/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{9a^{2/3} b^{8/3}}$$

[Out] $f*x/b^2+1/2*g*x^2/b^2+1/3*h*x^3/b^2-1/3*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/b^2/(b*x^3+a)+1/9*(b^{(1/3)}*(-4*a*f+b*c)-a^{(1/3)}*(-5*a*g+2*b*d))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(2/3)}/b^{(8/3)}-1/18*(b^{(1/3)}*(-4*a*f+b*c)-a^{(1/3)}*(-5*a*g+2*b*d))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(2/3)}/b^{(8/3)}+1/3*(-2*a*h+b*e)*\ln(b*x^3+a)/b^3-1/9*(b^{(4/3)}*c+2*a^{(1/3)*b*d-4*a*b^{(1/3)*f-5*a^{(4/3)*g}}*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(2/3)}/b^{(8/3)*3^{(1/2)}}$

Rubi [A] time = 0.64, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{18a^{2/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{9a^{2/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $(f*x)/b^2 + (g*x^2)/(2*b^2) + (h*x^3)/(3*b^2) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*b^2*(a + b*x^3)) - ((b^{(4/3)}*c + 2*a^{(1/3)*b*d - 4*a*b^{(1/3)*f - 5*a^{(4/3)*g}}*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/ (3*\text{Sqrt}[3]*a^{(2/3)*b^{(8/3)}}) + ((b^{(1/3)}*(b*c - 4*a*f) - a^{(1/3)}*(2*b*d - 5*a*g))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(9*a^{(2/3)*b^{(8/3)}}) - ((b^{(1/3)}*(b*c - 4*a*f) - a^{(1/3)}*(2*b*d - 5*a*g))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/(18*a^{(2/3)*b^{(8/3)}}) + ((b*e - 2*a*h)*\text{Log}[a + b*x^3])/ (3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2cd - be}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[\frac{b + 2cx}{a + bx + cx^2}, x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$

Rule 1828

$\text{Int}[(Pq_.)x^{(m_.)}((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{\text{Floor}[(q-1)/n] + 1}x^m Pq, a + bx^n, x], R = \text{PolynomialRemainder}[b^{\text{Floor}[(q-1)/n] + 1}x^m Pq, a + bx^n, x]\}, \text{Dist}[1/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[(a + bx^n)^{p+1} \text{ExpandToSum}[a^n(p+1)Q + n(p+1)R + D[xR, x], x], x] - \text{Simp}[(xR(a + bx^n)^{p+1})/(a^n(p+1)b^{\text{Floor}[(q-1)/n] + 1}), x]] \ /; \text{GeQ}[q, n] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[\frac{(A_.) + (B_.)x}{(a_.) + (b_.)x^3}, x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[\frac{r(Br - As)}{3as}, \text{Int}[1/(r + sx), x], x] + \text{Dist}[r/(3as), \text{Int}[\frac{r(Br + 2As) + s(Br - As)x}{r^2 - r^2sx + s^2x^2}, x], x]] \ /; \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[aB^3 - bA^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[\frac{P2_}{(a_.) + (b_.)x^3}, x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[\frac{A + Bx}{a + bx^3}, x] + \text{Dist}[C, \text{Int}[x^2/(a + bx^3), x], x] \ /; \text{EqQ}[aB^3 - bA^3, 0] \ || \ !\text{RationalQ}[a/b] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rule 1887

$\text{Int}[\frac{Pq_}{(a_.) + (b_.)x^{(n_.)}}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + bx^n), x], x] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \int \frac{-ab(bc-af)-2ab(bd-ag)x}{(a + bx^3)^2} dx \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \int (-3abf - 3abgx - 3ahx^2) \frac{1}{(a + bx^3)^2} dx \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \int \frac{abf + abgx + ahx^2}{(a + bx^3)^2} dx \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \int \frac{abf + abgx + ahx^2}{(a + bx^3)^2} dx \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(be - ah)x^2}{(a + bx^3)} + \frac{abf + abgx}{(a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(\sqrt[3]{b} \tan^{-1}(\frac{\sqrt[3]{b}x + \sqrt[3]{a}}{\sqrt[3]{a}}))}{(a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(\sqrt[3]{b} \tan^{-1}(\frac{\sqrt[3]{b}x + \sqrt[3]{a}}{\sqrt[3]{a}}))}{(a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \frac{(b^4/a^2)^{1/3}}{(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 294, normalized size = 0.95

$$-\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} g - 2\sqrt[3]{a} b d - 4a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{2/3}} + \frac{2\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5a^{4/3} g - 2\sqrt[3]{a} b d - 4a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{2/3}} + \frac{2\sqrt[3]{3} \sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{b}x + \sqrt[3]{a}}{\sqrt[3]{a}}\right)}{(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b*f*x + 9*b*g*x^2 + 6*b*h*x^3 - (6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(a + b*x^3) + (2*sqrt[3]*b^(1/3)*(-(b^(4/3)*c) - 2*a^(1/3)*b*d + 4*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/a^(2/3) + (2*b^(1/3)*(b^(4/3)*c - 2*a^(1/3)*b*d - 4*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - (b^(1/3)*(b^(4/3)*c - 2*a^(1/3)*b*d - 4*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + 6*(b*e - 2*a*h)*Log[a + b*x^3]/(18*b^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 330, normalized size = 1.06

$$\frac{\sqrt{3} \left(b^2c - 4abf - 2(-ab^2)^{\frac{1}{3}}bd + 5(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} b^2} - \frac{\left(b^2c - 4abf + 2(-ab^2)^{\frac{1}{3}}bd - 5(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(b^2*c - 4*a*b*f - 2*(-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/18*(b^2*c - 4*a*b*f + 2*(-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) - 1/3*(2*a*h - b*e)*log(abs(b*x^3 + a))/b^3 - 1/3*(a^2*h + (b^2*d - a*b*g)*x^2 - a*b*e + (b^2*c - a*b*f)*x)/((b*x^3 + a)*b^3) - 1/9*(2*b^4*d*(-a/b)^(1/3) - 5*a*b^3*g*(-a/b)^(1/3) + b^4*c - 4*a*b^3*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^5) + 1/6*(2*b^4*h*x^3 + 3*b^4*g*x^2 + 6*b^4*f*x)/b^6

maple [B] time = 0.06, size = 533, normalized size = 1.71

$$\frac{agx^2}{3(bx^3+a)b^2} - \frac{dx^2}{3(bx^3+a)b} + \frac{hx^3}{3b^2} + \frac{afx}{3(bx^3+a)b^2} - \frac{cx}{3(bx^3+a)b} + \frac{gx^2}{2b^2} - \frac{a^2h}{3(bx^3+a)b^3} + \frac{ae}{3(bx^3+a)b^2} - \frac{4\sqrt{3}a}{3(bx^3+a)b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] 1/3*h*x^3/b^2+1/2*g*x^2/b^2+1/b^2*f*x+1/3/b^2/(b*x^3+a)*x^2*a*g-1/3/b/(b*x^3+a)*x^2*d+1/3/b^2/(b*x^3+a)*a*f*x-1/3/(b*x^3+a)/b*c*x-1/3/b^3/(b*x^3+a)*a^2*h+1/3/b^2/(b*x^3+a)*a*e-4/9/b^3*a*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9/b^3*a*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/b^3*a*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/18/b^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+5/9/b^3*a*g/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18/b^3*a*g/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/b^3*a*g*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/3/b^3*ln(b*x^3+a)*a*h+1/3/b^2*ln(b*x^3+a)*e

maxima [A] time = 3.14, size = 329, normalized size = 1.06

$$\frac{abe - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x}{3(b^4x^3 + ab^3)} + \frac{2hx^3 + 3gx^2 + 6fx}{6b^2} + \frac{\sqrt{3} \left(2b^2d \left(\frac{a}{b} \right)^{\frac{2}{3}} - 5abg \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2c \left(\frac{a}{b} \right)^{\frac{1}{3}} - 4abf \right)}{9ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(ab^2e - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x)/(b^4x^3 + ab^3) + \frac{1}{6}(2hx^3 + 3gx^2 + 6fx)/b^2 + \frac{1}{9}\sqrt{3}(2b^2d(a/b)^{2/3} - 5abg(a/b)^{2/3} + b^2c(a/b)^{1/3} - 4abf(a/b)^{1/3})\arctan\left(\frac{1/3\sqrt{3}(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right)/(ab^3) + \frac{1}{18}(6b^2e(a/b)^{2/3} - 12ah(a/b)^{2/3} + 2bd(a/b)^{1/3} - 5ag(a/b)^{1/3} - bc + 4af)\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/(b^3(a/b)^{2/3}) + \frac{1}{9}(3b^2e(a/b)^{2/3} - 6ah(a/b)^{2/3} - 2bd(a/b)^{1/3} + 5ag(a/b)^{1/3} + bc - 4af)\log(x + (a/b)^{1/3})/(b^3(a/b)^{2/3})$

mupad [B] time = 0.15, size = 1229, normalized size = 3.95

$$\left(\sum_{k=1}^3 \ln\left(\frac{36a^3h^2 + 9ab^2e^2 + 2b^3cd - 5ab^2cg - 8ab^2df - 36a^2beh + 20a^2bfg}{9b^4}\right) + \text{root}\left(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k)\right) * \left(\frac{108a^2b^3h - 54ab^4e}{9b^4} + \frac{x(9b^4c - 36ab^3f)}{9b^3} + 9\text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k) * ab^2\right) + \frac{x(4b^2d^2 + 25a^2g^2 - 3b^2ce - 24a^2fh + 6abc^2h - 20abd^2g + 12abef)}{9b^3} * \text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k), k, 1, 3) - \frac{x((bc)/3 - (af)/3) + (a^2h - ab^2e)/(3b) + x^2((bd)/3 - (ag)/3)}{(ab^2 + b^3x^3) + (gx^2)/(2b^2) + (hx^3)/(3b^2) + (fx)/b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] $\text{symsum}\left(\frac{\log\left(\frac{36a^3h^2 + 9ab^2e^2 + 2b^3cd - 5ab^2cg - 8ab^2df - 36a^2beh + 20a^2bfg}{9b^4}\right) + \text{root}\left(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k)\right) * \left(\frac{108a^2b^3h - 54ab^4e}{9b^4} + \frac{x(9b^4c - 36ab^3f)}{9b^3} + 9\text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k) * ab^2\right) + \frac{x(4b^2d^2 + 25a^2g^2 - 3b^2ce - 24a^2fh + 6abc^2h - 20abd^2g + 12abef)}{9b^3} * \text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7e^2z^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2efg - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k), k, 1, 3) - \frac{x((bc)/3 - (af)/3) + (a^2h - ab^2e)/(3b) + x^2((bd)/3 - (ag)/3)}{(ab^2 + b^3x^3) + (gx^2)/(2b^2) + (hx^3)/(3b^2) + (fx)/b^2}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.414 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=290

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah)\right)}{18a^{2/3} b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah)\right)}{9a^{2/3} b^{8/3}}$$

[Out] $4/3*g*x/b^2+5/6*h*x^2/b^2+1/3*(-h*x^5-g*x^4-f*x^3-e*x^2-d*x-c)/b/(b*x^3+a)+$
 $1/9*(b^{(1/3)}*(-4*a*g+b*d)-a^{(1/3)}*(-5*a*h+2*b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{($
 $2/3)/b^{(8/3)}-1/18*(b^{(1/3)}*(-4*a*g+b*d)-a^{(1/3)}*(-5*a*h+2*b*e))*\ln(a^{(2/3)}-$
 $a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(2/3)}/b^{(8/3)}+1/3*f*\ln(b*x^3+a)/b^2-1/9*(b$
 $^{(4/3)*d+2*a^{(1/3)*b*e-4*a*b^{(1/3)*g-5*a^{(4/3)*h}}*\arctan(1/3*(a^{(1/3)}-2*b^{($
 $1/3)*x)/a^{(1/3)*3^{(1/2)}}/a^{(2/3)}/b^{(8/3)*3^{(1/2)}}$

Rubi [A] time = 0.50, antiderivative size = 288, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1823, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (2be - 5ah)}{\sqrt[3]{b}} - 4ag + bd\right)}{18a^{2/3} b^{7/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah)\right)}{9a^{2/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $(4*g*x)/(3*b^2) + (5*h*x^2)/(6*b^2) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(3*b*(a + b*x^3)) - ((b^{(4/3)*d} + 2*a^{(1/3)*b*e} - 4*a*b^{(1/3)*g} - 5*a^{(4/3)*h})*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)*x}]/(\text{Sqrt}[3]*a^{(1/3)})/(3*\text{Sqrt}[3]*a^{(2/3)*b^{(8/3)}}) + ((b^{(1/3)}*(b*d - 4*a*g) - a^{(1/3)}*(2*b*e - 5*a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(9*a^{(2/3)*b^{(8/3)}}) - ((b*d - 4*a*g - (a^{(1/3)}*(2*b*e - 5*a*h))/b^{(1/3)}))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}]/(18*a^{(2/3)*b^{(7/3)}}) + (f*\text{Log}[a + b*x^3])/ (3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{a+bx^3} dx \\
&= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \left(\frac{4g}{b} + \frac{5hx}{b} + \frac{bd-4ag+(2be-5ah)x}{b(a+bx^3)} \right) dx}{3b} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x}{a+bx^3} dx}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x}{a+bx^3} dx}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{f \log(a + bx^3)}{3b^2} + \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a}(2b^2)}{\sqrt[3]{a}} \right)}{9} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a}(2b^2)}{\sqrt[3]{a}} \right)}{9} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} - \frac{\left(b^{4/3}d + 2\sqrt[3]{a}be - \right)}{9}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 280, normalized size = 0.97

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} h - 2\sqrt[3]{a} b e - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5a^{4/3} h - 2\sqrt[3]{a} b e - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(5a^{4/3} h - \right)}{18b^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b^(2/3)*g*x + 9*b^(2/3)*h*x^2 - (6*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x))))/(a + b*x^3) + (2*sqrt[3]*(-(b^(4/3)*d) - 2*a^(1/3)*b*e + 4*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(4/3)*d - 2*a^(1/3)*b*e - 4*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - ((b^(4/3)*d - 2*a^(1/3)*b*e - 4*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + 6*b^(2/3)*f*Log[a + b*x^3]/(18*b^(8/3))

fricas [C] time = 4.79, size = 12153, normalized size = 41.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $1/36*(18*b*h*x^5 + 36*b*g*x^4 - 6*(2*b*e - 5*a*h)*x^2 - 2*(b^3*x^3 + a*b^2) * (2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*\log(-8*a*b^3*d*e^2 + 3*a*b^3*d^2*f - 18*a^2*b^2*e*f^2 + 48*a^3*b*f*g^2 - 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2 - 50*(a^3*b*d - 4*a^4*g)*h^2 + 1/2*(a*b^5*d^2 - 12*a^2*b^4*e*f - 8*a^2*b^4*d*g + 16*a^3*b^3*g^2 + 30*a^3*b^3*f*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2) + 8*(4*a^2*b^2*e^2 - 3*a^2*b^2*d*f)*g + 5*(8*a^2*b^2*d*e + 9*a^3*b*f^2 - 32*a^3*b*e*g)*h - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)*x) - 12*b*c + 12*a*f - 12*(b*d - 4*a*g)*x + (18*b*f*x^3 + (b^3*x^3 + a*b^2)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/$

$$\begin{aligned}
& b^2) + 18*af - 3*\sqrt{1/3}*(b^3*x^3 + a*b^2)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a*b*e*g - 80*(a*b*d - 4*a^2*g)*h)/(a*b^5))*\log(8*a*b^3*d*e^2 - 3*a*b^3*d^2*f + 18*a^2*b^2*e*f^2 - 48*a^3*b*f*g^2 + 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2 + 50*(a^3*b*d - 4*a^4*g)*h^2 - 1/2*(a*b^5*d^2 - 12*a^2*b^4*e*f - 8*a^2*b^4*d*g + 16*a^3*b^3*g^2 + 30*a^3*b^3*f*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h))*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2))*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2) - 8*(4*a^2*b^2*e^2 - 3*a^2*b^2*d*f)*g - 5*(8*a^2*b^2*d*e + 9*a^3*b*f^2 - 32*a^3*b*e*g)*h - 2*(b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)
\end{aligned}$$

$$\begin{aligned}
 & ^3)x + 3/4*\text{sqrt}(1/3)*(2*a*b^5*d^2 + 12*a^2*b^4*e*f - 16*a^2*b^4*d*g + 32*a \\
 & ^3*b^3*g^2 - 30*a^3*b^3*f*h + (2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^(2/3)*(- \\
 & I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d \\
 & h)*a*b)/(a*b^5))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - \\
 & 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b \\
 & ^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3) \\
 & /(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3* \\
 & b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^ \\
 & 3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(1/3)*(I*\text{sqrt}(3) + 1 \\
 &)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/ \\
 & (a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a \\
 & ^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b \\
 & ^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - \\
 & 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6 \\
 & *d^2*g)*a*b^3)/(a^2*b^8))^(1/3) - 6*f/b^2)*\text{sqrt}(-((2*(1/2)^(2/3)*(-I*\text{sqrt}(\\
 & 3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b) \\
 & /(a*b^5))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h) \\
 & *a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^ \\
 & 2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b \\
 & ^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(\\
 & 9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d \\
 & *e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(1/3)*(I*\text{sqrt}(3) + 1)*(54*f \\
 & ^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
 & - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^ \\
 & 3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 \\
 & + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f* \\
 & g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g) \\
 & *a*b^3)/(a^2*b^8))^(1/3) - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^(2/3)*(-I*\text{sqrt}(3) \\
 & + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(\\
 & a*b^5))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a \\
 & *b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 \\
 & - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) \\
 &) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9* \\
 & f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e \\
 & *f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(1/3)*(I*\text{sqrt}(3) + 1)*(54*f^3 \\
 & /b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - \\
 & (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 \\
 & - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + \\
 & 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g \\
 & + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a \\
 & *b^3)/(a^2*b^8))^(1/3) - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a \\
 & *b*e*g - 80*(a*b*d - 4*a^2*g)*h)/(a*b^5))) + (18*b*f*x^3 + (b^3*x^3 + a*b^2 \\
 &)*(2*(1/2)^(2/3)*(-I*\text{sqrt}(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9 \\
 & *f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h \\
 & + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b \\
 & ^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e \\
 & *h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g \\
 & *h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d \\
 &)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(\\
 & 1/3)*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e \\
 & *g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a \\
 & ^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4* \\
 & h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)* \\
 & a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(\\
 & 4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) - 6*f/b^2) + 18*a*f + 3* \\
 & \text{sqrt}(1/3)*(b^3*x^3 + a*b^2)*\text{sqrt}(-((2*(1/2)^(2/3)*(-I*\text{sqrt}(3) + 1)*(9*f^2/b \\
 & ^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5))/(54*f^ \\
 & 3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
 & - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3
 \end{aligned}$$

$$\begin{aligned}
& - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} - 6f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9f^2/b^4 - (2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} - 6f/b^2)*a*b^3*f + 32b^2d*e + 36a*b*f^2 - 128a*b*e*g - 80*(a*b*d - 4a^2g)*h)/(a*b^5))*\log(8a*b^3d*e^2 - 3a*b^3d^2f + 18a^2b^2e*f^2 - 48a^3b*f*g^2 + 1/4*(2a^2b^6e - 5a^3b^5h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9f^2/b^4 - (2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} - 6f/b^2)^2 + 50*(a^3b*d - 4a^4g)*h^2 - 1/2*(a*b^5d^2 - 12a^2b^4e*f - 8a^2b^4d*g + 16a^3b^3g^2 + 30a^3b^3f*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9f^2/b^4 - (2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)/(a^2b^8) + (b^4d^3 + 125a^4h^3 - 2*(32g^3 - 90f*g*h + 75e^2h^2)*a^3b + 3*(9f^3 - 24e*f*g + 20e^2h + (16g^2 - 15f*h)*d)*a^2b^2 - 2*(4e^3 - 9d*e*f + 6d^2g)*a*b^3)/(a^2b^8))^{(1/3)} - 6f/b^2) - 8*(4a^2b^2e^2 - 3a^2b^2d*f)*g - 5*(8a^2b^2d*e + 9a^3b*f^2 - 32a^3b*e*g)*h - 2*(b^4d^3 + 8a*b^3e^3 - 12a*b^3d^2g + 48a^2b^2d*g^2 - 64a^3b*g^3 - 60a^2b^2e^2h + 150a^3b^2e^2h^2 - 125a^4h^3)*x - 3/4*\sqrt{1/3)*(2a*b^5d^2 + 12a^2b^4e*f - 16a^2b^4d*g + 32a^3b^3g^2 - 30a^3b^3f*h + (2a^2b^6e - 5a^3b^5h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9f^2/b^4 - (2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^2d*e + 20a^2g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a
\end{aligned}$$

$b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} - 6*f/b^2)*sqrt(-((2*(1/2)^{2/3}*(-I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{2/3}*(-I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{1/3} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a*b*e*g - 80*(a*b*d - 4*a^2*g*h)/(a*b^5))))/(b^3*x^3 + a*b^2)$

giac [A] time = 0.19, size = 307, normalized size = 1.06

$$\frac{f \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left(b^2d - 4abg + 5(-ab^2)^{\frac{1}{3}}ah - 2(-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}b^2} \left(b^2d - 4abg - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/3*f*log(abs(b*x^3 + a))/b^2 - 1/9*sqrt(3)*(b^2*d - 4*a*b*g + 5*(-a*b^2)^{1/3}*a*h - 2*(-a*b^2)^{1/3}*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{2/3}*b^2) - 1/18*(b^2*d - 4*a*b*g - 5*(-a*b^2)^{1/3})*a*h + 2*(-a*b^2)^{1/3}*b*e*log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*b^2) + 1/3*((a*h - b*e)*x^2 - b*c + a*f - (b*d - a*g)*x)/((b*x^3 + a)*b^2) + 1/2*(b^2*h*x^2 + 2*b^2*g*x)/b^4 + 1/9*(5*a*b^3*h*(-a/b)^{1/3} - 2*b^4*(-a/b)^{1/3}*e - b^4*d + 4*a*b^3*g)*(-a/b)^{1/3}*log(abs(x - (-a/b)^{1/3}))/a*b^5

maple [B] time = 0.06, size = 506, normalized size = 1.74

$$\frac{\frac{ahx^2}{3(bx^3+a)b^2} - \frac{ex^2}{3(bx^3+a)b} + \frac{agx}{3(bx^3+a)b^2} - \frac{dx}{3(bx^3+a)b} + \frac{hx^2}{2b^2} + \frac{af}{3(bx^3+a)b^2} - \frac{4\sqrt{3} ag \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{2}hx^2/b^2 + gx/b^2 + 1/3/b^2/(bx^3+a)x^2 + ah^{-1/3}/b/(bx^3+a)x^2 + e + 1/3/b^2/(bx^3+a)agx - 1/3/b/(bx^3+a)xd + 1/3/b^2/(bx^3+a)af - 1/3/b/(bx^3+a)c - 4/9/b^3ag/(a/b)^{2/3}\ln(x+(a/b)^{1/3}) + 2/9/b^3ag/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3}) - 4/9/b^3ag/(a/b)^{2/3}3^{1/2}\arctan(1/33^{1/2}(1/2)(2/(a/b)^{1/3}x-1)) + 1/9/b^2d/(a/b)^{2/3}\ln(x+(a/b)^{1/3}) - 1/18/b^2*d/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3}) + 1/9/(a/b)^{2/3}3^{1/2}/b^2*d\arctan(1/33^{1/2}(1/2)(2/(a/b)^{1/3}x-1)) + 5/9/b^3ah/(a/b)^{1/3}\ln(x+(a/b)^{1/3}) - 5/18/b^3ah/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3}) - 5/9/b^3ah3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}(1/2)(2/(a/b)^{1/3}x-1)) - 2/9/b^2e/(a/b)^{1/3}\ln(x+(a/b)^{1/3}) + 1/9/b^2e/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3}) + 2/9/b^2e3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}(1/2)(2/(a/b)^{1/3}x-1)) + 1/3/b^2f\ln(bx^3+a)$

maxima [A] time = 3.03, size = 283, normalized size = 0.98

$$\frac{(be-ah)x^2 + bc - af + (bd-ag)x}{3(b^3x^3 + ab^2)} + \frac{\sqrt{3}\left(2be\left(\frac{a}{b}\right)^{\frac{2}{3}} - 5ah\left(\frac{a}{b}\right)^{\frac{2}{3}} + bd\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4ag\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^2} + h$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3}((b*e - a*h)x^2 + b*c - a*f + (b*d - a*g)x)/(b^3x^3 + a*b^2) + \frac{1}{9}\sqrt{3}*(2*b*e*(a/b)^{2/3} - 5*a*h*(a/b)^{2/3} + b*d*(a/b)^{1/3} - 4*a*g*(a/b)^{1/3})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a*b^2) + \frac{1}{2}*(h*x^2 + 2*g*x)/b^2 + \frac{1}{18}*(6*b*f*(a/b)^{2/3} + 2*b*e*(a/b)^{1/3} - 5*a*h*(a/b)^{1/3} - b*d + 4*a*g)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(b^3*(a/b)^{2/3}) + \frac{1}{9}*(3*b*f*(a/b)^{2/3} - 2*b*e*(a/b)^{1/3} + 5*a*h*(a/b)^{1/3} + b*d - 4*a*g)*\log(x + (a/b)^{1/3})/(b^3*(a/b)^{2/3})$

mupad [B] time = 0.14, size = 816, normalized size = 2.81

$$\left(\sum_{k=1}^3 \ln\left(\frac{9abf^2 + 2b^2de + 20a^2gh - 5abd h - 8abeg}{9b^3}\right) + \text{root}\left(729a^2b^8z^3 - 729a^2b^6fz^2 + 54ab^5dez + 540a^3\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log((9*a*b*f^2 + 2*b^2*d*e + 20*a^2*g*h - 5*a*b*d*h - 8*a*b*e*g)/(9*b^3) + \text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3$

$$\begin{aligned}
& b^3 g h z - 216 a^2 b^4 e g z - 135 a^2 b^4 d h z + 243 a^2 b^4 f^2 z - 180 a^3 b f g h - 18 a b^3 d e f + 72 a^2 b^2 e f g + 45 a^2 b^2 d f h + 150 a^3 b e h^2 + 12 a b^3 d^2 g - 60 a^2 b^2 e^2 h - 48 a^2 b^2 d g^2 - 27 a^2 b^2 f^3 + 64 a^3 b g^3 + 8 a b^3 e^3 - 125 a^4 h^3 - b^4 d^3, z, k) * ((x * (9 b^4 d - 36 a b^3 g)) / (9 b^3) - 6 a f + 9 \text{root}(729 a^2 b^8 z^3 - 729 a^2 b^6 f z^2 + 54 a b^5 d e z + 540 a^3 b^3 g h z - 216 a^2 b^4 e g z - 135 a^2 b^4 d h z + 243 a^2 b^4 f^2 z - 180 a^3 b f g h - 18 a b^3 d e f + 72 a^2 b^2 e f g + 45 a^2 b^2 d f h + 150 a^3 b e h^2 + 12 a b^3 d^2 g - 60 a^2 b^2 e^2 h - 48 a^2 b^2 d g^2 - 27 a^2 b^2 f^3 + 64 a^3 b g^3 + 8 a b^3 e^3 - 125 a^4 h^3 - b^4 d^3, z, k)) * a b^2) + (x * (4 b^2 e^2 + 25 a^2 h^2 - 3 b^2 d f - 20 a b e h + 12 a b f g)) / (9 b^3)) * \text{root}(729 a^2 b^8 z^3 - 729 a^2 b^6 f z^2 + 54 a b^5 d e z + 540 a^3 b^3 g h z - 216 a^2 b^4 e g z - 135 a^2 b^4 d h z + 243 a^2 b^4 f^2 z - 180 a^3 b f g h - 18 a b^3 d e f + 72 a^2 b^2 e f g + 45 a^2 b^2 d f h + 150 a^3 b e h^2 + 12 a b^3 d^2 g - 60 a^2 b^2 e^2 h - 48 a^2 b^2 d g^2 - 27 a^2 b^2 f^3 + 64 a^3 b g^3 + 8 a b^3 e^3 - 125 a^4 h^3 - b^4 d^3, z, k), k, 1, 3) - ((b c) / 3 - (a f) / 3 + x * ((b d) / 3 - (a g) / 3) + x^2 * ((b e) / 3 - (a h) / 3)) / (a b^2 + b^3 x^3) + (h x^2) / (2 b^2) + (g x) / b^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.415 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2\right)\left(b^{2/3}(2af+bc) - a^{2/3}(be-4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)\left(b^{2/3}(2af+bc) - a^{2/3}(be-4ah)\right)}{9a^{4/3}b^{7/3}}$$

[Out] $h*x/b^2-1/3*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/a/b^2/(b*x^3+a)-1/9*(b^{(2/3)}*(2*a*f+b*c)-a^{(2/3)}*(-4*a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(4/3)}/b^{(7/3)}+1/18*(b^{(2/3)}*(2*a*f+b*c)-a^{(2/3)}*(-4*a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/a^{(4/3)}/b^{(7/3)}+1/3*g*\ln(b*x^3+a)/b^2-1/9*(b^{(5/3)*c+a^{(2/3)*b*e}+2*a*b^{(2/3)*f}-4*a^{(5/3)*h}})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(4/3)}/b^{(7/3)*3^{(1/2)}}$

Rubi [A] time = 0.51, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2\right)\left(b^{2/3}(2af+bc) - a^{2/3}(be-4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)\left(b^{2/3}(2af+bc) - a^{2/3}(be-4ah)\right)}{9a^{4/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $(h*x)/b^2 - (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a*b^2*(a + b*x^3)) - ((b^{(5/3)*c} + a^{(2/3)*b*e} + 2*a*b^{(2/3)*f} - 4*a^{(5/3)*h})*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)*x}]/(\text{Sqrt}[3]*a^{(1/3)}))/((3*\text{Sqrt}[3]*a^{(4/3)*b^{(7/3)}}) - ((b^{(2/3)}*(b*c + 2*a*f) - a^{(2/3)}*(b*e - 4*a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(9*a^{(4/3)*b^{(7/3)}}) + ((b^{(2/3)}*(b*c + 2*a*f) - a^{(2/3)}*(b*e - 4*a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}])/(18*a^{(4/3)*b^{(7/3)}}) + (g*\text{Log}[a + b*x^3])/(3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \int \frac{-a(be - ah) - b(bc + 2af)x - b^2}{3ab^2(a + bx^3)} dx \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \int \left(-3ah - \frac{a(be - 4ah) + b(bc + 2af)x}{a + bx^3}\right) dx \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{\int \frac{a(be - 4ah) + b(bc + 2af)x}{a + bx^3} dx}{3ab^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{\int \frac{a(be - 4ah) + b(bc + 2af)x}{a + bx^3} dx}{3ab^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{g \log(a + bx^3)}{3b^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af) - g)}{3b^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af) - g)}{3b^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{5/3}c + a^{2/3}be + g)}{3ab^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 285, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-a^{2/3} b^{4/3} e + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2 c\right)}{a^{4/3}} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-a^{2/3} b^{4/3} e + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2 c\right)}{a^{4/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \left(a^{2/3}\right)}{18b^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b^(2/3)*h*x + (6*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a*(a + b*x^3)) - (2*sqrt[3]*(b^2*c + a^(2/3)*b^(4/3)*e + 2*a*b*f - 4*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/a^(4/3) - (2*(b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(4/3) + ((b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(4/3) + 6*b^(2/3)*g*Log[a + b*x^3]/(18*b^(8/3))

fricas [C] time = 7.50, size = 12617, normalized size = 43.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

$$\begin{aligned}
&)^{(1/3)} - 6*g/b^2) - 3*\text{sqrt}(1/3)*(a*b^3*x^3 + a^2*b^2)*\text{sqrt}(-((2*(1/2)^{(2/3)} \\
&)*(-I*\text{sqrt}(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2 \\
& *c*h)*a*b)/(a^2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e \\
& *f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12* \\
& a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5* \\
& h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g* \\
& h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e \\
& ^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3 \\
&) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b \\
&)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + \\
& 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) \\
& - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a \\
& ^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - \\
& 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)^2*a^2*b^4 + 12*(2*(1/2)^{(2/ \\
& 3)}*(-I*\text{sqrt}(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - \\
& 2*c*h)*a*b)/(a^2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(\\
& e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12 \\
& *a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5* \\
& h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g \\
& *h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (\\
& e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(\\
& 3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a* \\
& b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) \\
& - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)* \\
& a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 \\
& - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)*a^2*b^2*g + 16*b^2*c*e + 3 \\
& 2*a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2*b^4)))*\text{log}(2*a*b^4*c^ \\
& 2*e + 8*a^2*b^3*c*e*f + 8*a^3*b^2*e*f^2 - 3*a^3*b^2*e^2*g - 48*a^5*g*h^2 + \\
& 1/4*(a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*g^2/b^4 - \\
& (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4))/(54*g^3/b^ \\
& 6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (\\
& b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - \\
& 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a* \\
& b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - \\
& 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^ \\
& 3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e \\
& + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b \\
& ^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2* \\
& h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64* \\
& a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^ \\
& 2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(\\
& 1/3)} - 6*g/b^2)^2 + 9*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 1/2*(a^3*b^4*e^2 - 8*a^ \\
& 4*b^3*e*h + 16*a^5*b^2*h^2 - 6*(a^3*b^4*c + 2*a^4*b^3*f)*g)*(2*(1/2)^{(2/3)}* \\
& (-I*\text{sqrt}(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c \\
& *h)*a*b)/(a^2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f \\
& - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^ \\
& 2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^ \\
& 3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h \\
& + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 \\
& - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) \\
& + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)* \\
& g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8 \\
& *a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - \\
& (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4 \\
& *b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3 \\
& *e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2) - 8*(a^2*b^3*c^2 + 4*a^3*b^2* \\
& c*f + 4*a^4*b*f^2 - 3*a^4*b*e*g)*h - 2*(b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2 \\
& *f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 -
\end{aligned}$$

$$\begin{aligned}
& 64a^5h^3)x + 3/4\sqrt{1/3}*(2a^3b^4e^2 - 16a^4b^3e*h + 32a^5b^2 \\
& *h^2 + (a^3b^6c + 2a^4b^5f)*(2*(1/2)^{(2/3)}*(-I\sqrt{3}) + 1)*(9g^2/b^4 \\
& - (b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)/(a^2b^4))/(54g^3 \\
& /b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)*g/(a^2b^6) \\
& - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^3b^2f^3 \\
& - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6 \\
& *a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4b + 2*(4f^3 \\
& - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)a^2 \\
& *b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I\sqrt{3}) + 1)*(54g^3/b^6 - 9*(b^2c \\
& *e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^ \\
& 2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^ \\
& ^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2*f + \\
& 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4b + 2*(4f^3 - 9e*f*g + 6 \\
& *e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)a^2b^3)/(a^4b^7) \\
&)^{(1/3)} - 6g/b^2) + 6*(a^3b^4c + 2a^4b^3f)*g)*\sqrt{-((2*(1/2)^{(2/3)}*(\\
& -I\sqrt{3}) + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c* \\
& h)*a*b)/(a^2b^4))/(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f \\
& - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^2 \\
& b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3 \\
&)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + \\
& 16e*h^2)a^4b + 2*(4f^3 - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 \\
& - 3*(4f^2 - 3e*g)*c)a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I\sqrt{3}) + \\
& 1)*(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)*g \\
& / (a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^ \\
& a^3b^2f^3 - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (\\
& b^5c^3 + 6a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4* \\
& b + 2*(4f^3 - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3e \\
& *g)*c)a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2)^2a^2b^4 + 12*(2*(1/2)^{(2/3)}* \\
& (-I\sqrt{3}) + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c \\
& *h)*a*b)/(a^2b^4))/(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f \\
& - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^ \\
& 2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3 \\
&)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h \\
& + 16e*h^2)a^4b + 2*(4f^3 - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 \\
& - 3*(4f^2 - 3e*g)*c)a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I\sqrt{3}) \\
& + 1)*(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)* \\
& g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^ \\
& a^3b^2f^3 - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - \\
& (b^5c^3 + 6a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4 \\
& *b + 2*(4f^3 - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3 \\
& *e*g)*c)a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2)a^2b^2g + 16b^2c*e + 32a \\
& *b*e*f + 36a^2g^2 - 64*(a*b*c + 2a^2*f)*h)/(a^2b^4))) + (18a*b*g*x^3 + \\
& 18a^2g + (a*b^3*x^3 + a^2b^2)*(2*(1/2)^{(2/3)}*(-I\sqrt{3}) + 1)*(9g^2/b^ \\
& 4 - (b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)/(a^2b^4))/(54g^ \\
& 3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)*g/(a^2b^6) \\
& - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^3b^2f^3 \\
& - 12a^3b^2e^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + \\
& 6a*b^4c^2*f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4b + 2*(4f^ \\
& ^3 - 9e*f*g + 6e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)a^ \\
& 2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I\sqrt{3}) + 1)*(54g^3/b^6 - 9*(b^2c \\
& *e + (9g^2 - 8f*h)a^2 + 2*(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^ \\
& ^2b^3e^3 + 6a*b^4c^2*f + 12a^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2* \\
& e^2*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2*f + \\
& 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)a^4b + 2*(4f^3 - 9e*f*g + \\
& 6e^2*h + 18c*g*h)a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)a^2b^3)/(a^4b^7 \\
&))^{(1/3)} - 6g/b^2) + 3*\sqrt{1/3}*(a*b^3*x^3 + a^2b^2)*\sqrt{-((2*(1/2)^{(2/ \\
& 3)}*(-I\sqrt{3}) + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)a^2 + 2*(e*f - \\
& 2c*h)*a*b)/(a^2b^4))/(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)a^2 + 2*(\\
& e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2*f + 12
\end{aligned}$$

$$\begin{aligned}
 & *a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g \\
 & *h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(\\
 & 3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a \\
 & b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
 & + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) \\
 & - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)* \\
 & a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - \\
 & - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)^2*a^2*b^4 + 12*(2*(1/2)^{(2/ \\
 & /3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - \\
 & 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2* \\
 & (e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 1 \\
 & 2*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5 \\
 & 5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f* \\
 & g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - \\
 & (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt \\
 & (3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a \\
 & *b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
 & + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7 \\
 &) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2) \\
 & *a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 \\
 & - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)*a^2*b^2*g + 16*b^2*c*e + \\
 & 32*a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2*b^4))*log(2*a*b^4*c \\
 & ^2*e + 8*a^2*b^3*c*e*f + 8*a^3*b^2*e*f^2 - 3*a^3*b^2*e^2*g - 48*a^5*g*h^2 + \\
 & 1/4*(a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^{(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - \\
 & (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b \\
 & ^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - \\
 & (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - \\
 & 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a \\
 & *b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 \\
 & - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b \\
 & ^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e \\
 & + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2* \\
 & b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2 \\
 & *h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64 \\
 & *a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e \\
 & ^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{ \\
 & (1/3)} - 6*g/b^2)^2 + 9*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 1/2*(a^3*b^4*e^2 - 8*a \\
 & ^4*b^3*e*h + 16*a^5*b^2*h^2 - 6*(a^3*b^4*c + 2*a^4*b^3*f)*g)*(2*(1/2)^{(2/3) \\
 & }*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2* \\
 & c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e \\
 & f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a \\
 & ^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h \\
 & ^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h \\
 & + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^ \\
 & 3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) \\
 & + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b) \\
 & *g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + \\
 & 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - \\
 & (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^ \\
 & 4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - \\
 & 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2) - 8*(a^2*b^3*c^2 + 4*a^3*b^2 \\
 & *c*f + 4*a^4*b*f^2 - 3*a^4*b*e*g)*h - 2*(b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^ \\
 & 2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 \\
 & - 64*a^5*h^3)*x - 3/4*sqrt(1/3)*(2*a^3*b^4*e^2 - 16*a^4*b^3*e*h + 32*a^5*b^ \\
 & 2*h^2 + (a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^{(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 \\
 & - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^ \\
 & 3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6)
 \end{aligned}$$

$$\begin{aligned}
 & - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54g^3/b^6 - 9(b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} - 6g/b^2) + 6(a^3b^4c + 2a^4b^3f)*g*sqrt(-((2*(1/2)^{2/3})*(-I*sqrt(3) + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9(b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54g^3/b^6 - 9(b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} - 6g/b^2)^2*a^2b^4 + 12*(2*(1/2)^{2/3})*(-I*sqrt(3) + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9(b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(54g^3/b^6 - 9(b^2c*e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^2b^4c^2f + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^2b^4c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{1/3} - 6g/b^2)*a^2b^2*g + 16*b^2*c*e + 32*a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2b^4))))/(a*b^3*x^3 + a^2b^2)
 \end{aligned}$$

giac [A] time = 0.20, size = 318, normalized size = 1.10

$$\frac{hx}{b^2} + \frac{g \log(|bx^3 + a|)}{3b^2} + \frac{\sqrt{3} \left(4a^2h - abe + (-ab^2)^{\frac{1}{3}}bc + 2(-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}ab} + \frac{(4a^2h - abe - \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] h*x/b^2 + 1/3*g*log(abs(b*x^3 + a))/b^2 + 1/9*sqrt(3)*(4*a^2*h - a*b*e + (-a*b^2)^(1/3)*b*c + 2*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/(-a*b^2)^(2/3)*a*b) + 1/18*(4*a^2*h - a*b*e - (-a*b^2)^(1/3)*b*c - 2*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) - 1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 - (a^2*h - a*b*e)*x)/((b*x^3 + a)*a*b^2) - 1/9*(a*b^5*c*(-a/b)^(1/3) + 2*a^2*b^4*f*(-
```

$$\frac{a/b)^{(1/3)} - 4a^3b^3h + a^2b^4e)(-a/b)^{(1/3)} \cdot \log(\text{abs}(x - (-a/b)^{(1/3)}))}{(a^3b^5)}$$

maple [B] time = 0.05, size = 502, normalized size = 1.74

$$\frac{\frac{cx^2}{3(bx^3+a)a} - \frac{fx^2}{3(bx^3+a)b} + \frac{ahx}{3(bx^3+a)b^2} - \frac{ex}{3(bx^3+a)b} + \frac{ag}{3(bx^3+a)b^2} - \frac{4\sqrt{3} ah \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{3}}-1\right)}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3}}{4ah}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)`

[Out] $h*x/b^2-1/3/(b*x^3+a)/b*f*x^2+1/3/(b*x^3+a)/a*x^2*c+1/3/b^2/(b*x^3+a)*a*h*x-1/3/b/(b*x^3+a)*e*x+1/3/b^2/(b*x^3+a)*a*g-1/3/b/(b*x^3+a)*d-4/9/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e+2/9/b^3*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-4/9/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-2/9/(a/b)^{(1/3)}/b^2*f*\ln(x+(a/b)^{(1/3)})-1/9/b/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/9/(a/b)^{(1/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/18/(a/b)^{(1/3)}/a/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9*3^{(1/2)}/(a/b)^{(1/3)}/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/9/b/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c+1/3*g*\ln(b*x^3+a)/b^2$

maxima [A] time = 2.96, size = 311, normalized size = 1.08

$$\frac{\frac{abd - a^2g - (b^2c - abf)x^2 + (abe - a^2h)x}{3(ab^3x^3 + a^2b^2)} + \frac{hx}{b^2} + \frac{\sqrt{3}\left(b^2c\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abf\left(\frac{a}{b}\right)^{\frac{2}{3}} + abe\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4a^2h\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{3}}-1\right)}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{9a^2b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 + (a*b*e - a^2*h)*x)/(a*b^3*x^3 + a^2*b^2) + h*x/b^2 + 1/9*\sqrt{3}*(b^2*c*(a/b)^{(2/3)} + 2*a*b*f*(a/b)^{(2/3)} + a*b*e*(a/b)^{(1/3)} - 4*a^2*h*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2) + 1/18*(6*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)} + 2*a*b*f*(a/b)^{(1/3)} - a*b*e + 4*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/9*(3*a*b*g*(a/b)^{(2/3)} - b^2*c*(a/b)^{(1/3)} - 2*a*b*f*(a/b)^{(1/3)} + a*b*e - 4*a^2*h)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$

mupad [B] time = 5.39, size = 827, normalized size = 2.86

$$\left(\sum_{k=1}^3 \ln\left(\frac{9a^2g^2 + b^2ce - 8a^2fh - 4abch + 2abef}{9a^2b^2} - \text{root}\left(729a^4b^7z^3 - 729a^4b^5gz^2 - 216a^4b^3fhz - 108a^4b^2c^2z - 108a^4b^2c^2\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x)$

[Out] $\text{symsum}(\log((9*a^2*g^2 + b^2*c*e - 8*a^2*f*h - 4*a*b*c*h + 2*a*b*e*f)/(9*a*b^2) - \text{root}(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k)*(6*a*g - b*e*x + 4*a*h*x - 9*\text{root}(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k)*a*b^2) + (x*(b^3*c^2 + 4*a^2*b*f^2 + 12*a^3*g*h + 4*a*b^2*c*f - 3*a^2*b*e*g))/(9*a^2*b^2))*\text{root}(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k), k, 1, 3) - ((b*d)/3 - (a*g)/3 + x*((b*e)/3 - (a*h)/3) - (b*x^2*(b*c - a*f))/(3*a))/(a*b^2 + b^3*x^3) + (h*x)/b^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2, x)$

[Out] Timed out

$$3.416 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$$

Optimal. Leaf size=276

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(af + 2bc) - \sqrt[3]{a}(2ag + bd)\right)}{18a^{5/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(af + 2bc) - \sqrt[3]{a}(2ag + bd)\right)}{9a^{5/3}b^{5/3}}$$

[Out] $\frac{1}{3} x (b c - a f + (-a g + b d) x + (-a h + b e) x^2) / a / b / (b x^3 + a) + \frac{1}{9} (b^{1/3}) (a f + 2 b c) - a^{1/3} (2 a g + b d) \ln(a^{1/3} + b^{1/3} x) / a^{5/3} / b^{5/3} - \frac{1}{18} (b^{1/3}) (a f + 2 b c) - a^{1/3} (2 a g + b d) \ln(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / a^{5/3} / b^{5/3} + \frac{1}{3} h \ln(b x^3 + a) / b^2 - \frac{1}{9} (2 b^{4/3} c + a^{1/3} b d + a b^{1/3} f + 2 a^{4/3} g) \arctan(1/3 (a^{1/3} - 2 b^{1/3} x) / a^{1/3} \sqrt{3}) / a^{5/3} / b^{5/3} \sqrt{3}$

Rubi [A] time = 0.37, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(af + 2bc) - \sqrt[3]{a}(2ag + bd)\right)}{18a^{5/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(af + 2bc) - \sqrt[3]{a}(2ag + bd)\right)}{9a^{5/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

[Out] $\frac{(x(b c - a f + (b d - a g) x + (b e - a h) x^2)) / (3 a b (a + b x^3)) - ((2 b^{4/3} c + a^{1/3} b d + a b^{1/3} f + 2 a^{4/3} g) \text{ArcTan}[(a^{1/3} - 2 b^{1/3} x) / (\sqrt{3} a^{1/3})]) / (3 \sqrt{3} a^{5/3} b^{5/3}) + ((b^{1/3} (2 b c + a f) - a^{1/3} (b d + 2 a g)) \text{Log}[a^{1/3} + b^{1/3} x]) / (9 a^{5/3} b^{5/3}) - ((b^{1/3} (2 b c + a f) - a^{1/3} (b d + 2 a g)) \text{Log}[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2]) / (18 a^{5/3} b^{5/3}) + (h \text{Log}[a + b x^3]) / (3 b^2)}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandedToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^2} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af)-b(bd+2ag)x-3abhx^2}{a+bx^3} dx}{3ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af)-b(bd+2ag)x}{a+bx^3} dx}{3ab^2} + \frac{h \int}{3ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{h \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-2b^{4/3}(2bc+af) - (bd+2ag)\sqrt[3]{a})}{a+bx^3} dx}{3ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{(2b^{4/3}c + \sqrt[3]{a}bd + a\sqrt[3]{b}f + 2a^4)}{3\sqrt[3]{a}a^{5/3}b^5}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 268, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (2a^{4/3} g + \sqrt[3]{a} b d - a \sqrt[3]{b} f - 2b^{4/3} c)}{a^{5/3}} + \frac{2 \sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (-2a^{4/3} g - \sqrt[3]{a} b d + a \sqrt[3]{b} f + 2b^{4/3} c)}{a^{5/3}} - \frac{2 \sqrt[3]{3} \sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt[3]{3}}}{18b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

[Out] ((6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a*(a + b*x^3)) - (2*sqrt[3]*b^(1/3)*(2*b^(4/3)*c + a^(1/3)*b*d + a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*b^(1/3)*(2*b^(4/3)*c - a^(1/3)*b*d + a*b^(1/3)*f - 2*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + (b^(1/3)*(-2*b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3) + 6*h*Log[a + b*x^3])/ (18*b^2)

fricas [C] time = 3.64, size = 12636, normalized size = 45.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/36*(12*a*b*e - 12*a^2*h - 12*(b^2*d - a*b*g)*x^2 + 2*(a*b^3*x^3 + a^2*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 -

$$\begin{aligned}
& 9f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g \\
& - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1 \\
& /2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3* \\
& h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c \\
& ^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8* \\
& a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + \\
& (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c \\
&)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*\log(4*a*b^4 \\
& *c*d^2 + 2*a^2*b^3*d^2*f + 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4* \\
& c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 \\
& + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2 \\
& *f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4 \\
& *g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^ \\
& 3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a \\
& ^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) \\
& + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a \\
& *b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f \\
& ^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + \\
& (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(\\
& 4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12 \\
& *c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)^2 + 8*(2*a^3*b^2*c + a^4*b*f)*g^ \\
& 2 + 9*(a^4*b*d + 2*a^5*g)*h^2 - 1/2*(4*a^2*b^5*c^2 + 4*a^3*b^4*c*f + a^4*b^ \\
& 3*f^2 - 6*(a^4*b^3*d + 2*a^5*b^2*g)*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h \\
& ^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b \\
& ^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a \\
& *b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f \\
& ^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + \\
& (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(\\
& 4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12 \\
& *c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - \\
& 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) \\
& + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6 \\
& *a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^ \\
& 5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)* \\
& a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^ \\
& 5*b^6))^{(1/3)} - 6*h/b^2) + 8*(2*a^2*b^3*c*d + a^3*b^2*d*f)*g - 3*(4*a^2*b^3 \\
& *c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + (8*b^5*c^3 + a*b^4*d^3 + 12*a*b^4*c^2 \\
& *f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^2*b^3*d^2*g + 12*a^3*b^2*d*g^2 + 8 \\
& *a^4*b*g^3)*x) - 12*(b^2*c - a*b*f)*x - (18*a*b*h*x^3 + 18*a^2*h + (a*b^3*x \\
& ^3 + a^2*b^2)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a \\
& ^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b \\
& ^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^ \\
& 4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^ \\
& 2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - \\
& 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 \\
& - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f \\
& *g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 \\
& + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b \\
& *d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g* \\
& h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 \\
& + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2) \\
& + 3*\text{sqrt}(1/3)*(a*b^3*x^3 + a^2*b^2)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)* \\
& (9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a \\
& ^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c* \\
& g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2 \\
& *c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5 \\
&) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h -
\end{aligned}$$

$$\begin{aligned}
& 3*(4*g^2 - 3*f*h)*d*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
& - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b \\
& ^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b \\
& ^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 2 \\
& 7*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
& *d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4) \\
& /(a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
& *(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(\\
& a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c \\
& *g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2 \\
& *c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) \\
& + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h \\
& - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
& - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/ \\
& b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3* \\
& b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + \\
& 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
&)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4 \\
&)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d*f + 36*a^ \\
& 3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4)))*\log(-4*a*b^4*c*d^2 - 2*a^2* \\
& b^3*d^2*f - 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(\\
& 9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^ \\
& 3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
&)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2* \\
& c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) \\
& + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - \\
& 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - \\
& 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^ \\
& 6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^ \\
& 6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27 \\
& *a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)* \\
& d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/ \\
& (a^5*b^6))^{(1/3)} - 6*h/b^2)^2 - 8*(2*a^3*b^2*c + a^4*b*f)*g^2 - 9*(a^4*b*d \\
& + 2*a^5*g)*h^2 + 1/2*(4*a^2*b^5*c^2 + 4*a^3*b^4*c*f + a^4*b^3*f^2 - 6*(a^4* \\
& b^3*d + 2*a^5*b^2*g)*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3 \\
& *c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^ \\
& 6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^ \\
& 6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27 \\
& *a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)* \\
& d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/ \\
& (a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + \\
& 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + \\
& a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^ \\
& 3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^ \\
& 2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - \\
& 6*h/b^2) - 8*(2*a^2*b^3*c*d + a^3*b^2*d*f)*g + 3*(4*a^2*b^3*c^2 + 4*a^3*b^ \\
& 2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a*b^4*d^3 + 12*a*b^4*c^2*f + 6*a^2*b^ \\
& 3*c*f^2 + a^3*b^2*f^3 + 6*a^2*b^3*d^2*g + 12*a^3*b^2*d*g^2 + 8*a^4*b*g^3)*x \\
& + 3/4*\text{sqrt}(1/3)*(8*a^2*b^5*c^2 + 8*a^3*b^4*c*f + 2*a^4*b^3*f^2 + (a^4*b^5* \\
& d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + \\
& 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(\\
& 2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8 \\
& *b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2 \\
& *b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^
\end{aligned}$$

$$\begin{aligned}
 & 3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3* \\
 & b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^ \\
 & 6)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2* \\
 & b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d \\
 & ^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^ \\
 & 3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f \\
 & *g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (\\
 & f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^ \\
 & 2) + 6*(a^4*b^3*d + 2*a^5*b^2*g)*h*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)* \\
 & (9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a \\
 & ^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c* \\
 & g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2 \\
 & *c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5 \\
 &) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - \\
 & 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
 & - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b \\
 & ^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b \\
 & ^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
 & + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 2 \\
 & 7*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
 & *d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4 \\
 & / (a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
 & *(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(\\
 & a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c \\
 & *g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^ \\
 & 2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^ \\
 & 5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h \\
 & - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
 & - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/ \\
 & b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3* \\
 & b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^ \\
 & 3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + \\
 & 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
 &)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4 \\
 &)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d*f + 36*a^ \\
 & 3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4)) - (18*a*b*h*x^3 + 18*a^2*h \\
 & + (a*b^3*x^3 + a^2*b^2)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3 \\
 & *c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4))/(54*h^3/b^ \\
 & 6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^ \\
 & 6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
 & + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27 \\
 & *a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)* \\
 & d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/ \\
 & (a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + \\
 & 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + \\
 & a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g \\
 & + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^ \\
 & 3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^ \\
 & 2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - \\
 & 6*h/b^2) - 3*\text{sqrt}(1/3)*(a*b^3*x^3 + a^2*b^2)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqr} \\
 & t(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
 & *a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (\\
 & d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
 & 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3 \\
 &)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
 & 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b \\
 & ^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1) \\
 & *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2 \\
 &)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 +
 \end{aligned}$$

+ a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2) + 6*(a^4*b^3*d + 2*a^5*b^2*g)*h)*sqrt(-((2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d*f + 36*a^3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4))))/(a*b^3*x^3 + a^2*b^2)

giac [A] time = 0.19, size = 302, normalized size = 1.09

$$\frac{h \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left(2b^2c + abf - (-ab^2)^{\frac{1}{3}}bd - 2(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}ab} - \left(2b^2c + abf + (-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
[Out] 1/3*h*log(abs(b*x^3 + a))/b^2 - 1/9*sqrt(3)*(2*b^2*c + a*b*f - (-a*b^2)^(1/3)*b*d - 2*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) - 1/18*(2*b^2*c + a*b*f + (-a*b^2)^(1/3)*b*d + 2*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) + 1/3*((b*d - a*g)*x^2 + (b*c - a*f)*x + (a^2*h - a*b*e)/b)/((b*x^3 + a)*a*b) - 1/9*(a*b^3*d*(-a/b)^(1/3) + 2*a^2*b^2*g*(-a/b)^(1/3) + 2*a*b^3*c + a^2*b^2*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)
```

maple [B] time = 0.05, size = 462, normalized size = 1.67

$$\frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} ab} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)
```

```
[Out] (-1/3*(a*g-b*d)/a/b*x^2-1/3*(a*f-b*c)/a/b*x+1/3*(a*h-b*e)/b^2)/(b*x^3+a)+1/9/(a/b)^(2/3)/b^2*f*ln(x+(a/b)^(1/3))+2/9/b/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/18/(a/b)^(2/3)/b^2*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/9/b/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/9/(a/b)^(2/3)*3^(1/2)/b^2*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/9/b/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-2/9/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g-1/9/b/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/9/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/18/b/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+2/9/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/9/b/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/3*h*ln(b*x^3+a)/b^2
```

maxima [A] time = 2.95, size = 292, normalized size = 1.06

$$\frac{abe - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x}{3(ab^3x^3 + a^2b^2)} + \frac{\sqrt{3}\left(b^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abg\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + abf\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] -1/3*(a*b*e - a^2*h - (b^2*d - a*b*g)*x^2 - (b^2*c - a*b*f)*x)/(a*b^3*x^3 + a^2*b^2) + 1/9*sqrt(3)*(b^2*d*(a/b)^(2/3) + 2*a*b*g*(a/b)^(2/3) + 2*b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2) + 1/18*(6*a*h*(a/b)^(2/3) + b*d*(a/b)^(1/3) + 2*a*g*(a/b)^(1/3) - 2*b*c - a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) + 1/9*(3*a*h*(a/b)^(2/3) - b*d*(a/b)^(1/3) - 2*a*g*(a/b)^(1/3) + 2*b*c + a*f)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))
```

mupad [B] time = 5.54, size = 835, normalized size = 3.03

$$\left(\sum_{k=1}^3 \ln\left(\frac{\text{root}\left(729 a^5 b^6 z^3 - 729 a^5 b^4 h z^2 + 54 a^4 b^3 f g z + 108 a^3 b^4 c g z + 27 a^3 b^4 d f z + 54 a^2 b^5 c d z + 243 a^5\right)}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2,x)
```

```
[Out] symsum(log((root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z
```


$$\begin{aligned}
& - 18a^4bfg^3h - 36a^3b^2c^2g^2h - 9a^3b^2d^2f^2h - 18a^2b^3c^2d^2h - \\
& 12ab^4c^2f^2 + 12a^3b^2d^2g^2 + 6a^2b^3d^2g^2 - 6a^2b^3c^2f^2 + 8a^4b^3g^3 + ab^4d^3 - 27a^5h^3 - 8b^5c^3 - a^3b^2f^3, z, k) \cdot (9\sqrt[3]{729a^5b^6z^3 - 729a^5b^4h^2z^2 + 54a^4b^3f^2gz + 108a^3b^4c^2gz + 27a^3b^4d^2fz + 54a^2b^5c^2dz + 243a^5b^2h^2z - 18a^4bfg^3h - 36a^3b^2c^2g^2h - 9a^3b^2d^2f^2h - 18a^2b^3c^2d^2h - 12ab^4c^2f^2 + 12a^3b^2d^2g^2 + 6a^2b^3d^2g^2 - 6a^2b^3c^2f^2 + 8a^4b^3g^3 + ab^4d^3 - 27a^5h^3 - 8b^5c^3 - a^3b^2f^3, z, k) \cdot a^2b^2 - 6a^2h + 2b^2cx + ab^2fx) / a + (9a^3h^2 + 2b^3c^2d + 4ab^2c^2g + ab^2d^2f + 2a^2b^2fg) / (9a^2b^2) + (x(b^2d^2 + 4a^2g^2 - 3a^2fh - 6ab^2ch + 4abd^2g)) / (9a^2b) \cdot \sqrt[3]{729a^5b^6z^3 - 729a^5b^4h^2z^2 + 54a^4b^3f^2gz + 108a^3b^4c^2gz + 27a^3b^4d^2fz + 54a^2b^5c^2dz + 243a^5b^2h^2z - 18a^4bfg^3h - 36a^3b^2c^2g^2h - 9a^3b^2d^2f^2h - 18a^2b^3c^2d^2h - 12ab^4c^2f^2 + 12a^3b^2d^2g^2 + 6a^2b^3d^2g^2 - 6a^2b^3c^2f^2 + 8a^4b^3g^3 + ab^4d^3 - 27a^5h^3 - 8b^5c^3 - a^3b^2f^3, z, k), k, 1, 3) + ((x(bc - af)) / (3ab) - (be - ah) / (3b^2) + (x^2(bd - ag)) / (3ab)) / (a + bx^3)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.417 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(ag + 2bd) - \sqrt[3]{a}(2ah + be)\right)}{18a^{5/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(ag + 2bd) - \sqrt[3]{a}(2ah + be)\right)}{9a^{5/3}b^{5/3}}$$

[Out] $\frac{1}{3} x (a(-a g + b d) + a(-a h + b e) x - b(-a f + b c) x^2) / a^2 / b / (b x^3 + a) + c \ln(x) / a^2 + 1/9 (b^{1/3} (a g + 2 b d) - a^{1/3} (2 a h + b e)) \ln(a^{1/3} + b^{1/3} x) / a^{5/3} / b^{5/3} - 1/18 (b^{1/3} (a g + 2 b d) - a^{1/3} (2 a h + b e)) \ln(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / a^{5/3} / b^{5/3} - 1/3 c \ln(b x^3 + a) / a^2 - 1/9 (2 b^{4/3} d + a^{1/3} b e + a b^{1/3} g + 2 a^{4/3} h) \arctan(1/3 (a^{1/3} - 2 b^{1/3} x) / a^{1/3} \sqrt{3}) / a^{5/3} / b^{5/3} \sqrt{3}$

Rubi [A] time = 0.56, antiderivative size = 287, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(2ah+be)}{\sqrt[3]{b}} + ag + 2bd\right)}{18a^{5/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(ag + 2bd) - \sqrt[3]{a}(2ah + be)\right)}{9a^{5/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]

[Out] $(x(a(bd - ag) + a(b e - a h)x - b(bc - a f)x^2)) / (3a^2 b(a + b x^3)) - ((2b^{4/3}d + a^{1/3}b e + a b^{1/3}g + 2a^{4/3}h) \text{ArcTan}[a^{1/3} - 2b^{1/3}x] / (\text{Sqrt}[3] a^{1/3})) / (3 \text{Sqrt}[3] a^{5/3} b^{5/3}) + (c \text{Log}[x]) / a^2 + ((b^{1/3}(2b d + a g) - a^{1/3}(b e + 2a h)) \text{Log}[a^{1/3} + b^{1/3}x]) / (9a^{5/3} b^{5/3}) - ((2b d + a g - (a^{1/3}(b e + 2a h)) / b^{1/3}) \text{Log}[a^{2/3} - a^{1/3} b^{1/3}x + b^{2/3}x^2]) / (18a^{5/3} b^{4/3}) - (c \text{Log}[a + b x^3]) / (3a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &&
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^2} dx &= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{\int \frac{-3b^2c - b(2bd + ag)x - b(be + 2ah)}{x(a + bx^3)} dx}{3ab^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax} + \frac{b(-a(2bd + ag) - a(bd - ag) - a(be - ah))}{a(a + bx^3)} \right) dx}{3ab^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(bd - ag) - a(be - ah)}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(bd - ag) - a(be - ah)}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \sqrt[3]{a}b)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \sqrt[3]{a}b)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{(2b^{4/3}d + \sqrt[3]{a}be + a\sqrt[3]{b}g - \sqrt[3]{a}b)}{3\sqrt[3]{a}a}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 269, normalized size = 0.93

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} h + \sqrt[3]{a} b e - a \sqrt[3]{b} g - 2b^{4/3} d\right)}{b^{5/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-2a^{4/3} h - \sqrt[3]{a} b e + a \sqrt[3]{b} g + 2b^{4/3} d\right)}{b^{5/3}} - \frac{2 \sqrt[3]{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]

[Out] $\left(\frac{-6a(-b(c + x(d + ex))) + a(f + x(g + hx)))}{b(a + bx^3)} - (2 \sqrt[3]{a} \log\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{a}}\right) / b^{5/3} + 18c \log[x] + (2a^{1/3}(2b^{4/3}d - a^{1/3}be + ab^{1/3}g - 2a^{4/3}h) \log[a^{1/3} + b^{1/3}x]) / b^{5/3} + (a^{1/3}(-2b^{4/3}d + a^{1/3}be - ab^{1/3}g + 2a^{4/3}h) \log[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]) / b^{5/3} - 6c \log[a + bx^3]) / (18a^2)}\right)$

fricas [C] time = 55.19, size = 12541, normalized size = 43.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $1/324*(108*a*b*c - 108*a^2*f + 108*(a*b*e - a^2*h))*x^2 - 2*(a^2*b^2*x^3 + a^3*b)*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*log(12*b^4*c*d^2 + 9*b^4*c^2*e + 4*a*b^3*d*e^2 + 3*a^2*b^2*c*g^2 + 1/324*(a^4*b^4*e + 2*a^5*b^3*h))*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2 + 8*(2*a^3*b*d + a^4*g)*h^2 - 1/18*(4*a^2*b^4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h)*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x) + 108*(a*b*d - a^2*g)*x - (162*b^2*c*x^3 + 162*a*b*c - (a^2*b^2*x^3 + a^3*b))*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2$

$$\begin{aligned}
& *b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2) - 3*\sqrt[3]{1/3} \\
& *(a^2*b^2*x^3 + a^3*b)*\sqrt{-(((I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + \\
& 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + \\
& 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3 \\
& *b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(\\
& 27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g* \\
& h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c* \\
& d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9 \\
& *b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1 \\
& 458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c \\
& ^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b \\
& ^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b \\
& ^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)^2*a^4*b^3 - 108*((-I*\sqrt{3}) + 1)*(9*c^2/a \\
& ^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)) \\
& /(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h) \\
&)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a \\
& ^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a \\
& ^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^ \\
& 2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 \\
& - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27* \\
& c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b) \\
& *c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d \\
& *g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) \\
& - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2* \\
& h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4* \\
& d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)*a^2*b^3*c + 2916*b^3*c^2 \\
& + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g)*h)/(a^4*b^3)) \\
&)*\log(-12*b^4*c*d^2 - 9*b^4*c^2*e - 4*a*b^3*d*e^2 - 3*a^2*b^2*c*g^2 - 1/324 \\
& *(a^4*b^4*e + 2*a^5*b^3*h))*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a* \\
& b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/16 \\
& 2*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + \\
& 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g \\
& ^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b \\
& ^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a \\
& ^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e) \\
& *a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3 \\
& *c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458* \\
& (8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a \\
& ^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + \\
& 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + \\
& (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/ \\
& (a^6*b^5))^{(1/3)} + 54*c/a^2)^2 - 8*(2*a^3*b*d + a^4*g)*h^2 + 1/18*(4*a^2*b^ \\
& 4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h))*((-I* \\
& sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d \\
& *h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a \\
& ^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + \\
& 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b* \\
& e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e \\
& *h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e* \\
& g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I \\
& *sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
& (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^ \\
& 3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + \\
& 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^ \\
& 4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d* \\
& h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2) - 2 \\
& *(6*a*b^3*c*d + a^2*b^2*e^2)*g - 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + 4*a^3*b*e
\end{aligned}$$

$$\begin{aligned}
& *g)*h + 2*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b \\
& *g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x + 1/108*\sqrt{1/3}*(7 \\
& 2*a^2*b^4*d^2 - 54*a^2*b^4*c*e + 72*a^3*b^3*d*g + 18*a^4*b^2*g^2 - 108*a^3* \\
& b^3*c*h + (a^4*b^4*e + 2*a^5*b^3*h)*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c \\
& ^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3))/(-1/27*c^3/a \\
& ^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a \\
& ^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 \\
& + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1 \\
& 458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3 \\
& *c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - \\
& 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/1 \\
& 62*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27* \\
& b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)* \\
& a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e \\
&)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2))*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*c^2/a^4 \\
& - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(- \\
& 1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a \\
& ^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2* \\
& b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5* \\
& b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - \\
& e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3 \\
& /a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/ \\
& (a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^ \\
& 2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1 \\
& /1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - \\
& 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((-I*\sqrt{3} \\
&) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^ \\
& 2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h \\
& + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a* \\
& b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 \\
& + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)* \\
& a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4* \\
& d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{ \\
& 3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g \\
& + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2* \\
& g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4* \\
& h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - \\
& 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)* \\
& a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*a^2*b^3*c \\
& + 2916*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g \\
&)*h)/(a^4*b^3))) - (162*b^2*c*x^3 + 162*a*b*c - (a^2*b^2*x^3 + a^3*b))*((-I* \\
& \sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d \\
& *h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a \\
& ^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + \\
& 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b* \\
& e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e \\
& *h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e* \\
& g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I \\
& *\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
& (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^ \\
& 3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + \\
& 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^ \\
& 4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d* \\
& h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2) + 3 \\
& *\sqrt{1/3}*(a^2*b^2*x^3 + a^3*b)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b
\end{aligned}$$

$$\begin{aligned}
& ^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)/(a^4b^3))/(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)* \\
& c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - \\
& 1/1458(27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h \\
& - 3c^2g^2h)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 \\
& - 9c^2de)a^2b^4)/(a^6b^5))^{(1/3)} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + \\
& 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 54c/a^2)^2a^4b^3 - 108((-I\sqrt{3} + 1) \\
& *(9c^2/a^4 - (9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)/(a^4b^3)))/(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 54c/a^2)a^2b^3c + 291 \\
& 6b^3c^2 + 2592ab^2de + 1296a^2b^2eg + 2592(2a^2bd + a^3g)h)/(a^4b^3)) * \log(-12b^4cd^2 - 9b^4c^2e - 4ab^3d^2e^2 - 3a^2b^2c^2g^2 \\
& - 1/324(a^4b^4e + 2a^5b^3h)((-I\sqrt{3} + 1)(9c^2/a^4 - (9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)/(a^4b^3)))/(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 54c/a^2)^2 - 8(2a^3bd + a^4g)h^2 + 1/18* \\
& (4a^2b^4d^2 + 6a^2b^4c^2e + 4a^3b^3d^2g + a^4b^2g^2 + 12a^3b^3c^2h) * ((-I\sqrt{3} + 1)(9c^2/a^4 - (9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)/(a^4b^3)))/(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + 1/162(9b^3c^2 + 2ab^2de + 2a^3gh + (eg + 4d^2h)a^2b)*c/(a^6b^3) + 1/1458(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)/(a^5b^5) - 1/1458* \\
& (27b^5c^3 + 8a^5h^3 - (g^3 - 12e^2h^2)a^4b - 6(dg^2 - e^2h - 3c^2g^2h) \\
&)a^3b^2 + (e^3 - 12d^2g + 9(eg + 4d^2h)c)a^2b^3 - 2(4d^3 - 9c^2de) \\
&)a^2b^4)/(a^6b^5))^{(1/3)} + 54c/a^2) - 2(6ab^3cd + a^2b^2e^2)g - 2(9ab^3c^2 + 8a^2b^2de + \\
& 4a^3b^2eg)h + 2(8b^4d^3 + ab^3e^3 + 12ab^3d^2g + 6a^2b^2d* \\
& g^2 + a^3b^2g^3 + 6a^2b^2e^2h + 12a^3b^2e^2h^2 + 8a^4h^3)*x - 1/108\sqrt{
\end{aligned}$$

t(1/3)*(72*a^2*b^4*d^2 - 54*a^2*b^4*c*e + 72*a^3*b^3*d*g + 18*a^4*b^2*g^2 - 108*a^3*b^3*c*h + (a^4*b^4*e + 2*a^5*b^3*h)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*sqrt(-(((I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*a^2*b^3*c + 2916*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g)*h)/(a^4*b^3))) + 324*(b^2*c*x^3 + a*b*c)*log(x))/(a^2*b^2*x^3 + a^3*b)

giac [A] time = 0.20, size = 319, normalized size = 1.10

$$\frac{\frac{c \log(|bx^3 + a|)}{3a^2} + \frac{c \log(|x|)}{a^2}}{9(-ab^2)^{\frac{2}{3}}ab} - \frac{\sqrt{3} \left(2b^2d + abg - 2(-ab^2)^{\frac{1}{3}}ah - (-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}ab}}{9(-ab^2)^{\frac{2}{3}}ab} \left(2b^2d - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*c*log(abs(b*x^3 + a))/a^2 + c*log(abs(x))/a^2 - 1/9*sqrt(3)*(2*b^2*d + a*b*g - 2*(-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x

$$+ (-a/b)^{(1/3)} / (-a/b)^{(1/3)} / ((-a*b^2)^{(2/3)} * a*b) - 1/18 * (2*b^2*d + a*b*g + 2*(-a*b^2)^{(1/3)} * a*h + (-a*b^2)^{(1/3)} * b*e) * \log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a*b^2)^{(2/3)} * a*b) + 1/3 * (a*b*c - a^2*f - (a^2*h - a*b*e) * x^2 + (a*b*d - a^2*g) * x) / ((b*x^3 + a) * a^2*b) - 1/9 * (2*a^4*b^2*h*(-a/b)^{(1/3)} + a^3*b^3*(-a/b)^{(1/3)} * e + 2*a^3*b^3*d + a^4*b^2*g) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^5*b^3)$$

maple [B] time = 0.06, size = 507, normalized size = 1.75

$$\frac{e x^2}{3(b x^3 + a) a} - \frac{h x^2}{3(b x^3 + a) b} + \frac{d x}{3(b x^3 + a) a} - \frac{g x}{3(b x^3 + a) b} + \frac{2\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} - \frac{d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x)

[Out] -1/3/(b*x^3+a)/b*x^2*h+1/3/(b*x^3+a)/a*e*x^2-1/3/(b*x^3+a)/b*x*g+1/3/a*x/(b*x^3+a)*d-1/3/(b*x^3+a)/b*f+1/3/a/(b*x^3+a)*c+1/9/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g+2/9/a/b*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/18/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/9/(a/b)^(2/3)/a/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+2/9/a/b*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h-1/9/(a/b)^(1/3)/a/b*e*ln(x+(a/b)^(1/3))+1/9/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h+1/18/(a/b)^(1/3)/a/b*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/9*3^(1/2)/(a/b)^(1/3)/a/b*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^2*c*ln(b*x^3+a)+1/a^2*c*ln(x)

maxima [A] time = 3.04, size = 302, normalized size = 1.04

$$\frac{(be - ah)x^2 + bc - af + (bd - ag)x}{3(ab^2x^3 + a^2b)} + \frac{c \log(x)}{a^2} + \frac{\sqrt{3}\left(abe\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2a^2h\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abd\left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2g\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3}\right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*((b*e - a*h)*x^2 + b*c - a*f + (b*d - a*g)*x)/(a*b^2*x^3 + a^2*b) + c*ln(x)/a^2 + 1/9*sqrt(3)*(a*b*e*(a/b)^(2/3) + 2*a^2*h*(a/b)^(2/3) + 2*a*b*d*(a/b)^(1/3) + a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b) - 1/18*(6*b^2*c*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) - 2*a^2*h*(a/b)^(1/3) + 2*a*b*d + a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/9*(3*b^2*c*(a/b)^(2/3) + a*b*e*(a/b)^(1/3) + 2*a^2*h*(a/b)^(1/3) - 2*a*b*d - a^2*g)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))

mupad [B] time = 5.60, size = 1660, normalized size = 5.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2),x)
[Out] ((b*c - a*f)/(3*a*b) + (x*(b*d - a*g))/(3*a*b) + (x^2*(b*e - a*h))/(3*a*b))
/(a + b*x^3) + symsum(log((c*(4*b^2*d^2 + a^2*g^2 - 3*b^2*c*e - 6*a*b*c*h +
4*a*b*d*g))/(9*a^3) - (root(729*a^6*b^5*z^3 + 729*a^4*b^5*c*z^2 + 54*a^5*b
^2*g*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z + 54*a^3*b^4*d*e*z + 243*a^
2*b^5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h + 36*a^2*b^3*c*d*h + 9*a^2*
b^3*c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*a^2*b^3*d^2*g - 6*a^3*b^2
*d*g^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*b^5*c^3 + a^2*b^3*e^3, z,
k)*(a^3*g^2 + 4*a*b^2*d^2 + 36*b^3*c^2*x + 324*root(729*a^6*b^5*z^3 + 729*
a^4*b^5*c*z^2 + 54*a^5*b^2*g*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z + 5
4*a^3*b^4*d*e*z + 243*a^2*b^5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h + 3
6*a^2*b^3*c*d*h + 9*a^2*b^3*c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*a
^2*b^3*d^2*g - 6*a^3*b^2*d*g^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*b
^5*c^3 + a^2*b^3*e^3, z, k)^2*a^4*b^3*x - 18*root(729*a^6*b^5*z^3 + 729*a^4
*b^5*c*z^2 + 54*a^5*b^2*g*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z + 54*a
^3*b^4*d*e*z + 243*a^2*b^5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h + 36*a
^2*b^3*c*d*h + 9*a^2*b^3*c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*a^2*
b^3*d^2*g - 6*a^3*b^2*d*g^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*b^5*
c^3 + a^2*b^3*e^3, z, k)*a^4*b*h + 6*a*b^2*c*e + 12*a^2*b*c*h + 4*a^2*b*d*g
+ 20*a^3*g*h*x - 9*root(729*a^6*b^5*z^3 + 729*a^4*b^5*c*z^2 + 54*a^5*b^2*g
*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z + 54*a^3*b^4*d*e*z + 243*a^2*b^
5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h + 36*a^2*b^3*c*d*h + 9*a^2*b^3*
c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*a^2*b^3*d^2*g - 6*a^3*b^2*d*g
^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*b^5*c^3 + a^2*b^3*e^3, z, k)*
a^3*b^2*e + 216*root(729*a^6*b^5*z^3 + 729*a^4*b^5*c*z^2 + 54*a^5*b^2*g*h*z
+ 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z + 54*a^3*b^4*d*e*z + 243*a^2*b^5*c^
2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h + 36*a^2*b^3*c*d*h + 9*a^2*b^3*c*e*
g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*a^2*b^3*d^2*g - 6*a^3*b^2*d*g^2 -
a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*b^5*c^3 + a^2*b^3*e^3, z, k)*a^2*
b^3*c*x + 20*a*b^2*d*e*x + 40*a^2*b*d*h*x + 10*a^2*b*e*g*x))/(9*a^2) - (x*(
8*a^4*h^3 - 8*b^4*d^3 + a*b^3*e^3 - a^3*b*g^3 - 6*a^2*b^2*d*g^2 + 6*a^2*b^2
*e^2*h + 12*b^4*c*d*e - 12*a*b^3*d^2*g + 12*a^3*b*e*h^2 + 12*a^2*b^2*c*g*h
+ 24*a*b^3*c*d*h + 6*a*b^3*c*e*g))/(27*a^3*b^2))*root(729*a^6*b^5*z^3 + 729*
a^4*b^5*c*z^2 + 54*a^5*b^2*g*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z +
54*a^3*b^4*d*e*z + 243*a^2*b^5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h +
36*a^2*b^3*c*d*h + 9*a^2*b^3*c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*
a^2*b^3*d^2*g - 6*a^3*b^2*d*g^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*
b^5*c^3 + a^2*b^3*e^3, z, k), k, 1, 3) + (c*log(x))/a^2
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.418 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=301

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{18a^{7/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{9a^{7/3}b^{4/3}}$$

[Out] $-c/a^2/x+1/3*x*(a*(-a*h+b*e)-b*(-a*f+b*c))*x-b*(-a*g+b*d)*x^2/a^2/b/(b*x^3+a)+d*\ln(x)/a^2+1/9*(b^{(2/3)}*(-a*f+4*b*c)+a^{(2/3)}*(a*h+2*b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(7/3)}/b^{(4/3)}-1/18*(b^{(2/3)}*(-a*f+4*b*c)+a^{(2/3)}*(a*h+2*b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/a^{(7/3)}/b^{(4/3)}-1/3*d*\ln(b*x^3+a)/a^2+1/9*(4*b^{(5/3)*c}-2*a^{(2/3)*b*e}-a*b^{(2/3)*f}-a^{(5/3)*h})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(7/3)}/b^{(4/3)*3^{(1/2)}}$

Rubi [A] time = 0.59, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{18a^{7/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{9a^{7/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a^2*b*(a + b*x^3)) + ((4*b^{(5/3)*c} - 2*a^{(2/3)*b*e} - a*b^{(2/3)*f} - a^{(5/3)*h})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(7/3)*b^{(4/3)}}) + (d*\text{Log}[x])/a^2 + ((b^{(2/3)}*(4*b*c - a*f) + a^{(2/3)}*(2*b*e + a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(9*a^{(7/3)*b^{(4/3)}}) - ((b^{(2/3)}*(4*b*c - a*f) + a^{(2/3)}*(2*b*e + a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2}]/(18*a^{(7/3)*b^{(4/3)}}) - (d*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &&
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^2} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \int \frac{-3b^2c - 3b^2dx - b(2be + ah)x^2 + b^2}{x^2(a + bx^3)} \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \int \left(-\frac{3b^2c}{ax^2} - \frac{3b^2d}{ax} + \frac{b(-a(2be + ah)x^2 + b^2)}{x^2(a + bx^3)} \right) \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \int \frac{-a(2be + ah)x^2 + b^2}{x^2(a + bx^3)} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \int \frac{-a(2be + ah)x^2 + b^2}{x^2(a + bx^3)} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(x)}{a^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3}(4b^{5/3}c - 2a^{2/3}be - a^2d))}{b^{4/3}} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3}(4b^{5/3}c - 2a^{2/3}be - a^2d))}{b^{4/3}} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{(4b^{5/3}c - 2a^{2/3}be - a^2d)}{b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 285, normalized size = 0.95

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (2a^{2/3} b e + a^{5/3} h - a b^{2/3} f + 4b^{5/3} c)}{b^{4/3}} - \frac{2a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) (2a^{2/3} b e + a^{5/3} h - a b^{2/3} f + 4b^{5/3} c)}{b^{4/3}} + \frac{2\sqrt{3} a^{2/3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}}$$

18a³

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x]
[Out] -1/18*((18*a*c)/x + (6*a*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))) / (b*(a + b*x^3)) + (2*sqrt[3]*a^(2/3)*(-4*b^(5/3)*c + 2*a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(4/3) - 18*a*d*Log[x] - (2*a^(2/3)*(4*b^(5/3)*c + 2*a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) + (a^(2/3)*(4*b^(5/3)*c + 2*a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(4/3) + 6*a*d*Log[a + b*x^3])/a^3
```

fricas [C] time = 59.49, size = 12556, normalized size = 41.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/324*(108*(4*b^2*c - a*b*f)*x^3 + 324*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2*(a^2*b^2*x^4 + a^3*b*x)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 54*d/a^2)*log(-36*a*b^4*c*d^2 + 64*a*b^4*c^2*e + 12*a^2*b^3*d*e^2 + 4*a^3*b^2*e*f^2 + 3*a^4*b*d*h^2 - 1/324*(4*a^5*b^4*c - a^6*b^3*f)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 54*d/a^2)^2 + 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 54*d/a^2) + (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f + 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - (64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x - 108*(a*b*d - a^2*g)*x + (162*b^2*d*x^4 + 162*a*b*d*x - (a^2*b^2*x^4 + a^3*b*x)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 54*d/a^2) + (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f + 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - (64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x - 108*(a*b*d - a^2*g)*x + (162*b^2*d*x^4 + 162*a*b*d*x - (a^2*b^2*x^4 + a^3*b*x)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^{(1/3)} + 54*d/a^2)$$

$$\begin{aligned}
& 2*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - \\
& 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - 3*\sqrt{1/3}*(a^2*b^2*x^4 + a^3*b*x)*\sqrt{(- \\
& (((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - \\
& 8*c*e)*b^2))/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a* \\
& b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - \\
& 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e* \\
& *h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - \\
& (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d* \\
& h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 8 \\
& 1*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (\\
& 9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a \\
& *b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e* \\
& h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (\\
& f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c) \\
& *a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a \\
& ^2)^2*a^4*b^2 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c* \\
& h)*a*b + (9*d^2 - 8*c*e)*b^2))/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + \\
& 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3 \\
& *b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4 \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e \\
& *f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a \\
& ^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e \\
& f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8* \\
& a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2* \\
& e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e \\
& *h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + \\
& 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^ \\
& ^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 10368*b^2*c*e + 2592*a*b*e \\
& *f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))*\log(36*a*b^4*c*d^2 - 64*a*b^4*c^ \\
& 2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d*h^2 + 1/324*(4*a^5*b^4 \\
& *c - a^6*b^3*f)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a \\
& *b + (9*d^2 - 8*c*e)*b^2))/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8 \\
& *a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2 \\
& *e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b* \\
& e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + \\
& 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b \\
& ^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - \\
& 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2* \\
& b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2* \\
& h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 \\
& + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f \\
& ^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{ \\
& (1/3)} + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f \\
& - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2))/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(6 \\
& 4*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^ \\
& 3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)* \\
& a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f* \\
& h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9
\end{aligned}$$

$$\begin{aligned}
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f - 2*(16 \\
& *a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - 2*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3 \\
& *b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x + 1/108*sqrt(1/3)*(216*a^3*b^4*c*d \\
& + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h + 18*a^6*b*h^2 - (4*a^5* \\
& b^4*c - a^6*b^3*f)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h) \\
&)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2 \\
& *(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4 \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^ \\
& 7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f \\
& - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a \\
& ^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6 \\
& *(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4 \\
&))^{(1/3)} + 54*d/a^2))*sqrt(-(((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(6 \\
& 4*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^ \\
& 3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)* \\
& a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f* \\
& h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&)/(a^7*b^4))^{(1/3)} + 54*d/a^2)^2*a^4*b^2 - 108*((-I*sqrt(3) + 1)*(9*d^2/a^4 \\
& - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h) \\
&)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24* \\
& c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a \\
& ^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2 \\
&) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1 \\
& 458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3* \\
& b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - \\
& 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))) + (16 \\
& 2*b^2*d*x^4 + 162*a*b*d*x - (a^2*b^2*x^4 + a^3*b*x)*((-I*sqrt(3) + 1)*(9*d^ \\
& 2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(- \\
& 1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)* \\
& d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2* \\
& b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7* \\
& b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d \\
& *f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 \\
& - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)
\end{aligned}$$

$$\begin{aligned}
& *a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) + 3*\text{sqrt}(1/3)*(a^2*b^2*x^4 + a^3*b*x)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)^2*a^4*b^2 - 108*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 1036*8*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2)))*\text{log}(36*a*b^4*c*d^2 - 64*a*b^4*c^2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d*h^2 + 1/324*(4*a^5*b^4*c - a^6*b^3*f)*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - (9*a^2*b^3*d^2 - 32*
\end{aligned}$$

$a^2*b^3*c*e)*f - 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - 2*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x - 1/108*sqrt(1/3)*(216*a^3*b^4*c*d + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h + 18*a^6*b*h^2 - (4*a^5*b^4*c - a^6*b^3*f)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2))*sqrt(-(((I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)^2*a^4*b^2 - 108*((I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))) - 324*(b^2*d*x^4 + a*b*d*x)*log(x))/(a^2*b^2*x^4 + a^3*b*x)$

giac [A] time = 0.20, size = 328, normalized size = 1.09

$$\frac{\frac{d \log(|bx^3 + a|)}{3a^2} + \frac{d \log(|x|)}{a^2}}{9(-ab^2)^{\frac{2}{3}}a^2} - \frac{\sqrt{3} \left(a^2h + 2abe + 4(-ab^2)^{\frac{1}{3}}bc - (-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{\left(a^2h + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/3*d*\log(\text{abs}(b*x^3 + a))/a^2 + d*\log(\text{abs}(x))/a^2 - 1/9*\text{sqrt}(3)*(a^2*h + 2*a*b*e + 4*(-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(1/3)}*a*f)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/18*(a^2*h + 2*a*b*e - 4*(-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/3*(4*b^2*c*x^3 - a*b*f*x^3 + a^2*h*x^2 - a*b*x^2*e - a*b*d*x + a^2*g*x + 3*a*b*c)/((b*x^4 + a*x)*a^2*b) + 1/9*(4*a^2*b^4*c*(-a/b)^{(1/3)} - a^3*b^3*f*(-a/b)^{(1/3)} - a^4*b^2*h - 2*a^3*b^3*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^5*b^3))$

maple [B] time = 0.06, size = 517, normalized size = 1.72

$$\frac{f x^2}{3(b x^3 + a) a} - \frac{b c x^2}{3(b x^3 + a) a^2} + \frac{e x}{3(b x^3 + a) a} - \frac{h x}{3(b x^3 + a) b} + \frac{2\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{b}} - 1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) e \ln}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2, x)$

[Out] $1/3/a/(b*x^3+a)*x^2*f-1/3/a^2/(b*x^3+a)*b*c*x^2-1/3/(b*x^3+a)/b*x*h+1/3/(b*x^3+a)/a*e*x-1/3/(b*x^3+a)/b*g+1/3/a/(b*x^3+a)*d+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h+2/9/(a/b)^{(2/3)}/a/b*e*\ln(x+(a/b)^{(1/3)})-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-1/9/(a/b)^{(2/3)}/a/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+2/9/(a/b)^{(2/3)}*3^{(1/2)}/a/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/(a/b)^{(1/3)}/a/b*f*\ln(x+(a/b)^{(1/3)})+4/9/a^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/18/a/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-2/9/a^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9*3^{(1/2)}/(a/b)^{(1/3)}/a/b*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-4/9/a^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/3/a^2*d*\ln(b*x^3+a)-1/a^2*c/x+1/a^2*d*\ln(x)$

maxima [A] time = 3.13, size = 329, normalized size = 1.09

$$\frac{(4b^2c - abf)x^3 + 3abc - (abe - a^2h)x^2 - (abd - a^2g)x}{3(a^2b^2x^4 + a^3bx)} + \frac{d \log(x)}{a^2} - \frac{\sqrt{3}\left(4b^2c\left(\frac{a}{b}\right)^{\frac{2}{3}} - abf\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2abe\left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2\right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2, x, \text{algorithm}="maxima")$

[Out] $-1/3*((4*b^2*c - a*b*f)*x^3 + 3*a*b*c - (a*b*e - a^2*h)*x^2 - (a*b*d - a^2*g)*x)/(a^2*b^2*x^4 + a^3*b*x) + d*\log(x)/a^2 - 1/9*\text{sqrt}(3)*(4*b^2*c*(a/b)^{(2/3)} - a*b*f*(a/b)^{(2/3)} - 2*a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)})*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b) - 1/18*(6*b^2*d*(a/b)^{(2/3)} + 4*b^2*c*(a/b)^{(1/3)} - a*b*f*(a/b)^{(1/3)} + 2*a*b*e + a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) - 1/9*(3*b^2*d*(a/b)^{(2/3)} - 4*b^2*c*(a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)} - 2*a*b*e - a^2*h)*\log(x + (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.77, size = 1684, normalized size = 5.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x)$

[Out] $\text{symsum}(\log((d*(a^3*h^2 + 4*a*b^2*e^2 + 12*b^3*c*d - 3*a*b^2*d*f + 4*a^2*b*e*h))/(9*a^4) - (\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*(a^3*h^2 + 4*a*b^2*e^2 + 36*b^3*d^2*x - 24*b^3*c*d + 324*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k))^2*a^4*b^3*x + 6*a*b^2*d*f + 4*a^2*b*e*h - 80*b^3*c*e*x + 36*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*a^2*b^3*c - 9*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*a^3*b^2*f + 216*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*a^2*b^3*d*x - 40*a*b^2*c*h*x + 20*a*b^2*e*f*x + 10*a^2*b*f*h*x))/(9*a^2) + (x*(64*b^5*c^3 + a^5*h^3 + 8*a^2*b^3*e^3 - a^3*b^2*f^3 + 12*a^2*b^3*c*f^2 + 12*a^3*b^2*e^2*h - 48*a*b^4*c^2*f + 6*a^4*b*e*h^2 + 24*a^2*b^3*c*d*h - 12*a^2*b^3*d*e*f - 6*a^3*b^2*d*f*h + 48*a*b^4*c*d*e))/(27*a^5*b))*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k), k, 1, 3) - (c/a + (x^3*(4*b*c - a*f))/(3*a^2) - (x*(b*d - a*g))/(3*a*b) - (x^2*(b*e - a*h))/(3*a*b))/ (a*x + b*x^4) + (d*log(x))/a^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**2, x)$

[Out] Timed out

$$3.419 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=306

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(\sqrt[3]{b}(5bc - 2af) - \sqrt[3]{a}(4bd - ag)\right)}{18a^{8/3}b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(\sqrt[3]{b}(5bc - 2af) - \sqrt[3]{a}(4bd - ag)\right)}{9a^{8/3}b^{2/3}}$$

[Out] $-1/2*c/a^2/x^2-d/a^2/x-1/3*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a^2/(b*x^3+a)+e*\ln(x)/a^2-1/9*(b^{(1/3)}*(-2*a*f+5*b*c)-a^{(1/3)}*(-a*g+4*b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(2/3)}+1/18*(b^{(1/3)}*(-2*a*f+5*b*c)-a^{(1/3)}*(-a*g+4*b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(2/3)}-1/3*e*\ln(b*x^3+a)/a^2+1/9*(5*b^{(4/3)}*c+4*a^{(1/3)}*b*d-2*a*b^{(1/3)}*f-a^{(4/3)}*g)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.58, antiderivative size = 304, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(-\frac{\sqrt[3]{a}(4bd-ag)}{\sqrt[3]{b}} - 2af + 5bc\right)}{18a^{8/3}\sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(\sqrt[3]{b}(5bc - 2af) - \sqrt[3]{a}(4bd - ag)\right)}{9a^{8/3}b^{2/3}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^{(4/3)}*c + 4*a^{(1/3)}*b*d - 2*a*b^{(1/3)}*f - a^{(4/3)}*g)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (3*\text{Sqrt}[3]*a^{(8/3)}*b^{(2/3)}) + (e*\text{Log}[x])/a^2 - ((b^{(1/3)}*(5*b*c - 2*a*f) - a^{(1/3)}*(4*b*d - a*g))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(9*a^{(8/3)}*b^{(2/3)}) + ((5*b*c - 2*a*f - (a^{(1/3)}*(4*b*d - a*g))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(18*a^{(8/3)}*b^{(1/3)}) - (e*\text{Log}[a + b*x^3])/ (3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &&
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)^2} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 2b^2\left(\frac{bc}{a} - f\right)x^3}{x^3(a + bx^3)} dx \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \int \left(-\frac{3b^2c}{ax^3} - \frac{3b^2d}{ax^2} - \frac{3b^2e}{ax} + \frac{b^2(5bc - af)}{a^2} \right) dx \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b^2(5bc - af)}{a^2} x
\end{aligned}$$

Mathematica [A] time = 0.54, size = 292, normalized size = 0.95

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} g - 4 \sqrt[3]{a} b d - 2 a \sqrt[3]{b} f + 5 b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} g - 4 \sqrt[3]{a} b d - 2 a \sqrt[3]{b} f + 5 b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{a} x}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)}{18 a^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]
[Out] -1/18*((9*a*c)/x^2 + (18*a*d)/x + (6*a*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(b*(a + b*x^3)) + (2*sqrt[3]*a^(1/3)*(-5*b^(4/3)*c - 4*a^(1/3)*b*d + 2*a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) - 18*a*e*Log[x] + (2*a^(1/3)*(5*b^(4/3)*c - 4*a^(1/3)*b*d - 2*a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) - (a^(1/3)*(5*b^(4/3)*c - 4*a^(1/3)*b*d - 2*a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 6*a*e*Log[a + b*x^3])/a^3
```

fricas [C] time = 43.40, size = 12231, normalized size = 39.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned}
 & -1/324*(108*(4*b^2*d - a*b*g)*x^4 + 324*a*b*d*x + 54*(5*b^2*c - 2*a*b*f)*x^3 \\
 & + 162*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2*(a^2*b^2*x^5 + a^3*b*x^2)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2)*\log(-160*a*b^3*c*d^2 + 75*a*b^3*c^2*e - 36*a^2*b^2*d*e^2 + 12*a^3*b*e*f^2 - 1/324*(4*a^6*b^2*d - a^7*b*g)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2)^2 - 2*(5*a^3*b*c - 2*a^4*f)*g^2 - 1/18*(25*a^3*b^3*c^2 - 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 + 6*a^5*b*e*g)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2) + 4*(16*a^2*b^2*d^2 - 15*a^2*b^2*c*e)*f + (80*a^2*b^2*c*d + 9*a^3*b*e^2 - 32*a^3*b*d*f)*g - (125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)*x) + (162*b^2*e*x^5 + 162*a*b*e*x^2 - (a^2*b^2*x^5 + a^3*b*x^2)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f
 \end{aligned}$$

$$\begin{aligned}
& + 60a^2b^2c^2f^2 - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4 \\
& *g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2 \\
& g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 \\
& - 2*(32d^3 - 90c^2de + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 54e/a^2 - 3 \\
& \sqrt{1/3}*(a^2b^2x^5 + a^3b^2x^2)*\sqrt{-((-I*\sqrt{3}) + 1)*(9e^2/a^4 - (\\
& 20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)/(a^5b)))/(-1/27e^3/a \\
& ^6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) \\
& - 1/1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 \\
& - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/ \\
& 1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2)*a^3b + 3*(9e^3 \\
& - 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - 2*(32d^3 - 90c^2d \\
& e + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27e^3/a^6 \\
& + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) - \\
& 1/1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 - 8 \\
& a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/145 \\
& 8*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2)*a^3b + 3*(9e^3 - \\
& 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de \\
& + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 54e/a^2)^2*a^5b - 108*((-I*\sqrt{3}) \\
& + 1)*(9e^2/a^4 - (20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)/(a \\
& ^5b)))/(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5 \\
& c^2g)*a^2b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f \\
& + 60a^2b^2c^2f^2 - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4 \\
& g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2) \\
& ^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - \\
& 2*(32d^3 - 90c^2de + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 81*(I*\sqrt{3}) + \\
& 1)*(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g) \\
&)*a^2b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f + 6 \\
& 0a^2b^2c^2f^2 - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3) \\
&)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2) \\
&)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - 2 \\
& *(32d^3 - 90c^2de + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 54e/a^2)*a^3b^2e \\
& + 25920b^2cd + 2916a^2b^2e^2 - 10368a^2b^2d^2f - 1296*(5a^2b^2c - 2a^2f)*g \\
&)/(a^5b)))*\log(160a^2b^3c^2d^2 - 75a^2b^3c^2e + 36a^2b^2d^2e^2 - 12a^ \\
& 3b^2e^2f^2 + 1/324*(4a^6b^2d - a^7b^2g)*((-I*\sqrt{3}) + 1)*(9e^2/a^4 - (2 \\
& 0b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)/(a^5b)))/(-1/27e^3/a^ \\
& 6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) \\
& - 1/1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 - \\
& 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1 \\
& 458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2)*a^3b + 3*(9e^3 \\
& - 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - 2*(32d^3 - 90c^2d \\
& e + 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27e^3/a^6 + \\
& 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) - 1 \\
& /1458*(125b^4c^3 + 64a^2b^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 - 8 \\
& a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458 \\
& *(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2fg + 6d^2g^2)*a^3b + 3*(9e^3 - \\
& 24d^2ef + 16d^2g + 5*(4f^2 - 3e^2g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de + \\
& 75c^2f)*a^2b^3)/(a^8b^2)^{(1/3)} + 54e/a^2)^2 + 2*(5a^3b^2c - 2a^4f)* \\
& g^2 + 1/18*(25a^3b^3c^2 - 24a^4b^2d^2e - 20a^4b^2c^2f + 4a^5b^2f^2 \\
& + 6a^5b^2e^2g)*((-I*\sqrt{3}) + 1)*(9e^2/a^4 - (20b^2cd + 2a^2fg + (9 \\
& e^2 - 8df - 5c^2g)*a^2b)/(a^5b)))/(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a \\
& ^2fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64 \\
& a^2b^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^2f^3 - 48a^2b^2d^2 \\
& ^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 \\
& - 2*(4f^3 - 9e^2fg + 6d^2g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5 \\
& (4f^2 - 3e^2g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de + 75c^2f)*a^2b^3)/(a^8b \\
& ^2)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2 \\
& fg + (9e^2 - 8df - 5c^2g)*a^2b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^2b \\
& ^3d^3 - 150a^2b^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^2f^3 - 48a^2b^2d^2* \\
& g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2
\end{aligned}$$

$$\begin{aligned}
& *b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d* \\
& e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c \\
& ^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2) + 3*\sqrt{1/3}*(a^2*b^2*x^5 + a^3* \\
& b*x^2)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e \\
& ^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^ \\
& 2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a \\
& *b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^ \\
& 2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - \\
& 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(\\
& 4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^ \\
& 2))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f \\
& *g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^ \\
& 3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2* \\
& (4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f \\
& ^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2)) \\
& ^{(1/3)} + 54*e/a^2)^2*a^5*b - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d \\
& + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162 \\
& *(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458* \\
& (125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f \\
& ^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125* \\
& b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e \\
& *f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^ \\
& 2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(2 \\
& 0*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(12 \\
& 5*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 \\
& - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4 \\
& *c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f \\
& + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f \\
&)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^ \\
& 2 - 10368*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b)))*\log(160*a*b^3*c*d \\
& ^2 - 75*a*b^3*c^2*e + 36*a^2*b^2*d*e^2 - 12*a^3*b*e*f^2 + 1/324*(4*a^6*b^2* \\
& d - a^7*b*g))*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^ \\
& 2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2 \\
& *f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a* \\
& b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2 \\
& *g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - \\
& 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4 \\
& *f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2 \\
&))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f* \\
& g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3 \\
& *d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(\\
& 4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^ \\
& 2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2)) \\
& ^{(1/3)} + 54*e/a^2)^2 + 2*(5*a^3*b*c - 2*a^4*f)*g^2 + 1/18*(25*a^3*b^3*c^2 - \\
& 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 + 6*a^5*b*e*g))*((-I*\sqrt{3}) + \\
& 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^ \\
& 5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c \\
& *g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + \\
& 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g \\
& ^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^ \\
& 2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - \\
& 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\sqrt{3}) + \\
& 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g) \\
& *a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60 \\
& *a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3) \\
& / (a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)* \\
& a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(
\end{aligned}$$

$$\begin{aligned}
& 32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2) - 4*(16*a^2*b^2*d^2 - 15*a^2*b^2*c*e)*f - (80*a^2*b^2*c*d + 9*a^3*b*e^2 - 32*a^3*b*d \\
& *f)*g - 2*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)*x - 1/108*\sqrt{ \\
& (1/3)*(450*a^3*b^3*c^2 + 216*a^4*b^2*d*e - 360*a^4*b^2*c*f + 72*a^5*b*f^2 - 54*a^5*b*e*g - (4*a^6*b^2*d - a^7*b*g)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20* \\
& b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - \\
& 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458* \\
& 8*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e \\
& + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1 \\
& 458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(\\
& 125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 7 \\
& 5*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2))*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(- \\
& 1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2* \\
& b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + \\
& 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3}) + 1)*(-1/2 \\
& 7*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2 \\
& *c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + \\
& 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2)^2*a^5*b - 108*((- \\
& I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - \\
& 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d* \\
& g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c) \\
& *a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d \\
& *f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 \\
& - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^ \\
& 2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{1/3} + 54*e/a^2) \\
&)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^2 - 10368*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b))) - 324*(b^2*e*x^5 + a*b*e*x^2)*\log(x))/(a^2*b^2*x^5 + \\
& a^3*b*x^2)
\end{aligned}$$

giac [A] time = 0.19, size = 336, normalized size = 1.10

$$\frac{e \log(|bx^3 + a|)}{3a^2} + \frac{e \log(|x|)}{a^2} + \frac{\sqrt{3} \left(5b^2c - 2abf - 4(-ab^2)^{\frac{1}{3}}bd + (-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}a^2} + \frac{5b^2c}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="gia

c")

```
[Out] -1/3*e*log(abs(b*x^3 + a))/a^2 + e*log(abs(x))/a^2 + 1/9*sqrt(3)*(5*b^2*c -
2*a*b*f - 4*(-a*b^2)^(1/3)*b*d + (-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2
*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) + 1/18*(5*b^2*c - 2*a
*b*f + 4*(-a*b^2)^(1/3)*b*d - (-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3)
+ (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) + 1/9*(4*a^2*b^2*d*(-a/b)^(1/3) - a^3*
b*g*(-a/b)^(1/3) + 5*a^2*b^2*c - 2*a^3*b*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)
^(1/3)))/(a^5*b) - 1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*
a*b*f)*x^3 + 3*a*b*c + 2*(a^2*h - a*b*e)*x^2)/((b*x^3 + a)*a^2*b*x^2)
```

maple [B] time = 0.07, size = 527, normalized size = 1.72

$$\frac{g x^2}{3(b x^3 + a) a} - \frac{b d x^2}{3(b x^3 + a) a^2} + \frac{f x}{3(b x^3 + a) a} - \frac{b c x}{3(b x^3 + a) a^2} + \frac{2\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)
```

```
[Out] 1/3/a/(b*x^3+a)*x^2*g-1/3/(b*x^3+a)/a^2*b*d*x^2+1/3/a/(b*x^3+a)*f*x-1/3/(b*
x^3+a)/a^2*b*c*x-1/3/(b*x^3+a)/b*h+1/3/(b*x^3+a)/a*e-5/9/(a/b)^(2/3)/a^2*c*
ln(x+(a/b)^(1/3))+5/18/(a/b)^(2/3)/a^2*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-
5/9/(a/b)^(2/3)*3^(1/2)/a^2*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/9/(
a/b)^(2/3)/a/b*f*ln(x+(a/b)^(1/3))-1/9/a*f/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)
*x+(a/b)^(2/3))+2/9/a*f/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(
1/3)*x-1))+4/9/(a/b)^(1/3)/a^2*d*ln(x+(a/b)^(1/3))-2/9/(a/b)^(1/3)/a^2*d*ln
(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9*3^(1/2)/(a/b)^(1/3)/a^2*d*arctan(1/3*3^(
1/2)*(2/(a/b)^(1/3)*x-1))-1/9/a*g/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18/a*g
/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/a*g*3^(1/2)/b/(a/b)^(1
/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^2*e*ln(b*x^3+a)-1/a^2*d/x
+1/a^2*e*ln(x)-1/2/a^2*c/x^2
```

maxima [A] time = 3.06, size = 316, normalized size = 1.03

$$\frac{2(4b^2d - abg)x^4 + 6abdx + (5b^2c - 2abf)x^3 + 3abc - 2(abe - a^2h)x^2}{6(a^2b^2x^5 + a^3bx^2)} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3}\left(4bd\left(\frac{a}{b}\right)^{\frac{2}{3}} - ag\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="max
ima")
```

```
[Out] -1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*a*b*f)*x^3 + 3*a*b
*c - 2*(a*b*e - a^2*h)*x^2)/(a^2*b^2*x^5 + a^3*b*x^2) + e*log(x)/a^2 - 1/9*
sqrt(3)*(4*b*d*(a/b)^(2/3) - a*g*(a/b)^(2/3) + 5*b*c*(a/b)^(1/3) - 2*a*f*(a
/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^3 - 1/18*(
6*b*e*(a/b)^(2/3) + 4*b*d*(a/b)^(1/3) - a*g*(a/b)^(1/3) - 5*b*c + 2*a*f)*lo
g(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/9*(3*b*e*(a/b)
^(2/3) - 4*b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) + 5*b*c - 2*a*f)*log(x + (a/b)
^(1/3))/(a^2*b*(a/b)^(2/3))
```

mupad [B] time = 5.71, size = 1632, normalized size = 5.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x)$

[Out] $\text{symsum}(\log((b^2*e*(25*b^2*c^2 + 4*a^2*f^2 - 3*a^2*e*g - 20*a*b*c*f + 12*a*b*d*e))/(9*a^5) - (\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*b^2*(25*b^2*c^2 + 4*a^2*f^2 - 9*\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k))*a^4*g + 6*a^2*e*g + 36*\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k))*a^3*b*d + 36*a*b*e^2*x + 200*b^2*c*d*x + 20*a^2*f*g*x + 324*\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k))*a^3*b*e*x))/(9*a^3) - (b*x*(125*b^4*c^3 + a^4*g^3 - 64*a*b^3*d^3 - 8*a^3*b*f^3 + 60*a^2*b^2*c*f^2 + 48*a^2*b^2*d^2*g - 150*a*b^3*c^2*f - 12*a^3*b*d*g^2 - 30*a^2*b^2*c*e*g - 48*a^2*b^2*d*e*f + 120*a*b^3*c*d*e + 12*a^3*b*e*f*g))/(27*a^6))*\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k), k, 1, 3) - (c/(2*a) + (x^3*(5*b*c - 2*a*f))/(6*a^2) + (x^4*(4*b*d - a*g))/(3*a^2) + (d*x)/a - (x^2*(b*e - a*h))/(3*a*b))/(a*x^2 + b*x^5) + (e*log(x))/a^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)$

[Out] Timed out

$$3.420 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=338

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah))}{18a^{8/3} b^{2/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah))}{9a^{8/3} b^{2/3}}$$

[Out] $-1/3*c/a^2/x^3-1/2*d/a^2/x^2-e/a^2/x-1/3*x*(b*d-a*g+(-a*h+b*e)*x-b*(b*c/a-f)*x^2)/a^2/(b*x^3+a)-(-a*f+2*b*c)*\ln(x)/a^3-1/9*(b^{1/3})*(-2*a*g+5*b*d)-a^{1/3}*(-a*h+4*b*e)*\ln(a^{1/3}+b^{1/3}*x)/a^{8/3}/b^{2/3}+1/18*(b^{1/3})*(-2*a*g+5*b*d)-a^{1/3}*(-a*h+4*b*e)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{8/3}/b^{2/3}+1/3*(-a*f+2*b*c)*\ln(b*x^3+a)/a^3+1/9*(5*b^{4/3}*d+4*a^{1/3}*b*e-2*a*b^{1/3}*g-a^{4/3}*h)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3})*3^{1/2}/a^{8/3}/b^{2/3}*3^{1/2}$

Rubi [A] time = 0.73, antiderivative size = 336, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (4be - ah)}{\sqrt[3]{b}} - 2ag + 5bd \right)}{18a^{8/3} \sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah))}{9a^{8/3} b^{2/3}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - d/(2*a^2*x^2) - e/(a^2*x) - (x*(b*d - a*g + (b*e - a*h)*x - b*((b*c)/a - f)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^{4/3}*d + 4*a^{1/3}*b*e - 2*a*b^{1/3}*g - a^{4/3}*h)*\text{ArcTan}[a^{1/3} - 2*b^{1/3}*x]/(\text{Sqrt}[3]*a^{1/3}))/((3*\text{Sqrt}[3]*a^{8/3}*b^{2/3}) - ((2*b*c - a*f)*\text{Log}[x])/a^3 - ((b^{1/3}*(5*b*d - 2*a*g) - a^{1/3}*(4*b*e - a*h))*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{8/3}*b^{2/3}) + ((5*b*d - 2*a*g - (a^{1/3}*(4*b*e - a*h))/b^{1/3})*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{8/3}*b^{1/3}) + ((2*b*c - a*f)*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)*((a_)+(b_)*(x_)^{(n_))^{(p_)}}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q]/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[\{(Pq_)*((c_)*(x_))^{(m_)/((a_)+(b_)*(x_)^{(n_)}), x_Symbol\} \rightarrow \text{Int}[\text{ExpandIntegrand}[\{(c*x)^m*Pq/(a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[\{(A_)+(B_)*(x_)/((a_)+(b_)*(x_)^3), x_Symbol\} \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)/((a_)+(b_)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] \ /; \ \text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)^2} dx &= -\frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{\int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 3b^2\left(\frac{bc}{a} - f\right)x^3}{x^4(a + bx^3)^2} dx}{3ab} \\
&= -\frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax^4} - \frac{3b^2d}{ax^3} - \frac{3b^2e}{ax^2} - \frac{3b^2\left(\frac{bc}{a} - f\right)}{ax}\right) dx}{3ab} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} - \frac{2bc}{3a} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{3a^2(a + bx^3)} + \frac{2bc}{3a}
\end{aligned}$$

Mathematica [A] time = 0.62, size = 303, normalized size = 0.90

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h - 4 \sqrt[3]{a} b e - 2 a \sqrt[3]{b} g + 5 b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} h - 4 \sqrt[3]{a} b e - 2 a \sqrt[3]{b} g + 5 b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]
[Out] ((-6*a*c)/x^3 - (9*a*d)/x^2 - (18*a*e)/x + (a*(-6*b*(c + x*(d + e*x)) + 6*a*(f + x*(g + h*x))))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(-5*b^(4/3)*d - 4*a^(1/3)*b*e + 2*a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + 18*(-2*b*c + a*f)*Log[x] - (2*a^(1/3)*(5*b^(4/3)*d - 4*a^(1/3)*b*e - 2*a*b^(1/3)*g + a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (a^(1/3)*(5*b^(4/3)*d - 4*a^(1/3)*b*e - 2*a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 6*(2*b*c - a*f)*Log[a + b*x^3])/(18*a^3)

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 363, normalized size = 1.07

$$\frac{\sqrt{3} \left(5b^2d - 2abg + (-ab^2)^{\frac{1}{3}} ah - 4(-ab^2)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a^2} + \frac{\left(5b^2d - 2abg - \left(-ab^2 \right)^{\frac{1}{3}} ah + 4 \left(-ab^2 \right)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(5*b^2*d - 2*a*b*g + (-a*b^2)^(1/3)*a*h - 4*(-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) + 1/18*(5*b^2*d - 2*a*b*g - (-a*b^2)^(1/3)*a*h + 4*(-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) + 1/3*(2*b*c - a*f)*log(abs(b*x^3 + a))/a^3 - (2*b*c - a*f)*log(abs(x))/a^3 - 1/9*(a^5*b*h*(-a/b)^(1/3) - 4*a^4*b^2*(-a/b)^(1/3)*e - 5*a^4*b^2*d + 2*a^5*b*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b) + 1/6*(2*(a^2*h - 4*a*b*e)*x^5 - (5*a*b*d - 2*a^2*g)*x^4 - 6*a^2*x^2*e - 3*a^2*d*x - 2*(2*a*b*c - a^2*f)*x^3 - 2*a^2*c)/((b*x^3 + a)*a^3*x^3)

maple [B] time = 0.06, size = 561, normalized size = 1.66

$$\frac{\frac{hx^2}{3(bx^3+a)a} - \frac{bex^2}{3(bx^3+a)a^2} + \frac{gx}{3(bx^3+a)a} - \frac{bdx}{3(bx^3+a)a^2} + \frac{2\sqrt{3}g \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2g \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)

[Out] -1/2/a^2*d/x^2-1/a^2*e/x+1/3/a/(b*x^3+a)*x^2*h+1/3/a/(b*x^3+a)*g*x+4/9/(a/b)^(1/3)/a^2*e*ln(x+(a/b)^(1/3))+5/18/(a/b)^(2/3)/a^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/(a/b)^(2/3)/a^2*d*ln(x+(a/b)^(1/3))-2/9/(a/b)^(1/3)/a^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/a^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/a^2*ln(x)*f+1/3/a/(b*x^3+a)*f-1/3/a^2*ln(b*x^3+a)*f-1/3/a^2*c/x^3-1/3/(b*x^3+a)/a^2*b*c+2/9/a*g/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/a*h*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/9/a*h/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18/a*h/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/a*g/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-5/9/(a/b)^(2/3)*3^(1/2)/a^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/9/a*g/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/a^2/(b*x^3+a)*b*e*x^2-1/3/(b*x^3+a)/a^2*b*d*x-2/a^3*b*c*ln(x)+2/3/a^3*b*c*ln(b*x^3+a)

maxima [A] time = 3.08, size = 365, normalized size = 1.08

$$\frac{2(4be - ah)x^5 + (5bd - 2ag)x^4 + 6aex^2 + 2(2bc - af)x^3 + 3adx + 2ac}{6(a^2bx^6 + a^3x^3)} \frac{(2bc - af)\log(x)}{a^3} \sqrt{3} \left(4abe \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/6*(2*(4*b*e - a*h)*x^5 + (5*b*d - 2*a*g)*x^4 + 6*a*e*x^2 + 2*(2*b*c - a*f)*x^3 + 3*a*d*x + 2*a*c)/(a^2*b*x^6 + a^3*x^3) - (2*b*c - a*f)*log(x)/a^3 - 1/9*sqrt(3)*(4*a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) + 5*a*b*d*(a/b)^(1/3) - 2*a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 + 1/18*(12*b^2*c*(a/b)^(2/3) - 6*a*b*f*(a/b)^(2/3) - 4*a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + 5*a*b*d - 2*a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) + 1/9*(6*b^2*c*(a/b)^(2/3) - 3*a*b*f*(a/b)^(2/3) + 4*a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - 5*a*b*d + 2*a^2*g)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 5.96, size = 1924, normalized size = 5.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2),x)

[Out] symsum(log(- (50*b^5*c*d^2 - 48*b^5*c^2*e + 8*a^2*b^3*c*g^2 - 12*a^2*b^3*e*f^2 - 4*a^3*b^2*f*g^2 + 3*a^3*b^2*f^2*h - 25*a*b^4*d^2*f + 12*a*b^4*c^2*h - 12*a^2*b^3*c*f*h + 20*a^2*b^3*d*f*g - 40*a*b^4*c*d*g + 48*a*b^4*c*e*f)/(9*a^6) - root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*((25*a^3*b^4*d^2 + 4*a^5*b^2*g^2 + 48*a^3*b^4*c*e - 12*a^4*b^3*c*h - 20*a^4*b^3*d*g - 24*a^4*b^3*e*f + 6*a^5*b^2*f*h)/(9*a^6) + root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*(36*a^6*b^3*e - 9*a^7*b^2*h)/(9*a^6) - (x*(1296*a^5*b^4*c - 648*a^6*b^3*f))/(27*a^6) + 36*root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*a^2*b^3*x) + (x*(432*a^2*b^5*c^2 + 108*a^4*b^3*f^2

$$\begin{aligned}
& - 432a^3b^4cf + 600a^3b^4de - 150a^4b^3dh - 240a^4b^3eg + \\
& 60a^5b^2gh)/(27a^6) - (x*(125b^5d^3 - 64ab^4e^3 + a^4b^3h^3 - 8 \\
& a^3b^2g^3 + 60a^2b^3d^2g^2 + 48a^2b^3e^2h - 12a^3b^2e^2h^2 - 240 \\
& b^5c^2de - 150ab^4d^2g - 24a^2b^3c^2gh - 30a^2b^3d^2fh - 48a^2 \\
& b^3e^2fg + 12a^3b^2f^2gh + 60ab^4c^2dh + 96ab^4c^2eg + 120ab^4 \\
& d^2ef))/(27a^6)*\text{root}(729a^9b^2z^3 + 729a^7b^2fz^2 - 1458a^6b^3c \\
& cz^2 + 54a^6b^2ghz - 216a^5b^2egz - 135a^5b^2d^2hz - 972a^4b^3 \\
& c^2fz + 540a^4b^3d^2ez + 243a^5b^2f^2z + 972a^3b^4c^2z + 18a^4 \\
& b^2f^2gh - 360ab^4c^2de - 72a^3b^2e^2fg - 45a^3b^2d^2fh - 36a^3b^2 \\
& c^2gh + 180a^2b^3d^2ef + 144a^2b^3c^2eg + 90a^2b^3c^2dh - 12a^4 \\
& b^2e^2h^2 + 324ab^4c^2f + 48a^3b^2e^2h - 150a^2b^3d^2g + 60a^3 \\
& b^2d^2g^2 - 162a^2b^3c^2f^2 + 27a^3b^2f^3 - 64a^2b^3e^3 - 8a^4b \\
& g^3 + 125ab^4d^3 - 216b^5c^3 + a^5h^3, z, k), k, 1, 3) - (c/(3a) + \\
& (ex^2)/a + (x^3(2bc - af))/(3a^2) + (x^4(5bd - 2ag))/(6a^2) + (\\
& x^5(4be - ah))/(3a^2) + (dx)/(2a))/(ax^3 + bx^6) - (\log(x)*(2bc \\
& - af))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.421 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(b^{2/3}(5af+bc) - 2a^{2/3}(be-7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(b^{2/3}(5af+bc) - 2a^{2/3}(be-7ah)\right)}{27a^{4/3}b^{10/3}}$$

[Out] $h*x/b^3+1/6*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/b^3/(b*x^3+a)^2-1/18*x*(a*(-13*a*h+7*b*e)-2*b*(-4*a*f+b*c)*x-3*b*(-3*a*g+b*d)*x^2)/a/b^3/(b*x^3+a)-1/27*(b^{2/3}*(5*a*f+b*c)-2*a^{2/3}*(-7*a*h+b*e))*\ln(a^{1/3}+b^{1/3}*x)/a^{4/3}/b^{10/3}+1/54*(b^{2/3}*(5*a*f+b*c)-2*a^{2/3}*(-7*a*h+b*e))*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{4/3}/b^{10/3}+1/3*g*\ln(b*x^3+a)/b^3-1/27*(b^{5/3}*c+2*a^{2/3}*b*e+5*a*b^{2/3}*f-14*a^{5/3}*h)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{4/3}/b^{10/3}*3^{1/2}$

Rubi [A] time = 0.89, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.290$, Rules used = {1828, 1858, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(b^{2/3}(5af+bc) - 2a^{2/3}(be-7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(b^{2/3}(5af+bc) - 2a^{2/3}(be-7ah)\right)}{27a^{4/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

[Out] $(h*x)/b^3 + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*b^3*(a + b*x^3)^2) - (x*(a*(7*b*e - 13*a*h) - 2*b*(b*c - 4*a*f)*x - 3*b*(b*d - 3*a*g)*x^2))/(18*a*b^3*(a + b*x^3)) - ((b^{5/3}*c + 2*a^{2/3}*b*e + 5*a*b^{2/3}*f - 14*a^{5/3}*h)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(9*\text{Sqrt}[3]*a^{4/3}*b^{10/3}) - ((b^{2/3}*(b*c + 5*a*f) - 2*a^{2/3}*(b*e - 7*a*h))*\text{Log}[a^{1/3} + b^{1/3}*x])/(27*a^{4/3}*b^{10/3}) + ((b^{2/3}*(b*c + 5*a*f) - 2*a^{2/3}*(b*e - 7*a*h))*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(54*a^{4/3}*b^{10/3}) + (g*\text{Log}[a + b*x^3])/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \int \frac{a^2(be - ah) - 2ab(bc - af)x - b^2(bd - ag)x^2}{6b^3(a + bx^3)^2} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3} \\
&= \frac{hx}{b^3} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3(a + bx^3)^2} - \frac{x(a(7be - 13ah) - 2b^2(bd - ag))}{18a^2b^3}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 342, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}\right)\left(-2a^{2/3}b^{4/3}e + 14a^{5/3}\sqrt[3]{b}h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)\left(-2a^{2/3}b^{4/3}e + 14a^{5/3}\sqrt[3]{b}h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]
[Out] (54*b^(2/3)*h*x - (9*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a + b*x^3)^2 + (3*b^(2/3)*(2*b^2*c*x^2 + a^2*(12*g + 13*h*x) - a*b*(6*d + x*(7*e + 8*f*x))))/(a*(a + b*x^3)) - (2*sqrt[3]*(b^2*c + 2*a^(2/3)*b^(4/3)*e + 5*a*b*f - 14*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/a^(4/3) - (2*(b^2*c - 2*a^(2/3)*b^(4/3)*e + 5*a*b*f + 14*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(4/3) + ((b^2*c - 2*a^(2/3)*b^(4/3)*e + 5*a*b*f + 14*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(4/3) + 18*b^(2/3)*g*Log[a + b*x^3]/(54*b^(11/3))

```


$$\begin{aligned}
& *b^2*g*x^6 + 108*a^2*b*g*x^3 + 54*a^3*g + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3* \\
& b^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 7 \\
& 0*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b^2*c* \\
& e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + \\
& 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168* \\
& a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15 \\
& *a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (\\
& 125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - \\
& 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458* \\
& g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/ \\
& (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4 \\
& *b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) - \\
& 3*\sqrt{1/3}*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*\sqrt{-((2*(1/2)^{(2/3)}*(-I \\
& *\sqrt{3}) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - \\
& 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a \\
& ^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b \\
& ^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^ \\
& 4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5 \\
& *h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 1 \\
& 68*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a \\
& ^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e \\
& + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + \\
& 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a \\
& ^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15* \\
& a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (1 \\
& 25*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - \\
& 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(\\
& 2/3)}*(-I*\sqrt{3}) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2* \\
& (5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 7 \\
& 0*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 \\
& + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + \\
& 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + \\
& 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e \\
& *f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2 \\
& *b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*g^3/b^9 - 27*(2 \\
& *b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^ \\
& 5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 \\
& - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c \\
& ^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^ \\
& 4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(2 \\
& 5*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^ \\
& 2*c*e + 160*a*b*e*f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))) * lo \\
& g(4*a*b^4*c^2*e + 40*a^2*b^3*c*e*f + 100*a^3*b^2*e*f^2 - 36*a^3*b^2*e^2*g - \\
& 1764*a^5*g*h^2 + 1/4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) \\
& + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a \\
& *b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5 \\
& *e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f \\
& + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 \\
& - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3* \\
& (243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h \\
& + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^ \\
& 2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3 \\
& *e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^ \\
& 2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2 \\
& *f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 -
\end{aligned}$$

$$\begin{aligned}
& 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c \\
&)*a^2*b^3)/(a^4*b^10)^{(1/3)} - 18*g/b^3)^2 + 81*(a^3*b^2*c + 5*a^4*b*f)*g^2 \\
& - (2*a^3*b^5*e^2 - 28*a^4*b^4*e*h + 98*a^5*b^3*h^2 - 9*(a^3*b^5*c + 5*a^4* \\
& b^4*f)*g)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 \\
& - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b \\
& ^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c \\
& ^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - \\
& 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 \\
& + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4* \\
& b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25* \\
& f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(\\
& 1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a* \\
& b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f \\
& ^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3) \\
& / (a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f \\
& *g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3 \\
& *b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^ \\
& 3) - 28*(a^2*b^3*c^2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - 2* \\
& (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2* \\
& f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x + 3/4*sqrt(1/3 \\
&)*(8*a^3*b^5*e^2 - 112*a^4*b^4*e*h + 392*a^5*b^3*h^2 + (a^3*b^8*c + 5*a^4*b \\
& ^7*f)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - \\
& 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b^2*c \\
& *e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 \\
& + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168 \\
& *a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 1 \\
& 5*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + \\
& (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458 \\
& *g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g \\
& / (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^ \\
& 4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + \\
& 18*(a^3*b^5*c + 5*a^4*b^4*f)*g)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81 \\
& *g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2 \\
& *b^6))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7 \\
& *c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2 \\
& *b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744* \\
& a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 \\
& - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c* \\
& g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + \\
& (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f \\
& *h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 1 \\
& 5*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 11 \\
& 76*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 274 \\
& 4*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f* \\
& g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^ \\
& 3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) \\
& + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a \\
& *b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5 \\
& *e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f \\
& + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 \\
& - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3* \\
& (243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h \\
& + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^ \\
& 2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3
\end{aligned}$$

$$\begin{aligned}
& *e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^2*c*e + 160*a*b*e*f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))) + (54*a*b^2*g*x^6 + 108*a^2*b*g*x^3 + 54*a^3*g + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2))^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 3*sqrt(1/3)*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*sqrt(-((2*(1/2))^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2))^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^2*c*e + 160*a*b*e*f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))) * log(4*a*b^4*c^2*e + 40*a^2*b^3*c*e*f + 100*a^3*b^2*e*f^2 - 36*a^3*b^2*e^2*g - 1764*a^5*g*h^2 + 1/4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2))^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)
\end{aligned}$$


```
*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*
h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 6
30*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)
*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) + (1/
2)^(1/3)*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*
a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a
b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a
^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^
5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g +
168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(
a^4*b^10))^(1/3) - 18*g/b^3)*a^2*b^3*g + 32*b^2*c*e + 160*a*b*e*f + 324*a^2
*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))))/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a
^3*b^3)
```

giac [A] time = 0.21, size = 385, normalized size = 1.12

$$\frac{hx}{b^3} + \frac{g \log(|bx^3 + a|)}{3b^3} + \frac{\sqrt{3} \left(14a^2h - 2abe + (-ab^2)^{\frac{1}{3}}bc + 5(-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}ab^2} + \frac{(14a^2h - 2abe)}{27(-ab^2)^{\frac{2}{3}}ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

```
[Out] h*x/b^3 + 1/3*g*log(abs(b*x^3 + a))/b^3 + 1/27*sqrt(3)*(14*a^2*h - 2*a*b*e
+ (-a*b^2)^(1/3)*b*c + 5*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/
b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) + 1/54*(14*a^2*h - 2*a*b*e -
(-a*b^2)^(1/3)*b*c - 5*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/
b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) + 1/18*(2*(b^3*c - 4*a*b^2*f)*x^5 + (13*a^
2*b*h - 7*a*b^2*e)*x^4 - 3*a^2*b*d + 9*a^3*g - 6*(a*b^2*d - 2*a^2*b*g)*x^3
- (a*b^2*c + 5*a^2*b*f)*x^2 + 2*(5*a^3*h - 2*a^2*b*e)*x)/((b*x^3 + a)^2*a*b
^3) - 1/27*(a*b^6*c*(-a/b)^(1/3) + 5*a^2*b^5*f*(-a/b)^(1/3) - 14*a^3*b^4*h
+ 2*a^2*b^5*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^7)
```

maple [B] time = 0.06, size = 619, normalized size = 1.79

$$\frac{cx^5}{9(bx^3 + a)^2 a} + \frac{4fx^5}{9(bx^3 + a)^2 b} + \frac{13ahx^4}{18(bx^3 + a)^2 b^2} + \frac{7ex^4}{18(bx^3 + a)^2 b} + \frac{2agx^3}{3(bx^3 + a)^2 b^2} + \frac{dx^3}{3(bx^3 + a)^2 b} + \frac{5afx^2}{18(bx^3 + a)^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

```
[Out] 1/27/b^2/a^3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c+1/
2/b^3/(b*x^3+a)^2*a^2*g+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/
3))*f-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-4/9/b/(b*x^3+a)^2*f*x^5-1/3/
b/(b*x^3+a)^2*x^3*d-1/6/b^2/(b*x^3+a)^2*d*a-1/18/b/(b*x^3+a)^2*x^2*c-14/27/
b^4*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/9/(b*
x^3+a)^2/a*c*x^5-1/27/(a/b)^(2/3)/b^3*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-7
/18/(b*x^3+a)^2/b*e*x^4+2/27/(a/b)^(2/3)/b^3*e*ln(x+(a/b)^(1/3))+1/3*g*ln(b
*x^3+a)/b^3-5/18/b^2/(b*x^3+a)^2*x^2*a*f+2/3/b^2/(b*x^3+a)^2*x^3*a*g+5/27/b
```


$$\frac{2*d}{3} - \frac{(2*a*b*g)}{3} + \frac{(b*x^4*(7*b*e - 13*a*h))}{18} + \frac{(a*b*d)}{6} - \frac{(b*x^5*(b^2*c - 4*a*b*f))}{(9*a)} / (a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + \frac{(h*x)}{b^3}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.422 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=325

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd))}{27a^{5/3} b^{8/3}}$$

[Out] $-1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/b^2/(b*x^3+a)^2+1/18*x*(b*c-7*a*f+2*(-4*a*g+b*d)*x+3*(-3*a*h+b*e)*x^2)/a/b^2/(b*x^3+a)+1/27*(b^{1/3}*(2*a*f+b*c)-a^{1/3}*(5*a*g+b*d))*\ln(a^{1/3}+b^{1/3}*x)/a^{5/3}/b^{8/3}-1/54*(b^{1/3}*(2*a*f+b*c)-a^{1/3}*(5*a*g+b*d))*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{5/3}/b^{8/3}+1/3*h*\ln(b*x^3+a)/b^3-1/27*(b^{4/3}*c+a^{1/3}*b*d+2*a*b^{1/3}*f+5*a^{4/3}*g)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{5/3}/b^{8/3}*3^{1/2}$

Rubi [A] time = 0.64, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd))}{27a^{5/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $-(x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*b^2*(a + b*x^3)^2) + (x*(b*c - 7*a*f + 2*(b*d - 4*a*g)*x + 3*(b*e - 3*a*h)*x^2))/(18*a*b^2*(a + b*x^3)) - ((b^{4/3}*c + a^{1/3}*b*d + 2*a*b^{1/3}*f + 5*a^{4/3}*g)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(9*\text{Sqrt}[3]*a^{5/3}*b^{8/3}) + ((b^{1/3}*(b*c + 2*a*f) - a^{1/3}*(b*d + 5*a*g))*\text{Log}[a^{1/3} + b^{1/3}*x])/(2*7*a^{5/3}*b^{8/3}) - ((b^{1/3}*(b*c + 2*a*f) - a^{1/3}*(b*d + 5*a*g))*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(54*a^{5/3}*b^{8/3}) + (h*\text{Log}[a + b*x^3])/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} - \frac{\int \frac{-ab(bc-af)-2ab(bd-ag)x}{(a+bx^3)^3} dx}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2(a + bx^3)^2} + \frac{x(bc - 7af + 2(bd - ag)x + (be - ah)x^2)}{18ab^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 315, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} g + \sqrt[3]{a} b d - 2a \sqrt[3]{b} f - b^{4/3} c\right)}{a^{5/3}} + \frac{2 \sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-5a^{4/3} g - \sqrt[3]{a} b d + 2a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] ((-9*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a + b*x^3)^2 + (36*a^2*h + 3*b^2*x*(c + 2*d*x) - 3*a*b*(6*e + x*(7*f + 8*g*x)))/(a*(a + b*x^3)) - (2*sqrt(3)*b^(1/3)*(b^(4/3)*c + a^(1/3)*b*d + 2*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(5/3) + (2*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d + 2*a*b^(1/3)*f - 5*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x]/a^(5/3) + (b^(1/3)*(-b^(4/3)*c) + a^(1/3)*b*d - 2*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(5/3) + 18*h*Log[a + b*x^3])/(54*b^3)

fricas [C] time = 6.17, size = 12939, normalized size = 39.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/108*(12*(b^3*d - 4*a*b^2*g)*x^5 + 6*(b^3*c - 7*a*b^2*f)*x^4 - 18*a^2*b*e + 54*a^3*h - 36*(a*b^2*e - 2*a^2*b*h)*x^3 - 6*(a*b^2*d + 5*a^2*b*g)*x^2 - 2*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)*\log(2*a*b^4*c*d^2 + 4*a^2*b^3*d^2*f + 1/4*(a^4*b^7*d + 5*a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)^2 + 50*(a^3*b^2*c + 2*a^4*b*f)*g^2 + 81*(a^4*b*d + 5*a^5*g)*h^2 - 1/2*(a^2*b^6*c^2 + 4*a^3*b^5*c*f + 4*a^4*b^4*f^2 - 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3) + 20*(a^2*b^3*c*d + 2*a^3*b^2*d*f)*g - 9*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + (b^5*c^3 + a*b^4*d^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2*g + 75*a^3*b^2*d*g^2 + 125*a^4*b*g^3)*x - 12*(a*b^2*c + 2*a^2*b*f)*x + (54*a*b^2*h*x^6 + 108*a^2*b*h*x^3 + 54*a^3*h + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6$

$$\begin{aligned}
& *a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3c^2f^2 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3) / (a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fg^2 *g^2h) *a^4b + (8f^3 + 135c^2g^2h - 3(25g^2 - 18f^2h) *d) *a^3b^2 - 3(5d^2 *g - (4f^2 + 9d^2h) *c) *a^2b^3 - (d^3 - 6c^2f) *a^3b^4) / (a^5b^9))^{(1/3)} \\
& - 18h/b^3 + 3\sqrt{1/3} * (a^5x^6 + 2a^2b^4x^3 + a^3b^3) * \sqrt{-((2 * (1/2)^{(2/3)}) * (-I\sqrt{3} + 1) * (81h^2/b^6 - (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3} + 1) * (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} - 18h/b^3) ^2 * a^3 * b^6 + 36 * (2 * (1/2)^{(2/3)}) * (-I\sqrt{3} + 1) * (81h^2/b^6 - (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3} + 1) * (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} - 18h/b^3) * a^3 * b^3 * h + 16 * b^3 * c * d + 32 * a * b^2 * d * f + 324 * a^3 * h^2 + 80 * (a * b^2 * c + 2 * a^2 * b * f) * g) / (a^3 * b^6)) * \log(-2 * a * b^4 * c * d^2 - 4 * a^2 * b^3 * d^2 * f - 1/4 * (a^4 * b^7 * d + 5 * a^5 * b^6 * g) * (2 * (1/2)^{(2/3)}) * (-I\sqrt{3} + 1) * (81h^2/b^6 - (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3} + 1) * (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} - 18h/b^3) ^2 - 50 * (a^3 * b^2 * c + 2 * a^4 * b * f) * g^2 - 81 * (a^4 * b * d + 5 * a^5 * g) * h^2 + 1/2 * (a^2 * b^6 * c^2 + 4 * a^3 * b^5 * c * f + 4 * a^4 * b^4 * f^2 - 18 * (a^4 * b^4 * d + 5 * a^5 * b^3 * g) * h) * (2 * (1/2)^{(2/3)}) * (-I\sqrt{3} + 1) * (81h^2/b^6 - (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g^2 * h) * a^4 * b + (8 * f^3 + 135 * c * g^2 * h - 3 * (25 * g^2 - 18 * f^2 * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d^2 * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a^3 * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3} + 1) * (1458h^3/b^9 - 27 * (b^3 * c * d + 10a^2 * b * f * g + 81a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3
\end{aligned}$$

$$\begin{aligned}
&^3 + 15a^2b^2d^2g + 75a^3b^2d^2g^2 + 125a^4b^2d^2g^3)/(a^5b^8) + (b^5c^3 \\
&+ 729a^5h^3 - 5(25g^3 - 54f*g*h)a^4b + (8f^3 + 135c*g*h - 3(25g^2 \\
&- 18f*h)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6 \\
&*c^2f)*ab^4)/(a^5b^9))^{(1/3)} - 18h/b^3) - 20(a^2b^3c*d + 2a^3b^2d \\
&*f)*g + 9(a^2b^3c^2 + 4a^3b^2c*f + 4a^4b*f^2)*h + 2(b^5c^3 + a*b^ \\
&4*d^3 + 6a*b^4*c^2f + 12a^2b^3c*f^2 + 8a^3b^2*f^3 + 15a^2b^3*d^2g \\
&+ 75a^3b^2*d^2g^2 + 125a^4b^2*d^2g^3)*x + 3/4*sqrt(1/3)*(2a^2b^6*c^2 + 8a \\
&^3b^5*c*f + 8a^4b^4*f^2 + (a^4b^7*d + 5a^5b^6*g)*(2*(1/2)^{(2/3)}*(-I*s \\
&qrt(3) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2b*f*g + 81a^3h^2 + (2*d*f + 5 \\
&*c*g)*ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g + 81a^3 \\
&*h^2 + (2*d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3* \\
&c^2f + 12a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2b^2*d^2g + 75a^3b*d^2g^2 \\
&+ 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f*g*h)a \\
&^4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5d^2g - (\\
&4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)*ab^4)/(a^5b^9))^{(1/3)} + (1/2) \\
&^{(1/3)}*(I*sqrt(3) + 1)*(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g + 81a^3* \\
&h^2 + (2*d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3* \\
&c^2f + 12a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2b^2*d^2g + 75a^3b*d^2g^2 + \\
&125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f*g*h)a^ \\
&4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5d^2g - (4 \\
&*f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)*ab^4)/(a^5b^9))^{(1/3)} - 18h/b \\
&^3) + 18(a^4b^4*d + 5a^5b^3*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1 \\
&)*(81h^2/b^6 - (b^3*c*d + 10a^2b*f*g + 81a^3h^2 + (2*d*f + 5*c*g)*ab^ \\
&2)/(a^3b^6)))/(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g + 81a^3h^2 + (2* \\
&d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2f + 12 \\
&*a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2b^2*d^2g + 75a^3b*d^2g^2 + 125a^4* \\
&g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f*g*h)a^4b + (8* \\
&f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9* \\
&d*h)*c)a^2b^3 - (d^3 - 6c^2f)*ab^4)/(a^5b^9))^{(1/3)} + (1/2)^{(1/3)}*(I* \\
&sqrt(3) + 1)*(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g + 81a^3h^2 + (2*d \\
&*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2f + 12* \\
&a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2b^2*d^2g + 75a^3b*d^2g^2 + 125a^4* \\
&g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f*g*h)a^4b + (8*f \\
&^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9*d \\
&*h)*c)a^2b^3 - (d^3 - 6c^2f)*ab^4)/(a^5b^9))^{(1/3)} - 18h/b^3)^2a^3* \\
&b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2b* \\
&f*g + 81a^3h^2 + (2*d*f + 5*c*g)*ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27*(b^ \\
&3*c*d + 10a^2b*f*g + 81a^3h^2 + (2*d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b \\
&^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2f + 12a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2 \\
&b^2*d^2g + 75a^3b*d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5* \\
&h^3 - 5(25g^3 - 54f*g*h)a^4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h) \\
&)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)*a* \\
&b^4)/(a^5b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458h^3/b^9 - 27*(b^3 \\
&*c*d + 10a^2b*f*g + 81a^3h^2 + (2*d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^ \\
&4*c^3 + a*b^3*d^3 + 6a*b^3*c^2f + 12a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2 \\
&b^2*d^2g + 75a^3b*d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5*h \\
&^3 - 5(25g^3 - 54f*g*h)a^4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h) \\
&)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)*a*b \\
&^4)/(a^5b^9))^{(1/3)} - 18h/b^3)a^3b^3h + 16b^3*c*d + 32a*b^2*d*f + 32 \\
&4a^3h^2 + 80*(a*b^2*c + 2a^2b*f)*g)/(a^3b^6))) + (54a*b^2*h*x^6 + 108 \\
&a^2b*h*x^3 + 54a^3h + (a*b^5*x^6 + 2a^2b^4*x^3 + a^3b^3)*(2*(1/2)^{(2 \\
&/3)}*(-I*sqrt(3) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2b*f*g + 81a^3h^2 + (\\
&2*d*f + 5*c*g)*ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g \\
&+ 81a^3h^2 + (2*d*f + 5*c*g)*ab^2)*h/(a^3b^9) + (b^4*c^3 + a*b^3*d^3 + \\
&6a*b^3*c^2f + 12a^2b^2*c*f^2 + 8a^3b*f^3 + 15a^2b^2*d^2g + 75a^3 \\
&b*d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54 \\
&*f*g*h)a^4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5* \\
&d^2g - (4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)*ab^4)/(a^5b^9))^{(1/3)} \\
&+ (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458h^3/b^9 - 27*(b^3*c*d + 10a^2b*f*g
\end{aligned}$$

$$\begin{aligned}
& + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + \\
& 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} \\
& - 18h/b^3) - 3\sqrt{1/3}(ab^5x^6 + 2a^2b^4x^3 + a^3b^3)\sqrt{-((2(1/2)^{2/3}(-I\sqrt{3}) + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} + (1/2)^{1/3}(I\sqrt{3}) + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} - 18h/b^3)^2 a^3b^6 + 36(2(1/2)^{2/3}(-I\sqrt{3}) + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} + (1/2)^{1/3}(I\sqrt{3}) + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} - 18h/b^3)a^3b^3h + 16b^3cd + 32a^2b^2df + 324a^3h^2 + 80(ab^2c + 2a^2b^2bf)g)/(a^3b^6)) * \log(-2a^4b^4cd^2 - 4a^2b^3d^2f - 1/4(a^4b^7d + 5a^5b^6g))(2(1/2)^{2/3}(-I\sqrt{3}) + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} + (1/2)^{1/3}(I\sqrt{3}) + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} - 18h/b^3)^2 - 50(a^3b^2c + 2a^4b^2f)g^2 - 81(a^4b^2d + 5a^5g)h^2 + 1/2(a^2b^6c^2 + 4a^3b^5cf + 4a^4b^4f^2 - 18(a^4b^4d + 5a^5b^3g)h)(2(1/2)^{2/3}(-I\sqrt{3}) + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + a^3b^3d^3 + 6a^3b^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^3f^3 + 15a^2b^2d^2g + 75a^3b^3d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54fgh)a^4b + (8f^3 + 135cgh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{1/3} + (1/2)^{1/3}(I\sqrt{3}) + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^
\end{aligned}$$

$3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} - 18*h/b^3) - 20*(a^2*b^3*c*d + 2*a^3*b^2*d*f)*g + 9*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + 2*(b^5*c^3 + a*b^4*d^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2*g + 75*a^3*b^2*d*g^2 + 125*a^4*b*g^3)*x - 3/4*sqrt(1/3)*(2*a^2*b^6*c^2 + 8*a^3*b^5*c*f + 8*a^4*b^4*f^2 + (a^4*b^7*d + 5*a^5*b^6*g)*(2*(1/2)^{2/3}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} - 18*h/b^3) + 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*sqrt(-((2*(1/2)^{2/3}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} - 18*h/b^3)^2*a^3*b^6 + 36*(2*(1/2)^{2/3}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} + (1/2)^{1/3}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{1/3} - 18*h/b^3)*a^3*b^3*h + 16*b^3*c*d + 32*a*b^2*d*f + 324*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6))))/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)$

giac [A] time = 0.78, size = 363, normalized size = 1.12

$$\frac{h \log(|bx^3 + a|)}{3b^3} \frac{\sqrt{3} \left(b^2c + 2abf - (-ab^2)^{\frac{1}{3}}bd - 5(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}ab^2} \left(b^2c + 2abf + (-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] 1/3*h*log(abs(b*x^3 + a))/b^3 - 1/27*sqrt(3)*(b^2*c + 2*a*b*f - (-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) - 1/54*(b^2*c + 2*a*b*f + (-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) + 1/18*(2*(b^2*d - 4*a*b*g)*x^5 + (b^2*c - 7*a*b*f)*x^4 + 6*(2*a^2*h - a*b*e)*x^3 - (a*b*d + 5*a^2*g)*x^2 - 2*(a*b*c + 2*a^2*f)*x + 3*(3*a^3*h - a^2*b*e)/b)/((b*x^3 + a)^2*a*b^2) - 1/27*(a*b^4*d*(-a/b)^(1/3) + 5*a^2*b^3*g*(-a/b)^(1/3) + a*b^4*c + 2*a^2*b^3*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^5)
```

maple [A] time = 0.06, size = 515, normalized size = 1.58

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)
```

```
[Out] (-1/9*(4*a*g-b*d)/a/b*x^5-1/18*(7*a*f-b*c)/a/b*x^4+1/3*(2*a*h-b*e)/b^2*x^3-1/18*(5*a*g+b*d)/b^2*x^2-1/9*(2*a*f+b*c)/b^2*x+1/6*a*(3*a*h-b*e)/b^3)/(b*x^3+a)^2+2/27/(a/b)^(2/3)/b^3*f*ln(x+(a/b)^(1/3))+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/27/(a/b)^(2/3)/b^3*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+2/27/(a/b)^(2/3)*3^(1/2)/b^3*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g-1/27/(a/b)^(1/3)/a/b^2*d*ln(x+(a/b)^(1/3))+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/54/(a/b)^(1/3)/a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/27*3^(1/2)/(a/b)^(1/3)/a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*h*ln(b*x^3+a)/b^3
```

maxima [A] time = 3.12, size = 366, normalized size = 1.13

$$\frac{2(b^3d - 4ab^2g)x^5 + (b^3c - 7ab^2f)x^4 - 3a^2be + 9a^3h - 6(ab^2e - 2a^2bh)x^3 - (ab^2d + 5a^2bg)x^2 - 2(ab^2c + 2a^2f)x + 3(3a^3h - a^2be)}{18(ab^5x^6 + 2a^2b^4x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] 1/18*(2*(b^3*d - 4*a*b^2*g)*x^5 + (b^3*c - 7*a*b^2*f)*x^4 - 3*a^2*b*e + 9*a^3*h - 6*(a*b^2*e - 2*a^2*b*h)*x^3 - (a*b^2*d + 5*a^2*b*g)*x^2 - 2*(a*b^2*c + 2*a^2*b*f)*x)/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) + 1/27*sqrt(3)*(b^2*d*(a/b)^(2/3) + 5*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) + 2*a*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3) + 1/54*(1
```

$$8*a*h*(a/b)^{(2/3)} + b*d*(a/b)^{(1/3)} + 5*a*g*(a/b)^{(1/3)} - b*c - 2*a*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/27*(9*a*h*(a/b)^{(2/3)} - b*d*(a/b)^{(1/3)} - 5*a*g*(a/b)^{(1/3)} + b*c + 2*a*f)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.66, size = 908, normalized size = 2.79

$$\frac{\frac{3a^2h-abe}{6b^3} - \frac{x(bc+2af)}{9b^2} - \frac{x^2(bd+5ag)}{18b^2} - \frac{x^3(be-2ah)}{3b^2} + \frac{x^4(bc-7af)}{18ab} + \frac{x^5(bd-4ag)}{9ab}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k \right) \right) * (9 \text{root} (19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k) * a b^2 - (6 a h) / b + (x * (54 a^2 b^3 f + 27 a b^4 c)) / (81 a^2 b^3)) + (81 a^3 h^2 + b^3 c d + 5 a b^2 c g + 2 a b^2 d f + 10 a^2 b f g) / (81 a^2 b^4) + (x * (b^2 d^2 + 25 a^2 g^2 - 18 a^2 f h - 9 a b c h + 10 a b d g)) / (81 a^2 b^3)) * \text{root} (19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k), k, 1, 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out] ((3*a^2*h - a*b*e)/(6*b^3) - (x*(b*c + 2*a*f))/(9*b^2) - (x^2*(b*d + 5*a*g))/(18*b^2) - (x^3*(b*e - 2*a*h))/(3*b^2) + (x^4*(b*c - 7*a*f))/(18*a*b) + (x^5*(b*d - 4*a*g))/(9*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log(root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k)*(9*root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k)*a*b^2 - (6*a*h)/b + (x*(54*a^2*b^3*f + 27*a*b^4*c))/(81*a^2*b^3)) + (81*a^3*h^2 + b^3*c*d + 5*a*b^2*c*g + 2*a*b^2*d*f + 10*a^2*b*f*g)/(81*a^2*b^4) + (x*(b^2*d^2 + 25*a^2*g^2 - 18*a^2*f*h - 9*a*b*c*h + 10*a*b*d*g))/(81*a^2*b^3))*root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k), k, 1, 3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.423 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=297

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}}$$

[Out] $1/18*x*(b*d-4*a*g+(-5*a*h+2*b*e)*x+3*b*f*x^2)/a/b^2/(b*x^3+a)+1/6*(-h*x^5-g*x^4-f*x^3-e*x^2-d*x-c)/b/(b*x^3+a)^2+1/27*(b^(1/3)*(2*a*g+b*d)-a^(1/3)*(5*a*h+b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(8/3)-1/54*(b^(1/3)*(2*a*g+b*d)-a^(1/3)*(5*a*h+b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(8/3)-1/27*(b^(4/3)*d+a^(1/3)*b*e+2*a*b^(1/3)*g+5*a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(8/3)*3^(1/2)$

Rubi [A] time = 0.43, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1823, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

[Out] $(x*(b*d - 4*a*g + (2*b*e - 5*a*h)*x + 3*b*f*x^2))/(18*a*b^2*(a + b*x^3)) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(6*b*(a + b*x^3)^2) - ((b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(8/3)) + ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(8/3)) - ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(8/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1823

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{6b(a + bx^3)^2} + \frac{\int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{(a+bx^3)^2} dx}{6b} \\
&= \frac{x(bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2(a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b(a + bx^3)^2} \\
&= \frac{x(bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2(a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b(a + bx^3)^2} \\
&= \frac{x(bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2(a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b(a + bx^3)^2} \\
&= \frac{x(bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2(a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b(a + bx^3)^2} \\
&= \frac{x(bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2(a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 287, normalized size = 0.97

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}\right)\left(5a^{4/3}h + \sqrt[3]{a} be - 2a \sqrt[3]{b} g - b^{4/3}d\right)}{a^{5/3}} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)\left(-5a^{4/3}h - \sqrt[3]{a} be + 2a \sqrt[3]{b} g + b^{4/3}d\right)}{a^{5/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)\left(5a^{4/3}h\right)}{a^{5/3}}$$

$$54b^{8/3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]
[Out] ((-9*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x))))/(a + b*x^3)^2 + (3*b^(2/3)*(b*x*(d + 2*e*x) - a*(6*f + x*(7*g + 8*h*x)))/(a*(a + b*x^3)) - (2*Sqrt[3]*(b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(5/3) + (2*(b^(4/3)*d - a^(1/3)*b*e + 2*a*b^(1/3)*g - 5*a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + ((-(b^(4/3)*d) + a^(1/3)*b*e - 2*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(8/3))
```

fricas [C] time = 4.32, size = 6926, normalized size = 23.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
[Out] -1/108*(36*a*b*f*x^3 - 12*(b^2*e - 4*a*b*h)*x^5 - 6*(b^2*d - 7*a*b*g)*x^4 + 18*a*b*c + 18*a^2*f + 6*(a*b*e + 5*a^2*h)*x^2 + 2*(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2
```



```
*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b
*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^
2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8)
)^(1/3) - 2*(1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sq
rt(3) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^
2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8
) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*
h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3))) - 20*(a^2*b^2*d*e +
2*a^3*b*e*g)*h + 2*(b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2
+ 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)*x - 3/4*sq
rt(1/3)*(2*a^2*b^5*d^2 + 8*a^3*b^4*d*g + 8*a^4*b^3*g^2 + (a^4*b^6*e + 5*a^5
*b^5*h))*((1/2)^(1/3)*(I*sqrt(3) + 1))*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g
+ 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*
a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*
(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3) - 2*(
1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a
^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g
^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3
- 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 -
(e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3))))*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) +
1))*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3
+ 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 1
25*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^
3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3) - 2*(1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h
+ (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*
a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*
e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2
)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8)
)^(1/3)))^2*a^3*b^5 + 16*b^2*d*e + 32*a*b*e*g + 80*(a*b*d + 2*a^2*g)*h)/(a^3
*b^5))))/(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)
```

giac [A] time = 0.23, size = 320, normalized size = 1.08

$$\frac{\sqrt{3} \left(b^2 d + 2 a b g - 5 (-ab^2)^{\frac{1}{3}} a h - (-ab^2)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 (-ab^2)^{\frac{2}{3}} ab^2} \left(b^2 d + 2 a b g + 5 (-ab^2)^{\frac{1}{3}} a h + (-ab^2)^{\frac{1}{3}} b e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

```
[Out] -1/27*sqrt(3)*(b^2*d + 2*a*b*g - 5*(-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)
*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^
2) - 1/54*(b^2*d + 2*a*b*g + 5*(-a*b^2)^(1/3)*a*h + (-a*b^2)^(1/3)*b*e)*log
(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) - 1/27*(5*a*h*
(-a/b)^(1/3) + b*(-a/b)^(1/3)*e + b*d + 2*a*g)*(-a/b)^(1/3)*log(abs(x - (-a
/b)^(1/3)))/(a^2*b^2) - 1/18*(8*a*b*h*x^5 - 2*b^2*x^5*e - b^2*d*x^4 + 7*a*b
*g*x^4 + 6*a*b*f*x^3 + 5*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + 4*a^2*g*x + 3*
a*b*c + 3*a^2*f)/((b*x^3 + a)^2*a*b^2)
```


maple [A] time = 0.06, size = 490, normalized size = 1.65

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{d \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{54 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{27 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{e \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)
```

```
[Out] (-1/9*(4*a*h-b*e)/a/b*x^5-1/18*(7*a*g-b*d)/a/b*x^4-1/3/b*f*x^3-1/18*(5*a*h+b*e)/b^2*x^2-1/9*(2*a*g+b*d)/b^2*x-1/6*(a*f+b*c)/b^2)/(b*x^3+a)^2+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g+1/27/(a/b)^(2/3)/a/b^2*d*ln(x+(a/b)^(1/3))-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/54/(a/b)^(2/3)/a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h-1/27/(a/b)^(1/3)/a/b^2*e*ln(x+(a/b)^(1/3))+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h+1/54/(a/b)^(1/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/27*3^(1/2)/(a/b)^(1/3)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
```

maxima [A] time = 3.05, size = 308, normalized size = 1.04

$$\frac{6 abfx^3 - 2(b^2e - 4abh)x^5 - (b^2d - 7abg)x^4 + 3abc + 3a^2f + (abe + 5a^2h)x^2 + 2(abd + 2a^2g)x}{18(ab^4x^6 + 2a^2b^3x^3 + a^3b^2)} + \sqrt{3} \left(be \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] -1/18*(6*a*b*f*x^3 - 2*(b^2*e - 4*a*b*h)*x^5 - (b^2*d - 7*a*b*g)*x^4 + 3*a*b*c + 3*a^2*f + (a*b*e + 5*a^2*h)*x^2 + 2*(a*b*d + 2*a^2*g)*x)/(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2) + 1/27*sqrt(3)*(b*e*(a/b)^(1/3) + 5*a*h*(a/b)^(1/3) + b*d + 2*a*g)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3*(a/b)^(2/3)) + 1/54*(b*e*(a/b)^(1/3) + 5*a*h*(a/b)^(1/3) - b*d - 2*a*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3*(a/b)^(2/3)) - 1/27*(b*e*(a/b)^(1/3) + 5*a*h*(a/b)^(1/3) - b*d - 2*a*g)*log(x + (a/b)^(1/3))/(a*b^3*(a/b)^(2/3))
```

mupad [B] time = 5.69, size = 627, normalized size = 2.11

$$\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^5 b^8 z^3 + 810 a^4 b^3 g h z + 405 a^3 b^4 d h z + 162 a^3 b^4 e g z + 81 a^2 b^5 d e z + 75 a^3 b e h^2 - 6 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)
```

```
[Out] symsum(log(root(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z +
162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15
*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 -
b^4*d^3, z, k)*(9*root(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4
*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^
2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a
^4*h^3 - b^4*d^3, z, k)*a*b^2 + (x*(54*a^2*b^3*g + 27*a*b^4*d))/(81*a^2*b^3
)) + (b^2*d*e + 10*a^2*g*h + 5*a*b*d*h + 2*a*b*e*g)/(81*a^2*b^3) + (x*(b^2*
e^2 + 25*a^2*h^2 + 10*a*b*e*h))/(81*a^2*b^3))*root(19683*a^5*b^8*z^3 + 810*
a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z +
75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^
3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k), k, 1, 3) - ((b*c + a*f)
/(6*b^2) + (x*(b*d + 2*a*g))/(9*b^2) + (f*x^3)/(3*b) + (x^2*(b*e + 5*a*h))/
(18*b^2) - (x^4*(b*d - 7*a*g))/(18*a*b) - (x^5*(b*e - 4*a*h))/(9*a*b))/(a^2
+ b^2*x^6 + 2*a*b*x^3)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

[Out] Timed out

$$3.424 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=323

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{54a^{7/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{27a^{7/3}b^{7/3}}$$

[Out] $-1/6*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/a/b^2/(b*x^3+a)^2+1/18*x*(a*(-7*a*h+b*e)+2*b*(a*f+2*b*c)*x+3*b*(a*g+b*d)*x^2)/a^2/b^2/(b*x^3+a)-1/27*(b^(2/3)*(a*f+2*b*c)-a^(2/3)*(2*a*h+b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(7/3)/b^(7/3)+1/54*(b^(2/3)*(a*f+2*b*c)-a^(2/3)*(2*a*h+b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(7/3)/b^(7/3)-1/27*(2*b^(5/3)*c+a^(2/3)*b*e+a*b^(2/3)*f+2*a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(7/3)/b^(7/3)*3^(1/2)$

Rubi [A] time = 0.48, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1828, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{x(2bx(af + 2bc) + 3bx^2(ag + bd) + a(be - 7ah))}{18a^2b^2(a + bx^3)} + \frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{54a^{7/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $-(x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*a*b^2*(a + b*x^3)^2) + (x*(a*(b*e - 7*a*h) + 2*b*(2*b*c + a*f)*x + 3*b*(b*d + a*g)*x^2))/(18*a^2*b^2*(a + b*x^3)) - ((2*b^(5/3)*c + a^(2/3)*b*e + a*b^(2/3)*f + 2*a^(5/3)*h)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3)))/(9*\text{Sqrt}[3]*a^(7/3)*b^(7/3)) - ((b^(2/3)*(2*b*c + a*f) - a^(2/3)*(b*e + 2*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(7/3)*b^(7/3)) + ((b^(2/3)*(2*b*c + a*f) - a^(2/3)*(b*e + 2*a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(7/3)*b^(7/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} - \frac{\int \frac{-a(be - ah) - 2b(2bc + a)}{(a + bx^3)^3} dx}{6ab^2(a + bx^3)^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b^2c)}{6ab^2(a + bx^3)^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b^2c)}{6ab^2(a + bx^3)^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b^2c)}{6ab^2(a + bx^3)^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b^2c)}{6ab^2(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 297, normalized size = 0.92

$$\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (-a^{2/3} b e - 2a^{5/3} h + ab^{2/3} f + 2b^{5/3} c) + 2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{2/3} b e + 2a^{5/3} h - ab^{2/3} f - 2b^{5/3} c)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]
[Out] ((-3*a^(1/3)*b^(1/3)*(-4*b^2*c*x^2 - a*b*x*(e + 2*f*x) + a^2*(6*g + 7*h*x)))/(a + b*x^3) + (9*a^(4/3)*b^(1/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x)))/(a + b*x^3)^2 - 2*sqrt[3]*(2*b^(5/3)*c + a^(2/3)*b*e + a*b^(2/3)*f + 2*a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-2*b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f + 2*a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x] + (2*b^(5/3)*c - a^(2/3)*b*e + a*b^(2/3)*f - 2*a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(7/3)*b^(7/3))
```

fricas [C] time = 5.63, size = 7190, normalized size = 22.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
[Out] -1/108*(36*a^2*b*g*x^3 - 12*(2*b^3*c + a*b^2*f)*x^5 - 6*(a*b^2*e - 7*a^2*b*h)*x^4 + 18*a^2*b*d + 18*a^3*g - 6*(7*a*b^2*c - a^2*b*f)*x^2 + 2*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 1
```

$$\begin{aligned}
& 2*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h) \\
& *a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5* \\
& h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) *log(\\
& 8*a*b^4*c^2*e + 8*a^2*b^3*c*e*f + 2*a^3*b^2*e*f^2 + 1/4*(2*a^5*b^6*c + a^6* \\
& b^5*f))*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8* \\
& a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - \\
& 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/ \\
& (a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5* \\
& c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 1/2*(a^4*b^4*e^2 + 4*a^5* \\
& b^3*e*h + 4*a^6*b^2*h^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + \\
& 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3) \\
& / (a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a* \\
& b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6* \\
& a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3) \\
&)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) + 4*(4* \\
& a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + (8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)*x + 12*(a^2*b*e + 2*a^3*h)*x - ((a^2*b^4*x^6 + 2*a^3*b^3* \\
& x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - \\
& 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(\\
& 3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) + 3*sqrt(1/3)*(a^2* \\
& b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8* \\
& b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6* \\
& a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6* \\
& c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - \\
& 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}))^{2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4* \\
& b^4)) *log(-8*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 2*a^3*b^2*e*f^2 - 1/4*(2*a^5* \\
& b^6*c + a^6*b^5*f))*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + \\
& 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4* \\
& b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I* \\
& sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3* \\
& c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}))^{2} + 1/2*(a^4*b^4* \\
& e^2 + 4*a^5*b^3*e*h + 4*a^6*b^2*h^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5* \\
& c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*
\end{aligned}$$

$$\begin{aligned}
& *b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 4*(4*a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)*x + 3/4*sqrt(1/3)*(2*a^4*b^4*e^2 + 8*a^5*b^3*e*h + 8*a^6*b^2*h^2 + (2*a^5*b^6*c + a^6*b^5*f))*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})))*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4*b^4)) - ((a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 3*sqrt(1/3)*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4*b^4))*log(-8*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 2*a^3*b^2*e*f^2 - 1/4*(2*a^5*b^6*c + a^6*b^5*f))*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 2 + 1/2*(a^4*b^4*e^2 + 4*a^5*b^3*e*h + 4*a^6*b^2*h^2))*((1/2)^{(1/3)}*(I*sqrt
\end{aligned}$$

(3) + 1)*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3) - 2*(1/2)^(2/3)*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3))) - 4*(4*a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)*x - 3/4*sqrt(1/3)*(2*a^4*b^4*e^2 + 8*a^5*b^3*e*h + 8*a^6*b^2*h^2 + (2*a^5*b^6*c + a^6*b^5*f)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3) - 2*(1/2)^(2/3)*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3))) *sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3) - 2*(1/2)^(2/3)*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^(1/3)))^2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4*b^4)))/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)

giac [A] time = 0.21, size = 340, normalized size = 1.05

$$\frac{\sqrt{3} \left(2 a^2 h + a b e - 2 (-a b^2)^{\frac{1}{3}} b c - (-a b^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 (-a b^2)^{\frac{2}{3}} a^2 b} - \frac{\left(2 a^2 h + a b e + 2 (-a b^2)^{\frac{1}{3}} b c + (-a b^2)^{\frac{1}{3}} a f \right)}{54 (-a b^2)^{\frac{2}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(2*a^2*h + a*b*e - 2*(-a*b^2)^(1/3)*b*c - (-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) - 1/54*(2*a^2*h + a*b*e + 2*(-a*b^2)^(1/3)*b*c + (-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) - 1/27*(2*b^2*c*(-a/b)^(1/3) + a*b*f*(-a/b)^(1/3) + 2*a^2*h + a*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) + 1/18*(4*b^3*c*x^5 + 2*a*b^2*f*x^5 - 7*a^2*b*h*x^4 + a*b^2*x^4*e - 6*a^2*b*g*x^3 + 7*a*b^2*c*x^2 - a^2*b*f*x^2 - 4*a^3*h*x - 2*a^2*b*x*e - 3*a^2*b*d - 3*a^3*g)/((b*x^3 + a)^2*a^2*b^2)

maple [A] time = 0.06, size = 498, normalized size = 1.54

$$\frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (1/9*(a*f+2*b*c)/a^2*x^5-1/18*(7*a*h-b*e)/a/b*x^4-1/3/b*g*x^3-1/18*(a*f-7*b*c)/a/b*x^2-1/9*(2*a*h+b*e)/b^2*x-1/6*(a*g+b*d)/b^2)/(b*x^3+a)^2+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*h+1/27/(a/b)^(2/3)/a/b^2*e*ln(x+(a/b)^(1/3))-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h-1/54/(a/b)^(2/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/27/(a/b)^(1/3)/a/b^2*f*ln(x+(a/b)^(1/3))-2/27/(a/b)^(1/3)/a^2/b*c*ln(x+(a/b)^(1/3))+1/54/b^2/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/27/(a/b)^(1/3)/a^2/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/b^2/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+2/27*3^(1/2)/(a/b)^(1/3)/a^2/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.07, size = 344, normalized size = 1.07

$$\frac{6 a^2 b g x^3 - 2 (2 b^3 c + a b^2 f) x^5 - (a b^2 e - 7 a^2 b h) x^4 + 3 a^2 b d + 3 a^3 g - (7 a b^2 c - a^2 b f) x^2 + 2 (a^2 b e + 2 a^3 h) x}{18 (a^2 b^4 x^6 + 2 a^3 b^3 x^3 + a^4 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*(6*a^2*b*g*x^3 - 2*(2*b^3*c + a*b^2*f)*x^5 - (a*b^2*e - 7*a^2*b*h)*x^4 + 3*a^2*b*d + 3*a^3*g - (7*a*b^2*c - a^2*b*f)*x^2 + 2*(a^2*b*e + 2*a^3*h)*x)/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2) + 1/27*sqrt(3)*(2*b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) + a*b*e + 2*a^2*h)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3*(a/b)^(2/3)) + 1/54*(2*b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) - a*b*e - 2*a^2*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^3*(a/b)^(2/3)) - 1/27*(2*b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) - a*b*e - 2*a^2*h)*log(x + (a/b)^(1/3))/(a^2*b^3*(a/b)^(2/3))

mupad [B] time = 5.36, size = 640, normalized size = 1.98

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(19683 a^7 b^7 z^3 + 162 a^5 b^3 f h z + 324 a^4 b^4 c h z + 81 a^4 b^4 e f z + 162 a^3 b^5 c e z - 12 a^4 b e h^2 + 12\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

```
[Out] symsum(log(root(19683*a^7*b^7*z^3 + 162*a^5*b^3*f*h*z + 324*a^4*b^4*c*h*z +
81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*c^2*f - 6
*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 - 8*a^5*h^3 + 8*b^5*c^3 - a^
2*b^3*e^3, z, k)*(9*root(19683*a^7*b^7*z^3 + 162*a^5*b^3*f*h*z + 324*a^4*b^
4*c*h*z + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*
c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 - 8*a^5*h^3 + 8*b^5
*c^3 - a^2*b^3*e^3, z, k)*a*b^2 + (x*(27*a^3*b^2*e + 54*a^4*b*h))/(81*a^4*b
)) + (2*b^2*c*e + 2*a^2*f*h + 4*a*b*c*h + a*b*e*f)/(81*a^3*b^2) + (x*(4*b^2
*c^2 + a^2*f^2 + 4*a*b*c*f))/(81*a^4*b))*root(19683*a^7*b^7*z^3 + 162*a^5*b
^3*f*h*z + 324*a^4*b^4*c*h*z + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^
4*b*e*h^2 + 12*a*b^4*c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^
3 - 8*a^5*h^3 + 8*b^5*c^3 - a^2*b^3*e^3, z, k), k, 1, 3) - ((b*d + a*g)/(6*
b^2) + (x*(b*e + 2*a*h))/(9*b^2) + (g*x^3)/(3*b) - (x^5*(2*b*c + a*f))/(9*a
^2) - (x^2*(7*b*c - a*f))/(18*a*b) - (x^4*(b*e - 7*a*h))/(18*a*b))/(a^2 + b
^2*x^6 + 2*a*b*x^3)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

[Out] Timed out

$$3.425 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$$

Optimal. Leaf size=313

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd))}{54a^{8/3} b^{5/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd))}{27a^{8/3} b^{5/3}}$$

[Out] $1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a/b/(b*x^3+a)^2+1/18*(-3*a*(a*h+b*e)+b*x*(5*b*c+a*f+2*(a*g+2*b*d)*x))/a^2/b^2/(b*x^3+a)+1/27*(b^{1/3}*(a*f+5*b*c)-a^{1/3}*(a*g+2*b*d))*\ln(a^{1/3}+b^{1/3}*x)/a^{8/3}/b^{5/3}-1/54*(b^{1/3}*(a*f+5*b*c)-a^{1/3}*(a*g+2*b*d))*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3})*x^2/a^{8/3}/b^{5/3}-1/27*(5*b^{4/3}*c+2*a^{1/3}*b*d+a*b^{1/3}*f+a^{4/3}*g)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{8/3}/b^{5/3}*3^{1/2}$

Rubi [A] time = 0.43, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {1858, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{3a(ah + be) - bx(2x(ag + 2bd) + af + 5bc)}{18a^2b^2(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd))}{54a^{8/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x]

[Out] $(x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*(b*e + a*h) - b*x*(5*b*c + a*f + 2*(2*b*d + a*g)*x))/(18*a^2*b^2*(a + b*x^3)) - ((5*b^{4/3}*c + 2*a^{1/3}*b*d + a*b^{1/3}*f + a^{4/3}*g)*\text{ArcTan}[a^{1/3} - 2*b^{1/3}*x]/(\text{Sqrt}[3]*a^{1/3}))/ (9*\text{Sqrt}[3]*a^{8/3}*b^{5/3}) + ((b^{1/3}*(5*b*c + a*f) - a^{1/3}*(2*b*d + a*g))*\text{Log}[a^{1/3} + b^{1/3}*x])/ (27*a^{8/3}*b^{5/3}) - ((b^{1/3}*(5*b*c + a*f) - a^{1/3}*(2*b*d + a*g))*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}]*x^2))/ (54*a^{8/3}*b^{5/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^3} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{\int \frac{-b(5bc+af)-2b(2bd+ag)x-3b(be+ah)}{(a+bx^3)^2} dx}{6ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2bx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2bx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2bx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2bx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2bx^2)}{18a^2b^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 295, normalized size = 0.94

$$\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{4/3} g + 2\sqrt[3]{a} b d - a \sqrt[3]{b} f - 5b^{4/3} c) + 2\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{4/3} (-g) - 2\sqrt[3]{a} b d + a \sqrt[3]{b} f + 5b^{4/3} c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x]

[Out] ((3*a^(2/3)*(-6*a^2*h + b^2*x*(5*c + 4*d*x) + a*b*x*(f + 2*g*x)))/(a + b*x^3) + (9*a^(5/3)*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(a + b*x^3)^2 - 2*sqrt[3]*b^(1/3)*(5*b^(4/3)*c + 2*a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*b^(1/3)*(5*b^(4/3)*c - 2*a^(1/3)*b*d + a*b^(1/3)*f - a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(-5*b^(4/3)*c + 2*a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^2)

fricas [C] time = 4.87, size = 6984, normalized size = 22.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] -1/108*(36*a^2*b*h*x^3 - 12*(2*b^3*d + a*b^2*g)*x^5 - 6*(5*b^3*c + a*b^2*f)*x^4 + 18*a^2*b*e + 18*a^3*h - 6*(7*a*b^2*d - a^2*b*g)*x^2 + 2*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*

$$\begin{aligned}
& d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a \\
& ^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b) \\
& *(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 1 \\
& 5*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(\\
& a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4* \\
& d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3})) *log(40*a*b^3* \\
& c*d^2 + 8*a^2*b^2*d^2*f + 1/4*(2*a^6*b^4*d + a^7*b^3*g)*((1/2)^{1/3}*(I*sq \\
& rt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b \\
& ^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - \\
& (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^ \\
& 2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a* \\
& b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g \\
& + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d* \\
& g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8 \\
& *b^5))^{1/3}))^2 + 2*(5*a^3*b*c + a^4*f)*g^2 - 1/2*(25*a^3*b^4*c^2 + 10*a^4 \\
& *b^3*c*f + a^5*b^2*f^2)*((1/2)^{1/3}*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^ \\
& 3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + \\
& 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^ \\
& 2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b \\
& ^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I \\
& *sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^ \\
& 2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8* \\
& b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2* \\
& g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3})) + 8*(5*a^2*b^2*c* \\
& d + a^3*b*d*f)*g + (125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2 \\
& *c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)*x) - 12*(4 \\
& *a*b^2*c - a^2*b*f)*x - ((a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{1/ \\
& 3}*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^ \\
& 2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) \\
& + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a \\
& ^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2 \\
& *c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c \\
& ^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b \\
& ^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f \\
& ^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a* \\
& b^3)/(a^8*b^5))^{1/3})) + 3*sqrt(1/3)*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^ \\
& 2)*sqrt(-(((1/2)^{1/3}*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b \\
& ^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 \\
& + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(\\
& 5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3} - 2 \\
& *(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/ \\
& (a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^ \\
& 4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (\\
& 8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3}))^2*a^5*b^3 + 160*b^2*c*d + 32*a* \\
& b*d*f + 16*(5*a*b*c + a^2*f)*g)/(a^5*b^3)) *log(-40*a*b^3*c*d^2 - 8*a^2*b^2 \\
& *d^2*f - 1/4*(2*a^6*b^4*d + a^7*b^3*g)*((1/2)^{1/3}*(I*sqrt(3) + 1)*((125*b \\
& ^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a \\
& ^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 \\
& + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f \\
&)*a*b^3)/(a^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + \\
& 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b \\
& ^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + \\
& a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5 \\
& *c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3}))^2 \\
& - 2*(5*a^3*b*c + a^4*f)*g^2 + 1/2*(25*a^3*b^4*c^2 + 10*a^4*b^3*c*f + a^5*b^ \\
& 2*f^2)*((1/2)^{1/3}*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3* \\
& c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a
\end{aligned}$$

$$\begin{aligned}
& ^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c \\
& *f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)} - 2*(1 \\
& /2)^{(2/3)}*(10b^2cd + a^2f*g + (2d*f + 5c*g)*ab)*(-I*sqrt(3) + 1)/(a^ \\
& 5b^3*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3 \\
& *b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125b^4c \\
& ^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d \\
& ^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)})) - 8*(5a^2b^2cd + a^3b*d*f)*g \\
& + 2*(125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f \\
& ^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)*x + 3/4*sqrt(1/3)*(50a^3 \\
& *b^4c^2 + 20a^4b^3c*f + 2a^5b^2f^2 + (2a^6b^4d + a^7b^3g))*((1/2 \\
&)^{(1/3)}*(I*sqrt(3) + 1)*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a \\
& ^2b^2c^2f^2 + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8 \\
& *b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2 \\
& *g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(1 \\
& 0b^2cd + a^2f*g + (2d*f + 5c*g)*ab)*(-I*sqrt(3) + 1)/(a^5b^3*((125 \\
& b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12 \\
& a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 \\
& + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2 \\
& *f)*ab^3)/(a^8b^5))^{(1/3)})))*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((125b^4 \\
& *c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a^2 \\
& *b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + \\
& (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)* \\
& ab^3)/(a^8b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10b^2cd + a^2f*g + (2d*f + 5 \\
& c*g)*ab)*(-I*sqrt(3) + 1)/(a^5b^3*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3 \\
& c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a \\
& ^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c \\
& *f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)}))^{2a^ \\
& 5b^3 + 160b^2cd + 32a^3b*d*f + 16*(5a^3b*c + a^2f)*g)/(a^5b^3))) - ((\\
& a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((125b \\
& ^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a \\
& ^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 \\
& + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f) \\
&)*ab^3)/(a^8b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10b^2cd + a^2f*g + (2d*f + \\
& 5c*g)*ab)*(-I*sqrt(3) + 1)/(a^5b^3*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^ \\
& 3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + \\
& a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5 \\
& *c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)})) - \\
& 3*sqrt(1/3)*(a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2)*sqrt(-(((1/2)^{(1/3)}*(I* \\
& sqrt(3) + 1)*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^ \\
& 2 + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (12 \\
& 5b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 \\
& - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10b^2cd + \\
& a^2f*g + (2d*f + 5c*g)*ab)*(-I*sqrt(3) + 1)/(a^5b^3*((125b^4c^3 + 8 \\
& a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a^2b^2d^2 \\
& *g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6 \\
& *d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(\\
& a^8b^5))^{(1/3)}))^{2a^5b^3 + 160b^2cd + 32a^3b*d*f + 16*(5a^3b*c + a^2 \\
& *f)*g)/(a^5b^3)))*log(-40a^3b^3cd^2 - 8a^2b^2d^2f - 1/4*(2a^6b^4d \\
& + a^7b^3g))*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((125b^4c^3 + 8a^3b^3d^3 + 75 \\
& a^2b^3c^2f + 15a^2b^2c^2f^2 + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g \\
& ^2 + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + \\
& 3(5c*f^2 - 4d^2g)*a^2b^2 - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)} \\
& - 2*(1/2)^{(2/3)}*(10b^2cd + a^2f*g + (2d*f + 5c*g)*ab)*(-I*sqrt(3) + \\
& 1)/(a^5b^3*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 \\
& + a^3b*f^3 + 12a^2b^2d^2g + 6a^3b*d*g^2 + a^4g^3)/(a^8b^5) + (125 \\
& *b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c*f^2 - 4d^2g)*a^2b^2 \\
& - (8d^3 - 75c^2f)*ab^3)/(a^8b^5))^{(1/3)}))^{2} - 2*(5a^3b*c + a^4f)*g^ \\
& 2 + 1/2*(25a^3b^4c^2 + 10a^4b^3c*f + a^5b^2f^2))*((1/2)^{(1/3)}*(I*sq \\
& rt(3) + 1)*((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2c^2f^2 +
\end{aligned}$$

$a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5)^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3})) - 8*(5*a^2*b^2*c*d + a^3*b*d*f)*g + 2*(125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)*x - 3/4*sqrt(1/3)*(50*a^3*b^4*c^2 + 20*a^4*b^3*c*f + 2*a^5*b^2*f^2 + (2*a^6*b^4*d + a^7*b^3*g)*((1/2)^{1/3}*(I*sqrt(3) + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3})))*sqrt(-(((1/2)^{1/3}*(I*sqrt(3) + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3} - 2*(1/2)^{2/3}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{1/3})))^2*a^5*b^3 + 160*b^2*c*d + 32*a*b*d*f + 16*(5*a*b*c + a^2*f)*g)/(a^5*b^3)))/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)$

giac [A] time = 0.22, size = 330, normalized size = 1.05

$$\frac{\sqrt{3} \left(5b^2c + abf - 2(-ab^2)^{\frac{1}{3}}bd - (-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}a^2b} \left(5b^2c + abf + 2(-ab^2)^{\frac{1}{3}}bd + (-ab^2)^{\frac{1}{3}} \right) \frac{1}{54(-ab^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")
[Out] -1/27*sqrt(3)*(5*b^2*c + a*b*f - 2*(-a*b^2)^(1/3)*b*d - (-a*b^2)^(1/3)*a*g)
*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*
b) - 1/54*(5*b^2*c + a*b*f + 2*(-a*b^2)^(1/3)*b*d + (-a*b^2)^(1/3)*a*g)*log
(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) - 1/27*(2*b*d*
(-a/b)^(1/3) + a*g*(-a/b)^(1/3) + 5*b*c + a*f)*(-a/b)^(1/3)*log(abs(x - (-a
/b)^(1/3)))/(a^3*b) + 1/18*(4*b^3*d*x^5 + 2*a*b^2*g*x^5 + 5*b^3*c*x^4 + a*b
^2*f*x^4 - 6*a^2*b*h*x^3 + 7*a*b^2*d*x^2 - a^2*b*g*x^2 + 8*a*b^2*c*x - 2*a^
2*b*f*x - 3*a^3*h - 3*a^2*b*e)/((b*x^3 + a)^2*a^2*b^2)

```


maple [A] time = 0.06, size = 506, normalized size = 1.62

$$\frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} g \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (1/9*(a*g+2*b*d)/a^2*x^5+1/18*(a*f+5*b*c)/a^2*x^4-1/3/b*h*x^3-1/18*(a*g-7*b*d)/a/b*x^2-1/9*(a*f-4*b*c)/a/b*x-1/6*(a*h+b*e)/b^2)/(b*x^3+a)^2+1/27/(a/b)^(2/3)/a/b^2*f*ln(x+(a/b)^(1/3))+5/27/(a/b)^(2/3)/a^2/b*c*ln(x+(a/b)^(1/3))-1/54/(a/b)^(2/3)/a/b^2*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/54/(a/b)^(2/3)/a^2/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g-2/27/(a/b)^(1/3)/a^2/b*d*ln(x+(a/b)^(1/3))+1/54/a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/27/(a/b)^(1/3)/a^2/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+2/27*3^(1/2)/(a/b)^(1/3)/a^2/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.11, size = 327, normalized size = 1.04

$$\frac{6 a^2 b h x^3 - 2 (2 b^3 d + a b^2 g) x^5 - (5 b^3 c + a b^2 f) x^4 + 3 a^2 b e + 3 a^3 h - (7 a b^2 d - a^2 b g) x^2 - 2 (4 a b^2 c - a^2 b f) x}{18 (a^2 b^4 x^6 + 2 a^3 b^3 x^3 + a^4 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/18*(6*a^2*b*h*x^3 - 2*(2*b^3*d + a*b^2*g)*x^5 - (5*b^3*c + a*b^2*f)*x^4 + 3*a^2*b*e + 3*a^3*h - (7*a*b^2*d - a^2*b*g)*x^2 - 2*(4*a*b^2*c - a^2*b*f)*x)/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2) + 1/27*sqrt(3)*(2*b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) + 5*b*c + a*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3)))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) + 1/54*(2*b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) - 5*b*c - a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/27*(2*b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) - 5*b*c - a*f)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))

mupad [B] time = 0.43, size = 630, normalized size = 2.01

$$\frac{x^4(5bc+af)}{18a^2} - \frac{hx^3}{3b} - \frac{be+ah}{6b^2} + \frac{x^5(2bd+ag)}{9a^2} + \frac{x(4bc-af)}{9ab} + \frac{x^2(7bd-ag)}{18ab} + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^8 b^5 z^3 + 81 a^5 b^2 f g z \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x)

```
[Out] ((x^4*(5*b*c + a*f))/(18*a^2) - (h*x^3)/(3*b) - (b*e + a*h)/(6*b^2) + (x^5*(2*b*d + a*g))/(9*a^2) + (x*(4*b*c - a*f))/(9*a*b) + (x^2*(7*b*d - a*g))/(18*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log(root(19683*a^8*b^5*z^3 + 81*a^5*b^2*f*g*z + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k)*(9*root(19683*a^8*b^5*z^3 + 81*a^5*b^2*f*g*z + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k))*a*b^2 + (x*(135*a^2*b^3*c + 27*a^3*b^2*f))/(81*a^4*b)) + (10*b^2*c*d + a^2*f*g + 5*a*b*c*g + 2*a*b*d*f)/(81*a^4*b) + (x*(4*b^2*d^2 + a^2*g^2 + 4*a*b*d*g))/(81*a^4*b))*root(19683*a^8*b^5*z^3 + 81*a^5*b^2*f*g*z + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k), k, 1, 3)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.426 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=347

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be))}{54a^{8/3} b^{5/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be))}{27a^{8/3} b^{5/3}}$$

[Out] $1/6*x*(a*(-a*g+b*d)+a*(-a*h+b*e)*x-b*(-a*f+b*c)*x^2)/a^2/b/(b*x^3+a)^2+1/18*x*(a*(a*g+5*b*d)+2*a*(a*h+2*b*e)*x-3*b*(-a*f+3*b*c)*x^2)/a^3/b/(b*x^3+a)+c*\ln(x)/a^3+1/27*(b^(1/3)*(a*g+5*b*d)-a^(1/3)*(a*h+2*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(5/3)-1/54*(b^(1/3)*(a*g+5*b*d)-a^(1/3)*(a*h+2*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(5/3)-1/3*c*\ln(b*x^3+a)/a^3-1/27*(5*b^(4/3)*d+2*a^(1/3)*b*e+a*b^(1/3)*g+a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(5/3)*3^(1/2)$

Rubi [A] time = 0.72, antiderivative size = 345, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (ah+2be)}{\sqrt[3]{b}} + ag + 5bd \right)}{54a^{8/3} b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be))}{27a^{8/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

[Out] $(x*(a*(b*d - a*g) + a*(b*e - a*h)*x - b*(b*c - a*f)*x^2))/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*d + a*g) + 2*a*(2*b*e + a*h)*x - 3*b*(3*b*c - a*f)*x^2))/(18*a^3*b*(a + b*x^3)) - ((5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(8/3)*b^(5/3)) + (c*\text{Log}[x])/a^3 + ((b^(1/3)*(5*b*d + a*g) - a^(1/3)*(2*b*e + a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/ (27*a^(8/3)*b^(5/3)) - ((5*b*d + a*g - (a^(1/3)*(2*b*e + a*h))/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (54*a^(8/3)*b^(4/3)) - (c*\text{Log}[a + b*x^3])/ (3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m * Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_.)*(x_.)^{(m_.)})^{(n_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m * Pq / (a + b*x^n), x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[(A_.) + (B_.)*(x_.)]/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)/((a_.) + (b_.)*(x_.)^3), x_Symbol] \ :> \ \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] \ /; \ \text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^3} dx = \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} - \int \frac{-6b^2c - b(5bd + ag)x - 2b(2be - a^2)}{x(a + bx^3)^2} dx$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

$$= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5bd + ag) + 2a(2be - a^2))}{18a^3b}$$

Mathematica [A] time = 0.35, size = 311, normalized size = 0.90

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{4/3} h + 2 \sqrt[3]{a} b e - a \sqrt[3]{b} g - 5 b^{4/3} d)}{b^{5/3}} + \frac{2 \sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{4/3} (-h) - 2 \sqrt[3]{a} b e + a \sqrt[3]{b} g + 5 b^{4/3} d)}{b^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{a} x}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)}{b^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]
[Out] ((3*a*(6*b*c + b*x*(5*d + 4*e*x) + a*x*(g + 2*h*x)))/(b*(a + b*x^3)) - (9*a^2*(-(b*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(b*(a + b*x^3)^2) - (2*sqrt[3]*a^(1/3)*(5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[1 - (2*b^(1/3)*x)/a^(1/3)]/sqrt[3])/b^(5/3) + 54*c*Log[x] + (2*a^(1/3)*(5*b^(4/3)*d - 2*a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(5/3) + (a^(1/3)*(-5*b^(4/3)*d + 2*a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(5/3) - 18*c*Log[a + b*x^3]/(54*a^3)
```

fricas [C] time = 55.84, size = 12815, normalized size = 36.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{2916} (972 a^2 b^2 c x^3 + 324 (2 a^2 b^2 e + a^2 b^2 h) x^5 + 162 (5 a^2 b^2 d + a^2 b^2 g) x^4 + 1458 a^2 b^2 c - 486 a^3 f + 162 (7 a^2 b^2 e - a^3 h) x^2 - 2 (a^3 b^3 x^6 + 2 a^4 b^2 x^3 + a^5 b) ((-I \sqrt{3}) + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3))) / (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3}) + 1) (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3) \log(225 b^4 c d^2 + 162 b^4 c^2 e + 40 a^2 b^3 d e^2 + 9 a^2 b^2 c g^2 + 1 / 2916 (2 a^6 b^4 e + a^7 b^3 h) ((-I \sqrt{3}) + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3))) / (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3}) + 1) (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)^2 + 2 (5 a^3 b d + a^4 g) h^2 - 1 / 54 (25 a^3 b^4 d^2 + 36 a^3 b^4 c e + 10 a^4 b^3 d g + a^5 b^2 g^2 + 18 a^4 b^3 c h) ((-I \sqrt{3}) + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3))) / (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3}) + 1) (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3) + 2 (45 a^2 b^3 c d + 4 a^2 b^2 e^2) g + (81 a^2 b^3 c^2 + 40 a^2 b^2 d e + 8 a^3 b e g) h + (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) x) + 324 (4 a^2 b^2 d - a^3 g) x - (1458 b^3 c x^6 + 2916 a^2 b^2 c x^3 + 1458 a^2 b^2 c - (a^3 b^3 x^6 + 2 a^4 b^2 x^3 + a^5 b) ((-I \sqrt{3}) + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3))) / (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3}) + 1) (-1 / 27 c^3 / a^9 + 1 / 1458 (81 b^3 c^2 + 10 a^2 b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1 / 39366 (125 b^4 d^3 + 8 a^2 b^3 e^3 + 75 a^2 b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1 / 39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)$$

$$\begin{aligned}
& 1*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3))/(-1/ \\
& 27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/ \\
& (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d \\
& *g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)* \\
& c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) \\
& + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g \\
& + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^ \\
& 3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + \\
& a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4* \\
& b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g \\
& + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486* \\
& c/a^3) - 3*sqrt(1/3)*(a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*sqrt(-(((I*sqrt \\
& (3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d* \\
& h)*a^2*b)/(a^6*b^3))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a \\
& ^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^ \\
& 3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + \\
& 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 \\
& - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^ \\
& 2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5 \\
&))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b \\
& ^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^ \\
& 3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^ \\
& 2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h \\
& ^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e \\
& ^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4 \\
&))/(a^9*b^5))^(1/3) + 486*c/a^3)^2*a^6*b^3 - 972*((-I*sqrt(3) + 1)*(81*c^2/a \\
& ^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3 \\
&))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + \\
& 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d \\
& ^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^ \\
& 4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - \\
& 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + \\
& 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I* \\
& sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + \\
& 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b* \\
& e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^ \\
& 2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27 \\
& *(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) \\
& + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 116640*a*b^2*d*e + 23328*a^2*b*e \\
& *g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3)))*log(-225*b^4*c*d^2 - 162*b^4* \\
& c^2*e - 40*a*b^3*d*e^2 - 9*a^2*b^2*c*g^2 - 1/2916*(2*a^6*b^4*e + a^7*b^3*h) \\
& *((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2* \\
& e*g + 5*d*h)*a^2*b)/(a^6*b^3))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b \\
& ^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^ \\
& 3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^ \\
& 2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h \\
& ^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e \\
& ^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4 \\
&))/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^ \\
& 2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(\\
& 125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c \\
& ^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3* \\
& b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c* \\
& d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)^2 - 2*(5*a^3*b*d + a^4*g)*h^2 + 1 \\
& /54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^4*b^3*d*g + a^5*b^2*g^2 + 18*a^
\end{aligned}$$

$$\begin{aligned}
& 4*b^3*c*h)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3* \\
& *g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(\\
& 125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 \\
& + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3* \\
& b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c* \\
& d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458* \\
& (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + \\
& 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(\\
& 729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c* \\
& g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 \\
& - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3) - 2*(45*a*b^3*c*d + 4*a^2*b^2* \\
& e^2)*g - (81*a*b^3*c^2 + 40*a^2*b^2*d*e + 8*a^3*b*e*g)*h + 2*(125*b^4*d^3 + \\
& 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h \\
& + 6*a^3*b*e*h^2 + a^4*h^3)*x + 1/972*\sqrt{1/3}*(1350*a^3*b^4*d^2 - 972*a^3*b^4*c*e \\
& + 540*a^4*b^3*d*g + 54*a^5*b^2*g^2 - 486*a^4*b^3*c*h + (2*a^6*b^4*e + a^7*b^3*h)* \\
& ((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g \\
& + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/ \\
& 9366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c* \\
& g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c* \\
& d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 \\
& + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h \\
& + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)* \\
& a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)* \\
& a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3))*\sqrt{-((\\
& (-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g \\
& + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(\\
& 729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 \\
& + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4) \\
& / (a^9*b^5))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 \\
& + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e* \\
& h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - \\
& 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d* \\
& e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)^2*a^6*b^3 - 972*((-I*\sqrt{3} + 1)* \\
& (81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b) \\
& / (a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g \\
& + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(\\
& 729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g \\
& + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) \\
& + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 \\
& - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)* \\
& a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)
\end{aligned}$$

$$\begin{aligned}
& 5))^{(1/3)} + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 116640*a*b^2*d*e + 2332 \\
& 8*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3))) - (1458*b^3*c*x^6 + \\
& 2916*a*b^2*c*x^3 + 1458*a^2*b*c - (a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*((- \\
& I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g \\
& + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d \\
& *e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + \\
& 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^ \\
& 2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - \\
& (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - \\
& 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a \\
& ^9*b^5))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + \\
& 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125* \\
& b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12* \\
& a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + \\
& a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 \\
& + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e) \\
& *a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3) + 3*\sqrt{1/3}*(a^3*b^3*x^6 + 2*a^4*b^ \\
& 2*x^3 + a^5*b)*\sqrt{-(((I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^ \\
& 2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458 \\
& *(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) \\
& + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + \\
& a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366 \\
& *(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9* \\
& c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25* \\
& d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^ \\
& 9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/ \\
& (a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^ \\
& 2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4* \\
& e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^ \\
& 3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2*a^6*b^3 - \\
& 972*((I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10* \\
& a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4 \\
& *d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2 \\
& *b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^ \\
& 5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (\\
& 8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a* \\
& b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3 \\
& *c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/3936 \\
& 6*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^ \\
& 3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^ \\
& 5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a \\
& ^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54 \\
& *c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 1 \\
& 16640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3)) \\
&)*\log(-225*b^4*c*d^2 - 162*b^4*c^2*e - 40*a*b^3*d*e^2 - 9*a^2*b^2*c*g^2 - 1 \\
& /2916*(2*a^6*b^4*e + a^7*b^3*h))*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^ \\
& 9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/ \\
& (a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^ \\
& 2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4* \\
& e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^ \\
& 3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& / (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*
\end{aligned}$$

$$\begin{aligned}
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2 \\
& - 2*(5*a^3*b*d + a^4*g)*h^2 + 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^ \\
& 4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (\\
& 81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& /(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5* \\
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) \\
&) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e* \\
& g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b \\
& ^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 \\
& + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4 \\
& *b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e* \\
& g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486 \\
& *c/a^3) - 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g - (81*a*b^3*c^2 + 40*a^2*b^2*d \\
& *e + 8*a^3*b*e*g)*h + 2*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^ \\
& 2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x - 1 \\
& /972*sqrt(1/3)*(1350*a^3*b^4*d^2 - 972*a^3*b^4*c*e + 540*a^4*b^3*d*g + 54*a \\
& ^5*b^2*g^2 - 486*a^4*b^3*c*h + (2*a^6*b^4*e + a^7*b^3*h)*((-I*sqrt(3) + 1)* \\
& (81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b) \\
& /(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 7 \\
& 5*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e \\
& *h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2) \\
&)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27* \\
& (2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} \\
& + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + \\
& a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b \\
& ^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + \\
& 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 \\
& - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d \\
& ^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^ \\
& 5))^{(1/3)} + 486*c/a^3))*sqrt(-(((I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 \\
& + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(\\
& a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2 \\
& *d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e \\
& ^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 \\
& - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/ \\
& 27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/ \\
& (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d \\
& *g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)* \\
& c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2*a \\
& ^6*b^3 - 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a \\
& ^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3* \\
& c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366 \\
& *(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 \\
& + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5 \\
& *c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^ \\
& 3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54* \\
& c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/145 \\
& 8*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) \\
& + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 +
\end{aligned}$$

$a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/3936$
 $6*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9$
 $*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25$
 $*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)*a^3*b^3*c + 236196*b^$
 $3*c^2 + 116640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/($
 $a^6*b^3))) + 2916*(b^3*c*x^6 + 2*a*b^2*c*x^3 + a^2*b*c)*log(x))/(a^3*b^3*x^$
 $6 + 2*a^4*b^2*x^3 + a^5*b)$

giac [A] time = 0.27, size = 376, normalized size = 1.08

$$\frac{-\frac{c \log(|bx^3 + a|)}{3a^3} + \frac{c \log(|x|)}{a^3}}{27(-ab^2)^{\frac{2}{3}}a^2b} \sqrt{3} \left(5b^2d + abg - (-ab^2)^{\frac{1}{3}}ah - 2(-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{(5b^2d - \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] -1/3*c*log(abs(b*x^3 + a))/a^3 + c*log(abs(x))/a^3 - 1/27*sqrt(3)*(5*b^2*d + a*b*g - (-a*b^2)^(1/3)*a*h - 2*(-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) - 1/54*(5*b^2*d + a*b*g + (-a*b^2)^(1/3)*a*h + 2*(-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) + 1/18*(6*a*b^2*c*x^3 + 2*(a^2*b*h + 2*a*b^2*e)*x^5 + (5*a*b^2*d + a^2*b*g)*x^4 + 9*a^2*b*c - 3*a^3*f - (a^3*h - 7*a^2*b*e)*x^2 + 2*(4*a^2*b*d - a^3*g)*x)/((b*x^3 + a)^2*a^3*b) - 1/27*(a^5*b^2*h*(-a/b)^(1/3) + 2*a^4*b^3*(-a/b)^(1/3)*e + 5*a^4*b^3*d + a^5*b^2*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b^3)
```

maple [B] time = 0.07, size = 618, normalized size = 1.78

$$\frac{hx^5}{9(bx^3+a)^2a} + \frac{2bex^5}{9(bx^3+a)^2a^2} + \frac{gx^4}{18(bx^3+a)^2a} + \frac{5bdx^4}{18(bx^3+a)^2a^2} + \frac{bcx^3}{3(bx^3+a)^2a^2} + \frac{7ex^2}{18(bx^3+a)^2a} - \frac{f}{18(bx^3+a)^2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x)
```

```
[Out] 1/9/a/(b*x^3+a)^2*x^5*h+1/18/a/(b*x^3+a)^2*x^4*g-1/18/(b*x^3+a)^2/b*x^2*h-1/9/(b*x^3+a)^2/b*x*g+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/27*3^(1/2)/(a/b)^(1/3)/a^2/b*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+4/9/(b*x^3+a)^2/a*d*x+7/18/(b*x^3+a)^2/a*e*x^2+1/2/(b*x^3+a)^2/a*c+5/27/(a/b)^(2/3)/a^2/b*d*ln(x+(a/b)^(1/3))-2/27/(a/b)^(1/3)/a^2/b*e*ln(x+(a/b)^(1/3))+1/27/(a/b)^(1/3)/a^2/b*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(b*x^3+a)^2/a^2*b*c*x^3+2/9/(b*x^3+a)^2/a^2*b*e*x^5-1/6/(b*x^3+a)^2/b*f+1/a^3*c*ln(x)-1/3/a^3*c*ln(b*x^3+a)+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/27/a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+5/18/(b*x^3+a)^2/a^2*b*d*x^4-5/54/(a/b)^(2/3)/a^2/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/54/a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h
```


$$\begin{aligned}
& 2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 \\
& + 729*b^5*c^3 + a^5*h^3, z, k)*a^3*b^3*c*x + 100*a*b^2*d*e*x + 50*a^2*b*d*h \\
& *x + 20*a^2*b*e*g*x)/(81*a^4) - (x*(a^4*h^3 - 125*b^4*d^3 + 8*a*b^3*e^3 - \\
& a^3*b*g^3 - 15*a^2*b^2*d*g^2 + 12*a^2*b^2*e^2*h + 180*b^4*c*d*e - 75*a*b^3* \\
& d^2*g + 6*a^3*b*e*h^2 + 18*a^2*b^2*c*g*h + 90*a*b^3*c*d*h + 36*a*b^3*c*e*g) \\
&)/(729*a^6*b^2)*\text{root}(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2* \\
& g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^ \\
& 3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^ \\
& ^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3 \\
& *b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5* \\
& h^3, z, k), k, 1, 3) + (c*\log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**3,x)

[Out] Timed out

$$3.427 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=362

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}}$$

[Out] $-c/a^3/x + 1/6*x*(a*(-a*h+b*e) - b*(-a*f+b*c))*x - b*(-a*g+b*d)*x^2/a^2/b/(b*x^3+a)^2 + 1/18*x*(a*(a*h+5*b*e) - 2*b*(-2*a*f+5*b*c))*x - 3*b*(-a*g+3*b*d)*x^2/a^3/b/(b*x^3+a) + d*\ln(x)/a^3 + 1/27*(2*b^(2/3)*(-a*f+7*b*c) + a^(2/3)*(a*h+5*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(10/3)/b^(4/3) - 1/54*(2*b^(2/3)*(-a*f+7*b*c) + a^(2/3)*(a*h+5*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(10/3)/b^(4/3) - 1/3*d*\ln(b*x^3+a)/a^3 + 1/27*(14*b^(5/3)*c - 5*a^(2/3)*b*e - 2*a*b^(2/3)*f - a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(10/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.83, antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x]

[Out] $-(c/(a^3*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*e + a*h) - 2*b*(5*b*c - 2*a*f)*x - 3*b*(3*b*d - a*g)*x^2))/(18*a^3*b*(a + b*x^3)) + ((14*b^(5/3)*c - 5*a^(2/3)*b*e - 2*a*b^(2/3)*f - a^(5/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))])/(9*\text{Sqrt}[3]*a^(10/3)*b^(4/3)) + (d*\text{Log}[x])/a^3 + ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(10/3)*b^(4/3)) - ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(10/3)*b^(4/3)) - (d*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^3} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - b(5be + ah)x^2 + 4b^2e}{x^2(a + bx^3)^3} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - 2d))}{18a^3b(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.78, size = 336, normalized size = 0.93

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (5a^{2/3} b e + a^{5/3} h - 2ab^{2/3} f + 14b^{5/3} c)}{b^{4/3}} - \frac{2a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) (5a^{2/3} b e + a^{5/3} h - 2ab^{2/3} f + 14b^{5/3} c)}{b^{4/3}} + \frac{2\sqrt{3} a^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt{3} a^{2/3} x}{\sqrt{a + b x^3}}\right)}{b^{4/3}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x]
[Out] -1/54*((54*a*c)/x + (9*a^2*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x
))))/(b*(a + b*x^3)^2) - (3*a*(a^2*h*x - 10*b^2*c*x^2 + a*b*(6*d + x*(5*e +
4*f*x)))/(b*(a + b*x^3)) + (2*sqrt[3]*a^(2/3)*(-14*b^(5/3)*c + 5*a^(2/3)*
b*e + 2*a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]
])/b^(4/3) - 54*a*d*Log[x] - (2*a^(2/3)*(14*b^(5/3)*c + 5*a^(2/3)*b*e - 2*a
*b^(2/3)*f + a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) + (a^(2/3)*(14*b^
(5/3)*c + 5*a^(2/3)*b*e - 2*a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*
b^(1/3)*x + b^(2/3)*x^2])/b^(4/3) + 18*a*d*Log[a + b*x^3])/a^4

```


fricas [C] time = 54.03, size = 12951, normalized size = 35.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{2916} (972 a^2 b^2 d x^4 - 648 (7 b^3 c - a b^2 f) x^6 + 162 (5 a^2 b^2 e + a^2 b^2 h) x^5 - 2916 a^2 b^2 c - 1134 (7 a^2 b^2 c - a^2 b^2 f) x^3 + 324 (4 a^2 b^2 e - a^3 h) x^2 - 2 (a^3 b^3 x^7 + 2 a^4 b^2 x^4 + a^5 b x) ((-I \sqrt{3}) + 1) (81 d^2 / a^6 - (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) / (a^6 b^2)) / (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 729 (I \sqrt{3}) + 1) (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 486 d / a^3) \log(-1134 a b^4 c d^2 + 1960 a b^4 c^2 e + 225 a^2 b^3 d e^2 + 40 a^3 b^2 e f^2 + 9 a^4 b d h^2 - 1/1458 (7 a^7 b^4 c - a^8 b^3 f) ((-I \sqrt{3}) + 1) (81 d^2 / a^6 - (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) / (a^6 b^2)) / (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 729 (I \sqrt{3}) + 1) (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 486 d / a^3)^2 + 1/54 (252 a^4 b^4 c d - 25 a^5 b^3 e^2 - 36 a^5 b^3 d f - 10 a^6 b^2 e h - a^7 b h^2) ((-I \sqrt{3}) + 1) (81 d^2 / a^6 - (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) / (a^6 b^2)) / (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 729 (I \sqrt{3}) + 1) (-1/27 d^3 / a^9 + 1/1458 (2 a^2 f h + 2 (5 e f - 7 c h) a b + (81 d^2 - 70 c e) b^2) d / (a^9 b^2) - 1/39366 (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h - 15 a^4 b e h^2 - a^5 h^3) / (a^{10} b^4) + 1/39366 (2744 b^5 c^3 + 15 a^4 b e h^2 + a^5 h^3 - (8 f^3 - 75 e^2 h + 54 d f h) a^3 b^2 + (125 e^3 - 270 d e f + 42 (4 f^2 + 9 d h) c) a^2 b^3 - 3 (243 d^3 - 630 c d e + 392 c^2 f) a b^4) / (a^{10} b^4))^{1/3} + 486 d / a^3) + 2 (81 a^2 b^3 d^2 - 280 a^2 b^3 c e) f + 2 (196 a^2 b^3 c^2 + 45 a^3 b^2 d e - 56 a^3 b^2 c f + 4 a^4 b f^2) h - (2744 b^5 c^3 - 125 a^2 b^3 e^3 - 1176 a b^4 c^2 f + 168 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 - 75 a^3 b^2 e^2 h -$$

$$\begin{aligned}
& 15a^4b^2e^2h^2 - a^5h^3)x) + 486(3a^2b^2d - a^3g)x - (1458b^3d^2x^7 \\
& + 2916a^2b^2d^2x^4 + 1458a^2b^2d^2x - (a^3b^3x^7 + 2a^4b^2x^4 + a^5b \\
& *x)*((-I\sqrt{3} + 1)*(81d^2/a^6 - (2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (8 \\
& 1d^2 - 70c^2e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458(2a^2f^2h + 2(5e^2 \\
& *f - 7c^2h))*a*b + (81d^2 - 70c^2e)*b^2)*d/(a^9b^2) - 1/39366(2744b^5c^3 \\
& - 125a^2b^3e^3 - 1176a^2b^4c^2f + 168a^2b^3c^2f^2 - 8a^3b^2f^3 \\
& - 75a^3b^2e^2h - 15a^4b^2e^2h - 15a^4b^2e^2h - a^5h^3)/(a^10b^4) + 1/39366(2744b \\
& ^5c^3 + 15a^4b^2e^2h + a^5h^3 - (8f^3 - 75e^2h + 54d^2f^2h)*a^3b^2 + \\
& (125e^3 - 270d^2e^2f + 42(4f^2 + 9d^2h)*c)*a^2b^3 - 3(243d^3 - 630c^2 \\
& *d^2e + 392c^2f)*a*b^4)/(a^10b^4))^{1/3} + 729(I\sqrt{3} + 1)*(-1/27d^3/a^9 \\
& + 1/1458(2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 - 70c^2e)*b^2)*d/ \\
& (a^9b^2) - 1/39366(2744b^5c^3 - 125a^2b^3e^3 - 1176a^2b^4c^2f + 16 \\
& 8a^2b^3c^2f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^2e^2h - a^5h^3) \\
& ^3)/(a^10b^4) + 1/39366(2744b^5c^3 + 15a^4b^2e^2h + a^5h^3 - (8f^3 \\
& - 75e^2h + 54d^2f^2h)*a^3b^2 + (125e^3 - 270d^2e^2f + 42(4f^2 + 9d^2h)* \\
& c)*a^2b^3 - 3(243d^3 - 630c^2d^2e + 392c^2f)*a*b^4)/(a^10b^4))^{1/3} + \\
& 486d/a^3) - 3\sqrt{1/3}*(a^3b^3x^7 + 2a^4b^2x^4 + a^5b*x)*\sqrt{-(((\\
& -I\sqrt{3} + 1)*(81d^2/a^6 - (2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 \\
& - 70c^2e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458(2a^2f^2h + 2(5e^2f - 7 \\
& *c^2h))*a*b + (81d^2 - 70c^2e)*b^2)*d/(a^9b^2) - 1/39366(2744b^5c^3 - 12 \\
& 5a^2b^3e^3 - 1176a^2b^4c^2f + 168a^2b^3c^2f^2 - 8a^3b^2f^3 - 75a^3 \\
& ^3b^2e^2h - 15a^4b^2e^2h - a^5h^3)/(a^10b^4) + 1/39366(2744b^5c^3 \\
& + 15a^4b^2e^2h + a^5h^3 - (8f^3 - 75e^2h + 54d^2f^2h)*a^3b^2 + (125e^3 \\
& - 270d^2e^2f + 42(4f^2 + 9d^2h)*c)*a^2b^3 - 3(243d^3 - 630c^2d^2e + \\
& 392c^2f)*a*b^4)/(a^10b^4))^{1/3} + 729(I\sqrt{3} + 1)*(-1/27d^3/a^9 + \\
& 1/1458(2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 - 70c^2e)*b^2)*d/(a^9b \\
& ^2) - 1/39366(2744b^5c^3 - 125a^2b^3e^3 - 1176a^2b^4c^2f + 168a^2b^3 \\
& c^2f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^2e^2h - a^5h^3)/(a^10b^4) \\
& + 1/39366(2744b^5c^3 + 15a^4b^2e^2h + a^5h^3 - (8f^3 - 75e^2h + 54d^2f^2h) \\
& *a^3b^2 + (125e^3 - 270d^2e^2f + 42(4f^2 + 9d^2h)*c)*a^2b^3 - 3(243d^3 \\
& - 630c^2d^2e + 392c^2f)*a*b^4)/(a^10b^4))^{1/3} + 486d/a^3)^2a^6b^2 - 972 \\
& *((-I\sqrt{3} + 1)*(81d^2/a^6 - (2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 \\
& - 70c^2e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458(2a^2f^2h + 2(5e^2f - 7c^2 \\
& h))*a*b + (81d^2 - 70c^2e)*b^2)*d/(a^9b^2) - 1/39366(2744b^5c^3 - 125 \\
& a^2b^3e^3 - 1176a^2b^4c^2f + 168a^2b^3c^2f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - \\
& 15a^4b^2e^2h - a^5h^3)/(a^10b^4) + 1/39366(2744b^5c^3 + 15a^4b^2e^2h + \\
& a^5h^3 - (8f^3 - 75e^2h + 54d^2f^2h)*a^3b^2 + (125e^3 - 270d^2e^2f + 4 \\
& 2(4f^2 + 9d^2h)*c)*a^2b^3 - 3(243d^3 - 630c^2d^2e + 392c^2f)*a*b^4)/(\\
& a^10b^4))^{1/3} + 486d/a^3)a^3b^2d + 236196b^2d^2 - 816480b^2c^2e + \\
& 116640a^2b^2e^2f - 23328(7a^2b^2c - a^2f^2h)/(a^6b^2)))*\log(1134a^2b^4c^2d \\
& ^2 - 1960a^2b^4c^2e - 225a^2b^3d^2e^2 - 40a^3b^2e^2f^2 - 9a^4b^2d^2h^2 \\
& + 1/1458(7a^7b^4c - a^8b^3f)*((-I\sqrt{3} + 1)*(81d^2/a^6 - (2a^2 \\
& f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 - 70c^2e)*b^2)/(a^6b^2)))/(-1/27d^3 \\
& /a^9 + 1/1458(2a^2f^2h + 2(5e^2f - 7c^2h))*a*b + (81d^2 - 70c^2e)*b^2)*d \\
& /a^9b^2) - 1/39366(2744b^5c^3 - 125a^2b^3e^3 - 1176a^2b^4c^2f + 1 \\
& 68a^2b^3c^2f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^2e^2h - a^5h^3) \\
& ^3)/(a^10b^4) + 1/39366(2744b^5c^3 + 15a^4b^2e^2h + a^5h^3 - (8f^3 \\
& - 75e^2h + 54d^2f^2h)*a^3b^2 + (125e^3 - 270d^2e^2f + 42(4f^2 + 9d^2h) \\
& *c)*a^2b^3 - 3(243d^3 - 630c^2d^2e + 392c^2f)*a*b^4)/(a^10b^4))^{1/3} \\
& + 729(I\sqrt{3} + 1)*(-1/27d^3/a^9 + 1/1458(2a^2f^2h + 2(5e^2f - 7c^2h) \\
&)*a*b + (81d^2 - 70c^2e)*b^2)*d/(a^9b^2) - 1/39366(2744b^5c^3 - 125a^2 \\
& b^3e^3 - 1176a^2b^4c^2f + 168a^2b^3c^2f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 75a^3b^2e^2h - 15a^4b^2e^2h - a^5h^3)
\end{aligned}$$

$$\begin{aligned}
& ^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 486d/a^3)^2 - 1/54*(252a^4b^4*c*d - 25a^5b^3*e^2 - 36a^5b^3*d*f - 10a^6b^2*e*h - a^7b*h^2)*((-I*sqrt(3) + 1)*(81d^2/a^6 - (2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 486d/a^3) - 2*(81a^2b^3d^2 - 280a^2b^3c*e)*f - 2*(196a^2b^3c^2 + 45a^3b^2d*e - 56a^3b^2c*f + 4a^4b*f^2)*h - 2*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)*x + 1/486*sqrt(1/3)*(3402a^4b^4*c*d + 675a^5b^3e^2 - 486a^5b^3d*f + 270a^6b^2e*h + 27a^7b*h^2 - (7a^7b^4c - a^8b^3*f)*((-I*sqrt(3) + 1)*(81d^2/a^6 - (2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 486d/a^3)*sqrt(-(((I*sqrt(3) + 1)*(81d^2/a^6 - (2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 + 9d*h)*c)*a^2b^3 - 3*(243d^3 - 630c*d*e + 392c^2*f)*a*b^4)/(a^{10}b^4))^{(1/3)} + 486d/a^3)^2*a^6b^2 - 972*((-I*sqrt(3) + 1)*(81d^2/a^6 - (2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)/(a^6b^2)))/(-1/27d^3/a^9 + 1/1458*(2a^2*f*h + 2*(5e*f - 7c*h))*a*b + (81d^2 - 70c*e)*b^2)*d/(a^9b^2) - 1/39366*(2744b^5c^3 - 125a^2b^3e^3 - 1176a*b^4c^2f + 168a^2b^3c*f^2 - 8a^3b^2f^3 - 75a^3b^2e^2h - 15a^4b^*e^*h^2 - a^5h^3)/(a^{10}b^4) + 1/39366*(2744b^5c^3 + 15a^4b^*e^*h^2 + a^5h^3 - (8f^3 - 75e^2h + 54d*f*h)*a^3b^2 + (125e^3 - 270d*e*f + 42*(4f^2 +
\end{aligned}$$

$$\begin{aligned}
& 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4) \\
& ^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f \\
& - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - \\
& 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 7 \\
& 5*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5* \\
& c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (1 \\
& 25*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e \\
& + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2* \\
& d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2 \\
&)) - (1458*b^3*d*x^7 + 2916*a*b^2*d*x^4 + 1458*a^2*b*d*x - (a^3*b^3*x^7 + \\
& 2*a^4*b^2*x^4 + a^5*b*x)*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5* \\
& e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/145 \\
& 8*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - \\
& 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c \\
& *f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b \\
& ^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h \\
& + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 \\
& - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 729*(I*\text{sq \\
& rt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81* \\
& d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 1 \\
& 5*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^ \\
& 2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4 \\
&)/(a^{10}*b^4)^{(1/3)} + 486*d/a^3) + 3*\text{sqrt}(1/3)*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 \\
& + a^5*b*x)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - \\
& 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a \\
& ^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/393 \\
& 66*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - \\
& 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + \\
& 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d \\
& *f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(2 \\
& 43*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 729*(I*\text{sqrt}(3) + \\
& 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - \\
& 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a \\
& *b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4* \\
& b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^ \\
& 5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(\\
& 4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{1 \\
& 0}*b^4)^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - \\
& (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/ \\
& 27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)* \\
& b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2 \\
& *f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 \\
& - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - \\
& (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + \\
& 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4) \\
&)^2 + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - \\
& 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - \\
& 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75 \\
& *a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c \\
& ^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (12 \\
& 5*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e \\
& + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d \\
& ^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2) \\
&))*\text{log}(1134*a*b^4*c*d^2 - 1960*a*b^4*c^2*e - 225*a^2*b^3*d*e^2 - 40*a^3*b^2 \\
& *e*f^2 - 9*a^4*b*d*h^2 + 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*\text{sqrt}(3) + 1) \\
& *(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/ \\
& (a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81
\end{aligned}$$

$$\begin{aligned}
& *d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - \\
& 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 \\
& + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4 \\
& 4)/(a^{10}*b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f \\
& *h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(\\
& 2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39 \\
& 366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) \\
&)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2 - 1/54* \\
& (252*a^4*b^4*c*d - 25*a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b \\
& *h^2)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + \\
& (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5 \\
& *e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5* \\
& c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744 \\
& *b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 \\
& + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630* \\
& c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^ \\
& 3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)* \\
& d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + \\
& 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5 \\
& *h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^ \\
& 3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h) \\
&)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} \\
& + 486*d/a^3) - 2*(81*a^2*b^3*d^2 - 280*a^2*b^3*c*e)*f - 2*(196*a^2*b^3*c^2 \\
& + 45*a^3*b^2*d*e - 56*a^3*b^2*c*f + 4*a^4*b*f^2)*h - 2*(2744*b^5*c^3 - 125 \\
& *a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^ \\
& 3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)*x - 1/486*sqrt(1/3)*(3402*a^4*b^4*c \\
& *d + 675*a^5*b^3*e^2 - 486*a^5*b^3*d*f + 270*a^6*b^2*e*h + 27*a^7*b*h^2 - (\\
& 7*a^7*b^4*c - a^8*b^3*f)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5* \\
& e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/145 \\
& 8*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - \\
& 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c \\
& *f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b \\
& ^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h \\
& + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 \\
& - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*sq \\
& rt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81* \\
& d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 1 \\
& 5*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^ \\
& 2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4 \\
&)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3))*sqrt(-(((I*sqrt(3) + 1)*(81*d^2/a^6 - (2 \\
& *a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27 \\
& *d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^ \\
& 2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f \\
& + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - \\
& a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8 \\
& *f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9* \\
& d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1 \\
& /3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7 \\
& *c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 12 \\
& 5*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a \\
& ^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 \\
& + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*
\end{aligned}$$

```
e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e +
392*c^2*f)*a*b^4)/(a^10*b^4))^(1/3) + 486*d/a^3)^2*a^6*b^2 - 972*((-I*sqrt(
3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e
)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*
b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^
3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e
^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^
4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 27
0*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*
f)*a*b^4)/(a^10*b^4))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(
2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/
39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^
2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4)
+ 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 5
4*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3
*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^(1/3) + 486*d/a^3)*a^
3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c
- a^2*f)*h)/(a^6*b^2))) + 2916*(b^3*d*x^7 + 2*a*b^2*d*x^4 + a^2*b*d*x)*log
(x))/(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)
```

giac [A] time = 0.22, size = 390, normalized size = 1.08

$$\frac{\frac{d \log(|bx^3 + a|)}{3a^3} + \frac{d \log(|x|)}{a^3}}{27(-ab^2)^{\frac{2}{3}}a^3} \sqrt{3} \left(a^2h + 5abe + 14(-ab^2)^{\frac{1}{3}}bc - 2(-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{\left(a^2h + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

```
[Out] -1/3*d*log(abs(b*x^3 + a))/a^3 + d*log(abs(x))/a^3 - 1/27*sqrt(3)*(a^2*h +
5*a*b*e + 14*(-a*b^2)^(1/3)*b*c - 2*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*
(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) - 1/54*(a^2*h + 5*a
*b*e - 14*(-a*b^2)^(1/3)*b*c + 2*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/
3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) + 1/18*(6*a*b^2*d*x^4 - 4*(7*b^3*c
- a*b^2*f)*x^6 + (a^2*b*h + 5*a*b^2*e)*x^5 - 18*a^2*b*c - 7*(7*a*b^2*c - a^
2*b*f)*x^3 - 2*(a^3*h - 4*a^2*b*e)*x^2 + 3*(3*a^2*b*d - a^3*g)*x)/((b*x^3 +
a)^2*a^3*b*x) + 1/27*(14*a^3*b^4*c*(-a/b)^(1/3) - 2*a^4*b^3*f*(-a/b)^(1/3)
- a^5*b^2*h - 5*a^4*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b^
3)
```

maple [B] time = 0.06, size = 622, normalized size = 1.72

$$\frac{2bfx^5}{9(bx^3+a)^2a^2} - \frac{5b^2cx^5}{9(bx^3+a)^2a^3} + \frac{hx^4}{18(bx^3+a)^2a} + \frac{5bex^4}{18(bx^3+a)^2a^2} + \frac{bdx^3}{3(bx^3+a)^2a^2} + \frac{7fx^2}{18(bx^3+a)^2a} - \frac{13b}{18(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)

```
[Out] 1/2/(b*x^3+a)^2/a*d+1/18/a/(b*x^3+a)^2*x^4*h+7/18/a/(b*x^3+a)^2*f*x^2-1/9/(
b*x^3+a)^2/b*x*h-5/9/(b*x^3+a)^2/a^3*b^2*c*x^5+4/9/(b*x^3+a)^2/a*e*x-7/27/(
```

$a/b)^{1/3}/a^3*c*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}))+14/27/(a/b)^{1/3}/a^3*c*\ln(x+(a/b)^{1/3}))+5/18/(b*x^3+a)^2/a^2*b*e*x^4-5/54/(a/b)^{2/3}/a^2/b*e*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}))-1/a^3*c/x-14/27*3^{1/2}/(a/b)^{1/3}/a^3*c*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)))+2/9/a^2/(b*x^3+a)^2*x^5*b*f-1/6/(b*x^3+a)^2/b*g+1/3/(b*x^3+a)^2/a^2*b*d*x^3+5/27/(a/b)^{2/3}*3^{1/2}/a^2/b*e*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)))+1/27/a/b^2/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*h+2/27/a^2/b*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*f+1/a^3*d*\ln(x)-1/3/a^3*d*\ln(b*x^3+a)-13/18/(b*x^3+a)^2/a^2*b*c*x^2+5/27/(a/b)^{2/3}/a^2/b*e*\ln(x+(a/b)^{1/3}))+1/27/a/b^2/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}))*h-1/54/a/b^2/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3})*x+(a/b)^{2/3}))*h-2/27/a^2/b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3}))*f+1/27/a^2/b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}))*f$

maxima [A] time = 3.07, size = 400, normalized size = 1.10

$$\frac{6ab^2dx^4 - 4(7b^3c - ab^2f)x^6 + (5ab^2e + a^2bh)x^5 - 18a^2bc - 7(7ab^2c - a^2bf)x^3 + 2(4a^2be - a^3h)x^2 + 3(3a^2b^2d - a^3g)x}{18(a^3b^3x^7 + 2a^4b^2x^4 + a^5bx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(6*a*b^2*d*x^4 - 4*(7*b^3*c - a*b^2*f)*x^6 + (5*a*b^2*e + a^2*b*h)*x^5 - 18*a^2*b*c - 7*(7*a*b^2*c - a^2*b*f)*x^3 + 2*(4*a^2*b*e - a^3*h)*x^2 + 3*(3*a^2*b*d - a^3*g)*x)/(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x) + d*log(x)/a^3 - 1/27*sqrt(3)*(14*b^2*c*(a/b)^{2/3} - 2*a*b*f*(a/b)^{2/3} - 5*a*b*e*(a/b)^{1/3} - a^2*h*(a/b)^{1/3})*arctan(1/3*sqrt(3)*(2*x - (a/b)^{1/3}))/((a/b)^{1/3})/(a^4*b) - 1/54*(18*b^2*d*(a/b)^{2/3} + 14*b^2*c*(a/b)^{1/3} - 2*a*b*f*(a/b)^{1/3} + 5*a*b*e + a^2*h)*log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3}))/((a^3*b^2*(a/b)^{2/3}) - 1/27*(9*b^2*d*(a/b)^{2/3} - 14*b^2*c*(a/b)^{1/3} + 2*a*b*f*(a/b)^{1/3} - 5*a*b*e - a^2*h)*log(x + (a/b)^{1/3}))/((a^3*b^2*(a/b)^{2/3}))

mupad [B] time = 5.75, size = 1747, normalized size = 4.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3),x)

[Out] symsum(log((d*(a^3*h^2 + 25*a*b^2*e^2 + 126*b^3*c*d - 18*a*b^2*d*f + 10*a^2*b*e*h))/(81*a^7) - (root(19683*a^10*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*(a^3*h^2 + 25*a*b^2*e^2 + 324*b^3*d^2*x - 252*b^3*c*d + 2916*root(19683*a^10*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)^2*a^6*b^3*x + 36*a*b^2*d*f + 10*a^2*b*e*h - 700*b^3*c*e*x + 378*root(19683*a^10*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k))/((a^3*b^2*(a/b)^{2/3}) - 1/27*(9*b^2*d*(a/b)^{2/3} - 14*b^2*c*(a/b)^{1/3} + 2*a*b*f*(a/b)^{1/3} - 5*a*b*e - a^2*h)*log(x + (a/b)^{1/3}))/((a^3*b^2*(a/b)^{2/3}))

```

0*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 16
8*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3
- 2744*b^5*c^3, z, k)*a^3*b^3*c - 54*root(19683*a^10*b^4*z^3 + 19683*a^7*b
^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 567
0*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h
- 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f
- 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 +
729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*a^4*b^2*f + 1944*root(19683*
a^10*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z
+ 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4
*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*
b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b
^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*a^
3*b^3*d*x - 140*a*b^2*c*h*x + 100*a*b^2*e*f*x + 20*a^2*b*f*h*x))/(81*a^4) +
(x*(2744*b^5*c^3 + a^5*h^3 + 125*a^2*b^3*e^3 - 8*a^3*b^2*f^3 + 168*a^2*b^3
*c*f^2 + 75*a^3*b^2*e^2*h - 1176*a*b^4*c^2*f + 15*a^4*b*e*h^2 + 252*a^2*b^3
*c*d*h - 180*a^2*b^3*d*e*f - 36*a^3*b^2*d*f*h + 1260*a*b^4*c*d*e))/(729*a^8
*b))*root(19683*a^10*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 11
34*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^
2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3
*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3
*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b
^5*c^3, z, k), k, 1, 3) + ((x^5*(5*b*e + a*h))/(18*a^2) - (7*x^3*(7*b*c - a
*f))/(18*a^2) - c/a - (2*b*x^6*(7*b*c - a*f))/(9*a^3) + (x*(3*b*d - a*g))/(
6*a*b) + (x^2*(4*b*e - a*h))/(9*a*b) + (b*d*x^4)/(3*a^2))/(a^2*x + b^2*x^7
+ 2*a*b*x^4) + (d*log(x))/a^3

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)

[Out] Timed out

$$3.428 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=360

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5\sqrt[3]{b} (4bc - af) - 2\sqrt[3]{a} (7bd - ag)\right)}{54a^{11/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b} (4bc - af) - 2\sqrt[3]{a} (7bd - ag)\right)}{27a^{11/3} b^{2/3}}$$

[Out] $-1/2*c/a^3/x^2-d/a^3/x-1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a^2/(b*x^3+a)^2-1/18*x*(11*b*c-5*a*f+2*(-2*a*g+5*b*d)*x+3*(-a*h+3*b*e)*x^2)/a^3/(b*x^3+a)+e*\ln(x)/a^3-1/27*(5*b^(1/3)*(-a*f+4*b*c)-2*a^(1/3)*(-a*g+7*b*d))*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)+1/54*(5*b^(1/3)*(-a*f+4*b*c)-2*a^(1/3)*(-a*g+7*b*d))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-1/3*e*\ln(b*x^3+a)/a^3+1/27*(20*b^(4/3)*c+14*a^(1/3)*b*d-5*a*b^(1/3)*f-2*a^(4/3)*g)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 0.81, antiderivative size = 357, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{2\sqrt[3]{a} (7bd-ag)}{\sqrt[3]{b}} - 5af + 20bc\right)}{54a^{11/3} \sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b} (4bc - af) - 2\sqrt[3]{a} (7bd - ag)\right)}{27a^{11/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c - 5*a*f + 2*(5*b*d - 2*a*g)*x + 3*(3*b*e - a*h)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*c + 14*a^(1/3)*b*d - 5*a*b^(1/3)*f - 2*a^(4/3)*g)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(11/3)*b^(2/3)) + (e*\text{Log}[x])/a^3 - ((5*b^(1/3)*(4*b*c - a*f) - 2*a^(1/3)*(7*b*d - a*g))*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(11/3)*b^(2/3)) + ((20*b*c - 5*a*f - (2*a^(1/3)*(7*b*d - a*g))/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(11/3)*b^(1/3)) - (e*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)^3} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - 6b^2ex^2 + 5b^2\left(\frac{bc}{a} - \frac{bd}{a}x - \frac{be}{a}x^2\right)}{x^3(a + bx^3)^3} dx \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2be)x - 2ahx^2)}{18a^3(a + bx^3)^3}
\end{aligned}$$

Mathematica [A] time = 0.71, size = 337, normalized size = 0.94

$$-\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} g - 14 \sqrt[3]{a} b d - 5a \sqrt[3]{b} f + 20b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(2a^{4/3} g - 14 \sqrt[3]{a} b d - 5a \sqrt[3]{b} f + 20b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{3} \sqrt[3]{a}}{b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]

[Out] $-\frac{1}{54} \left(\frac{27ac}{x^2} + \frac{54ad}{x} - (3a(6ae - b(11c + 10d)x) + a^2x(5f + 4gx)) \right) / (a + bx^3) + \frac{9a^2(a^2h + b^2x(c + dx) - ab(e + x(f + gx)))}{b(a + bx^3)^2} + \frac{2\sqrt{3}a^{1/3}(-20b^{4/3}c - 14a^{1/3}bd + 5ab^{1/3}f + 2a^{4/3}g) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]}{b^{2/3}} - 54a^2e \operatorname{Log}[x] + \frac{2a^{1/3}(20b^{4/3}c - 14a^{1/3}bd - 5ab^{1/3}f + 2a^{4/3}g) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{b^{1/3}}\right]}{b^{2/3}} - \frac{a^{1/3}(20b^{4/3}c - 14a^{1/3}bd - 5ab^{1/3}f + 2a^{4/3}g) \operatorname{Log}\left[\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{a + bx^3}\right]}{b^{2/3}} + 18a^2e \operatorname{Log}[a + bx^3] / a^4$

fricas [C] time = 37.17, size = 12435, normalized size = 34.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{2916} (972 a^2 b^2 e x^5 - 648 (7 b^3 d - a b^2 g) x^7 - 810 (4 b^3 c - a b^2 f) x^6 - 2916 a^2 b d x - 1134 (7 a b^2 d - a^2 b g) x^4 - 1458 a^2 b^2 c - 1296 (4 a b^2 c - a^2 b f) x^3 + 486 (3 a^2 b e - a^3 h) x^2 - 2 (a^3 b^3 x^8 + 2 a^4 b^2 x^5 + a^5 b x^2) * ((-I \sqrt{3}) + 1) * (81 e^2 / a^6 - (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) / (a^7 b)) / (-1/27 e^3 / a^9 + 1/1458 (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) e / (a^{10} b) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 8 a^4 g^3 - (125 f^3 - 270 e f g + 168 d g^2) a^3 b + 3 (243 e^3 - 630 d e f + 392 d^2 g + 20 (25 f^2 - 18 e g) c) a^2 b^2 - 8 (343 d^3 - 945 c d e + 750 c^2 f) a b^3) / (a^{11} b^2))^{1/3} + 729 (I \sqrt{3}) + 1) * (-1/27 e^3 / a^9 + 1/1458 (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) e / (a^{10} b) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 8 a^4 g^3 - (125 f^3 - 270 e f g + 168 d g^2) a^3 b + 3 (243 e^3 - 630 d e f + 392 d^2 g + 20 (25 f^2 - 18 e g) c) a^2 b^2 - 8 (343 d^3 - 945 c d e + 750 c^2 f) a b^3) / (a^{11} b^2))^{1/3} + 486 e / a^3) * \log(-7840 a b^3 c d^2 + 3600 a b^3 c^2 e - 1134 a^2 b^2 d e^2 + 225 a^3 b e f^2 - 1/1458 (7 a^8 b^2 d - a^9 b g) * ((-I \sqrt{3}) + 1) * (81 e^2 / a^6 - (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) / (a^7 b)) / (-1/27 e^3 / a^9 + 1/1458 (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) e / (a^{10} b) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 8 a^4 g^3 - (125 f^3 - 270 e f g + 168 d g^2) a^3 b + 3 (243 e^3 - 630 d e f + 392 d^2 g + 20 (25 f^2 - 18 e g) c) a^2 b^2 - 8 (343 d^3 - 945 c d e + 750 c^2 f) a b^3) / (a^{11} b^2))^{1/3} + 729 (I \sqrt{3}) + 1) * (-1/27 e^3 / a^9 + 1/1458 (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) e / (a^{10} b) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 8 a^4 g^3 - (125 f^3 - 270 e f g + 168 d g^2) a^3 b + 3 (243 e^3 - 630 d e f + 392 d^2 g + 20 (25 f^2 - 18 e g) c) a^2 b^2 - 8 (343 d^3 - 945 c d e + 750 c^2 f) a b^3) / (a^{11} b^2))^{1/3} + 486 e / a^3)^2 - 40 (4 a^3 b c - a^4 f) g^2 - 1/54 (400 a^4 b^3 c^2 - 252 a^5 b^2 d e - 200 a^5 b^2 c f + 25 a^6 b f^2 + 36 a^6 b e g) * ((-I \sqrt{3}) + 1) * (81 e^2 / a^6 - (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) / (a^7 b)) / (-1/27 e^3 / a^9 + 1/1458 (280 b^2 c d + 10 a^2 f g + (81 e^2 - 70 d f - 40 c g) a b) e / (a^{10} b) - 1/39366 (8000 b^4 c^3 + 2744 a b^3 d^3 - 6000 a b^3 c^2 f + 1500 a^2 b^2 c f^2 - 125 a^3 b f^3 - 1176 a^2 b^2 d^2 g + 168 a^3 b d g^2 - 8 a^4 g^3) / (a^{11} b^2) - 1/39366 (8000 b^4 c^3 + 8 a^4 g^3 - (125 f^3 - 270 e f g + 168 d g^2) a^3 b + 3 (243 e^3 - 630 d e f + 392 d^2 g + 20 (25 f^2 - 18 e g) c) a^2 b^2 - 8 (343 d^3 - 945 c d e + 750 c^2 f) a b^3) / (a^{11} b^2))^{1/3} + 486 e / a^3) + 40 (49 a^2 b^2 d^2 - 45 a^2 b^2 c e) f + 2 (120 a^2 b^2 c d + 81 a^3 b e^2 - 280 a^3 b d f) g - (8000 b^4 c^3 + 2744 a$$

$$\begin{aligned}
& b^3d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)*x) - (1458*b^3*e*x^8 + 2916*a*b^2*e*x^5 + 1458*a^2*b*e*x^2 - (a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2))*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3) - 3*\sqrt{1/3)*(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*\sqrt{(-((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3)^2*a^7*b - 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))*\log(7840*a*b^3*c*d^2 - 3600*a*b^3*c^2*e + 1134*a^2*b^2*d*e^2 - 225*a^3*b*e*f^2 + 1/1458*(7*a^8*b^2*d - a^9*b*g))*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3)
\end{aligned}$$

$$\begin{aligned}
& 3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8 \\
& 000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243* \\
& e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)^2 + 40*(4*a^ \\
& 3*b*c - a^4*f)*g^2 + 1/54*(400*a^4*b^3*c^2 - 252*a^5*b^2*d*e - 200*a^5*b^2* \\
& c*f + 25*a^6*b*f^2 + 36*a^6*b*e*g)*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2 \\
& *c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 \\
& + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^ \\
& 10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^ \\
& 2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4* \\
& g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g \\
& + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18* \\
& e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/ \\
& 3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g \\
& + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744 \\
& *a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a \\
& ^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4* \\
& c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 63 \\
& 0*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c* \\
& d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3) - 40*(49*a^2*b^2*d^2 \\
& - 45*a^2*b^2*c*e)*f - 2*(1120*a^2*b^2*c*d + 81*a^3*b*e^2 - 280*a^3*b*d*f)* \\
& g - 2*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^ \\
& 2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)*x + 1 \\
& /486*sqrt(1/3)*(10800*a^4*b^3*c^2 + 3402*a^5*b^2*d*e - 5400*a^5*b^2*c*f + 6 \\
& 75*a^6*b*f^2 - 486*a^6*b*e*g - (7*a^8*b^2*d - a^9*b*g)*((-I*sqrt(3) + 1)*(8 \\
& 1*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^ \\
& 7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f \\
& - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a \\
& *b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168* \\
& a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (\\
& 125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g \\
& + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a* \\
& b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b \\
& ^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366* \\
& (8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 12 \\
& 5*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) \\
& - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3 \\
& *b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - \\
& 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)) \\
& *sqrt(-(((I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 \\
& - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10 \\
& *a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c \\
& ^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(\\
& 8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243 \\
& *e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g) \\
&)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2 \\
& *f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d* \\
& g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 \\
& - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(2 \\
& 5*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^ \\
& 11*b^2))^{(1/3)} + 486*e/a^3)^2*a^7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (\\
& 280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27* \\
& e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b \\
&)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 -
\end{aligned}$$

$$\begin{aligned}
& 8a^4g^3)/(a^{11}b^2) - 1/39366*(8000b^4c^3 + 8a^4g^3 - (125f^3 - 270 \\
& *e*f*g + 168*d*g^2)*a^3*b + 3*(243e^3 - 630*d*e*f + 392*d^2*g + 20*(25f^2 \\
& - 18*e*g)*c)*a^2*b^2 - 8*(343d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2) \\
&)^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a \\
& ^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}b) - 1/39366*(8000*b^4*c^3 \\
& + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - \\
& 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(80 \\
& 00*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e \\
& ^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - \\
& 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 326 \\
& 5920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g \\
&)/(a^7*b))) - (1458*b^3*e*x^8 + 2916*a*b^2*e*x^5 + 1458*a^2*b*e*x^2 - (a^3* \\
& b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b \\
& ^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a \\
& ^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(\\
& a^{10}b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500* \\
& a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4 \\
& *g^3)/(a^{11}b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f* \\
& g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18 \\
& *e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2))^{(\\
& 1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f* \\
& g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}b) - 1/39366*(8000*b^4*c^3 + 27 \\
& 44*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176 \\
& *a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(8000*b^ \\
& 4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - \\
& 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945* \\
& c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2))^{(1/3)} + 486*e/a^3) + 3*\sqrt{1/3}*(a^3 \\
& *b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*e^2/a^6 \\
& - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/ \\
& 27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)* \\
& a*b)*e/(a^{10}b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f \\
& + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - \\
& 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25* \\
& f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11} \\
& *b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 1 \\
& 0*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}b) - 1/39366*(8000*b^4* \\
& c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1 \\
& 176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(8000 \\
& *b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(24 \\
& 3*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^ \\
& 3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2))^{(1/3)} + 486*e/a^3)^2*a^7*b - \\
& 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 7 \\
& 0*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2 \\
& *f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}b) - 1/39366*(8000*b^4*c^3 + \\
& 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1 \\
& 176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(8000 \\
& *b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 \\
& - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 9 \\
& 45*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27 \\
& *e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a* \\
& b)*e/(a^{10}b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 27 \\
& 0*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^ \\
& 2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}b \\
& ^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480 \\
& *a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))) * \log(7840*a*b^3*c*d^2 - 360 \\
& 0*a*b^3*c^2*e + 1134*a^2*b^2*d*e^2 - 225*a^3*b*e*f^2 + 1/1458*(7*a^8*b^2*d
\end{aligned}$$

$0*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{1/3} + 486*e/a^3)^2*a^7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{1/3} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{1/3} + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))) + 2916*(b^3*e*x^8 + 2*a*b^2*e*x^5 + a^2*b*e*x^2)*log(x))/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)$

giac [A] time = 0.23, size = 399, normalized size = 1.11

$$\frac{e \log(|bx^3 + a|)}{3a^3} + \frac{e \log(|x|)}{a^3} + \frac{\sqrt{3} \left(20b^2c - 5abf - 14(-ab^2)^{\frac{1}{3}}bd + 2(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^3 + e*log(abs(x))/a^3 + 1/27*sqrt(3)*(20*b^2*c - 5*a*b*f - 14*(-a*b^2)^(1/3)*b*d + 2*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) + 1/54*(20*b^2*c - 5*a*b*f + 14*(-a*b^2)^(1/3)*b*d - 2*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) - 1/18*(28*b^3*d*x^7 - 4*a*b^2*g*x^7 + 20*b^3*c*x^6 - 5*a*b^2*f*x^6 - 6*a*b^2*x^5*e + 49*a*b^2*d*x^4 - 7*a^2*b*g*x^4 + 32*a*b^2*c*x^3 - 8*a^2*b*f*x^3 + 3*a^3*h*x^2 - 9*a^2*b*x^2*e + 18*a^2*b*d*x + 9*a^2*b*c)/((b*x^4 + a*x)^2*a^3*b) + 1/27*(14*a^3*b^2*d*(-a/b)^(1/3) - 2*a^4*b*g*(-a/b)^(1/3) + 20*a^3*b^2*c - 5*a^4*b*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b)

maple [B] time = 0.07, size = 626, normalized size = 1.74

$$\frac{2bgx^5}{9(bx^3 + a)^2 a^2} - \frac{5b^2dx^5}{9(bx^3 + a)^2 a^3} + \frac{5bfx^4}{18(bx^3 + a)^2 a^2} - \frac{11b^2cx^4}{18(bx^3 + a)^2 a^3} + \frac{bex^3}{3(bx^3 + a)^2 a^2} + \frac{7gx^2}{18(bx^3 + a)^2 a} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)

[Out] 10/27/a^3*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/27/a^3*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-7/27/a^3*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+7/18/a/(b*x^3+a)^2*x^2*g-20/27/a^3*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+4/9/(b*x^3+a)^2/a*f*x+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/6/(b*x^3+a)^2/b*h+1/2/a/(b*x^3+a)^2*e+5/18/(b*x^3+a)^2/a^2*b*f*x^4+2/27/a^2*g*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^3*d/x+1/a^3*e*ln(x)-1/3/a^3*e*ln(b*x^3+a)-20/27/a^3*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/27/a^2*g/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27/a^2*g/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-14/27/a^3*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/2/a^3*c/x^2+5/27/(a/b)^(2/3)/a^2/b*f*ln(x+(a/b)^(1/3))-5/54/(a/b)^(2/3)/a^2/b*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/a^2/(b*x^3+a)^2*x^5*b*g-5/9/a^3/(b*x^3+a)^2*b^2*d*x^5-11/18/a^3/(b*x^3+a)^2*b^2*c*x^4+1/3/a^2/(b*x^3+a)^2*x^3*b*e-13/18/a^2/(b*x^3+a)^2*b*d*x^2-7/9/a^2/(b*x^3+a)^2*b*c*x

maxima [A] time = 3.10, size = 390, normalized size = 1.08

$$\frac{6ab^2ex^5 - 4(7b^3d - ab^2g)x^7 - 5(4b^3c - ab^2f)x^6 - 18a^2bdx - 7(7ab^2d - a^2bg)x^4 - 9a^2bc - 8(4ab^2c - a^2bf)x}{18(a^3b^3x^8 + 2a^4b^2x^5 + a^5bx^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(6*a*b^2*e*x^5 - 4*(7*b^3*d - a*b^2*g)*x^7 - 5*(4*b^3*c - a*b^2*f)*x^6 - 18*a^2*b*d*x - 7*(7*a*b^2*d - a^2*b*g)*x^4 - 9*a^2*b*c - 8*(4*a*b^2*c - a^2*b*f)*x^3 + 3*(3*a^2*b*e - a^3*h)*x^2)/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2) + e*log(x)/a^3 - 1/27*sqrt(3)*(14*b*d*(a/b)^(2/3) - 2*a*g*(a/b)^(2/3) + 20*b*c*(a/b)^(1/3) - 5*a*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 - 1/54*(18*b*e*(a/b)^(2/3) + 14*b*d*(a/b)^(1/3) - 2*a*g*(a/b)^(1/3) - 20*b*c + 5*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1/27*(9*b*e*(a/b)^(2/3) - 14*b*d*(a/b)^(1/3) + 2*a*g*(a/b)^(1/3) + 20*b*c - 5*a*f)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 5.66, size = 1697, normalized size = 4.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3),x)

[Out] symsum(log((b^2*e*(400*b^2*c^2 + 25*a^2*f^2 - 18*a^2*e*g - 200*a*b*c*f + 12*6*a*b*d*e))/(81*a^8) - (root(19683*a^11*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*b^2*(400*b^2*c^2 + 25*a^2*f^2 - 54*root(19683*a^11*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*a^5*g + 36*a^2*e*g + 378*root(19683*a^11*b^2*z^3 + 19683*

$$\begin{aligned}
& a^8 b^2 e z^2 + 810 a^6 b f g z - 5670 a^5 b^2 d f z - 3240 a^5 b^2 c g z + \\
& 22680 a^4 b^3 c d z + 6561 a^5 b^2 e^2 z + 270 a^3 b e f g + 7560 a b^3 c d e - 1890 a^2 b^2 d e f - 1080 a^2 b^2 c e g - 168 a^3 b d g^2 - 6000 a b^3 c^2 f + 1176 a^2 b^2 d^2 g + 1500 a^2 b^2 c f^2 + 729 a^2 b^2 e^3 - 125 a^3 b f^3 - 2744 a b^3 d^3 + 8 a^4 g^3 + 8000 b^4 c^3, z, k) a^4 b d + 324 a b e^2 x + 2800 b^2 c d x + 100 a^2 f g x + 2916 \text{root}(19683 a^{11} b^2 z^3 + 19683 a^8 b^2 e z^2 + 810 a^6 b f g z - 5670 a^5 b^2 d f z - 3240 a^5 b^2 c g z + 22680 a^4 b^3 c d z + 6561 a^5 b^2 e^2 z + 270 a^3 b e f g + 7560 a b^3 c d e - 1890 a^2 b^2 d e f - 1080 a^2 b^2 c e g - 168 a^3 b d g^2 - 6000 a b^3 c^2 f + 1176 a^2 b^2 d^2 g + 1500 a^2 b^2 c f^2 + 729 a^2 b^2 e^3 - 125 a^3 b f^3 - 2744 a b^3 d^3 + 8 a^4 g^3 + 8000 b^4 c^3, z, k)^2 a^7 b x - 200 a b c f - 252 a b d e - 400 a b c g x - 700 a b d f x + 1944 \text{root}(19683 a^{11} b^2 z^3 + 19683 a^8 b^2 e z^2 + 810 a^6 b f g z - 5670 a^5 b^2 d f z - 3240 a^5 b^2 c g z + 22680 a^4 b^3 c d z + 6561 a^5 b^2 e^2 z + 270 a^3 b e f g + 7560 a b^3 c d e - 1890 a^2 b^2 d e f - 1080 a^2 b^2 c e g - 168 a^3 b d g^2 - 6000 a b^3 c^2 f + 1176 a^2 b^2 d^2 g + 1500 a^2 b^2 c f^2 + 729 a^2 b^2 e^3 - 125 a^3 b f^3 - 2744 a b^3 d^3 + 8 a^4 g^3 + 8000 b^4 c^3, z, k) a^4 b e x) / (81 a^5) - (b x (8000 b^4 c^3 + 8 a^4 g^3 - 2744 a b^3 d^3 - 125 a^3 b f^3 + 1500 a^2 b^2 c f^2 + 1176 a^2 b^2 d^2 g - 6000 a b^3 c^2 f - 168 a^3 b d g^2 - 720 a^2 b^2 c e g - 1260 a^2 b^2 d e f + 5040 a b^3 c d e + 180 a^3 b e f g)) / (729 a^9) * \text{root}(19683 a^{11} b^2 z^3 + 19683 a^8 b^2 e z^2 + 810 a^6 b f g z - 5670 a^5 b^2 d f z - 3240 a^5 b^2 c g z + 22680 a^4 b^3 c d z + 6561 a^5 b^2 e^2 z + 270 a^3 b e f g + 7560 a b^3 c d e - 1890 a^2 b^2 d e f - 1080 a^2 b^2 c e g - 168 a^3 b d g^2 - 6000 a b^3 c^2 f + 1176 a^2 b^2 d^2 g + 1500 a^2 b^2 c f^2 + 729 a^2 b^2 e^3 - 125 a^3 b f^3 - 2744 a b^3 d^3 + 8 a^4 g^3 + 8000 b^4 c^3, z, k), k, 1, 3) - (c / (2 a) + (4 x^3 (4 b c - a f)) / (9 a^2) + (7 x^4 (7 b d - a g)) / (18 a^2) + (d x) / a + (5 b x^6 (4 b c - a f)) / (18 a^3) + (2 b x^7 (7 b d - a g)) / (9 a^3) - (x^2 (3 b e - a h)) / (6 a b) - (b e x^5) / (3 a^2)) / (a^2 x^2 + b^2 x^8 + 2 a b x^5) + (e \log(x)) / a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

3.429
$$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=395

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{54a^{11/3} b^{2/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{27a^{11/3} b^{2/3}}$$

[Out] $-1/3*c/a^3/x^3-1/2*d/a^3/x^2-e/a^3/x-1/6*x*(b*d-a*g+(-a*h+b*e)*x-b*(b*c/a-f)*x^2)/a^2/(b*x^3+a)^2-1/18*x*(11*b*d-5*a*g+2*(-2*a*h+5*b*e)*x-3*b*(5*b*c/a-3*f)*x^2)/a^3/(b*x^3+a)-(-a*f+3*b*c)*ln(x)/a^4-1/27*(5*b^(1/3)*(-a*g+4*b*d)-2*a^(1/3)*(-a*h+7*b*e))*ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)+1/54*(5*b^(1/3)*(-a*g+4*b*d)-2*a^(1/3)*(-a*h+7*b*e))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)+1/3*(-a*f+3*b*c)*ln(b*x^3+a)/a^4+1/27*(20*b^(4/3)*d+14*a^(1/3)*b*e-5*a*b^(1/3)*g-2*a^(4/3)*h)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 1.01, antiderivative size = 392, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{2\sqrt[3]{a} (7be - ah)}{\sqrt[3]{b}} - 5ag + 20bd \right)}{54a^{11/3} \sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{27a^{11/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d - a*g + (b*e - a*h)*x - b*((b*c)/a - f)*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d - 5*a*g + 2*(5*b*e - 2*a*h)*x - 3*b*((5*b*c)/a - 3*f)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(11/3)*b^(2/3)) - ((3*b*c - a*f)*Log[x])/a^4 - ((5*b^(1/3)*(4*b*d - a*g) - 2*a^(1/3)*(7*b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(27*a^(11/3)*b^(2/3)) + ((20*b*d - 5*a*g - (2*a^(1/3)*(7*b*e - a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(11/3)*b^(1/3)) + ((3*b*c - a*f)*Log[a + b*x^3])/(3*a^4)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)^3} dx &= -\frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - 6b^2ex^2 + 6b^2\left(\frac{bc}{a} - f\right)x^3}{6a^2(a + bx^3)^3} dx \\
&= -\frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd - ag + (be - ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd - 5ag + 2(5be - 2ah)x - b\left(\frac{bc}{a} - f\right)x^2\right)}{18a^3(a + bx^3)^3}
\end{aligned}$$

Mathematica [A] time = 0.79, size = 352, normalized size = 0.89

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} h - 14 \sqrt[3]{a} b e - 5a \sqrt[3]{b} g + 20b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(2a^{4/3} h - 14 \sqrt[3]{a} b e - 5a \sqrt[3]{b} g + 20b^{4/3} d\right)}{b^{2/3}} + \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 + \sqrt{3} \sqrt[3]{a} x}{1 - \sqrt{3} \sqrt[3]{a} x}\right)}{b^{2/3}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x]
[Out] ((-18*a*c)/x^3 - (27*a*d)/x^2 - (54*a*e)/x + (3*a*(-12*b*c + 6*a*f - b*x*(1
1*d + 10*e*x) + a*x*(5*g + 4*h*x)))/(a + b*x^3) + (a^2*(-9*b*(c + x*(d + e
x)) + 9*a*(f + x*(g + h*x)))/(a + b*x^3)^2 + (2*sqrt[3]*a^(1/3)*(20*b^(4/3
)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*
x)/a^(1/3))/sqrt[3]])/b^(2/3) + 54*(-3*b*c + a*f)*Log[x] - (2*a^(1/3)*(20*b
^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g + 2*a^(4/3)*h)*Log[a^(1/3) + b^(1
/3)*x])/b^(2/3) + (a^(1/3)*(20*b^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g +

```

$$2*a^{(4/3)*h}*Log[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(2/3)} + 18*(3*b*c - a*f)*Log[a + b*x^3)]/(54*a^4)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 431, normalized size = 1.09

$$\frac{\sqrt{3} \left(20 b^2 d - 5 a b g + 2 (-a b^2)^{\frac{1}{3}} a h - 14 (-a b^2)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 (-a b^2)^{\frac{2}{3}} a^3} + \left(20 b^2 d - 5 a b g - 2 (-a b^2)^{\frac{1}{3}} a h \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(20*b^2*d - 5*a*b*g + 2*(-a*b^2)^(1/3)*a*h - 14*(-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) + 1/54*(20*b^2*d - 5*a*b*g - 2*(-a*b^2)^(1/3)*a*h + 14*(-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) + 1/3*(3*b*c - a*f)*log(abs(b*x^3 + a))/a^4 - (3*b*c - a*f)*log(abs(x))/a^4 - 1/27*(2*a^6*b*h*(-a/b)^(1/3) - 14*a^5*b^2*(-a/b)^(1/3)*e - 20*a^5*b^2*d + 5*a^6*b*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b) + 1/18*(4*(a^2*b*h - 7*a*b^2*e)*x^8 - 5*(4*a*b^2*d - a^2*b*g)*x^7 - 6*(3*a*b^2*c - a^2*b*f)*x^6 + 7*(a^3*h - 7*a^2*b*e)*x^5 - 18*a^3*x^2*e - 9*a^3*d*x - 8*(4*a^2*b*d - a^3*g)*x^4 - 6*a^3*c - 9*(3*a^2*b*c - a^3*f)*x^3)/((b*x^3 + a)^2*a^4*x^3)

maple [B] time = 0.07, size = 680, normalized size = 1.72

$$\frac{2bhx^5}{9(bx^3+a)^2a^2} - \frac{5b^2ex^5}{9(bx^3+a)^2a^3} + \frac{5bgx^4}{18(bx^3+a)^2a^2} - \frac{11b^2dx^4}{18(bx^3+a)^2a^3} + \frac{bfx^3}{3(bx^3+a)^2a^2} - \frac{2b^2cx^3}{3(bx^3+a)^2a^3} + \frac{d}{18(bx^3+a)^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)

[Out] -5/9/(b*x^3+a)^2/a^3*b^2*e*x^5-14/27*3^(1/2)/(a/b)^(1/3)/a^3*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-7/27/(a/b)^(1/3)/a^3*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/27/(a/b)^(1/3)/a^3*e*ln(x+(a/b)^(1/3))-5/6/(b*x^3+a)^2/a^2*b*c-20/27/(a/b)^(2/3)/a^3*d*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/a^3*ln(x)*f+1/2/a/(b*x^3+a)^2*f-1/3/a^3*ln(b*x^3+a)*f-11/18/(b*x^3+a)^2/a^3*b^2*d*x^4-20/27/(a/b)^(2/3)*3^(1/2)/a^3*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^3*c/x^3+7/18/a/(b*x^3+a)^2*x^2*h+4/9/a/(b*x^3+a)^2*g*x+2/27/a^2*h*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2))*

$$\frac{2/(a/b)^{(1/3)*x-1)}+5/27/a^2*g/b/(a/b)^{(2/3)*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)*x-1})-1/2/a^3*d/x^2-1/a^3*e/x-13/18/(b*x^3+a)^2/a^2*b*e*x^2-5/54/a^2*g/b/(a/b)^{(2/3)*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})}+5/27/a^2*g/b/(a/b)^{(2/3)*\ln(x+(a/b)^{(1/3)})}-7/9/(b*x^3+a)^2/a^2*b*d*x+5/18/a^2/(b*x^3+a)^2*x^4*b*g+1/3/a^2/(b*x^3+a)^2*x^3*b*f+2/9/a^2/(b*x^3+a)^2*x^5*b*h-2/27/a^2*h/b/(a/b)^{(1/3)*\ln(x+(a/b)^{(1/3)})}+1/27/a^2*h/b/(a/b)^{(1/3)*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})}-2/3/(b*x^3+a)^2/a^3*b^2*c*x^3-3/a^4*b*c*\ln(x)+1/a^4*b*c*\ln(b*x^3+a)}$$

maxima [A] time = 3.09, size = 444, normalized size = 1.12

$$\frac{4(7b^2e - abh)x^8 + 5(4b^2d - abg)x^7 + 6(3b^2c - abf)x^6 + 7(7abe - a^2h)x^5 + 18a^2ex^2 + 8(4abd - a^2g)x^4 + 9a^5x^3}{18(a^3b^2x^9 + 2a^4bx^6 + a^5x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(4*(7*b^2*e - a*b*h)*x^8 + 5*(4*b^2*d - a*b*g)*x^7 + 6*(3*b^2*c - a*b*f)*x^6 + 7*(7*a*b*e - a^2*h)*x^5 + 18*a^2*e*x^2 + 8*(4*a*b*d - a^2*g)*x^4 + 9*a^2*d*x + 9*(3*a*b*c - a^2*f)*x^3 + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 + a^5*x^3) - (3*b*c - a*f)*\log(x)/a^4 - 1/27*\sqrt{3}*(14*a*b*e*(a/b)^{(2/3)} - 2*a^2*h*(a/b)^{(2/3)} + 20*a*b*d*(a/b)^{(1/3)} - 5*a^2*g*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 + 1/54*(54*b^2*c*(a/b)^{(2/3)} - 18*a*b*f*(a/b)^{(2/3)} - 14*a*b*e*(a/b)^{(1/3)} + 2*a^2*h*(a/b)^{(1/3)} + 20*a*b*d - 5*a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)}) + 1/27*(27*b^2*c*(a/b)^{(2/3)} - 9*a*b*f*(a/b)^{(2/3)} + 14*a*b*e*(a/b)^{(1/3)} - 2*a^2*h*(a/b)^{(1/3)} - 20*a*b*d + 5*a^2*g)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)})$$

mupad [B] time = 6.32, size = 1994, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3),x)

[Out]
$$\text{symsum}(\log(- (1200*b^5*c*d^2 - 1134*b^5*c^2*e + 75*a^2*b^3*c*g^2 - 126*a^2*b^3*e*f^2 - 25*a^3*b^2*f*g^2 + 18*a^3*b^2*f^2*h - 400*a*b^4*d^2*f + 162*a*b^4*c^2*h - 108*a^2*b^3*c*f*h + 200*a^2*b^3*d*f*g - 600*a*b^4*c*d*g + 756*a*b^4*c*e*f)/(81*a^9) - \text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*((400*a^4*b^4*d^2 + 25*a^6*b^2*g^2 + 756*a^4*b^4*c*e - 108*a^5*b^3*c*h - 200*a^5*b^3*d*g - 252*a^5*b^3*e*f + 36*a^6*b^2*f*h)/(81*a^9) + \text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h$$

$$\begin{aligned}
& - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k) * ((378*a^8*b^3*e - 54*a^9*b^2*h)/(81*a^9) - (x*(52488*a^7*b^4*c - 17496*a^8*b^3*f))/(729*a^9) + 36*\text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*a^2*b^3*x) + (x*(26244*a^3*b^5*c^2 + 2916*a^5*b^3*f^2 - 17496*a^4*b^4*c*f + 25200*a^4*b^4*d*e - 3600*a^5*b^3*d*h - 6300*a^5*b^3*e*g + 900*a^6*b^2*g*h))/(729*a^9) - (x*(8000*b^5*d^3 - 2744*a*b^4*e^3 + 8*a^4*b*h^3 - 125*a^3*b^2*g^3 + 1500*a^2*b^3*d*g^2 + 1176*a^2*b^3*e^2*h - 168*a^3*b^2*e*h^2 - 15120*b^5*c*d*e - 6000*a*b^4*d^2*g - 540*a^2*b^3*c*g*h - 720*a^2*b^3*d*f*h - 1260*a^2*b^3*e*f*g + 180*a^3*b^2*f*g*h + 2160*a*b^4*c*d*h + 3780*a*b^4*c*e*g + 5040*a*b^4*d*e*f))/(729*a^9)) * \text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (x^3*(3*b*c - a*f))/(2*a^2) + (4*x^4*(4*b*d - a*g))/(9*a^2) + (7*x^5*(7*b*e - a*h))/(18*a^2) + (d*x)/(2*a) + (b*x^6*(3*b*c - a*f))/(3*a^3) + (5*b*x^7*(4*b*d - a*g))/(18*a^3) + (2*b*x^8*(7*b*e - a*h))/(9*a^3))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6) - (\log(x)*(3*b*c - a*f))/a^4
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**3,x)

[Out] Timed out

$$3.430 \quad \int \frac{x^3(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=583

$$4\sqrt{2+\sqrt{3}} a(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}c - 10(1-\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

[Out] $-4/9*a*e*(b*x^3+a)^{(1/2)}/b^2+2/5*c*x*(b*x^3+a)^{(1/2)}/b+2/7*d*x^2*(b*x^3+a)^{(1/2)}/b+2/9*e*x^3*(b*x^3+a)^{(1/2)}/b-8/7*a*d*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+4/7*3^{(1/4)}*a^{(4/3)}*d*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}-4/105*a*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*c-10*a^{(1/3)}*d*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.73, antiderivative size = 583, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1888, 1594, 1886, 261, 1878, 218, 1877}

$$4\sqrt{2+\sqrt{3}} a(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}c - 10(1-\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $(-4*a*e*\text{Sqrt}[a + b*x^3])/(9*b^2) + (2*c*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*d*x^2*\text{Sqrt}[a + b*x^3])/(7*b) + (2*e*x^3*\text{Sqrt}[a + b*x^3])/(9*b) - (8*a*d*\text{Sqrt}[a + b*x^3])/(7*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(4/3)}*d*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])/(7*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) - (4*\text{Sqrt}[2 + \text{Sqrt}[3]]*a*(7*b^{(1/3)}*c - 10*(1 - \text{Sqrt}[3])*a^{(1/3)}*d)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])/(35*3^{(1/4)}*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{2 \int \frac{-3aex^2 + \frac{9}{2}bcx^3 + \frac{9}{2}bdx^4}{\sqrt{a + bx^3}} dx}{9b} \\
&= \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{2 \int \frac{x^2(-3ae + \frac{9bcx}{2} + \frac{9}{2}bdx^2)}{\sqrt{a + bx^3}} dx}{9b} \\
&= \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{4 \int \frac{-9abdx - \frac{21}{2}abex^2 + \frac{63}{4}b^2cx^3}{\sqrt{a + bx^3}} dx}{63b^2} \\
&= \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{4 \int \frac{x(-9abd - \frac{21}{2}abex + \frac{63}{4}b^2cx^2)}{\sqrt{a + bx^3}} dx}{63b^2} \\
&= \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{8 \int \frac{-\frac{63}{4}ab^2c - \frac{45}{2}ab^2dx - \frac{105}{4}ab^2ex^2}{\sqrt{a + bx^3}} dx}{315b^3} \\
&= \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{8 \int \frac{-\frac{63}{4}ab^2c - \frac{45}{2}ab^2dx}{\sqrt{a + bx^3}} dx}{315b^3} - \frac{(2ae) \int \frac{1}{\sqrt{a + bx^3}} dx}{3b} \\
&= -\frac{4ae\sqrt{a + bx^3}}{9b^2} + \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} - \frac{(4ad) \int \frac{(1-\sqrt{3})^3\sqrt{a}}{\sqrt{a + bx^3}} dx}{7b^{4/3}} \\
&= -\frac{4ae\sqrt{a + bx^3}}{9b^2} + \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} - \frac{8ad\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3}))}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 132, normalized size = 0.23

$$\frac{-2(a + bx^3)(70ae - bx(63c + 5x(9d + 7ex))) - 126abcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}; -\frac{bx^3}{a}\right) - 90abdx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}; -\frac{bx^3}{a}\right)}{315b^2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (-2*(a + b*x^3)*(70*a*e - b*x*(63*c + 5*x*(9*d + 7*e*x))) - 126*a*b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 90*a*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(315*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^5 + dx^4 + cx^3}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((e*x^5 + d*x^4 + c*x^3)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^3/sqrt(b*x^3 + a), x)

maple [A] time = 0.08, size = 793, normalized size = 1.36
result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x)

[Out]
$$e*(2/9/b*x^3*(b*x^3+a)^{(1/2)}-4/9*a*(b*x^3+a)^{(1/2)}/b^2)+d*(2/7*(b*x^3+a)^{(1/2)}/b*x^2+8/21*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)})/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)})/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x^3/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (ex^2 + dx + c)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(1/2),x)

[Out] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.92, size = 129, normalized size = 0.22

$$e \left(\begin{array}{l} \left(-\frac{4a\sqrt{a+bx^3}}{9b^2} + \frac{2x^3\sqrt{a+bx^3}}{9b} \right) \text{ for } b \neq 0 \\ \frac{x^6}{6\sqrt{a}} \text{ otherwise} \end{array} \right) + \frac{cx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)} + \frac{dx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)
```

```
[Out] e*Piecewise((-4*a*sqrt(a + b*x**3)/(9*b**2) + 2*x**3*sqrt(a + b*x**3)/(9*b), Ne(b, 0)), (x**6/(6*sqrt(a)), True)) + c*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + d*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))
```

$$3.431 \quad \int \frac{x^2(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=560

$$4\sqrt{2+\sqrt{3}} a(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}d-10(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

[Out] $2/3*c*(b*x^3+a)^(1/2)/b+2/5*d*x*(b*x^3+a)^(1/2)/b+2/7*e*x^2*(b*x^3+a)^(1/2)/b-8/7*a*e*(b*x^3+a)^(1/2)/b^(5/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))+4/7*3^(1/4)*a^(4/3)*e*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)-4/105*a*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(7*b^(1/3)*d-10*a^(1/3)*e*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)$

Rubi [A] time = 0.48, antiderivative size = 560, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1888, 1594, 1886, 261, 1878, 218, 1877}

$$4\sqrt{2+\sqrt{3}} a(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}d-10(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $(2*c*\text{Sqrt}[a + b*x^3])/(3*b) + (2*d*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*e*x^2*\text{Sqrt}[a + b*x^3])/(7*b) - (8*a*e*\text{Sqrt}[a + b*x^3])/(7*b^(5/3)*((1 + \text{Sqrt}[3]))*a^(1/3) + b^(1/3)*x) + (4*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(4/3)*e*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}{(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}], -7 - 4*\text{Sqrt}[3]])/(7*b^(5/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]^2)*\text{Sqrt}[a + b*x^3] - (4*\text{Sqrt}[2 + \text{Sqrt}[3]]*a*(7*b^(1/3)*d - 10*(1 - \text{Sqrt}[3])*a^(1/3)*e)*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}{(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}], -7 - 4*\text{Sqrt}[3]]/(35*3^(1/4)*b^(5/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]^2)*\text{Sqrt}[a + b*x^3]$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2])*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{-2aex + \frac{7}{2}bcx^2 + \frac{7}{2}bdx^3}{\sqrt{a + bx^3}} dx}{7b} \\
&= \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{x(-2ae + \frac{7bcx}{2} + \frac{7bdx^2}{2})}{\sqrt{a + bx^3}} dx}{7b} \\
&= \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{-\frac{7}{2}abd - 5abex + \frac{35}{4}b^2cx^2}{\sqrt{a + bx^3}} dx}{35b^2} \\
&= \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{-\frac{7}{2}abd - 5abex}{\sqrt{a + bx^3}} dx}{35b^2} + c \int \frac{x^2}{\sqrt{a + bx^3}} dx \\
&= \frac{2c\sqrt{a + bx^3}}{3b} + \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} - \frac{(4ae) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{7b^{4/3}} - \frac{(2a(7d + 5ex)) \int \frac{x^2}{\sqrt{a + bx^3}} dx}{7b^{4/3}} \\
&= \frac{2c\sqrt{a + bx^3}}{3b} + \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} - \frac{8ae\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{2a(7d + 5ex)\sqrt{a + bx^3}}{7b^{4/3}}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 121, normalized size = 0.22

$$\frac{2(a + bx^3)(35c + 3x(7d + 5ex)) - 42adx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 30aex^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{105b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (2*(a + b*x^3)*(35*c + 3*x*(7*d + 5*e*x)) - 42*a*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 30*a*e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(105*b*Sqrt[a + b*x^3])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^4 + dx^3 + cx^2}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((e*x^4 + d*x^3 + c*x^2)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^2}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^2/sqrt(b*x^3 + a), x)

maple [A] time = 0.06, size = 773, normalized size = 1.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x)

[Out]
$$e*(2/7*(b*x^3+a)^{(1/2)}/b*x^2+8/21*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2/3*c*(b*x^3+a)^{(1/2)}/b$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2\sqrt{bx^3+ac}}{3b} + \int \frac{ex^4+dx^3}{\sqrt{bx^3+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="maxima")

[Out] 2/3*sqrt(b*x^3 + a)*c/b + integrate((e*x^4 + d*x^3)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (e x^2 + d x + c)}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

[Out] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.67, size = 107, normalized size = 0.19

$$c \left(\begin{array}{l} \frac{x^3}{3\sqrt{a}} \\ \frac{2\sqrt{a+bx^3}}{3b} \end{array} \right) \begin{array}{l} \text{for } b = 0 \\ \text{otherwise} \end{array} + \frac{dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{7}{3}\right)} + \frac{ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)
```

```
[Out] c*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True))  
+ d*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3  
*sqrt(a)*gamma(7/3)) + e*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*e  
xp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))
```

$$3.432 \quad \int \frac{x(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=537

$$\frac{2\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (2a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{5\sqrt[4]{3} b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $\frac{2}{3}d*(b*x^3+a)^{(1/2)}/b+2/5*e*x*(b*x^3+a)^{(1/2)}/b+2*c*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*c*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}-2/15*3^{(3/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(2*a^{(2/3)*e+5*b^{(2/3)*c*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(4/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 537, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {1888, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (2a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{5\sqrt[4]{3} b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $\frac{(2*d*\text{Sqrt}[a + b*x^3])/(3*b) + (2*e*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*c*\text{Sqrt}[a + b*x^3])/(b^{(2/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*c*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(b^{(2/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) - (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*(5*(1 - \text{Sqrt}[3])*b^{(2/3)*c} + 2*a^{(2/3)*e})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(5*3^{(1/4)*b^{(4/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{(1/4)*r*Sqrt[a + b*x^3]}*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2 \int \frac{-ae + \frac{5bcx}{2} + \frac{5}{2}bdx^2}{\sqrt{a+bx^3}} dx}{5b} \\
&= \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2 \int \frac{-ae + \frac{5bcx}{2}}{\sqrt{a+bx^3}} dx}{5b} + d \int \frac{x^2}{\sqrt{a + bx^3}} dx \\
&= \frac{2d\sqrt{a + bx^3}}{3b} + \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{c \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} - \frac{(\sqrt[3]{a} (5(1 - \sqrt{3}) b^{2/3} c + 2a^{2/3} e))}{5b} \\
&= \frac{2d\sqrt{a + bx^3}}{3b} + \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2c\sqrt{a + bx^3}}{b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} c (\sqrt[3]{a} + \dots)}{5b}
\end{aligned}$$

Mathematica [C] time = 0.07, size = 114, normalized size = 0.21

$$\frac{15bcx^2 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a + bx^3)(5d + 3ex) - 12aex \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{30b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (4*(5*d + 3*e*x)*(a + b*x^3) - 12*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 15*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(30*b*Sqrt[a + b*x^3])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^3 + dx^2 + cx}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((e*x^3 + d*x^2 + c*x)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x/sqrt(b*x^3 + a), x)

maple [A] time = 0.05, size = 753, normalized size = 1.40

$$\frac{4i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}}{15\sqrt{bx^3+ab^2}} a \text{ EllipticF}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x)

[Out] $e*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2/3*d*(b*x^3+a)^{(1/2)}/b-2/3*I*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (e x^2 + d x + c)}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

[Out] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.52, size = 107, normalized size = 0.20

$$d \left(\begin{cases} \frac{x^3}{3\sqrt{a}} & \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} & \text{otherwise} \end{cases} \right) + \frac{cx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} + \frac{ex^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**(1/2), x)

[Out] d*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True)) + c*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + e*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3))

$$3.433 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=509

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(\sqrt[3]{b}c-(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $2/3*e*(b*x^3+a)^{(1/2)}/b+2*d*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}-3^{(1/4)*a^{(1/3)*d*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})},I*3^{(1/2)+2*I)*(1/2*6^{(1/2)-1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)+2/3*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})},I*3^{(1/2)+2*I)*(b^{(1/3)*c-a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)+1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)*3^{(3/4)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}}$

Rubi [A] time = 0.17, antiderivative size = 509, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(\sqrt[3]{b}c-(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x^3], x]

[Out] $(2*e*\text{Sqrt}[a + b*x^3])/(3*b) + (2*d*\text{Sqrt}[a + b*x^3])/(b^{(2/3)*((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})} - (3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]] * a^{(1/3)*d*(a^{(1/3)} + b^{(1/3)*x}) * \text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})^2] * \text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(b^{(2/3)*\text{Sqrt}[(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})^2] * \text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]] * (b^{(1/3)*c} - (1 - \text{Sqrt}[3]) * a^{(1/3)*d}) * (a^{(1/3)} + b^{(1/3)*x}) * \text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})^2] * \text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]))/(3^{(1/4)*b^{(2/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)*x})^2] * \text{Sqrt}[a + b*x^3])}$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(1 - Sqrt[3])*s + r*x]/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3])/(3^{(1/4)*r*Sqrt[a + b*x^3]}*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{\sqrt{a + bx^3}} dx &= e \int \frac{x^2}{\sqrt{a + bx^3}} dx + \int \frac{c + dx}{\sqrt{a + bx^3}} dx \\ &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx}}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a + bx^3}} dx \\ &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2d\sqrt{a + bx^3}}{b^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx} \right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} d \left(\sqrt[3]{a} + \sqrt[3]{bx} \right)}{b^{2/3} \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx}}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx} \right)}}} \end{aligned}$$

Mathematica [C] time = 0.05, size = 107, normalized size = 0.21

$$\frac{6bcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3bdx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4e(a + bx^3)}{6b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x^3], x]

[Out] $(4*e*(a + b*x^3) + 6*b*c*x*\text{Sqrt}[1 + (b*x^3)/a]*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*b*d*x^2*\text{Sqrt}[1 + (b*x^3)/a]*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -((b*x^3)/a)])/(6*b*\text{Sqrt}[a + b*x^3])$

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)`

maple [A] time = 0.05, size = 735, normalized size = 1.44

$$2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \text{EllipticF}$$

$$3\sqrt{bx^3 + a} b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/(b*x^3+a)^(1/2), x)`

[Out] $2/3*(b*x^3+a)^{(1/2)}/b*e^{-2/3}*I*d*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))-2/3$

$$\frac{I c \sqrt{3} (-a b^2)^{1/3} / b (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I \sqrt{3} (-a b^2)^{1/3} / b) \sqrt{3}^{1/2} / (-a b^2)^{1/3} b)^{1/2} ((x - (-a b^2)^{1/3} / b) / (-3/2 (-a b^2)^{1/3} / b + 1/2 I \sqrt{3}^{1/2} (-a b^2)^{1/3} / b))^{1/2} (-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I \sqrt{3}^{1/2} (-a b^2)^{1/3} / b) \sqrt{3}^{1/2} / (-a b^2)^{1/3} b)^{1/2} / (b x^3 + a)^{1/2} \text{EllipticF}(1/3 \sqrt{3}^{1/2} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I \sqrt{3}^{1/2} (-a b^2)^{1/3} / b) \sqrt{3}^{1/2} / (-a b^2)^{1/3} b)^{1/2}, (I \sqrt{3}^{1/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I \sqrt{3}^{1/2} (-a b^2)^{1/3} / b) / b)^{1/2}})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^2 + d x + c}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d x + c}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^(1/2),x)

[Out] int((c + d*x + e*x^2)/(a + b*x^3)^(1/2), x)

sympy [A] time = 2.53, size = 105, normalized size = 0.21

$$e \left(\begin{array}{ll} \frac{x^3}{3\sqrt{a}} & \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} & \text{otherwise} \end{array} \right) + \frac{cx \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{dx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)

[Out] e*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True)) + c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.434 \quad \int \frac{c+dx+ex^2}{x\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=518

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}d-(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*c*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+2*e*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})-3^{(1/4)}*a^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}+2/3*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)}+2*I)*(b^{(1/3)}*d-a^{(1/3)}*e*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}*3^{(3/4)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 518, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}d-(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x + e*x^2)/(x*Sqrt[a + b*x^3]),x]`

[Out] $(2*e*\operatorname{Sqrt}[a + b*x^3])/b^{(2/3)*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(1/3)}*e*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\operatorname{Sqrt}[3])/b^{(2/3)*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) + (2*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*(b^{(1/3)}*d - (1 - \operatorname{Sqrt}[3])*a^{(1/3)}*e)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\operatorname{Sqrt}[3])/3^{(1/4)}*b^{(2/3)*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x\sqrt{a + bx^3}} dx &= c \int \frac{1}{x\sqrt{a + bx^3}} dx + \int \frac{d + ex}{\sqrt{a + bx^3}} dx \\
&= \frac{1}{3} c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^3 \right) + \frac{e \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(d - \frac{(1-\sqrt{3})\sqrt[3]{a}e}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a+bx^3}} dx \\
&= \frac{2e\sqrt{a + bx^3}}{b^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} e \left(\sqrt[3]{a} + \sqrt[3]{b}x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \sqrt{a + bx^3}} \\
&= \frac{2e\sqrt{a + bx^3}}{b^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)} - \frac{2c \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right)}{3\sqrt{a}} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} e \left(\sqrt[3]{a} + \sqrt[3]{b}x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \sqrt{a + bx^3}}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 128, normalized size = 0.25

$$-\frac{2c \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right)}{3\sqrt{a}} + \frac{dx \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right)}{\sqrt{a + bx^3}} + \frac{ex^2 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*Sqrt[a + b*x^3]),x]

[Out] (-2*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]/(3*Sqrt[a]) + (d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)]/Sqrt[a + b*x^3] + (e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)]/(2*Sqrt[a + b*x^3]))

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\sqrt{bx^3 + a} (ex^2 + dx + c)}{bx^4 + ax}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^4 + a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x), x)

maple [A] time = 0.05, size = 740, normalized size = 1.43

$$\frac{2c \operatorname{arctanh}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{2i\sqrt{3}(-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3+a}} - \frac{\sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}}}{3\sqrt{bx^3+a}} - \frac{i\sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x)`

[Out]
$$\begin{aligned} & -2/3*I*e*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)} \\ & /((b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\operatorname{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\operatorname{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*I*d*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\operatorname{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*c*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x*(a + b*x^3)^(1/2)),x)`

[Out] `int((c + d*x + e*x^2)/(x*(a + b*x^3)^(1/2)), x)`

sympy [A] time = 4.10, size = 105, normalized size = 0.20

$$-\frac{2c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3\sqrt{a}} + \frac{dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/x/(b*x**3+a)**(1/2),x)`

[Out] `-2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + d*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + e*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))`

$$3.435 \quad \int \frac{c+dx+ex^2}{x^2 \sqrt{a+bx^3}} dx$$

Optimal. Leaf size=547

$$\frac{\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left((1-\sqrt{3}) b^{2/3} c - 2a^{2/3} e \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} a^{2/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-c*(b*x^3+a)^{(1/2)}/a/x+b^{(1/3)}*c*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-1/2*3^{(1/4)}*b^{(1/3)}*c*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/3*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(-2*a^{(2/3)}*e+b^{(2/3)}*c*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/a^{(2/3)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 547, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left((1-\sqrt{3}) b^{2/3} c - 2a^{2/3} e \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} a^{2/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2)/(x^2*\operatorname{Sqrt}[a + b*x^3]), x]$

[Out] $-((c*\operatorname{Sqrt}[a + b*x^3])/(a*x)) + (b^{(1/3)}*c*\operatorname{Sqrt}[a + b*x^3])/(a*((1 + \operatorname{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)}*x)) - (2*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(1/3)}*c*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]) * \operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]])/(2*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\operatorname{Sqrt}[a + b*x^3]) - (\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*((1 - \operatorname{Sqrt}[3])*b^{(2/3)}*c - 2*a^{(2/3)}*e)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]) * \operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]])/(3^{(1/4)}*a^{(2/3)}*b^{(1/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Den}$

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2\sqrt{a + bx^3}} dx &= -\frac{c\sqrt{a + bx^3}}{ax} - \frac{\int \frac{-2ad - 2aex - bcx^2}{x\sqrt{a + bx^3}} dx}{2a} \\
&= -\frac{c\sqrt{a + bx^3}}{ax} - \frac{\int \frac{-2ae - bcx}{\sqrt{a + bx^3}} dx}{2a} + d \int \frac{1}{x\sqrt{a + bx^3}} dx \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{(b^{2/3}c) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{2a} + \frac{1}{3}d \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^3\right) - \frac{1}{2} \left(\frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}}\right) \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}c\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}c(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^2}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}} \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}c\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}c(\sqrt[3]{a} + \sqrt[3]{b}x)}{2a^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 126, normalized size = 0.23

$$-\frac{c\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; -\frac{bx^3}{a}\right)}{x\sqrt{a + bx^3}} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} + \frac{ex\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*Sqrt[a + b*x^3]), x]

[Out] (-2*d*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]/(3*Sqrt[a]) - (c*Sqrt[1 + (b*x^3)/a])*Hypergeometric2F1[-1/3, 1/2, 2/3, -((b*x^3)/a)]/(x*Sqrt[a + b*x^3]) + (e*x*Sqrt[1 + (b*x^3)/a])*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)]/Sqrt[a + b*x^3]

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{bx^5 + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^5 + a*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^2), x)

maple [A] time = 0.06, size = 759, normalized size = 1.39

$$\frac{2d \operatorname{arctanh}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right)}{3\sqrt{a}} + \frac{2i\sqrt{3}(-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3+a}} + \frac{\sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}}}{3\sqrt{bx^3+a}} + \frac{\sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2), x)

[Out]
$$\begin{aligned} & -2/3 * I * e^{3^{1/2}} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} \\ & / (b * x^3 + a)^{1/2} * \operatorname{EllipticF}\left(\frac{1}{3}, 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}\right) + c * (-b * x^3 + a)^{1/2} / a / x - 1/3 * I / a * 3^{1/2} * (-a * b^2)^{1/3} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} \\ & * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \operatorname{EllipticE}\left(\frac{1}{3}, 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}\right) + (-a * b^2)^{1/3} / b * \operatorname{EllipticF}\left(\frac{1}{3}, 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}\right) \\ & - 2/3 * d * \operatorname{arctanh}\left(\frac{(b * x^3 + a)^{1/2}}{a^{1/2}}\right) / a^{1/2} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^2), x)

mupad [B] time = 5.96, size = 121, normalized size = 0.22

$$\frac{d \ln \left(\frac{(\sqrt{bx^3+a}-\sqrt{a})^3 (\sqrt{bx^3+a}+\sqrt{a})}{x^6} \right)}{3\sqrt{a}} - \frac{2c \sqrt{\frac{a}{bx^3}+1} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; -\frac{a}{bx^3}\right)}{5x \sqrt{bx^3+a}} + \frac{ex \sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{bx^3+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^(1/2)),x)

[Out] (d*log((((a + b*x^3)^(1/2) - a^(1/2))^3*((a + b*x^3)^(1/2) + a^(1/2))))/x^6)/(3*a^(1/2)) - (2*c*(a/(b*x^3) + 1)^(1/2)*hypergeom([1/2, 5/6], 11/6, -a/(b*x^3)))/(5*x*(a + b*x^3)^(1/2)) + (e*x*((b*x^3)/a + 1)^(1/2)*hypergeom([1/3, 1/2], 4/3, -(b*x^3)/a))/(a + b*x^3)^(1/2)

sympy [A] time = 3.24, size = 107, normalized size = 0.20

$$\frac{c\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, \frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a} x \Gamma\left(\frac{2}{3}\right)} - \frac{2d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3}}\right)}{3\sqrt{a}} + \frac{ex\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**(1/2),x)

[Out] c*gamma(-1/3)*hyper((-1/3, 1/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x*gamma(2/3)) - 2*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + e*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.436 \quad \int \frac{c+dx+ex^2}{x^3 \sqrt{a+bx^3}} dx$$

Optimal. Leaf size=569

$$\frac{\sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (2(1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\right)}{2\sqrt[4]{3}a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3 * e * \operatorname{arctanh}((b * x^3 + a)^{1/2} / a^{1/2}) / a^{1/2} - 1/2 * c * (b * x^3 + a)^{1/2} / a / x^2 - d * (b * x^3 + a)^{1/2} / a / x + b^{1/3} * d * (b * x^3 + a)^{1/2} / a / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})) - 1/2 * 3^{1/4} * b^{1/3} * d * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticE}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2}))), I * 3^{1/2} + 2 * I) * (1/2 * 6^{1/2} - 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} / a^{2/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} - 1/6 * 3^{3/4} * b^{1/3} * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticF}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2}))), I * 3^{1/2} + 2 * I) * (b^{1/3} * c + 2 * a^{1/3} * d * (1 - 3^{1/2})) * (1/2 * 6^{1/2} + 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} / a / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2}$

Rubi [A] time = 0.46, antiderivative size = 569, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (2(1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\right)}{2\sqrt[4]{3}a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d * x + e * x^2) / (x^3 * \operatorname{Sqrt}[a + b * x^3]), x]$

[Out] $-(c * \operatorname{Sqrt}[a + b * x^3]) / (2 * a * x^2) - (d * \operatorname{Sqrt}[a + b * x^3]) / (a * x) + (b^{1/3} * d * \operatorname{Sqrt}[a + b * x^3]) / (a * ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)) - (2 * e * \operatorname{ArcTanH}[\operatorname{Sqrt}[a + b * x^3] / \operatorname{Sqrt}[a]]) / (3 * \operatorname{Sqrt}[a]) - (3^{1/4} * \operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]] * b^{1/3} * d * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x] / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)], -7 - 4 * \operatorname{Sqrt}[3])) / (2 * a^{2/3} * \operatorname{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{Sqrt}[a + b * x^3]) - (\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]] * b^{1/3} * (b^{1/3} * c + 2 * (1 - \operatorname{Sqrt}[3]) * a^{1/3} * d) * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x] / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)], -7 - 4 * \operatorname{Sqrt}[3])) / (2 * 3^{1/4} * a * \operatorname{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{Sqrt}[a + b * x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)(x_.))^{(m_.)} * ((c_.) + (d_.)(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)} * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Den}$

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 \sqrt{a + bx^3}} dx &= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{\int \frac{-4ad - 4aex + bcx^2}{x^2 \sqrt{a + bx^3}} dx}{4a} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\int \frac{8a^2e - 2abcx + 4abdx^2}{x\sqrt{a + bx^3}} dx}{8a^2} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\int \frac{-2abc + 4abdx}{\sqrt{a + bx^3}} dx}{8a^2} + e \int \frac{1}{x\sqrt{a + bx^3}} dx \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{(b^{2/3}d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{2a} - \frac{(b^{2/3}(\sqrt[3]{b}c + 2(1 - \sqrt{3})\sqrt[3]{a}x))}{4a} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}d\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}d(\sqrt[3]{a} + \sqrt[3]{b}x)}{2a} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}d\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}}{2a}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 131, normalized size = 0.23

$$-\frac{c\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; -\frac{bx^3}{a}\right)}{2x^2\sqrt{a + bx^3}} - \frac{d\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; -\frac{bx^3}{a}\right)}{x\sqrt{a + bx^3}} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*Sqrt[a + b*x^3]), x]

[Out] $(-2e \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (c*\operatorname{Sqrt}[1 + (b*x^3)/a] * \operatorname{Hypergeometric2F1}[-2/3, 1/2, 1/3, -((b*x^3)/a)])/(2*x^2*\operatorname{Sqrt}[a + b*x^3]) - (d*\operatorname{Sqrt}[1 + (b*x^3)/a] * \operatorname{Hypergeometric2F1}[-1/3, 1/2, 2/3, -((b*x^3)/a)])/(x*\operatorname{Sqrt}[a + b*x^3])$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{bx^6 + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^6 + a*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^3), x)

maple [A] time = 0.06, size = 778, normalized size = 1.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x)

[Out] $c*(-1/2*(b*x^3+a)^{(1/2)}/a/x^2+1/6*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)})*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(-(b*x^3+a)^{(1/2)}/a/x-1/3*I/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))-2/3*e*arctanh((b*x^3+a)^{(1/2)}/a^(1/2))/a^(1/2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x^3 \sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^(1/2)),x)

[Out] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^(1/2)), x)

sympy [A] time = 3.43, size = 112, normalized size = 0.20

$$\frac{c\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a}x^2\Gamma\left(\frac{1}{3}\right)} + \frac{d\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, \frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a}x\Gamma\left(\frac{2}{3}\right)} - \frac{2e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{3\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**(1/2),x)
```

```
[Out] c*gamma(-2/3)*hyper((-2/3, 1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x**2*gamma(1/3)) + d*gamma(-1/3)*hyper((-1/3, 1/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x*gamma(2/3)) - 2*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))
```

$$3.437 \quad \int \frac{x^5(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=594

$$16\sqrt{2+\sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(14\sqrt[3]{b}d - 25(1-\sqrt{3})\sqrt[3]{a}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right) - 7 - 4$$

$$105\sqrt[4]{3}b^{8/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

[Out] $\frac{2}{3}x^2(-b^2cx^2+ae^2x+ad)/b^2+(b^2x^3+a)^{1/2}+4/3c(b^2x^3+a)^{1/2}/b^2+2/5d^2x^2(b^2x^3+a)^{1/2}/b^2+2/7e^2x^2(b^2x^3+a)^{1/2}/b^2-80/21ae(b^2x^3+a)^{1/2}/b^{8/3}/(b^{1/3}x+a^{1/3}(1+3^{1/2}))+40/21a^{4/3}e(a^{1/3}+b^{1/3}x)*\text{EllipticE}((b^{1/3}x+a^{1/3}(1-3^{1/2}))/((b^{1/3}x+a^{1/3}(1+3^{1/2}))), I*3^{1/2}+2*I)*(1/2*6^{1/2}-1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}*3^{1/4}/b^{8/3}/(b^2x^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}-16/315a*(a^{1/3}+b^{1/3}x)*\text{EllipticF}((b^{1/3}x+a^{1/3}(1-3^{1/2}))/((b^{1/3}x+a^{1/3}(1+3^{1/2}))), I*3^{1/2}+2*I)*(14*b^{1/3}d-25*a^{1/3}*e*(1-3^{1/2}))*((1/2*6^{1/2}+1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}*3^{3/4}/b^{8/3}/(b^2x^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}$

Rubi [A] time = 0.64, antiderivative size = 594, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1828, 1888, 1886, 261, 1878, 218, 1877}

$$16\sqrt{2+\sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(14\sqrt[3]{b}d - 25(1-\sqrt{3})\sqrt[3]{a}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right) - 7 - 4$$

$$105\sqrt[4]{3}b^{8/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $\frac{(2*x^2*(a*d + a*e*x - b^2*c*x^2))/(3*b^2*\text{Sqrt}[a + b*x^3]) + (4*c*\text{Sqrt}[a + b*x^3])/(3*b^2) + (2*d*x*\text{Sqrt}[a + b*x^3])/(5*b^2) + (2*e*x^2*\text{Sqrt}[a + b*x^3])/(7*b^2) - (80*a*e*\text{Sqrt}[a + b*x^3])/(21*b^{8/3}*((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)) + (40*\text{Sqrt}[2 - \text{Sqrt}[3])*a^{4/3}*e*(a^{1/3} + b^{1/3}x)*\text{Sqrt}[(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2]}{\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}x}{(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x}], -7 - 4*\text{Sqrt}[3])]/(7*3^{3/4}*b^{8/3}*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2]*\text{Sqrt}[a + b*x^3]) - (16*\text{Sqrt}[2 + \text{Sqrt}[3])*a*(14*b^{1/3}d - 25*(1 - \text{Sqrt}[3])*a^{1/3}e)*(a^{1/3} + b^{1/3}x)*\text{Sqrt}[(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2]}{\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}x}{(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x}], -7 - 4*\text{Sqrt}[3])]/(105*3^{1/4}*b^{8/3}*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s

$+ r*x)/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3] * \text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a]$

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p + 1)}/(b*n*(p + 1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{EqQ}[m, n - 1] \&\& \text{NeQ}[p, -1]$

Rule 1828

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{q = m + \text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IGtQ}[m, 0]$

Rule 1877

$\text{Int}[(c_) + (d_)*(x_)]/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \rightarrow \text{With}\{r = \text{Numerator}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/(1 + \text{Sqrt}[3])*s + r*x]^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{PosQ}[a] \&\& \text{EqQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[(c_) + (d_)*(x_)]/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \rightarrow \text{With}\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])*s + r*x]/\text{Sqrt}[a + b*x^3], x], x]] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{PosQ}[a] \&\& \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^{(n - 1)}*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^{(n - 1)}, x]*(a + b*x^n)^p, x] /; \text{FreeQ}\{a, b, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[Pq, x]\}, \text{With}\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^{(q - n)}, x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^{(q - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(q + n*p + 1)), x]] /; \text{NeQ}[q + n*p + 1, 0] \&\& q - n \geq 0 \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[p + (q + 1)/(2*n)]) /; \text{FreeQ}\{a, b, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} - \frac{2 \int \frac{a^2bd + 2a^2bex - 3ab^2cx^2 - \frac{3}{2}ab^2dx^3 - \frac{3}{2}ab^2ex^4}{\sqrt{a + bx^3}} dx}{3ab^3} \\
&= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} + \frac{2ex^2\sqrt{a + bx^3}}{7b^2} - \frac{4 \int \frac{\frac{7}{2}a^2b^2d + 10a^2b^2ex - \frac{21}{2}ab^3cx^2 - \frac{21}{4}ab^3dx^3}{\sqrt{a + bx^3}} dx}{21ab^4} \\
&= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} + \frac{2dx\sqrt{a + bx^3}}{5b^2} + \frac{2ex^2\sqrt{a + bx^3}}{7b^2} - \frac{8 \int \frac{14a^2b^3d + 25a^2b^3ex - \frac{105}{4}ab^4cx^2}{\sqrt{a + bx^3}} dx}{105ab^5} \\
&= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} + \frac{2dx\sqrt{a + bx^3}}{5b^2} + \frac{2ex^2\sqrt{a + bx^3}}{7b^2} - \frac{8 \int \frac{14a^2b^3d + 25a^2b^3ex}{\sqrt{a + bx^3}} dx}{105ab^5} + \frac{(2c)}{21b^4} \\
&= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} + \frac{4c\sqrt{a + bx^3}}{3b^2} + \frac{2dx\sqrt{a + bx^3}}{5b^2} + \frac{2ex^2\sqrt{a + bx^3}}{7b^2} - \frac{(40ae) \int \frac{(1-v)}{21b^4}}{21b^4} \\
&= \frac{2x(ad + aex - bcx^2)}{3b^2\sqrt{a + bx^3}} + \frac{4c\sqrt{a + bx^3}}{3b^2} + \frac{2dx\sqrt{a + bx^3}}{5b^2} + \frac{2ex^2\sqrt{a + bx^3}}{7b^2} - \frac{80ae}{21b^{8/3}} \left((1 + \sqrt{a + bx^3}) \right)
\end{aligned}$$

Mathematica [C] time = 0.13, size = 134, normalized size = 0.23

$$\frac{2 \left(-56adx \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 150aex^2 \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 70ac + 56adx - 150aex^2 + 35bcx \right)}{105b^2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(70*a*c + 56*a*d*x - 150*a*e*x^2 + 35*b*c*x^3 + 21*b*d*x^4 + 15*b*e*x^5 - 56*a*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + 150*a*e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a]))/(105*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^7 + dx^6 + cx^5)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((e*x^7 + d*x^6 + c*x^5)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^5}{(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^5/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.09, size = 836, normalized size = 1.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$e \cdot \left(\frac{2}{3} \frac{a x^2}{b^2 (x^3 + a/b) b} \right)^{1/2} + \frac{2}{7} (b x^3 + a)^{1/2} / b^2 x^2 + \frac{80}{63} I a / b^3 3^{1/2} (-a b^2)^{1/3} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2} * ((x - (-a b^2)^{1/3} / b) / (-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b))^{1/2} * (-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2} / (b x^3 + a)^{1/2} * ((-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * \text{EllipticE}(1/3 3^{1/2} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2}, (I 3^{1/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) / b)^{1/2})) + (-a b^2)^{1/3} / b * \text{EllipticF}(1/3 3^{1/2} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2}, (I 3^{1/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) / b)^{1/2})) + d * \left(\frac{2}{3} \frac{a x^2}{b^2 (x^3 + a/b) b} \right)^{1/2} * a / b^2 x + \frac{2}{5} (b x^3 + a)^{1/2} / b^2 x + \frac{32}{45} I a / b^3 3^{1/2} (-a b^2)^{1/3} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2} * ((x - (-a b^2)^{1/3} / b) / (-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b))^{1/2} * (-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2} / (b x^3 + a)^{1/2} * \text{EllipticF}(1/3 3^{1/2} (I (x + 1/2 (-a b^2)^{1/3} / b - 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) * 3^{1/2} / (-a b^2)^{1/3} b)^{1/2}, (I 3^{1/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I 3^{1/2} (-a b^2)^{1/3} / b) / b)^{1/2})) + c * \left(\frac{2}{3} \frac{a}{b^2 (x^3 + a/b) b} \right)^{1/2} + \frac{2}{3} (b x^3 + a)^{1/2} / b^2$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{3} c \left(\frac{\sqrt{b x^3 + a}}{b^2} + \frac{a}{\sqrt{b x^3 + a} b^2} \right) + \int \frac{(e x^7 + d x^6) \sqrt{b x^3 + a}}{b^2 x^6 + 2 a b x^3 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] $\frac{2}{3} c * (\text{sqrt}(b * x^3 + a) / b^2 + a / (\text{sqrt}(b * x^3 + a) * b^2)) + \text{integrate}((e * x^7 + d * x^6) * \text{sqrt}(b * x^3 + a) / (b^2 * x^6 + 2 * a * b * x^3 + a^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)

[Out] int((x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 20.59, size = 129, normalized size = 0.22

$$c \left(\begin{array}{l} \frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} \quad \text{for } b \neq 0 \\ \frac{x^6}{6a^{\frac{3}{2}}} \quad \text{otherwise} \end{array} \right) + \frac{dx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{10}{3}\right)} + \frac{ex^8 \Gamma\left(\frac{8}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{8}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{11}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)

[Out] c*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + d*x**7*gamma(7/3)*hyper((3/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(10/3)) + e*x**8*gamma(8/3)*hyper((3/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(11/3))

$$3.438 \quad \int \frac{x^4(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=574

$$\frac{8\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (4a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7}{15\sqrt[3]{3} b^{7/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $\frac{2}{3}x(-b^2dx^2-b^2cx+ae)/b^2/(bx^3+a)^{1/2}+4/3d(bx^3+a)^{1/2}/b^2+2/5e^2x(bx^3+a)^{1/2}/b^2+8/3c(bx^3+a)^{1/2}/b^{5/3}/(b^{1/3}x+a^{1/3})^2(1+3^{1/2})-4/3a^{1/3}c(a^{1/3}+b^{1/3}x) \text{EllipticE}((b^{1/3}x+a^{1/3})/(1+3^{1/2}))/((b^{1/3}x+a^{1/3})^2(1+3^{1/2})), I3^{1/2}+2I(1/2*6^{1/2}-1/2*2^{1/2})((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}))^2(1+3^{1/2})^2)^{1/2}*3^{1/4}/b^{5/3}/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}))^2)^{1/2}-8/45a^{1/3}(a^{1/3}+b^{1/3}x) \text{EllipticF}((b^{1/3}x+a^{1/3})/(1+3^{1/2}))/((b^{1/3}x+a^{1/3})^2(1+3^{1/2})), I3^{1/2}+2I(4a^{2/3}e+5b^{2/3}c(1-3^{1/2}))(1/2*6^{1/2}+1/2*2^{1/2})((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}))^2(1+3^{1/2})^2)^{1/2}*3^{3/4}/b^{7/3}/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}))^2)^{1/2}$

Rubi [A] time = 0.47, antiderivative size = 574, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1828, 1888, 1886, 261, 1878, 218, 1877}

$$\frac{8\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (4a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7}{15\sqrt[3]{3} b^{7/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $\frac{(2*x*(a*e - b^2*c*x - b^2*d*x^2))/(3*b^2*\text{Sqrt}[a + b*x^3]) + (4*d*\text{Sqrt}[a + b*x^3])/(3*b^2) + (2*e*x*\text{Sqrt}[a + b*x^3])/(5*b^2) + (8*c*\text{Sqrt}[a + b*x^3])/(3*b^{5/3})*((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x) - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{1/3}*c*(a^{1/3} + b^{1/3}*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)], -7 - 4*\text{Sqrt}[3])/(3^{3/4})*b^{5/3}*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{Sqrt}[a + b*x^3]) - (8*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{1/3}*(5*(1 - \text{Sqrt}[3])*b^{2/3}*c + 4*a^{2/3}*e)*(a^{1/3} + b^{1/3}*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)], -7 - 4*\text{Sqrt}[3])/(15*3^{1/4})*b^{7/3}*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{1/4}*r*Sqrt[a + b*x^3]

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx &= \frac{2x(ae-bcx-bdx^2)}{3b^2\sqrt{a+bx^3}} - \frac{2\int \frac{a^2e-2abcx-3abdx^2-\frac{3}{2}abex^3}{\sqrt{a+bx^3}} dx}{3ab^2} \\
&= \frac{2x(ae-bcx-bdx^2)}{3b^2\sqrt{a+bx^3}} + \frac{2ex\sqrt{a+bx^3}}{5b^2} - \frac{4\int \frac{4a^2be-5ab^2cx-\frac{15}{2}ab^2dx^2}{\sqrt{a+bx^3}} dx}{15ab^3} \\
&= \frac{2x(ae-bcx-bdx^2)}{3b^2\sqrt{a+bx^3}} + \frac{2ex\sqrt{a+bx^3}}{5b^2} - \frac{4\int \frac{4a^2be-5ab^2cx}{\sqrt{a+bx^3}} dx}{15ab^3} + \frac{(2d)\int \frac{x^2}{\sqrt{a+bx^3}} dx}{b} \\
&= \frac{2x(ae-bcx-bdx^2)}{3b^2\sqrt{a+bx^3}} + \frac{4d\sqrt{a+bx^3}}{3b^2} + \frac{2ex\sqrt{a+bx^3}}{5b^2} + \frac{(4c)\int \frac{(1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3b^{4/3}} - \dots \\
&= \frac{2x(ae-bcx-bdx^2)}{3b^2\sqrt{a+bx^3}} + \frac{4d\sqrt{a+bx^3}}{3b^2} + \frac{2ex\sqrt{a+bx^3}}{5b^2} + \frac{8c\sqrt{a+bx^3}}{3b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)} - \dots
\end{aligned}$$

Mathematica [C] time = 0.13, size = 127, normalized size = 0.22

$$\frac{2\left(-15bcx^2\sqrt{\frac{bx^3}{a}}+1\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 8aex\sqrt{\frac{bx^3}{a}} + 1 {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 10ad + 8aex + 15bcx^2 + 5bdx^3}{15b^2\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(10*a*d + 8*a*e*x + 15*b*c*x^2 + 5*b*d*x^3 + 3*b*e*x^4 - 8*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 15*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]))/(15*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^6 + dx^5 + cx^4)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^4}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^4/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.05, size = 817, normalized size = 1.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$e*(2/3/((x^3+a/b)*b)^{(1/2)}*a/b^2*x+2/5*(b*x^3+a)^{(1/2)}/b^2*x+32/45*I*a/b^3*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(2/3/((x^3+a/b)*b)^{(1/2)}*a/b^2+2/3*(b*x^3+a)^{(1/2)}/b^2)+c*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x^2-8/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^4}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x^4/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)

[Out] int((x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 15.27, size = 129, normalized size = 0.22

$$d \left(\left\{ \begin{array}{ll} \frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^6}{6a^2} & \text{otherwise} \end{array} \right\} + \frac{cx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{8}{3}\right)} + \frac{ex^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{10}{3}\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)
```

```
[Out] d*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)),
  Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + c*x**5*gamma(5/3)*hyper((3/2, 5/3)
, (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(8/3)) + e*x**7*gamma(
7/3)*hyper((3/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma
(10/3))
```

$$3.439 \quad \int \frac{x^3(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=542

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}c-2(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[4]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*x*(e*x^2+d*x+c)/b/(b*x^3+a)^{(1/2)}+4/3*e*(b*x^3+a)^{(1/2)}/b^2+8/3*d*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-4/3*a^{(1/3)*d*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)*3^{(1/4)}/b^{(5/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)+4/9*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(b^{(1/3)*c-2*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)*3^{(3/4)}/b^{(5/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 542, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1828, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}c-2(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[4]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $(-2*x*(c + d*x + e*x^2))/(3*b*\text{Sqrt}[a + b*x^3]) + (4*e*\text{Sqrt}[a + b*x^3])/(3*b^2) + (8*d*\text{Sqrt}[a + b*x^3])/(3*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3^{(3/4)}*b^{(5/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) + (4*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{(1/3)*c} - 2*(1 - \text{Sqrt}[3])*a^{(1/3)*d})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3*3^{(1/4)}*b^{(5/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} - \frac{2 \int \frac{-abc - 2abdx - 3abex^2}{\sqrt{a + bx^3}} dx}{3ab^2} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} - \frac{2 \int \frac{-abc - 2abdx}{\sqrt{a + bx^3}} dx}{3ab^2} + \frac{(2e) \int \frac{x^2}{\sqrt{a + bx^3}} dx}{b} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{4e\sqrt{a + bx^3}}{3b^2} + \frac{(4d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3b^{4/3}} + \frac{(2(\sqrt[3]{b}c - 2(1 - \sqrt{3})))}{3b^4} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{4e\sqrt{a + bx^3}}{3b^2} + \frac{8d\sqrt{a + bx^3}}{3b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{4\sqrt{2 - \sqrt{3}}\sqrt[3]{a}d}{3b^4}
\end{aligned}$$

Mathematica [C] time = 0.12, size = 118, normalized size = 0.22

$$\frac{2 \left(bcx \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) - 3bdx^2 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 2ae - bcx + 3bdx^2 + bex^3 \right)}{3b^2 \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(2*a*e - b*c*x + 3*b*d*x^2 + b*e*x^3 + b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] - 3*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a]))/(3*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^5 + dx^4 + cx^3)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^3/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.05, size = 800, normalized size = 1.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)
[Out] e*(2/3/((x^3+a/b)*b)^(1/2)*a/b^2+2/3*(b*x^3+a)^(1/2)/b^2)+d*(-2/3/((x^3+a/b)
)*b)^(1/2)/b*x^2-8/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/
b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b
^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^1/2)*
(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2
)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*
b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2
)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/
3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2
)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-
a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-
3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+c*(-2/3/(
(x^3+a/b)*b)^(1/2)/b*x-4/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(
1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x
-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^1
/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-
a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*
b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2
), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(
1/3)/b)/b)^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")
[Out] integrate((e*x^2 + d*x + c)*x^3/(b*x^3 + a)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (ex^2 + dx + c)}{(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)
[Out] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)
```

sympy [A] time = 12.50, size = 129, normalized size = 0.24

$$e \left(\left(\frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} \right) \text{ for } b \neq 0 \right. \\ \left. \frac{x^6}{6a^2} \text{ otherwise} \right) + \frac{cx^4\Gamma\left(\frac{4}{3}\right)_2F_1\left(\frac{4}{3}, \frac{3}{2} \left| \frac{bx^3e^{i\pi}}{a} \right. \right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{dx^5\Gamma\left(\frac{5}{3}\right)_2F_1\left(\frac{3}{2}, \frac{5}{3} \left| \frac{bx^3e^{i\pi}}{a} \right. \right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)
```

```
[Out] e*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)),
  Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + c*x**4*gamma(4/3)*hyper((4/3, 3/2)
, (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3)) + d*x**5*gamma(
5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(
8/3))
```

$$3.440 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=522

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}d-2(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*(e*x^2+d*x+c)/b/(b*x^3+a)^{(1/2)}+8/3*e*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-4/3*a^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(1/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+4/9*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(b^{(1/3)}*d-2*a^{(1/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1823, 1878, 218, 1877}

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}d-2(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^{(3/2)}, x]$

[Out] $(-2*(c + d*x + e*x^2))/(3*b*\text{Sqrt}[a + b*x^3]) + (8*e*\text{Sqrt}[a + b*x^3])/(3*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])/(3^{(3/4)}*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) + (4*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{(1/3)}*d - 2*(1 - \text{Sqrt}[3])*a^{(1/3)}*e)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])/(3*3^{(1/4)}*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /; \text{FreeQ}[\{a, b\}, x] \& \& \text{PosQ}[a]$

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{2 \int \frac{d+2ex}{\sqrt{a+bx^3}} dx}{3b} \\ &= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{(4e) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3b^{4/3}} + \frac{\left(2\left(d - \frac{2(1-\sqrt{3})\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\right) \int \frac{1}{\sqrt{a+bx^3}} dx}{3b} \\ &= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{8e\sqrt{a + bx^3}}{3b^{5/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x\right)} - \frac{4\sqrt{2 - \sqrt{3}}\sqrt[3]{a}e(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^2}{(1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}}}{3^{3/4}b^{5/3}} \end{aligned}$$

Mathematica [C] time = 0.10, size = 107, normalized size = 0.20

$$\frac{2dx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 2\left(3ex^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + c + x(d - 3ex)\right)}{3b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]
```

```
[Out] (2*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] -
2*(c + x*(d - 3*e*x) + 3*e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3,
3/2, 5/3, -((b*x^3)/a)])/(3*b*Sqrt[a + b*x^3])
```

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^4 + dx^3 + cx^2)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral((e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^2}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^2/(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 779, normalized size = 1.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$e \cdot (-2/3 / ((x^3+a/b) \cdot b)^{(1/2)} / b \cdot x^2 - 8/9 \cdot I / b^2 \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} \cdot (I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b - 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)} \cdot ((x - (-a \cdot b^2)^{(1/3)} / b) / (-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b))^{(1/2)} \cdot (-I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)} / (b \cdot x^3 + a)^{(1/2)} \cdot ((-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot \text{EllipticE}(1/3 \cdot 3^{(1/2)} \cdot (I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b - 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)}, (I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / (-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) / b)^{(1/2)} + (-a \cdot b^2)^{(1/3)} / b \cdot \text{EllipticF}(1/3 \cdot 3^{(1/2)} \cdot (I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b - 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)}, (I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / (-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) / b)^{(1/2)})) + d \cdot (-2/3 / ((x^3+a/b) \cdot b)^{(1/2)} / b \cdot x - 4/9 \cdot I / b^2 \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} \cdot (I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b - 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)} \cdot ((x - (-a \cdot b^2)^{(1/3)} / b) / (-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b))^{(1/2)} \cdot (-I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)} / (b \cdot x^3 + a)^{(1/2)} \cdot \text{EllipticF}(1/3 \cdot 3^{(1/2)} \cdot (I \cdot (x+1/2) \cdot (-a \cdot b^2)^{(1/3)} / b - 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) \cdot 3^{(1/2)} / (-a \cdot b^2)^{(1/3)} \cdot b)^{(1/2)}, (I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / (-3/2 \cdot (-a \cdot b^2)^{(1/3)} / b + 1/2 \cdot I \cdot 3^{(1/2)} \cdot (-a \cdot b^2)^{(1/3)} / b) / b)^{(1/2)})) - 2/3 \cdot c / b / (b \cdot x^3 + a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{2c}{3\sqrt{bx^3 + ab}} + \int \frac{(ex^4 + dx^3)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] $-2/3*c/(\text{sqrt}(b*x^3 + a)*b) + \text{integrate}((e*x^4 + d*x^3)*\text{sqrt}(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)$

[Out] $\text{int}((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)$

sympy [A] time = 11.43, size = 109, normalized size = 0.21

$$c \begin{cases} -\frac{2}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^3}{3a^2} & \text{otherwise} \end{cases} + \frac{dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{7}{3}\right)} + \frac{ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**2*(e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)$

[Out] $c*\text{Piecewise}((-2/(3*b*\text{sqrt}(a + b*x**3)), \text{Ne}(b, 0)), (x**3/(3*a**(3/2)), \text{True})) + d*x**4*\text{gamma}(4/3)*\text{hyper}((4/3, 3/2), (7/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*a**(3/2)*\text{gamma}(7/3)) + e*x**5*\text{gamma}(5/3)*\text{hyper}((3/2, 5/3), (8/3,), b*x**3*\text{exp_polar}(I*\text{pi})/a)/(3*a**(3/2)*\text{gamma}(8/3))$

$$3.441 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=561

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(2a^{2/3}e+b^{2/3}(c-\sqrt{3}c))F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)|-7-4\sqrt{3}}{3^4\sqrt{3}a^{2/3}b^{4/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^{(1/2)}-2/3*d*(b*x^3+a)^{(1/2)}/a/b-2/3*c*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*c*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/9*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(2*a^{(2/3)*e+b^{(2/3)*c-c*3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^{(2/3)}/b^{(4/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)})$

Rubi [A] time = 0.32, antiderivative size = 561, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {1828, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(2a^{2/3}e+b^{2/3}(c-\sqrt{3}c))F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)|-7-4\sqrt{3}}{3^4\sqrt{3}a^{2/3}b^{4/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $(-2*x*(a*e - b*c*x - b*d*x^2))/(3*a*b*\text{Sqrt}[a + b*x^3]) - (2*d*\text{Sqrt}[a + b*x^3])/(3*a*b) - (2*c*\text{Sqrt}[a + b*x^3])/(3*a*b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*c*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3^{(3/4)}*a^{(2/3)*b^{(2/3)*x}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{(2/3)*c - \text{Sqrt}[3]*c} + 2*a^{(2/3)*e}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]))/(3*3^{(1/4)}*a^{(2/3)*b^{(4/3)*x}*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(1 - Sqrt[3])*s + r*x]/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3])/(3^{(1/4)}*r*Sqrt[a + b*x^3

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-ae + \frac{bcx}{2} + \frac{3}{2}bdx^2}{\sqrt{a+bx^3}} dx}{3ab} \\
&= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-ae + \frac{bcx}{2}}{\sqrt{a+bx^3}} dx}{3ab} - \frac{d \int \frac{x^2}{\sqrt{a+bx^3}} dx}{a} \\
&= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab} - \frac{c \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(\frac{(1-\sqrt{3})b^{2/3}c}{a^{2/3}} + 2e\right) \int \sqrt{2-\sqrt{3}} c}{3b} \\
&= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab} - \frac{2c\sqrt{a + bx^3}}{3ab^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt{2-\sqrt{3}} c}{3b}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 108, normalized size = 0.19

$$\frac{3bcx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4aex\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 4a(d + ex)}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (-4*a*(d + e*x) + 4*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)])/(6*a*b*Sqrt[a + b*x^3])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^3 + dx^2 + cx)}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^3 + d*x^2 + c*x)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.13, size = 782, normalized size = 1.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)`

[Out]
$$e^{(-2/3)/((x^3+a/b)*b)^{1/2}/b*x-4/9*I/b^2*3^{1/2}}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3})*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)/b)^{1/2})) - 2/3*d/b/(b*x^3+a)^{1/2} + c*(2/3)/((x^3+a/b)*b)^{1/2}/a*x^2+2/9*I/a*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3})*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3})*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)/b)^{1/2})) + (-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3})*b)^{1/2}, (I*3^{1/2})*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)/b)^{1/2}))))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d*x + c)*x/(b*x^3 + a)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)`

[Out] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)`

sympy [A] time = 11.08, size = 109, normalized size = 0.19

$$d \left(\begin{cases} -\frac{2}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^3}{3a^2} & \text{otherwise} \end{cases} \right) + \frac{cx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{ex^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)`

[Out] `d*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/`

$$\frac{(3a^{3/2}\Gamma(5/3) + e^{x^4}\Gamma(4/3)\text{hyper}((4/3, 3/2), (7/3,), b^{x^3} \\ 3\exp_{\text{polar}}(I\pi)/a))/(3a^{3/2}\Gamma(7/3))}{}$$

$$3.442 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=532

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*(a*e-b*x*(d*x+c))/a/b/(b*x^3+a)^{(1/2)}-2/3*d*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})+1/3*d*(a^{(1/3)}+b^{(1/3)*x})*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})}, I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}+2/9*(a^{(1/3)}+b^{(1/3)*x})*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})}, I*3^{(1/2)}+2*I)*(b^{(1/3)*c+a^{(1/3)*d*(1-3^{(1/2))})}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}*3^{(3/4)}/a/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 532, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1854, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^(3/2), x]

[Out] $(-2*d*\text{Sqrt}[a + b*x^3])/(3*a*b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*(a*e - b*x*(c + d*x)))/(3*a*b*\text{Sqrt}[a + b*x^3]) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3^{(3/4)}*a^{(2/3)*b^{(1/3)*x}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{(1/3)*c} + (1 - \text{Sqrt}[3])*a^{(1/3)*d}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3*3^{(1/4)}*a*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(1 - Sqrt[3])*s + r*x]/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
  q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
  [Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
  + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
  0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
  umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
  ]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
  imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
  (1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
  rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
  ((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
  Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
  umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
  [a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
  (5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a + bx^3)^{3/2}} dx &= -\frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{c}{2} + \frac{dx}{2}}{\sqrt{a + bx^3}} dx}{3a} \\ &= -\frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} - \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(c + \frac{(1-\sqrt{3})\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{a + bx^3}} dx}{3a} \\ &= -\frac{2d\sqrt{a + bx^3}}{3ab^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x\right)} - \frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} + \frac{\sqrt{2 - \sqrt{3}} d \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3} - \dots}{(1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}}}{3^{3/4} a^{2/3} b^{2/3}} \end{aligned}$$

Mathematica [C] time = 0.08, size = 109, normalized size = 0.20

$$\frac{2bcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3bdx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4ae + 4bcx}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^(3/2), x]

[Out] (-4*a*e + 4*b*c*x + 2*b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 3*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a])/(6*a*b*Sqrt[a + b*x^3])

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3+a}(ex^2+dx+c)}{b^2x^6+2abx^3+a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3+a)*(e*x^2+d*x+c)/(b^2*x^6+2*a*b*x^3+a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2+dx+c}{(bx^3+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2), x)

maple [A] time = 0.05, size = 785, normalized size = 1.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$\begin{aligned} & -2/3*e/b/(b*x^3+a)^{(1/2)}+d*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x^2+2/9*I/a^3^{(1/2)}*(\\ & -a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)* \\ & 3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/ \\ & b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3 \\ & 3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*(\\ & (-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)} \\ &)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2 \\ & 2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)} \\ & (1/2)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I \\ & *(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(\\ & 1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x-2/9*I/a^3^{(1 \\ & /2)*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3) \\ &)/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(\\ & 1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1 \\ & /2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1 \\ & /2)*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2) \\ & ^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2* \\ & -a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2+dx+c}{(bx^3+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d x + c}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^(3/2), x)

[Out] int((c + d*x + e*x^2)/(a + b*x^3)^(3/2), x)

sympy [A] time = 10.86, size = 107, normalized size = 0.20

$$e \left(\begin{cases} -\frac{2}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^3}{3a^2} & \text{otherwise} \end{cases} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)

[Out] e*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3))

$$3.443 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=579

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}((1-\sqrt{3})\sqrt[3]{a}e+\sqrt[3]{b}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*c*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+2/3*x*(-b*c*x^2+a*e*x+a*d)/a^2/(b*x^3+a)^{(1/2)}+2/3*c*(b*x^3+a)^{(1/2)}/a^2-2/3*e*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*e*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/9*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}),I*3^{(1/2)}+2*I)*(b^{(1/3)*d+a^{(1/3)*e*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(3/4)}/a/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 579, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}((1-\sqrt{3})\sqrt[3]{a}e+\sqrt[3]{b}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2)/(x*(a + b*x^3)^{(3/2)}), x]$

[Out] $(2*x*(a*d + a*e*x - b*c*x^2))/(3*a^2*\operatorname{Sqrt}[a + b*x^3]) + (2*c*\operatorname{Sqrt}[a + b*x^3])/((3*a^2) - (2*e*\operatorname{Sqrt}[a + b*x^3])/((3*a*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*a^{(3/2)}) + (\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*e*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}))], -7 - 4*\operatorname{Sqrt}[3]))/(3^{(3/4)}*a^{(2/3)*b^{(2/3)*x}*\operatorname{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) + (2*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*(b^{(1/3)*d} + (1 - \operatorname{Sqrt}[3])*a^{(1/3)*e}*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}))], -7 - 4*\operatorname{Sqrt}[3]))/(3*3^{(1/4)}*a*b^{(2/3)*\operatorname{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] :> \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Den}$

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1829

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{x(a + bx^3)^{3/2}} dx &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{3bc}{2} - \frac{bdx}{2} + \frac{1}{2}bex^2 - \frac{3b^2cx^3}{2a}}{x\sqrt{a+bx^3}} dx}{3ab} \\ &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{bd}{2} + \frac{bex}{2} - \frac{3b^2cx^2}{2a}}{\sqrt{a+bx^3}} dx}{3ab} + \frac{c \int \frac{1}{x\sqrt{a+bx^3}} dx}{a} \\ &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{bd}{2} + \frac{bex}{2}}{\sqrt{a+bx^3}} dx}{3ab} + \frac{c \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, x^3\right)}{3a} + \frac{(bc) \int \frac{x^2}{\sqrt{a+bx^3}} dx}{a^2} \\ &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2c\sqrt{a + bx^3}}{3a^2} + \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^3}\right)}{3ab} - \frac{e \int \frac{(1-\sqrt{3})}{\sqrt{a+bx^3}} dx}{3a} \\ &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2c\sqrt{a + bx^3}}{3a^2} - \frac{2e\sqrt{a + bx^3}}{3ab^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3} \right)} - \frac{2c \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{3a^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.12, size = 119, normalized size = 0.21

$$\frac{4c {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^3}{a} + 1\right) + x \left(2d \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3ex \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4d \right)}{6a\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x]
```

```
[Out] (4*c*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^3)/a] + x*(4*d + 2*d*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 3*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a]))/(6*a*Sqrt[a + b*x^3])
```

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{b^2x^7 + 2abx^4 + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b^2*x^7 + 2*a*b*x^4 + a^2*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x), x)

maple [A] time = 0.05, size = 810, normalized size = 1.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)/a*x^2+2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2)*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(2/3/((x^3+a/b)*b)^(1/2)/a*x-2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+c*(2/3/a/((x^3+a/b)*b)^(1/2)-2/3*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x)`

[Out] `int((c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x)`

sympy [A] time = 16.57, size = 265, normalized size = 0.46

$$c \left(\frac{2a^3 \sqrt{1 + \frac{bx^3}{a}}}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^2 bx^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^2 bx^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} \right) + d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/x/(b*x**3+a)**(3/2), x)`

[Out] `c*(2*a**3*sqrt(1 + b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**2*b*x**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**2*b*x**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3)) + d*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + e*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3))`

$$3.444 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=607

$$\frac{\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(5(1-\sqrt{3})b^{2/3}c-2a^{2/3}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{3\sqrt[4]{3}a^{5/3}\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+2/3*x*(-b*d*x^2-b*c*x+a*e)/a^2/(b*x^3+a)^{(1/2)}+2/3*d*(b*x^3+a)^{(1/2)}/a^2-c*(b*x^3+a)^{(1/2)}/a^2/x+5/3*b^{(1/3)}*c*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-5/6*b^{(1/3)}*c*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(1/4)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}-1/9*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))), I*3^{(1/2)}+2*I)*(-2*a^{(2/3)}*e+5*b^{(2/3)}*c*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/a^{(5/3)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 607, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1829, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(5(1-\sqrt{3})b^{2/3}c-2a^{2/3}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{3\sqrt[4]{3}a^{5/3}\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^{(3/2)}), x]$

[Out] $(2*x*(a*e - b*c*x - b*d*x^2))/(3*a^2*\operatorname{Sqrt}[a + b*x^3]) + (2*d*\operatorname{Sqrt}[a + b*x^3])/ (3*a^2) - (c*\operatorname{Sqrt}[a + b*x^3])/(a^2*x) + (5*b^{(1/3)}*c*\operatorname{Sqrt}[a + b*x^3])/ (3*a^2*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (2*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*a^{(3/2)}) - (5*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(1/3)}*c*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(2*3^{(3/4)}*a^{(5/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*(5*(1 - \operatorname{Sqrt}[3])*b^{(2/3)}*c - 2*a^{(2/3)}*e)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(3*3^{(1/4)}*a^{(5/3)}*b^{(1/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p)/b)^n, x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \text{:>} \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^3), x_Symbol] \text{:>} \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(3^{1/4}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a]$

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \text{:>} \text{Simp}[(a + b*x^n)^{(p + 1)}/(b*n*(p + 1)), x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{EqQ}[m, n - 1] \&\& \text{NeQ}[p, -1]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \text{:>} \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \text{:>} \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}], \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_ + (b_)*(x_)^{(n_)})]), x_Symbol] \text{:>} \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \text{:>} \text{With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(2*a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*\text{ExpandToSum}[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^{(n - 1)}], x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{x^2(a + bx^3)^{3/2}} dx &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{3bc}{2} - \frac{3bdx}{2} - \frac{1}{2}bex^2 - \frac{b^2cx^3}{2a} - \frac{3b^2dx^4}{2a}}{x^2\sqrt{a+bx^3}} dx}{3ab} \\ &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} - \frac{c\sqrt{a + bx^3}}{a^2x} + \frac{\int \frac{3abd+abex+\frac{5}{2}b^2cx^2+3b^2dx^3}{x\sqrt{a+bx^3}} dx}{3a^2b} \\ &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} - \frac{c\sqrt{a + bx^3}}{a^2x} + \frac{\int \frac{abe+\frac{5}{2}b^2cx+3b^2dx^2}{\sqrt{a+bx^3}} dx}{3a^2b} + \frac{d \int \frac{1}{x\sqrt{a+bx^3}} dx}{a} \\ &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} - \frac{c\sqrt{a + bx^3}}{a^2x} + \frac{\int \frac{abe+\frac{5}{2}b^2cx}{\sqrt{a+bx^3}} dx}{3a^2b} + \frac{d \text{Subst}\left(\int \frac{1}{x\sqrt{a+bx^3}} dx, x, x^3\right)}{3a} + \dots \\ &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2d\sqrt{a + bx^3}}{3a^2} - \frac{c\sqrt{a + bx^3}}{a^2x} + \frac{(5b^{2/3}c) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{6a^2} + \dots \\ &= \frac{2x(ae - bcx - bdx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2d\sqrt{a + bx^3}}{3a^2} - \frac{c\sqrt{a + bx^3}}{a^2x} + \frac{5\sqrt[3]{b}c\sqrt{a + bx^3}}{3a^2((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2d}{\dots} \end{aligned}$$

Mathematica [C] time = 0.11, size = 121, normalized size = 0.20

$$\frac{-3c\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{1}{3}, \frac{3}{2}; \frac{2}{3}; -\frac{bx^3}{a}\right) + 2dx {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^3}{a} + 1\right) + ex^2\left(\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 2\right)}{3ax\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^(3/2)),x]

[Out] (2*d*x*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^3)/a] - 3*c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-1/3, 3/2, 2/3, -((b*x^3)/a)] + e*x^2*(2 + Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)]))/(3*a*x*Sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3+a}(ex^2+dx+c)}{b^2x^8+2abx^5+a^2x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b^2*x^8 + 2*a*b*x^5 + a^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x^2), x)

maple [A] time = 0.06, size = 825, normalized size = 1.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)/a*x-2/9*I/a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+c*(-2/3/((x^3+a/b)*b)^(1/2)/a^2*b*x^2-(b*x^3+a)^(1/2)/a^2/x-5/9*I/a^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*(((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(2/3/((x^3+a/b)*b)^(1/2)/a-2/3*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x^2), x)

mupad [B] time = 5.80, size = 136, normalized size = 0.22

$$\frac{2d}{3a\sqrt{bx^3+a}} + \frac{d \ln\left(\frac{(\sqrt{bx^3+a}-\sqrt{a})^3(\sqrt{bx^3+a}+\sqrt{a})}{x^6}\right)}{3a^{3/2}} - \frac{2c\left(\frac{a}{bx^3}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{11}{6}; \frac{17}{6}; -\frac{a}{bx^3}\right)}{11x(bx^3+a)^{3/2}} + \frac{ex\left(\frac{bx^3}{a}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{11}{6}; \frac{17}{6}; -\frac{a}{bx^3}\right)}{(bx^3+a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^(3/2)),x)

[Out] (2*d)/(3*a*(a + b*x^3)^(1/2)) + (d*log(((a + b*x^3)^(1/2) - a^(1/2))^3*((a + b*x^3)^(1/2) + a^(1/2)))/x^6)/(3*a^(3/2)) - (2*c*(a/(b*x^3) + 1)^(3/2)*hypergeom([3/2, 11/6], 17/6, -a/(b*x^3)))/(11*x*(a + b*x^3)^(3/2)) + (e*x*(b*x^3/a + 1)^(3/2)*hypergeom([1/3, 3/2], 4/3, -(b*x^3)/a))/(a + b*x^3)^(3/2)

sympy [A] time = 18.30, size = 267, normalized size = 0.44

$$d \left(\frac{2a^3 \sqrt{1 + \frac{bx^3}{a}}}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^2 bx^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^2 bx^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**(3/2),x)

[Out] d*(2*a**3*sqrt(1 + b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**2*b*x**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**2*b*x**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3)) + c*gamma(-1/3)*hyper((-1/3, 3/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*x*gamma(2/3)) + e*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3))

3.445 $\int x^3 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=733

$$\frac{12\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(19bd-10ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-4/45*a^2*e*(b*x^3+a)^{(1/2)}/b^2+6/935*a*(-8*a*f+17*b*c)*x*(b*x^3+a)^{(1/2)}/b^2+6/1729*a*(-10*a*g+19*b*d)*x^2*(b*x^3+a)^{(1/2)}/b^2+2/45*a*e*x^3*(b*x^3+a)^{(1/2)}/b+6/187*a*f*x^4*(b*x^3+a)^{(1/2)}/b+6/247*a*g*x^5*(b*x^3+a)^{(1/2)}/b+2/692835*x^3*(36465*g*x^5+40755*f*x^4+46189*e*x^3+53295*d*x^2+62985*c*x)*(b*x^3+a)^{(1/2)}-24/1729*a^2*(-10*a*g+19*b*d)*(b*x^3+a)^{(1/2)}/b^{(8/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+12/1729*3^{(1/4)}*a^{(7/3)}*(-10*a*g+19*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(8/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}-4/1616615*3^{(3/4)}*a^2*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1729*b^{(1/3)}*(-8*a*f+17*b*c)-1870*a^{(1/3)}*(-10*a*g+19*b*d)*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)}))*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(8/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.91, antiderivative size = 733, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt[3]{4}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)(1729\sqrt[3]{b}(17bc-8a))}{1616615b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[x^3*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(-4*a^2*e*\text{Sqrt}[a + b*x^3])/(45*b^2) + (6*a*(17*b*c - 8*a*f)*x*\text{Sqrt}[a + b*x^3])/(935*b^2) + (6*a*(19*b*d - 10*a*g)*x^2*\text{Sqrt}[a + b*x^3])/(1729*b^2) + (2*a*e*x^3*\text{Sqrt}[a + b*x^3])/(45*b) + (6*a*f*x^4*\text{Sqrt}[a + b*x^3])/(187*b) + (6*a*g*x^5*\text{Sqrt}[a + b*x^3])/(247*b) - (24*a^2*(19*b*d - 10*a*g)*\text{Sqrt}[a + b*x^3])/(1729*b^{(8/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (2*x^3*\text{Sqrt}[a + b*x^3]*(62985*c*x + 53295*d*x^2 + 46189*e*x^3 + 40755*f*x^4 + 36465*g*x^5))/692835 + (12*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(7/3)}*(19*b*d - 10*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]))/(1729*b^{(8/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) - (4*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^2*(1729*b^{(1/3)}*(17*b*c - 8*a*f) - 1870*(1 - \text{Sqrt}[3])*a^{(1/3)}*(19*b*d - 10*a*g))*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]))/(1616615*b^{(8/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

)*(a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^n_, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1826

Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*

$(5 - 3\sqrt{3})a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \text{ :> } \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^{(n - 1)}*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^{(n - 1)}, x]*(a + b*x^n)^p, x] \text{ /; } \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \text{ :> } \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^{(q - n)}, x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^{(q - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(q + n*p + 1)), x]] \text{ /; } \text{NeQ}[q + n*p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[p + (q + 1)/(2*n)])] \text{ /; } \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= -\frac{4a^2e \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835} \\
&= -\frac{4a^2e \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4)}{692835}
\end{aligned}$$

Mathematica [C] time = 0.46, size = 172, normalized size = 0.23

$$2\sqrt{a + bx^3} \left(- (a + bx^3) \sqrt{\frac{bx^3}{a}} + 1 (a(92378e + 90x(988f + 935gx)) - 3bx (62985c + 11x (4845d + 13x (323e + 285fx + 255gx^2)))) + 11115a(-17bc + 8af)x \operatorname{Hypergeometric2F1}[-1/2, 1/3, 4/3, -(bx^3)/a] + 8415a(-19bd + 10ag)x^2 \operatorname{Hypergeometric2F1}[-1/2, 2/3, 5/3, -(bx^3)/a] \right) / (2078505b^2 \sqrt{1 + (bx^3)/a})$$

2078505

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*Sqrt[a + b*x^3]*(-(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(a*(92378*e + 90*x*(988*f + 935*g*x)) - 3*b*x*(62985*c + 11*x*(4845*d + 13*x*(323*e + 285*f*x + 255*g*x^2)))) + 11115*a*(-17*b*c + 8*a*f)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] + 8415*a*(-19*b*d + 10*a*g)*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(2078505*b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^7 + fx^6 + ex^5 + dx^4 + cx^3\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^7 + f*x^6 + e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x^3, x)

maple [B] time = 0.09, size = 1674, normalized size = 2.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)

[Out] g*(2/19*(b*x^3+a)^(1/2)*x^8+6/247*(b*x^3+a)^(1/2)*a/b*x^5-60/1729*(b*x^3+a)^(1/2)*a^2/b^2*x^2-80/1729*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+f*(2/17*(b*x^3+a)^(1/2)*x^7+6/187*(b*x^3+a)^(1/2)*a/b*x^4-48/935*(b*x^3+a)^(1/2)*a^2/b^2*x-32/935*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+e*(2/15*x^6*(b*x^3+a)^(1/2)+2/45*a/b*x^3*(b*x^3+a)^(1/2)-4/45*a^2/b^2*(b*x^3+a)^(1/2))+d*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b

$^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(2/11*(b*x^3+a)^{(1/2)}*x^4+6/55*(b*x^3+a)^{(1/2)}*a/b*x+4/55*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^3*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.84, size = 238, normalized size = 0.32

$$\frac{\sqrt{a} cx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} dx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a} fx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{\sqrt{a} gx^8 \Gamma\left(\frac{8}{3}\right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + e*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

3.446 $\int x^2 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=681

$$\frac{12\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{91b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} - \frac{24a^2e\sqrt{a+bx^3}}{91b^{5/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}$$

[Out] $\frac{2}{45}a(-2af+5bc)(bx^3+a)^{1/2}/b^2+6/935a(-8ag+17bd)xx(bx^3+a)^{1/2}/b^2+6/91ae^2(bx^3+a)^{1/2}/b+2/45afx^3(bx^3+a)^{1/2}/b+6/187agx^4(bx^3+a)^{1/2}/b+2/109395x^2(6435gx^5+7293fx^4+8415ex^3+9945dx^2+12155cx)(bx^3+a)^{1/2}-24/91a^2e(bx^3+a)^{1/2}/b^{5/3}/(b^{1/3}xa^{1/3}(1+3^{1/2}))+12/913^{1/4}a^{7/3}e(a^{1/3}+b^{1/3})x*\text{EllipticE}((b^{1/3}xa^{1/3}(1-3^{1/2}))/((b^{1/3}xa^{1/3}(1+3^{1/2}))),I3^{1/2}+2I)*(1/2*6^{1/2}-1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}xa^{1/3}(1+3^{1/2})))^2)^{1/2}/b^{5/3}/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3}x)/(b^{1/3}xa^{1/3}(1+3^{1/2})))^2)^{1/2}-4/85085*3^{3/4}a^2(a^{1/3}+b^{1/3}x)*\text{EllipticF}((b^{1/3}xa^{1/3}(1-3^{1/2}))/((b^{1/3}xa^{1/3}(1+3^{1/2}))),I3^{1/2}+2I)*(1547bd-728ag-1870a^{1/3}b^{2/3}e*(1-3^{1/2}))*((1/2*6^{1/2}+1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}xa^{1/3}(1+3^{1/2})))^2)^{1/2}/b^{7/3}/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3}x)/(b^{1/3}xa^{1/3}(1+3^{1/2})))^2)^{1/2}$

Rubi [A] time = 1.42, antiderivative size = 681, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt[3]{4}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(-1870(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-728ag+1547bd)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)}{85085b^{7/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[x^2*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(2a(5bc-2af)*\text{Sqrt}[a+bx^3])/(45b^2)+(6a(17bd-8ag)xx*\text{Sqrt}[a+bx^3])/(935b^2)+(6ae^2*\text{Sqrt}[a+bx^3])/(91b)+(2afx^3*\text{Sqrt}[a+bx^3])/(45b)+(6agx^4*\text{Sqrt}[a+bx^3])/(187b)-(2a^2e*\text{Sqrt}[a+bx^3])/(91b^{5/3}*((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x))+(2x^2*\text{Sqrt}[a+bx^3]*(12155cx+9945dx^2+8415ex^3+7293fx^4+6435gx^5))/109395+(12*3^{1/4}*\text{Sqrt}[2-\text{Sqrt}[3]]*a^{7/3}e*(a^{1/3}+b^{1/3}x)*\text{Sqrt}[(a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3])a^{1/3}+b^{1/3}x]/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)],-7-4*\text{Sqrt}[3])/(91b^{5/3}*\text{Sqrt}[(a^{1/3}(a^{1/3}+b^{1/3}x))/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)^2]*\text{Sqrt}[a+bx^3])-(4*3^{3/4}*\text{Sqrt}[2+\text{Sqrt}[3]]*a^2*(1547bd-1870*(1-\text{Sqrt}[3])a^{1/3}b^{2/3}e-728ag)*(a^{1/3}+b^{1/3}x)*\text{Sqrt}[(a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)^2]*\text{EllipticF}[\text{ArcSin}[(1-\text{Sqrt}[3])a^{1/3}+b^{1/3}x]/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)],-7-4*\text{Sqrt}[3])/(85085b^{7/3}*\text{Sqrt}[(a^{1/3}(a^{1/3}+b^{1/3}x))/((1+\text{Sqrt}[3])a^{1/3}+b^{1/3}x)^2]*\text{Sqrt}[a+bx^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1826

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int x^2 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx = \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{2a(5bc - 2af) \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

$$= \frac{2a(5bc - 2af) \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435c^2)}{109395}$$

Mathematica [C] time = 0.30, size = 158, normalized size = 0.23

$$\frac{2\sqrt{a + bx^3} \left(- (a + bx^3) \sqrt{\frac{bx^3}{a} + 1} (26a(187f + 180gx) - b(12155c + 9945dx + 33x^2(255e + 13x(17f + 15gx)))) \right)}{109395b^2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*Sqrt[a + b*x^3]*(-(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(26*a*(187*f + 180*g*x) - b*(12155*c + 9945*d*x + 33*x^2*(255*e + 13*x*(17*f + 15*g*x)))) + 585*a*(-17*b*d + 8*a*g)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] - 84*15*a*b*e*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(109395*b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^6 + fx^5 + ex^4 + dx^3 + cx^2\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^6 + f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x^2, x)

maple [B] time = 0.06, size = 1197, normalized size = 1.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)

[Out] g*(2/17*(b*x^3+a)^(1/2)*x^7+6/187*(b*x^3+a)^(1/2)*a/b*x^4-48/935*(b*x^3+a)^(1/2)*a^2/b^2*x-32/935*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+f*(2/15*(b*x^3+a)^(1/2)*x^6+2/45*(b*x^3+a)^(1/2)*a/b*x^3-4/45*(b*x^3+a)^(1/2)*a^2/b^2)+e*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)

$$\frac{2(bx^3 + a)^{\frac{3}{2}}c}{9b} + \int (gx^6 + fx^5 + ex^4 + dx^3)\sqrt{bx^3 + a} dx$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] 2/9*(b*x^3 + a)^(3/2)*c/b + integrate((g*x^6 + f*x^5 + e*x^4 + d*x^3)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^2*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.69, size = 223, normalized size = 0.33

$$\frac{\sqrt{a} dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{4}{3}}{\frac{7}{3}} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{3}}{\frac{8}{3}} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a} gx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{7}{3}}{\frac{10}{3}} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)} + c \left(\frac{\sqrt{a} x^3}{3} + \frac{2(a+bx^3)^{\frac{3}{2}}}{9b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*d*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*e*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*g*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + c*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + f*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

3.447 $\int x\sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=667

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (182a^{2/3} \sqrt[3]{b}e + 55(1 - \sqrt{3})(13bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}}{\sqrt[3]{a}}\right)\right)$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] 2/45*a*(-2*a*g+5*b*d)*(b*x^3+a)^(1/2)/b^2+6/55*a*e*x*(b*x^3+a)^(1/2)/b+6/91*a*f*x^2*(b*x^3+a)^(1/2)/b+2/45*a*g*x^3*(b*x^3+a)^(1/2)/b+2/45045*x*(3003*g*x^5+3465*f*x^4+4095*e*x^3+5005*d*x^2+6435*c*x)*(b*x^3+a)^(1/2)+6/91*a*(-4*a*f+13*b*c)*(b*x^3+a)^(1/2)/b^(5/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^-3/91*3^(1/4)*a^(4/3)*(-4*a*f+13*b*c)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)-2/5005*3^(3/4)*a^(4/3)*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(182*a^(2/3)*b^(1/3)*e+55*(-4*a*f+13*b*c)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 1.05, antiderivative size = 667, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {1826, 1836, 1888, 1886, 261, 1878, 218, 1877}

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (182a^{2/3} \sqrt[3]{b}e + 55(1 - \sqrt{3})(13bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}}{\sqrt[3]{a}}\right)\right)$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*a*(5*b*d - 2*a*g)*Sqrt[a + b*x^3])/(45*b^2) + (6*a*e*x*Sqrt[a + b*x^3])/(55*b) + (6*a*f*x^2*Sqrt[a + b*x^3])/(91*b) + (2*a*g*x^3*Sqrt[a + b*x^3])/(45*b) + (6*a*(13*b*c - 4*a*f)*Sqrt[a + b*x^3])/(91*b^(5/3))*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x) + (2*x*Sqrt[a + b*x^3]*(6435*c*x + 5005*d*x^2 + 4095*e*x^3 + 3465*f*x^4 + 3003*g*x^5))/45045 - (3*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(4/3)*(13*b*c - 4*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(91*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) - (2*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^(4/3)*(182*a^(2/3)*b^(1/3)*e + 55*(1 - Sqrt[3])*(13*b*c - 4*a*f))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(5005*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int x\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx = \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}$$

$$= \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}$$

$$= \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}$$

$$= \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}$$

$$= \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}$$

$$= \frac{2a(5bd-2ag)\sqrt{a+bx^3}}{45b^2} + \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b}$$

$$= \frac{2a(5bd-2ag)\sqrt{a+bx^3}}{45b^2} + \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b}$$

Mathematica [C] time = 0.36, size = 143, normalized size = 0.21

$$\frac{\sqrt{a+bx^3} \left(495bx^2(13bc-4af) {}_2F_1\left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4(a+bx^3) \sqrt{\frac{bx^3}{a}+1} (286ag - b(715d + 585ex + 495fx^2 + 429gx^3)) \right)}{12870b^2 \sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]
```

```
[Out] (Sqrt[a + b*x^3]*(-4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(286*a*g - b*(715*d + 585*e*x + 495*f*x^2 + 429*g*x^3)) - 2340*a*b*e*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] + 495*b*(13*b*c - 4*a*f)*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(12870*b^2*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^5 + fx^4 + ex^3 + dx^2 + cx\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^5 + f*x^4 + e*x^3 + d*x^2 + c*x)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x, x)

maple [B] time = 0.05, size = 1311, normalized size = 1.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)

[Out] $g*(2/15*(b*x^3+a)^{(1/2)}*x^6+2/45*(b*x^3+a)^{(1/2)}*a/b*x^3-4/45*(b*x^3+a)^{(1/2)}*a^2/b^2)+f*(2/13*(b*x^3+a)^{(1/2)}*x^5+6/91*(b*x^3+a)^{(1/2)}*a/b*x^2+8/91*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+e*(2/11*(b*x^3+a)^{(1/2)}*x^4+6/55*(b*x^3+a)^{(1/2)}*a/b*x+4/55*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+2/9*d/b*(b*x^3+a)^{(3/2)}+c*(2/7*(b*x^3+a)^{(1/2)}*x^2-2/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))})))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.39, size = 223, normalized size = 0.33

$$\frac{\sqrt{a} cx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a} ex^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} fx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + d \left\{ \begin{matrix} \frac{\sqrt{a} x^3}{3} \\ \frac{2(a+bx^3)^{\frac{3}{2}}}{9b} \end{matrix} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*c*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*e*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*f*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + d*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + g*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

3.448 $\int \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=639

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (91 \sqrt[3]{b} (11bc - 2af) - 5005b^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3})$$

[Out] $\frac{2}{9} a e (b x^3 + a)^{1/2} / b + \frac{6}{55} a f x (b x^3 + a)^{1/2} / b + \frac{6}{91} a g x^2 (b x^3 + a)^{1/2} / b + \frac{2}{45045} (3465 g x^5 + 4095 f x^4 + 5005 e x^3 + 6435 d x^2 + 9009 c x) (b x^3 + a)^{1/2} + \frac{6}{91} a (-4 a g + 13 b d) (b x^3 + a)^{1/2} / b^{5/3} / (b^{1/3} x + a^{1/3})^{1/2} - \frac{3}{91} 3^{1/4} a^{4/3} (-4 a g + 13 b d) (a^{1/3} + b^{1/3} x) \text{EllipticE}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right), I 3^{1/2} + 2 I) \frac{1}{2} 6^{1/2} - \frac{1}{2} 2^{1/2} (a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2} / b^{5/3} / (b x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2} + \frac{2}{5005} 3^{3/4} a (a^{1/3} + b^{1/3} x) \text{EllipticF}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right), I 3^{1/2} + 2 I) (91 b^{1/3} (-2 a f + 11 b c) - 55 a^{1/3} (-4 a g + 13 b d) (1 - 3^{1/2})) \frac{1}{2} 6^{1/2} + \frac{1}{2} 2^{1/2} (a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2} / b^{5/3} / (b x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2}$

Rubi [A] time = 0.72, antiderivative size = 639, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {1853, 1888, 1886, 261, 1878, 218, 1877}

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (91 \sqrt[3]{b} (11bc - 2af) - 5005b^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3})$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] $\frac{2 a e \text{Sqrt}[a + b x^3]}{9 b} + \frac{6 a f x \text{Sqrt}[a + b x^3]}{55 b} + \frac{6 a g x^2 \text{Sqrt}[a + b x^3]}{91 b} + \frac{6 a (13 b d - 4 a g) \text{Sqrt}[a + b x^3]}{91 b^{5/3} ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)} + \frac{2 \text{Sqrt}[a + b x^3] (9009 c x + 6435 d x^2 + 5005 e x^3 + 4095 f x^4 + 3465 g x^5)}{45045} - \frac{3 \cdot 3^{1/4} \text{Sqrt}[2 - \text{Sqrt}[3]] a^{4/3} (13 b d - 4 a g) (a^{1/3} + b^{1/3} x) \text{Sqrt}[(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)^2]}{(1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x} \text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3]) a^{1/3} + b^{1/3} x}{(1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x}], -7 - 4 \text{Sqrt}[3]] / (91 b^{5/3} \text{Sqrt}[(a^{1/3} (a^{1/3} + b^{1/3} x) / ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)^2)] \text{Sqrt}[a + b x^3]) + \frac{2 \cdot 3^{3/4} \text{Sqrt}[2 + \text{Sqrt}[3]] a (91 b^{1/3} (11 b c - 2 a f) - 55 (1 - \text{Sqrt}[3]) a^{1/3} (13 b d - 4 a g)) (a^{1/3} + b^{1/3} x) \text{Sqrt}[(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)^2]}{(1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x} \text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3]) a^{1/3} + b^{1/3} x}{(1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x}], -7 - 4 \text{Sqrt}[3]] / (5005 b^{5/3} \text{Sqrt}[(a^{1/3} (a^{1/3} + b^{1/3} x) / ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)^2)] \text{Sqrt}[a + b x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s

$*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x)/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(3^{1/4}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /;$ FreeQ[{a, b}, x] & PosQ[a]

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Simp}[(a + b*x^n)^{(p + 1)}/(b*n*(p + 1)), x] /;$ FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1853

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a + b*x^n)^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^{(i + 1)})/(n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(a + b*x^n)^{(p - 1)}*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(n*p + i + 1), \{i, 0, q\}], x]] /;$ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1877

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3)], x_Symbol] := \text{With}[\{r = \text{Numerator}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denominator}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x)/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /;$ FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]

Rule 1878

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3)], x_Symbol] := \text{With}[\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denominator}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])*s + r*x]/\text{Sqrt}[a + b*x^3], x], x]] /;$ FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]

Rule 1886

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^{(n - 1)}*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^{(n - 1)}, x]*(a + b*x^n)^p, x] /;$ FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^{(q - n)}, x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^{(q - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(q + n*p + 1)), x]] /;$ NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx &= \frac{2\sqrt{a+bx^3} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 3465gx^5)}{45045} \\
&= \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 3465gx^5)}{45045} \\
&= \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 3465gx^5)}{45045} \\
&= \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 3465gx^5)}{45045} \\
&= \frac{2ae\sqrt{a+bx^3}}{9b} + \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 3465gx^5)}{45045} \\
&= \frac{2ae\sqrt{a+bx^3}}{9b} + \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{6a(13bd - 4ag)}{91b^{5/3}} \left(\left(1 + \frac{bx^3}{a}\right)^{1/2} \right)
\end{aligned}$$

Mathematica [C] time = 0.19, size = 135, normalized size = 0.21

$$\frac{\sqrt{a+bx^3} \left(234x(11bc - 2af) {}_2F_1\left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 99x^2(13bd - 4ag) {}_2F_1\left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a+bx^3) \sqrt{\frac{bx^3}{a} + 1} \right)}{2574b \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] (Sqrt[a + b*x^3]*(4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(143*e + 9*x*(13*f + 11*g*x)) + 234*(11*b*c - 2*a*f)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] + 99*(13*b*d - 4*a*g)*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(2574*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^4 + fx^3 + ex^2 + dx + c\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a), x)

maple [B] time = 0.05, size = 1557, normalized size = 2.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^{(1/2)}, x)$

[Out]
$$g*(2/13*(b*x^3+a)^{(1/2)}*x^5+6/91*(b*x^3+a)^{(1/2)}*a/b*x^2+8/91*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+f*(2/11*(b*x^3+a)^{(1/2)}*x^4+6/55*(b*x^3+a)^{(1/2)}*a/b*x+4/55*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2/9*e/b*(b*x^3+a)^{(3/2)}+d*(2/7*(b*x^3+a)^{(1/2)}*x^2-2/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(2/5*(b*x^3+a)^{(1/2)}*x-2/5*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((g*x^4 + f*x^3 + e*x^2 + d*x + c)*\text{sqrt}(b*x^3 + a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)`

[Out] `int((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)`

sympy [A] time = 5.12, size = 194, normalized size = 0.30

$$\frac{\sqrt{a} c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} d x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a} f x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} g x^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)`

[Out] `sqrt(a)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*f*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*g*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))`

3.449
$$\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x} dx$$

Optimal. Leaf size=620

$$\frac{2^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (-55 (1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 14ag + 77bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{385 b^{4/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + b x^3}}$$

[Out] $-2/3*c*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+2/9*a*f*(b*x^3+a)^{(1/2)}/b+6/55*a*g*x*(b*x^3+a)^{(1/2)}/b+2/3465*(315*g*x^5+385*f*x^4+495*e*x^3+693*d*x^2+1155*c*x)*(b*x^3+a)^{(1/2)}/x+6/7*a*e*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-3/7*3^{(1/4)}*a^{(4/3)}*e*(a^{(1/3)+b^{(1/3)*x}})*\operatorname{EllipticE}(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/385*3^{(3/4)}*a*(a^{(1/3)+b^{(1/3)*x}})*\operatorname{EllipticF}(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I}*(77*b*d-14*a*g-55*a^{(1/3)*b^{(2/3)*e}}*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(4/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 620, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1832, 266, 63, 208, 1888, 1886, 261, 1878, 218, 1877}

$$\frac{2^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (-55 (1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 14ag + 77bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{385 b^{4/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + b x^3}}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]`

[Out] $(2*a*f*\operatorname{Sqrt}[a + b*x^3])/(9*b) + (6*a*g*x*\operatorname{Sqrt}[a + b*x^3])/(55*b) + (6*a*e*\operatorname{Sqrt}[a + b*x^3])/(7*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*\operatorname{Sqrt}[a + b*x^3]*(1155*c*x + 693*d*x^2 + 495*e*x^3 + 385*f*x^4 + 315*g*x^5))/(3465*x) - (2*\operatorname{Sqrt}[a]*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/3 - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(4/3)}*e*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\operatorname{Sqrt}[3]])/(7*b^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) + (2*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*a*(77*b*d - 55*(1 - \operatorname{Sqrt}[3])*a^{(1/3)*b^{(2/3)*e}} - 14*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\operatorname{Sqrt}[3]))/(385*b^{(4/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

`Int[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +`

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \ :> \ \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)]/((1 + \text{Sqrt}[3])*s + r*x)^2*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])]/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a]$

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{Simp}[(a + b*x^n)^{(p + 1)}/(b*n*(p + 1)), x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{EqQ}[m, n - 1] \ \&\& \ \text{NeQ}[p, -1]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1826

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(c*x)^m*(a + b*x^n)^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^{(i + 1)})/(m + n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(c*x)^m*(a + b*x^n)^{(p - 1)}*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(m + n*p + i + 1), \{i, 0, q\}], x], x]] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[(n - 1)/2, 0] \ \&\& \ \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_) + (b_)*(x_)^{(n_)}]), x_Symbol] \ :> \ \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1877

$\text{Int}[(c_) + (d_)*(x_)]/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \ :> \ \text{With}[\{r = \text{Numer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)]/((1 + \text{Sqrt}[3])*s + r*x)^2*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])]/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{EqQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878


```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x} dx &= \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \\ &= \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \\ &= \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \\ &= \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \\ &= \frac{2af\sqrt{a+bx^3}}{9b} + \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \\ &= \frac{2af\sqrt{a+bx^3}}{9b} + \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{6ae\sqrt{a+bx^3}}{7b^{2/3} \left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3} \right)} \end{aligned}$$

Mathematica [C] time = 0.43, size = 185, normalized size = 0.30

$$\frac{4\sqrt{\frac{bx^3}{a}+1} \left(\sqrt{a+bx^3} (11af+9agx+33bc+11bfx^3+9bgx^4) - 33\sqrt{a}bc \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) + 18x\sqrt{a+bx^3}}{198b\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (4*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3]*(33*b*c + 11*a*f + 9*a*g*x + 11*b*f*x^3 + 9*b*g*x^4) - 33*Sqrt[a]*b*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 18*(11*b*d - 2*a*g)*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + 99*b*e*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)])/(198*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

maple [B] time = 0.06, size = 1118, normalized size = 1.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x)

[Out] g*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+2/9*f/b*(b*x^3+a)^(3/2)+e*(2/7*(b*x^3+a)^(1/2)*x^2-2/7*I*a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(2/5*(b*x^3+a)^(1/2)*x-2/5*I*a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3

$$\begin{aligned} & \sqrt[1/2]{(-a*b^2)^{1/3}*b} \sqrt[1/2]{(b*x^3+a)^{1/2}} * \text{EllipticF}\left(\frac{1}{3}, \sqrt[1/2]{3} * \left(I * \left(x + \frac{1}{2} * \sqrt[1/2]{(-a*b^2)^{1/3}} / b - \frac{1}{2} * I * \sqrt[1/2]{3} * \sqrt[1/2]{(-a*b^2)^{1/3}} / b \right) * \sqrt[1/2]{3} * \sqrt[1/2]{(-a*b^2)^{1/3}} / b \right) \right. \\ & \left. , \left(I * \sqrt[1/2]{3} * \sqrt[1/2]{(-a*b^2)^{1/3}} / (-3/2 * \sqrt[1/2]{(-a*b^2)^{1/3}} / b + 1/2 * I * \sqrt[1/2]{3} * \sqrt[1/2]{(-a*b^2)^{1/3}} / b \right) / b \right) \sqrt[1/2]{(-a*b^2)^{1/3}} / b \right) + c * \left(-2/3 * \text{arctanh}\left(\sqrt[1/2]{(b*x^3+a)^{1/2}} / \sqrt[1/2]{a}\right) * \sqrt[1/2]{a} \right. \\ & \left. + 2/3 * \sqrt[1/2]{(b*x^3+a)^{1/2}} \right) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x, x)

sympy [A] time = 10.85, size = 235, normalized size = 0.38

$$\begin{aligned} & -\frac{2\sqrt{a}c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{3} + \frac{\sqrt{a}dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a}ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a}gx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \right)}{3\Gamma\left(\frac{7}{3}\right)} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x,x)

[Out] $-2*\sqrt{a}*c*\operatorname{asinh}(\sqrt{a}/(\sqrt{b}*x^{3/2}))/3 + \sqrt{a}*d*x*\operatorname{gamma}(1/3)*\operatorname{hyper}((-1/2, 1/3), (4/3,), b*x**3*\exp_polar(I*pi)/a)/(3*\operatorname{gamma}(4/3)) + \sqrt{a}*e*x**2*\operatorname{gamma}(2/3)*\operatorname{hyper}((-1/2, 2/3), (5/3,), b*x**3*\exp_polar(I*pi)/a)/(3*\operatorname{gamma}(5/3)) + \sqrt{a}*g*x**4*\operatorname{gamma}(4/3)*\operatorname{hyper}((-1/2, 4/3), (7/3,), b*x**3*\exp_polar(I*pi)/a)/(3*\operatorname{gamma}(7/3)) + 2*a*c/(3*\sqrt{b}*x^{3/2}*\sqrt{a/(b*x**3 + 1)}) + 2*\sqrt{b}*c*x^{3/2}/(3*\sqrt{a/(b*x**3 + 1)}) + f*\operatorname{Piecewise}((\sqrt{t(a)*x**3/3}, \operatorname{Eq}(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), \operatorname{True}))$

$$3.450 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^2} dx$$

Optimal. Leaf size=638

$$\frac{3^{3/4} \sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (14a^{2/3} \sqrt[3]{b} e - 5(1-\sqrt{3})(2af+7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right)}{35b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+2/9*a*g*(b*x^3+a)^{(1/2)}/b-3*c*(b*x^3+a)^{(1/2)}/x+2/315*(35*g*x^5+45*f*x^4+63*e*x^3+105*d*x^2+315*c*x)*(b*x^3+a)^{(1/2)}/x^2+3/7*(2*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-3/14*3^{(1/4)}*a^{(1/3)}*(2*a*f+7*b*c)*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+1/35*3^{(3/4)}*a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(14*a^{(2/3)}*b^{(1/3)}*e-5*(2*a*f+7*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.65, antiderivative size = 638, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (14a^{2/3} \sqrt[3]{b} e - 5(1-\sqrt{3})(2af+7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right)}{35b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x]$

[Out] $(2*a*g*\operatorname{Sqrt}[a + b*x^3])/(9*b) - (3*c*\operatorname{Sqrt}[a + b*x^3])/x + (3*(7*b*c + 2*a*f)*\operatorname{Sqrt}[a + b*x^3])/(7*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*\operatorname{Sqrt}[a + b*x^3]*(315*c*x + 105*d*x^2 + 63*e*x^3 + 45*f*x^4 + 35*g*x^5))/(315*x^2) - (2*\operatorname{Sqrt}[a]*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/3 - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(1/3)}*(7*b*c + 2*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[\frac{(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\operatorname{Sqrt}[3]])/(14*b^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) + (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*a^{(1/3)}*(14*a^{(2/3)}*b^{(1/3)}*e - 5*(1 - \operatorname{Sqrt}[3])*(7*b*c + 2*a*f))*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[\frac{(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\operatorname{Sqrt}[3]])/(35*b^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\text{Sqrt}[a_ + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])]/(3^{1/4}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a]$

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{Simp}[(a + b*x^n)^{(p + 1)}/(b*n*(p + 1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{EqQ}[m, n - 1] \&\& \text{NeQ}[p, -1]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1826

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{Module}\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(c*x)^m*(a + b*x^n)^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^{(i + 1)})/(m + n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(c*x)^m*(a + b*x^n)^{(p - 1)}*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(m + n*p + i + 1), \{i, 0, q\}], x], x]] /; \text{FreeQ}\{a, b, c, m\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[(n - 1)/2, 0] \&\& \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[a_ + (b_)*(x_)^{(n_)}]), x_Symbol] :> \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{With}\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(2*a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*\text{ExpandToSum}[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^{(n - 1)}, x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rule 1877

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[a_ + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]$

```

]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqr
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :=> With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1886

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^2} dx &= \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} + \frac{1}{2}(3a) \int \frac{\sqrt{a+bx^3}}{x} dx \\
&= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
&= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
&= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
&= \frac{2ag\sqrt{a+bx^3}}{9b} - \frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
&= \frac{2ag\sqrt{a+bx^3}}{9b} - \frac{3c\sqrt{a+bx^3}}{x} + \frac{3(7bc+2af)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)} + \frac{2\sqrt{a+bx^3}}{3} \int \frac{1}{\sqrt{a+bx^3}} dx
\end{aligned}$$

Mathematica [C] time = 0.29, size = 211, normalized size = 0.33

$$-\frac{c\sqrt{a+bx^3} {}_2F_1\left(-\frac{1}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a}\right)}{x\sqrt{\frac{bx^3}{a}+1}} + \frac{2}{3}d\left(\sqrt{a+bx^3} - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)\right) + \frac{ex\sqrt{a+bx^3} {}_2F_1\left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{\frac{bx^3}{a}+1}} + \frac{2\sqrt{a+bx^3}}{3} \int \frac{1}{\sqrt{a+bx^3}} dx$$

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x]

```

```
[Out] (2*g*(a + b*x^3)^(3/2))/(9*b) + (2*d*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]))/3 - (c*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, -1/3, 2/3, -(b*x^3)/a])/(x*Sqrt[1 + (b*x^3)/a]) + (e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a])/Sqrt[1 + (b*x^3)/a] + (f*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a])/(2*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="fricas")
```

```
[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)
```

maple [B] time = 0.06, size = 1248, normalized size = 1.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x)
```

```
[Out] 2/9*g/b*(b*x^3+a)^(3/2)+f*(2/7*(b*x^3+a)^(1/2)*x^2-2/7*I*a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+e*(2/5*(b*x^3+a)^(1/2)*x-2/5*I*a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+c*(-(b*x^3+a)^(1/2)/x-I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)
```

$$I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}) \cdot (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot b^{1/2}) + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot b^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}) \cdot (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot b^{1/2})) + d \cdot (-2/3 \cdot \text{arctanh}((b \cdot x^3 + a)^{1/2} / a^{1/2})) \cdot a^{1/2} + 2/3 \cdot (b \cdot x^3 + a)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x)

sympy [A] time = 6.77, size = 236, normalized size = 0.37

$$\frac{\sqrt{a} c \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{3/2}}\right)}{3} + \frac{\sqrt{a} e x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} f x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**2,x)

[Out] sqrt(a)*c*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*e*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*f*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a*d/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*sqrt(b)*d*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + g*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

$$3.451 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^3} dx$$

Optimal. Leaf size=640

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7 - 4\sqrt{3}\right) (7\sqrt[3]{b}(4af + 5bc) - 10}{70b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

[Out] $-2/3 * e * \operatorname{arctanh}((b * x^3 + a)^{1/2} / a^{1/2}) * a^{1/2} + 3/2 * c * (b * x^3 + a)^{1/2} / x^2 - 3 * d * (b * x^3 + a)^{1/2} / x - 2/105 * (-15 * g * x^5 - 21 * f * x^4 - 35 * e * x^3 - 105 * d * x^2 + 105 * c * x) * (b * x^3 + a)^{1/2} / x^3 + 3/7 * (2 * a * g + 7 * b * d) * (b * x^3 + a)^{1/2} / b^{2/3} / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2}) - 3/14 * 3^{1/4} * a^{1/3} * (2 * a * g + 7 * b * d) * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticE}((b^{1/3} * x + a^{1/3}) * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2}), I * 3^{1/2} + 2 * I) * (1/2 * 6^{1/2} - 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3}) * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2})^2)^{1/2} / b^{2/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2}))^2)^{1/2} + 1/70 * 3^{3/4} * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticF}((b^{1/3} * x + a^{1/3}) * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2}), I * 3^{1/2} + 2 * I) * (7 * b^{1/3} * (4 * a * f + 5 * b * c) - 10 * a^{1/3} * (2 * a * g + 7 * b * d) * (1 - 3^{1/2})) * (1/2 * 6^{1/2} + 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3}) * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2})^2)^{1/2} / b^{2/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3}) * (1 + 3^{1/2}))^2)^{1/2}$

Rubi [A] time = 0.76, antiderivative size = 640, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7 - 4\sqrt{3}\right) (7\sqrt[3]{b}(4af + 5bc) - 10}{70b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b * x^3] * (c + d * x + e * x^2 + f * x^3 + g * x^4)) / x^3, x]$

[Out] $(3 * c * \operatorname{Sqrt}[a + b * x^3]) / (2 * x^2) - (3 * d * \operatorname{Sqrt}[a + b * x^3]) / x + (3 * (7 * b * d + 2 * a * g) * \operatorname{Sqrt}[a + b * x^3]) / (7 * b^{2/3} * ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)) - (2 * \operatorname{Sqrt}[a + b * x^3] * (105 * c * x - 105 * d * x^2 - 35 * e * x^3 - 21 * f * x^4 - 15 * g * x^5)) / (105 * x^3) - (2 * \operatorname{Sqrt}[a] * e * \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b * x^3] / \operatorname{Sqrt}[a]]) / 3 - (3 * 3^{1/4} * \operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]] * a^{1/3} * (7 * b * d + 2 * a * g) * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)), -7 - 4 * \operatorname{Sqrt}[3]]) / (14 * b^{2/3} * \operatorname{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{Sqrt}[a + b * x^3]) + (3^{3/4} * \operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]] * (7 * b^{1/3} * (5 * b * c + 4 * a * f) - 10 * (1 - \operatorname{Sqrt}[3]) * a^{1/3} * (7 * b * d + 2 * a * g)) * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)), -7 - 4 * \operatorname{Sqrt}[3]]) / (70 * b^{2/3} * \operatorname{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \operatorname{Sqrt}[a + b * x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.) * (x_.))^{(m_.)} * ((c_.) + (d_.) * (x_.))^{(n_.)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p * (m + 1) - 1)} * (c - (a * d) / b +$

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(3^{1/4}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1826

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{Module}\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(c*x)^m*(a + b*x^n)^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^{(i + 1)})/(m + n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(c*x)^m*(a + b*x^n)^{(p - 1)}*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(m + n*p + i + 1), \{i, 0, q\}], x], x]] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[(n - 1)/2, 0] \&\& \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_) + (b_)*(x_)^{(n_)}]), x_Symbol] :> \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> \text{With}\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(2*a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*\text{ExpandToSum}[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^{(n - 1)}, x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rule 1877

$\text{Int}[(c_) + (d_)*(x_)]/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{Eq}$

$Q[b*c^3 - 2*(5 - 3*sqrt(3))*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_*) + (d_*)*(x_*)}{\text{Sqrt}[(a_*) + (b_*)*(x_*)^3]}, x_Symbol] \rightarrow \text{With}[\{r = \text{N} \\ \text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \\ \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt} \\ [a + b*x^3], x}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{NeQ}[b*c^3 - 2* \\ (5 - 3*sqrt(3))*a*d^3, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx &= -\frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} + \frac{1}{2}(3c \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} + \frac{3(7bd+2ag)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\ &= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} + \frac{3(7bd+2ag)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \end{aligned}$$

Mathematica [C] time = 0.50, size = 218, normalized size = 0.34

$$x \left(x \left(4e\sqrt{\frac{bx^3}{a}} + 1 \left(\sqrt{a+bx^3} - \sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) + 6fx\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 3gx^2\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right) \right) \sqrt{6x^2\sqrt{\frac{bx^3}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] (-3*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-2/3, -1/2, 1/3, -((b*x^3)/a)] + x*(-6*d*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, -1/3, 2/3, -((b*x^3)/a)] + x*(4*e*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 6*f*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + 3*g*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)])

$\sqrt{3}/a]] + 3*g*x^2*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-1/2, 2/3, 5/3, -((b*x^3)/a)])))/(6*x^2*\text{Sqrt}[1 + (b*x^3)/a])$

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

maple [B] time = 0.06, size = 1529, normalized size = 2.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x)

[Out]
$$g*(2/7*(b*x^3+a)^{(1/2)}*x^2-2/7*I*a^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))) + f*(2/5*(b*x^3+a)^{(1/2)}*x-2/5*I*a^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))) + c*(-1/2*(b*x^3+a)^{(1/2)}/x^2-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))) + d*(-(b*x^3+a)^{(1/2)}/x-I^{3^{(1/2)}}*($$

$$-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+e*(-2/3*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)}))*a^{(1/2)}+2/3*(b*x^3+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x)

sympy [A] time = 7.05, size = 255, normalized size = 0.40

$$\frac{\sqrt{a} c \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{3/2}}\right)}{3} + \frac{\sqrt{a} f x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(-\frac{1}{2}, \frac{1}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**3,x)

[Out] sqrt(a)*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*g*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a*e/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*sqrt(b)*e*x**(3/2)/(3*sqrt(a/(b*x**3) + 1))

$$3.452 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^4} dx$$

Optimal. Leaf size=637

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (-10(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e + 4ag + 5bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)}{10\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $-1/3*(2*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/3*c*(b*x^3+a)^{(1/2)}/x^3+3/2*d*(b*x^3+a)^{(1/2)}/x^2-3*e*(b*x^3+a)^{(1/2)}/x-2/15*(-3*g*x^5-5*f*x^4-15*e*x^3+15*d*x^2+5*c*x)*(b*x^3+a)^{(1/2)}/x^4+3*b^{(1/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/2*3^{(1/4)}*a^{(1/3)}*b^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+1/10*3^{(3/4)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(5*b*d+4*a*g-10*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.84, antiderivative size = 637, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (-10(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e + 4ag + 5bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)}{10\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x]$

[Out] $(c*\operatorname{Sqrt}[a + b*x^3])/(3*x^3) + (3*d*\operatorname{Sqrt}[a + b*x^3])/(2*x^2) - (3*e*\operatorname{Sqrt}[a + b*x^3])/x + (3*b^{(1/3)}*e*\operatorname{Sqrt}[a + b*x^3])/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x) - (2*\operatorname{Sqrt}[a + b*x^3]*(5*c*x + 15*d*x^2 - 15*e*x^3 - 5*f*x^4 - 3*g*x^5))/(15*x^4) - ((b*c + 2*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(1/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(2*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\operatorname{Sqrt}[a + b*x^3]) + (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*(5*b*d - 10*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e + 4*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(10*b^{(1/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\text{Sqrt}[a_ + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)]/((1 + \text{Sqrt}[3])*s + r*x)^2)*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(3^{1/4}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 1826

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] :> \text{Module}\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(c*x)^m*(a + b*x^n)^p*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^{(i + 1)})/(m + n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(c*x)^m*(a + b*x^n)^{(p - 1)}*\text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(m + n*p + i + 1), \{i, 0, q\}], x], x] /; \text{FreeQ}\{a, b, c, m\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[(n - 1)/2, 0] \&\& \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[a_ + (b_)*(x_)^{(n_)}]), x_Symbol] :> \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] :> \text{With}\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(2*a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*\text{ExpandToSum}[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^{(n - 1)}, x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rule 1877

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[a_ + (b_)*(x_)^3], x_Symbol] :> \text{With}\{r = \text{Numer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)]/((1 + \text{Sqrt}[3])*s + r*x)^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{PosQ}[a] \&\& \text{Eq}$

$Q[b*c^3 - 2*(5 - 3*sqrt(3))*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)*(x_.)}{\text{Sqrt}[(a_.) + (b_.)*(x_)^3]}, x_Symbol] \text{ :> With}\{r = \text{N} \\ \text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \\ \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt}} \\ [a + b*x^3], x], x] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2* \\ (5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^4} dx &= -\frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} + \frac{1}{2}(3a) \int \frac{-2c}{3} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} + \frac{3\sqrt[3]{b}e\sqrt{a+bx^3}}{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x} \\ &= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} + \frac{3\sqrt[3]{b}e\sqrt{a+bx^3}}{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x} \end{aligned}$$

Mathematica [C] time = 0.44, size = 254, normalized size = 0.40

$$\frac{bc \left(\frac{a+bx^3}{bx^3} + \sqrt{\frac{bx^3}{a} + 1} \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) \right)}{3\sqrt{a+bx^3}} - \frac{d\sqrt{a+bx^3} {}_2F_1 \left(-\frac{2}{3}, -\frac{1}{2}; \frac{1}{3}; -\frac{bx^3}{a} \right)}{2x^2 \sqrt{\frac{bx^3}{a} + 1}} - \frac{e\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right)}{x \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x]

[Out] (2*f*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]))/3 - (b*c*((a + b*x^3)/(b*x^3) + Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]]))/

$(3\sqrt{a + bx^3}) - (d\sqrt{a + bx^3} \text{Hypergeometric2F1}[-2/3, -1/2, 1/3, -(bx^3)/a]) / (2x^2\sqrt{1 + (bx^3)/a}) - (e\sqrt{a + bx^3} \text{Hypergeometric2F1}[-1/2, -1/3, 2/3, -(bx^3)/a]) / (x\sqrt{1 + (bx^3)/a}) + (gx\sqrt{a + bx^3} \text{Hypergeometric2F1}[-1/2, 1/3, 4/3, -(bx^3)/a]) / \sqrt{1 + (bx^3)/a}$

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)

maple [B] time = 0.06, size = 1114, normalized size = 1.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x)

[Out] $g \cdot (2/5 \cdot (b \cdot x^3 + a)^{1/2} \cdot x - 2/5 \cdot I \cdot a^{3/2} \cdot (-a \cdot b^2)^{1/3} / b \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + c \cdot (-1/3 \cdot b \cdot \text{arctanh}((b \cdot x^3 + a)^{1/2} / a^{1/2})) / a^{1/2} - 1/3 \cdot (b \cdot x^3 + a)^{1/2} / x^3 + d \cdot (-1/2 \cdot (b \cdot x^3 + a)^{1/2} / x^2 - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + e \cdot (- (b \cdot x^3 + a)^{1/2} / x - I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2})))$

$$\frac{1}{2}*(-a*b^2)^{(1/3)/b}/b)^{(1/2)}+(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b}/b)^{(1/2)}))) + f*(-2/3*arctanh((b*x^3+a)^{(1/2)/a)^{(1/2)}) * a^{(1/2)} + 2/3*(b*x^3+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

sympy [A] time = 8.09, size = 265, normalized size = 0.42

$$\frac{\sqrt{a} d \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right) + \sqrt{a} e \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right) - 2\sqrt{a} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3}}\right) + \sqrt{a} g x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3}{a} \right)}{3x^2 \Gamma\left(\frac{1}{3}\right) + 3x \Gamma\left(\frac{2}{3}\right) - 3 + 3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**4,x)

[Out] sqrt(a)*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + 2*a*f/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3 + 1))) - sqrt(b)*c*sqrt(a/(b*x**3 + 1))/(3*x**(3/2)) + 2*sqrt(b)*f*x**(3/2)/(3*sqrt(a/(b*x**3 + 1))) - b*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))

$$3.453 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^5} dx$$

Optimal. Leaf size=694

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (4a^{2/3} \sqrt[3]{b} e - (1 - \sqrt{3}) (8af + bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{8a^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $-1/3*(2*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+3/20*c*(b*x^3+a)^{(1/2)}/x^4+1/3*d*(b*x^3+a)^{(1/2)}/x^3+3/2*e*(b*x^3+a)^{(1/2)}/x^2-3/8*(8*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/x-2/15*(-5*g*x^5-15*f*x^4+15*e*x^3+5*d*x^2+3*c*x)*(b*x^3+a)^{(1/2)}/x^5+3/8*b^{(1/3)}*(8*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)})*(1+3^{(1/2)}))-3/16*3^{(1/4)}*b^{(1/3)}*(8*a*f+b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+1/8*3^{(3/4)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))), I*3^{(1/2)}+2*I)*(4*a^{(2/3)}*b^{(1/3)}*e-(8*a*f+b*c)*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.08, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (4a^{2/3} \sqrt[3]{b} e - (1 - \sqrt{3}) (8af + bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{8a^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]

[Out] $(3*c*\operatorname{Sqrt}[a + b*x^3])/(20*x^4) + (d*\operatorname{Sqrt}[a + b*x^3])/(3*x^3) + (3*e*\operatorname{Sqrt}[a + b*x^3])/(2*x^2) - (3*(b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(8*a*x) + (3*b^{(1/3)}*(b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(8*a*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (2*\operatorname{Sqrt}[a + b*x^3]*(3*c*x + 5*d*x^2 + 15*e*x^3 - 15*f*x^4 - 5*g*x^5))/(15*x^5) - ((b*d + 2*a*g)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(1/3)}*(b*c + 8*a*f)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(16*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) + (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(1/3)}*(4*a^{(2/3)}*b^{(1/3)}*e - (1 - \operatorname{Sqrt}[3])*(b*c + 8*a*f))*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(8*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &&
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 + Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
```

$((1 + \sqrt{3})s + rx)^2$), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq Q[b*c^3 - 2*(5 - 3*sqrt(3))*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*sqrt(3))*a*d^3, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx &= -\frac{2\sqrt{a+bx^3}(3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} + \frac{1}{2}(3a) \int \frac{1}{x^5} dx \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} - \frac{2\sqrt{a+bx^3}(3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} - \frac{2\sqrt{a+bx^3}(3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3}(3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\ &= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \end{aligned}$$

Mathematica [C] time = 0.46, size = 253, normalized size = 0.36

$$-3c(a+bx^3) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a}\right) - 4dx\sqrt{\frac{bx^3}{a}+1} \left(bx^3\sqrt{\frac{bx^3}{a}+1} \tanh^{-1}\left(\sqrt{\frac{bx^3}{a}+1}\right) + a+bx^3\right) - 6ex^2(a+bx^3)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]

[Out] (8*g*x^4*Sqrt[a + b*x^3]*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) - 4*d*x*Sqrt[1 + (b*x^3)/a]*(a + b*x^3 + b*x^3*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]]) - 3*c*(a + b*x^3)*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] - 6*e*x^2*(a + b*x^3)*Hypergeometric2F1[-2/3, -1/2, 1/3, -((b*x^3)/a)] - 12*f*x^3*(a + b*x^3)*Hypergeometric2F1[-1/2, -1/3, 2/3, -((b*x^3)/a)]/(12*x^4*Sqrt[a + b*x^3]*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

maple [B] time = 0.07, size = 1286, normalized size = 1.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x)

[Out] c*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3)+e*(-1/2*(b*x^3+a)^(1/2)/x^2-1/2*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+f*(-(b*x^3+a)^(1/2)/x-I^3^(1/2)*(-a*b^2)^(1/3)/b)

$(1/2)*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(-2/3*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)}))*a^{(1/2)}+2/3*(b*x^3+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)

sympy [A] time = 8.27, size = 274, normalized size = 0.39

$$\frac{\sqrt{a} c \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} g \operatorname{asin}\left(\frac{\sqrt{a}}{\sqrt{b}x^{3/2}}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**5,x)

[Out] sqrt(a)*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*f*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + 2*a*g/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*d*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*sqrt(b)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))

$$3.454 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^6} dx$$

Optimal. Leaf size=652

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7 - 4\sqrt{3}\right) (2\sqrt[3]{b}(bc - 10af) + 5}{40a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

[Out] $-1/3*b*e*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2+60*g/x)*(b*x^3+a)^{(1/2)}-3/20*b*c*(b*x^3+a)^{(1/2)}/a/x^2-3/8*b*d*(b*x^3+a)^{(1/2)}/a/x+3/8*b^{(1/3)}*(8*a*g+b*d)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/16*3^{(1/4)}*b^{(1/3)}*(8*a*g+b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/40*3^{(3/4)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(2*b^{(1/3)}*(-10*a*f+b*c)+5*a^{(1/3)}*(8*a*g+b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 652, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7 - 4\sqrt{3}\right) (2\sqrt[3]{b}(bc - 10af) + 5}{40a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x]$

[Out] $-(((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2 + (60*g)/x)*\operatorname{Sqrt}[a + b*x^3])/60 - (3*b*c*\operatorname{Sqrt}[a + b*x^3])/(20*a*x^2) - (3*b*d*\operatorname{Sqrt}[a + b*x^3])/(8*a*x) + (3*b^{(1/3)}*(b*d + 8*a*g)*\operatorname{Sqrt}[a + b*x^3])/(8*a*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (b*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(1/3)}*(b*d + 8*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(16*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(1/3)}*(2*b^{(1/3)}*(b*c - 10*a*f) + 5*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*(b*d + 8*a*g))*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(40*a*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x \ \&\& \ \operatorname{SumQ}[u] \ \&\& \ !\operatorname{LinearQ}[u, x] \ \&\& \ !\operatorname{MatchQ}[u, (a_*)$

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x)/((1 + Sqrt[3])*s + r*x)^2])), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S

```
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{1}{2} (3b) \int \frac{-\frac{c}{5}}{x^5} dx \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\ &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \end{aligned}$$

Mathematica [C] time = 0.35, size = 180, normalized size = 0.28

$$\frac{\sqrt{a+bx^3} \left(12ac {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 5x \left(3ad {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 2x \left(2ae \sqrt{\frac{bx^3}{a} + 1} + 2bex^3 \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) \right) \right)}{60ax^5 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x]
```

```
[Out] -1/60*(Sqrt[a + b*x^3]*(12*a*c*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(3*a*d*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 2*x*(2*a*e*Sqrt[1 + (b*x^3)/a] + 2*b*e*x^3*ArcTanh[Sqrt[1 + (b*x^3)/a]] + 3*a*f*x*Hypergeometric2F1[-2/3, -1/2, 1/3, -((b*x^3)/a)] + 6*a*g*x^2*Hypergeometric2F1[-1/2, -1/3, 2/3, -((b*x^3)/a)])))/((a*x^5*Sqrt[1 + (b*x^3)/a]))
```

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="fricas")
```

```
[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)
```

maple [B] time = 0.06, size = 1571, normalized size = 2.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x)
```

```
[Out] c*(-1/5*(b*x^3+a)^(1/2)/x^5-3/20*(b*x^3+a)^(1/2)/a*b/x^2+1/20*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+e*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3)+f*(-1/2*(b*x^3+a)^(1/2)/x^2-1/2*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+g*(-1/3*(b*x^3+a)^(1/2)/x-1/3*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+e*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3)+f*(-1/2*(b*x^3+a)^(1/2)/x^2-1/2*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+g*(-1/3*(b*x^3+a)^(1/2)/x-1/3*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))
```

$(1/3)/b))^{\wedge}(1/2)*(-I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2)/(b*x^3+a)^{\wedge}(1/2)*\text{EllipticF}(1/3*3^{\wedge}(1/2)*(I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b-1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2), (I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/(-3/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)/b)^{\wedge}(1/2))) + g*(-(b*x^3+a)^{\wedge}(1/2)/x-I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)*(I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b-1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2)*((x-(-a*b^2)^{\wedge}(1/3)/b)/(-3/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b))^{\wedge}(1/2)*(-I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2)/(b*x^3+a)^{\wedge}(1/2)*((-3/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*\text{EllipticE}(1/3*3^{\wedge}(1/2)*(I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b-1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2), (I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/(-3/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)/b)^{\wedge}(1/2))+(-a*b^2)^{\wedge}(1/3)/b*\text{EllipticF}(1/3*3^{\wedge}(1/2)*(I*(x+1/2*(-a*b^2)^{\wedge}(1/3)/b-1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)*3^{\wedge}(1/2)/(-a*b^2)^{\wedge}(1/3)*b)^{\wedge}(1/2), (I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/(-3/2*(-a*b^2)^{\wedge}(1/3)/b+1/2*I*3^{\wedge}(1/2)*(-a*b^2)^{\wedge}(1/3)/b)/b)^{\wedge}(1/2))))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x)

sympy [A] time = 7.54, size = 240, normalized size = 0.37

$$\frac{\sqrt{a} c \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} g \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, -\frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**6,x)

[Out] sqrt(a)*c*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*d*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*g*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(b)*e*sqrt(a/(b*x**3 + 1))/(3*x**(3/2)) - b*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))

$$3.455 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^7} dx$$

Optimal. Leaf size=659

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (5(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 20ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)}{40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

[Out] $1/12*b*(-4*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3+30*g/x^2)*(b*x^3+a)^{(1/2)}-1/12*b*c*(b*x^3+a)^{(1/2)}/a/x^3-3/20*b*d*(b*x^3+a)^{(1/2)}/a/x^2-3/8*b*e*(b*x^3+a)^{(1/2)}/a/x+3/8*b^{(4/3)}*e*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/16*3^{(1/4)}*b^{(4/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/40*3^{(3/4)}*b^{(2/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(2*b*d-20*a*g+5*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 659, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (5(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 20ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)}{40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x]$

[Out] $-(((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3 + (30*g)/x^2)*\operatorname{Sqrt}[a + b*x^3])/60 - (b*c*\operatorname{Sqrt}[a + b*x^3])/(12*a*x^3) - (3*b*d*\operatorname{Sqrt}[a + b*x^3])/(20*a*x^2) - (3*b*e*\operatorname{Sqrt}[a + b*x^3])/(8*a*x) + (3*b^{(4/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(8*a*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (b*(b*c - 4*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(12*a^{(3/2)}) - (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(4/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(16*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(2/3)}*(2*b*d + 5*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e - 20*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(40*a*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x\} \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*)$

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S

```
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{1}{2}(3b) \int \frac{c}{x^6} dx \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\ &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \end{aligned}$$

Mathematica [C] time = 0.53, size = 211, normalized size = 0.32

$$\frac{\sqrt{a+bx^3} \left(36a^3d {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a}\right) + 5x \left(9a^3e {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a}\right) + 2x \left(9a^3gx {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2}; \frac{1}{3}; -\frac{bx^3}{a}\right) \right) \right)}{180a^3x^5\sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x]

[Out] -1/180*(Sqrt[a + b*x^3]*(36*a^3*d*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(9*a^3*e*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 2*x*(6*a^2*f*(a*Sqrt[1 + (b*x^3)/a] + b*x^3*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 9*a^3*g*x*Hypergeometric2F1[-2/3, -1/2, 1/3, -((b*x^3)/a)] + 4*b^2*c*x^3*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^3)/a])))/(a^3*x^5*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^7}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^7, x)

maple [B] time = 0.06, size = 1180, normalized size = 1.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x)

[Out] d*(-1/5*(b*x^3+a)^(1/2)/x^5-3/20*(b*x^3+a)^(1/2)/a*b/x^2+1/20*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + e*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + f*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3)+g*(-1/2*(b*x^3+a)^(1/2)/x^2-1/2*I^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2

$$\begin{aligned} & (-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)} \\ & *((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)} \\ & *(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)} \\ & *EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, \\ & (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})) \\ & +c*(1/12*b^2*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/6*(b*x^3+a)^{(1/2)}/x^6-1/12*(b*x^3+a)^{(1/2)}/a*b/x^3) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{24} \left(\frac{b^2 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left((bx^3+a)^{\frac{3}{2}}b^2 + \sqrt{bx^3+a}ab^2\right)}{(bx^3+a)^2a - 2(bx^3+a)a^2 + a^3} \right) c + \int \frac{\sqrt{bx^3+a}(gx^3+fx^2+ex+d)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="maxima")

[Out] -1/24*(b^2*log((sqrt(b*x^3 + a) - sqrt(a))/(sqrt(b*x^3 + a) + sqrt(a)))/a^(3/2) + 2*((b*x^3 + a)^(3/2)*b^2 + sqrt(b*x^3 + a)*a*b^2)/((b*x^3 + a)^2*a - 2*(b*x^3 + a)*a^2 + a^3))*c + integrate(sqrt(b*x^3 + a)*(g*x^3 + f*x^2 + e*x + d)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3+a}(gx^4+fx^3+ex^2+dx+c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)

sympy [A] time = 10.71, size = 304, normalized size = 0.46

$$\frac{\sqrt{a} d \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a} g \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} - \frac{ac}{6\sqrt{b} x^{\frac{15}{2}} \sqrt{\frac{a}{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**7,x)

[Out] sqrt(a)*d*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*e*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*g*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) - a*c/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*c/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*f*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*c/(12*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + b**2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(12*a**(3/2))

$$3.456 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^8} dx$$

Optimal. Leaf size=711

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(5bc - 14af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3})}{\sqrt[3]{b} x + (1 + \sqrt{3})}\right)\right)}{560a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $1/12*b*(-4*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4+140*g/x^3)*(b*x^3+a)^{(1/2)}-3/56*b*c*(b*x^3+a)^{(1/2)}/a/x^4-1/12*b*d*(b*x^3+a)^{(1/2)}/a/x^3-3/20*b*e*(b*x^3+a)^{(1/2)}/a/x^2+3/112*b*(-14*a*f+5*b*c)*(b*x^3+a)^{(1/2)}/a^2/x-3/112*b^{(4/3)}*(-14*a*f+5*b*c)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+3/224*3^{(1/4)}*b^{(4/3)}*(-14*a*f+5*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/560*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(28*a^{(2/3)}*b^{(1/3)}*e-5*(-14*a*f+5*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.12, antiderivative size = 711, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(5bc - 14af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3})}{\sqrt[3]{b} x + (1 + \sqrt{3})}\right)\right)}{560a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x]

[Out] $-(((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4 + (140*g)/x^3)*\operatorname{Sqrt}[a + b*x^3])/420 - (3*b*c*\operatorname{Sqrt}[a + b*x^3])/(56*a*x^4) - (b*d*\operatorname{Sqrt}[a + b*x^3])/(12*a*x^3) - (3*b*e*\operatorname{Sqrt}[a + b*x^3])/(20*a*x^2) + (3*b*(5*b*c - 14*a*f)*\operatorname{Sqrt}[a + b*x^3])/(112*a^2*x) - (3*b^{(4/3)}*(5*b*c - 14*a*f)*\operatorname{Sqrt}[a + b*x^3])/(112*a^2*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (b*(b*d - 4*a*g)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(12*a^{(3/2)}) + (3*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(4/3)}*(5*b*c - 14*a*f)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(224*a^{(5/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(4/3)}*(28*a^{(2/3)}*b^{(1/3)}*e - 5*(1 - \operatorname{Sqrt}[3])*(5*b*c - 14*a*f))*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/(1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(560*a^{(5/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 63

$\text{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)*(x_*)^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3])]/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /;$ FreeQ[{a, b}, x] && PosQ[a]

Rule 266

$\text{Int}[(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

Rule 1825

$\text{Int}[(Pq_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Module}[\{u = \text{IntHide}[x^m*Pq, x]\}, \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \text{Int}[x^{(m+n)}*(a + b*x^n)^{(p-1)}*\text{ExpandToSum}[u/x^{(m+1)}, x], x], x]] /;$ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1832

$\text{Int}[(Pq_*)/((x_*)*\text{Sqrt}[(a_*) + (b_*)*(x_*)^{(n_*)})]), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /;$ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

$\text{Int}[(Pq_*)*((c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}), x_Symbol] \rightarrow \text{With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*c*(m+1)), x] + \text{Dist}[1/(2*a*c*(m+1)), \text{Int}[(c*x)^{(m+1)}*\text{ExpandToSum}[(2*a*(m+1)*(Pq - Pq0))/x - 2*b*Pq0*(m+n*(p+1)+1)*x^{(n-1)}, x]*(a + b*x^n)^p, x], x] /;$ NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Mathematica [C] time = 0.52, size = 213, normalized size = 0.30

$$\sqrt{a + bx^3} \left(180a^3 c {}_2F_1 \left(-\frac{7}{3}, -\frac{1}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 7x^2 \left(36a^3 e {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 5x \left(9a^3 f {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 1260a^3 x^7 \sqrt{a + bx^3} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x]

[Out] -1/1260*(Sqrt[a + b*x^3]*(180*a^3*c*Hypergeometric2F1[-7/3, -1/2, -4/3, -((b*x^3)/a)] + 7*x^2*(36*a^3*e*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(12*a^2*g*x*(a*Sqrt[1 + (b*x^3)/a] + b*x^3*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 9*a^3*f*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 8*b^2*d*x^4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^3)/a])))/((a^3*x^7*Sqrt[1 + (b*x^3)/a]))

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

maple [B] time = 0.06, size = 1376, normalized size = 1.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x)

[Out] e*(-1/5*(b*x^3+a)^(1/2)/x^5-3/20*(b*x^3+a)^(1/2)/a*b/x^2+1/20*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+f*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)

```

*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/
2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3
)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1
/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b
)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-
1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*
(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1
/2))))+g*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/
2)/x^3)+c*(-1/7*(b*x^3+a)^(1/2)/x^7-3/56/a*b*(b*x^3+a)^(1/2)/x^4+15/112/a^2
*b^2*(b*x^3+a)^(1/2)/x+5/112*I*b^2/a^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a
*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/
2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3
)/b))^1/2*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(
1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*
3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-
1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*
(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1
/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*
I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*
b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))
))+d*(1/12*b^2*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2)-1/6*(b*x^3+a)^(1/2)
/x^6-1/12*(b*x^3+a)^(1/2)/a*b/x^3)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x)

sympy [A] time = 11.60, size = 308, normalized size = 0.43

$$\frac{\sqrt{a} c \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^7 \Gamma\left(-\frac{4}{3}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} - \frac{ad}{6\sqrt{b} x^{\frac{15}{2}} \sqrt{\frac{a}{bx^3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**8,x)

[Out] sqrt(a)*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*f*gamma(-4/3)*hyp

$$\begin{aligned} & \operatorname{er}\left(-\frac{4}{3}, -\frac{1}{2}, -\frac{1}{3}, b x^3 \exp(\pi i) / a\right) / (3 x^4 \Gamma(-1/3)) - \\ & a d / (6 \sqrt{b} x^{15/2} \sqrt{a/(b x^3) + 1}) - \sqrt{b} d / (4 x^{9/2} \sqrt{a/(b x^3) + 1}) - \sqrt{b} g \sqrt{a/(b x^3) + 1} / (3 x^{3/2}) - b^{3/2} d / (12 a x^{3/2} \sqrt{a/(b x^3) + 1}) - b g \operatorname{asinh}(\sqrt{a} / (\sqrt{b} x^{3/2})) / (3 \sqrt{a}) + b^2 d \operatorname{asinh}(\sqrt{a} / (\sqrt{b} x^{3/2})) / (12 a^{3/2}) \end{aligned}$$

$$3.457 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^9} dx$$

Optimal. Leaf size=743

$$\frac{3\sqrt[3]{3}\sqrt{2-\sqrt{3}}b^{4/3}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}(5bd-14ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{224a^{5/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}} + b^2 e \tan$$

[Out] $\frac{1}{12}b^2e\operatorname{arctanh}\left(\frac{(bx^3+a)^{1/2}}{a^{1/2}}\right)/a^{3/2}-\frac{1}{840}(105c/x^8+120d/x^7+140e/x^6+168f/x^5+210g/x^4)(bx^3+a)^{1/2}-\frac{3}{80}b^2c(bx^3+a)^{1/2}/a/x^5-\frac{3}{56}b^2d(bx^3+a)^{1/2}/a/x^4-\frac{1}{12}b^2e(bx^3+a)^{1/2}/a/x^3+\frac{3}{320}b^2c(-16af+7b^2c)(bx^3+a)^{1/2}/a^2/x^2+\frac{3}{112}b^2(-14ag+5bd)(bx^3+a)^{1/2}/a^2/x-\frac{3}{112}b^2(4/3)(-14ag+5bd)(bx^3+a)^{1/2}/a^2/(b^{1/3}x+a^{1/3})(1+3^{1/2})+\frac{3}{224}3^{1/4}b^{4/3}(-14ag+5bd)(a^{1/3}+b^{1/3})x*\operatorname{EllipticE}\left(\frac{(b^{1/3}x+a^{1/3})(1-3^{1/2})}{(b^{1/3}x+a^{1/3})(1+3^{1/2})}\right), I*3^{1/2}+2*I)\frac{1}{2}6^{1/2}-\frac{1}{2}2^{1/2})*(a^{2/3}-a^{1/3}b^{1/3})x+b^{2/3}x^2/(b^{1/3}x+a^{1/3})(1+3^{1/2}))^2)^{1/2}/a^{5/3}/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3})x)/(b^{1/3}x+a^{1/3})(1+3^{1/2}))^2)^{1/2}+1/2240*3^{3/4}b^{4/3}(a^{1/3}+b^{1/3})x*\operatorname{EllipticF}\left(\frac{(b^{1/3}x+a^{1/3})(1-3^{1/2})}{(b^{1/3}x+a^{1/3})(1+3^{1/2})}\right), I*3^{1/2}+2*I)\frac{7b^{1/3}(-16af+7b^2c)+20a^{1/3}(-14ag+5bd)(1-3^{1/2})}{(1/2)6^{1/2}+(1/2)2^{1/2})*(a^{2/3}-a^{1/3}b^{1/3})x+b^{2/3}x^2/(b^{1/3}x+a^{1/3})(1+3^{1/2}))^2)^{1/2}}/a^2/(bx^3+a)^{1/2}/(a^{1/3}(a^{1/3}+b^{1/3})x)/(b^{1/3}x+a^{1/3})(1+3^{1/2}))^2)^{1/2}$

Rubi [A] time = 1.33, antiderivative size = 743, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4}\sqrt{2+\sqrt{3}}b^{4/3}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(7\sqrt[3]{b}(7bc-16af)+20(1-\sqrt{3})a^{1/3}(5bd-14ag)(a^{1/3}+b^{1/3})x*\operatorname{EllipticE}\left(\frac{(b^{1/3}x+a^{1/3})(1-\sqrt{3})}{(b^{1/3}x+a^{1/3})(1+\sqrt{3})}\right), -7-4\sqrt{3}})}{2240a^2\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x]

[Out] $-\left(\frac{105c}{x^8}+\frac{120d}{x^7}+\frac{140e}{x^6}+\frac{168f}{x^5}+\frac{210g}{x^4}\right)\operatorname{Sqrt}[a+bx^3]/840-\frac{3b^2c\operatorname{Sqrt}[a+bx^3]}{(80ax^5)}-\frac{3b^2d\operatorname{Sqrt}[a+bx^3]}{(56ax^4)}-\frac{b^2e\operatorname{Sqrt}[a+bx^3]}{(12ax^3)}+\frac{3b^2(7b^2c-16af)\operatorname{Sqrt}[a+bx^3]}{(320a^2x^2)}+\frac{3b^2(5bd-14ag)\operatorname{Sqrt}[a+bx^3]}{(112a^2x)}-\frac{3b^{4/3}(5bd-14ag)\operatorname{Sqrt}[a+bx^3]}{(112a^2((1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3})x)}+\frac{b^2e\operatorname{ArcTanh}[\operatorname{Sqrt}[a+bx^3]/\operatorname{Sqrt}[a]]}{(12a^{3/2})}+\frac{3^{3/4}\operatorname{Sqrt}[2-\operatorname{Sqrt}[3]]b^{4/3}(5bd-14ag)(a^{1/3}+b^{1/3})x*\operatorname{Sqrt}[(a^{2/3}-a^{1/3}b^{1/3})x+b^{2/3}x^2]}{(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x)^2}*\operatorname{EllipticE}[\operatorname{ArcSin}[\frac{(1-\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x}{(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x}], -7-4\operatorname{Sqrt}[3]]}{(224a^{5/3})\operatorname{Sqrt}[(a^{1/3}(a^{1/3}+b^{1/3})x)/(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x]^2}*\operatorname{Sqrt}[a+bx^3]}+\frac{3^{3/4}\operatorname{Sqrt}[2+\operatorname{Sqrt}[3]]b^{4/3}(7b^{1/3}(7bc-16af)+20(1-\operatorname{Sqrt}[3])a^{1/3}(5bd-14ag)(a^{1/3}+b^{1/3})x*\operatorname{Sqrt}[(a^{2/3}-a^{1/3}b^{1/3})x+b^{2/3}x^2]}{(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x)^2}*\operatorname{EllipticF}[\operatorname{ArcSin}[\frac{(1-\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x}{(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x}], -7-4\operatorname{Sqrt}[3]]}{(224a^{5/3})\operatorname{Sqrt}[(a^{1/3}(a^{1/3}+b^{1/3})x)/(1+\operatorname{Sqrt}[3])a^{1/3}+b^{1/3}x]^2}*\operatorname{Sqrt}[a+bx^3]}$

) $a^{1/3} + b^{1/3}x$], $-7 - 4\sqrt{3}$)]/($2240a^2\sqrt{a^{1/3}(a^{1/3} + b^{1/3}x)}$)/(($1 + \sqrt{3}$) $a^{1/3} + b^{1/3}x$) $^2\sqrt{a + b^3x^3}$)

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)]], -7 - 4*sqrt[3])]/(3^(1/4)*r*sqrt[a + b*x^3]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1832

Int[(Pq_)/((x_)*sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&

IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx &= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{1}{2} (3b\sqrt{a+bx^3}) \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} + \frac{210g}{x^4} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{8}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 192, normalized size = 0.26

$$\frac{\sqrt{a+bx^3} \left(14x^3 \left(36a^3 f {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 45a^3 g x {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 40b^2 e x^5 (a+bx^3) \sqrt{\frac{bx^3}{a}} + 36a^3 d x^2 \sqrt{\frac{bx^3}{a}} \right) + 360a^3 c \sqrt{\frac{bx^3}{a}} \right)}{2520a^3 x^8 \sqrt{\frac{bx^3}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x]

[Out] -1/2520*(Sqrt[a + b*x^3]*(315*a^3*c*Hypergeometric2F1[-8/3, -1/2, -5/3, -((b*x^3)/a)] + 360*a^3*d*x*Hypergeometric2F1[-7/3, -1/2, -4/3, -((b*x^3)/a)] + 14*x^3*(36*a^3*f*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 45*a^3*g*x*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 40*b^2*e*x^5*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^3)/a]))/(a^3*x^8*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^9}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

maple [B] time = 0.06, size = 1679, normalized size = 2.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x)

[Out] $f*(-1/5*(b*x^3+a)^{(1/2)}/x^5-3/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+g*(-1/4*(b*x^3+a)^{(1/2)}/x^4-3/8*(b*x^3+a)^{(1/2)}/a*b/x-1/8*I*b/a^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+c*(-1/8*(b*x^3+a)^{(1/2)}/x^8-3/80*(b*x^3+a)^{(1/2)}/a*b/x^5+21/320*(b*x^3+a)^{(1/2)}/a^2*b^2/x^2-7/320*I*b^2/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(-1/7*(b*x^3+a)^{(1/2)}/x^7-3/56*(b*x^3+a)^{(1/2)}/a*b/x^4+15/112*(b*x^3+a)^{(1/2)}/a^2*b^2/x+5/112*I*b^2/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}$

$$\frac{1}{3} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + e * (1/12 * b^2 * \text{arctanh}((b * x^3 + a)^{1/2} / a^{1/2}) / a^{3/2} - 1/6 * (b * x^3 + a)^{1/2} / x^6 - 1/12 * (b * x^3 + a)^{1/2} / a * b / x^3)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(g x^4 + f x^3 + e x^2 + d x + c) \sqrt{b x^3 + a}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{b x^3 + a} (g x^4 + f x^3 + e x^2 + d x + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x)

sympy [A] time = 11.54, size = 304, normalized size = 0.41

$$\frac{\sqrt{a} c \Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{8}{3}, -\frac{1}{2} \\ -\frac{5}{3} \end{matrix} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 x^8 \Gamma\left(-\frac{5}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 x^7 \Gamma\left(-\frac{4}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} g \Gamma\left(-\frac{4}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**9,x)

[Out] sqrt(a)*c*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + sqrt(a)*d*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*f*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*g*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a*e/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*e/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*e/(12*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) + b**2*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(12*a**(3/2))

$$3.458 \quad \int x^3 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=791

$$\frac{108\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(5bd-2ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)-7-4\sqrt{3}}{8645b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] 2/3900225*x^3*(b*x^3+a)^(3/2)*(156009*g*x^5+169575*f*x^4+185725*e*x^3+205275*d*x^2+229425*c*x)-4/105*a^3*e*(b*x^3+a)^(1/2)/b^2+54/21505*a^2*(-8*a*f+23*b*c)*x*(b*x^3+a)^(1/2)/b^2+54/8645*a^2*(-2*a*g+5*b*d)*x^2*(b*x^3+a)^(1/2)/b^2+2/105*a^2*e*x^3*(b*x^3+a)^(1/2)/b+54/4301*a^2*f*x^4*(b*x^3+a)^(1/2)/b+54/6175*a^2*g*x^5*(b*x^3+a)^(1/2)/b+2/185910725*a*x^3*(3522519*g*x^5+4279275*f*x^4+5311735*e*x^3+6774075*d*x^2+8947575*c*x)*(b*x^3+a)^(1/2)-216/8645*a^3*(-2*a*g+5*b*d)*(b*x^3+a)^(1/2)/b^(8/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))+108/8645*3^(1/4)*a^(10/3)*(-2*a*g+5*b*d)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(8/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)-36/37182145*3^(3/4)*a^3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1729*b^(1/3)*(-8*a*f+23*b*c)-8602*a^(1/3)*(-2*a*g+5*b*d)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(8/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 2.11, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{36\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)-7-4\sqrt{3}}{37182145b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (-4*a^3*e*Sqrt[a + b*x^3])/(105*b^2) + (54*a^2*(23*b*c - 8*a*f)*x*Sqrt[a + b*x^3])/(21505*b^2) + (54*a^2*(5*b*d - 2*a*g)*x^2*Sqrt[a + b*x^3])/(8645*b^2) + (2*a^2*e*x^3*Sqrt[a + b*x^3])/(105*b) + (54*a^2*f*x^4*Sqrt[a + b*x^3])/(4301*b) + (54*a^2*g*x^5*Sqrt[a + b*x^3])/(6175*b) - (216*a^3*(5*b*d - 2*a*g)*Sqrt[a + b*x^3])/(8645*b^(8/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*x^3*(a + b*x^3)^(3/2)*(229425*c*x + 205275*d*x^2 + 185725*e*x^3 + 169575*f*x^4 + 156009*g*x^5))/3900225 + (2*a*x^3*Sqrt[a + b*x^3]*(8947575*c*x + 6774075*d*x^2 + 5311735*e*x^3 + 4279275*f*x^4 + 3522519*g*x^5))/185910725 + (108*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(10/3)*(5*b*d - 2*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(8645*b^(8/3)*Sqrt[(a^(1/3) + b^(1/3)*x)/(a^(1/3) + b^(1/3)*x)]/(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) - (36*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^3*(1729*b^(1/3)*(23*b*c - 8*a*f) - 8

602*(1 - Sqrt[3])*a^(1/3)*(5*b*d - 2*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(37182145*b^(8/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^n_, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1826

Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N

```

umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]], Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1886

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> Dist[Coeff[Pq, x, n -
  1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

```

Rule 1888

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int x^3 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 105a^2)}{3900225} \\
&= \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 105a^2)}{3900225} \\
&= \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 105a^2)}{3900225} \\
&= \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 105a^2)}{3900225} \\
&= \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} \\
&= \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} \\
&= \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} + \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} \\
&= \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} + \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} \\
&= \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= -\frac{4a^3e\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= -\frac{4a^3e\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2}
\end{aligned}$$

Mathematica [C] time = 0.65, size = 179, normalized size = 0.23

$$\frac{2\sqrt{a + bx^3} \left(9975a^2x(8af - 23bc) {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 41055a^2x^2(2ag - 5bd) {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - (a + bx^3)^{3/2} \right)}{3900225}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] (2*sqrt[a + b*x^3]*(-(a + b*x^3)^2*sqrt[1 + (b*x^3)/a]*(10*a*(7429*e + 21*x*(380*f + 391*g*x)) - b*x*(229425*c + 17*x*(12075*d + 19*x*(575*e + 525*f*

$x + 483*g*x^2)))) + 9975*a^2*(-23*b*c + 8*a*f)*x*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 41055*a^2*(-5*b*d + 2*a*g)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)))/(3900225*b^2*Sqrt[1 + (b*x^3)/a])$

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$\text{integral}\left(\left(bgx^{10} + bfx^9 + bex^8 + (bd + ag)x^7 + aex^5 + (bc + af)x^6 + adx^4 + acx^3\right)\sqrt{bx^3 + a}, x\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^10 + b*f*x^9 + b*e*x^8 + (b*d + a*g)*x^7 + a*e*x^5 + (b*c + a*f)*x^6 + a*d*x^4 + a*c*x^3)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^3, x)

maple [B] time = 0.08, size = 1764, normalized size = 2.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $g*(2/25*b*x^{11}*(b*x^3+a)^{(1/2)}+56/475*(b*x^3+a)^{(1/2)}*a*x^8+54/6175*(b*x^3+a)^{(1/2)}*a^2/b*x^5-108/8645*(b*x^3+a)^{(1/2)}*a^3/b^2*x^2-144/8645*I*a^4/b^3*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+f*(2/23*(b*x^3+a)^{(1/2)}*b*x^{10}+52/391*(b*x^3+a)^{(1/2)}*a*x^7+54/4301*(b*x^3+a)^{(1/2)}*a^2/b*x^4-432/21505*(b*x^3+a)^{(1/2)}*a^3/b^2*x-288/21505*I*a^4/b^3*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+e*(2/21*b*x^9*(b*x^3+a)^{(1/2)}+16/105*a*x^6*(b*x^3+a)^{(1/2)}+2/105*a^2/b*x^3*(b*x^3+a)^{(1/2)}-4/105*a^3/b^2*(b*x^3+a)^{(1/2)}+d*(2/19*b*x^8*(b*x^3+a)^{(1/2)}+44/247*(b*x^3+a)^{(1/2)}*a*x^5+54/1729*(b*x^3+a)^{(1/2)}*a^2/b*x^2+72/1729*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x$

$$\begin{aligned}
 & -(-a*b^2)^{(1/3)/b}/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}})^{(1/2)} \\
 & *(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}) \\
 & *EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)})) \\
 & +(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)})) \\
 & +c*(2/17*b*x^7*(b*x^3+a)^{(1/2)}+40/187*(b*x^3+a)^{(1/2)}*a*x^4+54/935*(b*x^3+a)^{(1/2)}*a^2/b*x+36/935*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)/b})/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}})^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)}))
 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 13.01, size = 512, normalized size = 0.65

$$\frac{a^{\frac{3}{2}}cx^4\Gamma\left(\frac{4}{3}\right)_2F_1\left(\frac{-\frac{1}{2}, \frac{4}{3}}{\frac{7}{3}} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}dx^5\Gamma\left(\frac{5}{3}\right)_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{3}}{\frac{8}{3}} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{a^{\frac{3}{2}}fx^7\Gamma\left(\frac{7}{3}\right)_2F_1\left(\frac{-\frac{1}{2}, \frac{7}{3}}{\frac{10}{3}} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{a^{\frac{3}{2}}gx^8\Gamma\left(\frac{8}{3}\right)_2F_1\left(\frac{-\frac{1}{2}, \frac{8}{3}}{\frac{11}{3}} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{11}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + a**(3/2)*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + a**(3/2)*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*b*c*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*d*x**8*gamma(8/3)*hyper

```

((-1/2, 8/3), (11/3,)), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*
b*f*x**10*gamma(10/3)*hyper((-1/2, 10/3), (13/3,)), b*x**3*exp_polar(I*pi)/a
)/(3*gamma(13/3)) + sqrt(a)*b*g*x**11*gamma(11/3)*hyper((-1/2, 11/3), (14/3
,)), b*x**3*exp_polar(I*pi)/a)/(3*gamma(14/3)) + a*e*Piecewise((-4*a**2*sqrt
(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a +
b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*e*Piecewise((16*a**3*sq
rt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt(a + b*x**3)/(315*b**2) + 2*a*x
**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a + b*x**3)/21, Ne(b, 0)), (sqrt
(a)*x**9/9, True))

```

3.459 $\int x^2 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=742

$$\frac{108\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} - \frac{216a^{10/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}{1729b^{5/3}}$$

```
[Out] 2/780045*x^2*(b*x^3+a)^(3/2)*(33915*g*x^5+37145*f*x^4+41055*e*x^3+45885*d*x^2+52003*c*x)+2/105*a^2*(-2*a*f+7*b*c)*(b*x^3+a)^(1/2)/b^2+54/21505*a^2*(-8*a*g+23*b*d)*x*(b*x^3+a)^(1/2)/b^2+54/1729*a^2*e*x^2*(b*x^3+a)^(1/2)/b+2/105*a^2*f*x^3*(b*x^3+a)^(1/2)/b+54/4301*a^2*g*x^4*(b*x^3+a)^(1/2)/b+2/111546435*a*x^2*(2567565*g*x^5+3187041*f*x^4+4064445*e*x^3+5368545*d*x^2+7436429*c*x)*(b*x^3+a)^(1/2)-216/1729*a^3*e*(b*x^3+a)^(1/2)/b^(5/3)/(b^(1/3)*x+a^(1/3))*(1+3^(1/2)))+108/1729*3^(1/4)*a^(10/3)*e*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+36/37182145*3^(3/4)*a^3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(13832*a*g-39767*b*d+43010*a^(1/3)*b^(2/3)*e*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(7/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)
```

Rubi [A] time = 1.55, antiderivative size = 742, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, number of rules / integrand size = 0.257, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{2a^2\sqrt{a+bx^3}(7bc-2af)}{105b^2} + \frac{36\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(43010(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-1729(23bd-8ag))\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}{1729b^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]
[Out] (2*a^2*(7*b*c - 2*a*f)*Sqrt[a + b*x^3]/(105*b^2) + (54*a^2*(23*b*d - 8*a*g)*x*Sqrt[a + b*x^3]/(21505*b^2) + (54*a^2*e*x^2*Sqrt[a + b*x^3]/(1729*b) + (2*a^2*f*x^3*Sqrt[a + b*x^3]/(105*b) + (54*a^2*g*x^4*Sqrt[a + b*x^3]/(4301*b) - (216*a^3*e*Sqrt[a + b*x^3]/(1729*b^(5/3))*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*x^2*(a + b*x^3)^(3/2)*(52003*c*x + 45885*d*x^2 + 41055*e*x^3 + 37145*f*x^4 + 33915*g*x^5))/780045 + (2*a*x^2*Sqrt[a + b*x^3]*(7436429*c*x + 5368545*d*x^2 + 4064445*e*x^3 + 3187041*f*x^4 + 2567565*g*x^5))/111546435 + (108*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(10/3)*e*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(1729*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (36*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^3*(43010*(1 - Sqrt[3])*a^(1/3)*b^(2/3)*e - 1729*(23*b*d - 8*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)]
```

, $-7 - 4\sqrt{3}]/(37182145b^{7/3}\sqrt{(a^{1/3})(a^{1/3} + b^{1/3}x)})/(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2\sqrt{a + b^3x^3}$)

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + sqrt[3])*s + r*x)^2*EllipticF[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]]/(3^(1/4)*r*sqrt[a + b*x^3])*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1826

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - sqrt[3])*d)/c]], s = Denom[Simplify[((1 - sqrt[3])*d)/c]]}, Simp[(2*d*s^3*sqrt[a + b*x^3])/(a*r^2*((1 + sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*sqrt[2 - sqrt[3]]*d*s*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + sqrt[3])*s + r*x)^2*EllipticE[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]]/(r^2*sqrt[a + b*x^3])*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - sqrt[3])*s + r*x)/sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*

$$(5 - 3\sqrt{3}) * a * d^3, 0]$$

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int x^2 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx = \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4 + 3150gx^5)}{780045}$$

$$= \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4 + 3150gx^5)}{780045}$$

$$= \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045}$$

$$= \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045}$$

$$= \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b}$$

$$= \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b}$$

$$= \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b}$$

$$= \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b}$$

$$= \frac{2a^2(7bc - 2af)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b}$$

$$= \frac{2a^2(7bc - 2af)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b}$$

Mathematica [C] time = 0.41, size = 162, normalized size = 0.22

$$\frac{2 \left(1995 a^3 x \sqrt{\frac{bx^3}{a} + 1} (8ag - 23bd) {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) - 41055 a^3 b e x^2 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) + (a + bx^3)^3 \right)}{780045 b^2 \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*((a + b*x^3)^3*(52003*b*c - 38*a*(391*f + 420*g*x) + 5*b*x*(9177*d + 17*x*(483*e + 19*x*(23*f + 21*g*x)))) + 1995*a^3*(-23*b*d + 8*a*g)*x*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] - 41055*a^3*b*e*x^2*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)]))/(780045*b^2*sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bgx^9 + bfx^8 + bex^7 + (bd + ag)x^6 + aex^4 + (bc + af)x^5 + adx^3 + acx^2\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^9 + b*f*x^8 + b*e*x^7 + (b*d + a*g)*x^6 + a*e*x^4 + (b*c + a*f)*x^5 + a*d*x^3 + a*c*x^2)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^2, x)

maple [B] time = 0.06, size = 1269, normalized size = 1.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] g*(2/23*(b*x^3+a)^(1/2)*b*x^10+52/391*(b*x^3+a)^(1/2)*a*x^7+54/4301*(b*x^3+a)^(1/2)*a^2/b*x^4-432/21505*(b*x^3+a)^(1/2)*a^3/b^2*x-288/21505*I*a^4/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+f*(2/21*(b*x^3+a)^(1/2)*b*x^9+16/105*(b*x^3+a)^(1/2)*a*x^6+2/105*(b*x^3+a)^(1/2)*a^2/b*x^3-4/105*(b*x^3+a)^(1/2)*a^3/b^2)+e*(2/19*(b*x^3+a)^(1/2)*b*x^8+44/247*(b*x^3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2))*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b))^(1/2)

$$\frac{1}{b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))+(-a*b^2)^{1/3}/b*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))))+d*(2/17*(b*x^3+a)^{1/2}*b*x^7+40/187*(b*x^3+a)^{1/2}*a*x^4+54/935*(b*x^3+a)^{1/2}*a^2/b*x+36/935*I*a^3/b^2*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))+2/15*c/b*(b*x^3+a)^{5/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2(bx^3 + a)^{\frac{5}{2}}c}{15b} + \int (bgx^9 + bfx^8 + bex^7 + afx^5 + (bd + ag)x^6 + aex^4 + adx^3)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 2/15*(b*x^3 + a)^(5/2)*c/b + integrate((b*g*x^9 + b*f*x^8 + b*e*x^7 + a*f*x^5 + (b*d + a*g)*x^6 + a*e*x^4 + a*d*x^3)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 11.69, size = 525, normalized size = 0.71

$$\frac{a^{\frac{3}{2}}dx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}ex^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{a^{\frac{3}{2}}gx^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{\sqrt{a} bdx^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*d*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*e*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + a**(3/2)*g*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*d*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*e*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b

```

***3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*b*g*x**10*gamma(10/3)*hy
per((-1/2, 10/3), (13/3, ), b*x**3*exp_polar(I*pi)/a)/(3*gamma(13/3)) + a*c*
Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))
+ a*f*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x
**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)
) + b*c*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b
*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, Tru
e)) + b*f*Piecewise((16*a**3*sqrt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt
(a + b*x**3)/(315*b**2) + 2*a*x**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a
+ b*x**3)/21, Ne(b, 0)), (sqrt(a)*x**9/9, True))

```

$$3.460 \quad \int x (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=723

$$18 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{7/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (3458a^{2/3} \sqrt[3]{b}e + 935(1 - \sqrt{3})(19bc - 4af)) F\left(\sin^{-1}\right.$$

$$\left. \frac{1616615b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}{\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}\right)$$

[Out] 2/440895*x*(b*x^3+a)^(3/2)*(20995*g*x^5+23205*f*x^4+25935*e*x^3+29393*d*x^2+33915*c*x)+2/105*a^2*(-2*a*g+7*b*d)*(b*x^3+a)^(1/2)/b^2+54/935*a^2*e*x*(b*x^3+a)^(1/2)/b+54/1729*a^2*f*x^2*(b*x^3+a)^(1/2)/b+2/105*a^2*g*x^3*(b*x^3+a)^(1/2)/b+2/4849845*a*x*(138567*g*x^5+176715*f*x^4+233415*e*x^3+323323*d*x^2+479655*c*x)*(b*x^3+a)^(1/2)+54/1729*a^2*(-4*a*f+19*b*c)*(b*x^3+a)^(1/2)/b^(5/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/1729*3^(1/4)*a^(7/3)*(-4*a*f+19*b*c)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)-18/1616615*3^(3/4)*a^(7/3)*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(3458*a^(2/3)*b^(1/3)*e+935*(-4*a*f+19*b*c)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 1.24, antiderivative size = 723, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {1826, 1836, 1888, 1886, 261, 1878, 218, 1877}

$$18 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{7/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (3458a^{2/3} \sqrt[3]{b}e + 935(1 - \sqrt{3})(19bc - 4af)) F\left(\sin^{-1}\right.$$

$$\left. \frac{1616615b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}{\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}\right)$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*a^2*(7*b*d - 2*a*g)*Sqrt[a + b*x^3]/(105*b^2) + (54*a^2*e*x*Sqrt[a + b*x^3]/(935*b) + (54*a^2*f*x^2*Sqrt[a + b*x^3]/(1729*b) + (2*a^2*g*x^3*Sqrt[a + b*x^3]/(105*b) + (54*a^2*(19*b*c - 4*a*f)*Sqrt[a + b*x^3]/(1729*b^(5/3)*(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*x*(a + b*x^3)^(3/2)*(33915*c*x + 29393*d*x^2 + 25935*e*x^3 + 23205*f*x^4 + 20995*g*x^5))/440895 + (2*a*x*Sqrt[a + b*x^3]*(479655*c*x + 323323*d*x^2 + 233415*e*x^3 + 176715*f*x^4 + 138567*g*x^5))/4849845 - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(7/3)*(19*b*c - 4*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x]], -7 - 4*Sqrt[3]))/(1729*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x]^2]*Sqrt[a + b*x^3]) - (18*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^(7/3)*(3458*a^(2/3)*b^(1/3)*e + 935*(1 - Sqrt[3])*(19*b*c - 4*a*f))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x]], -7 - 4*Sqrt[3]))/(1616615*b^(5/3)*Sqrt[(a

$$\frac{(a^{1/3} + b^{1/3}x)^{1/3}}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x^2} \sqrt{a + bx^3}$$
Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 + Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
```

, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int x(a + bx^3)^{3/2}(c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x(a + bx^3)^{3/2}(33915cx + 29393dx^2 + 25935ex^3 + 23205f)}{440895} \\ &= \frac{2x(a + bx^3)^{3/2}(33915cx + 29393dx^2 + 25935ex^3 + 23205f)}{440895} \\ &= \frac{2a^2gx^3\sqrt{a + bx^3}}{105b} + \frac{2x(a + bx^3)^{3/2}(33915cx + 29393dx^2 + 25935ex^3 + 23205f)}{440895} \\ &= \frac{54a^2fx^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a + bx^3}}{105b} + \frac{2x(a + bx^3)^{3/2}(33915cx + 29393dx^2 + 25935ex^3 + 23205f)}{440895} \\ &= \frac{54a^2ex\sqrt{a + bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a + bx^3}}{105b} \\ &= \frac{54a^2ex\sqrt{a + bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a + bx^3}}{105b} \\ &= \frac{2a^2(7bd - 2ag)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2ex\sqrt{a + bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a + bx^3}}{1729b} \\ &= \frac{2a^2(7bd - 2ag)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2ex\sqrt{a + bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a + bx^3}}{1729b} \end{aligned}$$

Mathematica [C] time = 0.37, size = 148, normalized size = 0.20

$$\frac{\sqrt{a + bx^3} \left(7980a^2bex {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 1785abx^2(4af - 19bc) {}_2F_1 \left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4(a + bx^3)^2 \sqrt{\frac{bx^3}{a}} \right)}{67830b^2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] -1/67830*(Sqrt[a + b*x^3]*(4*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*(-2261*b*d + 646*a*g - 5*b*x*(399*e + 17*x*(21*f + 19*g*x))) + 7980*a^2*b*e*x*Hypergeom

etric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 1785*a*b*(-19*b*c + 4*a*f)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)))/(b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.65, size = 0, normalized size = 0.00

integral((b*g*x^8 + b*f*x^7 + b*e*x^6 + (b*d + a*g)*x^5 + a*e*x^3 + (b*c + a*f)*x^4 + a*d*x^2 + a*c*x)*sqrt(b*x^3 + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] integral((b*g*x^8 + b*f*x^7 + b*e*x^6 + (b*d + a*g)*x^5 + a*e*x^3 + (b*c + a*f)*x^4 + a*d*x^2 + a*c*x)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x, x)

maple [B] time = 0.05, size = 1383, normalized size = 1.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] g*(2/21*(b*x^3+a)^(1/2)*b*x^9+16/105*(b*x^3+a)^(1/2)*a*x^6+2/105*(b*x^3+a)^(1/2)*a^2/b*x^3-4/105*(b*x^3+a)^(1/2)*a^3/b^2)+f*(2/19*(b*x^3+a)^(1/2)*b*x^8+44/247*(b*x^3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+e*(2/17*(b*x^3+a)^(1/2)*b*x^7+40/187*(b*x^3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+2/15*d/b*(b*x^3+a)^(5/2)+c*(2/13*b*x^5*(b*x^3+a)^(1/2)+32/91*(b*x^3+a)^(1/2)*a*x^2-18/91*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*E

$\text{ellipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3}) / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b^{1/2} + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x+1/2 \cdot (-a \cdot b^2)^{1/3}) / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3}) / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3}) / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 10.78, size = 525, normalized size = 0.73

$$\frac{a^{\frac{3}{2}} c x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}} e x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}} f x^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a} b c x^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**(3/2)*e*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*f*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*c*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*e*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*f*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + a*d*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + a*g*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*d*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*g*Piecewise((16*a**3*sqrt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt(a + b*x**3)/(315*b**2) + 2*a*x**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a + b*x**3)/21, Ne(b, 0)), (sqrt(a)*x**9/9, True))

3.461 $\int (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=694

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(19bd-4ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $2/692835*(b*x^3+a)^{(3/2)}*(36465*g*x^5+40755*f*x^4+46189*e*x^3+53295*d*x^2+62985*c*x)+2/15*a^2*e*(b*x^3+a)^{(1/2)}/b+54/935*a^2*f*x*(b*x^3+a)^{(1/2)}/b+54/1729*a^2*g*x^2*(b*x^3+a)^{(1/2)}/b+2/4849845*a*(176715*g*x^5+233415*f*x^4+323323*e*x^3+479655*d*x^2+793611*c*x)*(b*x^3+a)^{(1/2)}+54/1729*a^2*(-4*a*g+19*b*d)*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/1729*3^{(1/4)}*a^{(7/3)}*(-4*a*g+19*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+18/1616615*3^{(3/4)}*a^2*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1729*b^{(1/3)}*(-2*a*f+17*b*c)-935*a^{(1/3)}*(-4*a*g+19*b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.90, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {1853, 1888, 1886, 261, 1878, 218, 1877}

$$18\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(1729\sqrt[3]{b}(17bc-2af)+1616615b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3})$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] $(2*a^2*e*\text{Sqrt}[a + b*x^3])/(15*b) + (54*a^2*f*x*\text{Sqrt}[a + b*x^3])/(935*b) + (54*a^2*g*x^2*\text{Sqrt}[a + b*x^3])/(1729*b) + (54*a^2*(19*b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(1729*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (2*(a + b*x^3)^{(3/2)}*(62985*c*x + 53295*d*x^2 + 46189*e*x^3 + 40755*f*x^4 + 36465*g*x^5))/692835 + (2*a*\text{Sqrt}[a + b*x^3]*(793611*c*x + 479655*d*x^2 + 323323*e*x^3 + 233415*f*x^4 + 176715*g*x^5))/4849845 - (27*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(7/3)}*(19*b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])]/(1729*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) + (18*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^2*(1729*b^{(1/3)}*(17*b*c - 2*a*f) - 935*(1 - \text{Sqrt}[3])*a^{(1/3)}*(19*b*d - 4*a*g))*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])]/(1616615*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{q = Expon[Pq
, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1),
{i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]
*x^i)/(n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x]
&& IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((
1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{2a^2e\sqrt{a + bx^3}}{15b} + \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 3)}{692835} \\
&= \frac{2a^2e\sqrt{a + bx^3}}{15b} + \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{54a^2cx\sqrt{a + bx^3}}{692835} + \frac{54a^2dx^2\sqrt{a + bx^3}}{692835} + \frac{54a^2ex^3\sqrt{a + bx^3}}{692835} + \frac{54a^2fx^4\sqrt{a + bx^3}}{692835} + \frac{54a^2g^2\sqrt{a + bx^3}}{692835}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 139, normalized size = 0.20

$$\frac{\sqrt{a + bx^3} \left(-570ax(2af - 17bc) {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) - 255ax^2(4ag - 19bd) {}_2F_1 \left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4(a + bx^3)^2 \sqrt{\frac{bx^3}{a}} \right)}{9690b\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] (Sqrt[a + b*x^3]*(4*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*(323*e + 15*x*(19*f + 17*g*x)) - 570*a*(-17*b*c + 2*a*f)*x*Hypergeometric2F1[-3/2, 1/3, 4/3, -(b*x^3)/a] - 255*a*(-19*b*d + 4*a*g)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -(b*x^3)/a]))/(9690*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left((bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac) \sqrt{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 1629, normalized size = 2.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out]
$$g \cdot \left(\frac{2}{19} (b x^3 + a)^{1/2} b x^8 + \frac{44}{247} (b x^3 + a)^{1/2} a x^5 + \frac{54}{1729} (b x^3 + a)^{1/2} a^2 / b x^2 + \frac{72}{1729} I a^3 / b^2 x^{3/2} (-a b^2)^{1/3} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \right) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \cdot \left(\frac{x - (-a b^2)^{1/3} / b}{(-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b)} \right)^{1/2} \cdot \left(-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) / (b x^3 + a)^{1/2} \cdot \left(\frac{-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b}{(-a b^2)^{1/3} b^{1/2}} \right) \cdot \text{EllipticE} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) + (-a b^2)^{1/3} / b \cdot \text{EllipticF} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) \right) + f \cdot \left(\frac{2}{17} (b x^3 + a)^{1/2} b x^7 + \frac{40}{187} (b x^3 + a)^{1/2} a x^4 + \frac{54}{935} (b x^3 + a)^{1/2} a^2 / b x + \frac{36}{935} I a^3 / b^2 x^{3/2} (-a b^2)^{1/3} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) \cdot \left(\frac{x - (-a b^2)^{1/3} / b}{(-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b)} \right)^{1/2} \cdot \left(-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) / (b x^3 + a)^{1/2} \cdot \text{EllipticF} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) + 2/15 e / b (b x^3 + a)^{5/2} + d \cdot \left(\frac{2}{13} (b x^3 + a)^{1/2} b x^5 + \frac{32}{91} (b x^3 + a)^{1/2} a x^2 - \frac{18}{91} I a^2 x^{3/2} (-a b^2)^{1/3} / b (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) \cdot \left(\frac{x - (-a b^2)^{1/3} / b}{(-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b)} \right)^{1/2} \cdot \left(-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) / (b x^3 + a)^{1/2} \cdot \text{EllipticE} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) + (-a b^2)^{1/3} / b \cdot \text{EllipticF} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) \right) + c \cdot \left(\frac{2}{11} (b x^3 + a)^{1/2} b x^4 + \frac{28}{55} (b x^3 + a)^{1/2} a x - \frac{18}{55} I a^2 x^{3/2} (-a b^2)^{1/3} / b (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) \cdot \left(\frac{x - (-a b^2)^{1/3} / b}{(-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b)} \right)^{1/2} \cdot \left(-I (x + 1/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2} \right) / (b x^3 + a)^{1/2} \cdot \text{EllipticF} \left(\frac{1}{3} x^{3/2} (I (x + 1/2 (-a b^2)^{1/3}) / b - 1/2 I x^{3/2} (-a b^2)^{1/3} / b) \cdot 3^{1/2} / (-a b^2)^{1/3} b^{1/2}, (I x^{3/2} (-a b^2)^{1/3} / (-3/2 (-a b^2)^{1/3} / b + 1/2 I x^{3/2} (-a b^2)^{1/3} / b) / b)^{1/2} \right) \right)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^4 + f x^3 + e x^2 + d x + c) (b x^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 10.13, size = 444, normalized size = 0.64

$$\frac{a^{\frac{3}{2}}cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}gx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**(3/2)*f*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*g*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + a*e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*e*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

$$3.462 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x} dx$$

Optimal. Leaf size=676

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}e(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)}{91b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}-\frac{2}{3}a^{3/2}c\tanh^{-1}\left(\frac{\sqrt[3]{bx+b^{2/3}x^2}}{\sqrt[3]{bx+b^{2/3}x^2}}\right)$$

[Out] 2/109395*(b*x^3+a)^(3/2)*(6435*g*x^5+7293*f*x^4+8415*e*x^3+9945*d*x^2+12155*c*x)/x-2/3*a^(3/2)*c*arctanh((b*x^3+a)^(1/2)/a^(1/2))+2/15*a^2*f*(b*x^3+a)^(1/2)/b+54/935*a^2*g*x*(b*x^3+a)^(1/2)/b+2/255255*a*(12285*g*x^5+17017*f*x^4+25245*e*x^3+41769*d*x^2+85085*c*x)*(b*x^3+a)^(1/2)/x+54/91*a^2*e*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/91*3^(1/4)*a^(7/3)*e*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(2)^(1/2)+18/85085*3^(3/4)*a^2*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1547*b*d-182*a*g-935*a^(1/3)*b^(2/3)*e*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(4/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(2)^(1/2)

Rubi [A] time = 0.71, antiderivative size = 676, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1832, 266, 63, 208, 1888, 1886, 261, 1878, 218, 1877}

$$\frac{18\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(-935(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-182ag+1547bd)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right)}{85085b^{4/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (2*a^2*f*Sqrt[a + b*x^3])/(15*b) + (54*a^2*g*x*Sqrt[a + b*x^3])/(935*b) + (54*a^2*e*Sqrt[a + b*x^3])/(91*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*(a + b*x^3)^(3/2)*(12155*c*x + 9945*d*x^2 + 8415*e*x^3 + 7293*f*x^4 + 6435*g*x^5))/(109395*x) + (2*a*Sqrt[a + b*x^3]*(85085*c*x + 41769*d*x^2 + 25245*e*x^3 + 17017*f*x^4 + 12285*g*x^5))/(255255*x) - (2*a^(3/2)*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/3 - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(7/3)*e*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(91*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (18*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^2*(1547*b*d - 935*(1 - Sqrt[3])*a^(1/3)*b^(2/3)*e - 182*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(85085*b^(4/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 + Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
```

$Q[b*c^3 - 2*(5 - 3*sqrt(3))*a*d^3, 0]$

Rule 1878

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3], x_Symbol] \rightarrow \text{With}[\{r = \text{N} \\ \text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \\ \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])*s + r*x]/\text{Sqrt} \\ [a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2* \\ (5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - \\ 1], \text{Int}[x^(n - 1)*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x \\ , n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq \\ , x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x \\]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum} \\ [b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^ \\ n)^p, x] + \text{Simp}[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1 \\)), x]] /; \text{NeQ}[q + n*p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[\\ p + (q + 1)/(2*n)])] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x} dx &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{2a^2f\sqrt{a + bx^3}}{15b} + \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6)}{109395x} \\ &= \frac{2a^2f\sqrt{a + bx^3}}{15b} + \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{54a^2e\sqrt{a + bx^3}}{91b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a + bx^3})} \end{aligned}$$

Mathematica [C] time = 0.58, size = 215, normalized size = 0.32

$$\frac{4\sqrt{\frac{bx^3}{a}} + 1 \left(\sqrt{a + bx^3} (a^2(51f + 45gx) + 2ab(170c + 51fx^3 + 45gx^4) + b^2x^3(85c + 51fx^3 + 45gx^4)) - 255a^{3/2}b \right)}{1530b\sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (4*sqrt[1 + (b*x^3)/a]*(sqrt[a + b*x^3]*(a^2*(51*f + 45*g*x) + b^2*x^3*(85*c + 51*f*x^3 + 45*g*x^4) + 2*a*b*(170*c + 51*f*x^3 + 45*g*x^4)) - 255*a^(3/2)*b*c*ArcTanh[sqrt[a + b*x^3]/sqrt[a]]) - 90*a*(-17*b*d + 2*a*g)*x*sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 765*a*b*e*x^2*sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)]/(1530*b*sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x, x)

maple [B] time = 0.06, size = 1188, normalized size = 1.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] g*(2/17*(b*x^3+a)^(1/2)*b*x^7+40/187*(b*x^3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+2/15*f/b*(b*x^3+a)^(5/2)+e*(2/13*(b*x^3+a)^(1/2)*b*x^5+32/91*(b*x^3+a)^(1/2)*a*x^2-18/91*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)

$$\frac{1}{2} * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * ((-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a*b^2)^{(1/3)} / b * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)})$$

$$+ d * (2/11 * (b*x^3 + a)^{(1/2)} * b*x^4 + 28/55 * (b*x^3 + a)^{(1/2)} * a*x - 18/55 * I * a^2 * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)}) + c * (2/9 * (b*x^3 + a)^{(1/2)} * b*x^3 + 8/9 * (b*x^3 + a)^{(1/2)} * a - 2/3 * a^{(3/2)} * \text{arctanh}((b*x^3 + a)^{(1/2)} / a^{(1/2)}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x, x)

sympy [A] time = 23.74, size = 473, normalized size = 0.70

$$\frac{2a^{\frac{3}{2}}c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^{\frac{3}{2}}}}\right)}{3} + \frac{a^{\frac{3}{2}}dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}gx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] $-2*a^{(3/2)}*c*\operatorname{asinh}(\operatorname{sqrt}(a)/(\operatorname{sqrt}(b)*x^{(3/2)}))/3 + a^{(3/2)}*d*x*\operatorname{gamma}(1/3)*\operatorname{hyper}((-1/2, 1/3), (4/3,), b*x^{(3/2)}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(4/3)) + a^{(3/2)}*e*x^{(2)}*\operatorname{gamma}(2/3)*\operatorname{hyper}((-1/2, 2/3), (5/3,), b*x^{(3/2)}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(5/3)) + a^{(3/2)}*g*x^{(4)}*\operatorname{gamma}(4/3)*\operatorname{hyper}((-1/2, 4/3), (7/3,), b*x$

```

**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*d*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*e*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*g*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + 2*a**2*c/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*c*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + a*f*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*c*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*f*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

```

$$3.463 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^2} dx$$

Optimal. Leaf size=692

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (182a^{2/3}\sqrt[3]{b}e - 55(1 - \sqrt{3})(2af + 13bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)\right)$$

$$5005b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] 2/45045*(b*x^3+a)^(3/2)*(3003*g*x^5+3465*f*x^4+4095*e*x^3+5005*d*x^2+6435*c*x)/x^2-2/3*a^(3/2)*d*arctanh((b*x^3+a)^(1/2)/a^(1/2))+2/15*a^2*g*(b*x^3+a)^(1/2)/b-27/7*a*c*(b*x^3+a)^(1/2)/x+2/15015*a*(1001*g*x^5+1485*f*x^4+2457*e*x^3+5005*d*x^2+19305*c*x)*(b*x^3+a)^(1/2)/x^2+27/91*a*(2*a*f+13*b*c)*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/182*3^(1/4)*a^(4/3)*(2*a*f+13*b*c)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+9/5005*3^(3/4)*a^(4/3)*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(182*a^(2/3)*b^(1/3)*e-55*(2*a*f+13*b*c)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.79, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (182a^{2/3}\sqrt[3]{b}e - 55(1 - \sqrt{3})(2af + 13bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)\right)$$

$$5005b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x]

[Out] (2*a^2*g*Sqrt[a + b*x^3])/(15*b) - (27*a*c*Sqrt[a + b*x^3])/(7*x) + (27*a*(13*b*c + 2*a*f)*Sqrt[a + b*x^3])/(91*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*a*Sqrt[a + b*x^3]*(19305*c*x + 5005*d*x^2 + 2457*e*x^3 + 1485*f*x^4 + 1001*g*x^5))/(15015*x^2) + (2*(a + b*x^3)^(3/2)*(6435*c*x + 5005*d*x^2 + 4095*e*x^3 + 3465*f*x^4 + 3003*g*x^5))/(45045*x^2) - (2*a^(3/2)*d*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/3 - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(4/3)*(13*b*c + 2*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(182*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^(4/3)*(182*a^(2/3)*b^(1/3)*e - 55*(1 - Sqrt[3])*(13*b*c + 2*a*f))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(5005*b^(2/3)*Sqrt[(

$a^{1/3}(a^{1/3} + b^{1/3}x)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2 \sqrt{a + b^2x^3}$

Rule 63

$\text{Int}[(a_. + (b_.)(x_.)^{m_.})((c_.) + (d_.)(x_.)^{n_.}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_. + (b_.)(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 218

$\text{Int}[1/\sqrt{(a_. + (b_.)(x_.)^3)}, x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\sqrt{2 + \sqrt{3}})*(s + r*x)*\sqrt{(s^2 - r*s*x + r^2*x^2)/((1 + \sqrt{3})*s + r*x)^2} * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})*s + r*x}{(1 + \sqrt{3})*s + r*x}], -7 - 4*\sqrt{3}]] / (3^{1/4} * r * \sqrt{a + b*x^3}) * \sqrt{(s*(s + r*x)/((1 + \sqrt{3})*s + r*x)^2)}, x]] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a]$

Rule 261

$\text{Int}(x_.)^{m_.}((a_. + (b_.)(x_.)^{n_.})^{p_.}), x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{p+1}/(b*n*(p+1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{EqQ}[m, n-1] \&\& \text{NeQ}[p, -1]$

Rule 266

$\text{Int}(x_.)^{m_.}((a_. + (b_.)(x_.)^{n_.})^{p_.}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 1826

$\text{Int}((Pq_)*((c_.)(x_.)^{m_.}((a_. + (b_.)(x_.)^{n_.})^{p_.}), x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(c*x)^m*(a + b*x^n)^p * \text{Sum}[(\text{Coeff}[Pq, x, i]*x^{i+1})/(m + n*p + i + 1), \{i, 0, q\}], x] + \text{Dist}[a*n*p, \text{Int}[(c*x)^m*(a + b*x^n)^{p-1} * \text{Sum}[(\text{Coeff}[Pq, x, i]*x^i)/(m + n*p + i + 1), \{i, 0, q\}], x], x]] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[(n-1)/2, 0] \&\& \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}((Pq_)/((x_)*\sqrt{(a_. + (b_.)(x_.)^{n_.})}), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\sqrt{a + b*x^n}), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\sqrt{a + b*x^n}, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}((Pq_)*((c_.)(x_.)^{m_.}((a_. + (b_.)(x_.)^{n_.})^{p_.}), x_Symbol] \rightarrow \text{With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{m+1}*(a + b*x^n)^{p+1}/(a*c*(m+1)), x] + \text{Dist}[1/(2*a*c*(m+1)), \text{Int}[(c*x)^{m+1} * \text{ExpandToSum}[(2*a*(m+1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p+1) + 1)*x^{n-1}], x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0]] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\&$

IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^2} dx &= \frac{2(a + bx^3)^{3/2} (6435cx + 5005dx^2 + 4095ex^3 + 3465fx^4 + 30gx^5)}{45045x^2} \\
 &= \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 10gx^5)}{15015x^2} \\
 &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 10gx^5)}{15015x^2} \\
 &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 10gx^5)}{15015x^2} \\
 &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 10gx^5)}{15015x^2} \\
 &= \frac{2a^2g\sqrt{a + bx^3}}{15b} - \frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 10gx^5)}{15015x^2} \\
 &= \frac{2a^2g\sqrt{a + bx^3}}{15b} - \frac{27ac\sqrt{a + bx^3}}{7x} + \frac{27a(13bc + 2af)\sqrt{a + bx^3}}{91b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b})}
 \end{aligned}$$

Mathematica [C] time = 0.45, size = 224, normalized size = 0.32

$$\frac{2}{9}d \left(\sqrt{a + bx^3} (4a + bx^3) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^3}}{\sqrt{a}} \right) \right) - \frac{ac\sqrt{a + bx^3} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right)}{x\sqrt{\frac{bx^3}{a} + 1}} + \frac{aex\sqrt{a + bx^3} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right)}{\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x]
```

```
[Out] (2*g*(a + b*x^3)^(5/2))/(15*b) + (2*d*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]))/9 - (a*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)])/(x*Sqrt[1 + (b*x^3)/a]) + (a*e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)])/Sqrt[1 + (b*x^3)/a] + (a*f*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")
```

```
[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^2, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^2, x)
```

maple [B] time = 0.06, size = 1317, normalized size = 1.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)
```

```
[Out] 2/15*g/b*(b*x^3+a)^(5/2)+f*(2/13*(b*x^3+a)^(1/2)*b*x^5+32/91*(b*x^3+a)^(1/2)*a*x^2-18/91*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)
```

$(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+e*(2/11*(b*x^3+a)^{(1/2)}*b*x^4+28/55*(b*x^3+a)^{(1/2)}*a*x-18/55*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-a*(b*x^3+a)^{(1/2)}/x+2/7*(b*x^3+a)^{(1/2)}*b*x^2-9/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(2/9*(b*x^3+a)^{(1/2)}*b*x^3+8/9*(b*x^3+a)^{(1/2)}*a-2/3*a^{(3/2)}*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2))}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x)

sympy [A] time = 13.43, size = 474, normalized size = 0.68

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x\Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}}d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{3} + \frac{a^{\frac{3}{2}}ex\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}fx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] a**(3/2)*c*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**

```

(3/2)*e*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(
3*gamma(4/3)) + a**(3/2)*f*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**
3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x**2*gamma(2/3)*hyper((-1
/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*e*x*
*4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma
(7/3)) + sqrt(a)*b*f*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_
polar(I*pi)/a)/(3*gamma(8/3)) + 2*a**2*d/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3
) + 1)) + 2*a*sqrt(b)*d*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + a*g*Piecewise((
sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*d*Piece
wise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*g
*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/
(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

```


$$3.464 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$$

Optimal. Leaf size=694

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (4af + 11bc))$$

$$10010b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{bx} \right)}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} \sqrt{a + bx^3}$$

[Out] 2/45045*(b*x^3+a)^(3/2)*(3465*g*x^5+4095*f*x^4+5005*e*x^3+6435*d*x^2+9009*c*x)/x^3-2/3*a^(3/2)*e*arctanh((b*x^3+a)^(1/2)/a^(1/2))+27/10*a*c*(b*x^3+a)^(1/2)/x^2-27/7*a*d*(b*x^3+a)^(1/2)/x-2/15015*a*(-1485*g*x^5-2457*f*x^4-5005*e*x^3-19305*d*x^2+27027*c*x)*(b*x^3+a)^(1/2)/x^3+27/91*a*(2*a*g+13*b*d)*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/182*3^(1/4)*a^(4/3)*(2*a*g+13*b*d)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)+9/10010*3^(3/4)*a*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(91*b^(1/3)*(4*a*f+11*b*c)-110*a^(1/3)*(2*a*g+13*b*d)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)

Rubi [A] time = 0.89, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (4af + 11bc))$$

$$10010b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{bx} \right)}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] (27*a*c*Sqrt[a + b*x^3])/(10*x^2) - (27*a*d*Sqrt[a + b*x^3])/(7*x) + (27*a*(13*b*d + 2*a*g)*Sqrt[a + b*x^3])/(91*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (2*a*Sqrt[a + b*x^3]*(27027*c*x - 19305*d*x^2 - 5005*e*x^3 - 2457*f*x^4 - 1485*g*x^5))/(15015*x^3) + (2*(a + b*x^3)^(3/2)*(9009*c*x + 6435*d*x^2 + 5005*e*x^3 + 4095*f*x^4 + 3465*g*x^5))/(45045*x^3) - (2*a^(3/2)*e*ArcTanH[Sqrt[a + b*x^3]/Sqrt[a]])/3 - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(4/3)*(13*b*d + 2*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(182*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*a*(91*b^(1/3)*(11*b*c + 4*a*f) - 110*(1 - Sqrt[3])*a^(1/3)*(13*b*d + 2*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(10010*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
```

```
rt[3])*s + r*x]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx = \frac{2(a + bx^3)^{3/2} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 34gx^5)}{45045x^3}$$

$$= -\frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 18gx^5)}{15015x^3}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 18gx^5)}{15015x^3}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 18gx^5)}{15015x^3}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 18gx^5)}{15015x^3}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 18gx^5)}{15015x^3}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} + \frac{27a(13bd + 2ag)\sqrt{a + bx^3}}{91b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3} \right)}$$

$$= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} + \frac{27a(13bd + 2ag)\sqrt{a + bx^3}}{91b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3} \right)}$$

Mathematica [C] time = 0.43, size = 232, normalized size = 0.33

$$\frac{4ex^2\sqrt{\frac{bx^3}{a} + 1} \left(\sqrt{a + bx^3} (4a + bx^3) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^3}}{\sqrt{a}} \right) \right) - 9ac\sqrt{a + bx^3} {}_2F_1 \left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a} \right) - 18adx\sqrt{\frac{bx^3}{a}}}{18x^2\sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] $(4e^x \sqrt{1 + (bx^3)/a} (\sqrt{a + bx^3} (4a + bx^3) - 3a^{3/2} \operatorname{ArcTanh}[\sqrt{a + bx^3}/\sqrt{a}]) - 9ac \sqrt{a + bx^3} \operatorname{Hypergeometric2F1}[-3/2, -2/3, 1/3, -((bx^3)/a)] - 18ad \sqrt{a + bx^3} \operatorname{Hypergeometric2F1}[-3/2, -1/3, 2/3, -((bx^3)/a)] + 18af \sqrt{a + bx^3} \operatorname{Hypergeometric2F1}[-3/2, 1/3, 4/3, -((bx^3)/a)] + 9ag \sqrt{a + bx^3} \operatorname{Hypergeometric2F1}[-3/2, 2/3, 5/3, -((bx^3)/a)]) / (18x^2 \sqrt{1 + (bx^3)/a})$

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac) \sqrt{bx^3 + a}}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")`

[Out] `integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^3, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^3, x)`

maple [B] time = 0.06, size = 1613, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)`

[Out] $g \left(\frac{2}{13} (b x^3 + a)^{1/2} b x^5 + \frac{32}{91} (b x^3 + a)^{1/2} a x^2 - \frac{18}{91} I a^2 3^{1/2} \left(\frac{1}{2} \right) (-a b^2)^{1/3} / b \left(I \left(x + \frac{1}{2} (-a b^2)^{1/3} / b - \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) 3^{1/2} / (-a b^2)^{1/3} \right) b^{1/2} \left(\left(x - (-a b^2)^{1/3} / b \right) / \left(-\frac{3}{2} (-a b^2)^{1/3} / b + \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) \right)^{1/2} \left(-I \left(x + \frac{1}{2} (-a b^2)^{1/3} / b + \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) 3^{1/2} / (-a b^2)^{1/3} \right) b^{1/2} / (b x^3 + a)^{1/2} \left(\left(-\frac{3}{2} (-a b^2)^{1/3} / b + \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) \operatorname{EllipticE} \left(\frac{1}{3} 3^{1/2} \left(\frac{1}{2} \right) \left(I \left(x + \frac{1}{2} (-a b^2)^{1/3} / b - \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) 3^{1/2} / (-a b^2)^{1/3} \right) b^{1/2}, \left(I 3^{1/2} (-a b^2)^{1/3} / \left(-\frac{3}{2} (-a b^2)^{1/3} / b + \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) \right) b^{1/2} \right) + (-a b^2)^{1/3} / b \operatorname{EllipticF} \left(\frac{1}{3} 3^{1/2} \left(\frac{1}{2} \right) \left(I \left(x + \frac{1}{2} (-a b^2)^{1/3} / b - \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) 3^{1/2} / (-a b^2)^{1/3} \right) b^{1/2}, \left(I 3^{1/2} (-a b^2)^{1/3} / \left(-\frac{3}{2} (-a b^2)^{1/3} / b + \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) \right) b^{1/2} \right) \right) + c \left(-\frac{1}{2} a (b x^3 + a)^{1/2} / x^2 + \frac{2}{5} (b x^3 + a)^{1/2} b x - \frac{9}{10} I a 3^{1/2} (-a b^2)^{1/3} \left(I \left(x + \frac{1}{2} (-a b^2)^{1/3} / b - \frac{1}{2} I 3^{1/2} (-a b^2)^{1/3} / b \right) 3^{1/2} / (-a b^2)^{1/3} \right) b^{1/2} \right)$

2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(-(b*x^3+a)^(1/2)*a/x+2/7*(b*x^3+a)^(1/2)*b*x^2-9/7*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))))+e*(2/9*(b*x^3+a)^(1/2)*b*x^3+8/9*(b*x^3+a)^(1/2)*a-2/3*a^(3/2)*arctanh((b*x^3+a)^(1/2)/a^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x)

sympy [A] time = 12.85, size = 462, normalized size = 0.67

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^2\Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x\Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}}e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{a^{\frac{3}{2}}fx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)

[Out] a**(3/2)*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**(3/2)*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x

```

**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*g*x**2*gamma(2/3)*hyper((-
1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x
*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4
/3)) + sqrt(a)*b*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_po
lar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*f*x**4*gamma(4/3)*hyper((-1/2, 4/3)
, (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*g*x**5*gamma
(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) +
2*a**2*e/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*e*x**(3/2
)/(3*sqrt(a/(b*x**3) + 1)) + b*e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(
a + b*x**3)**(3/2)/(9*b), True))

```

$$3.465 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^4} dx$$

Optimal. Leaf size=692

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left(-110(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 28ag + 77bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) \\ \frac{770 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

[Out] $2/3465*(b*x^3+a)^{(3/2)}*(315*g*x^5+385*f*x^4+495*e*x^3+693*d*x^2+1155*c*x)/x^4 - 1/3*(2*a*f+3*b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+a*c*(b*x^3+a)^{(1/2)}/x^3 + 27/10*a*d*(b*x^3+a)^{(1/2)}/x^2 - 27/7*a*e*(b*x^3+a)^{(1/2)}/x - 2/1155*a*(-189*g*x^5-385*f*x^4-1485*e*x^3+2079*d*x^2+1155*c*x)*(b*x^3+a)^{(1/2)}/x^4 + 27/7*a*b^{(1/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/14*3^{(1/4)}*a^{(4/3)}*b^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+9/770*3^{(3/4)}*a*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(77*b*d+28*a*g-110*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.96, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left(-110(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 28ag + 77bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) \\ \frac{770 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x]

[Out] $(a*c*\operatorname{Sqrt}[a + b*x^3])/x^3 + (27*a*d*\operatorname{Sqrt}[a + b*x^3])/(10*x^2) - (27*a*e*\operatorname{Sqrt}[a + b*x^3])/(7*x) + (27*a*b^{(1/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(7*((1 + \operatorname{Sqrt}[3]))*a^{(1/3)} + b^{(1/3)}*x)) - (2*a*\operatorname{Sqrt}[a + b*x^3]*(1155*c*x + 2079*d*x^2 - 1485*e*x^3 - 385*f*x^4 - 189*g*x^5))/(1155*x^4) + (2*(a + b*x^3)^{(3/2)}*(1155*c*x + 693*d*x^2 + 495*e*x^3 + 385*f*x^4 + 315*g*x^5))/(3465*x^4) - (\operatorname{Sqrt}[a]*(3*b*c + 2*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/3 - (27*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(4/3)}*b^{(1/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3]))*a^{(1/3)} + b^{(1/3)}*x]^2)*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(14*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) + (9*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*a*(77*b*d - 110*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e + 28*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(770*b^{(1/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\operatorname{Sqrt}[a + b*x^3])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
```



```
rt[3])*s + r*x]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^4} dx &= \frac{2(a + bx^3)^{3/2} (1155cx + 693dx^2 + 495ex^3 + 385fx^4 + 315gx^5)}{3465x^4} \\ &= -\frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} + \frac{27a^3\sqrt{b}}{7((1 + \sqrt{3}))^2} \\ &= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} + \frac{27a^3\sqrt{b}}{7((1 + \sqrt{3}))^2} \end{aligned}$$

Mathematica [C] time = 0.80, size = 243, normalized size = 0.35

$$-45a^3d\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a}\right) - 90a^3ex\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a}\right) + 90a^3gx^3\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a}\right)$$

90.

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x]

[Out] (-45*a^3*d*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] - 90*a^3*e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 90*a^3*g*x^3*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 4*x^2*Sqrt[1 + (b*x^3)/a]*(5*a^2*f*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 3*b*c*(a + b*x^3)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(90*a^2*x^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^4, x)

maple [B] time = 0.06, size = 1193, normalized size = 1.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] g*(2/11*(b*x^3+a)^(1/2)*b*x^4+28/55*(b*x^3+a)^(1/2)*a*x-18/55*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + c*(-1/3*(b*x^3+a)^(1/2)*a/x^3+2/3*(b*x^3+a)^(1/2)*b-b*arctanh((b*x^3+a)^(1/2)/a^(1/2))*a^(1/2) + d*(-1/2*(b*x^3+a)^(1/2)*a/x^2+2/5*(b*x^3+a)^(1/2)*b*x-9/10*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + e*(-(b*x^3+a)^(1/2)*a/x^2+2/7*(b*x^3+a)^(1/2)*b*x^2-9/7*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + f*(-(b*x^3+a)^(1/2)*a/x^2+2/7*(b*x^3+a)^(1/2)*b*x^2-9/7*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + g*(-(b*x^3+a)^(1/2)*a/x^2+2/7*(b*x^3+a)^(1/2)*b*x^2-9/7*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))

$$\begin{aligned} & \left(\frac{1}{b} - \frac{1}{2} I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \sqrt{3}^{1/2} / \left(-a \sqrt{b^2} \right)^{1/3} \sqrt{b}^{1/2} \left(\left(x - \left(-a \sqrt{b^2} \right)^{1/3} / b \right) / \left(-3/2 \left(-a \sqrt{b^2} \right)^{1/3} / b + 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \right) \\ & \left(-I \left(x + 1/2 \left(-a \sqrt{b^2} \right)^{1/3} / b + 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \sqrt{3}^{1/2} / \left(-a \sqrt{b^2} \right)^{1/3} \sqrt{b}^{1/2} / \left(b \sqrt{x^3 + a} \right)^{1/2} \right) \left(\left(-3/2 \left(-a \sqrt{b^2} \right)^{1/3} / b + 1/2 I \sqrt{3} \right)^{1/2} \right. \\ & \left. \left(-a \sqrt{b^2} \right)^{1/3} / b \right) \text{EllipticE} \left(1/3 \sqrt{3}^{1/2} \left(I \left(x + 1/2 \left(-a \sqrt{b^2} \right)^{1/3} / b - 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \sqrt{3}^{1/2} / \left(-a \sqrt{b^2} \right)^{1/3} \sqrt{b}^{1/2} \right), \left(I \sqrt{3}^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / \left(-3/2 \left(-a \sqrt{b^2} \right)^{1/3} / b + 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \right) / b \right)^{1/2} \right) \\ & + \left(-a \sqrt{b^2} \right)^{1/3} / b \text{EllipticF} \left(1/3 \sqrt{3}^{1/2} \left(I \left(x + 1/2 \left(-a \sqrt{b^2} \right)^{1/3} / b - 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \sqrt{3}^{1/2} / \left(-a \sqrt{b^2} \right)^{1/3} \sqrt{b}^{1/2} \right), \left(I \sqrt{3}^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / \left(-3/2 \left(-a \sqrt{b^2} \right)^{1/3} / b + 1/2 I \sqrt{3} \right)^{1/2} \left(-a \sqrt{b^2} \right)^{1/3} / b \right) / b \right)^{1/2} \right) \right) + f \sqrt{2/9 \left(b \sqrt{x^3 + a} \right)^{1/2} \sqrt{b} \sqrt{x^3 + 8/9 \left(b \sqrt{x^3 + a} \right)^{1/2} a^{-2/3} a^{3/2} \text{arctanh} \left(\left(b \sqrt{x^3 + a} \right)^{1/2} / a^{1/2} \right)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{3/2}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

sympy [A] time = 14.27, size = 484, normalized size = 0.70

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{a^{\frac{3}{2}} g x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3}{a} \right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)

[Out] a**(3/2)*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**(3/2)*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - sqrt(a)*b*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*d*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*e*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*g*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + 2*a**2*f/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*c*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*c/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*f*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*c*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + b*f*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

$$3.466 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$$

Optimal. Leaf size=741

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(8af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) \\ \frac{280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $2/315*(b*x^3+a)^{(3/2)}*(35*g*x^5+45*f*x^4+63*e*x^3+105*d*x^2+315*c*x)/x^5-1/3*(2*a*g+3*b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+27/20*a*c*(b*x^3+a)^{(1/2)}/x^4+a*d*(b*x^3+a)^{(1/2)}/x^3+27/10*a*e*(b*x^3+a)^{(1/2)}/x^2-27/56*(8*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/x-2/105*a*(-35*g*x^5-135*f*x^4+189*e*x^3+105*d*x^2+189*c*x)*(b*x^3+a)^{(1/2)}/x^5+27/56*b^{(1/3)}*(8*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/112*3^{(1/4)}*a^{(1/3)}*b^{(1/3)}*(8*a*f+7*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/280*3^{(3/4)}*a^{(1/3)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(28*a^{(2/3)}*b^{(1/3)}*e-5*(8*a*f+7*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.24, antiderivative size = 741, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(8af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) \\ \frac{280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]

[Out] $(27*a*c*\operatorname{Sqrt}[a + b*x^3])/(20*x^4) + (a*d*\operatorname{Sqrt}[a + b*x^3])/x^3 + (27*a*e*\operatorname{Sqrt}[a + b*x^3])/(10*x^2) - (27*(7*b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(56*x) + (27*b^{(1/3)}*(7*b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(56*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (2*a*\operatorname{Sqrt}[a + b*x^3]*(189*c*x + 105*d*x^2 + 189*e*x^3 - 135*f*x^4 - 35*g*x^5))/(105*x^5) + (2*(a + b*x^3)^{(3/2)}*(315*c*x + 105*d*x^2 + 63*e*x^3 + 45*f*x^4 + 35*g*x^5))/(315*x^5) - (\operatorname{Sqrt}[a]*(3*b*d + 2*a*g)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/3 - (27*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(1/3)}*b^{(1/3)}*(7*b*c + 8*a*f)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])/(112*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) + (9*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*a^{(1/3)}*b^{(1/3)}*(28*a^{(2/3)}*b^{(1/3)}*e - 5*(1 - \operatorname{Sqrt}[3])*(7*b*c + 8*a*f))*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3])$

+ Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(280*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1826

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]

```

]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 + Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + S
qrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^5} dx &= \frac{2(a + bx^3)^{3/2} (315cx + 105dx^2 + 63ex^3 + 45fx^4 + 35gx^5)}{315x^5} + \frac{1}{2} \left(\frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} + \dots \right) \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8af)\sqrt{a + bx^3}}{56x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8af)\sqrt{a + bx^3}}{56x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8af)\sqrt{a + bx^3}}{56x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8af)\sqrt{a + bx^3}}{56x^3}
\end{aligned}$$

Mathematica [C] time = 0.76, size = 246, normalized size = 0.33

$$-45a^3c\sqrt{a+bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right) - 90a^3ex^2\sqrt{a+bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a}\right) + 4x^3\left(2x\sqrt{\frac{bx^3}{a}} + 1\right)\left(5a^2g\left(\dots\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]
[Out] (-45*a^3*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)] - 90*a^3*e*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] + 4*x^3*(-45*a^3*f*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 2*x*Sqrt[1 + (b*x^3)/a]*(5*a^2*g*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 3*b*d*(a + b*x^3)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(180*a^2*x^4*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")
```

```
[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^5, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^5, x)
```

maple [B] time = 0.06, size = 1342, normalized size = 1.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)
```

```
[Out] c*(-1/4*a*(b*x^3+a)^(1/2)/x^4-11/8*(b*x^3+a)^(1/2)*b/x-9/8*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))
```

$$\frac{1}{2}(-ab^2)^{1/3}/b - \frac{1}{2}I_3^{1/2}(-ab^2)^{1/3}/b * 3^{1/2}/(-ab^2)^{1/3} * b^{1/2}, (I_3^{1/2}(-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b)/b^{1/2}))) + d * (-1/3 * (bx^3+a)^{1/2} * a/x^3 + 2/3 * (bx^3+a)^{1/2}) * b - b * \operatorname{arctanh}((bx^3+a)^{1/2}/a^{1/2}) * a^{1/2} + e * (-1/2 * (bx^3+a)^{1/2} * a/x^2 + 2/5 * (bx^3+a)^{1/2} * bx - 9/10 * I_3^{1/2}(-ab^2)^{1/3} * (I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b - 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2} * ((x - (-ab^2)^{1/3}/b)/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b))^{1/2} * (-I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2} / (bx^3+a)^{1/2} * \operatorname{EllipticF}(1/3 * 3^{1/2} * (I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b - 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2}, (I_3^{1/2}(-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2})) + f * (- (bx^3+a)^{1/2} * a/x^2 + 7/7 * (bx^3+a)^{1/2} * bx^2 - 9/7 * I_3^{1/2}(-ab^2)^{1/3} * (I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b - 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2} * ((x - (-ab^2)^{1/3}/b)/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b))^{1/2} * (-I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2} / (bx^3+a)^{1/2} * ((-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * \operatorname{EllipticE}(1/3 * 3^{1/2} * (I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b - 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2}, (I_3^{1/2}(-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2})) + (-ab^2)^{1/3}/b * \operatorname{EllipticF}(1/3 * 3^{1/2} * (I_3^{1/2}(x + 1/2(-ab^2)^{1/3}/b - 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2}, (I_3^{1/2}(-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2I_3^{1/2}(-ab^2)^{1/3}/b) * 3^{1/2}/(-ab^2)^{1/3} * b)^{1/2})) + g * (2/9 * (bx^3+a)^{1/2} * bx^3 + 8/9 * (bx^3+a)^{1/2} * a - 2/3 * a^{3/2} * \operatorname{arctanh}((bx^3+a)^{1/2}/a^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^5, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)

sympy [A] time = 14.64, size = 495, normalized size = 0.67

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^2\Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(-\frac{1}{3}, -\frac{1}{3} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x\Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}}g \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3+a}}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**5, x)


```
[Out] a**(3/2)*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/
a)/(3*x**4*gamma(-1/3)) + a**(3/2)*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,)
, b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*f*gamma(-1/3)*hy
per((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a*
*(3/2)*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*b*c*gamma(-1/3)*hype
r((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a
)*b*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*e*x*gamma(1/3)*hyper((-
1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*f*x
**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamm
a(5/3)) + 2*a**2*g/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*d*
sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*d/(3*x**(3/2)*sqrt(a/(b*x**
3) + 1)) + 2*a*sqrt(b)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*d*x
**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + b*g*Piecewise((sqrt(a)*x**3/3, Eq(b, 0))
, (2*(a + b*x**3)**(3/2)/(9*b), True))
```

$$3.467 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^6} dx$$

Optimal. Leaf size=689

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (14 \sqrt[3]{b} (2af + bc) - 5 \dots)$$

$$280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

[Out] $-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2+60*g/x)*(b*x^3+a)^{(3/2)}-b*e*\arctan(\dots)$

Rubi [A] time = 0.92, antiderivative size = 689, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (14 \sqrt[3]{b} (2af + bc) - 5 \dots)$$

$$280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x]

[Out] $(27*b*c*\text{Sqrt}[a + b*x^3])/(20*x^2) - (27*b*d*\text{Sqrt}[a + b*x^3])/(8*x) + (27*b^{1/3}*(7*b*d + 8*a*g)*\text{Sqrt}[a + b*x^3])/(56*((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3})*x) - ((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2 + (60*g)/x)*(a + b*x^3)^{(3/2)}/60 - (b*\text{Sqrt}[a + b*x^3]*(252*c*x - 315*d*x^2 - 140*e*x^3 - 126*f*x^4 - 180*g*x^5))/(140*x^3) - \text{Sqrt}[a]*b*e*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]] - (27*3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3])*a^{1/3}*b^{1/3}*(7*b*d + 8*a*g)*(a^{1/3} + b^{1/3})*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3})*x]^2*\text{EllipticE}[\text{ArcSin}[\dots]]/(112*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3})*x)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3})*x]^2)*\text{Sqrt}[a + b*x^3]) + (9*3^{3/4}*\text{Sqrt}[2 + \text{Sqrt}[3])*b^{1/3}*(14*b^{1/3}*(b*c + 2*a*f) - 5*(1 - \text{Sqrt}[3])*a^{1/3}*(7*b*d + 8*a*g))*(a^{1/3} + b^{1/3})*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3})*x]^2*\text{EllipticF}[\text{ArcSin}[\dots]]/(280*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3})*x)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3})*x]^2)*\text{Sqrt}[a + b*x^3])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[
  {Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
  c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
  *(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
  ^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
  IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
  umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
  ]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
  imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
  (1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
  rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
  ((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
  Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
  umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
  [a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
  (5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} - \frac{1}{2} (9b) \int \frac{(a + bx^3)^{3/2}}{x^6} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} - \frac{b\sqrt{a + bx^3}}{20x^2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} + \frac{27\sqrt[3]{b}(7bd + 8ag)\sqrt{a + bx^3}}{56((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} + \frac{27\sqrt[3]{b}(7bd + 8ag)\sqrt{a + bx^3}}{56((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 191, normalized size = 0.28

$$\frac{\sqrt{a + bx^3} \left(-12a^3 c {}_2F_1 \left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) - 15a^3 dx {}_2F_1 \left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a} \right) - 30a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a} \right) - 60a^3 gx^4 {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right) + 8bex^5 \sqrt{a + bx^3} \operatorname{Hypergeometric2F1} \left[2, \frac{5}{2}, \frac{7}{2}, 1 + \frac{bx^3}{a} \right] \right)}{60a^2 x^5 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x]
[Out] (Sqrt[a + b*x^3]*(-12*a^3*c*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)] - 15*a^3*d*x*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)] - 30*a^3*f*x^3*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] - 60*a^3*g*x^4*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 8*b*e*x^5*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(60*a^2*x^5*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^6, x)

maple [B] time = 0.06, size = 1606, normalized size = 2.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x)

[Out] c*(-1/5*a*(b*x^3+a)^(1/2)/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + d*(-1/4*(b*x^3+a)^(1/2)*a/x^4-11/8*(b*x^3+a)^(1/2)*b/x-9/8*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + (-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + e*(-1/3*(b*x^3+a)^(1/2)*a/x^3+2/3*(b*x^3+a)^(1/2)*b-b*arctanh((b*x^3+a)^(1/2)/a^(1/2))*a^(1/2)) + f*(-1/2*(b*x^3+a)^(1/2)*a/x^2+2/5*(b*x^3+a)^(1/2)*b*x-9/10*I*a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + g*(-(b*x^3+a)^(1/2)*a/x+2/7*(b*x^3+a)^(1/2)*b*x^2-9/7*I*a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))

)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{3}{2}} (gx^4 + fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x)

sympy [A] time = 14.43, size = 476, normalized size = 0.69

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^2\Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}g\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, -\frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x\Gamma\left(\frac{2}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**6,x)

[Out] a**(3/2)*c*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*d*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + a**(3/2)*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*g*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) + sqrt(a)*b*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*g*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) - a*sqrt(b)*e*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*e/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*e*x**(3/2)/(3*sqrt(a/(b*x**3) + 1))

$$3.468 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx$$

Optimal. Leaf size=692

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (-5(1-\sqrt{3})\sqrt[3]{a} b^{2/3} e + 4ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}(1-\sqrt{3})}{\sqrt[3]{bx} + (1+\sqrt{3})}\right)\right) \\ \frac{40 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

[Out] $-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3+30*g/x^2)*(b*x^3+a)^{(3/2)}-1/4*b*(4*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/4*b*c*(b*x^3+a)^{(1/2)}/x^3+27/20*b*d*(b*x^3+a)^{(1/2)}/x^2-27/8*b*e*(b*x^3+a)^{(1/2)}/x-1/20*b*(-18*g*x^5-20*f*x^4-45*e*x^3+36*d*x^2+10*c*x)*(b*x^3+a)^{(1/2)}/x^4+27/8*b^{(4/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/16*3^{(1/4)}*a^{(1/3)}*b^{(4/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/40*3^{(3/4)}*b^{(2/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(2*b*d+4*a*g-5*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.00, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (-5(1-\sqrt{3})\sqrt[3]{a} b^{2/3} e + 4ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}(1-\sqrt{3})}{\sqrt[3]{bx} + (1+\sqrt{3})}\right)\right) \\ \frac{40 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x]

[Out] $(b*c*\operatorname{Sqrt}[a + b*x^3])/(4*x^3) + (27*b*d*\operatorname{Sqrt}[a + b*x^3])/(20*x^2) - (27*b*e*\operatorname{Sqrt}[a + b*x^3])/(8*x) + (27*b^{(4/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(8*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3 + (30*g)/x^2)*(a + b*x^3)^{(3/2)}/60 - (b*\operatorname{Sqrt}[a + b*x^3]*(10*c*x + 36*d*x^2 - 45*e*x^3 - 20*f*x^4 - 18*g*x^5))/(20*x^4) - (b*(b*c + 4*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (27*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*a^{(1/3)}*b^{(4/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(16*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) + (9*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(2/3)}*(2*b*d - 5*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e + 4*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)), -7 - 4*\operatorname{Sqrt}[3]])/(40*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1826

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[
  {Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
  c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
  *(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
  ^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
  IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
  umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
  ]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
  imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
  (1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
  rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
  ((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
  Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
  umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
  [a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
  (5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a + bx^3)^{3/2} - \frac{1}{2} (9b) \int \frac{b\sqrt{a + bx^3}}{x^7} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a + bx^3)^{3/2} - \frac{b\sqrt{a + bx^3}}{4x^3} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a + bx^3)^{3/2} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^3)^{3/2} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{27be\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{20f}{x^3} \right) (a + bx^3)^{3/2} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{27be\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{20f}{x^3} \right) (a + bx^3)^{3/2} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{27be\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{20f}{x^3} \right) (a + bx^3)^{3/2} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{27be\sqrt{a + bx^3}}{8x} + \frac{27b^{4/3}e}{8 \left((1 + \sqrt{3}) \right)} \\
&= \frac{bc\sqrt{a + bx^3}}{4x^3} + \frac{27bd\sqrt{a + bx^3}}{20x^2} - \frac{27be\sqrt{a + bx^3}}{8x} + \frac{27b^{4/3}e}{8 \left((1 + \sqrt{3}) \right)}
\end{aligned}$$

Mathematica [C] time = 0.73, size = 240, normalized size = 0.35

$$\frac{12a^2d\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a}\right)}{x^5} - \frac{15a^2e\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right)}{x^4} + \frac{8bf(a+bx^3)^3 {}_2F_1\left(2, \frac{5}{2}, \frac{7}{2}; \frac{bx^3}{a}+1\right)}{a^2} - \frac{30a^2g\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{3}; -\frac{2}{3}; -\frac{bx^3}{a}\right)}{x^2}$$

$$60\sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x]

[Out] ((-15*b*c*(a + b*x^3))/x^3 - (10*c*(a + b*x^3)^2)/x^6 - 15*b^2*c*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]] - (12*a^2*d*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)]/x^5 - (15*a^2*e*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)]/x^4 - (30*a^2*g*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)]/x^2 + (8*b*f*(a + b*x^3)^3*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a])/a^2)/(60*Sqrt[a + b*x^3])

fricas [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^7}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^7, x)

maple [B] time = 0.07, size = 1196, normalized size = 1.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x)

[Out] d*(-1/5*(b*x^3+a)^(1/2)*a/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+e*(-1/4*(b*x^3+a)^(1/2)*a/x^4-11/8*(b*x^3+a)^(1/2)*b/x-9/8*I*b*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+f*(-1/3*(b*x^3+a)^(1/2)*a/x^3+2/3*(b*x^3+a)^(1/2)*b-b*arctanh((b*x^3+a)^(1/2)/a^(1/2))*a^(1/2))+g*(-1/2*(b*x^3+a)^(1/2)*a/x^2+2/5*(b*x^3+a)^(1/2)*b*x-9/10*I*a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+c*(-1/6*a*(b*x^3+a)^(1/2)/x^6-5/12*(b*x^3+a)^(1/2)*b/x^3-1/4*b^2*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{24} \left(\frac{3b^2 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{\sqrt{a}} - \frac{2\left(5(bx^3+a)^{\frac{3}{2}}b^2 - 3\sqrt{bx^3+a}ab^2\right)}{(bx^3+a)^2 - 2(bx^3+a)a + a^2} \right) c + \int \frac{(bgx^6 + bfx^5 + bex^4 + afx^2 + (bd + ag)x^3 + a^2e)x^3 + a^2d}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="maxima")

[Out] 1/24*(3*b^2*log((sqrt(b*x^3 + a) - sqrt(a))/(sqrt(b*x^3 + a) + sqrt(a)))/sqrt(a) - 2*(5*(b*x^3 + a)^(3/2)*b^2 - 3*sqrt(b*x^3 + a)*a*b^2)/((b*x^3 + a)^2 - 2*(b*x^3 + a)*a + a^2))*c + integrate((b*g*x^6 + b*f*x^5 + b*e*x^4 + a*f*x^2 + (b*d + a*g)*x^3 + a*e*x + a*d)*sqrt(b*x^3 + a)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)

sympy [A] time = 17.92, size = 524, normalized size = 0.76

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}} g \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \sqrt{a} b d \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**7,x)

[Out] a**(3/2)*d*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*e*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + a**(3/2)*g*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - a**2*c/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*c/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*f*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*f/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*c*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*c/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*f*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b**2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a))

$$3.469 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^8} dx$$

Optimal. Leaf size=746

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (28a^{2/3}\sqrt[3]{b}e - 5(1 - \sqrt{3})(14af + bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})}{\sqrt[3]{b}x + (1 + \sqrt{3})}\right)\right)$$

$$560a^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4+140*g/x^3)*(b*x^3+a)^{(3/2)}-1/4$
 $*b*(4*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+27/280*b*c*(b*x^3+a)$
 $^{(1/2)}/x^4+1/4*b*d*(b*x^3+a)^{(1/2)}/x^3+27/20*b*e*(b*x^3+a)^{(1/2)}/x^2-27/11$
 $2*b*(14*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/x-1/140*b*(-140*g*x^5-315*f*x^4+252*e*x^$
 $3+70*d*x^2+36*c*x)*(b*x^3+a)^{(1/2)}/x^5+27/112*b^{(4/3)}*(14*a*f+b*c)*(b*x^3+a)$
 $^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/224*3^{(1/4)}*b^{(4/3)}*(14*a*f+b*$
 $c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x$
 $+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{$
 $(1/3)*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/$
 $3)/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/$
 $2)))^{(1/2)}+9/560*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*$
 $x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(28*a$
 $^{(2/3)}*b^{(1/3)}*e-5*(14*a*f+b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{$
 $(2/3)}-a^{(1/3)*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/$
 $2)/a^{(2/3)/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)*$
 $(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.28, antiderivative size = 746, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (28a^{2/3}\sqrt[3]{b}e - 5(1 - \sqrt{3})(14af + bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})}{\sqrt[3]{b}x + (1 + \sqrt{3})}\right)\right)$$

$$560a^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)/x^8, x]$

[Out] $(27*b*c*\operatorname{Sqrt}[a + b*x^3])/(280*x^4) + (b*d*\operatorname{Sqrt}[a + b*x^3])/(4*x^3) + (27*b*$
 $e*\operatorname{Sqrt}[a + b*x^3])/(20*x^2) - (27*b*(b*c + 14*a*f)*\operatorname{Sqrt}[a + b*x^3])/(112*a*$
 $x) + (27*b^{(4/3)}*(b*c + 14*a*f)*\operatorname{Sqrt}[a + b*x^3])/(112*a*((1 + \operatorname{Sqrt}[3])*a^{(1/$
 $3) + b^{(1/3)*x})) - (((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4 +$
 $(140*g)/x^3)*(a + b*x^3)^{(3/2)})/420 - (b*\operatorname{Sqrt}[a + b*x^3]*(36*c*x + 70*d*x^2$
 $+ 252*e*x^3 - 315*f*x^4 - 140*g*x^5))/(140*x^5) - (b*(b*d + 4*a*g)*\operatorname{ArcTanh}$
 $[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (27*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(4/$
 $3)*(b*c + 14*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}}$
 $+ b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1$
 $- \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 -$
 $4*\operatorname{Sqrt}[3])]/(224*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \operatorname{Sqrt}[3]$
 $)*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) + (9*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b$
 $^{(4/3)}*(28*a^{(2/3)}*b^{(1/3)}*e - 5*(1 - \operatorname{Sqrt}[3])*(b*c + 14*a*f))*(a^{(1/3)} + b$
 $^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \operatorname{Sqrt}[3])*a$
 $^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})$

$$\frac{1}{((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^{-7 - 4\sqrt{3}}(560a^{2/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2}\sqrt{a + b^3x^3})}$$
Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)]], -7 - 4*sqrt[3])]/(3^(1/4)*r*sqrt[a + b*x^3]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
```

$Q[n, 0] \ \&\& \ \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_*)*((c_*)*(x_))^{(m_)}*((a_)+(b_)*(x_)^{(n_))^{(p_)}], x_Symbol] \ :> \ \text{With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m+1)}*(a+b*x^n)^{(p+1)})/(a*c*(m+1)), x] + \text{Dist}[1/(2*a*c*(m+1)), \text{Int}[(c*x)^{(m+1)}*\text{ExpandToSum}[(2*a*(m+1)*(Pq-Pq0))/x - 2*b*Pq0*(m+n*(p+1)+1)*x^{(n-1)}, x]*(a+b*x^n)^p, x], x] \ /; \ \text{NeQ}[Pq0, 0] \ /; \ \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{LeQ}[n-1, \text{Expon}[Pq, x]]$

Rule 1877

$\text{Int}[((c_)+(d_)*(x_))/\text{Sqrt}[(a_)+(b_)*(x_)^3], x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Simplify}[(1-\text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1-\text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a+b*x^3])/(a*r^2*((1+\text{Sqrt}[3])*s+r*x)), x] - \text{Simp}[(3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*d*s*(s+r*x)*\text{Sqrt}[(s^2-r*s*x+r^2*x^2)/(1+\text{Sqrt}[3])*s+r*x]^2*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3])*s+r*x]/((1+\text{Sqrt}[3])*s+r*x)], -7-4*\text{Sqrt}[3])]/(r^2*\text{Sqrt}[a+b*x^3]*\text{Sqrt}[(s*(s+r*x))/(1+\text{Sqrt}[3])*s+r*x]^2)], x] \ /; \ \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{EqQ}[b*c^3-2*(5-3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[((c_)+(d_)*(x_))/\text{Sqrt}[(a_)+(b_)*(x_)^3], x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r-(1-\text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a+b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1-\text{Sqrt}[3])*s+r*x]/\text{Sqrt}[a+b*x^3], x], x] \ /; \ \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3-2*(5-3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^8} dx &= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} + \frac{140g}{x^3} \right) (a + bx^3)^{3/2} - \frac{1}{2} (9 \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} + \frac{140g}{x^3} \right) (a + bx^3)^{3/2} - \frac{b\sqrt{a}}{2} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} - \frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} + \frac{140g}{x^3} \right) (a \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} - \frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} + \frac{140g}{x^3} \right) \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} + \frac{140g}{x^3} \right) \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1} \\
&= \frac{27bc\sqrt{a + bx^3}}{280x^4} + \frac{bd\sqrt{a + bx^3}}{4x^3} + \frac{27be\sqrt{a + bx^3}}{20x^2} - \frac{27b(bc + 1)}{1}
\end{aligned}$$

Mathematica [C] time = 1.07, size = 240, normalized size = 0.32

$$\frac{60a^2c\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a}\right)}{x^7} - \frac{84a^2e\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a}\right)}{x^5} - \frac{105a^2f\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right)}{x^4} + \frac{56bg(a+bx^3)^3 {}_2F_1\left(2, \frac{5}{2}, \frac{7}{2}, 1 + \frac{bx^3}{a}\right)}{a^2}$$

$$420\sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x]

[Out] ((-105*b*d*(a + b*x^3))/x^3 - (70*d*(a + b*x^3)^2)/x^6 - 105*b^2*d*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]] - (60*a^2*c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-7/3, -3/2, -4/3, -(b*x^3)/a])/x^7 - (84*a^2*e*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-5/3, -3/2, -2/3, -(b*x^3)/a])/x^5 - (105*a^2*f*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -4/3, -1/3, -(b*x^3)/a])/x^4 + (56*b*g*(a + b*x^3)^3*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a])/a^2)/(420*Sqrt[a + b*x^3])

fricas [F] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^8, x)

maple [B] time = 0.06, size = 1375, normalized size = 1.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8,x)

[Out] e*(-1/5*(b*x^3+a)^(1/2)*a/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+f*(-1/4*(b*x^3+a)^(1/2)*a/x^4-11/8*(b*x^3+a)^(1/2)*b/x-9/8*I*b*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+g*(-1/3*(b*x^3+a)^(1/2)*a/x^3+2/3*(b*x^3+a)^(1/2)*b-b*arctanh((b*x^3+a)^(1/2)/a^(1/2))*a^(1/2))+c*(-1/7*a*(b*x^3+a)^(1/2)/x^7-17/56*b*(b*x^3+a)^(1/2)/x^4-27/112*b^2/a*(b*x^3+a)^(1/2)/x-9/112*I/a*b^2*3^(1/2)*(-a*b^2)^(1/3)*I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-

$a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}$, $(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}$, $(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x)

sympy [A] time = 18.71, size = 536, normalized size = 0.72

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{7}{3}\right)_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{5}{3}\right)_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{4}{3}\right)_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{4}{3}\right)_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**8,x)

[Out] a**(3/2)*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + a**(3/2)*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*f*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*f*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) - a**2*d/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*d/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*g*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*g/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*d*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*d/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b**2*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a))

$$3.470 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx$$

Optimal. Leaf size=705

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (7\sqrt[3]{b}(bc - 16af) +$$

$$2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5+210*g/x^4)*(b*x^3+a)^(3/2)-1/4*b^2*e*\operatorname{arctanh}((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/560*b*(63*c/x^5+90*d/x^4+140*e/x^3+252*f/x^2+630*g/x)*(b*x^3+a)^(1/2)-27/320*b^2*c*(b*x^3+a)^(1/2)/a/x^2-27/112*b^2*d*(b*x^3+a)^(1/2)/a/x+27/112*b^(4/3)*(14*a*g+b*d)*(b*x^3+a)^(1/2)/a/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/224*3^(1/4)*b^(4/3)*(14*a*g+b*d)*(a^(1/3)+b^(1/3)*x)*\operatorname{EllipticE}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/a^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)-9/2240*3^(3/4)*b^(4/3)*(a^(1/3)+b^(1/3)*x)*\operatorname{EllipticF}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(7*b^(1/3)*(-16*a*f+b*c)+20*a^(1/3)*(14*a*g+b*d)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/a/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)$

Rubi [A] time = 1.01, antiderivative size = 705, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (7\sqrt[3]{b}(bc - 16af) +$$

$$2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x]

[Out] $-(b*((63*c)/x^5 + (90*d)/x^4 + (140*e)/x^3 + (252*f)/x^2 + (630*g)/x)*\operatorname{Sqrt}[a + b*x^3])/560 - (27*b^2*c*\operatorname{Sqrt}[a + b*x^3])/(320*a*x^2) - (27*b^2*d*\operatorname{Sqrt}[a + b*x^3])/(112*a*x) + (27*b^(4/3)*(b*d + 14*a*g)*\operatorname{Sqrt}[a + b*x^3])/(112*a*(1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x) - (((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5 + (210*g)/x^4)*(a + b*x^3)^(3/2))/840 - (b^2*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (27*3^(1/4)*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^(4/3)*(b*d + 14*a*g)*(a^(1/3) + b^(1/3)*x)*\operatorname{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\operatorname{Sqrt}[3]]/(224*a^(2/3)*\operatorname{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (9*3^(3/4)*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^(4/3)*(7*b^(1/3)*(b*c - 16*a*f) + 20*(1 - \operatorname{Sqrt}[3])*a^(1/3)*(b*d + 14*a*g))*(a^(1/3) + b^(1/3)*x)*\operatorname{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\operatorname{Sqrt}[3]]/(2240*a*\operatorname{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \operatorname{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

Mathematica [C] time = 0.60, size = 202, normalized size = 0.29

$$\frac{\sqrt{a + bx^3} \left(2x \left(7x \left(5 \left(3a^2 gx^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 3b^2 ex^6 \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) + ae (2a + 5bx^3) \sqrt{\frac{bx^3}{a} + 1} \right) \right) \right)}{840ax^8 \sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x]
[Out] -1/840*(Sqrt[a + b*x^3]*(105*a^2*c*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] + 2*x*(60*a^2*d*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] + 7*x*(12*a^2*f*x*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)] + 5*(a*e*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*e*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]] + 3*a^2*g*x^2*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)]))))/(a*x^8*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="fricas")
```

```
[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^9, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^9, x)
```

maple [B] time = 0.06, size = 1663, normalized size = 2.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x)
```

```
[Out] f*(-1/5*(b*x^3+a)^(1/2)*a/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+g*(-1/4*(b*x^3+a)^(1/2)*a/x^4-11/8*(b*x^3+a)^(1/2)*b/x-9/8*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)
```

$$\frac{1}{2} * ((x - (-a * b^2)^{1/3}) / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b)^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3}) / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + c * (-1/8 * a * (b * x^3 + a)^{1/2} / x^8 - 19/80 * b * (b * x^3 + a)^{1/2} / x^5 - 27/320 * b^2 / a * (b * x^3 + a)^{1/2} / x^2 + 9/320 * I / a * b^2 * 3^{1/2} * (-a * b^2)^{1/3} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3}) / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b)^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3}) / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + d * (-1/7 * (b * x^3 + a)^{1/2} * a / x^7 - 17/56 * (b * x^3 + a)^{1/2} * b / x^4 - 27/112 * (b * x^3 + a)^{1/2} / a * b^2 / x - 9/112 * I / a * b^2 * 3^{1/2} * (-a * b^2)^{1/3} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3}) / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b)^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3}) / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + e * (-1/6 * (b * x^3 + a)^{1/2} * a / x^6 - 5/12 * (b * x^3 + a)^{1/2} * b / x^3 - 1/4 * b^2 * \text{arctanh}((b * x^3 + a)^{1/2} / a^{1/2}) / a^{1/2})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^9, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x)

sympy [A] time = 17.28, size = 527, normalized size = 0.75

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{8}{3}, -\frac{1}{2} \\ -\frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^8 \Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^7 \Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}} g \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**9,x)
```

```
[Out] a**(3/2)*c*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/
a)/(3*x**8*gamma(-5/3)) + a**(3/2)*d*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,
), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + a**(3/2)*f*gamma(-5/3)*
hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3))
+ a**(3/2)*g*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi
i)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*c*gamma(-5/3)*hyper((-5/3, -1/2), (-
2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*d*gamma(-
4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-
1/3)) + sqrt(a)*b*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_pola
r(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*g*gamma(-1/3)*hyper((-1/2, -1/3)
, (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - a**2*e/(6*sqrt(b)*x*
*(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*e/(4*x**(9/2)*sqrt(a/(b*x**3) + 1
)) - b**(3/2)*e*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*e/(12*x**(3/2)
*sqrt(a/(b*x**3) + 1)) - b**2*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a
))
```

$$3.471 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{10}} dx$$

Optimal. Leaf size=714

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{5/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (20(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 112ag + 7bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1 + \sqrt{3})\sqrt[3]{a}}\right)\right)$$

$$2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/2520*(280*c/x^9+315*d/x^8+360*e/x^7+420*f/x^6+504*g/x^5)*(b*x^3+a)^{(3/2)}+1/24*b^2*(-6*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/1680*b*(140*c/x^6+189*d/x^5+270*e/x^4+420*f/x^3+756*g/x^2)*(b*x^3+a)^{(1/2)}-1/24*b^2*c*(b*x^3+a)^{(1/2)}/a/x^3-27/320*b^2*d*(b*x^3+a)^{(1/2)}/a/x^2-27/112*b^2*e*(b*x^3+a)^{(1/2)}/a/x+27/112*b^{(7/3)}*e*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/224*3^{(1/4)}*b^{(7/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}-9/2240*3^{(3/4)}*b^{(5/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)}+2*I)*(7*b*d-112*a*g+20*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.12, antiderivative size = 714, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{b^2(bc - 6af) \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{24a^{3/2}} + 9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{5/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (20(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 112ag + 7bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1 + \sqrt{3})\sqrt[3]{a}}\right)\right) + 2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)/x^{10}, x]$

[Out] $-(b*((140*c)/x^6 + (189*d)/x^5 + (270*e)/x^4 + (420*f)/x^3 + (756*g)/x^2)*\operatorname{Sqrt}[a + b*x^3])/1680 - (b^2*c*\operatorname{Sqrt}[a + b*x^3])/(24*a*x^3) - (27*b^2*d*\operatorname{Sqrt}[a + b*x^3])/(320*a*x^2) - (27*b^2*e*\operatorname{Sqrt}[a + b*x^3])/(112*a*x) + (27*b^{(7/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(112*a*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (((280*c)/x^9 + (315*d)/x^8 + (360*e)/x^7 + (420*f)/x^6 + (504*g)/x^5)*(a + b*x^3)^{(3/2)}/2520 + (b^2*(b*c - 6*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(24*a^{(3/2)}) - (27*3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(7/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(224*a^{(2/3)}*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3]) - (9*3^{(3/4)}*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(5/3)}*(7*b*d + 20*(1 - \operatorname{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e - 112*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\operatorname{Sqrt}[3]))/(2240*a*\operatorname{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\operatorname{Sqrt}[a + b*x^3])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

Mathematica [C] time = 0.82, size = 226, normalized size = 0.32

$$\sqrt{a + bx^3} \left(105a^5 d {}_2F_1 \left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a} \right) + 2x \left(60a^5 e {}_2F_1 \left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 7x \left(12a^5 g x {}_2F_1 \left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) \right) \right)$$

84

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^10,x]
[Out] -1/840*(Sqrt[a + b*x^3]*(105*a^5*d*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] + 2*x*(60*a^5*e*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] + 7*x*(5*a^3*f*(a*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 12*a^5*g*x*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)] - 8*b^3*c*x^6*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^3)/a])))/(a^4*x^8*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="fricas")
```

```
[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^10, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="giac")
```

```
[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^10, x)
```

maple [B] time = 0.10, size = 1273, normalized size = 1.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x)
```

```
[Out] g*(-1/5*(b*x^3+a)^(1/2)*a/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I^3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+d*(-1/8*(b*x^3+a)^(1/2)*a/x^8-19/80*(b*x^3+a)^(1/2)*b/x^5-27/320*(b*x^3+a)^(1/2)/a*b^2/x^2+9/320*I/a*b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a
```

$$\begin{aligned}
 & *b^2)^{(1/3)/b} *3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)} * ((x - (-a*b^2)^{(1/3)/b}) / (-3/2 * \\
 & (-a*b^2)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b})^{(1/2)} * (-I * (x + 1/2 * (-a*b^2) \\
 & ^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} * 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)} / (b \\
 & *x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)/b} - 1/2 * I * 3^{(1/2)} \\
 &) * (-a*b^2)^{(1/3)/b} * 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3) \\
 & 3) / (-3/2 * (-a*b^2)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} / b)^{(1/2))} + c * (-1/ \\
 & 9 * a * (b * x^3 + a)^{(1/2)} / x^9 - 7/36 * b * (b * x^3 + a)^{(1/2)} / x^6 - 1/24 * b^2 / a * (b * x^3 + a)^{(1/ \\
 & 2) / x^3 + 1/24 / a^{(3/2)} * b^3 * \text{arctanh}((b * x^3 + a)^{(1/2)} / a^{(1/2)}) + e * (-1/7 * (b * x^3 + a) \\
 & ^{(1/2)} * a / x^7 - 17/56 * (b * x^3 + a)^{(1/2)} * b / x^4 - 27/112 * (b * x^3 + a)^{(1/2)} / a * b^2 / x^9 / 1 \\
 & 12 * I / a * b^2 * 3^{(1/2)} * (-a*b^2)^{(1/3)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)/b} - 1/2 * I * 3^{(1/2)} * \\
 & (-a*b^2)^{(1/3)/b} * 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)} * ((x - (-a*b^2)^{(1/3)/b}) / (-3 \\
 & / 2 * (-a*b^2)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b})^{(1/2)} * (-I * (x + 1/2 * (-a*b \\
 & ^2)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} * 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)} / (b * x^3 + a)^{(1/2)} * ((-3/2 * (-a*b^2)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} * \text{El} \\
 & \text{lipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)/b} - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3) \\
 & / b) * 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3) / (-3/2 * (-a*b^2) \\
 &)^{(1/3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} / b)^{(1/2))} + (-a*b^2)^{(1/3)/b * \text{Elliptic} \\
 & \text{icF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)/b} - 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} * \\
 & 3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I * 3^{(1/2)} * (-a*b^2)^{(1/3) / (-3/2 * (-a*b^2)^{(1 \\
 & / 3)/b + 1/2 * I * 3^{(1/2)} * (-a*b^2)^{(1/3)/b} / b)^{(1/2))} + f * (-1/6 * (b * x^3 + a)^{(1/2)} * a \\
 & / x^6 - 5/12 * (b * x^3 + a)^{(1/2)} * b / x^3 - 1/4 * b^2 * \text{arctanh}((b * x^3 + a)^{(1/2)} / a^{(1/2)}) / a^{(\\
 & 1/2))
 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{144} \left(\frac{3b^3 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left(3(bx^3+a)^{\frac{5}{2}}b^3 + 8(bx^3+a)^{\frac{3}{2}}ab^3 - 3\sqrt{bx^3+a}a^2b^3\right)}{(bx^3+a)^3a - 3(bx^3+a)^2a^2 + 3(bx^3+a)a^3 - a^4} \right) c + \int \frac{(bgx^6 + bfx^5 + be...}{...}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="maxima")

[Out] -1/144*(3*b^3*log((sqrt(b*x^3 + a) - sqrt(a))/(sqrt(b*x^3 + a) + sqrt(a)))/a^(3/2) + 2*(3*(b*x^3 + a)^(5/2)*b^3 + 8*(b*x^3 + a)^(3/2)*a*b^3 - 3*sqrt(b*x^3 + a)*a^2*b^3)/((b*x^3 + a)^3*a - 3*(b*x^3 + a)^2*a^2 + 3*(b*x^3 + a)*a^3 - a^4)*c + integrate((b*g*x^6 + b*f*x^5 + b*e*x^4 + a*f*x^2 + (b*d + a*g)*x^3 + a*e*x + a*d)*sqrt(b*x^3 + a)/x^9, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^10,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^10, x)

sympy [A] time = 25.79, size = 573, normalized size = 0.80

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^8 \Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^7 \Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}} g \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**10,x)

[Out] a**(3/2)*d*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*e*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + a**(3/2)*g*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*d*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*e*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*g*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) - a**2*c/(9*sqrt(b)*x**(21/2)*sqrt(a/(b*x**3) + 1)) - a**2*f/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - 11*a*sqrt(b)*c/(36*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*f/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - 17*b**(3/2)*c/(72*x**(9/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*f*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*f/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(5/2)*c/(24*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**2*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a)) + b**3*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(24*a**(3/2))

$$3.472 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{11}} dx$$

Optimal. Leaf size=764

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{7/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (7a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3})}{\sqrt[3]{b} x + (1 + \sqrt{3})}\right)\right)}{2240a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $-1/2520*(252*c/x^{10}+280*d/x^9+315*e/x^8+360*f/x^7+420*g/x^6)*(b*x^3+a)^{(3/2)}$
 $+1/24*b^2*(-6*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/1680*b*($
 $108*c/x^7+140*d/x^6+189*e/x^5+270*f/x^4+420*g/x^3)*(b*x^3+a)^{(1/2)}-27/1120*$
 $b^2*c*(b*x^3+a)^{(1/2)}/a/x^4-1/24*b^2*d*(b*x^3+a)^{(1/2)}/a/x^3-27/320*b^2*e*($
 $b*x^3+a)^{(1/2)}/a/x^2+27/448*b^2*(-4*a*f+b*c)*(b*x^3+a)^{(1/2)}/a^2/x-27/448*b$
 $^{(7/3)*(-4*a*f+b*c)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}+27/$
 $896*3^{(1/4)*b^{(7/3)*(-4*a*f+b*c)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a$
 $^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{($
 $1/2)-1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*$
 $3*(1+3^{(1/2)})})^2)^{(1/2)}/a^{(5/3)/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*$
 $x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}-9/2240*3^{(3/4)*b^{(7/3)*(a^{(1/3)$
 $+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1$
 $+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(7*a^{(2/3)*b^{(1/3)*e-5*(-4*a*f+b*c)*(1-3^{(1/2)})})*$
 $(1/2*6^{(1/2)+1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*$
 $*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}/a^{(5/3)/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+$
 $b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 1.33, antiderivative size = 764, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{7/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (7a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3})}{\sqrt[3]{b} x + (1 + \sqrt{3})}\right)\right)}{2240a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11,x]

[Out] $-(b*((108*c)/x^7 + (140*d)/x^6 + (189*e)/x^5 + (270*f)/x^4 + (420*g)/x^3)*\operatorname{Sqrt}[a + b*x^3])/1680 - (27*b^2*c*\operatorname{Sqrt}[a + b*x^3])/((1120*a*x^4) - (b^2*d*\operatorname{Sqrt}[a + b*x^3]))/(24*a*x^3) - (27*b^2*e*\operatorname{Sqrt}[a + b*x^3])/((320*a*x^2) + (27*b^2*(b*c - 4*a*f)*\operatorname{Sqrt}[a + b*x^3]))/(448*a^2*x) - (27*b^{(7/3)*(b*c - 4*a*f)*\operatorname{Sqrt}[a + b*x^3]})/(448*a^2*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (((252*c)/x^{10} + (280*d)/x^9 + (315*e)/x^8 + (360*f)/x^7 + (420*g)/x^6)*(a + b*x^3)^{(3/2)}/2520 + (b^2*(b*d - 6*a*g)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(24*a^{(3/2)}) + (27*3^{(1/4)*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(7/3)*(b*c - 4*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\operatorname{Sqrt}[3])]/(896*a^{(5/3)*\operatorname{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{Sqrt}[a + b*x^3]) - (9*3^{(3/4)*\operatorname{Sqrt}[2 + \operatorname{Sqrt}[3]]*b^{(7/3)*(7*a^{(2/3)*b^{(1/3)*e - 5*(1 - \operatorname{Sqrt}[3])*(b*c - 4*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\operatorname{EllipticF}[\operatorname{ArcSin}[(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}]/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7$

$$- 4\sqrt{3}]/(2240a^{5/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x)})/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2)\sqrt{a + bx^3})$$
Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
```

IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :=> With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :=> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^{11}} dx = -\frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7} + \frac{420g}{x^6}\right) (a + bx^3)^{3/2}}{2520} - \frac{1}{2}(9b) \int \frac{\sqrt{a + bx^3}}{x^9} dx$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9}\right) \sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

$$= -\frac{b\left(\frac{108c}{x^7} + \frac{140d}{x^6} + \frac{189e}{x^5} + \frac{270f}{x^4} + \frac{420g}{x^3}\right) \sqrt{a + bx^3}}{1680} - \frac{27b^2c\sqrt{a + bx^3}}{1120ax}$$

Mathematica [C] time = 0.72, size = 227, normalized size = 0.30

$$\sqrt{a + bx^3} \left(84a^5c {}_2F_1\left(-\frac{10}{3}, -\frac{3}{2}; -\frac{7}{3}; -\frac{bx^3}{a}\right) + 105a^5ex^2 {}_2F_1\left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a}\right) + 2x^3 \left(60a^5f {}_2F_1\left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a}\right) + 56b^3d {}_2F_1\left(\frac{5}{2}, 4, \frac{7}{2}, 1 + \frac{bx^3}{a}\right) \right) \right) / (a^4x^{10}\sqrt{a + bx^3})$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11,x]
[Out] -1/840*(Sqrt[a + b*x^3]*(84*a^5*c*Hypergeometric2F1[-10/3, -3/2, -7/3, -((b*x^3)/a)] + 105*a^5*e*x^2*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] + 2*x^3*(35*a^3*g*x*(a*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 60*a^5*f*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] - 56*b^3*d*x^7*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^3)/a]))/(a^4*x^10*Sqrt[1 + (b*x^3)/a])
```

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^{11}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^11, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^11, x)

maple [B] time = 0.06, size = 1470, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x)

[Out]
$$e*(-1/8*(b*x^3+a)^{(1/2)}*a/x^8-19/80*(b*x^3+a)^{(1/2)}*b/x^5-27/320*(b*x^3+a)^{(1/2)}/a*b^2/x^2+9/320*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-1/10*a*(b*x^3+a)^{(1/2)}/x^{10}-23/140*b*(b*x^3+a)^{(1/2)}/x^7-27/1120*b^2/a*(b*x^3+a)^{(1/2)}/x^4+27/448*b^3/a^2*(b*x^3+a)^{(1/2)}/x+9/448*I*b^3/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/9*(b*x^3+a)^{(1/2)}*a/x^9-7/36*(b*x^3+a)^{(1/2)}*b/x^6-1/24*(b*x^3+a)^{(1/2)}/a*b^2/x^3+1/24/a^3*(b*x^3+a)^{(1/2)}*b^3*\text{arctanh}((b*x^3+a)^{(1/2)}/a^2))+f*(-1/7*(b*x^3+a)^{(1/2)}*a/x^7-17/56*(b*x^3+a)^{(1/2)}*b/x^4-27/112*(b*x^3+a)^{(1/2)}/a*b^2/x-9/112*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(-1/11*(b*x^3+a)^{(1/2)}*a/x^{11}-1/11*(b*x^3+a)^{(1/2)}*b/x^8-1/11*(b*x^3+a)^{(1/2)}/a*b^2/x^5+1/11*(b*x^3+a)^{(1/2)}/a^3*x+1/11*(b*x^3+a)^{(1/2)}*b^3*\text{arctanh}((b*x^3+a)^{(1/2)}/a^2))+h*(-1/11*(b*x^3+a)^{(1/2)}*a/x^{11}-1/11*(b*x^3+a)^{(1/2)}*b/x^8-1/11*(b*x^3+a)^{(1/2)}/a*b^2/x^5+1/11*(b*x^3+a)^{(1/2)}/a^3*x+1/11*(b*x^3+a)^{(1/2)}*b^3*\text{arctanh}((b*x^3+a)^{(1/2)}/a^2))$$

$$\begin{aligned} & (1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((- \\ & 3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}* \\ & (I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, \\ & (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)} \\ & +(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, \\ & (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)} \\ &))+g*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^11, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11, x)

sympy [A] time = 26.66, size = 576, normalized size = 0.75

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{10}{3}\right) {}_2F_1\left(-\frac{10}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^{10}\Gamma\left(-\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^8\Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{7}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**11,x)

[Out] a**(3/2)*c*gamma(-10/3)*hyper((-10/3, -1/2), (-7/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**10*gamma(-7/3)) + a**(3/2)*e*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*f*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*b*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*b*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*f*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a**2*d/(9*sqrt(b)*x**(21/2)*sqrt(a/(b*x**3) + 1)) - a**2*g/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - 11*a*sqrt(b)*d/(36*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*g/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - 17*b**(3/2)*d/(72*x**(9/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*g*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*g/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(5/2)*d/(24*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**2*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a)) + b**3*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(24*a**(3/2))

$$3.473 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{12}} dx$$

Optimal. Leaf size=796

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right) b^3}{24a^{3/2}} + \frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}(bd-4ag)(\sqrt[3]{b}x+\sqrt[3]{a})\sqrt{\frac{b^{2/3}x^2-\sqrt[3]{a}\sqrt[3]{bx+a}^{2/3}}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right)}{896a^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}}\sqrt{bx^3+a}}$$

[Out] $-1/27720*(2520*c/x^{11}+2772*d/x^{10}+3080*e/x^9+3465*f/x^8+3960*g/x^7)*(b*x^3+a)^{(3/2)}+1/24*b^3*e*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/18480*b*(945*c/x^8+1188*d/x^7+1540*e/x^6+2079*f/x^5+2970*g/x^4)*(b*x^3+a)^{(1/2)}-27/1760*b^2*c*(b*x^3+a)^{(1/2)}/a/x^5-27/1120*b^2*d*(b*x^3+a)^{(1/2)}/a/x^4-1/24*b^2*e*(b*x^3+a)^{(1/2)}/a/x^3+27/7040*b^2*(-22*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/a^2/x^2+27/448*b^2*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a^2/x-27/448*b^{(7/3)}*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+27/896*3^{(1/4)}*b^{(7/3)}*(-4*a*g+b*d)*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+9/49280*3^{(3/4)}*b^{(7/3)}*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*(-22*a*f+7*b*c)+110*a^{(1/3)}*(-4*a*g+b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^2/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.53, antiderivative size = 796, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right) b^3}{24a^{3/2}} + \frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}(bd-4ag)(\sqrt[3]{b}x+\sqrt[3]{a})\sqrt{\frac{b^{2/3}x^2-\sqrt[3]{a}\sqrt[3]{bx+a}^{2/3}}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right)}{896a^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}}\sqrt{bx^3+a}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x]

[Out] $-(b*((945*c)/x^8 + (1188*d)/x^7 + (1540*e)/x^6 + (2079*f)/x^5 + (2970*g)/x^4)*\text{Sqrt}[a + b*x^3])/18480 - (27*b^2*c*\text{Sqrt}[a + b*x^3])/(1760*a*x^5) - (27*b^2*d*\text{Sqrt}[a + b*x^3])/(1120*a*x^4) - (b^2*e*\text{Sqrt}[a + b*x^3])/(24*a*x^3) + (27*b^2*(7*b*c - 22*a*f)*\text{Sqrt}[a + b*x^3])/(7040*a^2*x^2) + (27*b^2*(b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(448*a^2*x) - (27*b^{(7/3)}*(b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(448*a^2*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (((2520*c)/x^{11} + (2772*d)/x^{10} + (3080*e)/x^9 + (3465*f)/x^8 + (3960*g)/x^7)*(a + b*x^3)^{(3/2)}/27720 + (b^3*e*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/(24*a^{(3/2)}) + (27*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*b^{(7/3)}*(b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]))/(896*a^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) + (9*3^{(3/4)})*\text{Sqrt}[2 + \text{Sqrt}[3]]*b^{(7/3)}*(7*b^{(1/3)}*(7*b*c - 22*a*f) + 110*(1 - \text{Sqrt}[3])*a^{(1/3)}*(b*d - 4*a*g))*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

$$3)x + b^{(2/3)}x^2)/((1 + \text{Sqrt}[3])a^{(1/3)} + b^{(1/3)}x)^2] * \text{EllipticF}[\text{ArcSin}[\frac{((1 - \text{Sqrt}[3])a^{(1/3)} + b^{(1/3)}x)/((1 + \text{Sqrt}[3])a^{(1/3)} + b^{(1/3)}x)}, -7 - 4*\text{Sqrt}[3])]/(49280*a^2*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}x))]/((1 + \text{Sqrt}[3])a^{(1/3)} + b^{(1/3)}x)^2)*\text{Sqrt}[a + b*x^3]]$$

Rule 14

$$\text{Int}[(u_*)((c_*)(x_))^{(m_*)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_*) + (b_*)(v_*)] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$$

Rule 63

$$\text{Int}[(a_*) + (b_*)(x_))^{(m_*)}((c_*) + (d_*)(x_))^{(n_*)}, x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)(x_)^3], x_Symbol] := \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[\frac{((1 - \text{Sqrt}[3])*s + r*x)/((1 + \text{Sqrt}[3])*s + r*x)}, -7 - 4*\text{Sqrt}[3])]/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a]$$

Rule 266

$$\text{Int}[(x_)^{(m_*)}((a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$

Rule 1825

$$\text{Int}[(Pq_*)(x_)^{(m_*)}((a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Module}[\{u = \text{IntHide}[x^m*Pq, x]\}, \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \text{Int}[x^{(m+n)}*(a + b*x^n)^{(p-1)}*\text{ExpandToSum}[u/x^{(m+1)}, x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m + \text{Expon}[Pq, x] + 1, 0]$$

Rule 1832

$$\text{Int}[(Pq_*)/(x_)*\text{Sqrt}[(a_*) + (b_*)(x_)^{(n_*)}], x_Symbol] := \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$$

Rule 1835

$$\text{Int}[(Pq_*)((c_*)(x_))^{(m_*)}((a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}, x_Symbol] := \text{With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*c*(m+1)), x] + \text{Dist}[1/(2*a*c*(m+1)), \text{Int}[(c*x)^{(m+1)}*\text{ExpandToSum}[(2*a*(m+1)*(Pq - Pq0))/x - 2*b*Pq0*(m+n*(p+1)+1)*x^{(n-1)}, x]*(a + b*x$$

$x^n)^p, x], x] /; \text{NeQ}[\text{Pq0}, 0] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{PolyQ}[\text{Pq}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LeQ}[n - 1, \text{Expon}[\text{Pq}, x]]$

Rule 1877

$\text{Int}[\frac{(c_ + (d_ \cdot x_))}{\sqrt{a_ + (b_ \cdot x_)^3}}, x_Symbol] :> \text{With}[\{r = \text{Numerator}[\text{Simplify}[\frac{(1 - \sqrt{3})d}{c}], s = \text{Denom}[\text{Simplify}[\frac{(1 - \sqrt{3})d}{c}]]], \text{Simp}[\frac{2d \cdot s^3 \cdot \sqrt{a + b \cdot x^3}}{a \cdot r^2 \cdot ((1 + \sqrt{3})s + r \cdot x)}, x] - \text{Simp}[\frac{3^{1/4} \cdot \sqrt{2 - \sqrt{3}} \cdot d \cdot s \cdot (s + r \cdot x) \cdot \sqrt{(s^2 - r \cdot s \cdot x + r^2 \cdot x^2)}}{(1 + \sqrt{3})s + r \cdot x}^2 \cdot \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3})s + r \cdot x}{(1 + \sqrt{3})s + r \cdot x}], -7 - 4\sqrt{3}]] / (r^2 \cdot \sqrt{a + b \cdot x^3} \cdot \sqrt{(s \cdot (s + r \cdot x)) / ((1 + \sqrt{3})s + r \cdot x)^2}), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{EqQ}[b \cdot c^3 - 2 \cdot (5 - 3\sqrt{3}) \cdot a \cdot d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_ + (d_ \cdot x_))}{\sqrt{a_ + (b_ \cdot x_)^3}}, x_Symbol] :> \text{With}[\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c \cdot r - (1 - \sqrt{3}) \cdot d \cdot s) / r, \text{Int}[1/\sqrt{a + b \cdot x^3}, x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \sqrt{3})s + r \cdot x}{\sqrt{a + b \cdot x^3}}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{NeQ}[b \cdot c^3 - 2 \cdot (5 - 3\sqrt{3}) \cdot a \cdot d^3, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^{12}} dx &= -\frac{\left(\frac{2520c}{x^{11}} + \frac{2772d}{x^{10}} + \frac{3080e}{x^9} + \frac{3465f}{x^8} + \frac{3960g}{x^7}\right) (a + bx^3)^{3/2}}{27720} - \frac{1}{2} (9b) \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{\left(\frac{2520c}{x^{11}} + \frac{2772d}{x^{10}} + \frac{3080e}{x^9} + \frac{3465f}{x^8} + \frac{3960g}{x^7}\right) (a + bx^3)^{3/2}}{27720} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \\ &= -\frac{b \left(\frac{945c}{x^8} + \frac{1188d}{x^7} + \frac{1540e}{x^6} + \frac{2079f}{x^5} + \frac{2970g}{x^4}\right) \sqrt{a + bx^3}}{18480} - \frac{27b^2c\sqrt{a + bx^3}}{176} \end{aligned}$$

Mathematica [C] time = 0.47, size = 194, normalized size = 0.24

$$\frac{\sqrt{a + bx^3} \left(11x^3 \left(-105a^5 f {}_2F_1 \left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a} \right) - 120a^5 g x {}_2F_1 \left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 112b^3 e x^8 (a + bx^3)^2 \sqrt{\frac{bx^3}{a}} \right) - 9240a^4 x^{11} \sqrt{\frac{bx^3}{a}}}{9240a^4 x^{11} \sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x]
[Out] (Sqrt[a + b*x^3]*(-840*a^5*c*Hypergeometric2F1[-11/3, -3/2, -8/3, -((b*x^3)/a)] - 924*a^5*d*x*Hypergeometric2F1[-10/3, -3/2, -7/3, -((b*x^3)/a)] + 11*x^3*(-105*a^5*f*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] - 120*a^5*g*x*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] + 112*b^3*e*x^8*(a +
```


$(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)/b})/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)}))+(-a*b^2)^{(1/3)/b}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)})))+c*(-1/11*a*(b*x^3+a)^{(1/2)}/x^{11}-25/176*b*(b*x^3+a)^{(1/2)}/x^8-27/1760*b^2/a*(b*x^3+a)^{(1/2)}/x^5+189/7040*b^3/a^2*(b*x^3+a)^{(1/2)}/x^2-63/7040*I*b^3/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)/b})/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b}-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b}+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})/b)^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^12,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^12, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12, x)

sympy [A] time = 24.05, size = 541, normalized size = 0.68

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{11}{3}\right) {}_2F_1\left(-\frac{11}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^{11}\Gamma\left(-\frac{8}{3}\right)} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{10}{3}\right) {}_2F_1\left(-\frac{10}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^{10}\Gamma\left(-\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^8\Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}g\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**12,x)

[Out] a**(3/2)*c*gamma(-11/3)*hyper((-11/3, -1/2), (-8/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**11*gamma(-8/3)) + a**(3/2)*d*gamma(-10/3)*hyper((-10/3, -1/2), (-7/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**10*gamma(-7/3)) + a**(3/2)*f*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*g*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_pol

$$\begin{aligned}
& \ar(I\pi)/a)/(3x^{**7}\gamma(-4/3)) + \sqrt{a}*b*c*\gamma(-8/3)*\text{hyper}((-8/3, -1/2), (-5/3,), b*x^{**3}\exp_polar(I\pi)/a)/(3x^{**8}\gamma(-5/3)) + \sqrt{a}*b*d*\gamma(-7/3)*\text{hyper}((-7/3, -1/2), (-4/3,), b*x^{**3}\exp_polar(I\pi)/a)/(3x^{**7}\gamma(-4/3)) + \sqrt{a}*b*f*\gamma(-5/3)*\text{hyper}((-5/3, -1/2), (-2/3,), b*x^{**3}\exp_polar(I\pi)/a)/(3x^{**5}\gamma(-2/3)) + \sqrt{a}*b*g*\gamma(-4/3)*\text{hyper}((-4/3, -1/2), (-1/3,), b*x^{**3}\exp_polar(I\pi)/a)/(3x^{**4}\gamma(-1/3)) - a**2*e/(9*\sqrt{b}*x^{**}(21/2)*\sqrt{a/(b*x^{**3}) + 1}) - 11*a*\sqrt{b}*e/(36*x^{**}(15/2)*\sqrt{a/(b*x^{**3}) + 1}) - 17*b^{**}(3/2)*e/(72*x^{**}(9/2)*\sqrt{a/(b*x^{**3}) + 1}) - b^{**}(5/2)*e/(24*a*x^{**}(3/2)*\sqrt{a/(b*x^{**3}) + 1}) + b^{**3}*e*\text{asinh}(\sqrt{a}/(\sqrt{b}*x^{**}(3/2)))/(24*a^{**}(3/2))
\end{aligned}$$

3.474 $\int (c + dx + ex^2) (a + bx^3)^p dx$

Optimal. Leaf size=102

$$\frac{cx(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{4}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{a} + \frac{dx^2(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{5}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{2a} + \frac{e(a+bx^3)^{p+1}}{3b(p+1)}$$

[Out] $\frac{1}{3}e*(b*x^3+a)^{(1+p)}/b/(1+p)+c*x*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 4/3+p], [4/3], -b*x^3/a)/a+1/2*d*x^2*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 5/3+p], [5/3], -b*x^3/a)/a$

Rubi [A] time = 0.08, antiderivative size = 120, normalized size of antiderivative = 1.18, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1886, 261, 1893, 246, 245, 365, 364}

$$cx(a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a}\right) + \frac{1}{2}dx^2(a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a}\right) + \frac{e(a+bx^3)^{p+1}}{3b(p+1)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^p, x]

[Out] $(e*(a + b*x^3)^{(1 + p)})/(3*b*(1 + p)) + (c*x*(a + b*x^3)^p*\text{Hypergeometric2F1}[1/3, -p, 4/3, -((b*x^3)/a)]/(1 + (b*x^3)/a)^p + (d*x^2*(a + b*x^3)^p*\text{Hypergeometric2F1}[2/3, -p, 5/3, -((b*x^3)/a)]/(2*(1 + (b*x^3)/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]

&& !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1886

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1893

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3)^p dx &= e \int x^2 (a + bx^3)^p dx + \int (c + dx)(a + bx^3)^p dx \\ &= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + \int \left(c(a + bx^3)^p + dx(a + bx^3)^p \right) dx \\ &= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + c \int (a + bx^3)^p dx + d \int x(a + bx^3)^p dx \\ &= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + \left(c(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^3}{a} \right)^p dx + \left(d(a + bx^3)^p \right) \int x \left(1 + \frac{bx^3}{a} \right)^p dx \\ &= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + cx(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a} \right) + \frac{1}{2} dx^2 (a + bx^3)^p \end{aligned}$$

Mathematica [A] time = 0.07, size = 114, normalized size = 1.12

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(6bc(p + 1)x {}_2F_1 \left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a} \right) + 3bd(p + 1)x^2 {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + 2e(a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^{-p} \right)}{6b(p + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(2*e*(a + b*x^3)*(1 + (b*x^3)/a)^p + 6*b*c*(1 + p)*x*Hypergeometric2F1[1/3, -p, 4/3, -((b*x^3)/a)] + 3*b*d*(1 + p)*x^2*Hypergeometric2F1[2/3, -p, 5/3, -((b*x^3)/a)])/(6*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^2 + dx + c)(bx^3 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] integral((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

maple [F] time = 0.46, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^p,x)

[Out] int((e*x^2+d*x+c)*(b*x^3+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^3 + a)^p (ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^p*(c + d*x + e*x^2),x)

[Out] int((a + b*x^3)^p*(c + d*x + e*x^2), x)

sympy [A] time = 59.33, size = 112, normalized size = 1.10

$$\frac{a^p c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, -p \mid \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^p d x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, -p \mid \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + e \left(\begin{array}{l} \frac{a^p x^3}{3} \quad \text{for } b = 0 \\ \frac{(a+bx^3)^{p+1}}{p+1} \quad \text{for } p \neq -1 \\ \frac{\log(a+bx^3)}{3b} \quad \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**p,x)

[Out] a**p*c*x*gamma(1/3)*hyper((1/3, -p), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**p*d*x**2*gamma(2/3)*hyper((2/3, -p), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + e*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(e(((a + b*x**3)**(p + 1))/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))

3.475 $\int x (c + dx + ex^2) (a + bx^3)^p dx$

Optimal. Leaf size=107

$$\frac{cx^2 (a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{5}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{2a} + \frac{d(a + bx^3)^{p+1}}{3b(p+1)} + \frac{ex^4 (a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{7}{3}; \frac{7}{3}; -\frac{bx^3}{a}\right)}{4a}$$

[Out] $\frac{1}{3}d*(b*x^3+a)^{(1+p)}/b/(1+p)+1/2*c*x^2*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 5/3+p], [5/3], -b*x^3/a)/a+1/4*e*x^4*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 7/3+p], [7/3], -b*x^3/a)/a$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1893, 365, 364, 261}

$$\frac{1}{2}cx^2 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a}\right) + \frac{d(a + bx^3)^{p+1}}{3b(p+1)} + \frac{1}{4}ex^4 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] $(d*(a + b*x^3)^{(1 + p)})/(3*b*(1 + p)) + (c*x^2*(a + b*x^3)^p*\text{Hypergeometric2F1}[2/3, -p, 5/3, -((b*x^3)/a)])/(2*(1 + (b*x^3)/a)^p) + (e*x^4*(a + b*x^3)^p*\text{Hypergeometric2F1}[4/3, -p, 7/3, -((b*x^3)/a)])/(4*(1 + (b*x^3)/a)^p)$

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1893

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^p dx &= \int \left(cx(a + bx^3)^p + dx^2(a + bx^3)^p + ex^3(a + bx^3)^p \right) dx \\
&= c \int x(a + bx^3)^p dx + d \int x^2(a + bx^3)^p dx + e \int x^3(a + bx^3)^p dx \\
&= \frac{d(a + bx^3)^{1+p}}{3b(1+p)} + \left(c(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x \left(1 + \frac{bx^3}{a} \right)^p dx + \left(e(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^2 \left(1 + \frac{bx^3}{a} \right)^p dx \\
&= \frac{d(a + bx^3)^{1+p}}{3b(1+p)} + \frac{1}{2} cx^2 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + \frac{1}{4} ex^4 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right)
\end{aligned}$$

Mathematica [A] time = 0.10, size = 116, normalized size = 1.08

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(6bc(p+1)x^2 {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4d(a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^p + 3be(p+1)x^4 {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) \right)}{12b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(4*d*(a + b*x^3)*(1 + (b*x^3)/a)^p + 6*b*c*(1 + p)*x^2*Hypergeometric2F1[2/3, -p, 5/3, -((b*x^3)/a)] + 3*b*e*(1 + p)*x^4*Hypergeometric2F1[4/3, -p, 7/3, -((b*x^3)/a)])/(12*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(ex^3 + dx^2 + cx\right)\left(bx^3 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] integral((e*x^3 + d*x^2 + c*x)*(b*x^3 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x, x)

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)x(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

[Out] int(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (bx^3 + a)^p (ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^p*(c + d*x + e*x^2),x)

[Out] int(x*(a + b*x^3)^p*(c + d*x + e*x^2), x)

sympy [A] time = 88.35, size = 114, normalized size = 1.07

$$\frac{a^p c x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, -p \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{5}{3}\right)} + \frac{a^p e x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, -p \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{7}{3}\right)} + d \left\{ \begin{array}{ll} \frac{a^p x^3}{3} & \text{for } b = 0 \\ \frac{(a+bx^3)^{p+1}}{p+1} & \text{for } p \neq -1 \\ \frac{\log(a + bx^3)}{3b} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**p,x)

[Out] a**p*c*x**2*gamma(2/3)*hyper((2/3, -p), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**p*e*x**4*gamma(4/3)*hyper((4/3, -p), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + d*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(((a + b*x**3)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))

3.476 $\int x^2 (c + dx + ex^2) (a + bx^3)^p dx$

Optimal. Leaf size=107

$$\frac{c(a+bx^3)^{p+1}}{3b(p+1)} + \frac{dx^4(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{7}{3}; \frac{7}{3}; -\frac{bx^3}{a}\right)}{4a} + \frac{ex^5(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{8}{3}; \frac{8}{3}; -\frac{bx^3}{a}\right)}{5a}$$

[Out] 1/3*c*(b*x^3+a)^(1+p)/b/(1+p)+1/4*d*x^4*(b*x^3+a)^(1+p)*hypergeom([1, 7/3+p], [7/3], -b*x^3/a)/a+1/5*e*x^5*(b*x^3+a)^(1+p)*hypergeom([1, 8/3+p], [8/3], -b*x^3/a)/a

Rubi [A] time = 0.11, antiderivative size = 125, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1893, 261, 365, 364}

$$\frac{c(a+bx^3)^{p+1}}{3b(p+1)} + \frac{1}{4} dx^4 (a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a}\right) + \frac{1}{5} ex^5 (a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] (c*(a + b*x^3)^(1 + p))/(3*b*(1 + p)) + (d*x^4*(a + b*x^3)^p*Hypergeometric2F1[4/3, -p, 7/3, -((b*x^3)/a)])/(4*(1 + (b*x^3)/a)^p) + (e*x^5*(a + b*x^3)^p*Hypergeometric2F1[5/3, -p, 8/3, -((b*x^3)/a)])/(5*(1 + (b*x^3)/a)^p)

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1893

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^p dx &= \int \left(cx^2 (a + bx^3)^p + dx^3 (a + bx^3)^p + ex^4 (a + bx^3)^p \right) dx \\
&= c \int x^2 (a + bx^3)^p dx + d \int x^3 (a + bx^3)^p dx + e \int x^4 (a + bx^3)^p dx \\
&= \frac{c (a + bx^3)^{1+p}}{3b(1+p)} + \left(d (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^3 \left(1 + \frac{bx^3}{a} \right)^p dx + \left(e (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^4 \left(1 + \frac{bx^3}{a} \right)^p dx \\
&= \frac{c (a + bx^3)^{1+p}}{3b(1+p)} + \frac{1}{4} dx^4 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) + \frac{1}{5} ex^5 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a} \right)
\end{aligned}$$

Mathematica [A] time = 0.12, size = 116, normalized size = 1.08

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(20c (a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^p + 15bd(p + 1)x^4 {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) + 12be(p + 1)x^5 {}_2F_1 \left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a} \right) \right)}{60b(p + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(20*c*(a + b*x^3)*(1 + (b*x^3)/a)^p + 15*b*d*(1 + p)*x^4*Hypergeometric2F1[4/3, -p, 7/3, -((b*x^3)/a)] + 12*b*e*(1 + p)*x^5*Hypergeometric2F1[5/3, -p, 8/3, -((b*x^3)/a)])/(60*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^4 + dx^3 + cx^2)(bx^3 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] integral((e*x^4 + d*x^3 + c*x^2)*(b*x^3 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x^2, x)

maple [F] time = 0.48, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)x^2 (bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

[Out] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^3 + a)^{p+1} c}{3b(p + 1)} + \int (ex^4 + dx^3)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")

[Out] 1/3*(b*x^3 + a)^(p + 1)*c/(b*(p + 1)) + integrate((e*x^4 + d*x^3)*(b*x^3 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (bx^3 + a)^p (ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^p*(c + d*x + e*x^2),x)

[Out] int(x^2*(a + b*x^3)^p*(c + d*x + e*x^2), x)

sympy [A] time = 124.19, size = 114, normalized size = 1.07

$$\frac{a^p dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, -p \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^p ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, -p \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + c \begin{cases} \frac{a^p x^3}{3} & \text{for } b = 0 \\ \frac{(a+bx^3)^{p+1}}{p+1} & \text{for } p \neq -1 \\ \frac{\log(a+bx^3)}{3b} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**p,x)

[Out] a**p*d*x**4*gamma(4/3)*hyper((4/3, -p), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**p*e*x**5*gamma(5/3)*hyper((5/3, -p), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + c*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(((a + b*x**3)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))

$$3.477 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4) dx$$

Optimal. Leaf size=68

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*a*f*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7+1/8*b*f*x^8

Rubi [A] time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1850}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4) dx &= \int (ac + adx + aex^2 + afx^3 + bcx^4 + bdx^5 + bex^6 + bfx^7) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8 \end{aligned}$$

Mathematica [A] time = 0.01, size = 68, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

fricas [A] time = 0.37, size = 54, normalized size = 0.79

$$\frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="fricas")

[Out] 1/8*x^8*f*b + 1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 56, normalized size = 0.82

$$\frac{1}{8} b f x^8 + \frac{1}{7} b x^7 e + \frac{1}{6} b d x^6 + \frac{1}{5} b c x^5 + \frac{1}{4} a f x^4 + \frac{1}{3} a x^3 e + \frac{1}{2} a d x^2 + a c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="giac")

[Out] 1/8*b*f*x^8 + 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 55, normalized size = 0.81

$$\frac{1}{8} b f x^8 + \frac{1}{7} b e x^7 + \frac{1}{6} b d x^6 + \frac{1}{5} b c x^5 + \frac{1}{4} a f x^4 + \frac{1}{3} a e x^3 + \frac{1}{2} a d x^2 + a c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a),x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*a*f*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7+1/8*b*f*x^8

maxima [A] time = 1.32, size = 54, normalized size = 0.79

$$\frac{1}{8} b f x^8 + \frac{1}{7} b e x^7 + \frac{1}{6} b d x^6 + \frac{1}{5} b c x^5 + \frac{1}{4} a f x^4 + \frac{1}{3} a e x^3 + \frac{1}{2} a d x^2 + a c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="maxima")

[Out] 1/8*b*f*x^8 + 1/7*b*e*x^7 + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*f*x^4 + 1/3*a*e*x^3 + 1/2*a*d*x^2 + a*c*x

mupad [B] time = 0.04, size = 54, normalized size = 0.79

$$\frac{b f x^8}{8} + \frac{b e x^7}{7} + \frac{b d x^6}{6} + \frac{b c x^5}{5} + \frac{a f x^4}{4} + \frac{a e x^3}{3} + \frac{a d x^2}{2} + a c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)

[Out] a*c*x + (a*d*x^2)/2 + (b*c*x^5)/5 + (a*e*x^3)/3 + (b*d*x^6)/6 + (a*f*x^4)/4 + (b*e*x^7)/7 + (b*f*x^8)/8

sympy [A] time = 0.08, size = 63, normalized size = 0.93

$$a c x + \frac{a d x^2}{2} + \frac{a e x^3}{3} + \frac{a f x^4}{4} + \frac{b c x^5}{5} + \frac{b d x^6}{6} + \frac{b e x^7}{7} + \frac{b f x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)

[Out] a*c*x + a*d*x**2/2 + a*e*x**3/3 + a*f*x**4/4 + b*c*x**5/5 + b*d*x**6/6 + b*e*x**7/7 + b*f*x**8/8

$$3.478 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx$$

Optimal. Leaf size=73

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*a*f*x^7+1/8*b*c*x^8+1/9*b*d*x^9+1/10*b*e*x^10+1/11*b*f*x^11

Rubi [A] time = 0.06, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1820}

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx &= \int (acx^3 + adx^4 + aex^5 + afx^6 + bcx^7 + bdx^8 + bex^9 + bfx^{10}) dx \\ &= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 73, normalized size = 1.00

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

fricas [A] time = 0.38, size = 57, normalized size = 0.78

$$\frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{9}x^9db + \frac{1}{8}x^8cb + \frac{1}{7}x^7fa + \frac{1}{6}x^6ea + \frac{1}{5}x^5da + \frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="fricas")

[Out] 1/11*x^11*f*b + 1/10*x^10*e*b + 1/9*x^9*d*b + 1/8*x^8*c*b + 1/7*x^7*f*a + 1/6*x^6*e*a + 1/5*x^5*d*a + 1/4*x^4*c*a

giac [A] time = 0.16, size = 59, normalized size = 0.81

$$\frac{1}{11} b f x^{11} + \frac{1}{10} b x^{10} e + \frac{1}{9} b d x^9 + \frac{1}{8} b c x^8 + \frac{1}{7} a f x^7 + \frac{1}{6} a x^6 e + \frac{1}{5} a d x^5 + \frac{1}{4} a c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="giac")

[Out] 1/11*b*f*x^11 + 1/10*b*x^10*e + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*x^6*e + 1/5*a*d*x^5 + 1/4*a*c*x^4

maple [A] time = 0.04, size = 58, normalized size = 0.79

$$\frac{1}{11} b f x^{11} + \frac{1}{10} b e x^{10} + \frac{1}{9} b d x^9 + \frac{1}{8} b c x^8 + \frac{1}{7} a f x^7 + \frac{1}{6} a e x^6 + \frac{1}{5} a d x^5 + \frac{1}{4} a c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x)

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*a*f*x^7+1/8*b*c*x^8+1/9*b*d*x^9+1/10*b*e*x^10+1/11*b*f*x^11

maxima [A] time = 1.33, size = 57, normalized size = 0.78

$$\frac{1}{11} b f x^{11} + \frac{1}{10} b e x^{10} + \frac{1}{9} b d x^9 + \frac{1}{8} b c x^8 + \frac{1}{7} a f x^7 + \frac{1}{6} a e x^6 + \frac{1}{5} a d x^5 + \frac{1}{4} a c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="maxima")

[Out] 1/11*b*f*x^11 + 1/10*b*e*x^10 + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*e*x^6 + 1/5*a*d*x^5 + 1/4*a*c*x^4

mupad [B] time = 0.03, size = 57, normalized size = 0.78

$$\frac{b f x^{11}}{11} + \frac{b e x^{10}}{10} + \frac{b d x^9}{9} + \frac{b c x^8}{8} + \frac{a f x^7}{7} + \frac{a e x^6}{6} + \frac{a d x^5}{5} + \frac{a c x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (b*c*x^8)/8 + (a*e*x^6)/6 + (b*d*x^9)/9 + (a*f*x^7)/7 + (b*e*x^10)/10 + (b*f*x^11)/11

sympy [A] time = 0.07, size = 66, normalized size = 0.90

$$\frac{a c x^4}{4} + \frac{a d x^5}{5} + \frac{a e x^6}{6} + \frac{a f x^7}{7} + \frac{b c x^8}{8} + \frac{b d x^9}{9} + \frac{b e x^{10}}{10} + \frac{b f x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)

[Out] a*c*x**4/4 + a*d*x**5/5 + a*e*x**6/6 + a*f*x**7/7 + b*c*x**8/8 + b*d*x**9/9 + b*e*x**10/10 + b*f*x**11/11

$$3.479 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] a^2*c*x+1/2*a^2*d*x^2+1/3*a^2*e*x^3+2/5*a*b*c*x^5+1/3*a*b*d*x^6+2/7*a*b*e*x^7+1/9*b^2*c*x^9+1/10*b^2*d*x^10+1/11*b^2*e*x^11+1/12*f*(b*x^4+a)^3/b

Rubi [A] time = 0.07, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (f*(a + b*x^4)^3)/(12*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2) (a + bx^4)^2 dx \\ &= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + b^2c \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12} \end{aligned}$$

Mathematica [A] time = 0.00, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^{10})/10 + (b^2*e*x^{11})/11 + (b^2*f*x^{12})/12$

fricas [A] time = 0.36, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] $1/12*x^{12}*f*b^2 + 1/11*x^{11}*e*b^2 + 1/10*x^{10}*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.16, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*e*x^{11} + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*e*x^{11} + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*f*a^2*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

maxima [A] time = 1.36, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] $1/12*b^2*f*x^{12} + 1/11*b^2*e*x^{11} + 1/10*b^2*d*x^{10} + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

mupad [B] time = 0.08, size = 102, normalized size = 0.94

$$\frac{fa^2x^4}{4} + \frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{fabx^8}{4} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{fb^2x^{12}}{12} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a^2*d*x^2)/2 + (b^2*c*x^9)/9 + (a^2*e*x^3)/3 + (b^2*d*x^{10})/10 + (a^2*f*x^4)/4 + (b^2*e*x^{11})/11 + (b^2*f*x^{12})/12 + a^2*c*x + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4$

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)`

[Out] $a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11 + b**2*f*x**12/12$

3.480 $\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$

Optimal. Leaf size=114

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

[Out] $1/5*a^2*d*x^5+1/6*a^2*e*x^6+1/7*a^2*f*x^7+2/9*a*b*d*x^9+1/5*a*b*e*x^{10}+2/11*a*b*f*x^{11}+1/13*b^2*d*x^{13}+1/14*b^2*e*x^{14}+1/15*b^2*f*x^{15}+1/12*c*(b*x^4+a)^3/b$

Rubi [A] time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]$

[Out] $(a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (2*a*b*d*x^9)/9 + (a*b*e*x^{10})/5 + (2*a*b*f*x^{11})/11 + (b^2*d*x^{13})/13 + (b^2*e*x^{14})/14 + (b^2*f*x^{15})/15 + (c*(a + b*x^4)^3)/(12*b)$

Rule 1582

$\text{Int}[(P_x) * ((a) + (b) * (x)^{(n)})^{(p)}, x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[P_x, x, n - 1] * (a + b * x^n)^{(p + 1)}) / (b * n * (p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1] * x^{(n - 1)}) * (a + b * x^n)^p, x] /;$ $\text{FreeQ}\{a, b, x\} \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{IGtQ}[p, 1] \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ \text{NeQ}[\text{Coeff}[P_x, x, n - 1], 0] \ \&\& \ \text{NeQ}[P_x, \text{Coeff}[P_x, x, n - 1] * x^{(n - 1)}] \ \&\& \ !\text{MatchQ}[P_x, (Q_x) * ((c) + (d) * x^{(m)})^{(q)}] /;$ $\text{FreeQ}\{c, d, x\} \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{IGtQ}[q, 1] \ \&\& \ \text{IGtQ}[m, 1] \ \&\& \ \text{NeQ}[\text{Coeff}[Q_x * (a + b * x^n)^p, x, m - 1], 0] \ \&\& \ \text{GtQ}[m * q, n * p]$

Rule 1850

$\text{Int}[(P_q) * ((a) + (b) * (x)^{(n)})^{(p)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_q * (a + b * x^n)^p, x], x] /;$ $\text{FreeQ}\{a, b, n, x\} \ \&\& \ \text{PolyQ}[P_q, x] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{EqQ}[n, 1])$

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx &= \frac{c(a+bx^4)^3}{12b} + \int (a+bx^4)^2 (-cx^3 + x^3(c+dx+ex^2+fx^3)) dx \\ &= \frac{c(a+bx^4)^3}{12b} + \int (a^2dx^4 + a^2ex^5 + a^2fx^6 + 2abdx^8 + 2abex^9 + 2a \\ &= \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13} \end{aligned}$$

Mathematica [A] time = 0.01, size = 129, normalized size = 1.13

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{1}{4}abcx^8 + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{12}b^2cx^{12} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (a*b*c*x^8)/4 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11 + (b^2*c*x^12)/12 + (b^2*d*x^13)/13 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15

fricas [A] time = 0.34, size = 105, normalized size = 0.92

$$\frac{1}{15}x^{15}fb^2 + \frac{1}{14}x^{14}eb^2 + \frac{1}{13}x^{13}db^2 + \frac{1}{12}x^{12}cb^2 + \frac{2}{11}x^{11}fba + \frac{1}{5}x^{10}eba + \frac{2}{9}x^9dba + \frac{1}{4}x^8cba + \frac{1}{7}x^7fa^2 + \frac{1}{6}x^6ea^2 + \frac{1}{5}x^5da^2 + \frac{1}{4}x^4a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/15*x^15*f*b^2 + 1/14*x^14*e*b^2 + 1/13*x^13*d*b^2 + 1/12*x^12*c*b^2 + 2/11*x^11*f*b*a + 1/5*x^10*e*b*a + 2/9*x^9*d*b*a + 1/4*x^8*c*b*a + 1/7*x^7*f*a^2 + 1/6*x^6*e*a^2 + 1/5*x^5*d*a^2 + 1/4*x^4*c*a^2

giac [A] time = 0.15, size = 108, normalized size = 0.95

$$\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abx^{10}e + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2x^6e + \frac{1}{5}a^2dx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/15*b^2*f*x^15 + 1/14*b^2*e*x^14 + 1/13*b^2*d*x^13 + 1/12*b^2*c*x^12 + 2/11*a*b*f*x^11 + 1/5*a*b*e*x^10 + 2/9*a*b*d*x^9 + 1/4*a*b*c*x^8 + 1/7*a^2*f*x^7 + 1/6*a^2*e*x^6 + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4

maple [A] time = 0.04, size = 106, normalized size = 0.93

$$\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] 1/15*b^2*f*x^15+1/14*b^2*e*x^14+1/13*b^2*d*x^13+1/12*c*b^2*x^12+2/11*a*b*f*x^11+1/5*a*b*e*x^10+2/9*a*b*d*x^9+1/4*a*b*c*x^8+1/7*a^2*f*x^7+1/6*a^2*e*x^6+1/5*a^2*d*x^5+1/4*a^2*c*x^4

maxima [A] time = 1.33, size = 105, normalized size = 0.92

$$\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/15*b^2*f*x^15 + 1/14*b^2*e*x^14 + 1/13*b^2*d*x^13 + 1/12*b^2*c*x^12 + 2/11*a*b*f*x^11 + 1/5*a*b*e*x^10 + 2/9*a*b*d*x^9 + 1/4*a*b*c*x^8 + 1/7*a^2*f*x^7 + 1/6*a^2*e*x^6 + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4

mupad [B] time = 0.07, size = 105, normalized size = 0.92

$$\frac{fa^2x^7}{7} + \frac{ea^2x^6}{6} + \frac{da^2x^5}{5} + \frac{ca^2x^4}{4} + \frac{2fabx^{11}}{11} + \frac{eabx^{10}}{5} + \frac{2dabx^9}{9} + \frac{cabx^8}{4} + \frac{fb^2x^{15}}{15} + \frac{eb^2x^{14}}{14} + \frac{db^2x^{13}}{13} + \frac{cb^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (b^2*c*x^{12})/12 + (a^2*e*x^6)/6 + (b^2*d*x^{13})/13 + (a^2*f*x^7)/7 + (b^2*e*x^{14})/14 + (b^2*f*x^{15})/15 + (a*b*c*x^8)/4 + (2*a*b*d*x^9)/9 + (a*b*e*x^{10})/5 + (2*a*b*f*x^{11})/11$

sympy [A] time = 0.09, size = 124, normalized size = 1.09

$$\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{a^2fx^7}{7} + \frac{abcx^8}{4} + \frac{2abdx^9}{9} + \frac{abex^{10}}{5} + \frac{2abfx^{11}}{11} + \frac{b^2cx^{12}}{12} + \frac{b^2dx^{13}}{13} + \frac{b^2ex^{14}}{14} + \frac{b^2fx^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)`

[Out] $a**2*c*x**4/4 + a**2*d*x**5/5 + a**2*e*x**6/6 + a**2*f*x**7/7 + a*b*c*x**8/4 + 2*a*b*d*x**9/9 + a*b*e*x**10/5 + 2*a*b*f*x**11/11 + b**2*c*x**12/12 + b**2*d*x**13/13 + b**2*e*x**14/14 + b**2*f*x**15/15$

3.481 $\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{13}b^3cx^{13} + \frac{f(a + bx^4)^4}{16b}$

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] $a^3cx + (a^3dx^2)/2 + (a^3ex^3)/3 + (3a^2bcx^5)/5 + (a^2bdx^6)/2 + (3a^2bex^7)/7 + (ab^2cx^9)/3 + (3ab^2dx^{10})/10 + (3ab^2ex^{11})/11 + (b^3cx^{13})/13 + (b^3dx^{14})/14 + (b^3ex^{15})/15 + (f(a + b*x^4)^4)/(16b)$

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\ &= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 + \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}ab^2fx^{12} + \frac{1}{13}b^3cx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16$

fricas [A] time = 0.39, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] $1/16*x^{16}*f*b^3 + 1/15*x^{15}*e*b^3 + 1/14*x^{14}*d*b^3 + 1/13*x^{13}*c*b^3 + 1/4*x^{12}*f*b^2*a + 3/11*x^{11}*e*b^2*a + 3/10*x^{10}*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.16, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*x^{15}*e + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*x^{11}*e + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*x^7*e + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.04, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

maxima [A] time = 1.37, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

mupad [B] time = 0.16, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a^3*d*x^2)/2 + (b^3*c*x^13)/13 + (a^3*e*x^3)/3 + (b^3*d*x^14)/14 + (a^3*f*x^4)/4 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16 + a^3*c*x + (3*a^2*b*c*x^5)/5 + (a*b^2*c*x^9)/3 + (a^2*b*d*x^6)/2 + (3*a*b^2*d*x^10)/10 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*e*x^11)/11 + (3*a^2*b*f*x^8)/8 + (a*b^2*f*x^12)/4

sympy [A] time = 0.10, size = 180, normalized size = 1.19

$$a^3 c x + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{a^3 f x^4}{4} + \frac{3 a^2 b c x^5}{5} + \frac{a^2 b d x^6}{2} + \frac{3 a^2 b e x^7}{7} + \frac{3 a^2 b f x^8}{8} + \frac{a b^2 c x^9}{3} + \frac{3 a b^2 d x^{10}}{10} + \frac{3 a b^2 e x^{11}}{11} + \frac{a b^2 f x^{12}}{4} + \frac{b^3 c x^{13}}{13} + \frac{b^3 d x^{14}}{14} + \frac{b^3 e x^{15}}{15} + \frac{b^3 f x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16

3.482 $\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$

Optimal. Leaf size=156

$$\frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b}$$

[Out] $\frac{1}{5}a^3d*x^5 + \frac{1}{6}a^3*e*x^6 + \frac{1}{7}a^3*f*x^7 + \frac{1}{3}a^2*b*d*x^9 + \frac{3}{10}a^2*b*e*x^{10} + \frac{3}{11}a^2*b*f*x^{11} + \frac{3}{13}a*b^2*d*x^{13} + \frac{3}{14}a*b^2*e*x^{14} + \frac{1}{5}a*b^2*f*x^{15} + \frac{1}{16}c*(b*x^4+a)^4/b$

Rubi [A] time = 0.11, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] $(a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^3*f*x^7)/7 + (a^2*b*d*x^9)/3 + (3*a^2*b*e*x^{10})/10 + (3*a^2*b*f*x^{11})/11 + (3*a*b^2*d*x^{13})/13 + (3*a*b^2*e*x^{14})/14 + (a*b^2*f*x^{15})/5 + (b^3*d*x^{17})/17 + (b^3*e*x^{18})/18 + (b^3*f*x^{19})/19 + (c*(a + b*x^4)^4)/(16*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx &= \frac{c(a + bx^4)^4}{16b} + \int (a + bx^4)^3 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\ &= \frac{c(a + bx^4)^4}{16b} + \int (a^3dx^4 + a^3ex^5 + a^3fx^6 + 3a^2bdx^8 + 3a^2bex^9 + 3a^2bfx^{10} + 3ab^2dx^{12} + 3ab^2ex^{13} + 3ab^2fx^{14}) dx \\ &= \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{1}{4}ab^2cx^{12} + \frac{3}{13}ab^2ex^{13} + \frac{3}{14}ab^2fx^{14} \end{aligned}$$

Mathematica [A] time = 0.02, size = 185, normalized size = 1.19

$$\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{3}{8}a^2bcx^8 + \frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{1}{4}ab^2cx^{12} + \frac{3}{13}ab^2ex^{13} + \frac{3}{14}ab^2fx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] (a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^3*f*x^7)/7 + (3*a^2*b*c*x^8)/8 + (a^2*b*d*x^9)/3 + (3*a^2*b*e*x^10)/10 + (3*a^2*b*f*x^11)/11 + (a*b^2*c*x^12)/4 + (3*a*b^2*d*x^13)/13 + (3*a*b^2*e*x^14)/14 + (a*b^2*f*x^15)/5 + (b^3*c*x^16)/16 + (b^3*d*x^17)/17 + (b^3*e*x^18)/18 + (b^3*f*x^19)/19

fricas [A] time = 0.35, size = 153, normalized size = 0.98

$$\frac{1}{19}x^{19}fb^3 + \frac{1}{18}x^{18}eb^3 + \frac{1}{17}x^{17}db^3 + \frac{1}{16}x^{16}cb^3 + \frac{1}{5}x^{15}fb^2a + \frac{3}{14}x^{14}eb^2a + \frac{3}{13}x^{13}db^2a + \frac{1}{4}x^{12}cb^2a + \frac{3}{11}x^{11}fba^2 + \frac{3}{10}x^{10}eba^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/19*x^19*f*b^3 + 1/18*x^18*e*b^3 + 1/17*x^17*d*b^3 + 1/16*x^16*c*b^3 + 1/5*x^15*f*b^2*a + 3/14*x^14*e*b^2*a + 3/13*x^13*d*b^2*a + 1/4*x^12*c*b^2*a + 3/11*x^11*f*b*a^2 + 3/10*x^10*e*b*a^2 + 1/3*x^9*d*b*a^2 + 3/8*x^8*c*b*a^2 + 1/7*x^7*f*a^3 + 1/6*x^6*e*a^3 + 1/5*x^5*d*a^3 + 1/4*x^4*c*a^3

giac [A] time = 0.16, size = 157, normalized size = 1.01

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3x^{18}e + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2x^{14}e + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/19*b^3*f*x^19 + 1/18*b^3*x^18*e + 1/17*b^3*d*x^17 + 1/16*b^3*c*x^16 + 1/5*a*b^2*f*x^15 + 3/14*a*b^2*x^14*e + 3/13*a*b^2*d*x^13 + 1/4*a*b^2*c*x^12 + 3/11*a^2*b*f*x^11 + 3/10*a^2*b*x^10*e + 1/3*a^2*b*d*x^9 + 3/8*a^2*b*c*x^8 + 1/7*a^3*f*x^7 + 1/6*a^3*x^6*e + 1/5*a^3*d*x^5 + 1/4*a^3*c*x^4

maple [A] time = 0.04, size = 154, normalized size = 0.99

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2ex^{14} + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

[Out] 1/19*b^3*f*x^19+1/18*b^3*e*x^18+1/17*b^3*d*x^17+1/16*b^3*c*x^16+1/5*a*b^2*f*x^15+3/14*a*b^2*e*x^14+3/13*a*b^2*d*x^13+1/4*a*b^2*c*x^12+3/11*a^2*b*f*x^11+3/10*a^2*b*e*x^10+1/3*a^2*b*d*x^9+3/8*a^2*c*b*x^8+1/7*a^3*f*x^7+1/6*a^3*e*x^6+1/5*a^3*d*x^5+1/4*a^3*c*x^4

maxima [A] time = 1.38, size = 153, normalized size = 0.98

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2ex^{14} + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/19*b^3*f*x^19 + 1/18*b^3*e*x^18 + 1/17*b^3*d*x^17 + 1/16*b^3*c*x^16 + 1/5*a*b^2*f*x^15 + 3/14*a*b^2*e*x^14 + 3/13*a*b^2*d*x^13 + 1/4*a*b^2*c*x^12 + 3/11*a^2*b*f*x^11 + 3/10*a^2*b*e*x^10 + 1/3*a^2*b*d*x^9 + 3/8*a^2*b*c*x^8 + 1/7*a^3*f*x^7 + 1/6*a^3*e*x^6 + 1/5*a^3*d*x^5 + 1/4*a^3*c*x^4

mupad [B] time = 0.16, size = 153, normalized size = 0.98

$$\frac{f a^3 x^7}{7} + \frac{e a^3 x^6}{6} + \frac{d a^3 x^5}{5} + \frac{c a^3 x^4}{4} + \frac{3 f a^2 b x^{11}}{11} + \frac{3 e a^2 b x^{10}}{10} + \frac{d a^2 b x^9}{3} + \frac{3 c a^2 b x^8}{8} + \frac{f a b^2 x^{15}}{5} + \frac{3 e a b^2 x^{14}}{14} + \frac{3 d a b^2 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3), x)

[Out] (a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (b^3*c*x^16)/16 + (a^3*e*x^6)/6 + (b^3*d*x^17)/17 + (a^3*f*x^7)/7 + (b^3*e*x^18)/18 + (b^3*f*x^19)/19 + (3*a^2*b*c*x^8)/8 + (a*b^2*c*x^12)/4 + (a^2*b*d*x^9)/3 + (3*a*b^2*d*x^13)/13 + (3*a^2*b*e*x^10)/10 + (3*a*b^2*e*x^14)/14 + (3*a^2*b*f*x^11)/11 + (a*b^2*f*x^15)/5

sympy [A] time = 0.10, size = 184, normalized size = 1.18

$$\frac{a^3 c x^4}{4} + \frac{a^3 d x^5}{5} + \frac{a^3 e x^6}{6} + \frac{a^3 f x^7}{7} + \frac{3 a^2 b c x^8}{8} + \frac{a^2 b d x^9}{3} + \frac{3 a^2 b e x^{10}}{10} + \frac{3 a^2 b f x^{11}}{11} + \frac{a b^2 c x^{12}}{4} + \frac{3 a b^2 d x^{13}}{13} + \frac{3 a b^2 e x^{14}}{14} + \frac{a b^2 f x^{15}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x**4/4 + a**3*d*x**5/5 + a**3*e*x**6/6 + a**3*f*x**7/7 + 3*a**2*b*c*x**8/8 + a**2*b*d*x**9/3 + 3*a**2*b*e*x**10/10 + 3*a**2*b*f*x**11/11 + a*b**2*c*x**12/4 + 3*a*b**2*d*x**13/13 + 3*a*b**2*e*x**14/14 + a*b**2*f*x**15/5 + b**3*c*x**16/16 + b**3*d*x**17/17 + b**3*e*x**18/18 + b**3*f*x**19/19

3.483 $\int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx$

Optimal. Leaf size=193

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14}$$

[Out] $a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} + \frac{4}{15}a^3b^3cx^{15} + \frac{1}{17}b^4cx^{17} + \frac{1}{18}b^4dx^{18} + \frac{1}{19}b^4ex^{19} + \frac{1}{20}f(bx^4 + a)^5/b$

Rubi [A] time = 0.16, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]

[Out] $a^4cx + (a^4dx^2)/2 + (a^4ex^3)/3 + (4a^3bcx^5)/5 + (2a^3b^2dx^6)/3 + (4a^3b^2ex^7)/7 + (2a^2b^2cx^9)/3 + (3a^2b^2dx^{10})/5 + (6a^2b^2ex^{11})/11 + (4a^3bcx^{13})/13 + (2a^3b^3dx^{14})/7 + (4a^3b^3ex^{15})/15 + (b^4cx^{17})/17 + (b^4dx^{18})/18 + (b^4ex^{19})/19 + (f(a + bx^4)^5)/(20b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx &= \frac{f(a + bx^4)^5}{20b} + \int (c + dx + ex^2)(a + bx^4)^4 dx \\ &= \frac{f(a + bx^4)^5}{20b} + \int (a^4c + a^4dx + a^4ex^2 + 4a^3bcx^4 + 4a^3bdx^5 + 4a^3bex^6 + \dots) dx \\ &= a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9 + \dots \end{aligned}$$

Mathematica [A] time = 0.01, size = 236, normalized size = 1.22

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{1}{4}a^4fx^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^3bfx^8 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]

[Out] $a^4c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + (a^4*f*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (a^3*b*f*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (a^2*b^2*f*x^{12})/2 + (4*a*b^3*c*x^{13})/13 + (2*a*b^3*d*x^{14})/7 + (4*a*b^3*e*x^{15})/15 + (a*b^3*f*x^{16})/4 + (b^4*c*x^{17})/17 + (b^4*d*x^{18})/18 + (b^4*e*x^{19})/19 + (b^4*f*x^{20})/20$

fricas [A] time = 0.37, size = 198, normalized size = 1.03

$$\frac{1}{20}x^{20}fb^4 + \frac{1}{19}x^{19}eb^4 + \frac{1}{18}x^{18}db^4 + \frac{1}{17}x^{17}cb^4 + \frac{1}{4}x^{16}fb^3a + \frac{4}{15}x^{15}eb^3a + \frac{2}{7}x^{14}db^3a + \frac{4}{13}x^{13}cb^3a + \frac{1}{2}x^{12}fb^2a^2 + \frac{6}{11}x^{11}e...$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4, x, algorithm="fricas")

[Out] $1/20*x^{20}*f*b^4 + 1/19*x^{19}*e*b^4 + 1/18*x^{18}*d*b^4 + 1/17*x^{17}*c*b^4 + 1/4*x^{16}*f*b^3*a + 4/15*x^{15}*e*b^3*a + 2/7*x^{14}*d*b^3*a + 4/13*x^{13}*c*b^3*a + 1/2*x^{12}*f*b^2*a^2 + 6/11*x^{11}*e*b^2*a^2 + 3/5*x^{10}*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*f*b*a^3 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*f*a^4 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4$

giac [A] time = 0.17, size = 203, normalized size = 1.05

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4, x, algorithm="giac")

[Out] $1/20*b^4*f*x^{20} + 1/19*b^4*e*x^{19} + 1/18*b^4*d*x^{18} + 1/17*b^4*c*x^{17} + 1/4*a*b^3*f*x^{16} + 4/15*a*b^3*e*x^{15} + 2/7*a*b^3*d*x^{14} + 4/13*a*b^3*c*x^{13} + 1/2*a^2*b^2*f*x^{12} + 6/11*a^2*b^2*e*x^{11} + 3/5*a^2*b^2*d*x^{10} + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*f*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*f*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$

maple [A] time = 0.04, size = 199, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4, x)

[Out] $1/20*f*b^4*x^{20} + 1/19*b^4*e*x^{19} + 1/18*b^4*d*x^{18} + 1/17*b^4*c*x^{17} + 1/4*f*a*b^3*x^{16} + 4/15*a*b^3*e*x^{15} + 2/7*a*b^3*d*x^{14} + 4/13*a*b^3*c*x^{13} + 1/2*f*b^2*a^2*x^{12} + 6/11*a^2*b^2*e*x^{11} + 3/5*a^2*b^2*d*x^{10} + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*f*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*f*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$

maxima [A] time = 1.33, size = 198, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

[Out] $1/20*b^4*f*x^{20} + 1/19*b^4*e*x^{19} + 1/18*b^4*d*x^{18} + 1/17*b^4*c*x^{17} + 1/4*a*b^3*f*x^{16} + 4/15*a*b^3*e*x^{15} + 2/7*a*b^3*d*x^{14} + 4/13*a*b^3*c*x^{13} + 1/2*a^2*b^2*f*x^{12} + 6/11*a^2*b^2*e*x^{11} + 3/5*a^2*b^2*d*x^{10} + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*f*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*f*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$

mupad [B] time = 5.08, size = 198, normalized size = 1.03

$$\frac{f a^4 x^4}{4} + \frac{e a^4 x^3}{3} + \frac{d a^4 x^2}{2} + c a^4 x + \frac{f a^3 b x^8}{2} + \frac{4 e a^3 b x^7}{7} + \frac{2 d a^3 b x^6}{3} + \frac{4 c a^3 b x^5}{5} + \frac{f a^2 b^2 x^{12}}{2} + \frac{6 e a^2 b^2 x^{11}}{11} + \frac{3 d a^2 b^2 x^{10}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^4*d*x^2)/2 + (b^4*c*x^{17})/17 + (a^4*e*x^3)/3 + (b^4*d*x^{18})/18 + (a^4*f*x^4)/4 + (b^4*e*x^{19})/19 + (b^4*f*x^{20})/20 + a^4*c*x + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (a^2*b^2*f*x^{12})/2 + (4*a^3*b*c*x^5)/5 + (4*a*b^3*c*x^{13})/13 + (2*a^3*b*d*x^6)/3 + (2*a*b^3*d*x^{14})/7 + (4*a^3*b*e*x^7)/7 + (4*a*b^3*e*x^{15})/15 + (a^3*b*f*x^8)/2 + (a*b^3*f*x^{16})/4$

sympy [A] time = 0.10, size = 241, normalized size = 1.25

$$a^4 c x + \frac{a^4 d x^2}{2} + \frac{a^4 e x^3}{3} + \frac{a^4 f x^4}{4} + \frac{4 a^3 b c x^5}{5} + \frac{2 a^3 b d x^6}{3} + \frac{4 a^3 b e x^7}{7} + \frac{a^3 b f x^8}{2} + \frac{2 a^2 b^2 c x^9}{3} + \frac{3 a^2 b^2 d x^{10}}{5} + \frac{6 a^2 b^2 e x^{11}}{11} + \frac{a^2 b^2 f x^{12}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4,x)

[Out] $a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**4*f*x**4/4 + 4*a**3*b*c*x**5/5 + 2*a**3*b*d*x**6/3 + 4*a**3*b*e*x**7/7 + a**3*b*f*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a**2*b**2*f*x**12/2 + 4*a*b**3*c*x**13/13 + 2*a*b**3*d*x**14/7 + 4*a*b**3*e*x**15/15 + a*b**3*f*x**16/4 + b**4*c*x**17/17 + b**4*d*x**18/18 + b**4*e*x**19/19 + b**4*f*x**20/20$

3.484 $\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$

Optimal. Leaf size=198

$$\frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{17}ab^3dx^{17} + \dots$$

[Out] $1/5*a^4*d*x^5+1/6*a^4*e*x^6+1/7*a^4*f*x^7+4/9*a^3*b*d*x^9+2/5*a^3*b*e*x^{10}+4/11*a^3*b*f*x^{11}+6/13*a^2*b^2*d*x^{13}+3/7*a^2*b^2*e*x^{14}+2/5*a^2*b^2*f*x^{15}+4/17*a*b^3*d*x^{17}+2/9*a*b^3*e*x^{18}+4/19*a*b^3*f*x^{19}+1/21*b^4*d*x^{21}+1/22*b^4*e*x^{22}+1/23*b^4*f*x^{23}+1/20*c*(b*x^4+a)^5/b$

Rubi [A] time = 0.15, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{17}ab^3dx^{17} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]$

[Out] $(a^4*d*x^5)/5 + (a^4*e*x^6)/6 + (a^4*f*x^7)/7 + (4*a^3*b*d*x^9)/9 + (2*a^3*b*e*x^{10})/5 + (4*a^3*b*f*x^{11})/11 + (6*a^2*b^2*d*x^{13})/13 + (3*a^2*b^2*e*x^{14})/7 + (2*a^2*b^2*f*x^{15})/5 + (4*a*b^3*d*x^{17})/17 + (2*a*b^3*e*x^{18})/9 + (4*a*b^3*f*x^{19})/19 + (b^4*d*x^{21})/21 + (b^4*e*x^{22})/22 + (b^4*f*x^{23})/23 + (c*(a + b*x^4)^5)/(20*b)$

Rule 1582

$\text{Int}[(P_x) * ((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[P_x, x, n - 1] * (a + b*x^n)^(p + 1)) / (b*n*(p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1] * x^(n - 1)) * (a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1] * x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rule 1850

$\text{Int}[(P_q) * ((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_q*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx &= \frac{c(a + bx^4)^5}{20b} + \int (a + bx^4)^4 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\ &= \frac{c(a + bx^4)^5}{20b} + \int (a^4dx^4 + a^4ex^5 + a^4fx^6 + 4a^3bdx^8 + 4a^3bex^9 + \dots) dx \\ &= \frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \dots \end{aligned}$$

Mathematica [A] time = 0.01, size = 241, normalized size = 1.22

$$\frac{1}{4}a^4cx^4 + \frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{1}{2}a^3bcx^8 + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{1}{2}a^2b^2cx^{12} + \frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] (a^4*c*x^4)/4 + (a^4*d*x^5)/5 + (a^4*e*x^6)/6 + (a^4*f*x^7)/7 + (a^3*b*c*x^8)/2 + (4*a^3*b*d*x^9)/9 + (2*a^3*b*e*x^10)/5 + (4*a^3*b*f*x^11)/11 + (a^2*b^2*c*x^12)/2 + (6*a^2*b^2*d*x^13)/13 + (3*a^2*b^2*e*x^14)/7 + (2*a^2*b^2*f*x^15)/5 + (a*b^3*c*x^16)/4 + (4*a*b^3*d*x^17)/17 + (2*a*b^3*e*x^18)/9 + (4*a*b^3*f*x^19)/19 + (b^4*c*x^20)/20 + (b^4*d*x^21)/21 + (b^4*e*x^22)/22 + (b^4*f*x^23)/23

fricas [A] time = 0.39, size = 201, normalized size = 1.02

$$\frac{1}{23}x^{23}fb^4 + \frac{1}{22}x^{22}eb^4 + \frac{1}{21}x^{21}db^4 + \frac{1}{20}x^{20}cb^4 + \frac{4}{19}x^{19}fb^3a + \frac{2}{9}x^{18}eb^3a + \frac{4}{17}x^{17}db^3a + \frac{1}{4}x^{16}cb^3a + \frac{2}{5}x^{15}fb^2a^2 + \frac{3}{7}x^{14}eb^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="fricas")

[Out] 1/23*x^23*f*b^4 + 1/22*x^22*e*b^4 + 1/21*x^21*d*b^4 + 1/20*x^20*c*b^4 + 4/19*x^19*f*b^3*a + 2/9*x^18*e*b^3*a + 4/17*x^17*d*b^3*a + 1/4*x^16*c*b^3*a + 2/5*x^15*f*b^2*a^2 + 3/7*x^14*e*b^2*a^2 + 6/13*x^13*d*b^2*a^2 + 1/2*x^12*c*b^2*a^2 + 4/11*x^11*f*b*a^3 + 2/5*x^10*e*b*a^3 + 4/9*x^9*d*b*a^3 + 1/2*x^8*c*b*a^3 + 1/7*x^7*f*a^4 + 1/6*x^6*e*a^4 + 1/5*x^5*d*a^4 + 1/4*x^4*c*a^4

giac [A] time = 0.19, size = 206, normalized size = 1.04

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4x^{22}e + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3x^{18}e + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/23*b^4*f*x^23 + 1/22*b^4*x^22*e + 1/21*b^4*d*x^21 + 1/20*b^4*c*x^20 + 4/19*a*b^3*f*x^19 + 2/9*a*b^3*x^18*e + 4/17*a*b^3*d*x^17 + 1/4*a*b^3*c*x^16 + 2/5*a^2*b^2*f*x^15 + 3/7*a^2*b^2*x^14*e + 6/13*a^2*b^2*d*x^13 + 1/2*a^2*b^2*c*x^12 + 4/11*a^3*b*f*x^11 + 2/5*a^3*b*x^10*e + 4/9*a^3*b*d*x^9 + 1/2*a^3*b*c*x^8 + 1/7*a^4*f*x^7 + 1/6*a^4*x^6*e + 1/5*a^4*d*x^5 + 1/4*a^4*c*x^4

maple [A] time = 0.04, size = 202, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x)

[Out] 1/23*b^4*f*x^23+1/22*b^4*e*x^22+1/21*b^4*d*x^21+1/20*c*b^4*x^20+4/19*a*b^3*f*x^19+2/9*a*b^3*e*x^18+4/17*a*b^3*d*x^17+1/4*a*b^3*c*x^16+2/5*a^2*b^2*f*x^15+3/7*a^2*b^2*e*x^14+6/13*a^2*b^2*d*x^13+1/2*c*b^2*a^2*x^12+4/11*a^3*b*f*x^11+2/5*a^3*b*e*x^10+4/9*a^3*b*d*x^9+1/2*c*a^3*b*x^8+1/7*a^4*f*x^7+1/6*a^4*e*x^6+1/5*a^4*d*x^5+1/4*c*a^4*x^4

maxima [A] time = 1.37, size = 201, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4e*x^{22} + \frac{1}{21}b^4d*x^{21} + \frac{1}{20}b^4c*x^{20} + \frac{4}{19}a*b^3*f*x^{19} + \frac{2}{9}a*b^3*e*x^{18} + \frac{4}{17}a*b^3*d*x^{17} + \frac{1}{4}a*b^3*c*x^{16} + \frac{2}{5}a^2*b^2*f*x^{15} + \frac{3}{7}a^2*b^2*e*x^{14} + \frac{6}{13}a^2*b^2*d*x^{13} + \frac{1}{2}a^2*b^2*c*x^{12} + \frac{4}{11}a^3*b*f*x^{11} + \frac{2}{5}a^3*b*e*x^{10} + \frac{4}{9}a^3*b*d*x^9 + \frac{1}{2}a^3*b*c*x^8 + \frac{1}{7}a^4*f*x^7 + \frac{1}{6}a^4*e*x^6 + \frac{1}{5}a^4*d*x^5 + \frac{1}{4}a^4*c*x^4$

mupad [B] time = 0.36, size = 201, normalized size = 1.02

$$\frac{f a^4 x^7}{7} + \frac{e a^4 x^6}{6} + \frac{d a^4 x^5}{5} + \frac{c a^4 x^4}{4} + \frac{4 f a^3 b x^{11}}{11} + \frac{2 e a^3 b x^{10}}{5} + \frac{4 d a^3 b x^9}{9} + \frac{c a^3 b x^8}{2} + \frac{2 f a^2 b^2 x^{15}}{5} + \frac{3 e a^2 b^2 x^{14}}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^4*c*x^4)/4 + (a^4*d*x^5)/5 + (b^4*c*x^{20})/20 + (a^4*e*x^6)/6 + (b^4*d*x^{21})/21 + (a^4*f*x^7)/7 + (b^4*e*x^{22})/22 + (b^4*f*x^{23})/23 + (a^2*b^2*c*x^{12})/2 + (6*a^2*b^2*d*x^{13})/13 + (3*a^2*b^2*e*x^{14})/7 + (2*a^2*b^2*f*x^{15})/5 + (a^3*b*c*x^8)/2 + (a*b^3*c*x^{16})/4 + (4*a^3*b*d*x^9)/9 + (4*a*b^3*d*x^{17})/17 + (2*a^3*b*e*x^{10})/5 + (2*a*b^3*e*x^{18})/9 + (4*a^3*b*f*x^{11})/11 + (4*a*b^3*f*x^{19})/19$

sympy [A] time = 0.11, size = 245, normalized size = 1.24

$$\frac{a^4 c x^4}{4} + \frac{a^4 d x^5}{5} + \frac{a^4 e x^6}{6} + \frac{a^4 f x^7}{7} + \frac{a^3 b c x^8}{2} + \frac{4 a^3 b d x^9}{9} + \frac{2 a^3 b e x^{10}}{5} + \frac{4 a^3 b f x^{11}}{11} + \frac{a^2 b^2 c x^{12}}{2} + \frac{6 a^2 b^2 d x^{13}}{13} + \frac{3 a^2 b^2 e x^{14}}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4,x)

[Out] $a^{**4}c*x^{**4}/4 + a^{**4}d*x^{**5}/5 + a^{**4}e*x^{**6}/6 + a^{**4}f*x^{**7}/7 + a^{**3}b*c*x^{**8}/2 + 4*a^{**3}b*d*x^{**9}/9 + 2*a^{**3}b*e*x^{**10}/5 + 4*a^{**3}b*f*x^{**11}/11 + a^{**2}b^{**2}c*x^{**12}/2 + 6*a^{**2}b^{**2}d*x^{**13}/13 + 3*a^{**2}b^{**2}e*x^{**14}/7 + 2*a^{**2}b^{**2}f*x^{**15}/5 + a*b^{**3}c*x^{**16}/4 + 4*a*b^{**3}d*x^{**17}/17 + 2*a*b^{**3}e*x^{**18}/9 + 4*a*b^{**3}f*x^{**19}/19 + b^{**4}c*x^{**20}/20 + b^{**4}d*x^{**21}/21 + b^{**4}e*x^{**22}/22 + b^{**4}f*x^{**23}/23$

$$3.485 \quad \int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx$$

Optimal. Leaf size=133

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

[Out] $-1/4*f*\ln(-b*x^4+a)/b+1/2*d*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)+1/2*\arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)+1/2*\arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)$

Rubi [A] time = 0.12, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] $((\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + ((\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + (d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - (f*\text{Log}[a - b*x^4])/(4*b)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
  [Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
  }]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3}{a - bx^4} dx &= \int \left(\frac{c + ex^2}{a - bx^4} + \frac{x(d + fx^2)}{a - bx^4} \right) dx \\ &= \int \frac{c + ex^2}{a - bx^4} dx + \int \frac{x(d + fx^2)}{a - bx^4} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{b}c}{\sqrt{a}} + \right. \\ &= \frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} \right. \\ &= \frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{f}{2\sqrt{a}\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 214, normalized size = 1.61

$$\frac{\log(\sqrt[4]{a} - \sqrt[4]{b}x)(a^{3/4}e + \sqrt[4]{a}\sqrt{b}c + \sqrt{a}\sqrt[4]{b}d)}{4ab^{3/4}} - \frac{\log(\sqrt[4]{a} + \sqrt[4]{b}x)(-a^{3/4}e - \sqrt[4]{a}\sqrt{b}c + \sqrt{a}\sqrt[4]{b}d)}{4ab^{3/4}} + \frac{(\sqrt[4]{a}\sqrt{b}c - \sqrt{a}\sqrt[4]{b}d)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]
```

```
[Out] ((a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a*b^(3/4))
  - ((a^(1/4)*Sqrt[b]*c + Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)
  4)*x]/(4*a*b^(3/4)) - ((-a^(1/4)*Sqrt[b]*c) + Sqrt[a]*b^(1/4)*d - a^(3/4)
  *e)*Log[a^(1/4) + b^(1/4)*x]/(4*a*b^(3/4)) + (d*Log[Sqrt[a] + Sqrt[b]*x^2]
  )/(4*Sqrt[a]*Sqrt[b]) - (f*Log[a - b*x^4])/(4*b)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 0.19, size = 280, normalized size = 2.11

$$\frac{\sqrt{2} \left(b^2 c - \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2} \left(b^2 c + \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c - sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*f*log(abs(b*x^4 - a))/b

maple [A] time = 0.05, size = 177, normalized size = 1.33

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} - \frac{f \ln(bx^4 - a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out] 1/4*c*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*c*(a/b)^(1/4)/a*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2*e/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4*e/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4*f/b*ln(b*x^4-a)

maxima [A] time = 3.03, size = 174, normalized size = 1.31

$$\frac{(\sqrt{b}c - \sqrt{a}e) \arctan \left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}} \right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{b}d + \sqrt{a}f) \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{b}c + \sqrt{a}e) \arctan \left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}} \right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] 1/2*(sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + 1/4*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(b)*d + sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.66, size = 1970, normalized size = 14.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4),x)`

[Out] `symsum(log(b^2*c^2*e - b^2*c*d^2 - b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - 16*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*b^3*c^2*x - b^2*c^2*f*x + 16*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)^2*a*b^3*d*x - 4*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*a*b^2*e^2*x + 2*a*b*d*e*f - 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*a*b^2*c*f + 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x + 2*b^2*c*d*e*x + 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k), k, 1, 4)`

`sympy [F(-1)]` time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)`

[Out] Timed out

$$3.486 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx$$

Optimal. Leaf size=162

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a}f + \sqrt{b}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b}$$

[Out] $-d*x/b-1/2*e*x^2/b-1/3*f*x^3/b-1/4*c*\ln(-b*x^4+a)/b+1/2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})*a^{(1/2)}/b^{(3/2)}+1/2*a^{(1/4)}*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(-f*a^{(1/2)}+d*b^{(1/2)})/b^{(7/4)}+1/2*a^{(1/4)}*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(f*a^{(1/2)}+d*b^{(1/2)})/b^{(7/4)}$

Rubi [A] time = 0.20, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1831, 1252, 774, 635, 208, 260, 1280, 1167, 205}

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a}f + \sqrt{b}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b}$$

Antiderivative was successfully verified.

[In] `Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]`

[Out] $-(d*x)/b - (e*x^2)/(2*b) - (f*x^3)/(3*b) + (a^{(1/4)}*(\operatorname{Sqrt}[b]*d - \operatorname{Sqrt}[a]*f)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*b^{(7/4)}) + (a^{(1/4)}*(\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*b^{(7/4)}) + (\operatorname{Sqrt}[a]*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(2*b^{(3/2)}) - (c*\operatorname{Log}[a - b*x^4])/(4*b)$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 260

`Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

Rule 635

`Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]`

Rule 774

`Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]`

Rule 1167


```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1831

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^3(c + dx + ex^2 + fx^3)}{a - bx^4} dx &= \int \left(\frac{x^3(c + ex^2)}{a - bx^4} + \frac{x^4(d + fx^2)}{a - bx^4} \right) dx \\
 &= \int \frac{x^3(c + ex^2)}{a - bx^4} dx + \int \frac{x^4(d + fx^2)}{a - bx^4} dx \\
 &= -\frac{fx^3}{3b} + \frac{1}{2} \operatorname{Subst} \left(\int \frac{x(c + ex)}{a - bx^2} dx, x, x^2 \right) + \frac{\int \frac{x^2(3af + 3bdx^2)}{a - bx^4} dx}{3b} \\
 &= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\int \frac{3abd + 3abfx^2}{a - bx^4} dx}{3b^2} - \frac{\operatorname{Subst} \left(\int \frac{-ae - bcx}{a - bx^2} dx, x, x^2 \right)}{2b} \\
 &= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{1}{2}c \operatorname{Subst} \left(\int \frac{x}{a - bx^2} dx, x, x^2 \right) + \frac{(ae) \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{2b} \\
 &= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{b}d + \sqrt{a}f) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2b^{7/4}}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 221, normalized size = 1.36

$$-3 \log(\sqrt[4]{a} - \sqrt[4]{b}x) (a^{3/4}f + \sqrt[4]{a} \sqrt{b}d + \sqrt{a} \sqrt[4]{b}e) + 3 \log(\sqrt[4]{a} + \sqrt[4]{b}x) (a^{3/4}f + \sqrt[4]{a} \sqrt{b}d - \sqrt{a} \sqrt[4]{b}e) + 6 (\sqrt[4]{a} \sqrt[4]{b}x)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]

[Out] $(-12*b^{(3/4)}*d*x - 6*b^{(3/4)}*e*x^2 - 4*b^{(3/4)}*f*x^3 + 6*(a^{(1/4)}*Sqrt[b]*d - a^{(3/4)}*f)*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}] - 3*(a^{(1/4)}*Sqrt[b]*d + Sqrt[a]*b^{(1/4)}*e + a^{(3/4)}*f)*Log[a^{(1/4)} - b^{(1/4)}*x] + 3*(a^{(1/4)}*Sqrt[b]*d - Sqrt[a]*b^{(1/4)}*e + a^{(3/4)}*f)*Log[a^{(1/4)} + b^{(1/4)}*x] + 3*Sqrt[a]*b^{(1/4)}*e*Log[Sqrt[a] + Sqrt[b]*x^2] - 3*b^{(3/4)}*c*Log[a - b*x^4])/(12*b^{(7/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")`

[Out] Timed out

giac [B] time = 0.19, size = 328, normalized size = 2.02

$$\frac{c \log(|bx^4 - a|)}{4b} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{-ab} b^2 e - (-ab^3)^{\frac{1}{4}} b^2 d - (-ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{-ab} b^2 e - (-ab^3)^{\frac{1}{4}} b^2 d - (-ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")`

[Out] $-1/4*c*\log(\text{abs}(b*x^4 - a))/b - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 + 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/6*(2*b^2*f*x^3 + 3*b^2*x^2*e + 6*b^2*d*x)/b^3$

maple [A] time = 0.04, size = 208, normalized size = 1.28

$$\frac{f x^3}{3b} - \frac{ae \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab} b} - \frac{e x^2}{2b} + \frac{af \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} + \frac{af \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} - \frac{c \ln(bx^4 - a)}{4b} - \frac{dx}{b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} d \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} d \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)`

[Out] $-1/3/b*f*x^3 - 1/2/b*e*x^2 - 1/b*d*x + 1/2/b*d*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b*d*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*a*e/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/2/b^2*a*f/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b^2*a*f/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*c*\ln(b*x^4 - a)$

maxima [A] time = 2.98, size = 208, normalized size = 1.28

$$\frac{2 f x^3 + 3 e x^2 + 6 d x}{6 b} + \frac{2 \left(a \sqrt{b} d - a^{\frac{3}{2}} f \right) \arctan \left(\frac{\sqrt{b} x}{\sqrt{a} \sqrt{b}} \right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}} - \frac{(\sqrt{a} b c - a \sqrt{b} e) \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} b} - \frac{(\sqrt{a} b c + a \sqrt{b} e) \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} b} - \frac{(a \sqrt{b} d + a^{\frac{3}{2}} f) \arctan \left(\frac{\sqrt{b} x}{\sqrt{a} \sqrt{b}} \right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out]
$$-1/6*(2*f*x^3 + 3*e*x^2 + 6*d*x)/b + 1/4*(2*(a*\sqrt{b}*d - a^{(3/2)}*f)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}}))/(\sqrt{a}*\sqrt{a*\sqrt{b}}*\sqrt{b}) - (\sqrt{a}*b*c - a*\sqrt{b}*e)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*b) - (\sqrt{a}*b*c + a*\sqrt{b}*e)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*b) - (a*\sqrt{b}*d + a^{(3/2)}*f)*\log((\sqrt{b}*x - \sqrt{a*\sqrt{b}}))/(\sqrt{b}*x + \sqrt{a*\sqrt{b}}))/(\sqrt{a}*\sqrt{a*\sqrt{b}}*\sqrt{b})/b$$

mupad [B] time = 4.85, size = 846, normalized size = 5.22

$$\left(\sum_{k=1}^4 \ln \left(-\frac{a^4 f^3 - 2 a^3 b c e f - a^3 b d^2 f + a^3 b d e^2 + a^2 b^2 c^2 d}{b^2} - \text{root}(256 b^7 z^4 + 256 b^6 c z^3 - 64 a b^4 d f z^2 - \dots) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4),x)

[Out]
$$\text{symsum}(\log(- (a^4*f^3 + a^2*b^2*c^2*d + a^3*b*d*e^2 - a^3*b*d^2*f - 2*a^3*b*c*e*f)/b^2 - \text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(\text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(16*a^2*b^2*d - 16*a^2*b^2*e*x) + (8*a^2*b^3*c*d - 8*a^3*b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 + 4*a^2*b^2*d^2 - 8*a^2*b^2*c*e))/b) - (x*(a^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f + a^2*b*c*d^2 - a^2*b*c^2*e))/b)*\text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k), k, 1, 4) - (e*x^2)/(2*b) - (f*x^3)/(3*b) - (d*x)/b$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.487 \quad \int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx$$

Optimal. Leaf size=293

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc})}{2}$$

[Out] $\frac{1}{4} f \ln(b x^4 + a) / b + \frac{1}{2} d \operatorname{arctan}(x^2 b^{1/2} / a^{1/2}) / a^{1/2} / b^{1/2} - \frac{1}{8} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{8} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{4} \operatorname{arctan}(-1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{4} \operatorname{arctan}(1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.22, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc})}{2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4),x]

[Out] $(d \operatorname{ArcTan}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a]]) / (2 \operatorname{Sqrt}[a] \operatorname{Sqrt}[b]) - ((\operatorname{Sqrt}[b] c + \operatorname{Sqrt}[a] e) \operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (2 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) + ((\operatorname{Sqrt}[b] c + \operatorname{Sqrt}[a] e) \operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (2 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) - ((\operatorname{Sqrt}[b] c - \operatorname{Sqrt}[a] e) \operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (4 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) + ((\operatorname{Sqrt}[b] c - \operatorname{Sqrt}[a] e) \operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (4 \operatorname{Sqrt}[2] a^{3/4} b^{3/4}) + (f \operatorname{Log}[a + b x^4]) / (4 b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{a + bx^4} dx &= \int \left(\frac{c + ex^2}{a + bx^4} + \frac{x(d + fx^2)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2}{a + bx^4} dx + \int \frac{x(d + fx^2)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a} \sqrt{b} + bx^2}{a + bx^4} dx}{2b} \\
&= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \sqrt{2} \frac{\sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \sqrt{2} \frac{\sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} - \sqrt{a} e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a} e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a} e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a} e) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 296, normalized size = 1.01

$$-\sqrt{2} \sqrt[4]{b} \left(\sqrt[4]{a} \sqrt{bc} - a^{3/4} e \right) \log \left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2 \right) + \sqrt{2} \sqrt[4]{b} \left(\sqrt[4]{a} \sqrt{bc} - a^{3/4} e \right) \log \left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] $(-2a^{1/4}b^{1/4}(\text{Sqrt}[2]\text{Sqrt}[b]c + 2a^{1/4}b^{1/4}d + \text{Sqrt}[2]\text{Sqrt}[a]e)\text{ArcTan}[1 - (\text{Sqrt}[2]b^{1/4}x)/a^{1/4}] + 2a^{1/4}b^{1/4}(\text{Sqrt}[2]\text{Sqrt}[b]c - 2a^{1/4}b^{1/4}d + \text{Sqrt}[2]\text{Sqrt}[a]e)\text{ArcTan}[1 + (\text{Sqrt}[2]b^{1/4}x)/a^{1/4}] - \text{Sqrt}[2]b^{1/4}(a^{1/4}\text{Sqrt}[b]c - a^{3/4}e)\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]a^{1/4}b^{1/4}x + \text{Sqrt}[b]x^2] + \text{Sqrt}[2]b^{1/4}(a^{1/4}\text{Sqrt}[b]c - a^{3/4}e)\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]a^{1/4}b^{1/4}x + \text{Sqrt}[b]x^2] + 2a^f\text{Log}[a + b^x^4])/(8a^*b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 290, normalized size = 0.99

$$\frac{f \log(|bx^4 + a|)}{4b} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{1/4} \right)}{2 \left(\frac{a}{b} \right)^{1/4}} \right)}{4ab^3} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{1/4} \right)}{2 \left(\frac{a}{b} \right)^{1/4}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4}f \log(\text{abs}(b x^4 + a))/b - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b} b^2 d - (a b^3)^{1/4} b^2 c - (a b^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2 x + \sqrt{2} (a/b)^{1/4}))/ (a/b)^{1/4} - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b} b^2 d - (a b^3)^{1/4} b^2 c - (a b^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2 x - \sqrt{2} (a/b)^{1/4}))/ (a/b)^{1/4} + \frac{1}{8} \sqrt{2} ((a b^3)^{1/4} b^2 c - (a b^3)^{3/4} e) \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a b^3) - \frac{1}{8} \sqrt{2} ((a b^3)^{1/4} b^2 c - (a b^3)^{3/4} e) \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a b^3)$

maple [A] time = 0.05, size = 294, normalized size = 1.00

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] $\frac{1}{8} c (a/b)^{1/4} / a^{2^{1/2}} \ln((x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2})) + \frac{1}{4} c (a/b)^{1/4} / a^{2^{1/2}} \arctan(2^{1/2} / (a/b)^{1/4} x + 1) + \frac{1}{4} (a/b)^{1/4} 2^{1/2} / a c \arctan(2^{1/2} / (a/b)^{1/4} x - 1) + \frac{1}{2} d / (a b)^{1/2} \arctan((1/a b)^{1/2} x^2) + \frac{1}{8} e / b / (a/b)^{1/4} 2^{1/2} \ln((x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2})) + \frac{1}{4} e / b / (a/b)^{1/4} 2^{1/2} \arctan(2^{1/2} / (a/b)^{1/4} x + 1) + \frac{1}{4} e / b / (a/b)^{1/4} 2^{1/2} \arctan(2^{1/2} / (a/b)^{1/4} x - 1) + \frac{1}{4} b f \ln(b x^4 + a)$

maxima [A] time = 3.03, size = 277, normalized size = 0.95

$$\frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} f + bc - \sqrt{a} \sqrt{b} e \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} f - bc + \sqrt{a} \sqrt{b} e \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8} \sqrt{2} (\sqrt{2} a^{3/4} b^{1/4} f + b c - \sqrt{a} \sqrt{b} e) \log(\sqrt{b} x^2 + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}) / (a^{3/4} b^{5/4}) + \frac{1}{8} \sqrt{2} (\sqrt{2} a^{3/4} b^{1/4} f - b c + \sqrt{a} \sqrt{b} e) \log(\sqrt{b} x^2 - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}) / (a^{3/4} b^{5/4}) + \frac{1}{4} (\sqrt{2} a^{1/4} b^{5/4} c + \sqrt{2} a^{3/4} b^{3/4} e - 2 \sqrt{a} b d) \arctan(1/2 \sqrt{2} (2 \sqrt{2} \sqrt{b} x + \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{5/4}) + \frac{1}{4} (\sqrt{2} a^{1/4} b^{5/4} c + \sqrt{2} a^{3/4} b^{3/4} e + 2 \sqrt{a} b d) \arctan(1/2 \sqrt{2} (2 \sqrt{2} \sqrt{b} x - \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{5/4})$

mupad [B] time = 0.93, size = 1952, normalized size = 6.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4),x)

```
[Out] symsum(log(b^2*c*d^2 - b^2*c^2*e + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - 16*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*b^3*c^2*x + b^2*c^2*f*x + 16*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)^2*a*b^3*d*x + 4*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*e^2*x + 2*a*b*d*e*f + 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*c*f - 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x - 2*b^2*c*d*e*x - 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*d*f*x)*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a), x)
```

```
[Out] Timed out
```


$$3.488 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx$$

Optimal. Leaf size=321

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} + \dots$$

[Out] $d*x/b+1/2*e*x^2/b+1/3*f*x^3/b+1/4*c*\ln(b*x^4+a)/b-1/2*e*\arctan(x^2*b^(1/2)/a^(1/2))*a^(1/2)/b^(3/2)+1/8*a^(1/4)*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/8*a^(1/4)*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/4*a^(1/4)*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/4*a^(1/4)*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)$

Rubi [A] time = 0.33, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {1831, 1252, 774, 635, 205, 260, 1280, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4),x]

[Out] $(d*x)/b + (e*x^2)/(2*b) + (f*x^3)/(3*b) - (\text{Sqrt}[a]*e*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*b^(3/2)) + (a^(1/4)*(\text{Sqrt}[b]*d + \text{Sqrt}[a]*f)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*b^(7/4)) - (a^(1/4)*(\text{Sqrt}[b]*d + \text{Sqrt}[a]*f)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*b^(7/4)) + (a^(1/4)*(\text{Sqrt}[b]*d - \text{Sqrt}[a]*f)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*b^(7/4)) - (a^(1/4)*(\text{Sqrt}[b]*d - \text{Sqrt}[a]*f)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*b^(7/4)) + (c*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-(a*c)]$

Rule 774

$\text{Int}[\frac{((d_.) + (e_.)x)(f_.) + (g_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{e*gx}{c}, x] + \text{Dist}[1/c, \text{Int}[\frac{c*d*f - a*e*g + c*(e*f + d*g)x}{(a + cx^2)}, x], x] \ /; \text{FreeQ}[\{a, c, d, e, f, g\}, x]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[\frac{d*q + a*e}{2*a*c}, \text{Int}[\frac{q + cx^2}{(a + cx^4)}, x], x] + \text{Dist}[\frac{d*q - a*e}{2*a*c}, \text{Int}[\frac{q - cx^2}{(a + cx^4)}, x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[-(a*c)]$

Rule 1252

$\text{Int}[x^{(m_.)} \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2} (d + ex)^q (a + cx^2)^p, x], x, x^2], x] \ /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m+1)/2]$

Rule 1280

$\text{Int}[\frac{(f_.)x^{(m_.)} ((d_.) + (e_.)x^2) ((a_.) + (c_.)x^4)^{(p_.)}}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{Simp}[\frac{e*f*(f*x)^{(m-1)} (a + cx^4)^{(p+1)}}{c*(m+4*p+3)}, x] - \text{Dist}[f^2/(c*(m+4*p+3)), \text{Int}[\frac{(f*x)^{(m-2)} (a + cx^4)^p (a*e*(m-1) - c*d*(m+4*p+3)*x^2)}{c*(m+4*p+3)}, x], x] \ /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m+4*p+3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1831

```
Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)
)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}], Int[v, x] /; SumQ[v]] /; FreeQ[{
a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3)}{a + bx^4} dx &= \int \left(\frac{x^3(c + ex^2)}{a + bx^4} + \frac{x^4(d + fx^2)}{a + bx^4} \right) dx \\
&= \int \frac{x^3(c + ex^2)}{a + bx^4} dx + \int \frac{x^4(d + fx^2)}{a + bx^4} dx \\
&= \frac{fx^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{a + bx^2} dx, x, x^2 \right) - \frac{\int \frac{x^2(3af - 3bdx^2)}{a + bx^4} dx}{3b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{\int \frac{-3abd - 3abfx^2}{a + bx^4} dx}{3b^2} + \frac{\text{Subst} \left(\int \frac{-ae + bcx}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{1}{2}c \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(ae) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{c \log(a + bx^4)}{4b} + \frac{(\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f))}{4\sqrt{2} b^{7/4}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a})}{4\sqrt{2} b^{7/4}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d + \sqrt{a} f) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 311, normalized size = 0.97

$$-3\sqrt{2} (a^{3/4} f - \sqrt[4]{a} \sqrt{b} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + 3\sqrt{2} (a^{3/4} f - \sqrt[4]{a} \sqrt{b} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a})$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

[Out] (24*b^(3/4)*d*x + 12*b^(3/4)*e*x^2 + 8*b^(3/4)*f*x^3 + 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d + 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d - 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*(-(a^(1/4)*Sqrt[b]*d) + a^(3/4)*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*(-(a^(1/4)*Sqrt[b]*d) + a^(3/4)*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 6*b^(3/4)*c*Log[a + b*x^4])/(24*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 308, normalized size = 0.96

$$\frac{c \log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 e - (ab^3)^{\frac{1}{4}} b^2 d - (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 e - (ab^3)^{\frac{1}{4}} b^2 d - (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 e - (ab^3)^{\frac{1}{4}} b^2 d - (ab^3)^{\frac{3}{4}} f \right) \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] 1/4*c*log(abs(b*x^4 + a))/b + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*e - (a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*e - (a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 + 1/6*(2*b^2*f*x^3 + 3*b^2*x^2*e + 6*b^2*d*x)/b^3

maple [A] time = 0.05, size = 325, normalized size = 1.01

$$\frac{f x^3}{3b} - \frac{ae \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{2\sqrt{ab} b} + \frac{e x^2}{2b} - \frac{\sqrt{2} a f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} a f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} a f \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] 1/3/b*f*x^3+1/2/b*e*x^2+1/b*d*x-1/4/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/8/b*d*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/2/b*a*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)-1/8/b^2*a*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b^2*a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/4/b^2*a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*c*ln(b*x^4+a)/b

maxima [A] time = 3.01, size = 305, normalized size = 0.95

$$\frac{2fx^3 + 3ex^2 + 6dx}{6b} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c - abd + a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c + abd - a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] 1/6*(2*f*x^3 + 3*e*x^2 + 6*d*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*c - a*b*d + a^(3/2)*sqrt(b)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*c + a*b*d - a^(3/2)*sqrt(b)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4))

$$\frac{a^{3/4}b^{5/4} - 2(\sqrt{2})a^{5/4}b^{5/4}d + \sqrt{2}a^{7/4}b^{3/4}f - 2a^{3/2}b^e \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4}\right) / \sqrt{\sqrt{a}\sqrt{b}}}{a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{5/4} - 2(\sqrt{2})a^{5/4}b^{5/4}d + \sqrt{2}a^{7/4}b^{3/4}f + 2a^{3/2}b^e \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}\right) / \sqrt{\sqrt{a}\sqrt{b}}}{a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{5/4}}/b$$

mupad [B] time = 4.85, size = 838, normalized size = 2.61

$$\left(\sum_{k=1}^4 \ln\left(\frac{a^4 f^3 + 2a^3 b c e f + a^3 b d^2 f - a^3 b d e^2 + a^2 b^2 c^2 d}{b^2}\right) + \text{root}\left(256 b^7 z^4 - 256 b^6 c z^3 + 64 a b^4 d f z^2 + 3\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x)

[Out] symsum(log((a^4*f^3 + a^2*b^2*c^2*d - a^3*b*d*e^2 + a^3*b*d^2*f + 2*a^3*b*c*e*f)/b^2 + root(256*b^7*z^4 - 256*b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z - 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*(root(256*b^7*z^4 - 256*b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z - 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*(16*a^2*b^2*d - 16*a^2*b^2*e*x) - (8*a^2*b^3*c*d + 8*a^3*b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 - 4*a^2*b^2*d^2 + 8*a^2*b^2*c*e))/b) - (x*(a^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f - a^2*b*c*d^2 + a^2*b*c^2*e))/b)*root(256*b^7*z^4 - 256*b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z - 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4) + (e*x^2)/(2*b) + (f*x^3)/(3*b) + (d*x)/b

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a), x)

[Out] Timed out

$$3.489 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx$$

Optimal. Leaf size=318

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + 3\sqrt{bc})}{16\sqrt{2} a^{7/4} b^{3/4}}$$

[Out] $\frac{1}{4}(-af+bx*(e*x^2+d*x+c))/a/b/(b*x^4+a)+\frac{1}{4}d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)-\frac{1}{32}*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+\frac{1}{32}*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+\frac{1}{16}*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+\frac{1}{16}*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.27, antiderivative size = 318, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + 3\sqrt{bc})}{16\sqrt{2} a^{7/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2,x]

[Out] $-\frac{(a*f - b*x*(c + d*x + e*x^2))/(4*a*b*(a + b*x^4)) + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*\text{Sqrt}[b]) - ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) - ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(3/4))}{16\sqrt{2} a^{7/4} b^{3/4}}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]]

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^2} dx &= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} \right)}{\sqrt{a}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a})}{16\sqrt{2}a^{7/4}b^{3/4}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c)}{\sqrt{a}}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 315, normalized size = 0.99

$$\sqrt{2}\sqrt[4]{b}(a^{3/4}e - 3\sqrt[4]{a}\sqrt{b}c) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) + \sqrt{2}\sqrt[4]{b}(3\sqrt[4]{a}\sqrt{b}c - a^{3/4}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a})$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

[Out] $\frac{(-8*a*(a*f - b*x*(c + x*(d + e*x))))}{(a + b*x^4)} - 2*a^{(1/4)}*b^{(1/4)}*(3*\operatorname{Sqrt}[2]*\operatorname{Sqrt}[b]*c + 4*a^{(1/4)}*b^{(1/4)}*d + \operatorname{Sqrt}[2]*\operatorname{Sqrt}[a]*e)*\operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*a^{(1/4)}*b^{(1/4)}*(3*\operatorname{Sqrt}[2]*\operatorname{Sqrt}[b]*c - 4*a^{(1/4)}*b^{(1/4)}*d + \operatorname{Sqrt}[2]*\operatorname{Sqrt}[a]*e)*\operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + \operatorname{Sqrt}[2]*b^{(1/4)}*(-3*a^{(1/4)}*\operatorname{Sqrt}[b]*c + a^{(3/4)}*e)*\operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \operatorname{Sqrt}[b]*x^2] + \operatorname{Sqrt}[2]*b^{(1/4)}*(3*a^{(1/4)}*\operatorname{Sqrt}[b]*c - a^{(3/4)}*e)*\operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \operatorname{Sqrt}[b]*x^2]/(32*a^2*b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 316, normalized size = 0.99

$$\frac{bx^3e + bdx^2 + bcx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{3}{4}}e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16a^2b^3} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{3}{4}}e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(b*x^3*e + b*d*x^2 + b*c*x - a*f)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.05, size = 362, normalized size = 1.14

$$\frac{fx^4}{4(bx^4 + a)a} + \frac{ex^3}{4(bx^4 + a)a} + \frac{dx^2}{4(bx^4 + a)a} + \frac{cx}{4(bx^4 + a)a} + \frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{4\sqrt{ab}a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4/(b*x^4+a)/a*c*x+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(b*x^4+a)/a*d*x^2+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/4/(b*x^4+a)/a*e*x^3+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*f*x^4/a/(b*x^4+a)

maxima [A] time = 3.06, size = 305, normalized size = 0.96

$$\frac{bex^3 + bdx^2 + bcx - af}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log \left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log \left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2 \left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(b*e*x^3 + b*d*x^2 + b*c*x - a*f)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 4*sqrt(a)*sqrt(b)*d)*arctan(1/

$$\frac{2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}}}{(a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4}) + 2(3\sqrt{2}a^{1/4}b^{3/4}c + \sqrt{2}a^{3/4}b^{1/4}e + 4\sqrt{a}\sqrt{b}d)\arctan(1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}})} / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4})/a$$

mupad [B] time = 0.36, size = 478, normalized size = 1.50

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 + 3072 a^4 b^2 c e z^2 + 2048 a^4 b^2 d^2 z^2 - 1152 a^2 b^2 c^2 d z + 128 a^3 b d e^2 z - 48 a b c d^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2,x)

[Out] symsum(log((x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) - (9*b^2*c^2*e - 12*b^2*c*d^2 + a*b*e^3)/(64*a^3) - root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 - 4*a^2*b^2*e^2))/(16*a^3) + (b^2*d*e)/a)*root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a + b*x^4)

sympy [A] time = 22.32, size = 517, normalized size = 1.63

$$\text{RootSum} \left(65536 t^4 a^7 b^3 + t^2 (3072 a^4 b^2 c e + 2048 a^4 b^2 d^2) + t (128 a^3 b d e^2 - 1152 a^2 b^2 c^2 d) + a^2 e^4 + 18 a b c^2 e^2 - 48 a b c d^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 + 729*b**3*c**6))) + (-a*f + b*c*x + b*d*x**2 + b*e*x**3)/(4*a**2*b + 4*a*b**2*x**4)

$$3.490 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx$$

Optimal. Leaf size=310

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} \quad (3\sqrt{a})$$

[Out] 1/4*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)+1/4*e*arctan(x^2*b^(1/2)/a^(1/2))/b^(3/2)/a^(1/2)-1/32*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/32*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/16*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/16*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.27, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1823, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} \quad (3\sqrt{a})$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(4*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*Sqrt[a]*b^(3/2)) - ((Sqrt[b]*d + 3*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*d + 3*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(3/4)*b^(7/4)) - ((Sqrt[b]*d - 3*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*d - 3*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(3/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - b^2e, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2d)/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[ac, 2]\}, \text{Dist}[(dq + ae)/(2ac), \text{Int}[(q + cx^2)/(a + cx^4), x], x] + \text{Dist}[(dq - ae)/(2ac), \text{Int}[(q - cx^2)/(a + cx^4), x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2d^2 + a^2e^2, 0] \ \&\& \ \text{NeQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[-(ac)]$

Rule 1823

$\text{Int}[(Pq_.)x^{(m_.)}((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(Pq*(a + bx^n)^{(p+1)})/(b^n*(p+1)), x] - \text{Dist}[1/(b^n*(p+1)), \text{Int}[D[Pq, x]*(a + bx^n)^{(p+1)}, x], x] \ /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{EqQ}[m - n + 1, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_.)/(a_.) + (b_.)x^{(n_.)}), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)})]/(a + bx^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] \ /; \text{SumQ}[v] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx &= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{\int \frac{d+2ex+3fx^2}{a+bx^4} dx}{4b} \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{\int \left(\frac{2ex}{a+bx^4} + \frac{d+3fx^2}{a+bx^4} \right) dx}{4b} \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{\int \frac{d+3fx^2}{a+bx^4} dx}{4b} + \frac{e \int \frac{x}{a+bx^4} dx}{2b} \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{e \operatorname{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right)}{4b} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - 3f \right) \int \frac{\sqrt{a}\sqrt{b-bx^2}}{a+bx^4}}{8b^2} \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a}b^{3/2}} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} + 3f \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2}}{16b^2} + \dots \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a}b^{3/2}} - \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x)}{16\sqrt{2}a^{3/4}b^{7/4}} \\
&= -\frac{c+dx+ex^2+fx^3}{4b(a+bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a}b^{3/2}} - \frac{(\sqrt{b}d + 3\sqrt{a}f) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{3/4}b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 294, normalized size = 0.95

$$\frac{-2 \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) \left(4\sqrt[4]{a}\sqrt[4]{b}e + 3\sqrt{2}\sqrt{a}f + \sqrt{2}\sqrt{b}d \right)}{a^{3/4}} + \frac{2 \tan^{-1} \left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1 \right) \left(-4\sqrt[4]{a}\sqrt[4]{b}e + 3\sqrt{2}\sqrt{a}f + \sqrt{2}\sqrt{b}d \right)}{a^{3/4}} + \frac{\sqrt{2}(3\sqrt{a}f - \sqrt{b}d) \log \left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} \right)}{32b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]

[Out] $\left((-8b^{3/4}(c + x(d + x(e + fx)))) / (a + bx^4) - (2(\sqrt{2}\sqrt{b}d + 4a^{1/4}b^{1/4}e + 3\sqrt{2}\sqrt{a}f) \operatorname{ArcTan}[1 - (\sqrt{2}\sqrt{b}^{1/4}x)/a^{1/4}]) / a^{3/4} + (2(\sqrt{2}\sqrt{b}d - 4a^{1/4}b^{1/4}e + 3\sqrt{2}\sqrt{a}f) \operatorname{ArcTan}[1 + (\sqrt{2}\sqrt{b}^{1/4}x)/a^{1/4}]) / a^{3/4} + (\sqrt{2}(-\sqrt{b}d + 3\sqrt{a}f) \operatorname{Log}[\sqrt{a} - \sqrt{2}\sqrt{a}^{1/4}b^{1/4}x + \sqrt{b}x^2]) / a^{3/4} + (\sqrt{2}(\sqrt{b}d - 3\sqrt{a}f) \operatorname{Log}[\sqrt{a} + \sqrt{2}\sqrt{a}^{1/4}b^{1/4}x + \sqrt{b}x^2]) / a^{3/4} \right) / (32b^{7/4})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 303, normalized size = 0.98

$$\frac{fx^3 + x^2e + dx + c}{4(bx^4 + a)b} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2e + (ab^3)^{\frac{1}{4}}b^2d + 3(ab^3)^{\frac{3}{4}}f \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab^4} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2e \right)}{16ab^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] -1/4*(f*x^3 + x^2*e + d*x + c)/((b*x^4 + a)*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*e + (a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*e + (a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + 1/32*sqrt(2)*((a*b^3)^(1/4)*b^2*d - 3*(a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4) - 1/32*sqrt(2)*((a*b^3)^(1/4)*b^2*d - 3*(a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)

maple [A] time = 0.05, size = 334, normalized size = 1.08

$$\frac{e \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{32ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4/b*f*x^3-1/4/b*e*x^2-1/4/b*d*x-1/4/b*c)/(b*x^4+a)+1/32/b*d*(a/b)^(1/4)/a*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/b*d*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/b*d*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/b*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+3/32/b^2*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.02, size = 294, normalized size = 0.95

$$\frac{fx^3 + ex^2 + dx + c}{4(b^2x^4 + ab)} + \frac{\sqrt{2}(\sqrt{b}d - 3\sqrt{a}f) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(\sqrt{b}d - 3\sqrt{a}f) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^4 + a*b) + 1/32*(sqrt(2)*(sqrt(b)*d - 3*sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(sqrt(b)*d - 3*sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f - 4*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(b))

$$\frac{(\sqrt{a}\sqrt{b})b^{3/4} + 2(\sqrt{2})a^{1/4}b^{3/4}d + 3\sqrt{2}a^{3/4}b^{1/4}f + 4\sqrt{a}\sqrt{b}e \arctan(1/2\sqrt{2})(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}})}{a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4}}$$

mupad [B] time = 5.10, size = 559, normalized size = 1.80

$$\left(\sum_{k=1}^4 \ln \left(\frac{x(2e^3 - 3def)}{16b} - \frac{3bd^2f - 4bde^2 + 27af^3}{64b^2} - \text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48ab^3de^2f + 18abd^2f^2 + 16ab^3e^4 + 81a^2f^4 + b^2d^4, z, k) \right) \right) \cdot \frac{(3aef + (bd^2x)/4 - (9af^2x)/4 + 4\text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48ab^3de^2f + 18abd^2f^2 + 16ab^3e^4 + 81a^2f^4 + b^2d^4, z, k)) \cdot \text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48ab^3de^2f + 18abd^2f^2 + 16ab^3e^4 + 81a^2f^4 + b^2d^4, z, k)}{k, 1, 4} - \frac{(c/(4b) + (ex^2)/(4b) + (fx^3)/(4b) + (dx)/(4b))}{(a + bx^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x)

[Out] symsum(log((x*(2e^3 - 3d*ef))/(16*b) - (27*a*f^3 - 4*b*d*e^2 + 3*b*d^2*f)/(64*b^2) - root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k)*(3*a*ef + (b*d^2*x)/4 - (9*a*f^2*x)/4 + 4*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k))*a*b^2*d - 8*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k))*a*b^2*e*x)))*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k), k, 1, 4) - (c/(4*b) + (e*x^2)/(4*b) + (f*x^3)/(4*b) + (d*x)/(4*b))/(a + b*x^4)

sympy [A] time = 44.23, size = 510, normalized size = 1.65

$$\text{RootSum}\left(65536t^4a^3b^7 + t^2(3072a^2b^4df + 2048a^2b^4e^2) + t(1152a^2b^2ef^2 - 128ab^3d^2e) + 81a^2f^4 + 18abd^2f^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**3*b**7 + _t**2*(3072*a**2*b**4*d*f + 2048*a**2*b**4*e**2) + _t*(1152*a**2*b**2*e*f**2 - 128*a*b**3*d**2*e) + 81*a**2*f**4 + 18*a*b*d**2*f**2 - 48*a*b*d*e**2*f + 16*a*b*e**4 + b**2*d**4, Lambda(_t, _t*log(x + (110592*_t**3*a**4*b**5*f**3 - 12288*_t**3*a**3*b**6*d**2*f + 32768*_t**3*a**3*b**6*d*e**2 + 13824*_t**2*a**3*b**4*d*e*f**2 - 12288*_t**2*a**3*b**4*e**3*f + 512*_t**2*a**2*b**5*d**3*e + 3888*_t*a**3*b**2*d*f**4 + 5184*_t*a**3*b**2*e**2*f**3 - 576*_t*a**2*b**3*d**3*f**2 + 1728*_t*a**2*b**3*d**2*e**2*f + 512*_t*a**2*b**3*d*e**4 + 16*_t*a*b**4*d**5 + 1458*a**3*e*f**5 + 360*a**2*b*d*e**3*f**2 - 192*a**2*b*e**5*f + 30*a*b**2*d**4*e*f - 40*a*b**2*d**3*e**3)/(729*a**3*f**6 - 81*a**2*b*d**2*f**4 + 864*a**2*b*d*e**2*f**3 - 576*a**2*b*e**4*f**2 - 9*a*b**2*d**4*f**2 + 96*a*b**2*d**3*e**2*f - 64*a*b**2*d**2*e**4 + b**3*d**6))) + (-c - d*x - e*x**2 - f*x**3)/(4*a*b + 4*b**2*x**4)

$$3.491 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx$$

Optimal. Leaf size=351

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e)}{628}$$

[Out] $\frac{1}{32} x (5 e x^2 + 6 d x + 7 c) / a^2 / (b x^4 + a) + \frac{1}{8} (-a f + b x (e x^2 + d x + c)) / a / b / (b x^4 + a)^2 + \frac{3}{16} d \arctan(x^2 b^{1/2} / a^{1/2}) / a^{5/2} / b^{1/2} - \frac{1}{256} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-5 e a^{1/2} + 21 c b^{1/2}) / a^{11/4} / b^{3/4} * 2^{1/2} + \frac{1}{256} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-5 e a^{1/2} + 21 c b^{1/2}) / a^{11/4} / b^{3/4} * 2^{1/2} + \frac{1}{128} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (5 e a^{1/2} + 21 c b^{1/2}) / a^{11/4} / b^{3/4} * 2^{1/2} + \frac{1}{128} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (5 e a^{1/2} + 21 c b^{1/2}) / a^{11/4} / b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.32, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e)}{628}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

[Out] $(x(7c + 6dx + 5ex^2)) / (32a^2(a + bx^4)) - (af - bxc + dx + ex^2) / (8ab(a + bx^4)^2) + (3d \operatorname{ArcTan}[\sqrt{b}x^2 / \sqrt{a}]) / (16a^{5/2} \sqrt{b}) - ((21\sqrt{b}c + 5\sqrt{a}e) \operatorname{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64\sqrt{2} a^{11/4} b^{3/4}) + ((21\sqrt{b}c + 5\sqrt{a}e) \operatorname{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64\sqrt{2} a^{11/4} b^{3/4}) - ((21\sqrt{b}c - 5\sqrt{a}e) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128\sqrt{2} a^{11/4} b^{3/4}) + ((21\sqrt{b}c - 5\sqrt{a}e) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128\sqrt{2} a^{11/4} b^{3/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^3} dx &= -\frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{64\sqrt{2}a}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 347, normalized size = 0.99

$$\frac{\sqrt{2}(5a^{3/4}e - 21\sqrt[4]{a}\sqrt{bc})\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{bx+\sqrt{a}+\sqrt{bx^2}}\right)}{b^{3/4}} + \frac{\sqrt{2}(21\sqrt[4]{a}\sqrt{bc} - 5a^{3/4}e)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{bx+\sqrt{a}+\sqrt{bx^2}}\right)}{b^{3/4}} - \frac{32a^2(af - bx(c + x(d + ex)))}{b(a + bx^4)^2} - \frac{(21\sqrt{b}c + 5\sqrt{a}e)\log\left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}}\right)}{64\sqrt{2}a}$$

256

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

[Out] ((8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^2*(a*f - b*x*(c + x*(d + e*x)))/(b*(a + b*x^4)^2) - (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c + 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/b^(3/4) + (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c - 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/b^(3/4) + (Sqrt[2]*(-21*a^(1/4)*Sqrt[b]*c + 5*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(21*a^(1/4)*Sqrt[b]*c - 5*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(256*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 354, normalized size = 1.01

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^3 b^3} + \frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{1}{128} \sqrt{2} (12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e) \arctan \left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}} \right) / (a^3 b^3) + \frac{1}{128} \sqrt{2} (12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e) \arctan \left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}} \right) / (a^3 b^3) + \frac{1}{256} \sqrt{2} (21 (ab^3)^{\frac{1}{4}} b^2 c - 5 (ab^3)^{\frac{3}{4}} e) \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^3 b^3) - \frac{1}{256} \sqrt{2} (21 (ab^3)^{\frac{1}{4}} b^2 c - 5 (ab^3)^{\frac{3}{4}} e) \log(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^3 b^3) + \frac{1}{32} (5 b^2 x^7 e + 6 b^2 d x^6 + 7 b^2 c x^5 + 9 a b x^4 e + 10 a b d x^3 + 11 a b c x^2 - 4 a^2 f) / ((b x^4 + a)^2 a^2 b)$

maple [A] time = 0.05, size = 432, normalized size = 1.23

$$\frac{f x^4}{8 (b x^4 + a)^2 a} + \frac{e x^3}{8 (b x^4 + a)^2 a} + \frac{f x^4}{8 (b x^4 + a) a^2} + \frac{d x^2}{8 (b x^4 + a)^2 a} + \frac{5 e x^3}{32 (b x^4 + a) a^2} + \frac{c x}{8 (b x^4 + a)^2 a} + \frac{3 d x^2}{16 (b x^4 + a) a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] $\frac{1}{8} c x / a (b x^4 + a)^2 + \frac{7}{32} c / a^2 x / (b x^4 + a) + \frac{21}{256} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^3 * c * \ln((x^2 + (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + (a/b)^{\frac{1}{2}}) / (x^2 - (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + (a/b)^{\frac{1}{2}}) + \frac{21}{128} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^3 * c * \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x + 1) + \frac{21}{128} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^3 * c * \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x - 1) + \frac{1}{8} d x^2 / a (b x^4 + a)^2 + \frac{3}{16} d / a^2 x^2 / (b x^4 + a) + \frac{3}{16} (a/b)^{\frac{1}{2}} / a^2 * d * \arctan((1/a * b)^{\frac{1}{2}} x^2) + \frac{1}{8} e x^3 / a (b x^4 + a)^2 + \frac{5}{32} e / a^2 x^3 / (b x^4 + a) + \frac{5}{256} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^2 * b * e * \ln((x^2 - (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + (a/b)^{\frac{1}{2}}) / (x^2 + (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + (a/b)^{\frac{1}{2}}) + \frac{5}{128} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^2 * b * e * \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x + 1) + \frac{5}{128} (a/b)^{\frac{1}{4}} 2^{\frac{1}{2}} / a^2 * b * e * \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x - 1) + \frac{1}{8} f x^4 / a (b x^4 + a)^2 + \frac{1}{8} f / a^2 x^4 / (b x^4 + a)$

maxima [A] time = 3.02, size = 355, normalized size = 1.01

$$\frac{5 b^2 e x^7 + 6 b^2 d x^6 + 7 b^2 c x^5 + 9 a b e x^3 + 10 a b d x^2 + 11 a b c x - 4 a^2 f}{32 (a^2 b^3 x^8 + 2 a^3 b^2 x^4 + a^4 b)} + \frac{\sqrt{2} (21 \sqrt{b} c - 5 \sqrt{a} e) \log(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a})}{a^{\frac{3}{4}} b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

```
[Out] 1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 7*b^2*c*x^5 + 9*a*b*e*x^3 + 10*a*b*d*x^2
+ 11*a*b*c*x - 4*a^2*f)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt
(2)*(21*sqrt(b)*c - 5*sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*
x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*sqrt(b)*c - 5*sqrt(a)*e)*log(s
qrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21
*sqrt(2)*a^(1/4)*b^(3/4)*c + 5*sqrt(2)*a^(3/4)*b^(1/4)*e - 24*sqrt(a)*sqrt(
b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(
a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4
)*b^(3/4)*c + 5*sqrt(2)*a^(3/4)*b^(1/4)*e + 24*sqrt(a)*sqrt(b)*d)*arctan(1/
2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a
^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/a^2
```

mupad [B] time = 5.20, size = 832, normalized size = 2.37

$$\left(\sum_{k=1}^4 \ln \left(- \frac{b \left(125 a e^3 - 3024 b c d^2 + 2205 b c^2 e - 1728 b d^3 x + \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right)^2 a^5 b^2 c - 3200 \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right) a^3 b e^2 x + 2520 b c d e e x + 56448 \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right) a^2 b^2 c^2 x - 196608 \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right)^2 a^5 b^2 d x + 15360 \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right) a^3 b d e \right) / (32768 a^6) \right) \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + 4718592 a^6 b^2 d^2 z^2 - 2709504 a^3 b^2 c^2 d z + 153600 a^4 b d e^2 z - 60480 a b c d^2 e + 22050 a b c^2 e^2 + 20736 a b d^4 + 625 a^2 e^4 + 194481 b^2 c^4, z, k \right), k, 1, 4) + ((5 d x^2) / (16 a) - f / (8 b) + (9 e x^3) / (32 a) + (11 c x) / (32 a) + (7 b c x^5) / (32 a^2) + (3 b d x^6) / (16 a^2) + (5 b e x^7) / (32 a^2)) / (a^2 + b^2 x^8 + 2 a b x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3,x)
```

```
[Out] symsum(log(-(b*(125*a*e^3 - 3024*b*c*d^2 + 2205*b*c^2*e - 1728*b*d^3*x + 34
4064*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^
2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^
2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z,
k)^2*a^5*b^2*c - 3200*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2
+ 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z
- 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 19
4481*b^2*c^4, z, k)*a^3*b*e^2*x + 2520*b*c*d*e*x + 56448*root(268435456*a^1
1*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3
*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2
+ 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 1966
08*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*
d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*
e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)
^2*a^5*b^2*d*x + 15360*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^
2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*
z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 1
94481*b^2*c^4, z, k)*a^3*b*d*e)) / (32768*a^6)) * root(268435456*a^11*b^3*z^4 +
6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*
z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*
b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k), k, 1, 4) + ((5*d*x^2)/(16*a) -
f/(8*b) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b
*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4)
```

sympy [A] time = 108.47, size = 578, normalized size = 1.65

$$\text{RootSum} \left(268435456 t^4 a^{11} b^3 + t^2 (6881280 a^6 b^2 c e + 4718592 a^6 b^2 d^2) + t (153600 a^4 b d e^2 - 2709504 a^3 b^2 c^2 d) + 6 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)
```

```
[Out] RootSum(268435456*_t**4*a**11*b**3 + _t**2*(6881280*a**6*b**2*c*e + 4718592
*a**6*b**2*d**2) + _t*(153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) + 6
25*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 +
194481*b**2*c**4, Lambda(_t, _t*log(x + (26214400*_t**3*a**10*b**2*e**3 -
4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 30
9657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e + 18207
```

$$\begin{aligned}
& 86688*_t^{**2}*a^{**6}*b^{**3}*c^{**3}*d + 5040000*_t*a^{**5}*b*c*e^{**4} + 6912000*_t*a^{**5}*b \\
& *d^{**2}*e^{**3} - 118540800*_t*a^{**4}*b^{**2}*c^{**3}*e^{**2} + 365783040*_t*a^{**4}*b^{**2}*c^{**2} \\
& *d^{**2}*e + 111476736*_t*a^{**4}*b^{**2}*c*d^{**4} + 522764928*_t*a^{**3}*b^{**3}*c^{**5} + 112 \\
& 500*a^{**3}*d*e^{**5} + 4536000*a^{**2}*b*c*d^{**3}*e^{**2} - 2488320*a^{**2}*b*d^{**5}*e + 5834 \\
& 4300*a*b^{**2}*c^{**4}*d*e - 80015040*a*b^{**2}*c^{**3}*d^{**3})/(15625*a^{**3}*e^{**6} - 275625 \\
& *a^{**2}*b*c^{**2}*e^{**4} + 3024000*a^{**2}*b*c*d^{**2}*e^{**3} - 2073600*a^{**2}*b*d^{**4}*e^{**2} - \\
& 4862025*a*b^{**2}*c^{**4}*e^{**2} + 53343360*a*b^{**2}*c^{**3}*d^{**2}*e - 36578304*a*b^{**2}*c \\
& **2*d^{**4} + 85766121*b^{**3}*c^{**6})))) + (-4*a^{**2}*f + 11*a*b*c*x + 10*a*b*d*x^{**2} \\
& + 9*a*b*e*x^{**3} + 7*b^{**2}*c*x^{**5} + 6*b^{**2}*d*x^{**6} + 5*b^{**2}*e*x^{**7})/(32*a^{**4}*b \\
& + 64*a^{**3}*b^{**2}*x^{**4} + 32*a^{**2}*b^{**3}*x^{**8})
\end{aligned}$$

$$3.492 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx$$

Optimal. Leaf size=340

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{7/4} b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{7/4} b^{7/4}} - \frac{3(\sqrt{a}f}{$$

[Out] $\frac{1}{8} * (-f * x^3 - e * x^2 - d * x - c) / b / (b * x^4 + a)^2 + \frac{1}{32} * x * (3 * f * x^2 + 2 * e * x + d) / a / b / (b * x^4 + a) + \frac{1}{16} * e * \arctan(x^2 * b^{(1/2)} / a^{(1/2)}) / a^{(3/2)} / b^{(3/2)} - \frac{3}{256} * \ln(-a^{(1/4)} * b^{(1/4)} * x^2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) * (-f * a^{(1/2)} + d * b^{(1/2)}) / a^{(7/4)} / b^{(7/4)} * 2^{(1/2)} + \frac{3}{256} * \ln(a^{(1/4)} * b^{(1/4)} * x^2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) * (-f * a^{(1/2)} + d * b^{(1/2)}) / a^{(7/4)} / b^{(7/4)} * 2^{(1/2)} + \frac{3}{128} * \arctan(-1 + b^{(1/4)} * x^2^{(1/2)} / a^{(1/4)}) * (f * a^{(1/2)} + d * b^{(1/2)}) / a^{(7/4)} / b^{(7/4)} * 2^{(1/2)} + \frac{3}{128} * \arctan(1 + b^{(1/4)} * x^2^{(1/2)} / a^{(1/4)}) * (f * a^{(1/2)} + d * b^{(1/2)}) / a^{(7/4)} / b^{(7/4)} * 2^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{7/4} b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{7/4} b^{7/4}} - \frac{3(\sqrt{a}f}{$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x]

[Out] $-(c + d * x + e * x^2 + f * x^3) / (8 * b * (a + b * x^4)^2) + (x * (d + 2 * e * x + 3 * f * x^2)) / (32 * a * b * (a + b * x^4)) + (e * \text{ArcTan}[\text{Sqrt}[b] * x^2 / \text{Sqrt}[a]]) / (16 * a^{(3/2)} * b^{(3/2)}) - (3 * (\text{Sqrt}[b] * d + \text{Sqrt}[a] * f) * \text{ArcTan}[1 - (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (64 * \text{Sqrt}[2] * a^{(7/4)} * b^{(7/4)}) + (3 * (\text{Sqrt}[b] * d + \text{Sqrt}[a] * f) * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (64 * \text{Sqrt}[2] * a^{(7/4)} * b^{(7/4)}) - (3 * (\text{Sqrt}[b] * d - \text{Sqrt}[a] * f) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (128 * \text{Sqrt}[2] * a^{(7/4)} * b^{(7/4)}) + (3 * (\text{Sqrt}[b] * d - \text{Sqrt}[a] * f) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (128 * \text{Sqrt}[2] * a^{(7/4)} * b^{(7/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^3} dx &= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^2} dx}{8b} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-4ex-3fx^2}{a+bx^4} dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \left(-\frac{4ex}{a+bx^4} + \frac{-3d-3fx^2}{a+bx^4}\right) dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-3fx^2}{a+bx^4} dx}{32ab} + \frac{e \int \frac{x}{a+bx^4} dx}{8ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, x^2\right)}{16ab} + \frac{3\left(\frac{\sqrt{bd}}{\sqrt{a}} + f\right)}{128} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} + \frac{3\left(\frac{\sqrt{bd}}{\sqrt{a}} + f\right)}{128} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d - \sqrt{a}f)}{64\sqrt{2}a^{7/4}} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d + \sqrt{a}f)}{64\sqrt{2}a^{7/4}} \int \frac{1}{\sqrt{a+bx^4}} dx
\end{aligned}$$

Mathematica [A] time = 0.39, size = 329, normalized size = 0.97

$$\frac{2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}}\right) \left(8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} + 1\right) \left(-8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{3 \sqrt{2} (\sqrt{a} f - \sqrt{b} d) \log\left(-\sqrt{2} \frac{\sqrt{a} f - \sqrt{b} d}{\sqrt{a+bx^4}}\right)}{a^{7/4}}$$

256b^{7/4}

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x]

[Out] ((8*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)) - (32*b^(3/4)*(c + x*(d + x*(e + f*x))))/(a + b*x^4)^2 - (2*(3*Sqrt[2]*Sqrt[b]*d + 8*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*(3*Sqrt[2]*Sqrt[b]*d - 8*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (3*Sqrt[2]*(-Sqrt[b]*d + Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + (3*Sqrt[2]*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4))/(256*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.29, size = 338, normalized size = 0.99

$$\frac{3bfx^7 + 2bx^6e + bdx^5 - afx^3 - 2ax^2e - 3adx - 4ac}{32(bx^4 + a)^2 ab} + \frac{\sqrt{2} \left(4\sqrt{2}\sqrt{ab}b^2e + 3(ab^3)^{\frac{1}{4}}b^2d + 3(ab^3)^{\frac{3}{4}}f \right) \arctan\left(\frac{\sqrt{2}x + \sqrt{a/b}}{\sqrt{a/b}}\right)}{128a^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/32*(3*b*f*x^7 + 2*b*x^6*e + b*d*x^5 - a*f*x^3 - 2*a*x^2*e - 3*a*d*x - 4*a*c)/((b*x^4 + a)^2*a*b) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4) - 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)

maple [A] time = 0.06, size = 373, normalized size = 1.10

$$\frac{e \arctan\left(\sqrt{\frac{b}{a}}x\right)}{16\sqrt{ab}ab} + \frac{3\sqrt{2}f \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}}ab^2} + \frac{3\sqrt{2}f \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}}ab^2} + \frac{3\sqrt{2}f \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{b}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}}ab^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}}{256\left(\frac{a}{b}\right)^{\frac{1}{4}}ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (3/32*f/a*x^7+1/16/a*e*x^6+1/32*d/a*x^5-1/32/b*f*x^3-1/16/b*e*x^2-3/32/b*d*x-1/8/b*c)/(b*x^4+a)^2+3/256/b/a^2*d*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128/b/a^2*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/b/a^2*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/16/b/a*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+3/256/b^2/a*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128/b^2/a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/b^2/a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.08, size = 343, normalized size = 1.01

$$\frac{3bfx^7 + 2bex^6 + bdx^5 - afx^3 - 2aex^2 - 3adx - 4ac}{32(ab^3x^8 + 2a^2b^2x^4 + a^3b)} + \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

```
[Out] 1/32*(3*b*f*x^7 + 2*b*e*x^6 + b*d*x^5 - a*f*x^3 - 2*a*e*x^2 - 3*a*d*x - 4*a*c)/(a*b^3*x^8 + 2*a^2*b^2*x^4 + a^3*b) + 1/256*(3*sqrt(2)*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - 3*sqrt(2)*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f - 8*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f + 8*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)
```

mupad [B] time = 0.40, size = 521, normalized size = 1.53

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(268435456 a^7 b^7 z^4 + 589824 a^4 b^4 d f z^2 + 524288 a^4 b^4 e^2 z^2 + 18432 a^3 b^2 e f^2 z - 18432 a^2 b^3 d^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x)
```

```
[Out] symsum(log((x*(8*e^3 - 9*d*e*f))/(4096*a^3*b) - (3*(9*a*f^3 - 16*b*d*e^2 + 9*b*d^2*f))/(32768*a^3*b^2) - root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k)*(root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k))*((3*b^2*d)/2 - 2*b^2*e*x) + (3*e*f)/(32*a) + (x*(144*a*b^2*d^2 - 144*a^2*b*f^2))/(4096*a^3*b)))*root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k), k, 1, 4) - (c/(8*b) - (d*x^5)/(32*a) - (e*x^6)/(16*a) + (e*x^2)/(16*b) - (3*f*x^7)/(32*a) + (f*x^3)/(32*b) + (3*d*x)/(32*b))/(a^2 + b^2*x^8 + 2*a*b*x^4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)
```

```
[Out] Timed out
```

$$3.493 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx$$

Optimal. Leaf size=382

$$\frac{(77\sqrt{bc} - 15\sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{bc} - 15\sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{512\sqrt{2} a^{15/4} b^{3/4}}$$

[Out] $1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(b*x^4+a)+1/12*(-a*f+b*x*(e*x^2+d*x+c))/a/b/(b*x^4+a)^3+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.41, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{bc} - 15\sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{bc} - 15\sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{512\sqrt{2} a^{15/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out] $(x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) - (a*f - b*x*(c + d*x + e*x^2))/(12*a*b*(a + b*x^4)^3) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1)/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^4} dx &= -\frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d}{3}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 379, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^{3/4}e - 77\sqrt[4]{a}\sqrt{bc})\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{3\sqrt{2}(77\sqrt[4]{a}\sqrt{bc} - 15a^{3/4}e)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} - \frac{256a^3(af - bx(c + dx + ex^2))}{b(a + bx^4)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out] ((8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (256*a^3*(a*f - b*x*(c + x*(d + e*x))))/(b*(a + b*x^4)^3) - (6*a^(1/4)*(77*sqrt[2]*sqrt[b]*c + 80*a^(1/4)*b^(1/4)*d + 15*sqrt[2]*sqrt[a]*e)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (6*a^(1/4)*(77*sqrt[2]*sqrt[b]*c - 80*a^(1/4)*b^(1/4)*d + 15*sqrt[2]*sqrt[a]*e)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (3*sqrt[2]*(-77*a^(1/4)*sqrt[b]*c + 15*a^(3/4)*e)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]/b^(3/4) + (3*sqrt[2]*(77*a^(1/4)*sqrt[b]*c - 15*a^(3/4)*e)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]/b^(3/4))/(3072*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.33, size = 391, normalized size = 1.02

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \frac{15 \sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b)

maple [A] time = 0.06, size = 400, normalized size = 1.05

$$\frac{5d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{32 \sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32*d/a^3*b^2*x^10+77/384*c/a^3*b^2*x^9+21/64/a^2*b^2*e*x^7+5/12/a^2*d*b*x^6+33/64/a^2*c*b*x^5+113/384/a*e*x^3+11/32*d/a*x^2+51/128*c/a*x-1/12/b*f)/(b*x^4+a)^3+77/1024/a^4*c*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/a^3*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.09, size = 402, normalized size = 1.05

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} + 77 b^3 c x^9 + 126 a b^2 e x^7 + 160 a b^2 d x^6 + 198 a b^2 c x^5 + 113 a^2 b e x^3 + 132 a^2 b d x^2 + 153 a^2 b c x}{384 (a^3 b^4 x^{12} + 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 + a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{384}(45b^3ex^{11} + 60b^3d^2x^{10} + 77b^3c^2x^9 + 126a^2b^2ex^7 + 160a^2b^2d^2x^6 + 198a^2b^2c^2x^5 + 113a^2b^2ex^3 + 132a^2b^2d^2x^2 + 153a^2b^2c^2x - 32a^3f)/(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b) + \frac{1}{1024}(\sqrt{2})(77\sqrt{b}c - 15\sqrt{a}e)\log(\sqrt{b}x^2 + \sqrt{2})a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{3/4}) - \sqrt{2}(77\sqrt{b}c - 15\sqrt{a}e)\log(\sqrt{b}x^2 - \sqrt{2})a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{3/4}) + 2(77\sqrt{2})a^{1/4}b^{3/4}c + 15\sqrt{2})a^{3/4}b^{1/4}e - 80\sqrt{a}\sqrt{b}d)\arctan(1/2\sqrt{2})(2\sqrt{b}x + \sqrt{2})a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b})/(a^{3/4}\sqrt{a}\sqrt{b})b^{3/4}) + 2(77\sqrt{2})a^{1/4}b^{3/4}c + 15\sqrt{2})a^{3/4}b^{1/4}e + 80\sqrt{a}\sqrt{b}d)\arctan(1/2\sqrt{2})(2\sqrt{b}x - \sqrt{2})a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b})/(a^{3/4}\sqrt{a}\sqrt{b})b^{3/4})/a^3$

mupad [B] time = 5.25, size = 879, normalized size = 2.30

$$\left(\sum_{k=1}^4 \ln \left(\frac{b \left(3375 a e^3 - 123200 b c d^2 + 88935 b c^2 e - 64000 b d^3 x + \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c e z^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k \right)^2 a^7 b^2 c - 115200 \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c e z^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k \right) a^4 b e^2 x + 92400 b c d e x + 3035648 \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c e z^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k \right) a^3 b^2 c^2 x - 10485760 \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c e z^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k \right)^2 a^7 b^2 d x + 614400 \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c e z^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k \right) a^4 b d e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4,x)

[Out] $\text{symsum}(\log(-(b*(3375*a*e^3 - 123200*b*c*d^2 + 88935*b*c^2*e - 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*c - 115200*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*e^2*x + 92400*b*c*d*e*x + 3035648*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^3*b^2*c^2*x - 10485760*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*d*x + 614400*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*d*e)/(2097152*a^9))*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) - f/(12*b) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)
```

```
[Out] Timed out
```


$$3.494 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx$$

Optimal. Leaf size=380

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2} a^{11/4} b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2} a^{11/4} b^{7/4}} \quad (5)$$

[Out] $1/12*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)^3+1/96*x*(3*f*x^2+2*e*x+d)/a/b/(b*x^4+a)^2+1/384*x*(15*f*x^2+12*e*x+7*d)/a^2/b/(b*x^4+a)+1/32*e*arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)$

Rubi [A] time = 0.40, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2} a^{11/4} b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2} a^{11/4} b^{7/4}} \quad (5)$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4, x]

[Out] $-(c + d*x + e*x^2 + f*x^3)/(12*b*(a + b*x^4)^3) + (x*(d + 2*e*x + 3*f*x^2))/(96*a*b*(a + b*x^4)^2) + (x*(7*d + 12*e*x + 15*f*x^2))/(384*a^2*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(5/2)*b^(3/2)) - ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(11/4)*b^(7/4)) - ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(11/4)*b^(7/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx &= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^3} dx}{12b} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} - \frac{\int \frac{-7d-12ex-15fx^2}{(a+bx^4)^2} dx}{96ab} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{\int \frac{21d-12ex-15fx^2}{(a+bx^4)} dx}{384a^2b} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{\int \left(\frac{21d-12ex-15fx^2}{a+bx^4}\right) dx}{384a^2b} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{\int \frac{21d-12ex-15fx^2}{a+bx^4} dx}{384a^2b} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{32a^{11/4}} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{32a^{11/4}} \\
&= -\frac{c+dx+ex^2+fx^3}{12b(a+bx^4)^3} + \frac{x(d+2ex+3fx^2)}{96ab(a+bx^4)^2} + \frac{x(7d+12ex+15fx^2)}{384a^2b(a+bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{32a^{11/4}}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 366, normalized size = 0.96

$$\frac{6 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(16\sqrt[4]{a}\sqrt[4]{b}e+5\sqrt{2}\sqrt{a}f+7\sqrt{2}\sqrt{b}d\right)}{a^{11/4}} + \frac{6 \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)\left(-16\sqrt[4]{a}\sqrt[4]{b}e+5\sqrt{2}\sqrt{a}f+7\sqrt{2}\sqrt{b}d\right)}{a^{11/4}} + \frac{3\sqrt{2}(5\sqrt{a}f-7\sqrt{b}d)}{32a^{11/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x]

[Out] ((32*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)^2) + (8*b^(3/4)*x*(7*d + 3*x*(4*e + 5*f*x)))/(a^2*(a + b*x^4)) - (256*b^(3/4)*(c + x*(d + x*(e + f*x)))/(a + b*x^4)^3 - (6*(7*Sqrt[2]*Sqrt[b]*d + 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (6*(7*Sqrt[2]*Sqrt[b]*d - 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (3*Sqrt[2]*(-7*Sqrt[b]*d + 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4) + (3*Sqrt[2]*(7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4))/(3072*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 380, normalized size = 1.00

$$\frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} b^2 e + 7 (ab^3)^{\frac{1}{4}} b^2 d + 5 (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b^4} + \frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} b^2 e + 7 (ab^3)^{\frac{1}{4}} b^2 d + 5 (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/1024*sqrt(2)*(7*(a*b^3)^(1/4)*b^2*d - 5*(a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4) - 1/1024*sqrt(2)*(7*(a*b^3)^(1/4)*b^2*d - 5*(a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4) + 1/384*(15*b^2*f*x^11 + 12*b^2*x^10*e + 7*b^2*d*x^9 + 42*a*b*f*x^7 + 32*a*b*x^6*e + 18*a*b*d*x^5 - 5*a^2*f*x^3 - 12*a^2*x^2*e - 21*a^2*d*x - 32*a^2*c)/((b*x^4 + a)^3*a^2*b)

maple [A] time = 0.06, size = 403, normalized size = 1.06

$$\frac{e \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{32 \sqrt{ab} a^2 b} + \frac{5 \sqrt{2} f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b^2} + \frac{5 \sqrt{2} f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b^2} + \frac{5 \sqrt{2} f \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b^2} + \frac{7 \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} f}{1024 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (5/128*f/a^2*b*x^11+1/32/a^2*b*e*x^10+7/384/a^2*d*b*x^9+7/64/a*f*x^7+1/12/a*e*x^6+3/64/a*d*x^5-5/384/b*f*x^3-1/32/b*e*x^2-7/128/b*d*x-1/12/b*c)/(b*x^4+a)^3+7/1024/a^3/b*d*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+7/512/a^3/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512/a^3/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32/a^2/b*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+5/1024/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/512/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/512/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.12, size = 396, normalized size = 1.04

$$\frac{15 b^2 f x^{11} + 12 b^2 e x^{10} + 7 b^2 d x^9 + 42 a b f x^7 + 32 a b e x^6 + 18 a b d x^5 - 5 a^2 f x^3 - 12 a^2 e x^2 - 21 a^2 d x - 32 a^2 c}{384 (a^2 b^4 x^{12} + 3 a^3 b^3 x^8 + 3 a^4 b^2 x^4 + a^5 b)} + \frac{\sqrt{2} (7 f x^7 + 7 e x^6 + 7 d x^5 + 7 c)}{1024 a^3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$\frac{1}{384} \cdot (15b^2fx^{11} + 12b^2e^2x^{10} + 7b^2d^2x^9 + 42ab^2fx^7 + 32a^2b^2e^2x^6 + 18a^2b^2d^2x^5 - 5a^2f^2x^3 - 12a^2e^2x^2 - 21a^2d^2x - 32a^2c) / (a^2b^4x^{12} + 3a^3b^3x^8 + 3a^4b^2x^4 + a^5b) + \frac{1}{1024} \cdot (\sqrt{2} \cdot (7\sqrt{b}d - 5\sqrt{a}f) \cdot \log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}) / (a^{3/4}b^{3/4}) - \sqrt{2} \cdot (7\sqrt{b}d - 5\sqrt{a}f) \cdot \log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}) / (a^{3/4}b^{3/4}) + 2 \cdot (7\sqrt{2}a^{1/4}b^{3/4}d + 5\sqrt{2}a^{3/4}b^{1/4}f - 16\sqrt{a}\sqrt{b}e) \cdot \arctan(1/2\sqrt{2} \cdot (2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4}) / \sqrt{\sqrt{a}\sqrt{b}})) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}) \cdot b^{3/4} + 2 \cdot (7\sqrt{2}a^{1/4}b^{3/4}d + 5\sqrt{2}a^{3/4}b^{1/4}f + 16\sqrt{a}\sqrt{b}e) \cdot \arctan(1/2\sqrt{2} \cdot (2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}) / \sqrt{\sqrt{a}\sqrt{b}})) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}) \cdot b^{3/4})) / (a^2 \cdot b)$$

mupad [B] time = 0.48, size = 888, normalized size = 2.34

$$\frac{\frac{3dx^5}{64a} - \frac{c}{12b} + \frac{ex^6}{12a} - \frac{ex^2}{32b} + \frac{7fx^7}{64a} - \frac{5fx^3}{384b} - \frac{7dx}{128b} + \frac{7bdx^9}{384a^2} + \frac{bex^{10}}{32a^2} + \frac{5bfx^{11}}{128a^2}}{a^3 + 3a^2bx^4 + 3ab^2x^8 + b^3x^{12}} + \left(\sum_{k=1}^4 \ln \left(-\frac{125af^3 - 448bde^2 + 245}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x)

[Out]
$$\left(\frac{3d^2x^5}{64a} - \frac{c}{12b} + \frac{e^2x^6}{12a} - \frac{e^2x^2}{32b} + \frac{7f^2x^7}{64a} - \frac{5f^2x^3}{384b} - \frac{7d^2x}{128b} + \frac{7b^2d^2x^9}{384a^2} + \frac{b^2e^2x^{10}}{32a^2} + \frac{5b^2fx^{11}}{128a^2} \right) / (a^3 + b^3x^{12} + 3a^2b^2x^4 + 3a^3b^3x^8) + \text{symsum}(\log(-(125a^3f^3 - 448b^2d^2e^2 + 245b^2d^2f - 512b^2e^3x + 1835008\sqrt{68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960ab^2d^2f + 2450ab^2d^2f^2 + 4096ab^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k)^2 \cdot a^5b^4d + 560b^2d^2efx + 25088\sqrt{68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960ab^2d^2f + 2450ab^2d^2f^2 + 4096ab^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k) \cdot a^2b^3d^2x - 2097152\sqrt{68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960ab^2d^2f + 2450ab^2d^2f^2 + 4096ab^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k})^2 \cdot a^5b^4e^2x - 12800\sqrt{68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960ab^2d^2f + 2450ab^2d^2f^2 + 4096ab^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k}) \cdot a^3b^2ef) / (2097152a^6b^2)) \cdot \sqrt{68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960ab^2d^2f + 2450ab^2d^2f^2 + 4096ab^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k), k, 1, 4)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

3.495 $\int x^4 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=418

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{7/4}\sqrt{a+bx^4}} + \frac{2a^{9/4}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15b^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{10}f*x^4*(b*x^4+a)^{(3/2)}/b-1/120*(-15*b*d*x^2+8*a*f)*(b*x^4+a)^{(3/2)}/b^2-1/16*a^2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+2/21*a*c*x*(b*x^4+a)^{(1/2)}/b-1/16*a*d*x^2*(b*x^4+a)^{(1/2)}/b+2/45*a*e*x^3*(b*x^4+a)^{(1/2)}/b+1/63*x^5*(7*e*x^2+9*c)*(b*x^4+a)^{(1/2)}-2/15*a^2*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+2/15*a^{(9/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/105*a^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(7*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 833, 780, 195, 217, 206}

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{7/4}\sqrt{a+bx^4}} - \frac{a^2 d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{16b^{3/2}} - \frac{2a^2 e x \sqrt{a+bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(2*a*c*x*\operatorname{Sqrt}[a + b*x^4])/(21*b) - (a*d*x^2*\operatorname{Sqrt}[a + b*x^4])/(16*b) + (2*a*e*x^3*\operatorname{Sqrt}[a + b*x^4])/(45*b) - (2*a^2*e*x*\operatorname{Sqrt}[a + b*x^4])/(15*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (x^5*(9*c + 7*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/63 + (f*x^4*(a + b*x^4)^{(3/2)})/(10*b) - ((8*a*f - 15*b*d*x^2)*(a + b*x^4)^{(3/2)})/(120*b^2) - (a^2*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*b^{(3/2)}) + (2*a^{(9/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(7/4)}*(5*\operatorname{Sqrt}[b]*c + 7*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

$\operatorname{Int}[(a_0 + b_0*x_0)^{(n_0)}]^{(p_0)}, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p])) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]]

Rule 206

$\operatorname{Int}[(a_0 + b_0*x_0)^2]^{(-1)}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 780

$\text{Int}[(d_ + (e_)*(x_))*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{p_}), x_Symbol] \rightarrow \text{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + c*x^2)^{p + 1}/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}[\{a, c, d, e, f, g, p\}, x] \ \&\& \ !\text{LeQ}[p, -1]$

Rule 833

$\text{Int}[(d_ + (e_)*(x_))^{m_}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{p_}), x_Symbol] \rightarrow \text{Simp}[(g*(d + e*x)^m*(a + c*x^2)^{p + 1})/(c*(m + 2*p + 2)), x] + \text{Dist}[1/(c*(m + 2*p + 2)), \text{Int}[(d + e*x)^{m - 1}*(a + c*x^2)^p*\text{Simp}[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] \text{ /; FreeQ}[\{a, c, d, e, f, g, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{NeQ}[m + 2*p + 2, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p]) \ \&\& \ !(\text{IGtQ}[m, 0] \ \&\& \ \text{EqQ}[f, 0])$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2])/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0]] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0]] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{m_}*((d_ + (e_)*(x_)^2)^{q_})*((a_ + (c_)*(x_)^4)^{p_}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] \text{ /; FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1274

$\text{Int}[(f_)*(x_))^{m_}*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^{p_}), x_Symbol] \rightarrow \text{Simp}[(f*x)^{m + 1}*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2)/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + \text{Dist}[(4*a*p)/(4*p + m + 1)*(m + 4*p + 3), \text{Int}[(f*x)^m*(a + c*x^4)^{p - 1}*\text{Simp}[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] \text{ /; FreeQ}[\{a, c, d, e, f, m\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[4*p + m + 1, 0] \ \&\& \ \text{NeQ}[m + 4*p + 3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x^4 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^4 (c + ex^2) \sqrt{a + bx^4} + x^5 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int x^4 (c + ex^2) \sqrt{a + bx^4} dx + \int x^5 (d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x^2 (d + fx) \sqrt{a + bx^2} dx, x, x \right) \\
&= \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{fx^4 (a + bx^4)^{3/2}}{10b} + \frac{560abex^3 \sqrt{a + bx^4}}{5040b^2} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{fx^4 \sqrt{a + bx^4}}{10b} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 ex \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^4})} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 ex \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^4})}
\end{aligned}$$

Mathematica [C] time = 0.73, size = 202, normalized size = 0.48

$$\frac{\sqrt{a + bx^4} \left(-\frac{315a^{3/2} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{720abcx {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 720bcx (a + bx^4) + 315bdx^2 (a + 2bx^4) - \frac{560abex^3 {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{5040b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4],x]

[Out] (Sqrt[a + b*x^4]*(720*b*c*x*(a + b*x^4) + 560*b*e*x^3*(a + b*x^4) + 315*b*d*x^2*(a + 2*b*x^4) + 168*f*(a + b*x^4)*(-2*a + 3*b*x^4) - (315*a^(3/2))*Sqrt

$[b] * d * \text{ArcSinh}[(\text{Sqrt}[b] * x^2) / \text{Sqrt}[a]] / \text{Sqrt}[1 + (b * x^4) / a] - (720 * a * b * c * x * \text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -((b * x^4) / a)]) / \text{Sqrt}[1 + (b * x^4) / a] - (560 * a * b * e * x^3 * \text{Hypergeometric2F1}[-1/2, 3/4, 7/4, -((b * x^4) / a)]) / \text{Sqrt}[1 + (b * x^4) / a]) / (5040 * b^2)$

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(fx^7 + ex^6 + dx^5 + cx^4\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

maple [C] time = 0.21, size = 390, normalized size = 0.93

$$\frac{\sqrt{bx^4 + a} ex^7}{9} + \frac{\sqrt{bx^4 + a} cx^5}{7} + \frac{2\sqrt{bx^4 + a} aex^3}{45b} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{5}{2}} \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $-1/30*f*(b*x^4+a)^{(3/2)}*(-3*b*x^4+2*a)/b^2+1/9*e*x^7*(b*x^4+a)^{(1/2)}+2/45*a$
 $*e*x^3*(b*x^4+a)^{(1/2)}/b-2/15*I*e*a^{(5/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}$
 $*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)$
 $^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+2/15*I*e*a^{(5/2)}/b^{(3/2)}/(I$
 $/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}$
 $*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+1/8*$
 $d*x^2*(b*x^4+a)^{(3/2)}/b-1/16*a*d*x^2*(b*x^4+a)^{(1/2)}/b-1/16*d*a^2/b^{(3/2)}*l$
 $n(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/7*c*x^5*(b*x^4+a)^{(1/2)}+2/21*a*c*x*(b*x^4+$
 $a)^{(1/2)}/b-2/21*c*a^2/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+$
 $)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}$
 $*b^{(1/2)})^{(1/2)}*x,I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)`

[Out] `int(x^4*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)`

sympy [A] time = 8.54, size = 252, normalized size = 0.60

$$\frac{a^{\frac{3}{2}} dx^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a} dx^6}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} ex^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} - \frac{a^2 d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2), x)`

[Out] `a**(3/2)*d*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*c*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*d*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*e*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) - a**2*d*asinh(sqrt(b)*x**2/sqrt(a))/(16*b**(3/2)) + f*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b*d*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))`

3.496 $\int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=394

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (7\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{9/4} f (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}}{105b^{7/4}\sqrt{a+bx^4} + 15b^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24} (3ex^2 + 4c) (bx^4 + a)^{3/2} / b - \frac{1}{16} a^2 e \operatorname{arctanh}(x^2 b^{1/2} / (bx^4 + a)^{1/2}) / b^{3/2} + \frac{2}{21} a d x x (bx^4 + a)^{1/2} / b - \frac{1}{16} a e x^2 (bx^4 + a)^{1/2} / b + \frac{2}{45} a f x^3 (bx^4 + a)^{1/2} / b + \frac{1}{63} x^5 (7f x^2 + 9d) (bx^4 + a)^{1/2} - \frac{2}{15} a^2 f x (bx^4 + a)^{1/2} / b^{3/2} / (a^{1/2} + x^2 b^{1/2}) + \frac{2}{15} a^{9/4} f (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2})) * ((bx^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{7/4} / (bx^4 + a)^{1/2} - \frac{1}{105} a^{7/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (7f a^{1/2} + 5d b^{1/2}) * (a^{1/2} + x^2 b^{1/2})) * ((bx^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{7/4} / (bx^4 + a)^{1/2}$

Rubi [A] time = 0.33, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 780, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (7\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + a^2 e \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a+bx^4}}\right) + \frac{2a^2 f x \sqrt{a+bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^2})}}{105b^{7/4}\sqrt{a+bx^4} + 16b^{3/2} + 15b^{3/2} (\sqrt{a} + \sqrt{bx^2})}$$

Antiderivative was successfully verified.

[In] $\int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

[Out] $\frac{(2axd\sqrt{a+bx^4})/(21b) - (ae^2\sqrt{a+bx^4})/(16b) + (2afx^3\sqrt{a+bx^4})/(45b) - (2a^2f\sqrt{a+bx^4})/(15b^{3/2}) * (\sqrt{a} + \sqrt{bx^2}) + (x^5(9d + 7fx^2)\sqrt{a+bx^4})/63 + ((4c + 3ex^2)(a + bx^4)^{3/2})/(24b) - (a^2e \operatorname{ArcTanh}(\sqrt{bx^2}/\sqrt{a+bx^4}))/(16b^{3/2}) + (2a^{9/4}f(\sqrt{a} + \sqrt{bx^2})\sqrt{a+bx^4})/(\sqrt{a} + \sqrt{bx^2})^2 * \operatorname{EllipticE}(2 \operatorname{ArcTan}(b^{1/4}x/a^{1/4}), 1/2) - (15b^{7/4}f\sqrt{a+bx^4}) - (a^{7/4}(5\sqrt{b}d + 7\sqrt{a}f)(\sqrt{a} + \sqrt{bx^2})\sqrt{a+bx^4})/(\sqrt{a} + \sqrt{bx^2})^2 * \operatorname{EllipticF}(2 \operatorname{ArcTan}(b^{1/4}x/a^{1/4}), 1/2) - (105b^{7/4}f\sqrt{a+bx^4})}{105b^{7/4}\sqrt{a+bx^4} + 16b^{3/2} + 15b^{3/2}(\sqrt{a} + \sqrt{bx^2})}$

Rule 195

$\operatorname{Int}[(a_0 + (b_1 x)^n)^p, x_Symbol] \rightarrow \operatorname{Simp}[(x(a + bx^n)^p)/(n * p + 1), x] + \operatorname{Dist}[(a * n * p)/(n * p + 1), \operatorname{Int}[(a + bx^n)^{p-1}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p])) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]]

Rule 206

$\operatorname{Int}[(a_0 + (b_1 x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}(\operatorname{Rt}[-b, 2] * x) / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1274

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^3 (c + ex^2) \sqrt{a + bx^4} + x^4 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
 &= \int x^3 (c + ex^2) \sqrt{a + bx^4} dx + \int x^4 (d + fx^2) \sqrt{a + bx^4} dx \\
 &= \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x(c + ex) \sqrt{a + bx^2} dx, x \right) \\
 &= \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} + \frac{(4c + 3ex^2)(a + bx^4)}{24b} \\
 &= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} \\
 &= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} \\
 &= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 fx \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + bx^2)}
 \end{aligned}$$

Mathematica [C] time = 0.66, size = 215, normalized size = 0.55

$$\frac{\sqrt{a + bx^4} \left(63e \left(\sqrt{b} x^2 (a + 2bx^4) - \frac{a^{3/2} \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right) + 168\sqrt{b} c (a + bx^4) - \frac{144a\sqrt{b} dx {}_2F_1 \left(-\frac{1}{2}, \frac{5}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 144\sqrt{b} dx \right)}{1008b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] (Sqrt[a + b*x^4]*(168*Sqrt[b]*c*(a + b*x^4) + 144*Sqrt[b]*d*x*(a + b*x^4) + 112*Sqrt[b]*f*x^3*(a + b*x^4) + 63*e*(Sqrt[b]*x^2*(a + 2*b*x^4) - (a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a]) - (144*a*Sqrt[b]*d*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] - (112*a*Sqrt[b]*f*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a]))/(1008*b^(3/2))

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^6 + ex^5 + dx^4 + cx^3) \sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^3, x)

maple [C] time = 0.19, size = 380, normalized size = 0.96

$$\frac{\sqrt{bx^4 + a} f x^7}{9} + \frac{\sqrt{bx^4 + a} d x^5}{7} + \frac{2\sqrt{bx^4 + a} a f x^3}{45b} + \frac{2i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{5}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}} + 2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{9}f*x^7*(b*x^4+a)^{(1/2)} + \frac{2}{45}a*f*x^3*(b*x^4+a)^{(1/2)}/b - \frac{2}{15}I*f*a^{(5/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{2}{15}I*f*a^{(5/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{8}e*x^2*(b*x^4+a)^{(3/2)}/b - \frac{1}{16}a*e*x^2*(b*x^4+a)^{(1/2)}/b - \frac{1}{16}e*a^2/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) + \frac{1}{7}d*x^5*(b*x^4+a)^{(1/2)} + \frac{2}{21}a*d*x*(b*x^4+a)^{(1/2)}/b - \frac{2}{21}d*a^2/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{6}c/b*(b*x^4+a)^{(3/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^4 + a)^{\frac{3}{2}}c}{6b} + \int (fx^6 + ex^5 + dx^4)\sqrt{bx^4 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{6}*(b*x^4 + a)^{(3/2)}*c/b + \text{integrate}((f*x^6 + e*x^5 + d*x^4)*\text{sqrt}(b*x^4 + a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^3*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 7.51, size = 212, normalized size = 0.54

$$\frac{a^{\frac{3}{2}}ex^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} dx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a} ex^6}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} fx^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{11}{4}\right)} - \frac{a^2 e \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)
```

```
[Out] a**(3/2)*e*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*d*x**5*gamma(5/4)*hyper
((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*
e*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*f*x**7*gamma(7/4)*hyper((-1/2, 7/4
), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) - a**2*e*asinh(sqrt(b
)*x**2/sqrt(a))/(16*b**(3/2)) + c*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a
+ b*x**4)**(3/2)/(6*b), True)) + b*e*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))
```

3.497 $\int x^2 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=369

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24}*(3*f*x^2+4*d)*(b*x^4+a)^{(3/2)}/b-1/16*a^2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+2/21*a*e*x*(b*x^4+a)^{(1/2)}/b-1/16*a*f*x^2*(b*x^4+a)^{(1/2)}/b+1/35*x^3*(5*e*x^2+7*c)*(b*x^4+a)^{(1/2)}+2/5*a*c*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/105*a^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-5*e*a^{(1/2)}+21*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 780, 195, 217, 206}

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(2*a*e*x*\operatorname{Sqrt}[a + b*x^4])/(21*b) - (a*f*x^2*\operatorname{Sqrt}[a + b*x^4])/(16*b) + (2*a*c*x*\operatorname{Sqrt}[a + b*x^4])/(5*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (x^3*(7*c + 5*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/35 + ((4*d + 3*f*x^2)*(a + b*x^4)^{(3/2)})/(24*b) - (a^2*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*b^{(3/2)}) - (2*a^{(5/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(5/4)}*(21*\operatorname{Sqrt}[b]*c - 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1274

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int x^2 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^2 (c + ex^2) \sqrt{a + bx^4} + x^3 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
 &= \int x^2 (c + ex^2) \sqrt{a + bx^4} dx + \int x^3 (d + fx^2) \sqrt{a + bx^4} dx \\
 &= \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x(d + fx) \sqrt{a + bx^2} dx, x, x^2 \right) \\
 &= \frac{2aex\sqrt{a + bx^4}}{21b} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{(4d + 3fx^2)(a + bx^4)^{5/2}}{24b} \\
 &= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{(4d - 3fx^2)(a + bx^4)^{5/2}}{24b} \\
 &= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{2acx\sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} \\
 &= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{2acx\sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4}
 \end{aligned}$$

Mathematica [C] time = 0.78, size = 182, normalized size = 0.49

$$\frac{1}{336} \sqrt{a + bx^4} \left(-\frac{21a^{3/2} f \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{b^{3/2} \sqrt{\frac{bx^4}{a} + 1}} + \frac{112cx^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{56d(a + bx^4)}{b} - \frac{48aex {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{b \sqrt{\frac{bx^4}{a} + 1}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4],x]
```

```
[Out] (Sqrt[a + b*x^4]*((56*d*(a + b*x^4))/b + (48*e*x*(a + b*x^4))/b + (21*f*x^2*(a + 2*b*x^4))/b - (21*a^(3/2)*f*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(b^(3/2)*Sqrt[1 + (b*x^4)/a]) - (48*a*e*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a])/(b*Sqrt[1 + (b*x^4)/a]) + (112*c*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a])/336
```

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^5 + ex^4 + dx^3 + cx^2) \sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^4 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

maple [C] time = 0.17, size = 361, normalized size = 0.98

$$\frac{\sqrt{bx^4 + a} ex^5}{7} + \frac{\sqrt{bx^4 + a} cx^3}{5} - \frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^2 e \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{8}f*x^2*(b*x^4+a)^{(3/2)}/b - \frac{1}{16}a*f*x^2*(b*x^4+a)^{(1/2)}/b - \frac{1}{16}f*a^2/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) + \frac{1}{7}e*x^5*(b*x^4+a)^{(1/2)} + \frac{2}{21}a*e*x*(b*x^4+a)^{(1/2)}/b - \frac{2}{21}e*a^2/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{6}d/b*(b*x^4+a)^{(3/2)} + \frac{1}{5}c*x^3*(b*x^4+a)^{(1/2)} + \frac{2}{5}I*c*a^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - \frac{2}{5}I*c*a^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^2*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 7.09, size = 212, normalized size = 0.57

$$\frac{a^{\frac{3}{2}}fx^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a}cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{3}{4}}{\frac{7}{4}} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a}ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{4}}{\frac{9}{4}} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a}fx^6}{16\sqrt{1 + \frac{bx^4}{a}}} - \frac{a^2f \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)
```

```
[Out] a**(3/2)*f*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*c*x**3*gamma(3/4)*hyper
((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*e*
x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gam
ma(9/4)) + 3*sqrt(a)*f*x**6/(16*sqrt(1 + b*x**4/a)) - a**2*f*asinh(sqrt(b)*
x**2/sqrt(a))/(16*b**(3/2)) + d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a +
b*x**4)**(3/2)/(6*b), True)) + b*f*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))
```

3.498 $\int x(c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=354

$$\frac{a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} - 5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{6}e(bx^4+a)^{3/2}/b+1/4ac \operatorname{arctanh}(x^2b^{1/2}/(bx^4+a)^{1/2})/b^{1/2} + 2/21afx(bx^4+a)^{1/2}/b+1/4c^2x^2(bx^4+a)^{1/2}+1/35x^3(5fx^2+7d)(bx^4+a)^{1/2}+2/5ad^2x(bx^4+a)^{1/2}/b^{1/2}/(a^{1/2}+x^2b^{1/2}) - 2/5a^{5/4}d(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(b^{1/4}x/a^{1/4})) * \operatorname{EllipticE}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2)^{1/2}) * (a^{1/2}+x^2b^{1/2}) * ((bx^4+a)/(a^{1/2}+x^2b^{1/2}))^{1/2}/b^{3/4}/(bx^4+a)^{1/2} + 1/105a^{5/4}(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(b^{1/4}x/a^{1/4})) * \operatorname{EllipticF}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2)^{1/2}) * (-5fa^{1/2}+21d^2b^{1/2}) * (a^{1/2}+x^2b^{1/2}) * ((bx^4+a)/(a^{1/2}+x^2b^{1/2}))^{1/2}/b^{5/4}/(bx^4+a)^{1/2}$

Rubi [A] time = 0.27, antiderivative size = 354, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1833, 1248, 641, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} - 5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x(c + dx + ex^2 + fx^3)\sqrt{a + bx^4}, x]$

[Out] $\frac{(2afx\sqrt{a+bx^4})/(21b) + (c^2x^2\sqrt{a+bx^4})/4 + (2ad^2x\sqrt{a+bx^4})/(5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)) + (x^3(7d + 5fx^2)\sqrt{a+bx^4})/35 + (e(a+bx^4)^{3/2})/(6b) + (ac \operatorname{ArcTan}[(\sqrt{b}x^2)/\sqrt{a+bx^4}])/(4\sqrt{b}) - (2a^{5/4}d(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2}) * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(5b^{3/4}\sqrt{a+bx^4}) + (a^{5/4}(21\sqrt{b}d - 5\sqrt{a}f)(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2}) * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(105b^{5/4}\sqrt{a+bx^4})$

Rule 195

$\operatorname{Int}[(a_0 + (b_1x)^n)^p, x_Symbol] \rightarrow \operatorname{Simp}[(x(a_0 + b_1x^n)^p)/(n(p+1), x] + \operatorname{Dist}[(a_0n^p)/(n(p+1), \operatorname{Int}[(a_0 + b_1x^n)^{p-1}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_0 + (b_1x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTan}[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

`Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 220

`Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]`

Rule 641

`Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]`

Rule 1196

`Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]`

Rule 1198

`Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]`

Rule 1248

`Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]`

Rule 1274

`Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])`

Rule 1280

`Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])`

Rule 1833

`Int[(Pq)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j))*Sum[Coeff[Pq, x, j +`

$(k*n)/2] * x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\} * (a + b*x^n)^p / c^j, \{j, 0, n/2 - 1\}, x]] /; \text{FreeQ}\{a, b, c, m, p\}, x] \&\& \text{PolyQ}\{Pq, x\} \&\& \text{IGtQ}[n/2, 0] \&\& \text{!PolyQ}\{Pq, x^{(n/2)}\}$

Rubi steps

$$\begin{aligned}
 \int x(c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x(c + ex^2) \sqrt{a + bx^4} + x^2(d + fx^2) \sqrt{a + bx^4} \right) dx \\
 &= \int x(c + ex^2) \sqrt{a + bx^4} dx + \int x^2(d + fx^2) \sqrt{a + bx^4} dx \\
 &= \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int (c + ex) \sqrt{a + bx^2} dx, x, x^2 \right) \\
 &= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{e(a + bx^4)^{3/2}}{6b} - \frac{(2a + bx^4)^{3/2}}{6b} \\
 &= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{e(a + bx^4)^{3/2}}{6b} - \frac{(2a + bx^4)^{3/2}}{6b} \\
 &= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{2adx \sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} \\
 &= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{2adx \sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4}
 \end{aligned}$$

Mathematica [C] time = 0.20, size = 211, normalized size = 0.60

$$\frac{\sqrt{a + bx^4} \left(21\sqrt{a} \sqrt{b} c \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) + 21bcx^2 \sqrt{\frac{bx^4}{a} + 1} + 28bdx^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) + 14bex^4 \sqrt{\frac{bx^4}{a} + 1} + 14b^2 c x^2 \sqrt{\frac{bx^4}{a} + 1} \right)}{84b \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] (Sqrt[a + b*x^4]*(14*a*e*Sqrt[1 + (b*x^4)/a] + 12*a*f*x*Sqrt[1 + (b*x^4)/a] + 21*b*c*x^2*Sqrt[1 + (b*x^4)/a] + 14*b*e*x^4*Sqrt[1 + (b*x^4)/a] + 12*b*f*x^5*Sqrt[1 + (b*x^4)/a] + 21*Sqrt[a]*Sqrt[b]*c*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - 12*a*f*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a] + 28*b*d*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a]))/(84*b*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\sqrt{bx^4 + a} (fx^4 + ex^3 + dx^2 + cx), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^4 + e*x^3 + d*x^2 + c*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x, x)

maple [C] time = 0.16, size = 337, normalized size = 0.95

$$\frac{\sqrt{bx^4 + a} f x^5}{7} + \frac{\sqrt{bx^4 + a} d x^3}{5} - \frac{2\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^2 f \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b} - \frac{2i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{7} f x^5 (b x^4 + a)^{1/2} + \frac{2}{21} a f x (b x^4 + a)^{1/2} / b - \frac{2}{21} f a^2 / b (I/a^{1/2} (b^{1/2})^{1/2})^{1/2} * (-I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} * (I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} * \operatorname{EllipticF}((I/a^{1/2} (b^{1/2})^{1/2})^{1/2} x, I) + \frac{1}{6} e (b x^4 + a)^{3/2} / b + \frac{1}{5} x^3 d (b x^4 + a)^{1/2} + \frac{2}{5} I d a^{3/2} / (I/a^{1/2} (b^{1/2})^{1/2})^{1/2} * (-I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} * (I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} * \operatorname{EllipticF}((I/a^{1/2} (b^{1/2})^{1/2})^{1/2} x, I) - \frac{2}{5} I d a^{3/2} / (I/a^{1/2} (b^{1/2})^{1/2})^{1/2} * (-I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} * (I/a^{1/2} (b^{1/2})^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} * \operatorname{EllipticE}((I/a^{1/2} (b^{1/2})^{1/2})^{1/2} x, I) + \frac{1}{4} c x^2 (b x^4 + a)^{1/2} + \frac{1}{4} c a / b^{1/2} * \ln(b^{1/2} x^2 + (b x^4 + a)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8} \left(\frac{a \log\left(-\frac{\sqrt{b} - \frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b} + \frac{\sqrt{bx^4+a}}{x^2}}\right)}{\sqrt{b}} + \frac{2\sqrt{bx^4+a} a}{\left(b - \frac{bx^4+a}{x^4}\right)x^2} \right) c + \int \sqrt{bx^4 + a} (fx^4 + ex^3 + dx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] $-\frac{1}{8} * (a * \log(-(\sqrt{b} - \sqrt{bx^4 + a})/x^2)/(\sqrt{b} + \sqrt{bx^4 + a})/x^2)) / \sqrt{b} + \frac{2 * \sqrt{bx^4 + a} * a}{(b - (bx^4 + a)/x^4) * x^2} * c + \operatorname{integrate}(\sqrt{bx^4 + a} * (f * x^4 + e * x^3 + d * x^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 6.53, size = 158, normalized size = 0.45

$$\frac{\sqrt{a} cx^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} dx^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a} fx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{ac \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{b}} + e \left\{ \begin{matrix} \frac{\sqrt{a}x^4}{4} \\ \frac{(a+bx^4)}{6b} \end{matrix} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*c*x**2*sqrt(1 + b*x**4/a)/4 + sqrt(a)*d*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*f*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + a*c*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + e*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

3.499 $\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=331

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{6}f*(b*x^4+a)^{(3/2)}/b+1/4*a*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+1/4*d*x^2*(b*x^4+a)^{(1/2)}+1/15*x*(3*e*x^2+5*c)*(b*x^4+a)^{(1/2)}+2/5*a*e*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(3*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.370$, Rules used = {1885, 1177, 1198, 220, 1196, 1248, 641, 195, 217, 206}

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(d*x^2*\operatorname{Sqrt}[a + b*x^4])/4 + (2*a*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (x*(5*c + 3*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/15 + (f*(a + b*x^4)^{(3/2)})/(6*b) + (a*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*\operatorname{Sqrt}[b]) - (2*a^{(5/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*c + 3*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] := \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left((c + ex^2) \sqrt{a + bx^4} + x(d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int (c + ex^2) \sqrt{a + bx^4} dx + \int x(d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{1}{15} \int \frac{10ac + 6aex^2}{\sqrt{a + bx^4}} dx + \frac{1}{2} \text{Subst} \left(\int (d + fx^2) \sqrt{a + bx^2} dx, \right. \\
&= \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} + \frac{1}{2} d \text{Subst} \left(\int \sqrt{a + bx^2} dx, \right. \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 171, normalized size = 0.52

$$\frac{\sqrt{a + bx^4} \left(12bcx {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right) + 3\sqrt{a} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) + 3bdx^2 \sqrt{\frac{bx^4}{a} + 1} + 4bex^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) \right)}{12b\sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] (Sqrt[a + b*x^4]*(2*a*f*Sqrt[1 + (b*x^4)/a] + 3*b*d*x^2*Sqrt[1 + (b*x^4)/a] + 2*b*f*x^4*Sqrt[1 + (b*x^4)/a] + 3*Sqrt[a]*Sqrt[b]*d*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 12*b*c*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a]) + 4*b*e*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a])/(12*b*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

maple [C] time = 0.18, size = 313, normalized size = 0.95

$$\frac{\sqrt{bx^4 + a} ex^3}{5} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] 1/6*f*(b*x^4+a)^(3/2)/b+1/5*e*x^3*(b*x^4+a)^(1/2)+2/5*I*e*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2/5*I*e*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*d*x^2*(b*x^4+a)^(1/2)+1/4*d*a/b^(1/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*c*x*(b*x^4+a)^(1/2)+2/3*c*a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 5.97, size = 156, normalized size = 0.47

$$\frac{\sqrt{a} cx \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} dx^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} ex^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{ad \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{b}} + f \left\{ \begin{matrix} \frac{\sqrt{a}x^4}{4} \\ (a+bx^4) \\ 6b \end{matrix} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*d*x**2*sqrt(1 + b*x**4/a)/4 + sqrt(a)*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a*d*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + f*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

$$3.500 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x} dx$$

Optimal. Leaf size=345

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+1/4*(e*x^2+2*c)*(b*x^4+a)^{(1/2)}+1/15*x*(3*f*x^2+5*d)*(b*x^4+a)^{(1/2)}+2/5*a*f*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(3*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x, x]$

[Out] $(2*a*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (x*(5*d + 3*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/15 + (a*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*\operatorname{Sqrt}[b]) - (\operatorname{Sqrt}[a]*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*d + 3*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

$\text{Int}[\frac{((a_) + (b_)*(x_)^2)^{-1}}{a, x}] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 815

$\text{Int}[\frac{((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))^{(p_)}}{(a_) + (c_)*(x_)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{(d + e*x)^{(m + 1)}*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x*(a + c*x^2)^p}{(c*e^2*(m + 2*p + 1)*(m + 2*p + 2))}, x] + \text{Dist}[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^m*(a + c*x^2)^{(p - 1)}*\text{Simp}[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ !\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 0])) \ \&\& \ !\text{ILtQ}[m + 2*p, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 844

$\text{Int}[\frac{((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))^{(p_)}}{(a_) + (c_)*(x_)^2}, x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1177

$\text{Int}[\frac{((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^{(p_)}}{x}, x_Symbol] \rightarrow \text{Simp}[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/((4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^{(p - 1)}, x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{FractionQ}[p] \ \&\& \ \text{IntegerQ}[2*p]$

Rule 1196

$\text{Int}[\frac{((d_) + (e_)*(x_)^2)}{\text{Sqrt}[(a_) + (c_)*(x_)^4]}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\frac{((d_) + (e_)*(x_)^2)}{\text{Sqrt}[(a_) + (c_)*(x_)^4]}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x]$

nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1833

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x} dx &= \int \left(\frac{(c + ex^2) \sqrt{a + bx^4}}{x} + (d + fx^2) \sqrt{a + bx^4} \right) dx \\
 &= \int \frac{(c + ex^2) \sqrt{a + bx^4}}{x} dx + \int (d + fx^2) \sqrt{a + bx^4} dx \\
 &= \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} + \frac{1}{15} \int \frac{10ad + 6afx^2}{\sqrt{a + bx^4}} dx + \frac{1}{2} \text{Subst} \left(\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x} dx, x, x^2 \right) \\
 &= \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} + \frac{\text{Subst} \left(\int \frac{2abc + abex^2}{x \sqrt{a + bx^4}} dx, x, x^2 \right)}{4b} \\
 &= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
 &= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
 &= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
 &= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4}
 \end{aligned}$$

Mathematica [C] time = 0.39, size = 208, normalized size = 0.60

$$\frac{3a^{3/2} e^{\sqrt{\frac{bx^4}{a}}} + 1 \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) + 3\sqrt{b} \left((a + bx^4) (2c + ex^2) - 2\sqrt{a} c \sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) + 12a\sqrt{b} dx \sqrt{\frac{bx^4}{a}}}{12\sqrt{b} \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x,x]

[Out] (3*a^(3/2)*e*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*Sqrt[b]*((2*c + e*x^2)*(a + b*x^4) - 2*Sqrt[a]*c*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) + 12*a*Sqrt[b]*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a] + 4*a*Sqrt[b]*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a])/(12*Sqrt[b]*Sqrt[a + b*x^4])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

maple [C] time = 0.20, size = 339, normalized size = 0.98

$$\frac{\sqrt{bx^4 + a} f x^3}{5} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x)

[Out] 1/5*x^3*f*(b*x^4+a)^(1/2)+2/5*I*f*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2/5*I*f*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*e*x^2*(b*x^4+a)^(1/2)+1/4*e*a/b^(1/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*d*x*(b*x^4+a)^(1/2)+2/3*d*a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*c*(b*x^4+a)^(1/2)-1/2*c*a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x, x)

sympy [C] time = 10.13, size = 204, normalized size = 0.59

$$-\frac{\sqrt{a} c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{\sqrt{a} d x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} e x^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} f x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4 \Gamma\left(\frac{7}{4}\right)} + \frac{a}{2 \sqrt{b} x^2 \sqrt{a + b x^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x,x)

[Out] -sqrt(a)*c*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*d*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*e*x**2*sqrt(1 + b*x**4/a)/4 + sqrt(a)*f*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a*c/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + a*e*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + sqrt(b)*c*x**2/(2*sqrt(a/(b*x**4) + 1))

$$3.501 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^2} dx$$

Optimal. Leaf size=341

$$-\frac{\sqrt{a+bx^4}(3c-ex^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}e+3\sqrt{b}c)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}-1/3*(-e*x^2+3*c)*(b*x^4+a)^{(1/2)}/x+1/4*(f*x^2+2*d)*(b*x^4+a)^{(1/2)}+2*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1272, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$-\frac{\sqrt{a+bx^4}(3c-ex^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}e+3\sqrt{b}c)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c+dx+ex^2+fx^3)*\operatorname{Sqrt}[a+bx^4])/x^2,x]$

[Out] $(2*\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a+bx^4])/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)-((3*c-e*x^2)*\operatorname{Sqrt}[a+bx^4])/(3*x)+((2*d+f*x^2)*\operatorname{Sqrt}[a+bx^4])/4+(a*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a+bx^4]])/(4*\operatorname{Sqrt}[b])-(\operatorname{Sqrt}[a]*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a+bx^4]/\operatorname{Sqrt}[a]])/2-(2*a^{(1/4)}*b^{(1/4)}*c*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+bx^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2])/(\operatorname{Sqrt}[a+bx^4]+(a^{(1/4)}*(3*\operatorname{Sqrt}[b]*c+\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+bx^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2]))/(3*b^{(1/4)}*\operatorname{Sqrt}[a+bx^4])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.)^m)*((c_.) + (d_.)*(x_.)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a+bx)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 815

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1272

$\text{Int}[(f_)*(x_)]^{(m_)}*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a+c*x^4)^p*(d*(m+4*p+3)+e*(m+1)*x^2)/(f*(m+1)*(m+4*p+3)), x] + \text{Dist}[(4*p)/(f^2*(m+1)*(m+4*p+3)), \text{Int}[(f*x)^{(m+2)}*(a+c*x^4)^{(p-1)}*(a*e*(m+1)-c*d*(m+4*p+3)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ m+4*p+3 \neq 0 \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1833

$\text{Int}[(Pq_)*((c_)*(x_)]^{(m_)}*((a_)+(b_)*(x_)]^{(n_)]^{(p_)}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{(m+j)}*\text{Sum}[\text{Coeff}[Pq, x, j+(k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q-j))/n+1\}]*\text{Sum}[(a+b*x^n)^p/c^j, \{j, 0, n/2-1\}], x] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^2} dx &= \int \left(\frac{(c+ex^2)\sqrt{a+bx^4}}{x^2} + \frac{(d+fx^2)\sqrt{a+bx^4}}{x} \right) dx \\ &= \int \frac{(c+ex^2)\sqrt{a+bx^4}}{x^2} dx + \int \frac{(d+fx^2)\sqrt{a+bx^4}}{x} dx \\ &= -\frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{2} \text{Subst} \left(\int \frac{(d+fx)\sqrt{a+bx^2}}{x} dx, x, x^2 \right) - \frac{2}{3} \\ &= -\frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{4} (2d+fx^2)\sqrt{a+bx^4} + \frac{\text{Subst} \left(\int \frac{2abd+abfx}{x\sqrt{a+bx^2}} \right)}{4b} \\ &= \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{4} (2d+fx^2)\sqrt{a+bx^4} - \frac{2}{3} \\ &= \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{4} (2d+fx^2)\sqrt{a+bx^4} - \frac{2}{3} \\ &= \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{4} (2d+fx^2)\sqrt{a+bx^4} + \frac{2}{3} \\ &= \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(3c-ex^2)\sqrt{a+bx^4}}{3x} + \frac{1}{4} (2d+fx^2)\sqrt{a+bx^4} + \frac{2}{3} \end{aligned}$$

Mathematica [C] time = 0.43, size = 208, normalized size = 0.61

$$\frac{x \left(\sqrt{b} \sqrt{\frac{bx^4}{a} + 1} \left(\sqrt{a+bx^4} (2d+fx^2) - 2\sqrt{a} d \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right) \right) + 4\sqrt{b} ex\sqrt{a+bx^4} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right) + \sqrt{a} \right)}{4\sqrt{b} x \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^2,x]

[Out] (-4*Sqrt[b]*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-1/2, -1/4, 3/4, -((b*x^4)/a)] + x*(Sqrt[a]*f*Sqrt[a + b*x^4]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + Sqrt[b]*Sqrt[1 + (b*x^4)/a]*((2*d + f*x^2)*Sqrt[a + b*x^4] - 2*Sqrt[a]*d*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) + 4*Sqrt[b]*e*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-1/2, 1/4, 5/4, -((b*x^4)/a)])/(4*Sqrt[b]*x*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

maple [C] time = 0.20, size = 339, normalized size = 0.99

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}ae\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}-\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x)

[Out] 1/4*x^2*f*(b*x^4+a)^(1/2)+1/4*f*a/b^(1/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*e*x*(b*x^4+a)^(1/2)+2/3*e*a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-c/x*(b*x^4+a)^(1/2)+2*I*c*b^(1/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2*I*c*b^(1/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*d*(b*x^4+a)^(1/2)-1/2*d*a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^2,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^2, x)

sympy [C] time = 7.00, size = 206, normalized size = 0.60

$$\frac{\sqrt{a} c \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{\sqrt{a} e x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{1}{4} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} f x^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{1}{2\sqrt{b}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**2,x)

[Out] sqrt(a)*c*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(a)*d*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*e*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*f*x**2*sqrt(1 + b*x**4/a)/4 + a*d/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + a*f*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + sqrt(b)*d*x**2/(2*sqrt(a/(b*x**4) + 1))

$$3.502 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^3} dx$$

Optimal. Leaf size=342

$$-\frac{\sqrt{a+bx^4}(c-ex^2)}{2x^2} + \frac{1}{2}\sqrt{b}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) - \frac{\sqrt{a+bx^4}(3d-fx^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}f}{3\sqrt[4]{b}\sqrt{a+b}}$$

[Out] $-1/2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/2*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-1/2*(-e*x^2+c)*(b*x^4+a)^{(1/2)}/x^2-1/3*(-f*x^2+3*d)*(b*x^4+a)^{(1/2)}/x+2*d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(f*a^{(1/2)}+3*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 342, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 813, 844, 217, 206, 266, 63, 208, 1272, 1198, 220, 1196}

$$-\frac{\sqrt{a+bx^4}(c-ex^2)}{2x^2} + \frac{1}{2}\sqrt{b}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) - \frac{\sqrt{a+bx^4}(3d-fx^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}f}{3\sqrt[4]{b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] `Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^3,x]`

[Out] $(2*\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) - ((c - e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(2*x^2) - ((3*d - f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(3*x) + (\operatorname{Sqrt}[b]*c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (\operatorname{Sqrt}[a]*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(1/4)}*b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(\operatorname{Sqrt}[a + b*x^4] + (a^{(1/4)}*(3*\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(3*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

`Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 813

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1272

$\text{Int}[(f_)*(x_)]^{(m_)}*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a+c*x^4)^p*(d*(m+4*p+3)+e*(m+1)*x^2)/(f*(m+1)*(m+4*p+3)), x] + \text{Dist}[(4*p)/(f^2*(m+1)*(m+4*p+3)), \text{Int}[(f*x)^{(m+2)}*(a+c*x^4)^{(p-1)}*(a*e*(m+1)-c*d*(m+4*p+3)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ m+4*p+3 \neq 0 \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1833

$\text{Int}[(Pq_)*((c_)*(x_)]^{(m_)}*((a_)+(b_)*(x_)]^{(n_)]^{(p_)}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{(m+j)}*\text{Sum}[\text{Coeff}[Pq, x, j+(k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q-j))/n+1\}]*\text{Sum}[(a+b*x^n)^p/c^j, \{j, 0, n/2-1\}], x]] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^3} dx &= \int \left(\frac{(c+ex^2)\sqrt{a+bx^4}}{x^3} + \frac{(d+fx^2)\sqrt{a+bx^4}}{x^2} \right) dx \\ &= \int \frac{(c+ex^2)\sqrt{a+bx^4}}{x^3} dx + \int \frac{(d+fx^2)\sqrt{a+bx^4}}{x^2} dx \\ &= -\frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} + \frac{1}{2} \text{Subst} \left(\int \frac{(c+ex)\sqrt{a+bx^2}}{x^2} dx, x, x^2 \right) - \frac{2}{3} \int \frac{(d+fx^2)\sqrt{a+bx^4}}{x^2} dx \\ &= -\frac{(c-ex^2)\sqrt{a+bx^4}}{2x^2} - \frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} - \frac{1}{4} \text{Subst} \left(\int \frac{-2ae-2bcx}{x\sqrt{a+bx^2}} dx, x, x^2 \right) \\ &= \frac{2\sqrt{b} dx \sqrt{a+bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c-ex^2)\sqrt{a+bx^4}}{2x^2} - \frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} - \frac{2\sqrt{a}\sqrt{b} c}{\sqrt{a} + \sqrt{b} x^2} \\ &= \frac{2\sqrt{b} dx \sqrt{a+bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c-ex^2)\sqrt{a+bx^4}}{2x^2} - \frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} - \frac{2\sqrt{a}\sqrt{b} c}{\sqrt{a} + \sqrt{b} x^2} \\ &= \frac{2\sqrt{b} dx \sqrt{a+bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c-ex^2)\sqrt{a+bx^4}}{2x^2} - \frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} + \frac{1}{2} \sqrt{b} c \\ &= \frac{2\sqrt{b} dx \sqrt{a+bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c-ex^2)\sqrt{a+bx^4}}{2x^2} - \frac{(3d-fx^2)\sqrt{a+bx^4}}{3x} + \frac{1}{2} \sqrt{b} c \end{aligned}$$

Mathematica [C] time = 0.26, size = 204, normalized size = 0.60

$$\frac{\sqrt{a}\sqrt{b}cx^2\sqrt{\frac{bx^4}{a}+1}\sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)-2adx\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(-\frac{1}{2},-\frac{1}{4};\frac{3}{4};-\frac{bx^4}{a}\right)-\sqrt{a}ex^2\sqrt{a+bx^4}\tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)+2\sqrt{a}\sqrt{b}c}{2x^2\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^3,x]

[Out] $(-(a*c) + a*e*x^2 - b*c*x^4 + b*e*x^6 + \text{Sqrt}[a]*\text{Sqrt}[b]*c*x^2*\text{Sqrt}[1 + (b*x^4)/a]*\text{ArcSinh}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]] - \text{Sqrt}[a]*e*x^2*\text{Sqrt}[a + b*x^4]*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]] - 2*a*d*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-1/2, -1/4, 3/4, -((b*x^4)/a)] + 2*a*f*x^3*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -((b*x^4)/a)])/(2*x^2*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

maple [C] time = 0.18, size = 360, normalized size = 1.05

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}af\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right) - 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} - \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x)

[Out] $\frac{1}{3}f*x*(b*x^4+a)^{(1/2)} + \frac{2}{3}f*a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I) - \frac{1}{2}c/a/x^2*(b*x^4+a)^{(3/2)} + \frac{1}{2}c/a*b*x^2*(b*x^4+a)^{(1/2)} + \frac{1}{2}c*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) - d/x*(b*x^4+a)^{(1/2)} + 2*I*d*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I) - \frac{2*I*d*b^{(1/2)}*a^{(1/2)}}{(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I) + \frac{1}{2}e*(b*x^4+a)^{(1/2)} - \frac{1}{2}e*a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^3,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^3, x)

sympy [C] time = 6.41, size = 230, normalized size = 0.67

$$-\frac{\sqrt{a}c}{2x^2\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a}d\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a}e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{\sqrt{a}fx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{ae}{2\sqrt{b}x^2\sqrt{\frac{a}{bx^4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**3,x)

[Out] -sqrt(a)*c/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*d*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(a)*e*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*f*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a*e/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + sqrt(b)*c*asinh(sqrt(b)*x**2/sqrt(a))/2 + sqrt(b)*e*x**2/(2*sqrt(a/(b*x**4) + 1)) - b*c*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.503 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^4} dx$$

Optimal. Leaf size=357

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{a} \sqrt{a+bx^4}} - \frac{\sqrt{a+bx^4} (c-3ex^2)}{3x^3} - \frac{\sqrt{a+bx^4} (d-fx^3)}{2x^2}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2*e*(b*x^4+a)^{(1/2)}/x-1/3*(-3*e*x^2+c)*(b*x^4+a)^{(1/2)}/x^3-1/2*(-f*x^2+d)*(b*x^4+a)^{(1/2)}/x^2+2*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(3*e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1282, 1198, 220, 1196, 1252, 813, 844, 217, 206, 266, 63, 208}

$$-\frac{\sqrt{a+bx^4} (c-3ex^2)}{3x^3} + \frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{a} \sqrt{a+bx^4}} - \frac{\sqrt{a+bx^4} (d-fx^3)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^4, x]

[Out] $(-2*e*\operatorname{Sqrt}[a + b*x^4])/x + (2*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) - ((c - 3*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(3*x^3) - ((d - f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(2*x^2) + (\operatorname{Sqrt}[b]*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (\operatorname{Sqrt}[a]*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(1/4)}*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(\operatorname{Sqrt}[a + b*x^4] + (b^{(1/4)}*(\operatorname{Sqrt}[b]*c + 3*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(3*a^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

$\text{Int}[\frac{((a_) + (b_.) * (x_)^2)^{-1}}{a, x}] \text{ :> } \text{Simp}[\frac{\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]}{a, x}] \text{ ; FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.) * (x_)^2], x_Symbol] \text{ :> } \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ ; FreeQ}\{a, b\}, x\} \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.) * (x_)^4], x_Symbol] \text{ :> } \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2) * \text{Sqrt}[a + b*x^4] / (a * (1 + q^2*x^2)^2) * \text{EllipticF}[2 * \text{ArcTan}[q*x], 1/2]) / (2*q * \text{Sqrt}[a + b*x^4]), x] \text{ ; FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_.)} * ((a_) + (b_.) * (x_)^{(n_.)})^{(p_.)}, x_Symbol] \text{ :> } \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b*x)^p}, x], x, x^n], x] \text{ ; FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 813

$\text{Int}[\frac{((d_.) + (e_.) * (x_))^{(m_.)} * ((f_.) + (g_.) * (x_)) * ((a_) + (c_.) * (x_)^2)^{(p_.)}}{x_Symbol}] \text{ :> } \text{Simp}[\frac{(d + e*x)^{(m + 1)} * (e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x) * (a + c*x^2)^p}{(e^2*(m + 1)*(m + 2*p + 2))}, x] + \text{Dist}[p / (e^2*(m + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m + 1)} * (a + c*x^2)^{(p - 1)} * \text{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2)) * x, x], x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{LtQ}[m + 2*p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 844

$\text{Int}[\frac{((d_.) + (e_.) * (x_))^{(m_.)} * ((f_.) + (g_.) * (x_)) * ((a_) + (c_.) * (x_)^2)^{(p_.)}}{x_Symbol}] \text{ :> } \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)} * (a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m * (a + c*x^2)^p, x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m, p\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

Rule 1196

$\text{Int}[\frac{((d_) + (e_.) * (x_)^2) / \text{Sqrt}[(a_) + (c_.) * (x_)^4]}{x_Symbol}] \text{ :> } \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x * \text{Sqrt}[a + c*x^4]) / (a * (1 + q^2*x^2)), x] + \text{Simp}[(d * (1 + q^2*x^2) * \text{Sqrt}[a + c*x^4] / (a * (1 + q^2*x^2)^2) * \text{EllipticE}[2 * \text{ArcTan}[q*x], 1/2]) / (q * \text{Sqrt}[a + c*x^4]), x] \text{ ; EqQ}[e + d*q^2, 0] \text{ ; FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\frac{((d_) + (e_.) * (x_)^2) / \text{Sqrt}[(a_) + (c_.) * (x_)^4]}{x_Symbol}] \text{ :> } \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2) / \text{Sqrt}[a + c*x^4], x], x] \text{ ; NeQ}[e + d*q, 0] \text{ ; FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_.)} * ((d_) + (e_.) * (x_)^2)^{(q_.)} * ((a_) + (c_.) * (x_)^4)^{(p_.)}, x_Symbol] \text{ :> } \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2) * (d + e*x)^q * (a + c*x^2)^p}, x],$

$x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1272

$\text{Int}[(f_)*(x_)]^{(m_)}*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^{(p_)}, x_ \text{Symbol}] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a+c*x^4)^p*(d*(m+4*p+3)+e*(m+1)*x^2)/(f*(m+1)*(m+4*p+3)), x] + \text{Dist}[(4*p)/(f^2*(m+1)*(m+4*p+3)), \text{Int}[(f*x)^{(m+2)}*(a+c*x^4)^{(p-1)}*(a*e*(m+1)-c*d*(m+4*p+3)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ m+4*p+3 \neq 0 \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1282

$\text{Int}[(f_)*(x_)]^{(m_)}*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^{(p_)}, x_ \text{Symbol}] \rightarrow \text{Simp}[(d*(f*x)^{(m+1)}*(a+c*x^4)^{(p+1)})/(a*f*(m+1)), x] + \text{Dist}[1/(a*f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(a+c*x^4)^p*(a*e*(m+1)-c*d*(m+4*p+5)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1833

$\text{Int}[(Pq_)*((c_)*(x_)]^{(m_)}*((a_)+(b_)*(x_)]^{(n_)]^{(p_)}, x_ \text{Symbol}] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{(m+j)}*\text{Sum}[\text{Coeff}[Pq, x, j+(k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q-j))/n+1\}]*((a+b*x^n)^p)/c^j, \{j, 0, n/2-1\}], x] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^4} dx &= \int \left(\frac{(c+ex^2)\sqrt{a+bx^4}}{x^4} + \frac{(d+fx^2)\sqrt{a+bx^4}}{x^3} \right) dx \\ &= \int \frac{(c+ex^2)\sqrt{a+bx^4}}{x^4} dx + \int \frac{(d+fx^2)\sqrt{a+bx^4}}{x^3} dx \\ &= -\frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} + \frac{1}{2} \text{Subst} \left(\int \frac{(d+fx)\sqrt{a+bx^2}}{x^2} dx, x, x^2 \right) - \frac{2}{3} \\ &= -\frac{2e\sqrt{a+bx^4}}{x} - \frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} - \frac{(d-fx^2)\sqrt{a+bx^4}}{2x^2} - \frac{1}{4} \text{Subst} \\ &= -\frac{2e\sqrt{a+bx^4}}{x} - \frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} - \frac{(d-fx^2)\sqrt{a+bx^4}}{2x^2} + \frac{1}{2}(bd)S \\ &= -\frac{2e\sqrt{a+bx^4}}{x} + \frac{2\sqrt{b}ex\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} - \frac{(d-fx^2)}{2} \\ &= -\frac{2e\sqrt{a+bx^4}}{x} + \frac{2\sqrt{b}ex\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} - \frac{(d-fx^2)}{2} \\ &= -\frac{2e\sqrt{a+bx^4}}{x} + \frac{2\sqrt{b}ex\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2} - \frac{(c-3ex^2)\sqrt{a+bx^4}}{3x^3} - \frac{(d-fx^2)}{2} \end{aligned}$$

Mathematica [C] time = 0.33, size = 205, normalized size = 0.57

$$\frac{3x \left(\sqrt{a} \sqrt{b} dx^2 \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) - 2aex \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) - \sqrt{a} fx^2 \sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right) \right)}{6x^3 \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^4,x]

[Out] (-2*a*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-3/4, -1/2, 1/4, -((b*x^4)/a)] + 3*x*(-(a*d) + a*f*x^2 - b*d*x^4 + b*f*x^6 + Sqrt[a]*Sqrt[b]*d*x^2*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - Sqrt[a]*f*x^2*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]] - 2*a*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, -1/4, 3/4, -((b*x^4)/a)]))/(6*x^3*Sqrt[a + b*x^4])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

maple [C] time = 0.20, size = 362, normalized size = 1.01

$$\frac{2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right) + 2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticF} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x)

[Out] -1/3*c/x^3*(b*x^4+a)^(1/2)+2/3*c*b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*d/a/x^2*(b*x^4+a)^(3/2)+1/2*d/a*b*x^2*(b*x^4+a)^(1/2)+1/2*d*b^(1/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))-e*(b*x^4+a)^(1/2)/x+2*I*e*b^(1/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2*I*e*b^(1/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*f*(b*x^4+a)^(1/2)-1/2*f*a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^4,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^4, x)

sympy [C] time = 6.62, size = 235, normalized size = 0.66

$$\frac{\sqrt{a} c \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} d}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} e \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{a}{2\sqrt{b}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**4,x)

[Out] sqrt(a)*c*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*d/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*e*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(a)*f*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + a*f/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + sqrt(b)*d*asinh(sqrt(b)*x**2/sqrt(a))/2 + sqrt(b)*f*x**2/(2*sqrt(a/(b*x**4) + 1)) - b*d*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.504 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^5} dx$$

Optimal. Leaf size=329

$$-\frac{1}{12}\sqrt{a+bx^4}\left(\frac{3c}{x^4}+\frac{4d}{x^3}+\frac{6e}{x^2}+\frac{12f}{x}\right)-\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{4\sqrt{a}}+\frac{\sqrt[4]{b}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(3\sqrt{a}f+\sqrt{b}d)F\left(\frac{3\sqrt{a}f+\sqrt{b}d}{3\sqrt[4]{a}\sqrt{a+bx^4}}\right)}{3\sqrt[4]{a}\sqrt{a+bx^4}}$$

```
[Out] -1/4*b*c*arctanh((b*x^4+a)^(1/2)/a^(1/2))/a^(1/2)+1/2*e*arctanh(x^2*b^(1/2)/(b*x^4+a)^(1/2))*b^(1/2)-1/12*(3*c/x^4+4*d/x^3+6*e/x^2+12*f/x)*(b*x^4+a)^(1/2)+2*f*x*b^(1/2)*(b*x^4+a)^(1/2)/(a^(1/2)+x^2*b^(1/2))-2*a^(1/4)*b^(1/4)*f*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^(1/2)/(b*x^4+a)^(1/2)+1/3*b^(1/4)*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(3*f*a^(1/2)+d*b^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^(1/2)/a^(1/4)/(b*x^4+a)^(1/2)
```

Rubi [A] time = 0.28, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$-\frac{1}{12}\sqrt{a+bx^4}\left(\frac{3c}{x^4}+\frac{4d}{x^3}+\frac{6e}{x^2}+\frac{12f}{x}\right)-\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{4\sqrt{a}}+\frac{\sqrt[4]{b}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(3\sqrt{a}f+\sqrt{b}d)F\left(\frac{3\sqrt{a}f+\sqrt{b}d}{3\sqrt[4]{a}\sqrt{a+bx^4}}\right)}{3\sqrt[4]{a}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

```
[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^5, x]
```

```
[Out] -(((3*c)/x^4 + (4*d)/x^3 + (6*e)/x^2 + (12*f)/x)*Sqrt[a + b*x^4])/12 + (2*Sqrt[b]*f*x*Sqrt[a + b*x^4])/(Sqrt[a] + Sqrt[b]*x^2) + (Sqrt[b]*e*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/2 - (b*c*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(4*Sqrt[a]) - (2*a^(1/4)*b^(1/4)*f*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticE[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/Sqrt[a + b*x^4] + (b^(1/4)*(Sqrt[b]*d + 3*Sqrt[a]*f)*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/(3*a^(1/4)*Sqrt[a + b*x^4])
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_.)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_.)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{((m + 1)/k - 1)*(a + b*x^{(n/k)})^p}, x], x, x^k], x] /; k \neq 1 /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1196

$\text{Int}[(d_ + (e_.)*(x_)^2)/\text{Sqrt}[a_ + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_.)*(x_)^2)/\text{Sqrt}[a_ + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1825

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_ + (b_.)*(x_)^{(n_)}))^{(p_)}), x_Symbol] \rightarrow \text{Module}\{u = \text{IntHide}[x^m*Pq, x]\}, \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \text{Int}[x^{(m + n)}*(a + b*x^n)^{(p - 1)}*\text{ExpandToSum}[u/x^{(m + 1)}, x], x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m + \text{Expon}[Pq, x] + 1, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[a_ + (b_.)*(x_)^{(n_)}]), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq,$

$x, 0)/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^((k*n)/2), \{k, 0, (2*(q - j))/n + 1\}]]*(a + b*x^n)^p, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& !\text{PolyQ}[Pq, x^(n/2)]$

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2 + fx^3)\sqrt{a + bx^4}}{x^5} dx &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{4} - \frac{dx}{3} - \frac{ex^2}{2} - fx^3}{x\sqrt{a + bx^4}} dx \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{d}{3} - \frac{ex}{2} - fx^2}{\sqrt{a + bx^4}} dx + \frac{1}{2}(bc) \int \frac{1}{\sqrt{a + bx^4}} dx \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \left(-\frac{ex}{2\sqrt{a + bx^4}} + \frac{-\frac{d}{3} - fx^2}{\sqrt{a + bx^4}} \right) dx \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{d}{3} - fx^2}{\sqrt{a + bx^4}} dx + \frac{1}{4}c \text{Subst} \int \frac{1}{\sqrt{a + bx^4}} dx \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - \frac{bc \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{4\sqrt{a}} + \frac{1}{2}(bc) \text{Subst} \int \frac{1}{\sqrt{a + bx^4}} dx \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} + \frac{2\sqrt{b}fx\sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b}x^2} - \frac{bc \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{4\sqrt{a}} \\ &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} + \frac{2\sqrt{b}fx\sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b}x^2} + \frac{1}{2}\sqrt{b}e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \end{aligned}$$

Mathematica [C] time = 0.27, size = 175, normalized size = 0.53

$$\frac{\sqrt{\frac{bx^4}{a} + 1} \left(3ac\sqrt{\frac{bx^4}{a} + 1} + 3bcx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4adx {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 6aex^2\sqrt{\frac{bx^4}{a} + 1} - 6\sqrt{a}\sqrt{b}e \right)}{12x^4\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^5,x]

[Out] -1/12*(Sqrt[1 + (b*x^4)/a]*(3*a*c*Sqrt[1 + (b*x^4)/a] + 6*a*e*x^2*Sqrt[1 + (b*x^4)/a] - 6*Sqrt[a]*Sqrt[b]*e*x^4*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*b*c*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 4*a*d*x*Hypergeometric2F1[-3/4, -1/2, 1/4, -(b*x^4)/a]] + 12*a*f*x^3*Hypergeometric2F1[-1/2, -1/4, 3/4, -(b*x^4)/a]))/(x^4*Sqrt[a + b*x^4])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

maple [C] time = 0.20, size = 385, normalized size = 1.17

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)+2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}+\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)+2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x)

[Out]
$$-1/4*c/a/x^4*(b*x^4+a)^{(3/2)}-1/4*c/a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)+1/4*c/a*b*(b*x^4+a)^{(1/2)}-1/3*d/x^3*(b*x^4+a)^{(1/2)}+2/3*d*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*e/a/x^2*(b*x^4+a)^{(3/2)}+1/2*e/a*b*x^2*(b*x^4+a)^{(1/2)}+1/2*e*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-f/x*(b*x^4+a)^{(1/2)}+2*I*f*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-2*I*f*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{8} \left(\frac{b \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{\sqrt{a}} - \frac{2\sqrt{bx^4+a}}{x^4} \right) c + \int \frac{\sqrt{bx^4+a} (fx^2 + ex + d)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="maxima")

[Out]
$$1/8*(b*\log((\sqrt{b*x^4+a}-\sqrt{a})/(\sqrt{b*x^4+a}+\sqrt{a}))/\sqrt{a})/\sqrt{a}-2*\sqrt{b*x^4+a}/x^4*c+\text{integrate}(\sqrt{b*x^4+a}*(f*x^2+e*x+d)/x^4,x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^5,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^5, x)

sympy [C] time = 6.78, size = 211, normalized size = 0.64

$$\frac{\sqrt{a} d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} f \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{b} c \sqrt{\frac{a}{bx^4} + 1}}{4x^2} + \frac{\sqrt{b} e \operatorname{asinh}\left(\frac{\sqrt{b}}{\sqrt{a}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**5,x)

[Out] sqrt(a)*d*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*e/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*f*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*x**2) + sqrt(b)*e*asinh(sqrt(b)*x**2/sqrt(a))/2 - b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a)) - b*e*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.505 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^6} dx$$

Optimal. Leaf size=360

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*f*\operatorname{arctanh}(x^2*b^{(1/2)})/(b*x^4+a)^{(1/2))*b^{(1/2)}-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2)*(b*x^4+a)^{(1/2)}-2/5*b*c*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*c*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + dx + ex^2 + fx^3)*\operatorname{Sqrt}[a + bx^4])/x^6, x]$

[Out] $-(((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2)*\operatorname{Sqrt}[a + bx^4])/60 - (2*b*c*\operatorname{Sqrt}[a + bx^4])/(5*a*x) + (2*b^{(3/2)}*c*x*\operatorname{Sqrt}[a + bx^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (\operatorname{Sqrt}[b]*f*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + bx^4]])/2 - (b*d*\operatorname{ArcTan}[\operatorname{Sqrt}[a + bx^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + bx^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((5*a^{(3/4)}*\operatorname{Sqrt}[a + bx^4]) + (b^{(3/4)}*(3*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + bx^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]))/(15*a^{(3/4)}*\operatorname{Sqrt}[a + bx^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x \&\& \operatorname{SumQ}[u] \&\& \operatorname{!LinearQ}[u, x] \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)*(v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/Rt[a, 2]*Rt[-b, 2], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(

$m + 4*p + 5)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1825

$\text{Int}[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \ :> \ \text{Module}[\{u = \text{IntHide}[x^m*Pq, x]\}, \ \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \ \text{Int}[x^(m + n)*(a + b*x^n)^(p - 1)*\text{ExpandToSum}[u/x^(m + 1), x], x], x]] /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m + \text{Expon}[Pq, x] + 1, 0]$

Rule 1833

$\text{Int}[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] \ :> \ \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \ \text{Int}[\text{Sum}[(c*x)^(m + j)*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^((k*n)/2), \{k, 0, (2*(q - j))/n + 1\}]*\text{ExpandToSum}[u/x^(m + 1), x], x]] /; \ \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^(n/2)]$

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^6} dx = -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{5} - \frac{dx}{4} - \frac{ex^2}{3} - \frac{fx^3}{2}}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} + \frac{dx}{4x^2 \sqrt{a + bx^4}} - \frac{fx^3}{2x^2 \sqrt{a + bx^4}} \right) dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} dx - \frac{b}{4} \int \frac{dx}{x^2 \sqrt{a + bx^4}} - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} - b \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^4}} dx, x, \frac{x^2}{\sqrt{a + bx^4}} \right) - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} - \frac{(2b^{3/2}c)}{5a} \sqrt{a + bx^4} - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})} - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})} - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

$$= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})} - \frac{b}{2} \int \frac{fx^3}{x^2 \sqrt{a + bx^4}} dx$$

Mathematica [C] time = 0.26, size = 179, normalized size = 0.50

$$\frac{\sqrt{a + bx^4} \left(12ac {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a}\right) + 5x \left(3ad\sqrt{\frac{bx^4}{a} + 1} + 3bdx^4 \tanh^{-1}\left(\sqrt{\frac{bx^4}{a} + 1}\right) + 4aex {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a}\right) \right) \right)}{60ax^5\sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^6, x]

[Out] -1/60*(Sqrt[a + b*x^4]*(12*a*c*Hypergeometric2F1[-5/4, -1/2, -1/4, -((b*x^4)/a)] + 5*x*(3*a*d*Sqrt[1 + (b*x^4)/a] + 6*a*f*x^2*Sqrt[1 + (b*x^4)/a] - 6*Sqrt[a]*Sqrt[b]*f*x^4*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*b*d*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 4*a*e*x*Hypergeometric2F1[-3/4, -1/2, 1/4, -((b*x^4)/a)])))/(a*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

maple [C] time = 0.20, size = 404, normalized size = 1.12

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}c\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}c\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x)

[Out] -1/5*c/x^5*(b*x^4+a)^(1/2)-2/5*b*c*(b*x^4+a)^(1/2)/a/x+2/5*I*c*b^(3/2)/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-2/5*I*c*b^(3/2)/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-1/4*d/a/x^4*(b*x^4+a)^(3/2)-1/4*d/a^(1/2)*b*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)+1/4*d/a*b*(b*x^4+a)^(1/2)-1/3*e/x^3*(b*x^4+a)^(1/2)+2/3*e*b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-1/2*f/a/x^2*(b*x^4+a)^(3/2)+1/2*f/a*b*x^2*(b*x^4+a)^(1/2)+1/2*f*b^(1/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^6,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^6, x)

sympy [C] time = 7.06, size = 216, normalized size = 0.60

$$\frac{\sqrt{a} c \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} f}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} - \frac{\sqrt{b} d \sqrt{\frac{a}{bx^4} + 1}}{4x^2} + \frac{\sqrt{b} f \operatorname{asinh}\left(\sqrt{\frac{a}{bx^4} + 1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**6,x)

[Out] sqrt(a)*c*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*e*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*f/(2*x**2*sqrt(1 + b*x**4/a)) - sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(4*x**2) + sqrt(b)*f*asinh(sqrt(b)*x**2/sqrt(a))/2 - b*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a)) - b*f*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.506 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^7} dx$$

Optimal. Leaf size=352

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3)*(b*x^4+a)^{(1/2)}-1/6*b*c*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*d*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*d*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*f*a^{(1/2)}+3*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 352, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x^7, x]$

[Out] $-(((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3)*\operatorname{Sqrt}[a + b*x^4])/60 - (b*c*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*d*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*d*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (b*e*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (b^{(3/4)}*(3*\operatorname{Sqrt}[b]*d + 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x, 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x, 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] /; \text{FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1282

$\text{Int}[(f_)*(x_))^{(m_)}*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(d*(f*x)^{(m + 1)}*(a + c*x^4)^{(p + 1)})/(a*f*(m + 1)), x] + \text{Dist}[1/(a*f^2*(m + 1)), \text{Int}[(f*x)^{(m + 2)}*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; \text{FreeQ}\{a, c, d, e, f, p\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1825

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Module}\{u = \text{IntHide}[x^m*Pq, x]\}, \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \text{Int}[x^{(m + n)}*(a + b*x^n)^{(p - 1)}*\text{ExpandToSum}[u/x^{(m + 1)}, x], x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m + \text{Expon}[Pq, x] + 1,$

0]

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{6} - \frac{dx}{5} - \frac{ex^2}{4} - \frac{fx^3}{3}}{x^3 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{6} - \frac{ex^2}{4}}{x^3 \sqrt{a + bx^4}} + \frac{-\frac{d}{5}}{x^2 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{6} - \frac{ex^2}{4}}{x^3 \sqrt{a + bx^4}} dx - (2bd) \int \frac{1}{x^2 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{2bd\sqrt{a + bx^4}}{5ax} - b \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{a + bx^4}} dx, x, \sqrt{a + bx^4} \right) \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 145, normalized size = 0.41

$$\frac{\sqrt{a + bx^4} \left(5 \left(\sqrt{\frac{bx^4}{a} + 1} (2ac + 3aex^2 + 2bcx^4) + 3bex^6 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4afx^3 {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right) + 12bd}{60ax^6 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^7,x]

[Out] -1/60*(Sqrt[a + b*x^4]*(12*a*d*x*Hypergeometric2F1[-5/4, -1/2, -1/4, -((b*x^4)/a)] + 5*(Sqrt[1 + (b*x^4)/a]*(2*a*c + 3*a*e*x^2 + 2*b*c*x^4) + 3*b*e*x^6

$6 \cdot \text{ArcTanh}[\text{Sqrt}[1 + (b \cdot x^4)/a]] + 4 \cdot a \cdot f \cdot x^3 \cdot \text{Hypergeometric2F1}[-3/4, -1/2, 1/4, -((b \cdot x^4)/a)]) / (a \cdot x^6 \cdot \text{Sqrt}[1 + (b \cdot x^4)/a])$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)

maple [C] time = 0.19, size = 361, normalized size = 1.03

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x)

[Out] $-1/5 \cdot d/x^5 \cdot (b \cdot x^4 + a)^{1/2} - 2/5 \cdot b \cdot d \cdot (b \cdot x^4 + a)^{1/2} / a/x + 2/5 \cdot I \cdot d \cdot b^{3/2} / a^{1/2} / (I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot (-I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} \cdot (I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} / (b \cdot x^4 + a)^{1/2} \cdot \text{EllipticF}((I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot x, I) - 2/5 \cdot I \cdot d \cdot b^{3/2} / a^{1/2} / (I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot (-I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} \cdot (I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} / (b \cdot x^4 + a)^{1/2} \cdot \text{EllipticE}((I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot x, I) - 1/4 \cdot e/a/x^4 \cdot (b \cdot x^4 + a)^{3/2} - 1/4 \cdot e/a^{1/2} \cdot b \cdot \ln((2 \cdot a + 2 \cdot (b \cdot x^4 + a)^{1/2} \cdot a^{1/2})/x^2) + 1/4 \cdot e/a \cdot b \cdot (b \cdot x^4 + a)^{1/2} - 1/3 \cdot f/x^3 \cdot (b \cdot x^4 + a)^{1/2} + 2/3 \cdot f \cdot b / (I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot (-I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} \cdot (I/a^{1/2} \cdot b^{1/2} \cdot x^2 + 1)^{1/2} / (b \cdot x^4 + a)^{1/2} \cdot \text{EllipticF}((I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot x, I) - 1/6 \cdot c \cdot (b \cdot x^4 + a)^{3/2} / x^6 / a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{(bx^4 + a)^{\frac{3}{2}}c}{6ax^6} + \int \frac{\sqrt{bx^4 + a}(fx^2 + ex + d)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="maxima")

[Out] $-1/6 \cdot (b \cdot x^4 + a)^{3/2} \cdot c / (a \cdot x^6) + \text{integrate}(\text{sqrt}(b \cdot x^4 + a) \cdot (f \cdot x^2 + e \cdot x + d) / x^6, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^7,x)`

[Out] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^7, x)`

sympy [C] time = 7.04, size = 189, normalized size = 0.54

$$\frac{\sqrt{a} d \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{b} c \sqrt{\frac{a}{bx^4} + 1}}{6x^4} - \frac{\sqrt{b} e \sqrt{\frac{a}{bx^4} + 1}}{4x^2} - \frac{b^{\frac{3}{2}} c \sqrt{\frac{a}{bx^4} + 1}}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**7,x)`

[Out] `sqrt(a)*d*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*f*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(6*x**4) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*c*sqrt(a/(b*x**4) + 1)/(6*a) - b*e*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a))`

$$3.507 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^8} dx$$

Optimal. Leaf size=375

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 21\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{5/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4)*(b*x^4+a)^{(1/2)}-2/21*b*c*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*d*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*e*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*e*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-21*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 21\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{5/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x^8, x]$

[Out] $-(((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4)*\operatorname{Sqrt}[a + b*x^4])/420 - (2*b*c*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*d*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*e*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (b*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(5/4)}*(5*\operatorname{Sqrt}[b]*c - 21*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}\{c, m\}, x \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \operatorname{FreeQ}\{a, b\}, x \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,

0]

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[(c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^8} dx &= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{7} - \frac{dx}{6} - \frac{ex^2}{5}}{x^4 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{7} - \frac{ex^2}{5}}{x^4 \sqrt{a + bx^4}} + \frac{dx}{6 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{7} - \frac{ex^2}{5}}{x^4 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - b \operatorname{Subst} \int \frac{dx}{\sqrt{a + bx^4}} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6a} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6a} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6a} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6a}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 145, normalized size = 0.39

$$\frac{\sqrt{a + bx^4} \left(60ac {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 35x \left(\sqrt{\frac{bx^4}{a} + 1} (2ad + 3afx^2 + 2bdx^4) + 3bfx^6 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) \right) \right)}{420ax^7 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^8,x]

[Out] -1/420*(Sqrt[a + b*x^4]*(35*x*(Sqrt[1 + (b*x^4)/a]*(2*a*d + 3*a*f*x^2 + 2*b*d*x^4) + 3*b*f*x^6*ArcTanh[Sqrt[1 + (b*x^4)/a]]) + 60*a*c*Hypergeometric2F1[-7/4, -1/2, -3/4, -(b*x^4)/a] + 84*a*e*x^2*Hypergeometric2F1[-5/4, -1/2, -1/4, -(b*x^4)/a]))/(a*x^7*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

maple [C] time = 0.19, size = 385, normalized size = 1.03

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x)

[Out]
$$\begin{aligned} & -1/5*e/x^5*(b*x^4+a)^{(1/2)} - 2/5*b*e*(b*x^4+a)^{(1/2)}/a/x + 2/5*I*e*b^{(3/2)}/a^{(1/2)} \\ & / (I/a^{(1/2)}*b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} * (I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ & / (b*x^4+a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - 2/5*I*e*b^{(3/2)}/a^{(1/2)} \\ & / (I/a^{(1/2)}*b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} * (I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ & / (b*x^4+a)^{(1/2)} * \text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - 1/4*f/a/x^4*(b*x^4+a)^{(3/2)} \\ & - 1/4*f/a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2) + 1/4*f/a*b*(b*x^4+a)^{(1/2)} - 1/7*c/x^7*(b*x^4+a)^{(1/2)} \\ & - 2/21*b*c*(b*x^4+a)^{(1/2)}/a/x^3 - 2/21*c*b^2/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ & * (I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} / (b*x^4+a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - 1/6*d*(b*x^4+a)^{(3/2)}/x^6/a \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^8, x)`

[Out] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^8, x)`

sympy [C] time = 6.93, size = 192, normalized size = 0.51

$$\frac{\sqrt{a} c \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} - \frac{\sqrt{b} d \sqrt{\frac{a}{bx^4} + 1}}{6x^4} - \frac{\sqrt{b} f \sqrt{\frac{a}{bx^4} + 1}}{4x^2} - \frac{b^{\frac{3}{2}} d \sqrt{\frac{a}{bx^4} + 1}}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**8, x)`

[Out] `sqrt(a)*c*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*e*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(6*x**4) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*d*sqrt(a/(b*x**4) + 1)/(6*a) - b*f*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a))`

$$3.508 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^9} dx$$

Optimal. Leaf size=400

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}d - 21\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 2b^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}, \frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}\right)}{105a^{5/4}\sqrt{a+bx^4} + 5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $1/16*b^2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5)*(b*x^4+a)^{(1/2)}-1/16*b*c*(b*x^4+a)^{(1/2)}/a/x^4-2/21*b*d*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*e*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*f*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*f*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-21*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 400, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^2c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{16a^{3/2}} + \frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}d - 21\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 2b^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}, \frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}\right)}{105a^{5/4}\sqrt{a+bx^4} + 5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x^9, x]$

[Out] $-(((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5)*\operatorname{Sqrt}[a + b*x^4])/840 - (b*c*\operatorname{Sqrt}[a + b*x^4])/(16*a*x^4) - (2*b*d*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*e*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*f*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (b^2*c*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*a^{(3/2)}) - (2*b^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(5/4)}*(5*\operatorname{Sqrt}[b]*d - 21*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \ \&\& \operatorname{SumQ}[u] \ \&\& \operatorname{!LinearQ}[u, x] \ \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{LtQ}[-1, m, 0] \ \&\& \operatorname{LeQ}[-1, n, 0] \ \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + b \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2])/(2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] \text{ ; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_) + (e_ \cdot)(x_)^{(m_)} \cdot ((f_) + (g_ \cdot)(x_) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(e \cdot f - d \cdot g) \cdot (d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^{(p + 1)})/(2 \cdot (p + 1) \cdot (c \cdot d^2 + a \cdot e^2)), x] + \text{Dist}[(c \cdot d \cdot f + a \cdot e \cdot g)/(c \cdot d^2 + a \cdot e^2), \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2 \cdot p + 3], 0]$

Rule 835

$\text{Int}[(d_) + (e_ \cdot)(x_)^{(m_)} \cdot ((f_) + (g_ \cdot)(x_) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(e \cdot f - d \cdot g) \cdot (d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^{(p + 1)})/((m + 1) \cdot (c \cdot d^2 + a \cdot e^2)), x] + \text{Dist}[1/((m + 1) \cdot (c \cdot d^2 + a \cdot e^2)), \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p \cdot \text{Simp}[(c \cdot d \cdot f + a \cdot e \cdot g) \cdot (m + 1) - c \cdot (e \cdot f - d \cdot g) \cdot (m + 2 \cdot p + 3) \cdot x, x], x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2 \cdot m, 2 \cdot p])$

Rule 1196

$\text{Int}[(d_) + (e_ \cdot)(x_)^2/\text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4])/(a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2])/(q \cdot \text{Sqrt}[a + c \cdot x^4]), x] \text{ ; EqQ}[e + d \cdot q^2, 0] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_ \cdot)(x_)^2/\text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q)/q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2)/\text{Sqrt}[a + c \cdot x^4], x], x] \text{ ; NeQ}[e + d \cdot q, 0] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)} \cdot ((d_) + (e_ \cdot)(x_)^2)^{(q_)} \cdot ((a_ + (c_ \cdot)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2) \cdot (d + e \cdot x)^q \cdot (a + c \cdot x^2)^p}, x], x, x^2], x] \text{ ; FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1282

$\text{Int}[(f_ \cdot)(x_)^{(m_)} \cdot ((d_) + (e_ \cdot)(x_)^2) \cdot ((a_ + (c_ \cdot)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(d \cdot (f \cdot x)^{(m + 1)} \cdot (a + c \cdot x^4)^{(p + 1)})/(a \cdot f \cdot (m + 1)), x] + D$

```
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^9} dx &= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{8} - \frac{dx}{7} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{8} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{8} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{2bd\sqrt{a + bx^4}}{21ax^3} - b \operatorname{Subst} \int \frac{1}{\sqrt{a + bx^4}} dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 146, normalized size = 0.36

$$\frac{\sqrt{a+bx^4} \left(30a^3 d {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 7x \left(6a^3 f x {}_2F_1 \left(-\frac{5}{4}, -\frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 5(a+bx^4) \sqrt{\frac{bx^4}{a}+1} (a^2 e + b) \right) \right)}{210a^3 x^7 \sqrt{\frac{bx^4}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^9,x]

[Out] -1/210*(Sqrt[a + b*x^4]*(30*a^3*d*Hypergeometric2F1[-7/4, -1/2, -3/4, -(b*x^4)/a] + 7*x*(6*a^3*f*x*Hypergeometric2F1[-5/4, -1/2, -1/4, -(b*x^4)/a] + 5*(a + b*x^4)*Sqrt[1 + (b*x^4)/a]*(a^2*e + b^2*c*x^6*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^4)/a]))) / (a^3*x^7*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

maple [C] time = 0.18, size = 408, normalized size = 1.02

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x)

[Out] -1/5*f/x^5*(b*x^4+a)^(1/2)-2/5*b*f*(b*x^4+a)^(1/2)/a/x+2/5*I*f*b^(3/2)/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2/5*I*f*b^(3/2)/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/8*c/a/x^8*(b*x^4+a)^(3/2)+1/16*c/a^2*b/x^4*(b*x^4+a)^(3/2)+1/16*c/a^(3/2)*b^2*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/16*c/a^2*b^2*(b*x^4+a)^(1/2)-1/7*d/x^7*(b*x^4+a)^(1/2)-2/21*b*d*(b*x^4+a)^(1/2)/a/x^3-2/21*d*b^2/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/6*e*(b*x^4+a)^(3/2)/x^6/a

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{32} \left(\frac{b^2 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left((bx^4+a)^{\frac{3}{2}}b^2 + \sqrt{bx^4+a}ab^2\right)}{(bx^4+a)^2a - 2(bx^4+a)a^2 + a^3} \right) c + \int \frac{\sqrt{bx^4+a}(fx^2+ex+d)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="maxima")

[Out] -1/32*(b^2*log((sqrt(b*x^4 + a) - sqrt(a))/(sqrt(b*x^4 + a) + sqrt(a)))/a^(3/2) + 2*((b*x^4 + a)^(3/2)*b^2 + sqrt(b*x^4 + a)*a*b^2)/((b*x^4 + a)^2*a - 2*(b*x^4 + a)*a^2 + a^3))*c + integrate(sqrt(b*x^4 + a)*(f*x^2 + e*x + d)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^9,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^9, x)

sympy [C] time = 9.62, size = 246, normalized size = 0.62

$$\frac{\sqrt{a} d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} - \frac{ac}{8\sqrt{b} x^{10} \sqrt{\frac{a}{bx^4} + 1}} - \frac{3\sqrt{b} c}{16x^6 \sqrt{\frac{a}{bx^4} + 1}} - \frac{\sqrt{b} e \sqrt{\frac{a}{bx^4} + 1}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**9,x)

[Out] sqrt(a)*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - a*c/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*sqrt(b)*c/(16*x**6*sqrt(a/(b*x**4) + 1)) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*c/(16*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*e*sqrt(a/(b*x**4) + 1)/(6*a) + b**2*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*a**(3/2))

$$3.509 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^{10}} dx$$

Optimal. Leaf size=425

$$\frac{b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{7/4}\sqrt{a+bx^4}} + \frac{2b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{15a^{7/4}\sqrt{a+bx^4}}$$

[Out] $1/16*b^2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/504*(56*c/x^9+63*d/x^8+72*e/x^7+84*f/x^6)*(b*x^4+a)^{(1/2)}-2/45*b*c*(b*x^4+a)^{(1/2)}/a/x^5-1/16*b*d*(b*x^4+a)^{(1/2)}/a/x^4-2/21*b*e*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*f*(b*x^4+a)^{(1/2)}/a/x^2+2/15*b^2*c*(b*x^4+a)^{(1/2)}/a^2/x-2/15*b^{(5/2)}*c*x*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})+2/15*b^{(9/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*e*a^{(1/2)}+7*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 425, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{7/4}\sqrt{a+bx^4}} - \frac{2b^{5/2}cx\sqrt{a+bx^4}}{15a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{2b^2c\sqrt{a+bx^4}}{15a^2x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + dx + ex^2 + fx^3)\sqrt{a + bx^4}]/x^{10}, x]$

[Out] $-(((56*c)/x^9 + (63*d)/x^8 + (72*e)/x^7 + (84*f)/x^6)*\operatorname{Sqrt}[a + b*x^4])/504 - (2*b*c*\operatorname{Sqrt}[a + b*x^4])/(45*a*x^5) - (b*d*\operatorname{Sqrt}[a + b*x^4])/(16*a*x^4) - (2*b*e*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*f*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) + (2*b^2*c*\operatorname{Sqrt}[a + b*x^4])/(15*a^2*x) - (2*b^{(5/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(15*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (b^2*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*a^{(3/2)}) + (2*b^{(9/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (15*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(7/4)}*(7*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (105*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x\} \ \&\& \ \operatorname{SumQ}[u] \ \&\& \ !\operatorname{LinearQ}[u, x] \ \&\& \ !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{LtQ}[-1, m, 0] \ \&\& \ \operatorname{LeQ}[-1, n, 0] \ \&\& \ \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \ \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D

```
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^{10}} dx &= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{9} - \frac{dx}{8} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{9} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} + \frac{dx}{8 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{9} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - b \operatorname{Subst} \int \frac{1}{\sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^6} \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^6} \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^6} \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^6}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 148, normalized size = 0.35

$$\frac{\sqrt{a + bx^4} \left(14a^3 c {}_2F_1 \left(-\frac{9}{4}, -\frac{1}{2}; -\frac{5}{4}; -\frac{bx^4}{a} \right) + 3x^2 \left(6a^3 e {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 7x (a + bx^4) \sqrt{\frac{bx^4}{a} + 1} (a^2 f + b^2 d) \right) \right)}{126a^3 x^9 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^10,x]

[Out] -1/126*(Sqrt[a + b*x^4]*(14*a^3*c*Hypergeometric2F1[-9/4, -1/2, -5/4, -(b*x^4)/a] + 3*x^2*(6*a^3*e*Hypergeometric2F1[-7/4, -1/2, -3/4, -(b*x^4)/a] + 7*x*(a + b*x^4)*Sqrt[1 + (b*x^4)/a]*(a^2*f + b^2*d*x^6*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^4)/a]))))/(a^3*x^9*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

maple [C] time = 0.21, size = 429, normalized size = 1.01

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^2 e \text{EllipticF} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right) + 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} a} + \frac{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} a^{\frac{3}{2}}}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x)

[Out] -1/8*d/a/x^8*(b*x^4+a)^(3/2)+1/16*d/a^2*b/x^4*(b*x^4+a)^(3/2)+1/16*d/a^(3/2)*b^2*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/16*d/a^2*b^2*(b*x^4+a)^(1/2)-1/9*c/x^9*(b*x^4+a)^(1/2)-2/45*b*c*(b*x^4+a)^(1/2)/a/x^5+2/15*b^2*c*(b*x^4+a)^(1/2)/a^2/x-2/15*I*c*b^(5/2)/a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+2/15*I*c*b^(5/2)/a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/7*e/x^7*(b*x^4+a)^(1/2)-2/21*b*e*(b*x^4+a)^(1/2)/a/x^3-2/21*e*b^2/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/6*f*(b*x^4+a)^(3/2)/x^6/a

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^10,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^10, x)

sympy [C] time = 10.71, size = 246, normalized size = 0.58

$$\frac{\sqrt{a} c \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} - \frac{ad}{8\sqrt{b} x^{10} \sqrt{\frac{a}{bx^4} + 1}} - \frac{3\sqrt{b} d}{16x^6 \sqrt{\frac{a}{bx^4} + 1}} - \frac{\sqrt{b} f \sqrt{\frac{a}{bx^4}}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**10,x)

[Out] sqrt(a)*c*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*e*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) - a*d/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*sqrt(b)*d/(16*x**6*sqrt(a/(b*x**4) + 1)) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*d/(16*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*f*sqrt(a/(b*x**4) + 1)/(6*a) + b**2*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*a**(3/2))

$$3.510 \quad \int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=476

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{a}e + 65\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005b^{7/4}\sqrt{a+bx^4}} + \frac{4a^{13/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{65b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/48*a*d*x^2*(b*x^4+a)^{(3/2)}/b+1/143*x^5*(11*e*x^2+13*c)*(b*x^4+a)^{(3/2)+1/14*f*x^4*(b*x^4+a)^{(5/2)}/b-1/420*(-35*b*d*x^2+12*a*f)*(b*x^4+a)^{(5/2)}/b^2-1/32*a^3*d*arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+4/77*a^2*c*x*(b*x^4+a)^{(1/2)}/b-1/32*a^2*d*x^2*(b*x^4+a)^{(1/2)}/b+4/195*a^2*e*x^3*(b*x^4+a)^{(1/2)}/b+2/3003*a*x^5*(77*e*x^2+117*c)*(b*x^4+a)^{(1/2)}-4/65*a^3*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+4/65*a^{(13/4)}*e*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticE(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-2/5005*a^{(11/4)}*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticF(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(77*e*a^{(1/2)}+65*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 476, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 833, 780, 195, 217, 206}

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{a}e + 65\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005b^{7/4}\sqrt{a+bx^4}} - \frac{a^3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{32b^{3/2}} - \frac{4a^3ex\sqrt{a}}{65b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] Int[x^4*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] $(4*a^2*c*x*\text{Sqrt}[a + b*x^4])/(77*b) - (a^2*d*x^2*\text{Sqrt}[a + b*x^4])/(32*b) + (4*a^2*e*x^3*\text{Sqrt}[a + b*x^4])/(195*b) - (4*a^3*e*x*\text{Sqrt}[a + b*x^4])/(65*b^{(3/2)}*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (2*a*x^5*(117*c + 77*e*x^2)*\text{Sqrt}[a + b*x^4])/3003 - (a*d*x^2*(a + b*x^4)^{(3/2)})/(48*b) + (x^5*(13*c + 11*e*x^2)*(a + b*x^4)^{(3/2)})/143 + (f*x^4*(a + b*x^4)^{(5/2)})/(14*b) - ((12*a*f - 35*b*d*x^2)*(a + b*x^4)^{(5/2)})/(420*b^2) - (a^3*d*ArcTanh[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/(32*b^{(3/2)}) + (4*a^{(13/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*EllipticE[2*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (65*b^{(7/4)}*\text{Sqrt}[a + b*x^4]) - (2*a^{(11/4)}*(65*\text{Sqrt}[b]*c + 77*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*EllipticF[2*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (5005*b^{(7/4)}*\text{Sqrt}[a + b*x^4])$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && Gt

$Q[a, 0] \parallel \text{Lt}Q[b, 0]$)

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{Gt}Q[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{Pos}Q[b/a]$

Rule 780

$\text{Int}(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, p\}, x] \ \&\& \ !\text{Le}Q[p, -1]$

Rule 833

$\text{Int}(((d_.) + (e_.)*(x_))^{(m_.)}*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(g*(d + e*x)^m*(a + c*x^2)^{(p + 1)})/(c*(m + 2*p + 2)), x] + \text{Dist}[1/(c*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m - 1)}*(a + c*x^2)^p*\text{Simp}[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, p\}, x] \ \&\& \ \text{Ne}Q[c*d^2 + a*e^2, 0] \ \&\& \ \text{Gt}Q[m, 0] \ \&\& \ \text{Ne}Q[m + 2*p + 2, 0] \ \&\& \ (\text{Integer}Q[m] \parallel \text{Integer}Q[p] \parallel \text{Integers}Q[2*m, 2*p]) \ \&\& \ !(\text{IGt}Q[m, 0] \ \&\& \ \text{Eq}Q[f, 0])$

Rule 1196

$\text{Int}(((d_) + (e_.)*(x_)^2)/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/a*(1 + q^2*x^2), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; Eq}Q[e + d*q^2, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1198

$\text{Int}(((d_) + (e_.)*(x_)^2)/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; Ne}Q[e + d*q, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)}*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{Integer}Q[(m + 1)/2]$

Rule 1274

$\text{Int}(((f_.)*(x_))^{(m_.)}*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}(((f*x)^{(m + 1)}*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + \text{Dist}[(4*a*p)/(4*p + m + 1)*(m + 4*p + 3), \text{Int}[(f*x)^m*(a + c*x^4)^{(p - 1)}*\text{Simp}[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] \text{ /; FreeQ}\{a, c, d, e, f, m\}, x] \ \&\& \ \text{Gt}Q$

[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^4 (c + ex^2) (a + bx^4)^{3/2} + x^5 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
 &= \int x^4 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^5 (d + fx^2) (a + bx^4)^{3/2} dx \\
 &= \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x^2 (d + fx) (a + bx^2)^{3/2} dx, x, x^4 \right) \\
 &= \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \dots \\
 &= \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \dots \\
 &= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \dots \\
 &= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \dots \\
 &= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 ex \sqrt{a + bx^4}}{65b^{3/2} (\sqrt{a + bx^4})} + \dots \\
 &= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 ex \sqrt{a + bx^4}}{65b^{3/2} (\sqrt{a + bx^4})} + \dots
 \end{aligned}$$

Mathematica [C] time = 0.94, size = 225, normalized size = 0.47

$$\frac{\sqrt{a + bx^4} \left(-\frac{15015a^{5/2} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{bx^2}}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 5005bdx^2 (3a^2 + 14abx^4 + 8b^2x^8) - \frac{43680a^2bcx {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{36960a^2bex^3 {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{480480b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2),x]

[Out] (Sqrt[a + b*x^4]*(43680*b*c*x*(a + b*x^4)^2 + 36960*b*e*x^3*(a + b*x^4)^2 + 6864*f*(a + b*x^4)^2*(-2*a + 5*b*x^4) + 5005*b*d*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (15015*a^(5/2)*Sqrt[b]*d*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a] - (43680*a^2*b*c*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] - (36960*a^2*b*e*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a]))/(480480*b^2)

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^{11} + bex^{10} + bdx^9 + bcx^8 + afx^7 + aex^6 + adx^5 + acx^4\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^11 + b*e*x^10 + b*d*x^9 + b*c*x^8 + a*f*x^7 + a*e*x^6 + a*d*x^5 + a*c*x^4)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

maple [C] time = 0.20, size = 462, normalized size = 0.97

$$\frac{\sqrt{bx^4 + a} bex^{11}}{13} + \frac{\sqrt{bx^4 + a} bdx^{10}}{12} + \frac{\sqrt{bx^4 + a} bcx^9}{11} + \frac{5\sqrt{bx^4 + a} aex^7}{39} + \frac{7\sqrt{bx^4 + a} adx^6}{48} + \frac{13\sqrt{bx^4 + a} acx^5}{77}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] -1/70*f*(b*x^4+a)^(1/2)*(-5*b*x^4+2*a)*(b^2*x^8+2*a*b*x^4+a^2)/b^2+1/13*e*b*x^11*(b*x^4+a)^(1/2)+5/39*e*a*x^7*(b*x^4+a)^(1/2)+4/195*a^2*e*x^3*(b*x^4+a)^(1/2)/b-4/65*I*e*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+4/65*I*e*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/12*d*b*x^10*(b*x^4+a)^(1/2)+7/48*d*a*x^6*(b*x^4+a)^(1/2)+1/32*a^2*d*x^2*(b*x^4+a)^(1/2)/b-1/32*d/b^(3/2)*a^3*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/11*c*b*x^9*(b*x^4+a)^(1/2)+13/77*c*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*c*x*(b*x^4+a)^(1/2)/b-4/77*c*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^4*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 22.07, size = 462, normalized size = 0.97

$$\frac{a^{\frac{5}{2}} dx^2}{32b\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}} dx^6}{96\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} ex^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{a} bcx^9 \Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{9}{4} \\ \frac{13}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{13}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(5/2)*d*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*c*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)*d*x**6/(96*sqrt(1 + b*x**4/a)) + a**(3/2)*e*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*c*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 11*sqrt(a)*b*d*x**10/(48*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*x**11*gamma(11/4)*hyper((-1/2, 11/4), (15/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(15/4)) - a**3*d*asinh(sqrt(b)*x**2/sqrt(a))/(32*b**(3/2)) + a*f*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b*f*Piecewise((4*a**3*sqrt(a + b*x**4)/(105*b**3) - 2*a**2*x**4*sqrt(a + b*x**4)/(105*b**2) + a*x**8*sqrt(a + b*x**4)/(70*b) + x**12*sqrt(a + b*x**4)/14, Ne(b, 0)), (sqrt(a)*x**12/12, True)) + b**2*d*x**14/(12*sqrt(a)*sqrt(1 + b*x**4/a))

3.511 $\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$

Optimal. Leaf size=452

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{a}f + 65\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 4a^{13/4}f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5005b^{7/4}\sqrt{a+bx^4}} + \frac{4a^{13/4}f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{65b^{7/4}\sqrt{a+bx^4}}$$

```
[Out] -1/48*a*e*x^2*(b*x^4+a)^(3/2)/b+1/143*x^5*(11*f*x^2+13*d)*(b*x^4+a)^(3/2)+1/60*(5*e*x^2+6*c)*(b*x^4+a)^(5/2)/b-1/32*a^3*e*arctanh(x^2*b^(1/2)/(b*x^4+a)^(1/2))/b^(3/2)+4/77*a^2*d*x*(b*x^4+a)^(1/2)/b-1/32*a^2*e*x^2*(b*x^4+a)^(1/2)/b+4/195*a^2*f*x^3*(b*x^4+a)^(1/2)/b+2/3003*a*x^5*(77*f*x^2+117*d)*(b*x^4+a)^(1/2)-4/65*a^3*f*x*(b*x^4+a)^(1/2)/b^(3/2)/(a^(1/2)+x^2*b^(1/2))+4/65*a^(13/4)*f*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^2^(1/2)/b^(7/4)/(b*x^4+a)^(1/2)-2/5005*a^(11/4)*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(77*f*a^(1/2)+65*d*b^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^2^(1/2)/b^(7/4)/(b*x^4+a)^(1/2)
```

Rubi [A] time = 0.41, antiderivative size = 452, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 780, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{a}f + 65\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + a^3 e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + 4a^3 f x \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5005b^{7/4}\sqrt{a+bx^4}} - \frac{a^3 e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{32b^{3/2}} - \frac{4a^3 f x \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{65b^{3/2}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]
[Out] (4*a^2*d*x*Sqrt[a + b*x^4])/(77*b) - (a^2*e*x^2*Sqrt[a + b*x^4])/(32*b) + (4*a^2*f*x^3*Sqrt[a + b*x^4])/(195*b) - (4*a^3*f*x*Sqrt[a + b*x^4])/(65*b^(3/2)*(Sqrt[a] + Sqrt[b]*x^2)) + (2*a*x^5*(117*d + 77*f*x^2)*Sqrt[a + b*x^4])/3003 - (a*e*x^2*(a + b*x^4)^(3/2))/(48*b) + (x^5*(13*d + 11*f*x^2)*(a + b*x^4)^(3/2))/143 + ((6*c + 5*e*x^2)*(a + b*x^4)^(5/2))/(60*b) - (a^3*e*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(32*b^(3/2)) + (4*a^(13/4)*f*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticE[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/(65*b^(7/4)*Sqrt[a + b*x^4]) - (2*a^(11/4)*(65*Sqrt[b]*d + 77*Sqrt[a]*f)*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/(5005*b^(7/4)*Sqrt[a + b*x^4])
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2])/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 780

$\text{Int}(((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, p\}, x] \ \&\& \ !\text{LeQ}[p, -1]$

Rule 1196

$\text{Int}(((d_) + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2])/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0]] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}(((d_) + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0]] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] \text{ /; FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1274

$\text{Int}(((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}(((f*x)^{(m + 1)}*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + \text{Dist}[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), \text{Int}[(f*x)^m*(a + c*x^4)^{(p - 1)}*\text{Simp}[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] \text{ /; FreeQ}\{a, c, d, e, f, m\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[4*p + m + 1, 0] \ \&\& \ \text{NeQ}[m + 4*p + 3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

Rule 1280

$\text{Int}(((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(e*f*(f*x)^{(m - 1)}*(a + c*x^4)^{(p + 1)})/(c*(m + 4*p + 3)), x] - \text{Dist}[f^2/(c*(m + 4*p + 3)), \text{Int}[(f*x)^{(m - 2)}*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] \text{ /; FreeQ}\{a, c, d, e, f, p\}, x] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 4*p + 3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

])

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^3 (c + ex^2) (a + bx^4)^{3/2} + x^4 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
 &= \int x^3 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^4 (d + fx^2) (a + bx^4)^{3/2} dx \\
 &= \frac{1}{143} x^5 (13d + 11fx^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x(c + ex) (a + bx^4)^{3/2} dx, x, \sqrt{a + bx^4} \right) \\
 &= \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13d + 11fx^2) (a + bx^4)^{3/2} \\
 &= \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} - \frac{aex^2 (a + bx^4)^{3/2}}{48b} \\
 &= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (13d + 11fx^2) \sqrt{a + bx^4}}{143} \\
 &= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (13d + 11fx^2) \sqrt{a + bx^4}}{143} \\
 &= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 f}{65b^{3/2}}
 \end{aligned}$$

Mathematica [C] time = 0.77, size = 238, normalized size = 0.53

$$\sqrt{a + bx^4} \left(-\frac{6240a^2 \sqrt{b} dx {}_2F_1\left(-\frac{3}{2}, \frac{5}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{5280a^2 \sqrt{b} fx^3 {}_2F_1\left(-\frac{3}{2}, \frac{7}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + 715e \left(\sqrt{b} x^2 (3a^2 + 14abx^4 + 8b^2x^8) - \frac{3a^3}{\sqrt{a + bx^4}} \right) \right)$$

68640b^{3/2}

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*(6864*Sqrt[b]*c*(a + b*x^4)^2 + 6240*Sqrt[b]*d*x*(a + b*x^4)^2 + 5280*Sqrt[b]*f*x^3*(a + b*x^4)^2 + 715*e*(Sqrt[b]*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (3*a^(5/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a]) - (6240*a^2*Sqrt[b]*d*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a] - (5280*a^2*Sqrt[b]*f*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a))/(68640*b^(3/2))

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left((bfx^{10} + bex^9 + bdx^8 + bcx^7 + afx^6 + aex^5 + adx^4 + acx^3) \sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^10 + b*e*x^9 + b*d*x^8 + b*c*x^7 + a*f*x^6 + a*e*x^5 + a*d*x^4 + a*c*x^3)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^3, x)

maple [C] time = 0.19, size = 434, normalized size = 0.96

$$\frac{\sqrt{bx^4 + a} b f x^{11}}{13} + \frac{\sqrt{bx^4 + a} b e x^{10}}{12} + \frac{\sqrt{bx^4 + a} b d x^9}{11} + \frac{5\sqrt{bx^4 + a} a f x^7}{39} + \frac{7\sqrt{bx^4 + a} a e x^6}{48} + \frac{13\sqrt{bx^4 + a} a d x^5}{77} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/13*f*b*x^11*(b*x^4+a)^(1/2)+5/39*f*a*x^7*(b*x^4+a)^(1/2)+4/195*a^2*f*x^3*(b*x^4+a)^(1/2)/b-4/65*I*f*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+4/65*I*f*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/12*e*b*x^10*(b*x^4+a)^(1/2)+7/48*e*a*x^6*(b*x^4+a)^(1/2)+1/32*a^2*e*x^2*(b*x^4+a)^(1/2)/b-1/32*e/b^(3/2)*a^3*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/11*d*b*x^9*(b*x^4+a)^(1/2)+13/77*d*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*d*x*(b*x^4+a)^(1/2)/b-4/77*d*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/10*c/b*(b*x^4+a)^(5/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^4 + a)^{\frac{5}{2}} c}{10b} + \int (bf x^{10} + bex^9 + bdx^8 + afx^6 + aex^5 + adx^4)\sqrt{bx^4 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/10*(b*x^4 + a)^(5/2)*c/b + integrate((b*f*x^10 + b*e*x^9 + b*d*x^8 + a*f*x^6 + a*e*x^5 + a*d*x^4)*sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] $\int (x^3(a + bx^4)^{3/2}(c + dx + ex^2 + fx^3), x)$

sympy [A] time = 17.95, size = 398, normalized size = 0.88

$$\frac{a^{\frac{5}{2}}ex^2}{32b\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}}ex^6}{96\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{a}bdx^9\Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{9}{4} \\ \frac{13}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{13}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)`

[Out] `a**(5/2)*e*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*d*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)*e*x**6/(96*sqrt(1 + b*x**4/a)) + a**(3/2)*f*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*d*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 11*sqrt(a)*b*e*x**10/(48*sqrt(1 + b*x**4/a)) + sqrt(a)*b*f*x**11*gamma(11/4)*hyper((-1/2, 11/4), (15/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(15/4)) - a**3*e*asinh(sqrt(b)*x**2/sqrt(a))/(32*b**(3/2)) + a*c*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*c*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*e*x**14/(12*sqrt(a)*sqrt(1 + b*x**4/a))`

$$3.512 \quad \int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=427

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}c - 15\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}c (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} E\left(\frac{1}{2}\right)}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/48*a*f*x^2*(b*x^4+a)^{(3/2)}/b+1/99*x^3*(9*e*x^2+11*c)*(b*x^4+a)^{(3/2)}+1/60*(5*f*x^2+6*d)*(b*x^4+a)^{(5/2)}/b-1/32*a^3*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+4/77*a^2*e*x*(b*x^4+a)^{(1/2)}/b-1/32*a^2*f*x^2*(b*x^4+a)^{(1/2)}/b+2/1155*a*x^3*(45*e*x^2+77*c)*(b*x^4+a)^{(1/2)}+4/15*a^2*c*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*a^{(9/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+2/1155*a^{(9/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(-15*e*a^{(1/2)}+77*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 780, 195, 217, 206}

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}c - 15\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}c (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} E\left(\frac{1}{2}\right)}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}, x]$

[Out] $(4*a^2*e*x*\operatorname{Sqrt}[a + b*x^4])/(77*b) - (a^2*f*x^2*\operatorname{Sqrt}[a + b*x^4])/(32*b) + (4*a^2*c*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*a*x^3*(77*c + 45*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/1155 - (a*f*x^2*(a + b*x^4)^{(3/2)})/(48*b) + (x^3*(11*c + 9*e*x^2)*(a + b*x^4)^{(3/2)})/99 + ((6*d + 5*f*x^2)*(a + b*x^4)^{(5/2)})/(60*b) - (a^3*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(32*b^{(3/2)}) - (4*a^{(9/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(9/4)}*(77*\operatorname{Sqrt}[b]*c - 15*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (1155*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1*\operatorname{ArcTanh}[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$)

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 780

$\text{Int}[(d_ + (e_)*(x_))*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{p_}), x_Symbol] \rightarrow \text{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + c*x^2)^{(p + 1)}/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, p\}, x] \ \&\& \ !\text{LeQ}[p, -1]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/a*(1 + q^2*x^2), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)*((d_ + (e_)*(x_)^2)^{(q_)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] \text{ /; FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1274

$\text{Int}[(f_)*(x_)^{(m_)*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(f*x)^{(m + 1)}*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2)/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + \text{Dist}[(4*a*p)/(4*p + m + 1)*(m + 4*p + 3), \text{Int}[(f*x)^m*(a + c*x^4)^{(p - 1)}*\text{Simp}[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] \text{ /; FreeQ}\{a, c, d, e, f, m\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[4*p + m + 1, 0] \ \&\& \ \text{NeQ}[m + 4*p + 3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

Rule 1280

$\text{Int}[(f_)*(x_)^{(m_)*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(e*f*(f*x)^{(m - 1)}*(a + c*x^4)^{(p + 1)})/(c*(m + 4*p + 3)), x] - \text{Dist}[f^2/(c*(m + 4*p + 3)), \text{Int}[(f*x)^{(m - 2)}*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] \text{ /; FreeQ}\{a, c, d, e, f, p\}, x] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 4*p + 3, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

])

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^2 (c + ex^2) (a + bx^4)^{3/2} + x^3 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
 &= \int x^2 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^3 (d + fx^2) (a + bx^4)^{3/2} dx \\
 &= \frac{1}{99} x^3 (11c + 9ex^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x(d + fx) (a + bx^2)^{3/2} dx \right) \\
 &= \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} + \frac{1}{99} x^3 (11c + 9ex^2) (a + bx^4)^{3/2} + \frac{6}{99} x^3 (d + fx) (a + bx^4)^{3/2} \\
 &= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} - \frac{afx^2 (a + bx^4)^{3/2}}{48b} \\
 &= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} \\
 &= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 cx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} \\
 &= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 cx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155}
 \end{aligned}$$

Mathematica [C] time = 0.94, size = 205, normalized size = 0.48

$$\sqrt{a + bx^4} \left(-\frac{480a^2 ex {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{b\sqrt{\frac{bx^4}{a} + 1}} + \frac{55f \left(\sqrt{b} x^2 (3a^2 + 14abx^4 + 8b^2 x^8) - \frac{3a^{5/2} \sinh^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{b^{3/2}} + \frac{1760acx^3 {}_2F_1\left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{528d(a + bx^4)^{3/2}}{b} \right)$$

5280

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*((528*d*(a + b*x^4)^2)/b + (480*e*x*(a + b*x^4)^2)/b + (55*f*(Sqrt[b]*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (3*a^(5/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a]))/b^(3/2) - (480*a^2*e*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/(b*Sqrt[1 + (b*x^4)/a]) + (1760*a*c*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a])/5280

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^9 + bex^8 + bdx^7 + bcx^6 + afx^5 + aex^4 + adx^3 + acx^2\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^9 + b*e*x^8 + b*d*x^7 + b*c*x^6 + a*f*x^5 + a*e*x^4 + a*d*x^3 + a*c*x^2)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

maple [C] time = 0.21, size = 413, normalized size = 0.97

$$\frac{\sqrt{bx^4 + a} b f x^{10}}{12} + \frac{\sqrt{bx^4 + a} b e x^9}{11} + \frac{\sqrt{bx^4 + a} b c x^7}{9} + \frac{7\sqrt{bx^4 + a} a f x^6}{48} + \frac{13\sqrt{bx^4 + a} a e x^5}{77} + \frac{11\sqrt{bx^4 + a} a c x^4}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/12*f*b*x^10*(b*x^4+a)^(1/2)+7/48*f*a*x^6*(b*x^4+a)^(1/2)+1/32*a^2*f*x^2*(b*x^4+a)^(1/2)/b-1/32*f/b^(3/2)*a^3*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/11*e*b*x^9*(b*x^4+a)^(1/2)+13/77*e*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*e*x*(b*x^4+a)^(1/2)/b-4/77*e*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/10*d/b*(b*x^4+a)^(5/2)+1/9*c*b*x^7*(b*x^4+a)^(1/2)+11/45*c*a*x^3*(b*x^4+a)^(1/2)+4/15*I*c*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*c*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)`

[Out] `int(x^2*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)`

sympy [A] time = 17.74, size = 398, normalized size = 0.93

$$\frac{a^{\frac{5}{2}}fx^2}{32b\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}}fx^6}{96\sqrt{1+\frac{bx^4}{a}}} + \frac{\sqrt{a}bcx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)`

[Out] `a**(5/2)*f*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*c*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**(3/2)*e*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)*f*x**6/(96*sqrt(1 + b*x**4/a)) + sqrt(a)*b*c*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*e*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 11*sqrt(a)*b*f*x**10/(48*sqrt(1 + b*x**4/a)) - a**3*f*asinh(sqrt(b)*x**2/sqrt(a))/(32*b**(3/2)) + a*d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*d*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*f*x**14/(12*sqrt(a)*sqrt(1 + b*x**4/a))`

$$3.513 \quad \int x (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=409

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{b}d - 15\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $1/8*c*x^2*(b*x^4+a)^{(3/2)}+1/99*x^3*(9*f*x^2+11*d)*(b*x^4+a)^{(3/2)}+1/10*e*(b*x^4+a)^{(5/2)}/b+3/16*a^2*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+4/7*7*a^2*f*x*(b*x^4+a)^{(1/2)}/b+3/16*a*c*x^2*(b*x^4+a)^{(1/2)}+2/1155*a*x^3*(45*f*x^2+77*d)*(b*x^4+a)^{(1/2)}+4/15*a^2*d*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*a^{(9/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+2/1155*a^{(9/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(-15*f*a^{(1/2)}+77*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 409, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1833, 1248, 641, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (77\sqrt{b}d - 15\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}, x]$

[Out] $(4*a^2*f*x*\operatorname{Sqrt}[a + b*x^4])/(77*b) + (3*a*c*x^2*\operatorname{Sqrt}[a + b*x^4])/16 + (4*a^2*d*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*a*x^3*(77*d + 45*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/1155 + (c*x^2*(a + b*x^4)^{(3/2)})/8 + (x^3*(11*d + 9*f*x^2)*(a + b*x^4)^{(3/2)})/99 + (e*(a + b*x^4)^{(5/2)})/(10*b) + (3*a^2*c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*\operatorname{Sqrt}[b]) - (4*a^{(9/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(9/4)}*(77*\operatorname{Sqrt}[b]*d - 15*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]))/(1155*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

$\operatorname{Int}[(a_ + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1274

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833


```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2} dx &= \int \left(x(c + ex^2)(a + bx^4)^{3/2} + x^2(d + fx^2)(a + bx^4)^{3/2} \right) dx \\
&= \int x(c + ex^2)(a + bx^4)^{3/2} dx + \int x^2(d + fx^2)(a + bx^4)^{3/2} dx \\
&= \frac{1}{99}x^3(11d + 9fx^2)(a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int (c + ex)(a + bx^2)^{3/2} dx \right) \\
&= \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \frac{1}{99}x^3(11d + 9fx^2)(a + bx^4)^{3/2} + \dots \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \frac{1}{8}cx^2(a + bx^4)^{3/2} + \dots \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \dots \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{4a^2dx\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \dots \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{4a^2dx\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \dots
\end{aligned}$$

Mathematica [C] time = 0.98, size = 196, normalized size = 0.48

$$\frac{\sqrt{a + bx^4} \left(165c \left(\frac{3a^{5/2} \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{bx^2}}{\sqrt{a}} \right) + 5ax^2 + 2bx^6 \right) - \frac{240a^2fx {}_2F_1 \left(-\frac{3}{2}, \frac{5}{4}; -\frac{bx^4}{a} \right)}{b\sqrt{\frac{bx^4}{a} + 1}} + \frac{880adx^3 {}_2F_1 \left(-\frac{3}{2}, \frac{7}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 2640 \right)}{2640}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*((264*e*(a + b*x^4)^2)/b + (240*f*x*(a + b*x^4)^2)/b + 165*c*(5*a*x^2 + 2*b*x^6 + (3*a^(5/2)*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*(a + b*x^4))) - (240*a^2*f*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/(b*Sqrt[1 + (b*x^4)/a]) + (880*a*d*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a])/2640

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left((bfx^8 + bex^7 + bdx^6 + bcx^5 + afx^4 + aex^3 + adx^2 + acx)\sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^8 + b*e*x^7 + b*d*x^6 + b*c*x^5 + a*f*x^4 + a*e*x^3 + a*d*x^2 + a*c*x)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x, x)

maple [C] time = 0.17, size = 392, normalized size = 0.96

$$\frac{\sqrt{bx^4+a} b f x^9}{11} + \frac{\sqrt{bx^4+a} b d x^7}{9} + \frac{\sqrt{bx^4+a} b c x^6}{8} + \frac{13\sqrt{bx^4+a} a f x^5}{77} + \frac{11\sqrt{bx^4+a} a d x^3}{45} - \frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{77}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] $\frac{1}{11}f*b*x^9*(b*x^4+a)^{(1/2)} + \frac{13}{77}f*a*x^5*(b*x^4+a)^{(1/2)} + \frac{4}{77}a^2*f*x*(b*x^4+a)^{(1/2)}/b - \frac{4}{77}f*a^3/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{10}e*(b*x^4+a)^{(5/2)}/b + \frac{1}{9}d*b*x^7*(b*x^4+a)^{(1/2)} + \frac{11}{45}d*a*x^3*(b*x^4+a)^{(1/2)} + \frac{4}{15}I*d*a^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - \frac{4}{15}I*d*a^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{8}c*b*x^6*(b*x^4+a)^{(1/2)} + \frac{5}{16}a*c*x^2*(b*x^4+a)^{(1/2)} + \frac{3}{16}c*a^2*ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})/b^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{32} \left(\frac{3a^2 \log\left(-\frac{\sqrt{b}-\sqrt{bx^4+a}}{x^2}\right)}{\sqrt{b}} + \frac{2\left(\frac{3\sqrt{bx^4+a}a^2b}{x^2} - \frac{5(bx^4+a)^{\frac{3}{2}}a^2}{x^6}\right)}{b^2 - \frac{2(bx^4+a)b}{x^4} + \frac{(bx^4+a)^2}{x^8}} \right) c + \int (bf x^8 + bex^7 + bdx^6 + afx^4 + aex^3 + adx^2)\sqrt{bx^4+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] $-\frac{1}{32}(3*a^2*\log(-(\sqrt{b} - \sqrt{b*x^4 + a})/x^2)/(\sqrt{b} + \sqrt{b*x^4 + a})/x^2)/\sqrt{b} + 2*(3*\sqrt{b*x^4 + a}*a^2*b/x^2 - 5*(b*x^4 + a)^{(3/2)}*a^2/x^6)/(b^2 - 2*(b*x^4 + a)*b/x^4 + (b*x^4 + a)^2/x^8)*c + \text{integrate}((b*f*x^8 + b*e*x^7 + b*d*x^6 + a*f*x^4 + a*e*x^3 + a*d*x^2)*\sqrt{b*x^4 + a}, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

[Out] int(x*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 13.23, size = 396, normalized size = 0.97

$$\frac{a^{\frac{3}{2}}cx^2\sqrt{1+\frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}}cx^2}{16\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}dx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}fx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a}bcx^6}{16\sqrt{1+\frac{bx^4}{a}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2), x)

[Out] a**(3/2)*c*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*c*x**2/(16*sqrt(1 + b*x**4/a)) + a**(3/2)*d*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**(3/2)*f*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*b*c*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*b*d*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*f*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 3*a**2*c*asinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*e*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*e*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*c*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))

3.514 $\int (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$

Optimal. Leaf size=382

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} (7\sqrt{a}e + 15\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a + bx^4}} - \frac{4a^{9/4}e(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a + bx^4}}$$

[Out] $\frac{1}{8}d*x^2*(b*x^4+a)^{(3/2)} + \frac{1}{63}*x*(7*e*x^2+9*c)*(b*x^4+a)^{(3/2)} + \frac{1}{10}*f*(b*x^4+a)^{(5/2)}/b + \frac{3}{16}*a^2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)} + \frac{3}{16}*a*d*x^2*(b*x^4+a)^{(1/2)} + \frac{2}{105}*a*x*(7*e*x^2+15*c)*(b*x^4+a)^{(1/2)} + \frac{4}{15}*a^2*e*x*(b*x^4+a)^{(1/2)}/b^{(1/2)} + \frac{a^{(1/2)}+x^2*b^{(1/2)}}{a^{(1/2)}+x^2*b^{(1/2)}} - \frac{4}{15}*a^{(9/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2, 2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)} + \frac{2}{105}*a^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2, 2^{(1/2)})*(7*e*a^{(1/2)}+15*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.370$, Rules used = {1885, 1177, 1198, 220, 1196, 1248, 641, 195, 217, 206}

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} (7\sqrt{a}e + 15\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a + bx^4}} - \frac{4a^{9/4}e(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] $\frac{(3*a*d*x^2*\operatorname{Sqrt}[a + b*x^4])/16 + (4*a^2*e*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*a*x*(15*c + 7*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/105 + (d*x^2*(a + b*x^4)^{(3/2)})/8 + (x*(9*c + 7*e*x^2)*(a + b*x^4)^{(3/2)})/63 + (f*(a + b*x^4)^{(5/2)})/(10*b) + (3*a^2*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*\operatorname{Sqrt}[b]) - (4*a^{(9/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(7/4)}*(15*\operatorname{Sqrt}[b]*c + 7*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \text{ :> Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x, 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 641

$\text{Int}[(d_) + (e_)*(x_)]*(a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \text{ :> Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}[\{a, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[p, -1]$

Rule 1177

$\text{Int}[(d_) + (e_)*(x_)^2]*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \text{ :> Simp}[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/((4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^{(p - 1)}, x], x] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{FractionQ}[p] \ \&\& \ \text{IntegerQ}[2*p]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x, 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0]] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0]] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}], x_Symbol] \text{ :> Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x_Symbol] \text{ :> Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{(k*n)/2}, \{k, 0, (2*(q - j))/n + 1\}]*\text{Sqrt}[a + b*x^n]^p, \{j, 0, n/2 - 1\}], x]] \text{ /; FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^{3/2} dx &= \int \left((c + ex^2)(a + bx^4)^{3/2} + x(d + fx^2)(a + bx^4)^{3/2} \right) dx \\
&= \int (c + ex^2)(a + bx^4)^{3/2} dx + \int x(d + fx^2)(a + bx^4)^{3/2} dx \\
&= \frac{1}{63}x(9c + 7ex^2)(a + bx^4)^{3/2} + \frac{1}{21} \int (18ac + 14aex^2) \sqrt{a + bx^4} dx + \frac{1}{2} \\
&= \frac{2}{105}ax(15c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{63}x(9c + 7ex^2)(a + bx^4)^{3/2} + \frac{f(a + bx^4)^{3/2}}{10} \\
&= \frac{2}{105}ax(15c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{8}dx^2(a + bx^4)^{3/2} + \frac{1}{63}x(9c + 7ex^2)(a + bx^4)^{3/2} \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a + bx^4} \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a + bx^4} \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.56, size = 175, normalized size = 0.46

$$\frac{1}{240}\sqrt{a + bx^4} \left(15d \left(\frac{3a^{5/2}\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{\sqrt{b}(a + bx^4)} + 5ax^2 + 2bx^6 \right) + \frac{240acx {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{80aex^3 {}_2F_1\left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*((24*f*(a + b*x^4)^2)/b + 15*d*(5*a*x^2 + 2*b*x^6 + (3*a^(5/2)*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*(a + b*x^4))) + (240*a*c*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a] + (80*a*e*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a])/240

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c), x)

maple [C] time = 0.18, size = 368, normalized size = 0.96

$$\frac{\sqrt{bx^4+a} b e x^7}{9} + \frac{\sqrt{bx^4+a} b d x^6}{8} + \frac{\sqrt{bx^4+a} b c x^5}{7} + \frac{11\sqrt{bx^4+a} a e x^3}{45} - \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{5}{2}}\text{EllipticE}\left(\frac{i\sqrt{b}x^2}{\sqrt{a}}\right)}{15\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/10*f*(b*x^4+a)^(5/2)/b+1/9*e*b*x^7*(b*x^4+a)^(1/2)+11/45*e*a*x^3*(b*x^4+a)^(1/2)+4/15*I*e*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*e*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/8*d*b*x^6*(b*x^4+a)^(1/2)+5/16*a*d*x^2*(b*x^4+a)^(1/2)+3/16*d*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+1/7*c*b*x^5*(b*x^4+a)^(1/2)+3/7*c*a*x*(b*x^4+a)^(1/2)+4/7*c*a^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 12.31, size = 394, normalized size = 1.03

$$\frac{a^{\frac{3}{2}} c x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}} d x^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}} d x^2}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a} b c x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

```
[Out] a**(3/2)*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4, ), b*x**4*exp_polar(I*pi)/a
)/(4*gamma(5/4)) + a**(3/2)*d*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*d*x**2/(
16*sqrt(1 + b*x**4/a)) + a**(3/2)*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4
, ), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*b*c*x**5*gamma(5/4)*
hyper((-1/2, 5/4), (9/4, ), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt
(a)*b*d*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*x**7*gamma(7/4)*hyper((
-1/2, 7/4), (11/4, ), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + 3*a**2*d*a
sinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*f*Piecewise((sqrt(a)*x**4/4, Eq
(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*f*Piecewise((-a**2*sqrt(a +
b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)
/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*d*x**10/(8*sqrt(a)*sqrt(1 +
b*x**4/a))
```


$$3.515 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x} dx$$

Optimal. Leaf size=403

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 15\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{105b^{3/4}\sqrt{a+bx^4} + 15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24}(3ex^2+4c)(bx^4+a)^{3/2} + \frac{1}{63}x(7fx^2+9d)(bx^4+a)^{3/2} - \frac{1}{2}a^{3/2}c \operatorname{arctanh}\left(\frac{(bx^4+a)^{1/2}}{a^{1/2}}\right) + \frac{3}{16}a^2e \operatorname{arctanh}\left(\frac{x^2b^{1/2}}{(bx^4+a)^{1/2}}\right) + \frac{1}{16}a(3ex^2+8c)(bx^4+a)^{1/2} + \frac{2}{105}a^2x(7fx^2+15d)(bx^4+a)^{1/2} + \frac{4}{15}a^2fx \frac{(bx^4+a)^{1/2}}{b^{1/2}} \frac{1}{(a^{1/2}+x^2b^{1/2})} - \frac{4}{15}a^{9/4}f \frac{\cos(2\arctan(b^{1/4}x/a^{1/4}))^2}{\cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticE}\left(\sin(2\arctan(b^{1/4}x/a^{1/4}))\right) + \frac{1}{2}a^{9/4}f \frac{(bx^4+a)^{1/2}}{(a^{1/2}+x^2b^{1/2})^2} \frac{1}{b^{3/4}} + \frac{2}{105}a^{7/4} \frac{\cos(2\arctan(b^{1/4}x/a^{1/4}))^2}{\cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticF}\left(\sin(2\arctan(b^{1/4}x/a^{1/4}))\right) + \frac{1}{2}a^{9/4}f \frac{(bx^4+a)^{1/2}}{(a^{1/2}+x^2b^{1/2})^2} \frac{1}{b^{3/4}}$

Rubi [A] time = 0.35, antiderivative size = 403, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 15\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{105b^{3/4}\sqrt{a+bx^4} + 15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}]/x, x]$

[Out] $\frac{4a^2fx\sqrt{a+bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{a(8c + 3ex^2)\sqrt{a+bx^4}}{16} + \frac{2a^2x(15d + 7fx^2)\sqrt{a+bx^4}}{105} + \frac{(4c + 3ex^2)(a + bx^4)^{3/2}}{24} + \frac{x(9d + 7fx^2)(a + bx^4)^{3/2}}{63} + \frac{3a^2e \operatorname{ArcTanh}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{16\sqrt{b}} - \frac{a^{3/2}c \operatorname{ArcTanh}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{2} - \frac{4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2)\sqrt{a+bx^4}}{105} + \frac{2a^{7/4}d + 7a^{7/4}fx}{105} \frac{\cos(2\arctan(b^{1/4}x/a^{1/4}))^2}{\cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticE}\left(\sin(2\arctan(b^{1/4}x/a^{1/4}))\right) + \frac{2a^{7/4}d + 7a^{7/4}fx}{105} \frac{\cos(2\arctan(b^{1/4}x/a^{1/4}))^2}{\cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticF}\left(\sin(2\arctan(b^{1/4}x/a^{1/4}))\right) + \frac{4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2)\sqrt{a+bx^4}}{105}$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)x^{(m_)}((c_.) + (d_.)x^{(n_)}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + bx)^{1/p}], x]] /; \operatorname{FreeQ}\{a, b, c, d, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 815

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x} + (d + fx^2)(a + bx^4)^{3/2} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x} dx + \int (d + fx^2)(a + bx^4)^{3/2} dx \\
&= \frac{1}{63} x (9d + 7fx^2)(a + bx^4)^{3/2} + \frac{1}{21} \int (18ad + 14afx^2) \sqrt{a + bx^4} dx \\
&= \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{24} (4c + 3ex^2)(a + bx^4)^{3/2} + \frac{1}{63} x (9d + 7fx^2)(a + bx^4)^{3/2} \\
&= \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{24} (4c + 3ex^2)(a + bx^4)^{3/2} \\
&= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
&= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
&= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
&= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.57, size = 224, normalized size = 0.56

$$\frac{1}{6}c \left(\sqrt{a+bx^4} (4a+bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right) \right) + \frac{1}{16} e \sqrt{a+bx^4} \left(\frac{3a^{3/2} \sinh^{-1} \left(\frac{\sqrt{bx^4}}{\sqrt{a}} \right)}{\sqrt{b} \sqrt{\frac{bx^4}{a} + 1}} + 5ax^2 + 2bx^6 \right) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x,x]

[Out] (e*Sqrt[a + b*x^4]*(5*a*x^2 + 2*b*x^6 + (3*a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*Sqrt[1 + (b*x^4)/a]))/16 + (c*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]))/6 + (a*d*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] + (a*f*x^3*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)])/(3*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac) \sqrt{bx^4 + a}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x, x)

maple [C] time = 0.18, size = 411, normalized size = 1.02

$$\frac{\sqrt{bx^4 + a} bf x^7}{9} + \frac{\sqrt{bx^4 + a} be x^6}{8} + \frac{\sqrt{bx^4 + a} bd x^5}{7} + \frac{\sqrt{bx^4 + a} bc x^4}{6} + \frac{11\sqrt{bx^4 + a} af x^3}{45} - \frac{4i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x)

[Out] 1/9*f*b*x^7*(b*x^4+a)^(1/2)+11/45*f*a*x^3*(b*x^4+a)^(1/2)+4/15*I*f*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*f*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/8*e*b*x^6*(b*x^4+a)^(1/2)+5/16*e*a*x^2*(b*x^4+a)^(1/2)+3/16*e*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+1/7*d*b*x^5*(b*x^4+a)^(1/2)+3/7*d*a*x*(b*x^4+a)^(1/2)+4/7*d*a^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)

$)^{1/2} * \text{EllipticF}((I/a^{1/2} * b^{1/2})^{1/2} * x, I) + 1/6 * c * b * x^4 * (b * x^4 + a)^{1/2} + 2/3 * c * a * (b * x^4 + a)^{1/2} - 1/2 * c * a^{3/2} * \ln((2 * a + 2 * (b * x^4 + a)^{1/2} * a^{1/2}) / x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x, x)

sympy [A] time = 31.32, size = 405, normalized size = 1.00

$$-\frac{a^{\frac{3}{2}} c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{2} + \frac{a^{\frac{3}{2}} dx \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}} ex^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}} ex^2}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} fx^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x,x)

[Out] $-a^{3/2} * c * \operatorname{asinh}(\sqrt{a} / (\sqrt{b} * x^{1/2})) / 2 + a^{3/2} * d * x * \gamma(1/4) * \operatorname{hyper}((-1/2, 1/4), (5/4,), b * x^{1/2} * \exp(\pi * I) / a) / (4 * \gamma(5/4)) + a^{3/2} * e * x^2 * \sqrt{1 + b * x^{1/2} / a} / 4 + a^{3/2} * e * x^2 / (16 * \sqrt{1 + b * x^{1/2} / a}) + a^{3/2} * f * x^3 * \gamma(3/4) * \operatorname{hyper}((-1/2, 3/4), (7/4,), b * x^{1/2} * \exp(\pi * I) / a) / (4 * \gamma(7/4)) + \sqrt{a} * b * d * x^{5/2} * \gamma(5/4) * \operatorname{hyper}((-1/2, 5/4), (9/4,), b * x^{1/2} * \exp(\pi * I) / a) / (4 * \gamma(9/4)) + 3 * \sqrt{a} * b * e * x^{6/2} / (16 * \sqrt{1 + b * x^{1/2} / a}) + \sqrt{a} * b * f * x^{7/2} * \gamma(7/4) * \operatorname{hyper}((-1/2, 7/4), (11/4,), b * x^{1/2} * \exp(\pi * I) / a) / (4 * \gamma(11/4)) + a^{3/2} * c / (2 * \sqrt{b} * x^{1/2} * \sqrt{a / (b * x^{1/2} + 1)}) + 3 * a^{3/2} * e * \operatorname{asinh}(\sqrt{b} * x^{1/2} / \sqrt{a}) / (16 * \sqrt{b}) + a * \sqrt{b} * c * x^{1/2} / (2 * \sqrt{a / (b * x^{1/2} + 1)}) + b * c * \operatorname{Piecewise}(\sqrt{a} * x^{1/2} / 4, \operatorname{Eq}(b, 0)), ((a + b * x^{1/2})^{3/2} / (6 * b), \operatorname{True})) + b^{3/2} * e * x^{10} / (8 * \sqrt{a} * \sqrt{1 + b * x^{1/2} / a})$

$$3.516 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^2} dx$$

Optimal. Leaf size=404

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 21\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/7*(-e*x^2+7*c)*(b*x^4+a)^{(3/2)}/x+1/24*(3*f*x^2+4*d)*(b*x^4+a)^{(3/2)}-1/2*a^{(3/2)*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/16*a^2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+2/35*x*(21*b*c*x^2+5*a*e)*(b*x^4+a)^{(1/2)}+1/16*a*(3*f*x^2+8*d)*(b*x^4+a)^{(1/2)}+12/5*a*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)*b^{(1/4)*c}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)^{(1/2))*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*a^{(5/4)*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)^{(1/2))*(5*e*a^{(1/2)}+21*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 404, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1177, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 21\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^2, x]$

[Out] $(12*a*\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*x*(5*a*e + 21*b*c*x^2)*\operatorname{Sqrt}[a + b*x^4])/35 + (a*(8*d + 3*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/16 - ((7*c - e*x^2)*(a + b*x^4)^{(3/2)})/(7*x) + ((4*d + 3*f*x^2)*(a + b*x^4)^{(3/2)})/24 + (3*a^2*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*\operatorname{Sqrt}[b]) - (a^{(3/2)*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (12*a^{(5/4)*b^{(1/4)*c}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(5/4)*21*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(35*b^{(1/4)*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 815

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1272

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x
^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m +
4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^2} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^2} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^2} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x} dx \\
&= -\frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{2} \text{Subst} \left(\int \frac{(d + fx)(a + bx^2)^{3/2}}{x} dx, x, \sqrt{bx^4 + a} \right) \\
&= \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{24}(4d + 3fx^2)\sqrt{a + bx^4} \\
&= \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x}
\end{aligned}$$

Mathematica [C] time = 0.57, size = 222, normalized size = 0.55

$$\frac{1}{6}d \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) + \frac{1}{16}f\sqrt{a + bx^4} \left(\frac{3a^{3/2} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{\sqrt{b} \sqrt{\frac{bx^4}{a} + 1}} + 5ax^2 + 2bx^6 \right) - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^2,x]

[Out] (f*Sqrt[a + b*x^4]*(5*a*x^2 + 2*b*x^6 + (3*a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*Sqrt[1 + (b*x^4)/a]))/16 + (d*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]))/6 - (a*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)]/(x*Sqrt[1 + (b*x^4)/a]) + (a*e*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)])/Sqrt[1 + (b*x^4)/a]

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

maple [C] time = 0.21, size = 411, normalized size = 1.02

$$\frac{\sqrt{bx^4 + a} b f x^6}{8} + \frac{\sqrt{bx^4 + a} b e x^5}{7} + \frac{\sqrt{bx^4 + a} b d x^4}{6} + \frac{\sqrt{bx^4 + a} b c x^3}{5} + \frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^2 e \text{EllipticF}\left(\frac{x\sqrt{bx^4 + a}}{\sqrt{a}}, \frac{i\sqrt{b}}{\sqrt{a}}\right) + 12\sqrt{bx^4 + a} \text{EllipticE}\left(\frac{x\sqrt{bx^4 + a}}{\sqrt{a}}, \frac{i\sqrt{b}}{\sqrt{a}}\right) - 12\sqrt{bx^4 + a} \text{EllipticF}\left(\frac{x\sqrt{bx^4 + a}}{\sqrt{a}}, \frac{i\sqrt{b}}{\sqrt{a}}\right) - 12\sqrt{bx^4 + a} \text{EllipticE}\left(\frac{x\sqrt{bx^4 + a}}{\sqrt{a}}, \frac{i\sqrt{b}}{\sqrt{a}}\right)}{7\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x)

[Out] 1/8*f*b*x^6*(b*x^4+a)^(1/2)+5/16*f*a*x^2*(b*x^4+a)^(1/2)+3/16*f*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+1/7*e*b*x^5*(b*x^4+a)^(1/2)+3/7*e*a*x*(b*x^4+a)^(1/2)+4/7*e*a^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-c*a*(b*x^4+a)^(1/2)/x+1/5*c*b*x^3*(b*x^4+a)^(1/2)+12/5*I*c*a^(3/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-12/5*I*c*a^(3/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/6*d*b*x^4*(b*x^4+a)^(1/2)+2/3*d*a*(b*x^4+a)^(1/2)-1/2*d*a^(3/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^2,x)

[Out] $\int ((a + b*x^4)^{(3/2)}*(c + d*x + e*x^2 + f*x^3))/x^2, x)$

sympy [A] time = 14.15, size = 406, normalized size = 1.00

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{a^{\frac{3}{2}}d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{a^{\frac{3}{2}}ex\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}}fx^2\sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}}fx^2}{16\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**2,x)`

[Out] `a**(3/2)*c*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**(3/2)*d*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + a**(3/2)*e*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**(3/2)*f*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*f*x**2/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*b*c*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*b*e*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*b*f*x**6/(16*sqrt(1 + b*x**4/a)) + a**2*d/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + 3*a**2*f*asinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*sqrt(b)*d*x**2/(2*sqrt(a/(b*x**4) + 1)) + b*d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b**2*f*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))`

$$3.517 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^3} dx$$

Optimal. Leaf size=406

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 21\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 12a^{5/4}\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{35\sqrt[4]{b}\sqrt{a+bx^4} - 5\sqrt{a+bx^4}}$$

[Out] $-1/6*(-e*x^2+3*c)*(b*x^4+a)^{(3/2)}/x^2-1/7*(-f*x^2+7*d)*(b*x^4+a)^{(3/2)}/x-1/2*a^{(3/2)}*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/4*a*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}+1/4*(3*b*c*x^2+2*a*e)*(b*x^4+a)^{(1/2)}+2/35*x*(21*b*d*x^2+5*a*f)*(b*x^4+a)^{(1/2)}+12/5*a*d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*a^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*f*a^{(1/2)}+21*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 406, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1833, 1252, 813, 815, 844, 217, 206, 266, 63, 208, 1272, 1177, 1198, 220, 1196}

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 21\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 12a^{5/4}\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{35\sqrt[4]{b}\sqrt{a+bx^4} - 5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^3, x]$

[Out] $(12*a*\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*a*e + 3*b*c*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (2*x*(5*a*f + 21*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/35 - ((3*c - e*x^2)*(a + b*x^4)^{(3/2)})/(6*x^2) - ((7*d - f*x^2)*(a + b*x^4)^{(3/2)})/(7*x) + (3*a*\operatorname{Sqrt}[b]*c*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (a^{(3/2)}*e*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (12*a^{(5/4)}*b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(5/4)}*(21*\operatorname{Sqrt}[b]*d + 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (35*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTan}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 813

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(p_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 815

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(p_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(p_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*

$d^2 + a e^2, 0]$ && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x, 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^3} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^3} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^2} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^3} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^2} dx \\
&= -\frac{(7d - fx^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{2} \text{Subst} \left(\int \frac{(c + ex)(a + bx^2)^{3/2}}{x^2} dx, x, \sqrt{a + bx^4} \right) \\
&= \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} - \frac{(3c - ex^2)(a + bx^4)^{3/2}}{6x^2} - \frac{(7d - fx^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} - \frac{(3c - ex^2)(a + bx^4)^{3/2}}{6x^2} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.40, size = 194, normalized size = 0.48

$$\frac{x \left(ex \sqrt{\frac{bx^4}{a} + 1} \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) - 6ad \sqrt{a + bx^4} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) + 6afx^2 \sqrt{a + bx^4} \right)}{6x^2 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^3,x]

[Out] (-3*a*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] + x*(e*x*Sqrt[1 + (b*x^4)/a]*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) - 6*a*d*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)] + 6*a*f*x^2*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]))/(6*x^2*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

maple [C] time = 0.21, size = 409, normalized size = 1.01

$$\frac{\sqrt{bx^4 + a} b f x^5}{7} + \frac{\sqrt{bx^4 + a} b e x^4}{6} + \frac{\sqrt{bx^4 + a} b d x^3}{5} + \frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^2 f \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{7\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} - 12i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x)

[Out] $\frac{1}{7} f b x^5 (b x^4 + a)^{1/2} + \frac{3}{7} f a x (b x^4 + a)^{1/2} + \frac{4}{7} f a^2 (I/a^{1/2}) b^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} \operatorname{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{4} c b x^2 (b x^4 + a)^{1/2} + \frac{3}{4} c a b^{1/2} \ln(b^{1/2} x^2 + (b x^4 + a)^{1/2}) - \frac{1}{2} c a / x^2 (b x^4 + a)^{1/2} - d a (b x^4 + a)^{1/2} / x + \frac{1}{5} d b x^3 (b x^4 + a)^{1/2} + \frac{12}{5} I d a^{3/2} b^{1/2} / (I/a^{1/2} b^{1/2})^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} \operatorname{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) - \frac{12}{5} I d a^{3/2} b^{1/2} / (I/a^{1/2} b^{1/2})^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} \operatorname{EllipticE}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{6} e b x^4 (b x^4 + a)^{1/2} + \frac{2}{3} e a (b x^4 + a)^{1/2} - \frac{1}{2} e a^{3/2} \ln((2 a + 2 (b x^4 + a)^{1/2}) a^{1/2}) / x^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^3,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^3, x)

sympy [A] time = 11.48, size = 377, normalized size = 0.93

$$\frac{a^{\frac{3}{2}}c}{2x^2\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{a^{\frac{3}{2}}e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{a^{\frac{3}{2}}fx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a}bcx^2\sqrt{1+\frac{bx^4}{a}}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**3,x)

[Out] $-a^{3/2}c/(2x^2\sqrt{1+bx^4/a}) + a^{3/2}d\gamma(-1/4)\operatorname{hyper}((-1/2, -1/4), (3/4,), bx^4\exp_{\text{polar}}(I\pi)/a)/(4x\gamma(3/4)) - a^{3/2}e\operatorname{asinh}(\sqrt{a}/(\sqrt{b}x^2))/2 + a^{3/2}fx\gamma(1/4)\operatorname{hyper}((-1/2, 1/4), (5/4,), bx^4\exp_{\text{polar}}(I\pi)/a)/(4\gamma(5/4)) + \sqrt{a}bcx^2\sqrt{1+bx^4/a}/4 - \sqrt{a}bcx^2/(2\sqrt{1+bx^4/a}) + \sqrt{a}bdx^3\gamma(3/4)\operatorname{hyper}((-1/2, 3/4), (7/4,), bx^4\exp_{\text{polar}}(I\pi)/a)/(4\gamma(7/4)) + \sqrt{a}bf^5x^5\gamma(5/4)\operatorname{hyper}((-1/2, 5/4), (9/4,), bx^4\exp_{\text{polar}}(I\pi)/a)/(4\gamma(9/4)) + a^2e/(2\sqrt{b}x^2\sqrt{a/(bx^4)+1}) + 3a\sqrt{b}c\operatorname{asinh}(\sqrt{b}x^2/\sqrt{a})/4 + a\sqrt{b}e^2/(2\sqrt{a/(bx^4)+1}) + b^2e\operatorname{Piecewise}(\sqrt{a}x^4/4, \operatorname{Eq}(b, 0)), ((a+bx^4)^{3/2}/(6b), \operatorname{True}))$

$$3.518 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^4} dx$$

Optimal. Leaf size=408

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/15*(-3*e*x^2+5*c)*(b*x^4+a)^{(3/2)}/x^3-1/6*(-f*x^2+3*d)*(b*x^4+a)^{(3/2)}/x^2-1/2*a^{(3/2)}*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/4*a*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2/15*(-5*b*c*x^2+9*a*e)*(b*x^4+a)^{(1/2)}/x+1/4*(3*b*d*x^2+2*a*f)*(b*x^4+a)^{(1/2)}+12/5*a*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(3/4)}*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 408, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1198, 220, 1196, 1252, 813, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^4, x]$

[Out] $(12*a*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (2*(9*a*e - 5*b*c*x^2)*\operatorname{Sqrt}[a + b*x^4])/(15*x) + ((2*a*f + 3*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 - ((5*c - 3*e*x^2)*(a + b*x^4)^{(3/2)})/(15*x^3) - ((3*d - f*x^2)*(a + b*x^4)^{(3/2)})/(6*x^2) + (3*a*\operatorname{Sqrt}[b]*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (a^{(3/2)}*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (12*a^{(5/4)}*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(3/4)}*b^{(1/4)}*(5*\operatorname{Sqrt}[b]*c + 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] \text{ ; FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^2), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ ; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)] * \text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]) / (2*q*\text{Sqrt}[a + b*x^4]), x]] \text{ ; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} * ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b*x)^p}, x], x, x^n], x] \text{ ; FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 813

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^{(m_ \cdot)}) * ((f_ \cdot + (g_ \cdot)(x_)^{(p_ \cdot)} * ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)} * (e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x) * (a + c*x^2)^p / (e^2*(m + 1)*(m + 2*p + 2)), x] + \text{Dist}[p / (e^2*(m + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m + 1)} * (a + c*x^2)^{(p - 1)} * \text{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x], x] \text{ ; FreeQ}[\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{LtQ}[m + 2*p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 815

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^{(m_ \cdot)}) * ((f_ \cdot + (g_ \cdot)(x_)^{(p_ \cdot)} * ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)} * (c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x) * (a + c*x^2)^p / (c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + \text{Dist}[(2*p) / (c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^m * (a + c*x^2)^{(p - 1)} * \text{Simp}[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x], x] \text{ ; FreeQ}[\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ !\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 0])) \ \&\& \ !\text{LtQ}[m + 2*p, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 844

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^{(m_ \cdot)}) * ((f_ \cdot + (g_ \cdot)(x_)^{(p_ \cdot)} * ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)} * (a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m * (a + c*x^2)^p, x], x] \text{ ; FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1196

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^2) / \text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4]) / (a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)] * \text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]) / (q*\text{Sqrt}[a + c*x^4]), x] \text{ ; EqQ}[e + d*q^2, 0] \text{ ; FreeQ}[\{a, c, d, e\},$

x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^4} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^4} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^3} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^4} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^3} dx \\
&= -\frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} - \frac{2}{5} \int \frac{(-3ae - 5bcx^2)\sqrt{a + bx^4}}{x^2} dx + \frac{1}{2} \int \frac{(-3d - fx^2)\sqrt{a + bx^4}}{x} dx \\
&= -\frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} - \frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} - \frac{(3d - fx^2)\sqrt{a + bx^4}}{6} \\
&= -\frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} - \frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.39, size = 194, normalized size = 0.48

$$\frac{x^2 \left(fx \sqrt{\frac{bx^4}{a}} + 1 \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) - 6ae\sqrt{a + bx^4} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) \right) - 2ac\sqrt{a + bx^4}}{6x^3 \sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^4,x]

[Out] (-2*a*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] - 3*a*d*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] + x^2*(f*x*Sqrt[1 + (b*x^4)/a]*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) - 6*a*e*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)])/(6*x^3*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

maple [C] time = 0.22, size = 408, normalized size = 1.00

$$\frac{\sqrt{bx^4+a} b f x^4}{6} + \frac{\sqrt{bx^4+a} b e x^3}{5} - \frac{12i \sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^{\frac{3}{2}} \sqrt{b} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a}} + \frac{12i \sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x)

[Out]
$$-1/3*c*a*(b*x^4+a)^{(1/2)}/x^3+1/3*c*b*x*(b*x^4+a)^{(1/2)}+4/3*c*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/4*d*b*x^2*(b*x^4+a)^{(1/2)}+3/4*d*a*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*d*a/x^2*(b*x^4+a)^{(1/2)}-e*a*(b*x^4+a)^{(1/2)}/x+1/5*e*b*x^3*(b*x^4+a)^{(1/2)}+12/5*I*e*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*e*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/6*f*b*x^4*(b*x^4+a)^{(1/2)}+2/3*f*a*(b*x^4+a)^{(1/2)}-1/2*f*a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^4,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^4, x)

sympy [A] time = 11.34, size = 381, normalized size = 0.93

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{a^{\frac{3}{2}} d}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{a^{\frac{3}{2}} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{\sqrt{a} b c x \Gamma\left(\frac{1}{4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**4,x)

[Out] a**(3/2)*c*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - a**(3/2)*d/(2*x**2*sqrt(1 + b*x**4/a)) + a**(3/2)*e*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**(3/2)*f*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*b*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*b*d*x**2*sqrt(1 + b*x**4/a)/4 - sqrt(a)*b*d*x**2/(2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**2*f/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + 3*a*sqrt(b)*d*asinh(sqrt(b)*x**2/sqrt(a))/4 + a*sqrt(b)*f*x**2/(2*sqrt(a/(b*x**4) + 1)) + b*f*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

$$3.519 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^5} dx$$

Optimal. Leaf size=386

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/12*(3*c/x^4+4*d/x^3+6*e/x^2+12*f/x)*(b*x^4+a)^{(3/2)}-3/4*b*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+3/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}+3/4*b*(e*x^2+c)*(b*x^4+a)^{(1/2)}+2/15*b*x*(9*f*x^2+5*d)*(b*x^4+a)^{(1/2)}+12/5*a*f*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(3/4)}*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 386, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^5, x]

[Out] $(12*a*\operatorname{Sqrt}[b]*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (3*b*(c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (2*b*x*(5*d + 9*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/15 - ((3*c)/x^4 + (4*d)/x^3 + (6*e)/x^2 + (12*f)/x)*(a + b*x^4)^{(3/2)}/12 + (3*a*\operatorname{Sqrt}[b]*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (3*\operatorname{Sqrt}[a]*b*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/4 - (12*a^{(5/4)}*b^{(1/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(3/4)}*b^{(1/4)}*(5*\operatorname{Sqrt}[b]*d + 9*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + b \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x, 1/2]] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[x_]^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 815

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot) + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x)^{(m + 1)} \cdot (c \cdot e \cdot f \cdot (m + 2 \cdot p + 2) - g \cdot c \cdot d \cdot (2 \cdot p + 1) + g \cdot c \cdot e \cdot (m + 2 \cdot p + 1) \cdot x) \cdot (a + c \cdot x^2)^p] / (c \cdot e^2 \cdot (m + 2 \cdot p + 1) \cdot (m + 2 \cdot p + 2)), x] + \text{Dist}[(2 \cdot p) / (c \cdot e^2 \cdot (m + 2 \cdot p + 1) \cdot (m + 2 \cdot p + 2)), \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^{(p - 1)} \cdot \text{Simp}[f \cdot a \cdot c \cdot e^2 \cdot (m + 2 \cdot p + 2) + a \cdot c \cdot d \cdot e \cdot g \cdot m - (c^2 \cdot f \cdot d \cdot e \cdot (m + 2 \cdot p + 2) - g \cdot (c^2 \cdot d^2 \cdot (2 \cdot p + 1) + a \cdot c \cdot e^2 \cdot (m + 2 \cdot p + 1)))] \cdot x, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ !\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 0])) \ \&\& \ !\text{LtQ}[m + 2 \cdot p, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2 \cdot m, 2 \cdot p])$

Rule 844

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot) + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] + \text{Dist}[(e \cdot f - d \cdot g) / e, \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

Rule 1177

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_)^2) \cdot ((a_ + (c_ \cdot)(x_)^4)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(x \cdot (d \cdot (4 \cdot p + 3) + e \cdot (4 \cdot p + 1) \cdot x^2) \cdot (a + c \cdot x^4)^p) / ((4 \cdot p + 1) \cdot (4 \cdot p + 3)), x] + \text{Dist}[(2 \cdot p) / ((4 \cdot p + 1) \cdot (4 \cdot p + 3)), \text{Int}[\text{Simp}[2 \cdot a \cdot d \cdot (4 \cdot p + 3) + (2 \cdot a \cdot e \cdot (4 \cdot p + 1)) \cdot x^2, x] \cdot (a + c \cdot x^4)^{(p - 1)}, x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{FractionQ}[p] \ \&\& \ \text{IntegerQ}[2 \cdot p]$

Rule 1196

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_)^2) / \text{Sqrt}[(a_ + (c_ \cdot)(x_)^4]), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + c \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x],$

$1/2]/(q\sqrt{a + c*x^4}), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[\{a, c, d, e\}, x] \&\& PosQ[c/a]$

Rule 1198

$Int[((d_) + (e_)*(x_)^2)/\sqrt{(a_) + (c_)*(x_)^4}, x_Symbol] :> With[\{q = Rt[c/a, 2]\}, Dist[(e + d*q)/q, Int[1/\sqrt{a + c*x^4}, x], x] - Dist[e/q, Int[(1 - q*x^2)/\sqrt{a + c*x^4}, x], x] /; NeQ[e + d*q, 0]] /; FreeQ[\{a, c, d, e\}, x] \&\& PosQ[c/a]$

Rule 1252

$Int[(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] :> Dist[1/2, Subst[Int[x^{(m-1)/2}*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[\{a, c, d, e, p, q\}, x] \&\& IntegerQ[(m + 1)/2]$

Rule 1825

$Int[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> Module[\{u = IntHide[x^m*Pq, x]\}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^{(m+n)}*(a + b*x^n)^{(p-1)}*ExpandToSum[u/x^{(m+1)}, x], x], x]] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& GtQ[p, 0] \&\& LtQ[m + Expon[Pq, x] + 1, 0]$

Rule 1833

$Int[(Pq_)*((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] :> Module[\{q = Expon[Pq, x], j, k\}, Int[Sum[((c*x)^{(m+j)}*Sum[Coeff[Pq, x, j + (k*n)/2]*x^{(k*n)/2}, \{k, 0, (2*(q-j))/n + 1\})*(a + b*x^n)^p]/c^j, \{j, 0, n/2 - 1\}], x]] /; FreeQ[\{a, b, c, m, p\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n/2, 0] \&\& !PolyQ[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^5} dx &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{4} - \frac{dx}{3} - \frac{ex^2}{2} - \frac{fx^3}{x} \right) \sqrt{a + bx^4}}{x} dx \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{4} - \frac{ex^2}{2} \right) \sqrt{a + bx^4}}{x} dx \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{4} - \frac{ex^2}{2} \right) \sqrt{a + bx^4}}{x} dx \\
&= \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} - \frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} \\
&= \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} - \frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} \\
&= \frac{12a\sqrt{b} fx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} fx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} fx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} fx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 163, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(3x \left(-5a^3 e {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{bx^4}{a} \right) - 10a^3 f x {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) + bcx^2 (a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(2, \frac{5}{2}; \frac{7}{2}; \frac{bx^4}{a} + 1 \right) \right)}{30a^2 x^3 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^5,x]

[Out] (Sqrt[a + b*x^4]*(-10*a^3*d*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] + 3*x*(-5*a^3*e*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] - 10*a^3*f*x*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)] + b*c*x^2*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^3*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

maple [C] time = 0.18, size = 409, normalized size = 1.06

$$\frac{\sqrt{bx^4 + a} b f x^3}{5} - \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} \sqrt{b} f \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}}}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x)

[Out] $\frac{1}{2}c*b*(b*x^4+a)^{(1/2)} - \frac{1}{4}c*a/x^4*(b*x^4+a)^{(1/2)} - \frac{3}{4}c*a^{(1/2)}*b*\ln((2*a + 2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2) - \frac{1}{3}d*a*(b*x^4+a)^{(1/2)}/x^3 + \frac{1}{3}d*b*x*(b*x^4+a)^{(1/2)} + \frac{4}{3}d*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{4}e*b*x^2*(b*x^4+a)^{(1/2)} + \frac{3}{4}e*a*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) - \frac{1}{2}e*a/x^2*(b*x^4+a)^{(1/2)} - f*a*(b*x^4+a)^{(1/2)}/x + \frac{1}{5}f*b*x^3*(b*x^4+a)^{(1/2)} + \frac{12}{5}I*f*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - \frac{12}{5}I*f*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{8} \left(3 \sqrt{a} b \log \left(\frac{\sqrt{bx^4 + a} - \sqrt{a}}{\sqrt{bx^4 + a} + \sqrt{a}} \right) + 4 \sqrt{bx^4 + a} b - \frac{2 \sqrt{bx^4 + a} a}{x^4} \right) c + \int \frac{(bf x^6 + bex^5 + bdx^4 + afx^2 + aex + ad) \sqrt{bx^4 + a}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="maxima")

[Out] $\frac{1}{8}*(3*\sqrt{a}*b*\log((\sqrt{b*x^4 + a} - \sqrt{a})/(\sqrt{b*x^4 + a} + \sqrt{a}))) + 4*\sqrt{b*x^4 + a}*b - 2*\sqrt{b*x^4 + a}*a/x^4)*c + \int (b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*\sqrt{b*x^4 + a}/x^4, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^5,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^5, x)

sympy [C] time = 13.19, size = 379, normalized size = 0.98

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{a^{\frac{3}{2}} e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{3\sqrt{a} bc \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{4} + \sqrt{a} b dx^{\frac{1}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**5,x)

[Out] a**(3/2)*d*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - a**(3/2)*e/(2*x**2*sqrt(1 + b*x**4/a)) + a**(3/2)*f*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - 3*sqrt(a)*b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/4 + sqrt(a)*b*d*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*b*e*x**2*sqrt(1 + b*x**4/a)/4 - sqrt(a)*b*e*x**2/(2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*f*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) - a*sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*x**2) + a*sqrt(b)*c/(2*x**2*sqrt(a/(b*x**4) + 1)) + 3*a*sqrt(b)*e*asinh(sqrt(b)*x**2/sqrt(a))/4 + b**(3/2)*c*x**2/(2*sqrt(a/(b*x**4) + 1))

$$3.520 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^6} dx$$

Optimal. Leaf size=387

$$\frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}cx\sqrt{a+bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{12\sqrt[4]{a}b^{5/4}c(\sqrt{a}}{5(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2)*(b*x^4+a)^{(3/2)}-3/4*b*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+3/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2/15*b*(-5*e*x^2+9*c)*(b*x^4+a)^{(1/2)}/x+3/4*b*(f*x^2+d)*(b*x^4+a)^{(1/2)}+12/5*b^{(3/2)}*c*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(1/4)}*b^{(5/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(1/4)}*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*e*a^{(1/2)}+9*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1272, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}cx\sqrt{a+bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{12\sqrt[4]{a}b^{5/4}c(\sqrt{a}}{5(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^6, x]$

[Out] $(12*b^{(3/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (2*b*(9*c - 5*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(15*x) + (3*b*(d + f*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 - ((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2)*(a + b*x^4)^{(3/2)}/60 + (3*a*\operatorname{Sqrt}[b]*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (3*\operatorname{Sqrt}[a]*b*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/4 - (12*a^{(1/4)}*b^{(5/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(1/4)}*b^{(3/4)}*(9*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x \ \&\& \ \operatorname{SumQ}[u] \ \&\& \ !\operatorname{LinearQ}[u, x] \ \&\& \ !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m], \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]\} /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{LtQ}[-1, m, 0] \ \&\& \ \operatorname{LeQ}[-1, n, 0] \ \&\& \ \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \ \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + b \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[x_]^{(m_)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x_]^{(\text{Simplify}[(m + 1)/n] - 1)} \cdot (a + b \cdot x_)^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 815

$\text{Int}[(d_ + (e_ \cdot)(x_))^{(m_)} \cdot ((f_ + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x)^{(m + 1)} \cdot (c \cdot e \cdot f \cdot (m + 2 \cdot p + 2) - g \cdot c \cdot d \cdot (2 \cdot p + 1) + g \cdot c \cdot e \cdot (m + 2 \cdot p + 1) \cdot x) \cdot (a + c \cdot x^2)^p] / (c \cdot e^2 \cdot (m + 2 \cdot p + 1) \cdot (m + 2 \cdot p + 2)), x] + \text{Dist}[(2 \cdot p) / (c \cdot e^2 \cdot (m + 2 \cdot p + 1) \cdot (m + 2 \cdot p + 2)), \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^{(p - 1)} \cdot \text{Simp}[f \cdot a \cdot c \cdot e^2 \cdot (m + 2 \cdot p + 2) + a \cdot c \cdot d \cdot e \cdot g \cdot m - (c^2 \cdot f \cdot d \cdot e \cdot (m + 2 \cdot p + 2) - g \cdot (c^2 \cdot d^2 \cdot (2 \cdot p + 1) + a \cdot c \cdot e^2 \cdot (m + 2 \cdot p + 1)))] \cdot x, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ !\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 0])) \ \&\& \ !\text{LtQ}[m + 2 \cdot p, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2 \cdot m, 2 \cdot p])$

Rule 844

$\text{Int}[(d_ + (e_ \cdot)(x_))^{(m_)} \cdot ((f_ + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] + \text{Dist}[(e \cdot f - d \cdot g) / e, \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

Rule 1196

$\text{Int}[(d_ + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + c \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (q \cdot \text{Sqrt}[a + c \cdot x^4]), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q) / q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c,$

d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{dx}{4} - \frac{ex^2}{3} \right) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{ex^2}{3} \right) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{ex^2}{3} \right) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} \\
&= -\frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.23, size = 165, normalized size = 0.43

$$\frac{\sqrt{a + bx^4} \left(-6a^3 c {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) - 10a^3 ex^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{4}; \frac{1}{4}; -\frac{bx^4}{a} \right) - 15a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{bx^4}{a} \right) + 3b \right)}{30a^2 x^5 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^6,x]

[Out] (Sqrt[a + b*x^4]*(-6*a^3*c*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] - 10*a^3*e*x^2*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] - 15*a^3*f*x^3*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] + 3*b*d*x^5*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

maple [C] time = 0.21, size = 409, normalized size = 1.06

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \operatorname{abe} \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right) - 12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{a} b^{\frac{3}{2}} c \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} - 5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x)

[Out]
$$-1/5*c*a*(b*x^4+a)^{(1/2)}/x^5-7/5*c*b*(b*x^4+a)^{(1/2)}/x+12/5*I*c*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*c*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*d*b*(b*x^4+a)^{(1/2)}-1/4*d*a/x^4*(b*x^4+a)^{(1/2)}-3/4*d*a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*e*a*(b*x^4+a)^{(1/2)}/x^3+1/3*e*b*x*(b*x^4+a)^{(1/2)}+4/3*e*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/4*f*b*x^2*(b*x^4+a)^{(1/2)}+3/4*f*a*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*f*a/x^2*(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^6,x)

[Out] $\int ((a + b*x^4)^{(3/2)}*(c + d*x + e*x^2 + f*x^3))/x^6, x)$

sympy [C] time = 13.16, size = 386, normalized size = 1.00

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{1}{4}\right)} - \frac{a^{\frac{3}{2}}f}{2x^2\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a}bc\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**6,x)`

[Out] $a^{(3/2)}c\gamma(-5/4)*\text{hyper}((-5/4, -1/2), (-1/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**5*\gamma(-1/4)) + a^{(3/2)}e*\gamma(-3/4)*\text{hyper}((-3/4, -1/2), (1/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**3*\gamma(1/4)) - a^{(3/2)}f/(2*x**2*\sqrt{1 + b*x**4/a}) + \sqrt{a}*b*c*\gamma(-1/4)*\text{hyper}((-1/2, -1/4), (3/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x*\gamma(3/4)) - 3*\sqrt{a}*b*d*\text{asinh}(\sqrt{a}/(\sqrt{b}*x**2))/4 + \sqrt{a}*b*e*x*\gamma(1/4)*\text{hyper}((-1/2, 1/4), (5/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*\gamma(5/4)) + \sqrt{a}*b*f*x**2*\sqrt{1 + b*x**4/a}/4 - \sqrt{a}*b*f*x**2/(2*\sqrt{1 + b*x**4/a}) - a*\sqrt{b}*d*\sqrt{a/(b*x**4) + 1}/(4*x**2) + a*\sqrt{b}*d/(2*x**2*\sqrt{a/(b*x**4) + 1}) + 3*a*\sqrt{b}*f*\text{asinh}(\sqrt{b}*x**2/\sqrt{a})/4 + b^{(3/2)}*d*x**2/(2*\sqrt{a/(b*x**4) + 1})$

$$3.521 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^7} dx$$

Optimal. Leaf size=392

$$\frac{1}{2}b^{3/2}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{2^4\sqrt{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 9\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}d}{5(\sqrt{a+bx^4})}$$

[Out] $-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*c*\text{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/4*b*e*\text{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}-1/4*b*(-3*e*x^2+2*c)*(b*x^4+a)^{(1/2)}/x^2-2/15*b*(-5*f*x^2+9*d)*(b*x^4+a)^{(1/2)}/x+12/5*b^{(3/2)}*d*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(1/4)}*b^{(5/4)}*d*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(1/4)}*b^{(3/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*f*a^{(1/2)}+9*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 392, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1252, 813, 844, 217, 206, 266, 63, 208, 1272, 1198, 220, 1196}

$$\frac{1}{2}b^{3/2}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{2^4\sqrt{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 9\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}d}{5(\sqrt{a+bx^4})}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^7, x]

[Out] $(12*b^{(3/2)}*d*x*\text{Sqrt}[a + b*x^4])/(5*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (b*(2*c - 3*e*x^2)*\text{Sqrt}[a + b*x^4])/(4*x^2) - (2*b*(9*d - 5*f*x^2)*\text{Sqrt}[a + b*x^4])/(15*x) - (((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3)*(a + b*x^4)^{(3/2)})/60 + (b^{(3/2)}*c*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/2 - (3*\text{Sqrt}[a]*b*e*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/4 - (12*a^{(1/4)}*b^{(5/4)}*d*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\text{Sqrt}[a + b*x^4]) + (2*a^{(1/4)}*b^{(3/4)}*(9*\text{Sqrt}[b]*d + 5*\text{Sqrt}[a]*f)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*\text{Sqrt}[a + b*x^4])$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + b \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 813

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x)^{(m + 1)} \cdot (e \cdot f \cdot (m + 2 \cdot p + 2) - d \cdot g \cdot (2 \cdot p + 1) + e \cdot g \cdot (m + 1) \cdot x) \cdot (a + c \cdot x^2)^p] / (e^2 \cdot (m + 1) \cdot (m + 2 \cdot p + 2)), x] + \text{Dist}[p / (e^2 \cdot (m + 1) \cdot (m + 2 \cdot p + 2)), \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^{(p - 1)} \cdot \text{Simp}[g \cdot (2 \cdot a \cdot e + 2 \cdot a \cdot e \cdot m) + (g \cdot (2 \cdot c \cdot d + 4 \cdot c \cdot d \cdot p) - 2 \cdot c \cdot e \cdot f \cdot (m + 2 \cdot p + 2)) \cdot x, x], x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{LtQ}[m + 2 \cdot p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2 \cdot m, 2 \cdot p])$

Rule 844

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] + \text{Dist}[(e \cdot f - d \cdot g)/e, \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

Rule 1196

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + c \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (q \cdot \text{Sqrt}[a + c \cdot x^4]), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q)/q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c,$

d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{dx}{5} - \frac{ex^2}{4} \right) \sqrt{a + bx^4}}{x^3} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{ex^2}{4} \right) \sqrt{a + bx^4}}{x^3} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{ex^2}{4} \right) \sqrt{a + bx^4}}{x^3} dx \\
&= -\frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} \\
&= -\frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 163, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(-5a^3 c {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) - 6a^3 dx {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) - 10a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{4}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 3be \right)}{30a^2 x^6 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^7,x]

[Out] (Sqrt[a + b*x^4]*(-5*a^3*c*Hypergeometric2F1[-3/2, -3/2, -1/2, -((b*x^4)/a)] - 6*a^3*d*x*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] - 10*a^3*f*x^3*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] + 3*b*e*x^6*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^6*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^7}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)

maple [C] time = 0.21, size = 408, normalized size = 1.04

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}abf\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)-12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}-5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x)

[Out]
$$-1/5*d*a*(b*x^4+a)^{(1/2)}/x^5-7/5*d*b*(b*x^4+a)^{(1/2)}/x+12/5*I*d*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*d*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*e*b*(b*x^4+a)^{(1/2)}-1/4*e*a/x^4*(b*x^4+a)^{(1/2)}-3/4*e*a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*f*a*(b*x^4+a)^{(1/2)}/x^3+1/3*f*b*x*(b*x^4+a)^{(1/2)}+4/3*f*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*c*b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/6*c*a/x^6*(b*x^4+a)^{(1/2)}-2/3*c*b/x^2*(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{12}\left(3b^{\frac{3}{2}}\log\left(-\frac{\sqrt{b}-\frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b}+\frac{\sqrt{bx^4+a}}{x^2}}\right)+\frac{6\sqrt{bx^4+a}b}{x^2}+\frac{2(bx^4+a)^{\frac{3}{2}}}{x^6}\right)c+\int\frac{(bfx^6+bex^5+bdx^4+afx^2+aex+ad)\sqrt{bx^4+a}}{x^6}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="maxima")

[Out]
$$-1/12*(3*b^{(3/2)}*\log(-(\text{sqrt}(b)-\text{sqrt}(b*x^4+a)/x^2)/(\text{sqrt}(b)+\text{sqrt}(b*x^4+a)/x^2)))+6*\text{sqrt}(b*x^4+a)*b/x^2+2*(b*x^4+a)^{(3/2)}/x^6*c+\text{integrate}((b*f*x^6+b*e*x^5+b*d*x^4+a*f*x^2+a*e*x+a*d)*\text{sqrt}(b*x^4+a)/x^6,x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^7,x)`

[Out] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^7, x)`

sympy [C] time = 12.31, size = 406, normalized size = 1.04

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} bc}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} b d \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{4}, -\frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**7,x)`

[Out] `a**(3/2)*d*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + a**(3/2)*f*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*b*c/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*d*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - 3*sqrt(a)*b*e*asinh(sqrt(a)/(sqrt(b)*x**2))/4 + sqrt(a)*b*f*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) - a*sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(6*x**4) - a*sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(4*x**2) + a*sqrt(b)*e/(2*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*c*sqrt(a/(b*x**4) + 1)/6 + b**(3/2)*c*asinh(sqrt(b)*x**2/sqrt(a))/2 + b**(3/2)*e*x**2/(2*sqrt(a/(b*x**4) + 1)) - b**2*c*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))`

$$3.522 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^8} dx$$

Optimal. Leaf size=412

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{35^4 \sqrt[4]{a} \sqrt{a+bx^4}} + \frac{1}{2} b^{3/2} d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}ex^2}{5(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)*d}$
 $*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/4*b*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})$
 $*a^{(1/2)}-12/5*b*e*(b*x^4+a)^{(1/2)}/x-2/35*b*(-21*e*x^2+5*c)*(b*x^4+a)^{(1/2)}/x^3$
 $-1/4*b*(-3*f*x^2+2*d)*(b*x^4+a)^{(1/2)}/x^2+12/5*b^{(3/2)*e*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})}$
 $-12/5*a^{(1/4)*b^{(5/4)*e*(\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}))}^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}))}$
 $*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*b^{(5/4)*(\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}))}^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}))}$
 $*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)*x/a^{(1/4)})), 1/2*2^{(1/2)})*(21*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 412, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 16, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {14, 1825, 1833, 1272, 1282, 1198, 220, 1196, 1252, 813, 844, 217, 206, 266, 63, 208}

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{35^4 \sqrt[4]{a} \sqrt{a+bx^4}} + \frac{1}{2} b^{3/2} d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}ex^2}{5(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^8, x]$

[Out] $(-12*b*e*\operatorname{Sqrt}[a + b*x^4])/(5*x) + (12*b^{(3/2)*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (2*b*(5*c - 21*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(35*x^3) - (b*(2*d - 3*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(4*x^2) - (((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4)*(a + b*x^4)^{(3/2)}/420 + (b^{(3/2)*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (3*\operatorname{Sqrt}[a]*b*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/4 - (12*a^{(1/4)*b^{(5/4)*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]}*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)*x}/a^{(1/4)}), 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*b^{(5/4)*e*(5*\operatorname{Sqrt}[b]*c + 21*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]}*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)*x}/a^{(1/4)}), 1/2])/(35*a^{(1/4)*\operatorname{Sqrt}[a + b*x^4])}$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x\} \&\& \operatorname{SumQ}[u] \&\& \operatorname{!LinearQ}[u, x] \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)*(v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}, x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + b \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_ \cdot)})^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 813

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x)^{(m + 1)} \cdot (e \cdot f \cdot (m + 2 \cdot p + 2) - d \cdot g \cdot (2 \cdot p + 1) + e \cdot g \cdot (m + 1) \cdot x) \cdot (a + c \cdot x^2)^p] / (e^2 \cdot (m + 1) \cdot (m + 2 \cdot p + 2)), x] + \text{Dist}[p / (e^2 \cdot (m + 1) \cdot (m + 2 \cdot p + 2)), \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^{(p - 1)} \cdot \text{Simp}[g \cdot (2 \cdot a \cdot e + 2 \cdot a \cdot e \cdot m) + (g \cdot (2 \cdot c \cdot d + 4 \cdot c \cdot d \cdot p) - 2 \cdot c \cdot e \cdot f \cdot (m + 2 \cdot p + 2)) \cdot x, x], x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{LtQ}[m + 2 \cdot p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2 \cdot m, 2 \cdot p])$

Rule 844

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] + \text{Dist}[(e \cdot f - d \cdot g) / e, \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

Rule 1196

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + c \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (q \cdot \text{Sqrt}[a + c \cdot x^4]), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ \cdot + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q) / q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c,$

d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1282

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^8} dx &= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \left(\frac{-\frac{c}{7} - \frac{dx}{6}}{x^7} \right) dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \left(\frac{\left(-\frac{c}{7} - \frac{ex^2}{5} \right)}{x^7} \right) dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{7} - \frac{ex^2}{5} \right)}{x^7} dx \\
&= -\frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3} - \frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} - \frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3} - \frac{b(2d - 3fx^2)\sqrt{a + bx^4}}{4x^2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} - \frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3} - \frac{b(2d - 3fx^2)\sqrt{a + bx^4}}{4x^2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2b(5c - 21ex^2)\sqrt{a + bx^4}}{35x^3}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 164, normalized size = 0.40

$$\frac{\sqrt{a + bx^4} \left(7x \left(-5a^3 d {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) - 6a^3 ex {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 3bfx^6 (a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(2, \frac{5}{2}, \frac{7}{2}, 1 + \frac{bx^4}{a} \right) \right)}{210a^2x^7\sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^8,x]

[Out] (Sqrt[a + b*x^4]*(-30*a^3*c*Hypergeometric2F1[-7/4, -3/2, -3/4, -((b*x^4)/a)] + 7*x*(-5*a^3*d*Hypergeometric2F1[-3/2, -3/2, -1/2, -((b*x^4)/a)] - 6*a^3*e*x*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] + 3*b*f*x^6*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(210*a^2*x^7*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^8}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

maple [C] time = 0.22, size = 411, normalized size = 1.00

$$\frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}+\frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x)

[Out]
$$-1/5*e*a*(b*x^4+a)^{(1/2)}/x^5-7/5*b*e*(b*x^4+a)^{(1/2)}/x+12/5*I*e*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*e*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*f*b*(b*x^4+a)^{(1/2)}-1/4*f*a/x^4*(b*x^4+a)^{(1/2)}-3/4*f*a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/7*c*a*(b*x^4+a)^{(1/2)}/x^7-3/7*c*b*(b*x^4+a)^{(1/2)}/x^3+4/7*c*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*d*b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/6*d*a/x^6*(b*x^4+a)^{(1/2)}-2/3*d*b/x^2*(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^8,x)

[Out] $\int ((a + b*x^4)^{(3/2)}*(c + d*x + e*x^2 + f*x^3))/x^8, x)$

sympy [C] time = 13.00, size = 415, normalized size = 1.01

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a}bd}{2x^2\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**8,x)`

[Out] $a^{(3/2)}c\gamma(-7/4)\text{hyper}((-7/4, -1/2), (-3/4,), b*x^{**4}\text{exp_polar}(I*\pi)/a)/(4*x^{**7}\gamma(-3/4)) + a^{(3/2)}e\gamma(-5/4)\text{hyper}((-5/4, -1/2), (-1/4,), b*x^{**4}\text{exp_polar}(I*\pi)/a)/(4*x^{**5}\gamma(-1/4)) + \text{sqrt}(a)*b*c\gamma(-3/4)\text{hyper}((-3/4, -1/2), (1/4,), b*x^{**4}\text{exp_polar}(I*\pi)/a)/(4*x^{**3}\gamma(1/4)) - \text{sqrt}(a)*b*d/(2*x^{**2}\text{sqrt}(1 + b*x^{**4}/a)) + \text{sqrt}(a)*b*e\gamma(-1/4)\text{hyper}((-1/2, -1/4), (3/4,), b*x^{**4}\text{exp_polar}(I*\pi)/a)/(4*x*\gamma(3/4)) - 3*\text{sqrt}(a)*b*f*\text{asinh}(\text{sqrt}(a)/(\text{sqrt}(b)*x^{**2}))/4 - a*\text{sqrt}(b)*d*\text{sqrt}(a/(b*x^{**4}) + 1)/(6*x^{**4}) - a*\text{sqrt}(b)*f*\text{sqrt}(a/(b*x^{**4}) + 1)/(4*x^{**2}) + a*\text{sqrt}(b)*f/(2*x^{**2}\text{sqrt}(a/(b*x^{**4}) + 1)) - b^{(3/2)}*d*\text{sqrt}(a/(b*x^{**4}) + 1)/6 + b^{(3/2)}*d*\text{asinh}(\text{sqrt}(b)*x^{**2}/\text{sqrt}(a))/2 + b^{(3/2)}*f*x^{**2}/(2*\text{sqrt}(a/(b*x^{**4}) + 1)) - b^{**2}*d*x^{**2}/(2*\text{sqrt}(a)*\text{sqrt}(1 + b*x^{**4}/a))$

$$3.523 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^9} dx$$

Optimal. Leaf size=377

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}fx^2}{5(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*e*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})}-3/16*b^2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)/a^{(1/2)})/a^{(1/2)}-1/560*b*(105*c/x^4+160*d/x^3+280*e/x^2+672*f/x)*(b*x^4+a)^{(1/2)}+12/5*b^{(3/2)}*f*x*(b*x^4+a)^{(1/2)/(a^{(1/2)}+x^2*b^{(1/2)})}-12/5*a^{(1/4)}*b^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)/(b*x^4+a)^{(1/2)}+2/3*5*b^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(21*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 377, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$-\frac{3b^2c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{16\sqrt{a}} + \frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}fx^2}{5(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^9, x]$

[Out] $-(b*((105*c)/x^4 + (160*d)/x^3 + (280*e)/x^2 + (672*f)/x)*\operatorname{Sqrt}[a + b*x^4])/560 + (12*b^{(3/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5)*(a + b*x^4)^{(3/2)}/840 + (b^{(3/2)}*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (3*b^2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (12*a^{(1/4)}*b^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*b^{(5/4)}*(5*\operatorname{Sqrt}[b]*d + 21*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(35*a^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x\} \&\& \operatorname{SumQ}[u] \&\& \operatorname{!LinearQ}[u, x] \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)*(v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m], \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]\} /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + b \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_ \cdot)})^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 275

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_ \cdot)})^{(p_ \cdot)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{((m + 1)/k - 1) \cdot (a + b \cdot x^{(n/k)})^p}, x], x, x^k], x] /; k \neq 1 /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1196

$\text{Int}[(d_ + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[a + c \cdot x^4] / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2] / (q \cdot \text{Sqrt}[a + c \cdot x^4]), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_ \cdot)(x_)^2) / \text{Sqrt}[a_ + (c_ \cdot)(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q) / q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1825

$\text{Int}[(Pq_) \cdot (x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_ \cdot)})^{(p_ \cdot)}), x_Symbol] \rightarrow \text{Module}\{u = \text{IntHide}[x^m \cdot Pq, x]\}, \text{Simp}[u \cdot (a + b \cdot x^n)^p, x] - \text{Dist}[b \cdot n \cdot p, \text{Int}[x^{(m + n)} \cdot (a + b \cdot x^n)^{(p - 1)} \cdot \text{ExpandToSum}[u/x^{(m + 1)}, x], x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m + \text{Expon}[Pq, x] + 1, 0]$

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n]^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^9} dx &= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) (a + bx^4)^{3/2} - (6b) \int \left(-\frac{c}{8} - \frac{dx}{7} \right) \sqrt{a + bx^4} dx \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right) (a + bx^4)^{3/2} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right) (a + bx^4)^{3/2} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right) (a + bx^4)^{3/2} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right) (a + bx^4)^{3/2} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right) (a + bx^4)^{3/2} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} + \frac{12b^{3/2}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} \\ &= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} + \frac{12b^{3/2}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} \end{aligned}$$

Mathematica [C] time = 0.32, size = 174, normalized size = 0.46

$$\frac{\sqrt{a + bx^4} \left(7 \left(40a^2ex^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) + 48a^2fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 15c \left(3b^2x^8 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) \right) \right)}{1680ax^8\sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^9,x]
```

```
[Out] -1/1680*(Sqrt[a + b*x^4]*(240*a^2*d*x*Hypergeometric2F1[-7/4, -3/2, -3/4, -
((b*x^4)/a)] + 7*(15*c*(a*(2*a + 5*b*x^4)*Sqrt[1 + (b*x^4)/a] + 3*b^2*x^8*A
rcTanh[Sqrt[1 + (b*x^4)/a]]) + 40*a^2*e*x^2*Hypergeometric2F1[-3/2, -3/2, -
```

$1/2, -((b*x^4)/a)] + 48*a^2*f*x^3*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)])))/(a*x^8*Sqrt[1 + (b*x^4)/a])$

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

maple [C] time = 0.21, size = 416, normalized size = 1.10

$$\frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}} + \frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x)

[Out] $-1/5*f*a*(b*x^4+a)^{(1/2)}/x^5-7/5*f*b*(b*x^4+a)^{(1/2)}/x+12/5*I*f*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*f*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/8*c*a/x^8*(b*x^4+a)^{(1/2)}-5/16*c*b/x^4*(b*x^4+a)^{(1/2)}-3/16*c*b^2/a^{(1/2)}*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/7*d*a*(b*x^4+a)^{(1/2)}/x^7-3/7*d*b*(b*x^4+a)^{(1/2)}/x^3+4/7*d*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*e*b^{(3/2)}*ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/6*e*a/x^6*(b*x^4+a)^{(1/2)}-2/3*e*b/x^2*(b*x^4+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{32} \left(\frac{3b^2 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{\sqrt{a}} - \frac{2\left(5(bx^4+a)^{\frac{3}{2}}b^2 - 3\sqrt{bx^4+a}ab^2\right)}{(bx^4+a)^2 - 2(bx^4+a)a + a^2} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + a)}{x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="maxima")

[Out] $\frac{1}{32} \cdot (3b^2 \log(\frac{\sqrt{bx^4+a} - \sqrt{a}}{\sqrt{bx^4+a} + \sqrt{a}})) / \sqrt{bx^4+a} - 2 \cdot (5 \cdot (bx^4+a)^{3/2} \cdot b^2 - 3 \cdot \sqrt{bx^4+a} \cdot a \cdot b^2) / ((bx^4+a)^2 - 2 \cdot (bx^4+a) \cdot a + a^2)) \cdot c + \text{integrate}((bf \cdot x^6 + be \cdot x^5 + bd \cdot x^4 + af \cdot x^2 + ae \cdot x + ad) \cdot \sqrt{bx^4+a} / x^8, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^9,x)`

[Out] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^9, x)`

sympy [C] time = 18.59, size = 444, normalized size = 1.18

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} b e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**9,x)`

[Out] `a**(3/2)*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + a**(3/2)*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*b*d*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*b*e/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*f*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**2*c/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*a*sqrt(b)*c/(16*x**6*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*c*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*c/(16*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*e*sqrt(a/(b*x**4) + 1)/6 + b**(3/2)*e*asinh(sqrt(b)*x**2/sqrt(a))/2 - 3*b**2*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*sqrt(a)) - b**2*e*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))`

$$3.524 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{10}} dx$$

Optimal. Leaf size=405

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{105a^{3/4}\sqrt{a+bx^4} - 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/504*(56*c/x^9+63*d/x^8+72*e/x^7+84*f/x^6)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*f*\arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/16*b^2*d*\arctanh((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/1680*b*(224*c/x^5+315*d/x^4+480*e/x^3+840*f/x^2)*(b*x^4+a)^{(1/2)}-4/15*b^2*c*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*c*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+2/105*b^{(7/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(15*e*a^{(1/2)}+7*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 405, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{105a^{3/4}\sqrt{a+bx^4} - 15a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^10,x]

[Out] $-(b*((224*c)/x^5 + (315*d)/x^4 + (480*e)/x^3 + (840*f)/x^2)*\text{Sqrt}[a + b*x^4])/1680 - (4*b^2*c*\text{Sqrt}[a + b*x^4])/((15*a*x) + (4*b^{(5/2)}*c*x*\text{Sqrt}[a + b*x^4]))/(15*a*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (((56*c)/x^9 + (63*d)/x^8 + (72*e)/x^7 + (84*f)/x^6)*(a + b*x^4)^{(3/2)}/504 + (b^{(3/2)}*f*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/2 - (3*b^2*d*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/(16*\text{Sqrt}[a]) - (4*b^{(9/4)}*c*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((15*a^{(3/4)}*\text{Sqrt}[a + b*x^4]) + (2*b^{(7/4)}*(7*\text{Sqrt}[b]*c + 15*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]))/(105*a^{(3/4)}*\text{Sqrt}[a + b*x^4])$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^2), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + b \cdot x^4) / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x, 1/2]] / (2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((a_ + (b_ \cdot)(x_)^n))^p, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 844

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_))^{(m_ \cdot)} \cdot ((f_ \cdot) + (g_ \cdot)(x_)) \cdot ((a_ + (c_ \cdot)(x_)^2)^p), x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] + \text{Dist}[(e \cdot f - d \cdot g)/e, \text{Int}[(d + e \cdot x)^m \cdot (a + c \cdot x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1196

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_)^2) / \text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]) / (a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4) / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x, 1/2]] / (q \cdot \text{Sqrt}[a + c \cdot x^4]), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}(((d_ \cdot) + (e_ \cdot)(x_)^2) / \text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q) / q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_ \cdot)} \cdot ((d_ \cdot) + (e_ \cdot)(x_)^2)^{(q_ \cdot)} \cdot ((a_ + (c_ \cdot)(x_)^4)^p), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2) \cdot (d + e \cdot x)^q \cdot (a + c \cdot x^2)^p}, x], x, x^2], x] /; \text{FreeQ}\{a, c, d, e, p, q\}, x \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1282

$\text{Int}(((f_ \cdot)(x_))^{(m_ \cdot)} \cdot ((d_ \cdot) + (e_ \cdot)(x_)^2) \cdot ((a_ + (c_ \cdot)(x_)^4)^p), x_Symbol] \rightarrow \text{Simp}[(d \cdot (f \cdot x)^{(m + 1)} \cdot (a + c \cdot x^4)^{(p + 1)}) / (a \cdot f \cdot (m + 1)), x] + \text{D}$

ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{10}} dx &= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{9} - \frac{dx}{8} - \frac{ex^2}{6} - \frac{fx^3}{4} \right) (a + bx^4)^{3/2}}{x^9} dx \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}c}{15a} \left(\frac{1}{x^9} + \frac{1}{x^8} + \frac{1}{x^7} + \frac{1}{x^6} \right) \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}c}{15a} \left(\frac{1}{x^9} + \frac{1}{x^8} + \frac{1}{x^7} + \frac{1}{x^6} \right) \\
 &= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}c}{15a} \left(\frac{1}{x^9} + \frac{1}{x^8} + \frac{1}{x^7} + \frac{1}{x^6} \right)
 \end{aligned}$$

Mathematica [C] time = 0.35, size = 174, normalized size = 0.43

$$\frac{\sqrt{a+bx^4} \left(3x \left(7 \left(8a^2 f x^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) + 9b^2 dx^8 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 3ad(2a + 5bx^4) \sqrt{\frac{bx^4}{a} + 1} \right) + 4 \right)}{1008ax^9 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^10,x]

[Out] -1/1008*(Sqrt[a + b*x^4]*(112*a^2*c*Hypergeometric2F1[-9/4, -3/2, -5/4, -(b*x^4)/a] + 3*x*(48*a^2*e*x*Hypergeometric2F1[-7/4, -3/2, -3/4, -(b*x^4)/a] + 7*(3*a*d*(2*a + 5*b*x^4)*Sqrt[1 + (b*x^4)/a] + 9*b^2*d*x^8*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 8*a^2*f*x^2*Hypergeometric2F1[-3/2, -3/2, -1/2, -(b*x^4)/a])))/(a*x^9*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^10, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

maple [C] time = 0.21, size = 437, normalized size = 1.08

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right) + 4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}} + \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right) + 4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x)

[Out] -1/8*d*a/x^8*(b*x^4+a)^(1/2)-5/16*d*b/x^4*(b*x^4+a)^(1/2)-3/16*d*b^2/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/9*c*a*(b*x^4+a)^(1/2)/x^9-11/45*c*b*(b*x^4+a)^(1/2)/x^5-4/15*b^2*c*(b*x^4+a)^(1/2)/a/x+4/15*I*c/a^(1/2)*b^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-4/15*I*c/a^(1/2)*b^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-1/7*e*a*(b*x^4+a)^(1/2)/x^7-3/7*e*b*(b*x^4+a)^(1/2)/x^3+4/7*e*b^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)

$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^10,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^10, x)

sympy [C] time = 21.89, size = 449, normalized size = 1.11

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} b c \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} b e \Gamma\left(-\frac{3}{4}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**10,x)

[Out] $a^{3/2} c \gamma(-9/4) \text{hyper}((-9/4, -1/2), (-5/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**9*\gamma(-5/4)) + a^{3/2} e \gamma(-7/4) \text{hyper}((-7/4, -1/2), (-3/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**7*\gamma(-3/4)) + \sqrt{a} b c \gamma(-5/4) \text{hyper}((-5/4, -1/2), (-1/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**5*\gamma(-1/4)) + \sqrt{a} b e \gamma(-3/4) \text{hyper}((-3/4, -1/2), (1/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*x**3*\gamma(1/4)) - \sqrt{a} b f / (2*x**2*\sqrt{1 + b*x**4/a}) - a**2*d/(8*\sqrt{b}*x**10*\sqrt{a/(b*x**4) + 1}) - 3*a*\sqrt{b}*d/(16*x**6*\sqrt{a/(b*x**4) + 1}) - a*\sqrt{b}*f*\sqrt{a/(b*x**4) + 1}/(6*x**4) - b**(3/2)*d*\sqrt{a/(b*x**4) + 1}/(4*x**2) - b**(3/2)*d/(16*x**2*\sqrt{a/(b*x**4) + 1}) - b**(3/2)*f*\sqrt{a/(b*x**4) + 1}/6 + b**(3/2)*f*asinh(\sqrt{b}*x**2/\sqrt{a})/2 - 3*b**2*d*asinh(\sqrt{a}/(\sqrt{b}*x**2))/(16*\sqrt{a}) - b**2*f*x**2/(2*\sqrt{a})*\sqrt{1 + b*x**4/a})$

$$3.525 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{11}} dx$$

Optimal. Leaf size=399

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{a}f + 7\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2} \middle| \frac{1}{2}\right)}{105a^{3/4}\sqrt{a+bx^4} + 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2520*(252*c/x^{10}+280*d/x^9+315*e/x^8+360*f/x^7)*(b*x^4+a)^{(3/2)}-3/16*b^2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/1680*b*(168*c/x^6+224*d/x^5+315*e/x^4+480*f/x^3)*(b*x^4+a)^{(1/2)}-1/10*b^2*c*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*d*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*d*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+2/105*b^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(15*f*a^{(1/2)}+7*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.42, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{a}f + 7\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2} \middle| \frac{1}{2}\right)}{105a^{3/4}\sqrt{a+bx^4} + 15a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{11}, x]$

[Out] $-(b*((168*c)/x^6 + (224*d)/x^5 + (315*e)/x^4 + (480*f)/x^3)*\operatorname{Sqrt}[a + b*x^4])/1680 - (b^2*c*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) - (4*b^2*d*\operatorname{Sqrt}[a + b*x^4])/(15*a*x) + (4*b^{(5/2)}*d*x*\operatorname{Sqrt}[a + b*x^4])/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - ((252*c)/x^{10} + (280*d)/x^9 + (315*e)/x^8 + (360*f)/x^7)*(a + b*x^4)^{(3/2)}/2520 - (3*b^2*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (4*b^{(9/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*b^{(7/4)}*(7*\operatorname{Sqrt}[b]*d + 15*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)(c_*)(x_*)^{(m_*)}, x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \ \&\& \operatorname{SumQ}[u] \ \&\& \operatorname{!LinearQ}[u, x] \ \&\& \operatorname{!MatchQ}[u, (a_*) + (b_*)(v_*)] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)(x_*)^{(m_*)}*((c_*) + (d_*)(x_*)^{(n_*)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{LtQ}[-1, m, 0] \ \&\& \operatorname{LeQ}[-1, n, 0] \ \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + b \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2])/(2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) \cdot (a + b \cdot x)^p}, x], x, x^n], x] \text{ ; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_ \cdot)(x_)^{(m_)}) \cdot ((f_ + (g_ \cdot)(x_) \cdot ((a_ + (c_ \cdot)(x_)^2)^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(e \cdot f - d \cdot g) \cdot (d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^{(p + 1)})/(2 \cdot (p + 1) \cdot (c \cdot d^2 + a \cdot e^2)), x] + \text{Dist}[(c \cdot d \cdot f + a \cdot e \cdot g)/(c \cdot d^2 + a \cdot e^2), \text{Int}[(d + e \cdot x)^{(m + 1)} \cdot (a + c \cdot x^2)^p, x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2 \cdot p + 3], 0]$

Rule 1196

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/\text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4])/(a \cdot (1 + q^2 \cdot x^2)), x] + \text{Simp}[(d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2])/(q \cdot \text{Sqrt}[a + c \cdot x^4]), x] \text{ ; EqQ}[e + d \cdot q^2, 0] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/\text{Sqrt}[(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q)/q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2)/\text{Sqrt}[a + c \cdot x^4], x], x] \text{ ; NeQ}[e + d \cdot q, 0] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)} \cdot ((d_ + (e_ \cdot)(x_)^2)^{(q_)} \cdot ((a_ + (c_ \cdot)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2) \cdot (d + e \cdot x)^q \cdot (a + c \cdot x^2)^p}, x], x, x^2], x] \text{ ; FreeQ}\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1282

$\text{Int}[(f_ \cdot)(x_)^{(m_)} \cdot ((d_ + (e_ \cdot)(x_)^2) \cdot ((a_ + (c_ \cdot)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(d \cdot (f \cdot x)^{(m + 1)} \cdot (a + c \cdot x^4)^{(p + 1)})/(a \cdot f \cdot (m + 1)), x] + \text{Dist}[1/(a \cdot f^2 \cdot (m + 1)), \text{Int}[(f \cdot x)^{(m + 2)} \cdot (a + c \cdot x^4)^p \cdot (a \cdot e \cdot (m + 1) - c \cdot d \cdot (m + 4 \cdot p + 5) \cdot x^2), x], x] \text{ ; FreeQ}\{a, c, d, e, f, p\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2 \cdot p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1825

$\text{Int}[(Pq_ \cdot)(x_)^{(m_)} \cdot ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Module}\{u = \text{IntHide}[x^m \cdot Pq, x]\}, \text{Simp}[u \cdot (a + b \cdot x^n)^p, x] - \text{Dist}[b \cdot n \cdot p, \text{Int}[x^{(m + n)} \cdot (a + b \cdot x^n)^{(p - 1)} \cdot \text{ExpandToSum}[u/x^{(m + 1)}, x], x], x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m + \text{Expon}[Pq, x] + 1,$

0]

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{11}} dx &= -\frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} - (6b) \int \frac{\left(-\frac{c}{10} - \frac{dx}{9} - \frac{ex^2}{8} - \frac{fx^3}{7}\right)(a + bx^4)^{3/2}}{x^7} dx \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520}
\end{aligned}$$

Mathematica [C] time = 0.35, size = 171, normalized size = 0.43

$$\frac{\sqrt{a + bx^4} \left(63\sqrt{\frac{bx^4}{a}} + 1 \left(2a^2(4c + 5ex^2) + abx^4(16c + 25ex^2) + 8b^2cx^8 \right) + 560a^2dx {}_2F_1\left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a}\right) + 72 \right)}{5040ax^{10}\sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^11, x]

[Out] $-1/5040*(\text{Sqrt}[a + b*x^4]*(63*\text{Sqrt}[1 + (b*x^4)/a]*(8*b^2*c*x^8 + 2*a^2*(4*c + 5*e*x^2) + a*b*x^4*(16*c + 25*e*x^2)) + 945*b^2*e*x^{10}*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^4)/a]] + 560*a^2*d*x*\text{Hypergeometric2F1}[-9/4, -3/2, -5/4, -((b*x^4)/a)] + 720*a^2*f*x^3*\text{Hypergeometric2F1}[-7/4, -3/2, -3/4, -((b*x^4)/a)]))/(a*x^{10}*\text{Sqrt}[1 + (b*x^4)/a])$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{11}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="fricas")`

[Out] `integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^11, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="giac")`

[Out] `integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^11, x)`

maple [C] time = 0.19, size = 417, normalized size = 1.05

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x)`

[Out] $-1/8*e*a/x^8*(b*x^4+a)^{(1/2)}-5/16*e*b/x^4*(b*x^4+a)^{(1/2)}-3/16*e*b^2/a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/9*d*a*(b*x^4+a)^{(1/2)}/x^9-11/45*d*b*(b*x^4+a)^{(1/2)}/x^5-4/15*b^2*d*(b*x^4+a)^{(1/2)}/a/x+4/15*I*d/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-4/15*I*d/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/7*f*a*(b*x^4+a)^{(1/2)}/x^7-3/7*f*b*(b*x^4+a)^{(1/2)}/x^3+4/7*f*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/10*c*(b*x^4+a)^{(1/2)}/x^{10}/a*(b^2*x^8+2*a*b*x^4+a^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{(bx^4 + a)^{\frac{5}{2}}c}{10ax^{10}} + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad)\sqrt{bx^4 + a}}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="maxima")`

[Out] $-1/10*(b*x^4 + a)^{(5/2)*c/(a*x^{10}) + \text{integrate}((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*\text{sqrt}(b*x^4 + a)/x^{10}, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((a + b*x^4)^{(3/2)*(c + d*x + e*x^2 + f*x^3))/x^{11}, x)$

[Out] $\text{int}(((a + b*x^4)^{(3/2)*(c + d*x + e*x^2 + f*x^3))/x^{11}, x)$

sympy [C] time = 19.19, size = 398, normalized size = 1.00

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(-\frac{9}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} b f \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^3 \Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**11,x)$

[Out] $a^{(3/2)*d*\text{gamma}(-9/4)*\text{hyper}((-9/4, -1/2), (-5/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*x**9*\text{gamma}(-5/4)) + a^{(3/2)*f*\text{gamma}(-7/4)*\text{hyper}((-7/4, -1/2), (-3/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*x**7*\text{gamma}(-3/4)) + \text{sqrt}(a)*b*d*\text{gamma}(-5/4)*\text{hyper}((-5/4, -1/2), (-1/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*x**5*\text{gamma}(-1/4)) + \text{sqrt}(a)*b*f*\text{gamma}(-3/4)*\text{hyper}((-3/4, -1/2), (1/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*x**3*\text{gamma}(1/4)) - a**2*e/(8*\text{sqrt}(b)*x**10*\text{sqrt}(a/(b*x**4) + 1)) - a*\text{sqrt}(b)*c*\text{sqrt}(a/(b*x**4) + 1)/(10*x**8) - 3*a*\text{sqrt}(b)*e/(16*x**6*\text{sqrt}(a/(b*x**4) + 1)) - b**(3/2)*c*\text{sqrt}(a/(b*x**4) + 1)/(5*x**4) - b**(3/2)*e*\text{sqrt}(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*e/(16*x**2*\text{sqrt}(a/(b*x**4) + 1)) - b**(5/2)*c*\text{sqrt}(a/(b*x**4) + 1)/(10*a) - 3*b**2*e*\text{asinh}(\text{sqrt}(a)/(\text{sqrt}(b)*x**2))/(16*\text{sqrt}(a))$

3.526
$$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{12}} dx$$

Optimal. Leaf size=424

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}c - 77\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) 4b^{9/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155a^{5/4}\sqrt{a+bx^4} \quad 15a^{3/4}\sqrt{a+b}}$$

[Out] $-1/3960*(360*c/x^{11}+396*d/x^{10}+440*e/x^9+495*f/x^8)*(b*x^4+a)^{(3/2)}-3/16*b^2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/18480*b*(1440*c/x^7+1848*d/x^6+2464*e/x^5+3465*f/x^4)*(b*x^4+a)^{(1/2)}-4/77*b^2*c*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*d*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*e*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*e*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-2/1155*b^{(9/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-77*e*a^{(1/2)}+15*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}c - 77\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) 4b^{9/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155a^{5/4}\sqrt{a+bx^4} \quad 15a^{3/4}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + dx + ex^2 + fx^3)(a + bx^4)^{(3/2)}/x^{12},x]$
 [Out] $-(b*((1440*c)/x^7 + (1848*d)/x^6 + (2464*e)/x^5 + (3465*f)/x^4)*\operatorname{Sqrt}[a + b*x^4])/18480 - (4*b^2*c*\operatorname{Sqrt}[a + b*x^4])/((77*a*x^3) - (b^2*d*\operatorname{Sqrt}[a + b*x^4]))/(10*a*x^2) - (4*b^2*e*\operatorname{Sqrt}[a + b*x^4])/((15*a*x) + (4*b^{(5/2)}*e*x*\operatorname{Sqrt}[a + b*x^4]))/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((360*c)/x^{11} + (396*d)/x^{10} + (440*e)/x^9 + (495*f)/x^8)*(a + b*x^4)^{(3/2)})/3960 - (3*b^2*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (4*b^{(9/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (2*b^{(9/4)}*(15*\operatorname{Sqrt}[b]*c - 77*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((1155*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*))^{(m_*)}, x_Symbol] :> \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}\{c, m\}, x \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \operatorname{FreeQ}\{a, b\}, x \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*))^{(n_*)}, x_Symbol] :> \operatorname{With}\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x \&\& \operatorname{NeQ}$

$[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x, 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x, 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] /; \text{FreeQ}\{a, c, d, e, p, q\}, x] \&\& \text{IntegerQ}[(m + 1)/2]$

Rule 1282

$\text{Int}[(f_)*(x_))^{(m_)}*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(d*(f*x)^{(m + 1)}*(a + c*x^4)^{(p + 1)})/(a*f*(m + 1)), x] + \text{Dist}[1/(a*f^2*(m + 1)), \text{Int}[(f*x)^{(m + 2)}*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; \text{FreeQ}\{a, c, d, e, f, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \mid \mid \text{IntegerQ}[m])$

Rule 1825


```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[(c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{12}} dx = -\frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} - (6b) \int \frac{\left(-\frac{c}{11} - \frac{dx}{10} - \frac{ex^2}{9} - \frac{fx^3}{8}\right)\sqrt{a + bx^4}}{x^{11}} dx$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)\sqrt{a + bx^4}}{3960}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)\sqrt{a + bx^4}}{3960}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)\sqrt{a + bx^4}}{3960}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)\sqrt{a + bx^4}}{3960}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d}{77ax^3}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d}{77ax^3}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d}{77ax^3}$$

$$= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d}{77ax^3}$$

Mathematica [C] time = 0.42, size = 172, normalized size = 0.41

$$\frac{\sqrt{a + bx^4} \left(11x \left(9\sqrt{\frac{bx^4}{a}} + 1 \right) \left(2a^2 (4d + 5fx^2) + abx^4 (16d + 25fx^2) + 8b^2dx^8 \right) + 80a^2ex {}_2F_1 \left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a} \right) \right)}{7920ax^{11}\sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^12,x]

[Out] -1/7920*(Sqrt[a + b*x^4]*(720*a^2*c*Hypergeometric2F1[-11/4, -3/2, -7/4, -(b*x^4)/a]] + 11*x*(9*Sqrt[1 + (b*x^4)/a]*(8*b^2*d*x^8 + 2*a^2*(4*d + 5*f*x^2) + a*b*x^4*(16*d + 25*f*x^2)) + 135*b^2*f*x^10*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 80*a^2*e*x*Hypergeometric2F1[-9/4, -3/2, -5/4, -(b*x^4)/a]]))/(a*x^11*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{12}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^12, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^12, x)

maple [C] time = 0.22, size = 441, normalized size = 1.04

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}+\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x)

[Out] -1/8*f*a/x^8*(b*x^4+a)^(1/2)-5/16*f*b/x^4*(b*x^4+a)^(1/2)-3/16*f*b^2/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/9*e*a*(b*x^4+a)^(1/2)/x^9-11/45*e*b*(b*x^4+a)^(1/2)/x^5-4/15*b^2*e*(b*x^4+a)^(1/2)/a/x+4/15*I*e/a^(1/2)*b^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*e/a^(1/2)*b^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/11*c*a*(b*x^4+a)^(1/2)/x^11-13/77*c*b*(b*x^4+a)^(1/2)/x^7-4/77*b^2*c*(b*x^4+a)^(1/2)/a/x^3-4/77*c/a*b^3/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/10*d*(b*x^4+a)^(1/2)/x^10/a*(b^2*x^8+2*a*b*x^4+a^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^12, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^12,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^12, x)

sympy [C] time = 22.52, size = 401, normalized size = 0.95

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(-\frac{11}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^{11}\Gamma\left(-\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(-\frac{9}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a}be\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**12,x)

[Out] a**(3/2)*c*gamma(-11/4)*hyper((-11/4, -1/2), (-7/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + a**(3/2)*e*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*b*c*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*b*e*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - a**2*f/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(10*x**8) - 3*a*sqrt(b)*f/(16*x**6*sqrt(a/(b*x**4) + 1)) - b**(3/2)*d*sqrt(a/(b*x**4) + 1)/(5*x**4) - b**(3/2)*f*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*f/(16*x**2*sqrt(a/(b*x**4) + 1)) - b**(5/2)*d*sqrt(a/(b*x**4) + 1)/(10*a) - 3*b**2*f*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*sqrt(a))

$$3.527 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{13}} dx$$

Optimal. Leaf size=449

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{b}d - 77\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{1155a^{5/4}\sqrt{a+bx^4} + 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/1980*(165*c/x^{12}+180*d/x^{11}+198*e/x^{10}+220*f/x^9)*(b*x^4+a)^{(3/2)}+1/32*b^3*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/18480*b*(1155*c/x^8+1440*d/x^7+1848*e/x^6+2464*f/x^5)*(b*x^4+a)^{(1/2)}-1/32*b^2*c*(b*x^4+a)^{(1/2)}/a/x^4-4/77*b^2*d*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*e*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*f*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*f*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*f*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-2/1155*b^{(9/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-77*f*a^{(1/2)}+15*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 449, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^3c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) + 2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{b}d - 77\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{32a^{3/2} + 1155a^{5/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{13}, x]$

[Out] $-(b*((1155*c)/x^8 + (1440*d)/x^7 + (1848*e)/x^6 + (2464*f)/x^5)*\operatorname{Sqrt}[a + b*x^4])/18480 - (b^2*c*\operatorname{Sqrt}[a + b*x^4])/(32*a*x^4) - (4*b^2*d*\operatorname{Sqrt}[a + b*x^4])/(77*a*x^3) - (b^2*e*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) - (4*b^2*f*\operatorname{Sqrt}[a + b*x^4])/(15*a*x) + (4*b^{(5/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((165*c)/x^{12} + (180*d)/x^{11} + (198*e)/x^{10} + (220*f)/x^9)*(a + b*x^4)^{(3/2)}/1980 + (b^3*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(32*a^{(3/2)}) - (4*b^{(9/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (2*b^{(9/4)}*(15*\operatorname{Sqrt}[b]*d - 77*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(1155*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /; \operatorname{FreeQ}[\{c, m\}, x] \ \&\& \operatorname{SumQ}[u] \ \&\& \ !\operatorname{LinearQ}[u, x] \ \&\& \ !\operatorname{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \ \&\& \operatorname{NeQ}$

$[b*c - a*d, 0] \ \&\& \text{LtQ}[-1, m, 0] \ \&\& \text{LeQ}[-1, n, 0] \ \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \ /; \text{FreeQ}\{a, b\}, x\} \ \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x, 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] \ /; \text{FreeQ}\{a, b\}, x\} \ \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \ /; \text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] \ /; \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x\} \ \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 835

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/((m + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/((m + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p*\text{Simp}[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] \ /; \text{FreeQ}\{a, c, d, e, f, g, p\}, x\} \ \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \text{LtQ}[m, -1] \ \&\& (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x, 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] \ /; \text{EqQ}[e + d*q^2, 0] \ /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \ /; \text{NeQ}[e + d*q, 0] \ /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] \ /; \text{FreeQ}\{a, c, d, e, p, q\}, x\} \ \&\& \text{IntegerQ}[(m + 1)/2]$

Rule 1282

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] :> Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] :> Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{13}} dx &= -\frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} - (6b) \int \frac{\left(-\frac{c}{12} - \frac{dx}{11} - \frac{ex^2}{10} + \frac{fx^3}{9}\right)\sqrt{a + bx^4}}{x^{12}} dx \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 149, normalized size = 0.33

$$\frac{\sqrt{a + bx^4} \left(90a^5 d {}_2F_1\left(-\frac{11}{4}, -\frac{3}{2}; -\frac{7}{4}; -\frac{bx^4}{a}\right) + 11x \left(10a^5 f x {}_2F_1\left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a}\right) + 9(a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} \left(a^3 e - b^3 c x^{10} {}_2F_1\left[\frac{5}{2}, 4, \frac{7}{2}, 1 + \frac{bx^4}{a}\right] \right) \right)}{990a^4 x^{11} \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^13,x]

[Out] -1/990*(Sqrt[a + b*x^4]*(90*a^5*d*Hypergeometric2F1[-11/4, -3/2, -7/4, -((b*x^4)/a)] + 11*x*(10*a^5*f*x*Hypergeometric2F1[-9/4, -3/2, -5/4, -((b*x^4)/a)] + 9*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*(a^3*e - b^3*c*x^10*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^4)/a])))/(a^4*x^11*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{13}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^13, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{13}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^13, x)

maple [C] time = 0.20, size = 462, normalized size = 1.03

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x)

[Out]
$$-7/48*c*b/x^8*(b*x^4+a)^{(1/2)}-1/32*b^2*c*(b*x^4+a)^{(1/2)}/a/x^4+1/32*c/a^{(3/2)}*b^3*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/12*c*a/x^{12}*(b*x^4+a)^{(1/2)}-1/9*f*a*(b*x^4+a)^{(1/2)}/x^9-11/45*f*b*(b*x^4+a)^{(1/2)}/x^5-4/15*b^2*f*(b*x^4+a)^{(1/2)}/a/x^4+15*I*f/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-4/15*I*f/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/11*d*a*(b*x^4+a)^{(1/2)}/x^{11}-13/77*d*b*(b*x^4+a)^{(1/2)}/x^7-4/77*b^2*d*(b*x^4+a)^{(1/2)}/a/x^3-4/77*d/a*b^3/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/10*e*(b*x^4+a)^{(1/2)}/x^{10}/a*(b^2*x^8+2*a*b*x^4+a^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{192} \left(\frac{3b^3 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left(3(bx^4+a)^{\frac{5}{2}}b^3 + 8(bx^4+a)^{\frac{3}{2}}ab^3 - 3\sqrt{bx^4+a}a^2b^3\right)}{(bx^4+a)^3a - 3(bx^4+a)^2a^2 + 3(bx^4+a)a^3 - a^4} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + bax^3 + a^2c)\sqrt{bx^4+a}}{x^{13}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="maxima")

[Out]
$$-1/192*(3*b^3*\log((\text{sqrt}(b*x^4 + a) - \text{sqrt}(a))/(\text{sqrt}(b*x^4 + a) + \text{sqrt}(a))))/a^{(3/2)} + 2*(3*(b*x^4 + a)^{(5/2)}*b^3 + 8*(b*x^4 + a)^{(3/2)}*a*b^3 - 3*\text{sqrt}(b*x^4 + a)*a^2*b^3)/((b*x^4 + a)^3*a - 3*(b*x^4 + a)^2*a^2 + 3*(b*x^4 + a)*a^3 - a^4)*c + \text{integrate}((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*\text{sqrt}(b*x^4 + a)/x^{12}, x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{13}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^13,x)`

[Out] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^13, x)`

sympy [C] time = 31.88, size = 403, normalized size = 0.90

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{11}{4}, -\frac{1}{2} \\ -\frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^{11} \Gamma\left(-\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \sqrt{a} b f \Gamma\left(-\frac{1}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**13,x)`

[Out] `a**(3/2)*d*gamma(-11/4)*hyper((-11/4, -1/2), (-7/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + a**(3/2)*f*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*b*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*b*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - a**2*c/(12*sqrt(b)*x**14*sqrt(a/(b*x**4) + 1)) - 11*a*sqrt(b)*c/(48*x**10*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(10*x**8) - 17*b**(3/2)*c/(96*x**6*sqrt(a/(b*x**4) + 1)) - b**(3/2)*e*sqrt(a/(b*x**4) + 1)/(5*x**4) - b**(5/2)*c/(32*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(5/2)*e*sqrt(a/(b*x**4) + 1)/(10*a) + b**3*c*asinh(sqrt(a)/sqrt(b)*x**2)/(32*a**(3/2))`

3.528 $\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{14}} dx$

Optimal. Leaf size=474

$$\frac{2b^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (65\sqrt{a}e + 77\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005a^{7/4}\sqrt{a+bx^4}} + \frac{4b^{13/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{65a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/8580*(660*c/x^{13}+715*d/x^{12}+780*e/x^{11}+858*f/x^{10})*(b*x^4+a)^{(3/2)}+1/32*b^3*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/240240*b*(12320*c/x^9+15015*d/x^8+18720*e/x^7+24024*f/x^6)*(b*x^4+a)^{(1/2)}-4/195*b^2*c*(b*x^4+a)^{(1/2)}/a/x^5-1/32*b^2*d*(b*x^4+a)^{(1/2)}/a/x^4-4/77*b^2*e*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*f*(b*x^4+a)^{(1/2)}/a/x^2+4/65*b^3*c*(b*x^4+a)^{(1/2)}/a^2/x-4/65*b^{(7/2)}*c*x*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})+4/65*b^{(13/4)}*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-2/5005*b^{(11/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(65*e*a^{(1/2)}+77*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 474, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{2b^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (65\sqrt{a}e + 77\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005a^{7/4}\sqrt{a+bx^4}} - \frac{4b^{7/2}cx\sqrt{a+bx^4}}{65a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{4b^3c\sqrt{a+bx^4}}{65a^2x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{14}, x]$

[Out] $-(b*((12320*c)/x^9 + (15015*d)/x^8 + (18720*e)/x^7 + (24024*f)/x^6)*\operatorname{Sqrt}[a + b*x^4])/240240 - (4*b^2*c*\operatorname{Sqrt}[a + b*x^4])/(195*a*x^5) - (b^2*d*\operatorname{Sqrt}[a + b*x^4])/(32*a*x^4) - (4*b^2*e*\operatorname{Sqrt}[a + b*x^4])/(77*a*x^3) - (b^2*f*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) + (4*b^3*c*\operatorname{Sqrt}[a + b*x^4])/(65*a^2*x) - (4*b^{(7/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(65*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((660*c)/x^{13} + (715*d)/x^{12} + (780*e)/x^{11} + (858*f)/x^{10})*(a + b*x^4)^{(3/2)})/8580 + (b^3*d*\operatorname{ArcTanH}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(32*a^{(3/2)}) + (4*b^{(13/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (65*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (2*b^{(11/4)}*(77*\operatorname{Sqrt}[b]*c + 65*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (5005*a^{(7/4)})*\operatorname{Sqrt}[a + b*x^4]$

Rule 14

$\operatorname{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x \&\& \operatorname{SumQ}[u] \&\& !\operatorname{LinearQ}[u, x] \&\& !\operatorname{MatchQ}[u, (a_ + (b_)*(v_)) /;$ $\operatorname{FreeQ}\{a, b\}, x \&\& \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[a_ + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 835

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/((m + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/((m + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p*\text{Simp}[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/a*(1 + q^2*x^2), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x],$

$x, x^2], x] /;$ FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{14}} dx &= -\frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}} + \frac{858f}{x^{10}}\right)(a + bx^4)^{3/2}}{8580} - (6b) \int \frac{\left(-\frac{c}{13} - \frac{dx}{12} - \frac{ex^2}{11} - \frac{fx^3}{10}\right)(a + bx^4)^{3/2}}{x^{14}} dx \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}} + \frac{858f}{x^{10}}\right)(a + bx^4)^{3/2}}{8580} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}} + \frac{858f}{x^{10}}\right)(a + bx^4)^{3/2}}{8580} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}} + \frac{858f}{x^{10}}\right)(a + bx^4)^{3/2}}{8580} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 151, normalized size = 0.32

$$\frac{\sqrt{a + bx^4} \left(110a^5 c {}_2F_1\left(-\frac{13}{4}, -\frac{3}{2}; -\frac{9}{4}; -\frac{bx^4}{a}\right) + 13x^2 \left(10a^5 e {}_2F_1\left(-\frac{11}{4}, -\frac{3}{2}; -\frac{7}{4}; -\frac{bx^4}{a}\right) + 11x(a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} \right) \right)}{1430a^4 x^{13} \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^14,x]

[Out] -1/1430*(Sqrt[a + b*x^4]*(110*a^5*c*Hypergeometric2F1[-13/4, -3/2, -9/4, -(b*x^4)/a] + 13*x^2*(10*a^5*e*Hypergeometric2F1[-11/4, -3/2, -7/4, -(b*x^4)/a] + 11*x*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*(a^3*f - b^3*d*x^10*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^4)/a]))) / (a^4*x^13*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{14}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="fricas")
[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x
+ a*c)*sqrt(b*x^4 + a)/x^14, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="giac")
[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^14, x)
```

maple [C] time = 0.22, size = 483, normalized size = 1.02

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^3e\operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{7}{2}}c\operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{77\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a}+\frac{65\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a^{\frac{3}{2}}}{77\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x)
[Out] -7/48*d*b/x^8*(b*x^4+a)^(1/2)-1/32*b^2*d*(b*x^4+a)^(1/2)/a/x^4+1/32*d/a^(3/2)*b^3*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/12*d*a/x^12*(b*x^4+a)^(1/2)-1/13*c*a*(b*x^4+a)^(1/2)/x^13-5/39*c*b*(b*x^4+a)^(1/2)/x^9-4/195*b^2*c*(b*x^4+a)^(1/2)/a/x^5+4/65*b^3*c*(b*x^4+a)^(1/2)/a^2/x-4/65*I*c*b^(7/2)/a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+4/65*I*c*b^(7/2)/a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/11*e*a*(b*x^4+a)^(1/2)/x^11-13/77*e*b*(b*x^4+a)^(1/2)/x^7-4/77*b^2*e*(b*x^4+a)^(1/2)/a/x^3-4/77*e/a*b^3/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/10*f*(b*x^4+a)^(1/2)/x^10/a*(b^2*x^8+2*a*b*x^4+a^2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="maxima")
[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^14, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^14,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^14, x)

sympy [C] time = 27.90, size = 403, normalized size = 0.85

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{13}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{13}{4}, -\frac{1}{2} \\ -\frac{9}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^{13}\Gamma\left(-\frac{9}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{11}{4}, -\frac{1}{2} \\ -\frac{7}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^{11}\Gamma\left(-\frac{7}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a}be\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**14,x)

[Out] a**(3/2)*c*gamma(-13/4)*hyper((-13/4, -1/2), (-9/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**13*gamma(-9/4)) + a**(3/2)*e*gamma(-11/4)*hyper((-11/4, -1/2), (-7/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + sqrt(a)*b*c*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*b*e*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) - a**2*d/(12*sqrt(b)*x**14*sqrt(a/(b*x**4) + 1)) - 11*a*sqrt(b)*d/(48*x**10*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(10*x**8) - 17*b**(3/2)*d/(96*x**6*sqrt(a/(b*x**4) + 1)) - b**(3/2)*f*sqrt(a/(b*x**4) + 1)/(5*x**4) - b**(5/2)*d/(32*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(5/2)*f*sqrt(a/(b*x**4) + 1)/(10*a) + b**3*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(32*a**(3/2))

$$3.529 \quad \int \frac{x^4(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=361

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+1/3*c*x*(b*x^4+a)^{(1/2)}/b+1/5*e*x^3*(b*x^4+a)^{(1/2)}/b+1/6*f*x^4*(b*x^4+a)^{(1/2)}/b-1/12*(-3*b*d*x^2+4*a*f)*(b*x^4+a)^{(1/2)}/b^2-3/5*a*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+3/5*a^{(5/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/30*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 361, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1280, 1198, 220, 1196, 1252, 833, 780, 217, 206}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4*(c + d*x + e*x^2 + f*x^3))/\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(c*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (e*x^3*\operatorname{Sqrt}[a + b*x^4])/(5*b) + (f*x^4*\operatorname{Sqrt}[a + b*x^4])/(6*b) - (3*a*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - ((4*a*f - 3*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/(12*b^2) - (a*d*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) + (3*a^{(5/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*c + 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(30*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTan}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[q*x], 1/2])/(2*q*\operatorname{Sqrt}[a + b*x^4]), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{PosQ}[b/a]$

Rule 780

```
Int[((d_.) + (e_.)*(x_.))*((f_.) + (g_.)*(x_.))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_.))^(m_)*((f_.) + (g_.)*(x_.))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_.)*(x_.))^(m_)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_.))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^4(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^5(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^4(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^5(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{1}{2} \text{Subst} \left(\int \frac{x^2(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{x^2(3ae - 5bcx^2)}{\sqrt{a + bx^4}} dx}{5b} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} + \frac{\int \frac{-5abc - 9abex^2}{\sqrt{a + bx^4}} dx}{15b^2} + \frac{\text{Subst} \left(\int \frac{x^2(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right)}{2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{(4af - 3bdx^2)\sqrt{a + bx^4}}{12b^2} - \frac{(ad)}{2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{3aex\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{(4af - 3bd)}{12b^2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{3aex\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{(4af - 3bd)}{12b^2}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 212, normalized size = 0.59

$$\frac{-20a^2f - 20abcx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 20abcx + 15abdx^2 - 15a\sqrt{b}d\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}}\right) - 12abex^3}{60b^2\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (-20*a^2*f + 20*a*b*c*x + 15*a*b*d*x^2 + 12*a*b*e*x^3 - 10*a*b*f*x^4 + 20*b^2*c*x^5 + 15*b^2*d*x^6 + 12*b^2*e*x^7 + 10*b^2*f*x^8 - 15*a*Sqrt[b]*d*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*a*b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*a*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(60*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^7 + ex^6 + dx^5 + cx^4}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/sqrt(b*x^4 + a), x)
```

maple [C] time = 0.23, size = 335, normalized size = 0.93

$$\frac{\sqrt{bx^4+a} ex^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^{\frac{3}{2}} \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^{\frac{3}{2}} \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)
```

```
[Out] -1/6*f*(b*x^4+a)^(1/2)*(-b*x^4+2*a)/b^2+1/5*e*x^3*(b*x^4+a)^(1/2)/b-3/5*I*e*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+3/5*I*e*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*d*x^2/b*(b*x^4+a)^(1/2)-1/4*d*a/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*c*x*(b*x^4+a)^(1/2)/b-1/3*c*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/sqrt(b*x^4 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (fx^3 + ex^2 + dx + c)}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2),x)
```

```
[Out] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)
```

sympy [A] time = 10.79, size = 177, normalized size = 0.49

$$\frac{\sqrt{a} dx^2 \sqrt{1 + \frac{bx^4}{a}}}{4b} - \frac{ad \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + f \left(\begin{cases} -\frac{a\sqrt{a+bx^4}}{3b^2} + \frac{x^4\sqrt{a+bx^4}}{6b} & \text{for } b \neq 0 \\ \frac{x^8}{8\sqrt{a}} & \text{otherwise} \end{cases} \right) + \frac{cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)} + \frac{ex^7 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)
```

```
[Out] sqrt(a)*d*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*d*asinh(sqrt(b)*x**2/sqrt(a))/(
4*b**(3/2)) + f*Piecewise((-a*sqrt(a + b*x**4)/(3*b**2) + x**4*sqrt(a + b*x
**4)/(6*b), Ne(b, 0)), (x**8/(8*sqrt(a)), True)) + c*x**5*gamma(5/4)*hyper(
(1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + e*x*
*7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(
a)*gamma(11/4))
```

$$3.530 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=336

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+1/3*d*x*(b*x^4+a)^{(1/2)}/b+1/5*f*x^3*(b*x^4+a)^{(1/2)}/b+1/4*(e*x^2+2*c)*(b*x^4+a)^{(1/2)}/b-3/5*a*f*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+3/5*a^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/30*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1833, 1252, 780, 217, 206, 1280, 1198, 220, 1196}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4],x]

[Out] $(d*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (f*x^3*\operatorname{Sqrt}[a + b*x^4])/(5*b) - (3*a*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(4*b) - (a*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) + (3*a^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*d + 9*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(30*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^3(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^4(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^3(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^4(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{x^2(3af - 5bdx^2)}{\sqrt{a + bx^4}} dx}{5b} \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} + \frac{\int \frac{-5abd - 9abfx^2}{\sqrt{a + bx^4}} dx}{15b^2} - \dots \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} - \frac{(ae) \text{Subst} \left(\int \frac{1}{1 - bx^2} dx \right)}{4b} \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} - \frac{3afx\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} - \dots
\end{aligned}$$

Mathematica [C] time = 0.16, size = 212, normalized size = 0.63

$$\frac{30\sqrt{b}c(a + bx^4) - 20a\sqrt{b}dx\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 20\sqrt{b}dx(a + bx^4) + 15\sqrt{b}ex^2(a + bx^4) - 15ae\sqrt{a}}{60b^{3/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (30*Sqrt[b]*c*(a + b*x^4) + 20*Sqrt[b]*d*x*(a + b*x^4) + 15*Sqrt[b]*e*x^2*(a + b*x^4) + 12*Sqrt[b]*f*x^3*(a + b*x^4) - 15*a*e*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*a*Sqrt[b]*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*a*Sqrt[b]*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(60*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^6 + ex^5 + dx^4 + cx^3}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^3}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^3/sqrt(b*x^4 + a), x)

maple [C] time = 0.17, size = 325, normalized size = 0.97

$$\frac{\sqrt{bx^4+a} f x^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{3}{2}}f \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{3}{2}}f \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x)`

[Out] $\frac{1}{5}f*x^3*(b*x^4+a)^{(1/2)}/b - \frac{3}{5}I*f*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{3}{5}I*f*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{4}*e*x^2/b*(b*x^4+a)^{(1/2)} - \frac{1}{4}*e*a/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) + \frac{1}{3}*d*x*(b*x^4+a)^{(1/2)}/b - \frac{1}{3}*d*a/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{2}*c/b*(b*x^4+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{bx^4+a}c}{2b} + \int \frac{fx^6+ex^5+dx^4}{\sqrt{bx^4+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="maxima")`

[Out] $\frac{1}{2}*\operatorname{sqrt}(b*x^4+a)*c/b + \operatorname{integrate}((f*x^6+e*x^5+d*x^4)/\operatorname{sqrt}(b*x^4+a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (f x^3 + e x^2 + d x + c)}{\sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(c+d*x+e*x^2+f*x^3))/(a+b*x^4)^(1/2), x)`

[Out] `int((x^3*(c+d*x+e*x^2+f*x^3))/(a+b*x^4)^(1/2), x)`

sympy [A] time = 10.30, size = 156, normalized size = 0.46

$$\frac{\sqrt{a}ex^2\sqrt{1+\frac{bx^4}{a}}}{4b} - \frac{ae \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + c \begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases} + \frac{dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{9}{4}\right)} + \frac{fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{7}{4} \middle| \frac{bx^4}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2), x)`

[Out] $\operatorname{sqrt}(a)*e*x**2*\operatorname{sqrt}(1+b*x**4/a)/(4*b) - a*e*\operatorname{asinh}(\operatorname{sqrt}(b)*x**2/\operatorname{sqrt}(a))/(4*b**(3/2)) + c*\operatorname{Piecewise}((x**4/(4*\operatorname{sqrt}(a))), \operatorname{Eq}(b, 0)), (\operatorname{sqrt}(a+b*x**4)/(2*b), \operatorname{True})) + d*x**5*\operatorname{gamma}(5/4)*\operatorname{hyper}((1/2, 5/4), (9/4,), b*x**4*\operatorname{exp_polar}(I*\pi)/a)/(4*\operatorname{sqrt}(a)*\operatorname{gamma}(9/4)) + f*x**7*\operatorname{gamma}(7/4)*\operatorname{hyper}((1/2, 7/4), (11/4,), b*x**4*\operatorname{exp_polar}(I*\pi)/a)/(4*\operatorname{sqrt}(a)*\operatorname{gamma}(11/4))$

$$3.531 \quad \int \frac{x^2(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=308

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+1/3*e*x*(b*x^4+a)^{(1/2)}/b+1/4*(f*x^2+2*d)*(b*x^4+a)^{(1/2)}/b+c*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-a^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/6*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(-e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1833, 1280, 1198, 220, 1196, 1252, 780, 217, 206}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] $(e*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (c*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*d + f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(4*b) - (a*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) - (a^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(1/4)}*(3*\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(6*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^2(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^3(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^2(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^3(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{ae - 3bcx^2}{\sqrt{a + bx^4}} dx}{3b} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{(\sqrt{a}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \frac{(\sqrt{a}(3\sqrt{b}c - \dots))}{\dots} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{cx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{\sqrt{a}c(\sqrt{a} + \sqrt{b}x^2)}{\dots} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{cx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{af \tanh^{-1} \left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}} \right)}{4b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 193, normalized size = 0.63

$$\frac{4b^{3/2}cx^3\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 6\sqrt{b}d(a + bx^4) - 4a\sqrt{b}ex\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 4\sqrt{b}ex(a + bx^4)}{12b^{3/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (6*Sqrt[b]*d*(a + b*x^4) + 4*Sqrt[b]*e*x*(a + b*x^4) + 3*Sqrt[b]*f*x^2*(a + b*x^4) - 3*a*f*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 4*a*Sqrt[b]*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 4*b^(3/2)*c*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(12*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^5 + ex^4 + dx^3 + cx^2}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/sqrt(b*x^4 + a), x)

maple [C] time = 0.19, size = 248, normalized size = 0.81

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}ae\operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b} + \frac{\sqrt{bx^4+a}fx^2}{4b} - \frac{af\ln\left(\sqrt{b}x^2+\sqrt{bx^4+a}\right)}{4b^{\frac{3}{2}}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{4b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/4*f*x^2/b*(b*x^4+a)^(1/2)-1/4*f*a/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*e*x*(b*x^4+a)^(1/2)/b-1/3*e*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*d/b*(b*x^4+a)^(1/2)+I*c*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (fx^3 + ex^2 + dx + c)}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2),x)

[Out] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)

sympy [A] time = 10.86, size = 156, normalized size = 0.51

$$\frac{\sqrt{a}fx^2\sqrt{1+\frac{bx^4}{a}}}{4b} - \frac{af\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + d \left(\begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases} \right) + \frac{cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)} + \frac{ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*f*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*f*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + d*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + c*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + e*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4))

$$3.532 \quad \int \frac{x(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=299

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}c \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{1/2} + \frac{1}{2}e (b x^4 + a)^{1/2} / b + \frac{1}{3}f x (b x^4 + a)^{1/2} / b + d x (b x^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - a^{1/4} d (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{3/4} / (b x^4 + a)^{1/2} + 1/6 a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (-f a^{1/2} + 3 d b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{5/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$, Rules used = {1833, 1248, 641, 217, 206, 1280, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] $\frac{e \operatorname{Sqrt}[a + b x^4]}{(2 * b)} + \frac{f x \operatorname{Sqrt}[a + b x^4]}{(3 * b)} + \frac{d x \operatorname{Sqrt}[a + b x^4]}{(\operatorname{Sqrt}[b] * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2))} + \frac{c \operatorname{ArcTan}[(\operatorname{Sqrt}[b] * x^2) / \operatorname{Sqrt}[a + b x^4]]}{(2 * \operatorname{Sqrt}[b])} - \frac{a^{1/4} d (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2]}{b^{3/4} \operatorname{Sqrt}[a + b x^4]} + \frac{a^{1/4} (3 * \operatorname{Sqrt}[b] * d - \operatorname{Sqrt}[a] * f) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2]}{(6 * b^{5/4}) \operatorname{Sqrt}[a + b x^4]} * \operatorname{EllipticE}[2 * \operatorname{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2] / (6 * b^{5/4}) * \operatorname{Sqrt}[a + b x^4]} + \frac{a^{1/4} (3 * \operatorname{Sqrt}[b] * d - \operatorname{Sqrt}[a] * f) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2]}{(6 * b^{5/4}) \operatorname{Sqrt}[a + b x^4]} * \operatorname{EllipticF}[2 * \operatorname{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2] / (6 * b^{5/4}) * \operatorname{Sqrt}[a + b x^4]}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
&& !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^2(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^2(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{fx\sqrt{a + bx^4}}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{af - 3bdx^2}{\sqrt{a + bx^4}} dx}{3b} \\
&= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{1}{2}c \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a}d) \int \frac{1}{\sqrt{a + bx^4}} dx}{\sqrt{b}} \\
&= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{dx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{b^{3/4}\sqrt{a}} \\
&= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{dx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{c \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{a}d}{b^{3/4}\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 160, normalized size = 0.54

$$\frac{3\sqrt{b}c\sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right) + 2bdx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) - 2afx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right) + 3a}{6b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (3*a*e + 2*a*f*x + 3*b*e*x^4 + 2*b*f*x^5 + 3*Sqrt[b]*c*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 2*a*f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] + 2*b*d*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -(b*x^4)/a])/(6*b*Sqrt[a + b*x^4])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{fx^4 + ex^3 + dx^2 + cx}{\sqrt{bx^4 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^4 + e*x^3 + d*x^2 + c*x)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x/sqrt(b*x^4 + a), x)

maple [C] time = 0.17, size = 229, normalized size = 0.77

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}af\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+c\ln\left(\sqrt{b}x^2+\sqrt{bx^4+a}\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b}+\frac{c}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/3*f*x*(b*x^4+a)^(1/2)/b-1/3*f*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*e*(b*x^4+a)^(1/2)/b+I*d*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I))-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*c*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{c\log\left(-\frac{\sqrt{b}-\frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b}+\frac{\sqrt{bx^4+a}}{x^2}}\right)}{4\sqrt{b}}+\int\frac{fx^4+ex^3+dx^2}{\sqrt{bx^4+a}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] -1/4*c*log(-sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2)/sqrt(b) + integrate((f*x^4 + e*x^3 + d*x^2)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int\frac{x(fx^3+ex^2+dx+c)}{\sqrt{bx^4+a}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2),x)

[Out] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)

sympy [A] time = 8.23, size = 129, normalized size = 0.43

$$e^{\left(\begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases}\right)}+\frac{c\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}}+\frac{dx^3\Gamma\left(\frac{3}{4}\right){}_2F_1\left(\frac{1}{2},\frac{3}{4}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}+\frac{fx^5\Gamma\left(\frac{5}{4}\right){}_2F_1\left(\frac{1}{2},\frac{5}{4}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] e*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + c*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + d*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + f*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4))

$$3.533 \quad \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=276

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{1/2} + \frac{1}{2} f (b x^4 + a)^{1/2} / b + e x (b x^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2) * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{3/4} / (b x^4 + a)^{1/2} + \frac{1}{2} a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2) * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * (e + c b^{1/2} / a^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^2)^{1/2} / b^{3/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.14, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x^4], x]

[Out] $(f \operatorname{Sqrt}[a + b x^4]) / (2 b) + (e x \operatorname{Sqrt}[a + b x^4]) / (\operatorname{Sqrt}[b] (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)) + (d \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a + b x^4]]) / (2 \operatorname{Sqrt}[b]) - (a^{1/4} e (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (b^{3/4} \operatorname{Sqrt}[a + b x^4]) + (a^{1/4} ((\operatorname{Sqrt}[b] c) / \operatorname{Sqrt}[a] + e) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (2 b^{3/4} \operatorname{Sqrt}[a + b x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{\sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{\sqrt{a + bx^4}} + \frac{x(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{\sqrt{a + bx^4}} dx + \int \frac{x(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a}e) \int \frac{1 - \sqrt{b}x^2}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \left(c + \frac{\sqrt{a}e}{\sqrt{b}} \right) \int \frac{1}{\sqrt{a + bx^4}} dx \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) \right)}{b^{3/4}\sqrt{a + bx^4}} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) \right)}{b^{3/4}\sqrt{a + bx^4}} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{b^{3/4}\sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.11, size = 150, normalized size = 0.54

$$\frac{cx\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}} + \frac{ex^3\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{3\sqrt{a+bx^4}} + \frac{f\sqrt{a+bx^4}}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x^4], x]

[Out] (f*Sqrt[a + b*x^4])/(2*b) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)])/Sqrt[a + b*x^4] + (e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(3*Sqrt[a + b*x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.18, size = 208, normalized size = 0.75

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} c \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a}} + \frac{d \ln\left(\sqrt{b}x^2 + \sqrt{bx^4+a}\right)}{2\sqrt{b}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x)

[Out] 1/2*(b*x^4+a)^(1/2)/b*f+I*e*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x, I))+1/2/b^(1/2)*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{\sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(1/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(1/2), x)

sympy [A] time = 6.14, size = 128, normalized size = 0.46

$$f \left(\begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases} \right) + \frac{d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] f*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))

$$3.534 \quad \int \frac{c+dx+ex^2+fx^3}{x\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=285

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+f*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-a^{(1/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/2*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(f+d*b^{(1/2)}/a^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x*sqrt[a + b*x^4]),x]

[Out] $(f*x*\operatorname{sqrt}[a + b*x^4])/(\operatorname{sqrt}[b]*(\operatorname{sqrt}[a] + \operatorname{sqrt}[b]*x^2)) + (e*\operatorname{ArcTanh}[(\operatorname{sqrt}[b]*x^2)/\operatorname{sqrt}[a + b*x^4]])/(2*\operatorname{sqrt}[b]) - (c*\operatorname{ArcTanh}[\operatorname{sqrt}[a + b*x^4]/\operatorname{sqrt}[a]])/(2*\operatorname{sqrt}[a]) - (a^{(1/4)}*f*(\operatorname{sqrt}[a] + \operatorname{sqrt}[b]*x^2)*\operatorname{sqrt}[(a + b*x^4)/(\operatorname{sqrt}[a] + \operatorname{sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/b^{(3/4)}* \operatorname{sqrt}[a + b*x^4]) + (a^{(1/4)}*((\operatorname{sqrt}[b]*d)/\operatorname{sqrt}[a] + f)*(\operatorname{sqrt}[a] + \operatorname{sqrt}[b]*x^2)*\operatorname{sqrt}[(a + b*x^4)/(\operatorname{sqrt}[a] + \operatorname{sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (2*b^{(3/4)}*\operatorname{sqrt}[a + b*x^4])$

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x\sqrt{a + bx^4}} dx &= c \int \frac{1}{x\sqrt{a + bx^4}} dx + \int \frac{d + ex + fx^2}{\sqrt{a + bx^4}} dx \\
&= \frac{1}{4}c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^4 \right) + \int \left(\frac{ex}{\sqrt{a + bx^4}} + \frac{d + fx^2}{\sqrt{a + bx^4}} \right) dx \\
&= \frac{c \operatorname{Subst} \left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^4} \right)}{2b} + e \int \frac{x}{\sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{\sqrt{a + bx^4}} dx \\
&= -\frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{1}{2}e \operatorname{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a} f) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \\
&= \frac{fx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \operatorname{arctanh} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) \right)}{b^{3/4}\sqrt{a + bx^4}} \\
&= \frac{fx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2)}{b^{3/4}\sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.24, size = 159, normalized size = 0.56

$$-\frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{dx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} + \frac{fx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x*sqrt[a + b*x^4]),x]

[Out] (e*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*Sqrt[b]) - (c*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(2*Sqrt[a]) + (d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/Sqrt[a + b*x^4] + (f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -(b*x^4)/a])/(3*Sqrt[a + b*x^4])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^5 + ax}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^5 + a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x), x)

maple [C] time = 0.42, size = 222, normalized size = 0.78

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}d\operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)c\ln\left(\frac{2a+2\sqrt{bx^4+a}\sqrt{a}}{x^2}\right)+e\ln\left(\sqrt{b}x^2+\sqrt{bx^4+a}\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}}}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}-\frac{2\sqrt{a}}{2\sqrt{a}}+\frac{2\sqrt{b}}{2\sqrt{b}}+\frac{2\sqrt{a}}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x)

[Out] I*f*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2*e*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+d/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(1/2)), x)

sympy [C] time = 9.71, size = 126, normalized size = 0.44

$$\frac{e\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}}-\frac{c\operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2\sqrt{a}}+\frac{dx\Gamma\left(\frac{1}{4}\right){}_2F_1\left(\frac{1}{4},\frac{1}{2}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}+\frac{fx^3\Gamma\left(\frac{3}{4}\right){}_2F_1\left(\frac{1}{2},\frac{3}{4}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x/(b*x**4+a)**(1/2),x)

[Out] e*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) - c*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + f*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))

$$3.535 \quad \int \frac{c+dx+ex^2+fx^3}{x^2 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=309

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} - a^{3/4} \sqrt{a+bx^4}}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}-c*(b*x^4+a)^{(1/2)}/a/x+c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^{(1/2)}+x^2*b^{(1/2)}-b^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/2*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 309, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} - a^{3/4} \sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^2*\operatorname{Sqrt}[a + b*x^4]), x]$

[Out] $-\left(\frac{c*\operatorname{Sqrt}[a + b*x^4]}{a*x}\right) + \left(\frac{\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a + b*x^4]}{a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)}\right) + \left(\frac{f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]]}{2*\operatorname{Sqrt}[b]}\right) - \left(\frac{d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]]}{2*\operatorname{Sqrt}[a]}\right) - \left(\frac{b^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]}{a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]}\right) + \left(\frac{(\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]}{2*a^{(3/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4]}\right)$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.)^m)*((c_.) + (d_.)*(x_.)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$

Rule 208

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j))*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]

] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^2 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^2 \sqrt{a + bx^4}} + \frac{d + fx^2}{x \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^2 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x \sqrt{a + bx^4}} dx \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-ae - bcx^2}{\sqrt{a + bx^4}} dx}{a} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx^2}} dx, x, x^2 \right) + \left(\frac{\sqrt{b}c}{\sqrt{a}} \right) \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b}x^2}{\sqrt{a} + \sqrt{b}x^2} \right) \right)}{a^{3/4}\sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{a^{3/4}\sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{d \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{b}c}{\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 157, normalized size = 0.51

$$-\frac{c\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{bx^4}{a} \right)}{x\sqrt{a + bx^4}} - \frac{d \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{ex\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^2*Sqrt[a + b*x^4]),x]

[Out] (f*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]]/(2*Sqrt[b]) - (d*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(2*Sqrt[a]) - (c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)])/(x*Sqrt[a + b*x^4]) + (e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[a + b*x^4])

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^6 + ax^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="fricas")**[Out]** integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^6 + a*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^2), x)

maple [C] time = 0.20, size = 299, normalized size = 0.97

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}} + 1 \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}} + 1 \sqrt{b} c \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}} + 1 \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}} + 1 \sqrt{b} c \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{2}f \ln(b^{1/2}x^2 + (bx^4+a)^{1/2})/b^{1/2} + e/(I/a^{1/2}b^{1/2})^{1/2} * (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} * (I/a^{1/2}b^{1/2}x^2+1)^{1/2} / (bx^4+a)^{1/2} * \operatorname{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) - c*(bx^4+a)^{1/2}/a/x + I*c/a^{1/2}b^{1/2} / (I/a^{1/2}b^{1/2})^{1/2} * (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} * (I/a^{1/2}b^{1/2}x^2+1)^{1/2} / (bx^4+a)^{1/2} * \operatorname{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) - I*c/a^{1/2}b^{1/2} / (I/a^{1/2}b^{1/2})^{1/2} * (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} * (I/a^{1/2}b^{1/2}x^2+1)^{1/2} / (bx^4+a)^{1/2} * \operatorname{EllipticE}((I/a^{1/2}b^{1/2})^{1/2}x, I) - 1/2*d/a^{1/2} * \ln((2*a+2*(bx^4+a)^{1/2})*a^{1/2})/x^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^2 \sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(1/2)), x)

sympy [C] time = 6.57, size = 128, normalized size = 0.41

$$\frac{f \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{c\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a} x \Gamma\left(\frac{3}{4}\right)} - \frac{d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2\sqrt{a}} + \frac{ex\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} \frac{1}{4}, \frac{1}{2} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/x**2/(b*x**4+a)**(1/2),x)
```

```
[Out] f*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) - d*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + e*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))
```

$$3.536 \quad \int \frac{c+dx+ex^2+fx^3}{x^3 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=300

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} \quad a^{3/4} \sqrt{a+bx^4}}$$

[Out] $-1/2 * e * \operatorname{arctanh}((b * x^4 + a)^{1/2} / a^{1/2}) / a^{1/2} - 1/2 * c * (b * x^4 + a)^{1/2} / a / x^2 - d * (b * x^4 + a)^{1/2} / a / x + d * x * b^{1/2} * (b * x^4 + a)^{1/2} / a / (a^{1/2} + x^2 * b^{1/2}) - b^{1/4} * d * (\cos(2 * \arctan(b^{1/4} * x / a^{1/4}))^2)^{1/2} / \cos(2 * \arctan(b^{1/4} * x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 * \arctan(b^{1/4} * x / a^{1/4})), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 * b^{1/2}) * ((b * x^4 + a) / (a^{1/2} + x^2 * b^{1/2}))^{1/2} / a^{3/4} / (b * x^4 + a)^{1/2} + 1/2 * (\cos(2 * \arctan(b^{1/4} * x / a^{1/4}))^2)^{1/2} / \cos(2 * \arctan(b^{1/4} * x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 * \arctan(b^{1/4} * x / a^{1/4})), 1/2 * 2^{1/2}) * (f * a^{1/2} + d * b^{1/2}) * (a^{1/2} + x^2 * b^{1/2}) * ((b * x^4 + a) / (a^{1/2} + x^2 * b^{1/2}))^{1/2} / a^{3/4} / b^{1/4} / (b * x^4 + a)^{1/2}$

Rubi [A] time = 0.22, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} \quad a^{3/4} \sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^3*Sqrt[a + b*x^4]), x]

[Out] $-(c * \operatorname{Sqrt}[a + b * x^4]) / (2 * a * x^2) - (d * \operatorname{Sqrt}[a + b * x^4]) / (a * x) + (\operatorname{Sqrt}[b] * d * x * \operatorname{Sqrt}[a + b * x^4]) / (a * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)) - (e * \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b * x^4] / \operatorname{Sqrt}[a]]) / (2 * \operatorname{Sqrt}[a]) - (b^{1/4} * d * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) * \operatorname{Sqrt}[(a + b * x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2] * \operatorname{EllipticE}[2 * \operatorname{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2]) / (a^{3/4} * \operatorname{Sqrt}[a + b * x^4]) + ((\operatorname{Sqrt}[b] * d + \operatorname{Sqrt}[a] * f) * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) * \operatorname{Sqrt}[(a + b * x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2] * \operatorname{EllipticF}[2 * \operatorname{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2]) / (2 * a^{3/4} * b^{1/4} * \operatorname{Sqrt}[a + b * x^4])$

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^3 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^3 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^2 \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^3 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^2 \sqrt{a + bx^4}} dx \\
&= -\frac{d\sqrt{a + bx^4}}{ax} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-af - bdx^2}{\sqrt{a + bx^4}} dx}{a} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}d) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{a}} + \frac{1}{2} e \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx^2}} dx, x, x^2 \right) \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.15, size = 148, normalized size = 0.49

$$\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -\frac{bx^4}{a} \right)}{x\sqrt{a + bx^4}} - \frac{e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{fx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^3*Sqrt[a + b*x^4]),x]

[Out] -1/2*(c*Sqrt[a + b*x^4])/(a*x^2) - (e*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(2*Sqrt[a]) - (d*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)])/(x*Sqrt[a + b*x^4]) + (f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)])/Sqrt[a + b*x^4]

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^7 + ax^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^7 + a*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^3), x)

maple [C] time = 0.18, size = 293, normalized size = 0.98

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x)

[Out] f/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*(b*x^4+a)^(1/2)/a/x^2-d*(b*x^4+a)^(1/2)/a/x+I*d/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-I*d/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*e/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^3), x)

mupad [B] time = 5.85, size = 118, normalized size = 0.39

$$\frac{fx\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(\frac{1}{4},\frac{1}{2};\frac{5}{4};-\frac{bx^4}{a}\right)}{\sqrt{bx^4+a}}-\frac{c\sqrt{bx^4+a}}{2ax^2}-\frac{d\sqrt{\frac{a}{bx^4}+1}{}_2F_1\left(\frac{1}{2},\frac{3}{4};\frac{7}{4};-\frac{a}{bx^4}\right)}{3x\sqrt{bx^4+a}}-\frac{e\operatorname{atanh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(1/2)),x)

[Out] (f*x*((b*x^4)/a + 1)^(1/2)*hypergeom([1/4, 1/2], 5/4, -(b*x^4)/a))/(a + b*x^4)^(1/2) - (c*(a + b*x^4)^(1/2))/(2*a*x^2) - (d*(a/(b*x^4) + 1)^(1/2)*hypergeom([1/2, 3/4], 7/4, -a/(b*x^4)))/(3*x*(a + b*x^4)^(1/2)) - (e*atanh((a + b*x^4)^(1/2)/a^(1/2)))/(2*a^(1/2))

sympy [C] time = 6.33, size = 126, normalized size = 0.42

$$-\frac{\sqrt{b}c\sqrt{\frac{a}{bx^4}+1}}{2a}+\frac{d\Gamma\left(-\frac{1}{4}\right){}_2F_1\left(\frac{-\frac{1}{4},\frac{1}{2}}{\frac{3}{4}}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}x\Gamma\left(\frac{3}{4}\right)}-\frac{e\operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{2\sqrt{a}}+\frac{fx\Gamma\left(\frac{1}{4}\right){}_2F_1\left(\frac{\frac{1}{4},\frac{1}{2}}{\frac{5}{4}}\left|\frac{bx^4e^{i\pi}}{a}\right.\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/x**3/(b*x**4+a)**(1/2),x)
```

```
[Out] -sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(2*a) + d*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) - e*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + f*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))
```

$$3.537 \quad \int \frac{c+dx+ex^2+fx^3}{x^4 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=323

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - 3\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + \sqrt[4]{b}e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{6a^{5/4}\sqrt{a+bx^4} + a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/3*c*(b*x^4+a)^{(1/2)}/a/x^3-1/2*d*(b*x^4+a)^{(1/2)}/a/x^2-e*(b*x^4+a)^{(1/2)}/a/x+e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/6*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-3*e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - 3\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + \sqrt[4]{b}e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{6a^{5/4}\sqrt{a+bx^4} + a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^4*\operatorname{Sqrt}[a + b*x^4]),x]$

[Out] $-(c*\operatorname{Sqrt}[a + b*x^4])/(3*a*x^3) - (d*\operatorname{Sqrt}[a + b*x^4])/(2*a*x^2) - (e*\operatorname{Sqrt}[a + b*x^4])/(a*x) + (\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (f*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*\operatorname{Sqrt}[a]) - (b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(1/4)}*(\operatorname{Sqrt}[b]*c - 3*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(6*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTan}[\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 220

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_. + (b_.)*(x_.)^4], x_Symbol] := \operatorname{With}[\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2] * \operatorname{EllipticF}[2*\operatorname{ArcTan}[q*x], 1/2])/(2*q*\operatorname{Sqrt}[a + b*x^4]), x]] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{PosQ}[b/a]$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j))*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^4 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^4 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^3 \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^4 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^3 \sqrt{a + bx^4}} dx \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-3ae + bcx^2}{x^2 \sqrt{a + bx^4}} dx}{3a} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\int \frac{-abc + 3abex^2}{\sqrt{a + bx^4}} dx}{3a^2} + \frac{1}{2} f \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx^2}} dx, x, x^2 \right) \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}e) \int \frac{1 - \sqrt{b}x^2}{\sqrt{a + bx^4}} dx}{\sqrt{a}} - \frac{(\sqrt{b}(\sqrt{b}c - 3\sqrt{a}))}{2\sqrt{a}} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}ex\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2)}{2\sqrt{a}} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}ex\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{f \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 149, normalized size = 0.46

$$\frac{-2ac\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a}\right) - 3x\left(2aex\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + \sqrt{a}fx^2\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{a + bx^4}}{\sqrt{a}}\right)\right)}{6ax^3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^4*sqrt[a + b*x^4]),x]

[Out] (-2*a*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-3/4, 1/2, 1/4, -((b*x^4)/a)] - 3*x*(a*d + b*d*x^4 + Sqrt[a]*f*x^2*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]] + 2*a*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)]))/(6*a*x^3*Sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^8 + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^8 + a*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^4), x)

maple [C] time = 0.18, size = 316, normalized size = 0.98

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}e\operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}e\operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x)

[Out]
$$-1/3*c*(b*x^4+a)^{(1/2)}/a/x^3-1/3*c/a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*d*(b*x^4+a)^{(1/2)}/a/x^2-e*(b*x^4+a)^{(1/2)}/a/x+I*e/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-I*e/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*f/a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^4 \sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(1/2)), x)

sympy [C] time = 6.79, size = 131, normalized size = 0.41

$$-\frac{\sqrt{b}d\sqrt{\frac{a}{bx^4}+1}}{2a} + \frac{c\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}x^3\Gamma\left(\frac{1}{4}\right)} + \frac{e\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}x\Gamma\left(\frac{3}{4}\right)} - \frac{f\operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**4/(b*x**4+a)**(1/2),x)

[Out]
$$-\sqrt{b}*d*\sqrt{a/(b*x**4) + 1}/(2*a) + c*\gamma(-3/4)*\operatorname{hyper}((-3/4, 1/2), (1/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*\sqrt{a}*x**3*\gamma(1/4)) + e*\gamma(-1/4)*\operatorname{hyper}((-1/4, 1/2), (3/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*\sqrt{a}*x*\gamma(3/4)) - f*\operatorname{asinh}(\sqrt{a}/(\sqrt{b}*x**2))/(2*\sqrt{a})$$

$$3.538 \quad \int \frac{c+dx+ex^2+fx^3}{x^5 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=346

$$\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) \sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - 3\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b} f (\sqrt{a} + \sqrt{b}x^2)}{4a^{3/2} \cdot 6a^{5/4} \sqrt{a+bx^4}}$$

[Out] $\frac{1}{4}bc \operatorname{arctanh}\left(\frac{(bx^4+a)^{1/2}}{a^{1/2}}\right) / a^{3/2} - \frac{1}{4}c \frac{(bx^4+a)^{1/2}}{a/x^2} - \frac{1}{3}d \frac{(bx^4+a)^{1/2}}{a/x^3} - \frac{1}{2}e \frac{(bx^4+a)^{1/2}}{a/x^2} - f \frac{(bx^4+a)^{1/2}}{a/x} + \frac{f \sqrt{b} (bx^4+a)^{1/2}}{(bx^4+a)^{1/2} / (a^{1/2} + x^2 b^{1/2})} - \frac{b^{1/4} f (\cos(2 \arctan(b^{1/4} x/a^{1/4}))^2)^{1/2}}{\cos(2 \arctan(b^{1/4} x/a^{1/4}))} \operatorname{EllipticE}(\sin(2 \arctan(b^{1/4} x/a^{1/4})), 1/2, 2^{1/2}) \cdot (a^{1/2} + x^2 b^{1/2}) \cdot \frac{(bx^4+a)}{(a^{1/2} + x^2 b^{1/2})^2}^{1/2} / a^{3/4} / (bx^4+a)^{1/2} - \frac{1}{6} b^{1/4} f \frac{\cos(2 \arctan(b^{1/4} x/a^{1/4}))^2)^{1/2}}{\cos(2 \arctan(b^{1/4} x/a^{1/4}))} \operatorname{EllipticF}(\sin(2 \arctan(b^{1/4} x/a^{1/4})), 1/2, 2^{1/2}) \cdot (-3f a^{1/2} + d b^{1/2}) \cdot (a^{1/2} + x^2 b^{1/2}) \cdot \frac{(bx^4+a)}{(a^{1/2} + x^2 b^{1/2})^2}^{1/2} / a^{5/4} / (bx^4+a)^{1/2}$

Rubi [A] time = 0.28, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) \sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - 3\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b} f (\sqrt{a} + \sqrt{b}x^2)}{4a^{3/2} \cdot 6a^{5/4} \sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2 + f*x^3)/(x^5*\text{Sqrt}[a + b*x^4]), x]$

[Out] $-\frac{c \sqrt{a+bx^4}}{4ax^4} - \frac{d \sqrt{a+bx^4}}{3ax^3} - \frac{e \sqrt{a+bx^4}}{2ax^2} - \frac{f \sqrt{a+bx^4}}{ax} + \frac{\sqrt{b} f x \sqrt{a+bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} + \frac{b c \operatorname{ArcTanh}[\sqrt{a+bx^4}/\sqrt{a}]}{4a^{3/2}} - \frac{b^{1/4} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{a^{3/4} \sqrt{a+bx^4}} - \frac{b^{1/4} (\sqrt{b}d - 3\sqrt{a}f) (\sqrt{a} + \sqrt{b}x^2) \sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{6a^{5/4} \sqrt{a+bx^4}}$

Rule 63

$\text{Int}[(a_. + (b_.)(x_)^m)((c_.) + (d_.)(x_)^n), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a+bx)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_. + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \operatorname{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_. + (b_.)(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 x^2) \sqrt{(a+bx^4)/(a(1+q^2 x^2)^2)} \operatorname{EllipticF}[2 \operatorname{ArcTan}[q*x]$

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
(m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(m + 1)*(c*d^2 + a*e^2), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j))*Sum[Coeff[Pq, x, j +

$(k*n)/2] * x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\} * (a + b*x^n)^p / c^j, \{j, 0, n/2 - 1\}, x] /; \text{FreeQ}\{a, b, c, m, p\}, x] \&\& \text{PolyQ}\{Pq, x\} \&\& \text{IGtQ}\{n/2, 0\} \&\& \text{!PolyQ}\{Pq, x^{(n/2)}\}$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3}{x^5 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^5 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^4 \sqrt{a + bx^4}} \right) dx \\ &= \int \frac{c + ex^2}{x^5 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^4 \sqrt{a + bx^4}} dx \\ &= -\frac{d\sqrt{a + bx^4}}{3ax^3} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{x^3 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-3af + bdx^2}{x^2 \sqrt{a + bx^4}} dx}{3a} \\ &= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\int \frac{-abd + 3abfx^2}{\sqrt{a + bx^4}} dx}{3a^2} - \frac{\text{Subst} \left(\int \frac{-2ae + bcx}{x^2 \sqrt{a + bx^2}} dx \right)}{4a} \\ &= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} - \frac{(bc) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx^2}} dx \right)}{4a} \\ &= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} - \frac{\sqrt[4]{b} f}{\sqrt{a} + \sqrt{b} x^2} \\ &= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} - \frac{\sqrt[4]{b} f}{\sqrt{a} + \sqrt{b} x^2} \\ &= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} + \frac{bc \tan^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right)}{\sqrt{a} + \sqrt{b} x^2} \end{aligned}$$

Mathematica [C] time = 0.16, size = 147, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(3ac \sqrt{\frac{bx^4}{a} + 1} - 3bcx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4adx {}_2F_1 \left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 6aex^2 \sqrt{\frac{bx^4}{a} + 1} + 12afx^3 \right)}{12a^2 x^4 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^5*Sqrt[a + b*x^4]),x]

[Out] $-\frac{1}{12} \left(\sqrt{a + bx^4} \left(3ac \sqrt{1 + \frac{bx^4}{a}} + 6aex^2 \sqrt{1 + \frac{bx^4}{a}} - 3b^2cx^4 \text{ArcTanh} \left[\sqrt{1 + \frac{bx^4}{a}} \right] + 4ad^2x \text{Hypergeometric2F1} \left[-\frac{3}{4}, \frac{1}{2}, \frac{1}{4}, -\frac{bx^4}{a} \right] + 12afx^3 \text{Hypergeometric2F1} \left[-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -\frac{bx^4}{a} \right] \right) \right) / (a^2 x^4 \sqrt{1 + \frac{bx^4}{a}})$

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^9 + ax^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^9 + a*x^5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^5), x)

maple [C] time = 0.21, size = 335, normalized size = 0.97

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x)

[Out]
$$-1/4*c*(b*x^4+a)^{(1/2)}/a/x^4+1/4*c*b/a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*d*(b*x^4+a)^{(1/2)}/a/x^3-1/3*d/a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*e*(b*x^4+a)^{(1/2)}/a/x^2-f*(b*x^4+a)^{(1/2)}/a/x+I*f/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-I*f/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8}c\left(\frac{2\sqrt{bx^4+ab}}{(bx^4+a)a-a^2} + \frac{b\log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}}\right) + \int \frac{fx^2+ex+d}{\sqrt{bx^4+ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out]
$$-1/8*c*(2*\text{sqrt}(b*x^4 + a)*b/((b*x^4 + a)*a - a^2) + b*\log((\text{sqrt}(b*x^4 + a) - \text{sqrt}(a))/(\text{sqrt}(b*x^4 + a) + \text{sqrt}(a))))/a^{(3/2)} + \text{integrate}((f*x^2 + e*x + d)/(\text{sqrt}(b*x^4 + a)*x^4), x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^5 \sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^5*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^5*(a + b*x^4)^(1/2)), x)

sympy [C] time = 8.55, size = 158, normalized size = 0.46

$$\frac{\sqrt{b} c \sqrt{\frac{a}{bx^4} + 1}}{4ax^2} - \frac{\sqrt{b} e \sqrt{\frac{a}{bx^4} + 1}}{2a} + \frac{d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a} x^3 \Gamma\left(\frac{1}{4}\right)} + \frac{f \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a} x \Gamma\left(\frac{3}{4}\right)} + \frac{bc \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**5/(b*x**4+a)**(1/2),x)

[Out] -sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*a*x**2) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(2*a) + d*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**3*gamma(1/4)) + f*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) + b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*a**(3/2))

$$3.539 \quad \int \frac{c+dx+ex^2+fx^3}{x^6 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=377

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30a^{7/4}\sqrt{a+bx^4}} + \frac{3b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5a^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{4}b^d \operatorname{arctanh}\left(\frac{(b^4x+a)^{1/2}}{a^{1/2}}\right) a^{3/2} - \frac{1}{5}c(b^4x+a)^{1/2} a/x^5 - \frac{1}{4}d(b^4x+a)^{1/2} a/x^4 - \frac{1}{3}e(b^4x+a)^{1/2} a/x^3 - \frac{1}{2}f(b^4x+a)^{1/2} a/x^2 + \frac{3}{5}b^c(b^4x+a)^{1/2} a^2/x^3 - \frac{5}{3}b^{3/2}c^2x(b^4x+a)^{1/2} a^2/(a^{1/2}+x^2b^{1/2}) + \frac{3}{5}b^{5/4}c^2(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2} / \cos(2\arctan(b^{1/4}x/a^{1/4})) \operatorname{EllipticE}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2, 2^{1/2}) (a^{1/2}+x^2b^{1/2}) ((b^4x+a)/(a^{1/2}+x^2b^{1/2}))^2)^{1/2} a^{7/4} / (b^4x+a)^{1/2} - \frac{1}{30}b^{3/4}(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2} / \cos(2\arctan(b^{1/4}x/a^{1/4})) \operatorname{EllipticF}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2, 2^{1/2}) (5e a^{1/2} + 9c b^{1/2}) (a^{1/2}+x^2b^{1/2}) ((b^4x+a)/(a^{1/2}+x^2b^{1/2}))^2)^{1/2} a^{7/4} / (b^4x+a)^{1/2}$

Rubi [A] time = 0.33, antiderivative size = 377, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30a^{7/4}\sqrt{a+bx^4}} - \frac{3b^{3/2}cx\sqrt{a+bx^4}}{5a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{3b^{5/4}c(\sqrt{a} + \sqrt{b}x^2)}{5a^2(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + dx + ex^2 + fx^3)/(x^6 \operatorname{Sqrt}[a + bx^4]), x]$

[Out] $-\frac{c \operatorname{Sqrt}[a + bx^4]}{5ax^5} - \frac{d \operatorname{Sqrt}[a + bx^4]}{4ax^4} - \frac{e \operatorname{Sqrt}[a + bx^4]}{3ax^3} - \frac{f \operatorname{Sqrt}[a + bx^4]}{2ax^2} + \frac{3bc \operatorname{Sqrt}[a + bx^4]}{5a^2x} - \frac{3b^{3/2}c^2x \operatorname{Sqrt}[a + bx^4]}{5a^2(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]x^2)} + \frac{b^d \operatorname{ArcTanh}[\operatorname{Sqrt}[a + bx^4]/\operatorname{Sqrt}[a]]}{4a^{3/2}} + \frac{3b^{5/4}c^2(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]x^2) \operatorname{Sqrt}[(a + bx^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]x^2)^2] \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{5a^{7/4} \operatorname{Sqrt}[a + bx^4]} - \frac{b^{3/4}(9 \operatorname{Sqrt}[b]c + 5 \operatorname{Sqrt}[a]e)(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]x^2) \operatorname{Sqrt}[(a + bx^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]x^2)^2] \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{30a^{7/4} \operatorname{Sqrt}[a + bx^4]}$

Rule 63

$\operatorname{Int}[(a_. + (b_.)(x_)^m)((c_.) + (d_.)(x_)^n), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\operatorname{Int}[(a_. + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-a/b], 2) \operatorname{ArcTanh}[x/\operatorname{Rt}[-a/b], 2]]/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{x^6 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^6 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^5 \sqrt{a + bx^4}} \right) dx \\
 &= \int \frac{c + ex^2}{x^6 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^5 \sqrt{a + bx^4}} dx \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x^3 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-5ae + 3bcx^2}{x^4 \sqrt{a + bx^4}} dx}{5a} \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} + \frac{\int \frac{-9abc - 5abex^2}{x^2 \sqrt{a + bx^4}} dx}{15a^2} - \frac{\text{Subst} \left(\int \frac{-2af + bdx}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right)}{4a} \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{\int \frac{5a^2be + 9ab^2}{\sqrt{a + bx^4}} dx}{15a^3} \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} + \frac{(3b^{3/2}c) \int \frac{1}{\sqrt{a + bx^4}} dx}{5a^2} \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{3b^{3/2}cx\sqrt{a + bx^4}}{5a^2(\sqrt{a + bx^4})} \\
 &= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{3b^{3/2}cx\sqrt{a + bx^4}}{5a^2(\sqrt{a + bx^4})}
 \end{aligned}$$

Mathematica [C] time = 0.23, size = 134, normalized size = 0.36

$$\frac{\sqrt{a + bx^4} \left(12ac {}_2F_1 \left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 5x \left(3a\sqrt{\frac{bx^4}{a}} + 1 \right) (d + 2fx^2) - 3bdx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a}} + 1 \right) + 4aex {}_2F_1 \left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right)}{60a^2x^5\sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^6*Sqrt[a + b*x^4]),x]

[Out] -1/60*(Sqrt[a + b*x^4]*(12*a*c*Hypergeometric2F1[-5/4, 1/2, -1/4, -(b*x^4)/a]) + 5*x*(3*a*(d + 2*f*x^2)*Sqrt[1 + (b*x^4)/a] - 3*b*d*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]]) + 4*a*e*x*Hypergeometric2F1[-3/4, 1/2, 1/4, -(b*x^4)/a]))/(a^2*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^{10} + ax^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^10 + a*x^6), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^6), x)

maple [C] time = 0.19, size = 354, normalized size = 0.94

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \operatorname{beEllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+ax^6}} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} b^{\frac{3}{2}}c \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+ax^6} a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x)

[Out]
$$-1/5*c*(b*x^4+a)^{(1/2)}/a/x^5+3/5*b*c*(b*x^4+a)^{(1/2)}/a^2/x-3/5*I*c/a^{(3/2)}*b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+3/5*I*c/a^{(3/2)}*b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/4*d*(b*x^4+a)^{(1/2)}/a/x^4+1/4*d*b/a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*e*(b*x^4+a)^{(1/2)}/a/x^3-1/3*e/a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*f*(b*x^4+a)^{(1/2)}/a/x^2$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^6), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^6 \sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^6*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^6*(a + b*x^4)^(1/2)), x)

sympy [C] time = 9.88, size = 163, normalized size = 0.43

$$-\frac{\sqrt{b}d\sqrt{\frac{a}{bx^4}+1}}{4ax^2} - \frac{\sqrt{b}f\sqrt{\frac{a}{bx^4}+1}}{2a} + \frac{c\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, \frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a}x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{e\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a}x^3\Gamma\left(\frac{1}{4}\right)} + \frac{bd \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**6/(b*x**4+a)**(1/2),x)

[Out] -sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(4*a*x**2) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(2*a) + c*gamma(-5/4)*hyper((-5/4, 1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**5*gamma(-1/4)) + e*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**3*gamma(1/4)) + b*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*a**(3/2))

$$3.540 \quad \int \frac{x^6(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=365

$$\frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3cx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} + \frac{3\sqrt[4]{a}c(\sqrt{a} + \sqrt{b}x^2)}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-3/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(5/2)}+1/2*x*(-b*d*x^3-b*c*x^2+a*f*x+a*e)/b^2/(b*x^4+a)^{(1/2)}+d*(b*x^4+a)^{(1/2)}/b^2+1/3*e*x*(b*x^4+a)^{(1/2)}/b^2+1/4*f*x^2*(b*x^4+a)^{(1/2)}/b^2+3/2*c*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*a^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}+1/12*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-5*e*a^{(1/2)}+9*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(9/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 365, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1828, 1885, 1888, 1198, 220, 1196, 1819, 1815, 641, 217, 206}

$$\frac{x(ae + afx - bcx^2 - bdx^3)}{2b^2\sqrt{a+bx^4}} + \frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3cx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^6*(c + dx + ex^2 + fx^3))/(a + bx^4)^{(3/2)}, x]$

[Out] $(x*(a*e + a*f*x - b*c*x^2 - b*d*x^3))/(2*b^2*\operatorname{Sqrt}[a + b*x^4]) + (d*\operatorname{Sqrt}[a + b*x^4])/b^2 + (e*x*\operatorname{Sqrt}[a + b*x^4])/(3*b^2) + (f*x^2*\operatorname{Sqrt}[a + b*x^4])/(4*b^2) + (3*c*x*\operatorname{Sqrt}[a + b*x^4])/(2*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (3*a*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(5/2)}) - (3*a^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(1/4)}*(9*\operatorname{Sqrt}[b]*c - 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(12*b^{(9/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a + b*x^2)], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1/\operatorname{Sqrt}[(a + b*x^4)], x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[q*x],$

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1815

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rule 1819

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]

]], With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum [b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\int \frac{x^6 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx = \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2be + 2a^2bfx - 3ab^2cx^2 - 4ab^2dx^3 - 2ab^2ex^4 - 2ab^2fx^5}{\sqrt{a + bx^4}} dx}{2ab^3}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{a^2be - 3ab^2cx^2 - 2ab^2ex^4}{\sqrt{a + bx^4}} + \frac{x(2a^2bf - 4ab^2dx^2 - 2ab^2fx^4)}{\sqrt{a + bx^4}} \right) dx}{2ab^3}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2be - 3ab^2cx^2 - 2ab^2ex^4}{\sqrt{a + bx^4}} dx}{2ab^3} - \frac{\int \frac{x(2a^2bf - 4ab^2dx^2 - 2ab^2fx^4)}{\sqrt{a + bx^4}} dx}{2ab^3}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{ex\sqrt{a + bx^4}}{3b^2} - \frac{\int \frac{5a^2b^2e - 9ab^3cx^2}{\sqrt{a + bx^4}} dx}{6ab^4} - \frac{\text{Subst} \left(\int \frac{2a^2bf - 4ab^2dx^2 - 2ab^2fx^4}{\sqrt{a + bx^4}} dx \right)}{2ab^3}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{ex\sqrt{a + bx^4}}{3b^2} + \frac{fx^2\sqrt{a + bx^4}}{4b^2} - \frac{\text{Subst} \left(\int \frac{6a^2b^2f}{\sqrt{a + bx^4}} dx \right)}{8ab^4}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{b^2} + \frac{ex\sqrt{a + bx^4}}{3b^2} + \frac{fx^2\sqrt{a + bx^4}}{4b^2} + \frac{c\sqrt{a + bx^4}}{2b^2}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{b^2} + \frac{ex\sqrt{a + bx^4}}{3b^2} + \frac{fx^2\sqrt{a + bx^4}}{4b^2} + \frac{c\sqrt{a + bx^4}}{2b^2}$$

$$= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{b^2} + \frac{ex\sqrt{a + bx^4}}{3b^2} + \frac{fx^2\sqrt{a + bx^4}}{4b^2} + \frac{c\sqrt{a + bx^4}}{2b^2}$$

Mathematica [C] time = 0.19, size = 220, normalized size = 0.60

$$\frac{-9a^{3/2}f\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) - 12b^{3/2}cx^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right) + 12a\sqrt{b}d - 10a\sqrt{b}ex\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{12b^{5/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x]

[Out] (12*a*Sqrt[b]*d + 10*a*Sqrt[b]*e*x + 9*a*Sqrt[b]*f*x^2 + 12*b^(3/2)*c*x^3 + 6*b^(3/2)*d*x^4 + 4*b^(3/2)*e*x^5 + 3*b^(3/2)*f*x^6 - 9*a^(3/2)*f*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - 10*a*Sqrt[b]*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*b^(3/2)*c*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(12*b^(5/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(fx^9 + ex^8 + dx^7 + cx^6)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((f*x^9 + e*x^8 + d*x^7 + c*x^6)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^6/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.19, size = 378, normalized size = 1.04

$$\frac{fx^6}{4\sqrt{bx^4 + a}b} - \frac{cx^3}{2\sqrt{(x^4 + \frac{a}{b})b}b} + \frac{3afx^2}{4\sqrt{bx^4 + a}b^2} + \frac{aex}{2\sqrt{(x^4 + \frac{a}{b})b}b^2} - \frac{5\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}ae\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\right)}{6\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] 1/4*f*x^6/b/(b*x^4+a)^(1/2)+3/4*f*a/b^2*x^2/(b*x^4+a)^(1/2)-3/4*f*a/b^(5/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/2*e/b^2*a*x/((x^4+a/b)*b)^(1/2)+1/3*e*x*(b*x^4+a)^(1/2)/b^2-5/6*e*a/b^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*d*(b*x^4+2*a)/(b*x^4+a)^(1/2)/b^2-1/2*c/b*x^3/((x^4+a/b)*b)^(1/2)+3/2*I*c/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-3/2*I*c/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^6/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6 (fx^3 + ex^2 + dx + c)}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)
```

```
[Out] int((x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)
```

```
sympy [A] time = 51.87, size = 202, normalized size = 0.55
```

$$d \left(\begin{cases} \frac{a}{b^2 \sqrt{a+bx^4}} + \frac{x^4}{2b \sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + f \left(\frac{3\sqrt{a} x^2}{4b^2 \sqrt{1 + \frac{bx^4}{a}}} - \frac{3a \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{5}{2}}} + \frac{x^6}{4\sqrt{a} b \sqrt{1 + \frac{bx^4}{a}}} \right) + \frac{cx^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{3}{4}, \frac{11}{4}, -\frac{bx^4}{a}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2), x)
```

```
[Out] d*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + f*(3*sqrt(a)*x**2/(4*b**2*sqrt(1 + b*x**4/a)) - 3*a*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(5/2)) + x**6/(4*sqrt(a)*b*sqrt(1 + b*x**4/a))) + c*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4)) + e*x**9*gamma(9/4)*hyper((3/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(13/4))
```

$$3.541 \quad \int \frac{x^5(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=343

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} (9\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3dx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{bx^2})}$$

[Out] $1/2*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+1/2*x*(-b*e*x^3-b*d*x^2-b*c*x+a*f)/b^2/(b*x^4+a)^{(1/2)}+e*(b*x^4+a)^{(1/2)}/b^2+1/3*f*x*(b*x^4+a)^{(1/2)}/b^2+3/2*d*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*a^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}+1/12*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-5*f*a^{(1/2)}+9*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(9/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1885, 1248, 641, 217, 206, 1888, 1198, 220, 1196}

$$\frac{x(af - bcx - bdx^2 - bex^3)}{2b^2\sqrt{a+bx^4}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{bx^2})^2}} (9\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{(3/2)}, x]$

[Out] $(x*(a*f - b*c*x - b*d*x^2 - b*e*x^3))/(2*b^2*\operatorname{Sqrt}[a + b*x^4]) + (e*\operatorname{Sqrt}[a + b*x^4])/b^2 + (f*x*\operatorname{Sqrt}[a + b*x^4])/(3*b^2) + (3*d*x*\operatorname{Sqrt}[a + b*x^4])/(2*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*b^{(3/2)}) - (3*a^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(1/4)}*(9*\operatorname{Sqrt}[b]*d - 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(12*b^{(9/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[q*x], 1/2])/(2*q*\operatorname{Sqrt}[a + b*x^4]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[b/a]$

Rule 641

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1248

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2 f - 2abcx - 3abdx^2 - 4abex^3 - 2abfx^4}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{x(-2abc - 4abex^2)}{\sqrt{a + bx^4}} + \frac{a^2 f - 3abdx^2 - 2abfx^4}{\sqrt{a + bx^4}} \right) dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{x(-2abc - 4abex^2)}{\sqrt{a + bx^4}} dx}{2ab^2} - \frac{\int \frac{a^2 f - 3abdx^2 - 2abfx^4}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{fx \sqrt{a + bx^4}}{3b^2} - \frac{\int \frac{5a^2 bf - 9ab^2 dx^2}{\sqrt{a + bx^4}} dx}{6ab^3} - \frac{\text{Subst} \left(\int \frac{-2abc}{\sqrt{a + bx^4}} dx \right)}{4b^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e \sqrt{a + bx^4}}{b^2} + \frac{fx \sqrt{a + bx^4}}{3b^2} + \frac{c \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx \right)}{2b} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e \sqrt{a + bx^4}}{b^2} + \frac{fx \sqrt{a + bx^4}}{3b^2} + \frac{3dx \sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{b} x^2)} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e \sqrt{a + bx^4}}{b^2} + \frac{fx \sqrt{a + bx^4}}{3b^2} + \frac{3dx \sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{b} x^2)}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 176, normalized size = 0.51

$$\frac{3\sqrt{a}\sqrt{b}c\sqrt{\frac{bx^4}{a}+1}\sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)-6bdx^3\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(\frac{3}{4},\frac{3}{2};\frac{7}{4};-\frac{bx^4}{a}\right)-5afx\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(\frac{1}{4},\frac{1}{2};\frac{5}{4};-\frac{bx^4}{a}\right)+6ae}{6b^2\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x]

[Out] (6*a*e + 5*a*f*x - 3*b*c*x^2 + 6*b*d*x^3 + 3*b*e*x^4 + 2*b*f*x^5 + 3*Sqrt[a]*Sqrt[b]*c*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - 5*a*f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 6*b*d*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(6*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(fx^8 + ex^7 + dx^6 + cx^5)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((f*x^8 + e*x^7 + d*x^6 + c*x^5)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^5}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^5/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.19, size = 358, normalized size = 1.04

$$\frac{\frac{dx^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b} b} - \frac{cx^2}{2\sqrt{bx^4 + a} b} + \frac{afx}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b} b^2} - \frac{5\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} af \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{6\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^2}}{3i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/b^2*a*x/((x^4+a/b)*b)^(1/2)+1/3*f*x*(b*x^4+a)^(1/2)/b^2-5/6*f*a/b^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*e*(b*x^4+2*a)/(b*x^4+a)^(1/2)/b^2-1/2*d/b*x^3/((x^4+a/b)*b)^(1/2)+3/2*I*d/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-3/2*I*d/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*x^2/b/(b*x^4+a)^(1/2)+1/2*c/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{4}c \left(\frac{2x^2}{\sqrt{bx^4 + a} b} + \frac{\log\left(-\frac{\sqrt{b} - \frac{\sqrt{bx^4 + a}}{x^2}}{\sqrt{b} + \frac{\sqrt{bx^4 + a}}{x^2}}\right)}{b^{\frac{3}{2}}}\right) + \int \frac{fx^8 + ex^7 + dx^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] -1/4*c*(2*x^2/(sqrt(b*x^4 + a)*b) + log(-(sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2))/b^(3/2)) + integrate((f*x^8 + e*x^7 + d*x^6)/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 43.26, size = 172, normalized size = 0.50

$$c \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1 + \frac{bx^4}{a}}}\right) + e \left(\left\{ \begin{array}{ll} \frac{a}{b^2\sqrt{a+bx^4}} + \frac{x^4}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} & \text{otherwise} \end{array} \right. \right) + \frac{dx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{11}{4}\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)
```

```
[Out] c*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*x**4/a))) + e*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + d*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4)) + f*x**9*gamma(9/4)*hyper((3/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(13/4))
```

$$3.542 \quad \int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=314

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{3/2} - \frac{1}{2} x (f x^3 + e x^2 + d x + c) / b (b x^4 + a)^{1/2} + f (b x^4 + a)^{1/2} / b^2 + \frac{3}{2} e x x (b x^4 + a)^{1/2} / b^{3/2} / (a^{1/2} + x^2 b^{1/2}) - \frac{3}{2} a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{2(1/2)} / b^{7/4} / (b x^4 + a)^{1/2} + \frac{1}{4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))), 1/2 * 2^{1/2}) * (3 e a^{1/2} + c b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{2(1/2)} / a^{1/4} / b^{7/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.27, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4(c + dx + ex^2 + fx^3))/(a + bx^4)^{3/2}, x]$

[Out] $-(x(c + dx + ex^2 + fx^3))/(2b\sqrt{a + bx^4}) + (f\sqrt{a + bx^4})/b^2 + (3ex\sqrt{a + bx^4})/(2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)) + (d\operatorname{ArcTanh}[(\sqrt{b}x^2)/\sqrt{a + bx^4}])/(2b^{3/2}) - (3a^{1/4}e(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a + bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} * \operatorname{EllipticE}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(2b^{7/4}\sqrt{a + bx^4}) + ((\sqrt{b}c + 3\sqrt{a}e)(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a + bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} * \operatorname{EllipticF}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(4a^{1/4}b^{7/4}\sqrt{a + bx^4})$

Rule 206

$\operatorname{Int}[(a_ + (b_.)x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[(Rt[-b, 2]x)/Rt[a, 2]])/(Rt[a, 2] * Rt[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\sqrt{(a_ + (b_.)x^2)}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - bx^2), x], x, x/\sqrt{a + bx^2}] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{!GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1/\sqrt{(a_ + (b_.)x^4)}, x_Symbol] \rightarrow \operatorname{With}\{q = Rt[b/a, 4]\}, \operatorname{Simp}[(1 + q^2x^2)\sqrt{(a + bx^4)/(a(1 + q^2x^2)^2)} * \operatorname{EllipticF}[2\operatorname{ArcTan}[qx], 1/2])/(2q\sqrt{a + bx^4}), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{PosQ}[b/a]$

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx &= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} - \frac{\int \frac{-abc-2abdx-3abex^2-4abfx^3}{\sqrt{a+bx^4}} dx}{2ab^2} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} - \frac{\int \left(\frac{-abc-3abex^2}{\sqrt{a+bx^4}} + \frac{x(-2abd-4abfx^2)}{\sqrt{a+bx^4}} \right) dx}{2ab^2} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} - \frac{\int \frac{-abc-3abex^2}{\sqrt{a+bx^4}} dx}{2ab^2} - \frac{\int \frac{x(-2abd-4abfx^2)}{\sqrt{a+bx^4}} dx}{2ab^2} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} - \frac{\text{Subst}\left(\int \frac{-2abd-4abfx}{\sqrt{a+bx^2}} dx, x, x^2\right)}{4ab^2} - \frac{(3\sqrt{a}e) \int \frac{1-\frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2b^{3/2}} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} + \frac{f\sqrt{a+bx^4}}{b^2} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a}+\sqrt{b}x^2)} - \frac{3^4\sqrt{a}e(\sqrt{a}+\sqrt{b}x^2)}{2b^{3/2}} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} + \frac{f\sqrt{a+bx^4}}{b^2} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a}+\sqrt{b}x^2)} - \frac{3^4\sqrt{a}e(\sqrt{a}+\sqrt{b}x^2)}{2b^{3/2}} \\
&= -\frac{x(c+dx+ex^2+fx^3)}{2b\sqrt{a+bx^4}} + \frac{f\sqrt{a+bx^4}}{b^2} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a}+\sqrt{b}x^2)} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 166, normalized size = 0.53

$$\frac{bcx\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + \sqrt{a}\sqrt{b}d\sqrt{\frac{bx^4}{a}+1} \sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right) - 2bex^3\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 2af}{2b^2\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] (2*a*f - b*c*x - b*d*x^2 + 2*b*e*x^3 + b*f*x^4 + Sqrt[a]*Sqrt[b]*d*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] - 2*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a])/(2*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^7 + ex^6 + dx^5 + cx^4)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/(b*x^4 + a)^(3/2), x)
```

maple [C] time = 0.17, size = 340, normalized size = 1.08

$$\frac{e x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b}} - \frac{d x^2}{2\sqrt{b x^4 + a}} - \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} b^{\frac{3}{2}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)
```

```
[Out] 1/2*f*(b*x^4+2*a)/(b*x^4+a)^(1/2)/b^2-1/2*e/b*x^3/((x^4+a/b)*b)^(1/2)+3/2*I
*e/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)
*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(
1/2))^(1/2)*x,I)-3/2*I*e/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1
/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*El
lipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*d*x^2/b/(b*x^4+a)^(1/2)+1/2*d/b^
(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))-1/2*c/b*x/((x^4+a/b)*b)^(1/2)+1/2*c/b
/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(
1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x^3 + e x^2 + d x + c) x^4}{(b x^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/(b*x^4 + a)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)
```

```
[Out] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)
```

sympy [A] time = 26.11, size = 172, normalized size = 0.55

$$d \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a} b \sqrt{1 + \frac{b x^4}{a}}} \right) + f \left\{ \begin{array}{l} \frac{a}{b^2 \sqrt{a + b x^4}} + \frac{x^4}{2b \sqrt{a + b x^4}} \text{ for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} \text{ otherwise} \end{array} \right\} + \frac{c x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 a^{\frac{3}{2}} \Gamma\left(\frac{9}{4}\right)} + \frac{e x^7 \Gamma\left(\frac{7}{4}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)
```

```
[Out] d*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*
x**4/a))) + f*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x
**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + c*x**5*gamma(5/4)*hyper((5/4
, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**7*
gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)
*gamma(11/4))
```

$$3.543 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=302

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}$$

[Out] 1/2*e*arctanh(x^2*b^(1/2)/(b*x^4+a)^(1/2))/b^(3/2)+1/2*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)^(1/2)+3/2*f*x*(b*x^4+a)^(1/2)/b^(3/2)/(a^(1/2)+x^2*b^(1/2))-3/2*a^(1/4)*f*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^(1/2)/b^(7/4)/(b*x^4+a)^(1/2)+1/4*(cos(2*arctan(b^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(b^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(b^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(3*f*a^(1/2)+d*b^(1/2))*(a^(1/2)+x^2*b^(1/2))*((b*x^4+a)/(a^(1/2)+x^2*b^(1/2)))^(1/2)/a^(1/4)/b^(7/4)/(b*x^4+a)^(1/2)

Rubi [A] time = 0.20, antiderivative size = 297, normalized size of antiderivative = 0.98, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1823, 1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(2*b*Sqrt[a + b*x^4]) + (3*f*x*Sqrt[a + b*x^4])/(2*b^(3/2)*(Sqrt[a] + Sqrt[b]*x^2)) + (e*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*b^(3/2)) - (3*a^(1/4)*f*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticE[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/(2*b^(7/4)*Sqrt[a + b*x^4]) + ((Sqrt[b]*d + 3*Sqrt[a]*f)*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2])/(4*a^(1/4)*b^(7/4)*Sqrt[a + b*x^4])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1823

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \frac{d+2ex+3fx^2}{\sqrt{a+bx^4}} dx}{2b} \\
&= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \left(\frac{2ex}{\sqrt{a+bx^4}} + \frac{d+3fx^2}{\sqrt{a+bx^4}} \right) dx}{2b} \\
&= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \frac{d+3fx^2}{\sqrt{a+bx^4}} dx}{2b} + \frac{e \int \frac{x}{\sqrt{a+bx^4}} dx}{b} \\
&= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{e \operatorname{Subst} \left(\int \frac{1}{\sqrt{a+bx^2}} dx, x, x^2 \right)}{2b} - \frac{(3\sqrt{a} f) \int \frac{1-\frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2b^{3/2}} + \dots \\
&= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{3fx\sqrt{a + bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3^4\sqrt{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{2b^{7/4}\sqrt{a + bx^4}} \\
&= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{3fx\sqrt{a + bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}} \right)}{2b^{3/2}} - \frac{3^4\sqrt{a} f (\sqrt{a} + \sqrt{b}x^2)}{2b^{7/4}\sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 181, normalized size = 0.60

$$\frac{\sqrt{b} dx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right) + \sqrt{a} e \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) - 2\sqrt{b} fx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right) - \sqrt{b} c}{2b^{3/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] $(-\sqrt{b}c) - \sqrt{b}dx - \sqrt{b}ex^2 + 2\sqrt{b}fx^3 + \sqrt{a}e \operatorname{ArcSinh} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) + \sqrt{b}d \operatorname{Sqrt} \left[1 + \frac{bx^4}{a} \right] \operatorname{Hypergeometric2F1} \left[\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -\frac{bx^4}{a} \right] - 2\sqrt{b}fx^3 \operatorname{Sqrt} \left[1 + \frac{bx^4}{a} \right] \operatorname{Hypergeometric2F1} \left[\frac{3}{4}, \frac{3}{2}, \frac{7}{4}, -\frac{bx^4}{a} \right] / (2b^{3/2}\sqrt{a + bx^4})$

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(fx^6 + ex^5 + dx^4 + cx^3)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^3}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^3/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.17, size = 331, normalized size = 1.10

$$\frac{\frac{f x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b}} - \frac{e x^2}{2\sqrt{b x^4 + a b}} - \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} f \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} b^{\frac{3}{2}}} + \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out]
$$-1/2*f/b*x^3/((x^4+a/b)*b)^{(1/2)}+3/2*I*f/b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-3/2*I*f/b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*e*x^2/b/(b*x^4+a)^{(1/2)}+1/2*e/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*d/b*x/((x^4+a/b)*b)^{(1/2)}+1/2*d/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*c/b/(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{c}{2\sqrt{b x^4 + a b}} + \int \frac{f x^6 + e x^5 + d x^4}{(b x^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out]
$$-1/2*c/(\operatorname{sqrt}(b*x^4 + a)*b) + \operatorname{integrate}((f*x^6 + e*x^5 + d*x^4)/(b*x^4 + a)^{(3/2)}, x)$$

mapad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 24.64, size = 156, normalized size = 0.52

$$c \left(\begin{array}{l} \left(\frac{1}{2b\sqrt{a+bx^4}} \right) \text{ for } b \neq 0 \\ \left(\frac{x^4}{4a^{\frac{3}{2}}} \right) \text{ otherwise} \end{array} \right) + e \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1+\frac{bx^4}{a}}} \right) + \frac{dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{3}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)
```

```
[Out] c*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True
)) + e*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1
+ b*x**4/a))) + d*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_pol
ar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + f*x**7*gamma(7/4)*hyper((3/2, 7/4), (
11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4))
```

$$3.544 \quad \int \frac{x^2(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=333

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}f \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4+a)^{1/2}}\right) / b^{3/2} - \frac{1}{2}x(-b d x^3 - b c x^2 + a f x + a e) / a b / (b x^4+a)^{1/2} - \frac{1}{2}d (b x^4+a)^{1/2} / a b - \frac{1}{2}c x (b x^4+a)^{1/2} / a b^{1/2} / (a^{1/2}+x^2 b^{1/2}) + \frac{1}{2}c (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2}+x^2 b^{1/2}) * ((b x^4+a) / (a^{1/2}+x^2 b^{1/2}))^{1/2} / a^{3/4} / b^{3/4} / (b x^4+a)^{1/2} - \frac{1}{4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (-e a^{1/2} + c b^{1/2}) * (a^{1/2}+x^2 b^{1/2}) * ((b x^4+a) / (a^{1/2}+x^2 b^{1/2}))^{1/2} / a^{3/4} / b^{5/4} / (b x^4+a)^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2(c + dx + ex^2 + fx^3))/(a + bx^4)^{3/2}, x]$

[Out] $-(x(ae + afx - bcx^2 - bdx^3))/(2ab\sqrt{a+bx^4}) - (d\sqrt{a+bx^4})/(2ab) - (cx\sqrt{a+bx^4})/(2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)) + (f\operatorname{ArcTanh}[(\sqrt{b}x^2)/\sqrt{a+bx^4}])/(2b^{3/2}) + (c(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2}) * \operatorname{EllipticE}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(2a^{3/4}b^{3/4}\sqrt{a+bx^4}) - ((\sqrt{b}c - \sqrt{a}e)(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2}) * \operatorname{EllipticF}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2])/(4a^{3/4}b^{5/4}\sqrt{a+bx^4})$

Rule 206

$\operatorname{Int}[(a_ + (b_.)x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\sqrt{(a_ + (b_.)x^2)}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - bx^2), x], x, x/\sqrt{a+bx^2}] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{!GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1/\sqrt{(a_ + (b_.)x^4)}, x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2x^2)\sqrt{(a+bx^4)/(a(1 + q^2x^2)^2}) * \operatorname{EllipticF}[2\operatorname{ArcTan}[q*x], 1/2])]/(2q\sqrt{a+bx^4}), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[b/a]$

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-abe - 2abfx + b^2cx^2 + 2b^2dx^3}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \left(\frac{-abe + b^2cx^2}{\sqrt{a + bx^4}} + \frac{x(-2abf + 2b^2dx^2)}{\sqrt{a + bx^4}} \right) dx}{2ab^2} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-abe + b^2cx^2}{\sqrt{a + bx^4}} dx}{2ab^2} - \frac{\int \frac{x(-2abf + 2b^2dx^2)}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\text{Subst}\left(\int \frac{-2abf + 2b^2dx}{\sqrt{a + bx^2}} dx, x, x^2\right)}{4ab^2} + \frac{c \int \frac{1 - \frac{\sqrt{bx^2}}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2\sqrt{a}\sqrt{b}} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{c(\sqrt{a} + \sqrt{b}x^2)}{2\sqrt{a}\sqrt{b}} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{c(\sqrt{a} + \sqrt{b}x^2)}{2\sqrt{a}\sqrt{b}} \\
&= -\frac{x(ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 165, normalized size = 0.50

$$\frac{3a^{3/2}f\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right) + 2b^{3/2}cx^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) - 3a\sqrt{b}(d + x(e + fx)) + 3a\sqrt{b}ex\sqrt{\frac{bx^4}{a} + 1}}{6ab^{3/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] (-3*a*Sqrt[b]*(d + x*(e + f*x)) + 3*a^(3/2)*f*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*a*Sqrt[b]*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 2*b^(3/2)*c*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(6*a*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^5 + ex^4 + dx^3 + cx^2)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.18, size = 331, normalized size = 0.99

$$\frac{cx^3}{2\sqrt{(x^4 + \frac{a}{b})b}} - \frac{fx^2}{2\sqrt{bx^4 + a}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} c \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a} \sqrt{b}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] $-1/2*f*x^2/b/(b*x^4+a)^{(1/2)}+1/2*f/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*e/b*x/((x^4+a/b)*b)^{(1/2)}+1/2*e/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*d/b/(b*x^4+a)^{(1/2)}+1/2*c/a*x^3/((x^4+a/b)*b)^{(1/2)}-1/2*I*c/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*I*c/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (fx^3 + ex^2 + dx + c)}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 21.07, size = 156, normalized size = 0.47

$$d \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + f \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1 + \frac{bx^4}{a}}} \right) + \frac{cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)} + \frac{ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)
```

```
[Out] d*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True
)) + f*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1
+ b*x**4/a))) + c*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_pol
ar(I*pi)/a)/(4*a**(3/2)*gamma(7/4)) + e*x**5*gamma(5/4)*hyper((5/4, 3/2), (
9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))
```

$$3.545 \quad \int \frac{x(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=303

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*x*(-b*e*x^3-b*d*x^2-b*c*x+a*f)/a/b/(b*x^4+a)^{(1/2)}-1/2*e*(b*x^4+a)^{(1/2)}/a/b-1/2*d*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*d*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}-1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {1828, 1885, 261, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] $-(x*(a*f - b*c*x - b*d*x^2 - b*e*x^3))/(2*a*b*\text{Sqrt}[a + b*x^4]) - (e*\text{Sqrt}[a + b*x^4])/(2*a*b) - (d*x*\text{Sqrt}[a + b*x^4])/(2*a*\text{Sqrt}[b]*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (d*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4]) - ((\text{Sqrt}[b]*d - \text{Sqrt}[a]*f)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(3/4)}*b^{(5/4)}*\text{Sqrt}[a + b*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},

$x]$ && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-af + bdx^2 + 2bex^3}{\sqrt{a + bx^4}} dx}{2ab} \\ &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \left(\frac{2bex^3}{\sqrt{a + bx^4}} + \frac{-af + bdx^2}{\sqrt{a + bx^4}} \right) dx}{2ab} \\ &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-af + bdx^2}{\sqrt{a + bx^4}} dx}{2ab} - \frac{e \int \frac{x^3}{\sqrt{a + bx^4}} dx}{a} \\ &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{e\sqrt{a + bx^4}}{2ab} + \frac{d \int \frac{1 - \frac{\sqrt{bx^2}}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2\sqrt{a}\sqrt{b}} - \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - f \right) \int \frac{\sqrt{a + bx^4}}{\sqrt{a + bx^4}} dx}{2b} \\ &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{e\sqrt{a + bx^4}}{2ab} - \frac{dx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d(\sqrt{a} + \sqrt{b}x^2)}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} \end{aligned}$$

Mathematica [C] time = 0.08, size = 116, normalized size = 0.38

$$\frac{2bdx^3\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 3afx\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) - 3ae - 3afx + 3bcx^2}{6ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] $(-3*a*e - 3*a*f*x + 3*b*c*x^2 + 3*a*f*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[1/4, 1/2, 5/4, -((b*x^4)/a)] + 2*b*d*x^3*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[3/4, 3/2, 7/4, -((b*x^4)/a)])/(6*a*b*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^4 + ex^3 + dx^2 + cx)}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(b*x^4 + a)*(f*x^4 + e*x^3 + d*x^2 + c*x)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")`

[Out] `integrate((f*x^3 + e*x^2 + d*x + c)*x/(b*x^4 + a)^(3/2), x)`

maple [C] time = 0.17, size = 250, normalized size = 0.83

$$\frac{cx^2}{2\sqrt{bx^4 + a}a} + \left(\frac{x^3}{2\sqrt{(x^4 + \frac{a}{b})b}a} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \left(-\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) \right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a} \sqrt{b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)`

[Out] `f*(-1/2/b*x/((x^4+a/b)*b)^(1/2)+1/2/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*e/b/(b*x^4+a)^(1/2)+d*(1/2/a*x^3/((x^4+a/b)*b)^(1/2)-1/2*I/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2*c/(b*x^4+a)^(1/2)/a*x^2`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{cx^2}{2\sqrt{bx^4 + a}a} + \int \frac{fx^4 + ex^3 + dx^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] `1/2*c*x^2/(sqrt(b*x^4 + a)*a) + integrate((f*x^4 + e*x^3 + d*x^2)/(b*x^4 + a)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

[Out] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 19.34, size = 133, normalized size = 0.44

$$e \left(\begin{array}{l} -\frac{1}{2b\sqrt{a+bx^4}} \quad \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} \quad \text{otherwise} \end{array} \right) + \frac{cx^2}{2a^{\frac{3}{2}}\sqrt{1+\frac{bx^4}{a}}} + \frac{dx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)} + \frac{fx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2), x)

[Out] e*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + c*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a)) + d*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(7/4)) + f*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.546 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=275

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}*(-a*f+b*x*(e*x^2+d*x+c))/a/b/(b*x^4+a)^{(1/2)}-1/2*e*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(-e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1854, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x]

[Out] $-(e*x*\text{Sqrt}[a + b*x^4])/(2*a*\text{Sqrt}[b]*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (a*f - b*x*(c + d*x + e*x^2))/(2*a*b*\text{Sqrt}[a + b*x^4]) + (e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4]) + ((\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(5/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^{3/2}} dx = -\frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-c+ex^2}{\sqrt{a+bx^4}} dx}{2a}$$

$$= -\frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} + \frac{e \int \frac{1-\sqrt{b}x^2}{\sqrt{a+bx^4}} dx}{2\sqrt{a}\sqrt{b}} + \frac{\left(c - \frac{\sqrt{a}e}{\sqrt{b}}\right) \int \frac{1}{\sqrt{a+bx^4}} dx}{2a}$$

$$= -\frac{ex\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{2a^{3/4}b^{3/4}\sqrt{a + bx^4}}$$

Mathematica [C] time = 0.06, size = 116, normalized size = 0.42

$$\frac{3bcx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 2bex^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) - 3af + 3bcx + 3bdx^2}{6ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x]

[Out] (-3*a*f + 3*b*c*x + 3*b*d*x^2 + 3*b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a]) + 2*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a])/(6*a*b*Sqrt[a + b*x^4])

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.17, size = 250, normalized size = 0.91

$$\frac{dx^2}{2\sqrt{bx^4+a}a} + \left(\frac{x}{2\sqrt{(x^4+\frac{a}{b})ba}} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} \right) c + \left(\frac{x^3}{2\sqrt{(x^4+\frac{a}{b})ba}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] $-1/2*f/b/(b*x^4+a)^{(1/2)}+e*(1/2/((x^4+a/b)*b)^{(1/2)}/a*x^3-1/2*I/a^{(1/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*(\text{EllipticF}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-\text{EllipticE}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I))+1/2*d/(b*x^4+a)^{(1/2)}/a*x^2+c*(1/2/a*x/((x^4+a/b)*b)^{(1/2)}+1/2/a/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x)

sympy [A] time = 18.32, size = 131, normalized size = 0.48

$$f \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{5}{4}\right)} + \frac{dx^2}{2a^{\frac{3}{2}}\sqrt{1+\frac{bx^4}{a}}} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] $f*\text{Piecewise}((-1/(2*b*\text{sqrt}(a + b*x**4)), \text{Ne}(b, 0)), (x**4/(4*a**(3/2)), \text{True})) + c*x*\text{gamma}(1/4)*\text{hyper}((1/4, 3/2), (5/4,), b*x**4*\text{exp_polar}(I*pi)/a)/(4*a**(3/2)*\text{gamma}(5/4)) + d*x**2/(2*a**(3/2)*\text{sqrt}(1 + b*x**4/a)) + e*x**3*\text{gamma}(3/4)*\text{hyper}((3/4, 3/2), (7/4,), b*x**4*\text{exp_polar}(I*pi)/a)/(4*a**(3/2)*\text{gamma}(7/4))$

$$3.547 \quad \int \frac{c+dx+ex^2+fx^3}{x(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=323

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4} + 2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+1/2*x*(-b*c*x^3+a*f*x^2+a*e*x+a*d)/a^2/(b*x^4+a)^{(1/2)}+1/2*c*(b*x^4+a)^{(1/2)}/a^2-1/2*f*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(-f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^{(1/2)}/a^{(5/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1829, 1832, 266, 63, 208, 1885, 261, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4} + 2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)), x]

[Out] $(x*(a*d + a*e*x + a*f*x^2 - b*c*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (c*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (f*x*\operatorname{Sqrt}[a + b*x^4])/(2*a*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) + (f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((\operatorname{Sqrt}[b]*d - \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(5/4)}*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2] * EllipticF[2*ArcTan[q*x]

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x(a + bx^4)^{3/2}} dx &= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - bdx + bfx^3 - \frac{2b^2cx^4}{a}}{x\sqrt{a+bx^4}} dx}{2ab} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-bd + bfx^2 - \frac{2b^2cx^3}{a}}{\sqrt{a+bx^4}} dx}{2ab} + \frac{c \int \frac{1}{x\sqrt{a+bx^4}} dx}{a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(-\frac{2b^2cx^3}{a\sqrt{a+bx^4}} + \frac{-bd + bfx^2}{\sqrt{a+bx^4}} \right) dx}{2ab} + \frac{c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a+bx^4}} dx, x, \sqrt{a+bx^4} \right)}{4a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-bd + bfx^2}{\sqrt{a+bx^4}} dx}{2ab} + \frac{c \operatorname{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^4} \right)}{2ab} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} + \frac{c\sqrt{a + bx^4}}{2a^2} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right)}{2a^{3/2}} + \frac{f \int \frac{1 - \frac{\sqrt{bx^2}}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2\sqrt{a}\sqrt{b}} + \dots \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} + \frac{c\sqrt{a + bx^4}}{2a^2} - \frac{fx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right)}{2a^{3/2}} + \dots
\end{aligned}$$

Mathematica [C] time = 0.14, size = 125, normalized size = 0.39

$$\frac{3c {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + x\left(3d\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 2fx^2\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 3d + 3ex\right)}{6a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)),x]

[Out] (3*c*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] + x*(3*d + 3*e*x + 3*d*
Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] + 2*f*x^2*
Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a]))/(6*a*
Sqrt[a + b*x^4])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^9 + 2abx^5 + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^9 + 2*a*b*x^5 + a^2*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x), x)

maple [C] time = 0.16, size = 336, normalized size = 1.04

$$\frac{\frac{f x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b a}} + \frac{e x^2}{2\sqrt{b x^4 + a a}} + \frac{i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} f \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} \sqrt{a} \sqrt{b}} - \frac{i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/a*x^3/((x^4+a/b)*b)^(1/2)-1/2*I*f/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*I*f/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*e/(b*x^4+a)^(1/2)/a*x^2+1/2*d/a*x/((x^4+a/b)*b)^(1/2)+1/2*d/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*c/a/(b*x^4+a)^(1/2)-1/2*c/a^(3/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{(b x^4 + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{x (b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)), x)

sympy [C] time = 23.82, size = 289, normalized size = 0.89

$$c \left(\frac{2a^3 \sqrt{1 + \frac{bx^4}{a}}}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} + \frac{a^3 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} + \frac{a^2 bx^4 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} - \frac{2a^2 bx^4 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} \right) + d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x/(b*x**4+a)**(3/2),x)

```
[Out] c*(2*a**3*sqrt(1 + b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**3*log(b*
x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**3*log(sqrt(1 + b*x**4/a) +
1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**2*b*x**4*log(b*x**4/a)/(4*a**(9/2)
+ 4*a**(7/2)*b*x**4) - 2*a**2*b*x**4*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/
2) + 4*a**(7/2)*b*x**4)) + d*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*
exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*
x**4/a)) + f*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi
)/a)/(4*a**(3/2)*gamma(7/4))
```

3.548 $\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx^4)^{3/2}} dx$

Optimal. Leaf size=344

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 3\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4} + 2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+1/2*x*(-b*d*x^3-b*c*x^2+a*f*x+a*e)/a^2/(b*x^4+a)^{(1/2)}+1/2*d*(b*x^4+a)^{(1/2)}/a^2-c*(b*x^4+a)^{(1/2)}/a^2/x+3/2*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*b^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 344, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1833, 1835, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a+bx^4}} + \frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{c\sqrt{a+bx^4}}{a^2x} + \frac{3\sqrt{b}}{2a^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^{(3/2)}), x]$

[Out] $(x*(a*e + a*f*x - b*c*x^2 - b*d*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (d*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (c*\operatorname{Sqrt}[a + b*x^4])/(a^2*x) + (3*\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) - (3*b^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((3*\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(7/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 21

$\operatorname{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)}*((c_.) + (d_.)*(v_.))^{(n_.)}, x_Symbol] := \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, n\}, x$ && $\operatorname{EqQ}[b*c - a*d, 0]$ && $\operatorname{IntegerQ}[m]$ && $(! \operatorname{IntegerQ}[n] || \operatorname{SimplerQ}[c + d*x, a + b*x])$

Rule 50

$\operatorname{Int}[(a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \operatorname{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^n/(b*(m+n+1)), x] + \operatorname{Dist}[(n*(b*c - a*d))/(b*(m+n+1)), \operatorname{Int}[(a + b*x)^m*(c + d*x)^{(n-1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x$ && $\operatorname{NeQ}[b*c - a*d, 0]$ && $\operatorname{GtQ}[n, 0]$ && $\operatorname{NeQ}[m+n+1, 0]$ && $!(\operatorname{IGtQ}[m, 0] \&\& (! \operatorname{IntegerQ}[n] || (\operatorname{GtQ}[m, 0] \&\& \operatorname{LtQ}[m-n, 0])))$ && $! \operatorname{ILtQ}[m+n+2, 0]$ && $\operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_.) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1196

Int[((d_.) + (e_.)*(x_)^2)/Sqrt[(a_.) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_.) + (e_.)*(x_)^2)/Sqrt[(a_.) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1584

Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coef[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx^4)^{3/2}} dx &= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - bex^2 - \frac{b^2cx^4}{a} - \frac{2b^2dx^5}{a}}{x^2\sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bc - bex^2 - \frac{b^2cx^4}{a}}{x^2\sqrt{a + bx^4}} + \frac{-2bd - \frac{2b^2dx^4}{a}}{x\sqrt{a + bx^4}} \right) dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - bex^2 - \frac{b^2cx^4}{a}}{x^2\sqrt{a + bx^4}} dx}{2ab} - \frac{\int \frac{-2bd - \frac{2b^2dx^4}{a}}{x\sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{\int \frac{2abex + 6b^2cx^3}{x\sqrt{a + bx^4}} dx}{4a^2b} + \frac{d \int \frac{\sqrt{a + bx^4}}{x} dx}{a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{\int \frac{2abe + 6b^2cx^2}{\sqrt{a + bx^4}} dx}{4a^2b} + \frac{d \operatorname{Subst}\left(\int \frac{\sqrt{a + bx}}{x} dx, x, \sqrt{a + bx^4}\right)}{4a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} - \frac{(3\sqrt{b}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2a^{3/2}} + \frac{d \operatorname{Subst}\left(\int \frac{\sqrt{a + bx}}{x} dx, x, \sqrt{a + bx^4}\right)}{4a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{3\sqrt{b}cx\sqrt{a + bx^4}}{2a^2(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt{b}c}{2a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{3\sqrt{b}cx\sqrt{a + bx^4}}{2a^2(\sqrt{a} + \sqrt{b}x^2)} - \frac{d \operatorname{atan}\left(\frac{\sqrt{a + bx^4}}{\sqrt{a}}\right)}{2a^2}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 123, normalized size = 0.36

$$\frac{-2c\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + dx {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + x^2\left(e\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + e + fx\right)}{2ax\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(3/2)),x]

[Out] (d*x*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] - 2*c*sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 3/2, 3/4, -((b*x^4)/a)] + x^2*(e + f*x + e*sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]))/(2*a*x*sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^{10} + 2abx^6 + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^10 + 2*a*b*x^6 + a^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^2), x)

maple [C] time = 0.19, size = 355, normalized size = 1.03

$$-\frac{bcx^3}{2\sqrt{(x^4 + \frac{a}{b})b}a^2} + \frac{fx^2}{2\sqrt{bx^4 + a}a} + \frac{ex}{2\sqrt{(x^4 + \frac{a}{b})b}a} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)3i}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/(b*x^4+a)^(1/2)/a*x^2+1/2*e/a*x/((x^4+a/b)*b)^(1/2)+1/2*e/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*b/a^2*x^3/((x^4+a/b)*b)^(1/2)-c*(b*x^4+a)^(1/2)/a^2/x+3/2*I*c/a^(3/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-3/2*I*c/a^(3/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*d/a/(b*x^4+a)^(1/2)-1/2*d/a^(3/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^2), x)

mupad [B] time = 5.94, size = 133, normalized size = 0.39

$$\frac{d}{2a\sqrt{bx^4+a}} - \frac{d \operatorname{atanh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{fx^2}{2a\sqrt{bx^4+a}} - \frac{c\left(\frac{a}{bx^4}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right)}{7x(bx^4+a)^{3/2}} + \frac{ex\left(\frac{bx^4}{a}+1\right)^{3/2} {}_2F_1\left(\frac{1}{4}, \frac{3}{2}; \frac{5}{4}; -\frac{a}{bx^4}\right)}{(bx^4+a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(3/2)), x)

[Out] d/(2*a*(a + b*x^4)^(1/2)) - (d*atanh((a + b*x^4)^(1/2)/a^(1/2)))/(2*a^(3/2)) + (f*x^2)/(2*a*(a + b*x^4)^(1/2)) - (c*(a/(b*x^4) + 1)^(3/2)*hypergeom([3/2, 7/4], 11/4, -a/(b*x^4)))/(7*x*(a + b*x^4)^(3/2)) + (e*x*((b*x^4)/a + 1)^(3/2)*hypergeom([1/4, 3/2], 5/4, -(b*x^4)/a))/(a + b*x^4)^(3/2)

sympy [C] time = 28.56, size = 291, normalized size = 0.85

$$d \left(\frac{2a^3 \sqrt{1 + \frac{bx^4}{a}}}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} + \frac{a^3 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} + \frac{a^2 bx^4 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} - \frac{2a^2 bx^4 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} \right) + c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**2/(b*x**4+a)**(3/2), x)

[Out] d*(2*a**3*sqrt(1 + b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**3*log(b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**3*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**2*b*x**4*log(b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**2*b*x**4*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4)) + c*gamma(-1/4)*hyper((-1/4, 3/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*x*gamma(3/4)) + e*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4)) + f*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))

$$3.549 \quad \int \frac{c+dx+ex^2+fx^3}{x^3(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=367

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 3\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4} + 2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2 * e * \operatorname{arctanh}((b * x^4 + a)^{(1/2)} / a^{(1/2)}) / a^{(3/2)} + 1/2 * x * (-b * e * x^3 - b * d * x^2 - b * c * x + a * f) / a^2 / (b * x^4 + a)^{(1/2)} + 1/2 * e * (b * x^4 + a)^{(1/2)} / a^2 - 1/2 * c * (b * x^4 + a)^{(1/2)} / a^2 / x^2 - d * (b * x^4 + a)^{(1/2)} / a^2 / x + 3/2 * d * x * b^{(1/2)} * (b * x^4 + a)^{(1/2)} / a^2 / (a^{(1/2)} + x^2 * b^{(1/2)}) - 3/2 * b^{(1/4)} * d * (\cos(2 * \arctan(b^{(1/4)} * x / a^{(1/4)}))^2)^{(1/2)} / \cos(2 * \arctan(b^{(1/4)} * x / a^{(1/4)})) * \operatorname{EllipticE}(\sin(2 * \arctan(b^{(1/4)} * x / a^{(1/4)})), 1/2 * 2^{(1/2)}) * (a^{(1/2)} + x^2 * b^{(1/2)}) * ((b * x^4 + a) / (a^{(1/2)} + x^2 * b^{(1/2)}))^2)^{(1/2)} / a^{(7/4)} / (b * x^4 + a)^{(1/2)} + 1/4 * (\cos(2 * \arctan(b^{(1/4)} * x / a^{(1/4)}))^2)^{(1/2)} / \cos(2 * \arctan(b^{(1/4)} * x / a^{(1/4)})) * \operatorname{EllipticF}(\sin(2 * \arctan(b^{(1/4)} * x / a^{(1/4)})), 1/2 * 2^{(1/2)}) * (f * a^{(1/2)} + 3 * d * b^{(1/2)}) * (a^{(1/2)} + x^2 * b^{(1/2)}) * ((b * x^4 + a) / (a^{(1/2)} + x^2 * b^{(1/2)}))^2)^{(1/2)} / a^{(7/4)} / b^{(1/4)} / (b * x^4 + a)^{(1/2)}$

Rubi [A] time = 0.48, antiderivative size = 367, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1833, 1835, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(a f - b c x - b d x^2 - b e x^3)}{2 a^2 \sqrt{a + b x^4}} - \frac{c \sqrt{a + b x^4}}{2 a^2 x^2} + \frac{(\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a + b x^4}{(\sqrt{a} + \sqrt{b} x^2)^2}} (\sqrt{a} f + 3 \sqrt{b} d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 3 \sqrt[4]{b} d (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a + b x^4}{(\sqrt{a} + \sqrt{b} x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4 a^{7/4} \sqrt[4]{b} \sqrt{a + b x^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(3/2)), x]

[Out] $(x * (a * f - b * c * x - b * d * x^2 - b * e * x^3)) / (2 * a^2 * \operatorname{Sqrt}[a + b * x^4]) + (e * \operatorname{Sqrt}[a + b * x^4]) / (2 * a^2) - (c * \operatorname{Sqrt}[a + b * x^4]) / (2 * a^2 * x^2) - (d * \operatorname{Sqrt}[a + b * x^4]) / (a^2 * x) + (3 * \operatorname{Sqrt}[b] * d * x * \operatorname{Sqrt}[a + b * x^4]) / (2 * a^2 * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)) - (e * \operatorname{ArcTan}[\operatorname{Sqrt}[a + b * x^4] / \operatorname{Sqrt}[a]]) / (2 * a^{(3/2)}) - (3 * b^{(1/4)} * d * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) * \operatorname{Sqrt}[(a + b * x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2] * \operatorname{EllipticE}[2 * \operatorname{ArcTan}[(b^{(1/4)} * x) / a^{(1/4)}], 1/2]) / (2 * a^{(7/4)} * \operatorname{Sqrt}[a + b * x^4]) + ((3 * \operatorname{Sqrt}[b] * d + \operatorname{Sqrt}[a] * f) * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2) * \operatorname{Sqrt}[(a + b * x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] * x^2)^2] * \operatorname{EllipticF}[2 * \operatorname{ArcTan}[(b^{(1/4)} * x) / a^{(1/4)}], 1/2]) / (4 * a^{(7/4)} * b^{(1/4)} * \operatorname{Sqrt}[a + b * x^4])$

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 50

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n / (b*(m + n + 1)), x] + Dist[(n*(b*c - a*d)) / (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x]] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x]] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1584

Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[
{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With
[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^3 (a + bx^4)^{3/2}} dx &= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - 2bex^2 - bfx^3 - \frac{b^2 dx^5}{a} - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bd - bfx^2 - \frac{b^2 dx^4}{a}}{x^2 \sqrt{a + bx^4}} + \frac{-2bc - 2bex^2 - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} \right) dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \frac{-2bd - bfx^2 - \frac{b^2 dx^4}{a}}{x^2 \sqrt{a + bx^4}} dx}{2ab} - \frac{\int \frac{-2bc - 2bex^2 - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{\int \frac{8abex + 8b^2 ex^5}{x^2 \sqrt{a + bx^4}} dx}{8a^2 b} + \frac{\int \frac{2abfx}{x\sqrt{a + bx^4}} dx}{4a} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{\int \frac{8abe + 8b^2 ex^4}{x\sqrt{a + bx^4}} dx}{8a^2 b} + \frac{\int \frac{2abf + 6b^2 ex^3}{\sqrt{a + bx^4}} dx}{4a} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} - \frac{(3\sqrt{b} d) \int \frac{1 - \frac{\sqrt{b} x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2a^{3/2}} + \frac{e \int \frac{2abfx}{x\sqrt{a + bx^4}} dx}{4a} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} - \frac{3^4 \sqrt{b} a}{4a} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 140, normalized size = 0.38

$$\frac{-2adx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + aex^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + afx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) - ac + afx^3}{2a^2 x^2 \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(3/2)), x]

[Out] $(-(a*c) + a*f*x^3 - 2*b*c*x^4 + a*e*x^2*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] - 2*a*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 3/2, 3/4, -(b*x^4)/a] + a*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/(2*a^2*x^2*Sqrt[a + b*x^4])$

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{b^2x^{11}+2abx^7+a^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4+a)*(f*x^3+e*x^2+d*x+c)/(b^2*x^11+2*a*b*x^7+a^2*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{(bx^4+a)^{\frac{3}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3+e*x^2+d*x+c)/((b*x^4+a)^(3/2)*x^3), x)

maple [C] time = 0.19, size = 363, normalized size = 0.99

$$\frac{\frac{bdx^3}{2\sqrt{(x^4+\frac{a}{b})ba^2}} + \frac{fx}{2\sqrt{(x^4+\frac{a}{b})ba}} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a}}{2\sqrt{(x^4+\frac{a}{b})ba^2}} + \frac{fx}{2\sqrt{(x^4+\frac{a}{b})ba}} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x)

[Out] $\frac{1}{2}f/a*x/((x^4+a/b)*b)^{(1/2)}+1/2*f/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*c/x^2*(2*b*x^4+a)/(b*x^4+a)^{(1/2)}/a^2-1/2*d*b/a^2*x^3/((x^4+a/b)*b)^{(1/2)}-d*(b*x^4+a)^{(1/2)}/a^2/x+3/2*I*d/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-3/2*I*d/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*e/a/(b*x^4+a)^{(1/2)}-1/2*e/a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{(bx^4+a)^{\frac{3}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3+e*x^2+d*x+c)/((b*x^4+a)^(3/2)*x^3), x)

mupad [B] time = 6.08, size = 147, normalized size = 0.40

$$\frac{e}{2a\sqrt{bx^4+a}} - \frac{e \operatorname{atanh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2a^{3/2}} - \frac{2c(bx^4+a) - ac}{2a^2x^2\sqrt{bx^4+a}} - \frac{d\left(\frac{a}{bx^4}+1\right)^{3/2}}{7x(bx^4+a)^{3/2}} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right) + \frac{fx\left(\frac{bx^4}{a}+1\right)^{3/2}}{(bx^4+a)^{3/2}} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(3/2)),x)`

[Out]
$$\frac{e}{2a(a + b x^4)^{1/2}} - \frac{e \operatorname{atanh}\left(\frac{a + b x^4}{a}\right)^{1/2}}{2a^{3/2}} - \frac{(2c(a + b x^4) - a c)}{2a^2 x^2 (a + b x^4)^{1/2}} - \frac{(d(a/(b x^4) + 1)^{3/2} \operatorname{hypergeom}\left(\left[\frac{3}{2}, \frac{7}{4}\right], \frac{11}{4}, -\frac{a}{b x^4}\right))}{7 x (a + b x^4)^{3/2}} + \frac{(f x \left(\frac{b x^4}{a} + 1\right)^{3/2} \operatorname{hypergeom}\left(\left[\frac{1}{4}, \frac{3}{2}\right], \frac{5}{4}, -\frac{b x^4}{a}\right))}{(a + b x^4)^{3/2}}$$

sympy [C] time = 25.30, size = 316, normalized size = 0.86

$$c \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + e \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^2bx^4\log}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/x**3/(b*x**4+a)**(3/2),x)`

[Out]
$$c \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + e \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^2bx^4\log}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} \right) + d \operatorname{gamma}\left(-\frac{1}{4}\right) \operatorname{hyper}\left(\left(-\frac{1}{4}, \frac{3}{2}\right), \left(\frac{3}{4},\right), \frac{b x^4 \exp(\operatorname{polar}(I\pi)/a)}{4 a^{3/2} x \operatorname{gamma}\left(\frac{3}{4}\right)} + f x \operatorname{gamma}\left(\frac{1}{4}\right) \operatorname{hyper}\left(\left(\frac{1}{4}, \frac{3}{2}\right), \left(\frac{5}{4},\right), \frac{b x^4 \exp(\operatorname{polar}(I\pi)/a)}{4 a^{3/2} \operatorname{gamma}\left(\frac{5}{4}\right)}\right)$$

$$3.550 \quad \int \frac{c+dx+ex^2+fx^3}{x^4(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=387

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 9\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 3\sqrt[4]{b}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{12a^{9/4}\sqrt{a+bx^4} + 2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/2*x*(b*f*x^3+b*e*x^2+b*d*x+b*c)/a^2/(b*x^4+a)^{(1/2)}+1/2*f*(b*x^4+a)^{(1/2)}/a^2-1/3*c*(b*x^4+a)^{(1/2)}/a^2/x^3-1/2*d*(b*x^4+a)^{(1/2)}/a^2/x^2-e*(b*x^4+a)^{(1/2)}/a^2/x+3/2*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-1/12*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(9/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1829, 1833, 1835, 1585, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a+bx^4}} - \frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 9\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12a^{9/4}\sqrt{a+bx^4}} - \frac{c\sqrt{a+b}}{3a^2x}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)), x]

[Out] $-(x*(b*c + b*d*x + b*e*x^2 + b*f*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (f*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (c*\operatorname{Sqrt}[a + b*x^4])/(3*a^2*x^3) - (d*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*x^2) - (e*\operatorname{Sqrt}[a + b*x^4])/(a^2*x) + (3*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (f*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) - (3*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(1/4)}*(5*\operatorname{Sqrt}[b]*c - 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(12*a^{(9/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x]] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x]] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1584

Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1585

Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x_Symbol] :> Int[u*x^(m + n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, m, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1829

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^

```

m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]

```

Rule 1835

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx^4)^{3/2}} dx &= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - 2bex^2 - 2bfx^3 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a} - \frac{2b^2fx^7}{a}}{x^4\sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bc - 2bex^2 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a}}{x^4\sqrt{a + bx^4}} + \frac{-2bd - 2bfx^2 - \frac{2b^2fx^6}{a}}{x^3\sqrt{a + bx^4}} \right) dx}{2ab} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bex^2 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a}}{x^4\sqrt{a + bx^4}} dx}{2ab} - \frac{\int \frac{-2bd - 2bfx^2 - \frac{2b^2fx^6}{a}}{x^3\sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} + \frac{\int \frac{12abex - 10b^2cx^3 + 6b^2ex^5}{x^3\sqrt{a + bx^4}} dx}{12a^2b} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} + \frac{\int \frac{12abe - 10b^2cx^2 + 6b^2ex^4}{x^2\sqrt{a + bx^4}} dx}{12a^2b} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} - \frac{\int \frac{20ab^2cx - 36}{x\sqrt{a + bx^4}} dx}{24a^3} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} - \frac{\int \frac{20ab^2c - 36a}{\sqrt{a + bx^4}} dx}{24a^3} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} \\
&= \frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 136, normalized size = 0.35

$$\frac{-2ac\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{3}{4}, \frac{3}{2}; \frac{1}{4}; -\frac{bx^4}{a}\right) - 3x\left(2aex\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) - afx^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + ad + \dots\right)}{6a^2x^3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)), x]

[Out] (-2*a*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-3/4, 3/2, 1/4, -((b*x^4)/a)] - 3*x*(a*d + 2*b*d*x^4 - a*f*x^2*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] + 2*a*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 3/2, 3/4, -((b*x^4)/a)]))/(6*a^2*x^3*Sqrt[a + b*x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^{12} + 2abx^8 + a^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^12 + 2*a*b*x^8 + a^2*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^4), x)

maple [C] time = 0.19, size = 383, normalized size = 0.99

$$\frac{be x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b a^2}} - \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{b} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} a^{\frac{3}{2}}} + \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{b}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x)

[Out] $-\frac{1}{3}c*(b*x^4+a)^{(1/2)}/a^2/x^3 - \frac{1}{2}c*b/a^2*x/((x^4+a/b)*b)^{(1/2)} - \frac{5}{6}c/a^2*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - \frac{1}{2}d/x^2*(2*b*x^4+a)/(b*x^4+a)^{(1/2)}/a^2 - \frac{1}{2}e*b/a^2*x^3/((x^4+a/b)*b)^{(1/2)} - e*(b*x^4+a)^{(1/2)}/a^2/x + \frac{3}{2}I*e/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - \frac{3}{2}I*e/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) + \frac{1}{2}f/a/(b*x^4+a)^{(1/2)} - \frac{1}{2}f/a^{(3/2)}*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^4(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)),x)

[Out] $\int (c + dx + ex^2 + fx^3)/(x^4(a + bx^4)^{3/2}) dx$

sympy [C] time = 33.73, size = 321, normalized size = 0.83

$$d \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + f \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^2bx^4\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/x**4/(b*x**4+a)**(3/2),x)`

[Out] $d \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + f \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^2bx^4\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} \right) + c\gamma(-3/4)\text{hyper}\left(-3/4, 3/2, (1/4,), bx^4\exp_{\text{polar}}(I\pi)/a\right)/(4a^{3/2}x^3\gamma(1/4)) + e\gamma(-1/4)\text{hyper}\left(-1/4, 3/2, (3/4,), bx^4\exp_{\text{polar}}(I\pi)/a\right)/(4a^{3/2}x\gamma(3/4))$

3.551 $\int (gx)^m (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$

Optimal. Leaf size=269

$$\frac{c(gx)^{m+1} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a}\right)}{g(m+1)} + \frac{d(gx)^{m+2} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a}\right)}{g^2(m+2)}$$

[Out] $c*(g*x)^{(1+m)}*(b*x^4+a)^p*\text{hypergeom}([-p, 1/4+1/4*m], [5/4+1/4*m], -b*x^4/a)/g/(1+m)/((1+b*x^4/a)^p)+d*(g*x)^{(2+m)}*(b*x^4+a)^p*\text{hypergeom}([-p, 1/2+1/4*m], [3/2+1/4*m], -b*x^4/a)/g^2/(2+m)/((1+b*x^4/a)^p)+e*(g*x)^{(3+m)}*(b*x^4+a)^p*\text{hypergeom}([-p, 3/4+1/4*m], [7/4+1/4*m], -b*x^4/a)/g^3/(3+m)/((1+b*x^4/a)^p)+f*(g*x)^{(4+m)}*(b*x^4+a)^p*\text{hypergeom}([-p, 1+1/4*m], [2+1/4*m], -b*x^4/a)/g^4/(4+m)/((1+b*x^4/a)^p)$

Rubi [A] time = 0.26, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1833, 1336, 365, 364}

$$\frac{c(gx)^{m+1} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a}\right)}{g(m+1)} + \frac{d(gx)^{m+2} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a}\right)}{g^2(m+2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(g*x)^m*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p, x]$

[Out] $(c*(g*x)^{(1+m)}*(a + b*x^4)^p*\text{Hypergeometric2F1}[(1+m)/4, -p, (5+m)/4, -(b*x^4/a)])/(g*(1+m)*(1 + (b*x^4/a)^p) + (d*(g*x)^{(2+m)}*(a + b*x^4)^p*\text{Hypergeometric2F1}[(2+m)/4, -p, (6+m)/4, -(b*x^4/a)])/(g^2*(2+m)*(1 + (b*x^4/a)^p) + (e*(g*x)^{(3+m)}*(a + b*x^4)^p*\text{Hypergeometric2F1}[(3+m)/4, -p, (7+m)/4, -(b*x^4/a)])/(g^3*(3+m)*(1 + (b*x^4/a)^p) + (f*(g*x)^{(4+m)}*(a + b*x^4)^p*\text{Hypergeometric2F1}[(4+m)/4, -p, (8+m)/4, -(b*x^4/a)])/(g^4*(4+m)*(1 + (b*x^4/a)^p)$

Rule 364

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/((c*(m+1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& (\text{ILtQ}[p, 0] \mid \mid \text{GtQ}[a, 0])$

Rule 365

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Dist}[(a^p*\text{IntPart}[p]*(a + b*x^n)^{\text{FracPart}[p]}]/(1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[p, 0] \mid \mid \text{GtQ}[a, 0])$

Rule 1336

$\text{Int}[(f_*)*(x_*)^{(m_*)}*((d_*) + (e_*)*(x_*)^2)^{(q_*)}*((a_*) + (c_*)*(x_*)^4)^{(p_*)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, m, p, q\}, x] \&\& (\text{IGtQ}[p, 0] \mid \mid \text{IGtQ}[q, 0] \mid \mid \text{IntegersQ}[m, q])$

Rule 1833

$\text{Int}[(Pq_*)*(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{(m+j)}*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q-j))/n + 1\}]* (a + b*x^n)^p]/c^j, \{j, 0,$

$n/2 - 1\}], x]] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$
 $] \ \&\& \ !\text{PolyQ}[\text{Pq}, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int (gx)^m (c + dx + ex^2 + fx^3) (a + bx^4)^p dx &= \int \left((gx)^m (c + ex^2) (a + bx^4)^p + \frac{(gx)^{1+m} (d + fx^2) (a + bx^4)^p}{g} \right) dx \\ &= \frac{\int (gx)^{1+m} (d + fx^2) (a + bx^4)^p dx}{g} + \int (gx)^m (c + ex^2) (a + bx^4)^p dx \\ &= \frac{\int \left(d(gx)^{1+m} (a + bx^4)^p + \frac{f(gx)^{3+m} (a + bx^4)^p}{g^2} \right) dx}{g} + \int \left(c(gx)^m (a + bx^4)^p + \frac{e(gx)^{2+m} (a + bx^4)^p}{g} \right) dx \\ &= c \int (gx)^m (a + bx^4)^p dx + \frac{f \int (gx)^{3+m} (a + bx^4)^p dx}{g^3} + \frac{e \int (gx)^{2+m} (a + bx^4)^p dx}{g} \\ &= \left(c (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int (gx)^m \left(1 + \frac{bx^4}{a} \right)^p dx + \frac{\left(f (a + bx^4)^p \right) \int (gx)^{2+m} (a + bx^4)^p dx}{g} \\ &= \frac{c (gx)^{1+m} (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1+m}{4}, -p; \frac{5+m}{4}; -\frac{bx^4}{a} \right)}{g(1+m)} + \frac{d (gx)^{2+m} (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{2+m}{4}, -p; \frac{6+m}{4}; -\frac{bx^4}{a} \right)}{g^2(2+m)} \end{aligned}$$

Mathematica [A] time = 0.24, size = 174, normalized size = 0.65

$$x(gx)^m (a + bx^4)^p \left(\frac{bx^4}{a} + 1 \right)^{-p} \left(\frac{c {}_2F_1 \left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a} \right)}{m+1} + x \left(\frac{d {}_2F_1 \left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a} \right)}{m+2} + x \left(\frac{e {}_2F_1 \left(\frac{m+3}{4}, -p; \frac{m+7}{4}; -\frac{bx^4}{a} \right)}{m+3} + \dots \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(g*x)^m*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] (x*(g*x)^m*(a + b*x^4)^p*((c*Hypergeometric2F1[(1 + m)/4, -p, (5 + m)/4, -(b*x^4)/a])/(1 + m) + x*((d*Hypergeometric2F1[(2 + m)/4, -p, (6 + m)/4, -(b*x^4)/a])/(2 + m) + x*((e*Hypergeometric2F1[(3 + m)/4, -p, (7 + m)/4, -(b*x^4)/a])/(3 + m) + (f*x*Hypergeometric2F1[(4 + m)/4, -p, (8 + m)/4, -(b*x^4)/a])/(4 + m)))))/(1 + (b*x^4)/a)^p

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^3 + ex^2 + dx + c)(bx^4 + a)^p (gx)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p (gx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (f x^3 + e x^2 + d x + c) (g x)^m (b x^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

[Out] int((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (f x^3 + e x^2 + d x + c) (b x^4 + a)^p (g x)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (g x)^m (b x^4 + a)^p (f x^3 + e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x)^m*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((g*x)^m*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)**m*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)

[Out] Timed out

3.552 $\int (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$

Optimal. Leaf size=143

$$\frac{cx(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{5}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{a} + \frac{dx^2(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{3}{2}; \frac{3}{2}; -\frac{bx^4}{a}\right)}{2a} + \frac{ex^3(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{7}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{3a}$$

[Out] $1/4*f*(b*x^4+a)^(1+p)/b/(1+p)+c*x*(b*x^4+a)^(1+p)*\text{hypergeom}([1, 5/4+p], [5/4], -b*x^4/a)/a+1/2*d*x^2*(b*x^4+a)^(1+p)*\text{hypergeom}([1, 3/2+p], [3/2], -b*x^4/a)/a+1/3*e*x^3*(b*x^4+a)^(1+p)*\text{hypergeom}([1, 7/4+p], [7/4], -b*x^4/a)/a$

Rubi [A] time = 0.13, antiderivative size = 170, normalized size of antiderivative = 1.19, number of steps used = 12, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1885, 1204, 246, 245, 365, 364, 1248, 641}

$$cx(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{1}{2} dx^2 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a}\right) + \frac{1}{3} ex^3 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] $(f*(a + b*x^4)^(1 + p))/(4*b*(1 + p)) + (c*x*(a + b*x^4)^p*\text{Hypergeometric2F1}[1/4, -p, 5/4, -((b*x^4)/a)]/(1 + (b*x^4)/a)^p + (d*x^2*(a + b*x^4)^p*\text{Hypergeometric2F1}[1/2, -p, 3/2, -((b*x^4)/a)]/(2*(1 + (b*x^4)/a)^p) + (e*x^3*(a + b*x^4)^p*\text{Hypergeometric2F1}[3/4, -p, 7/4, -((b*x^4)/a)]/(3*(1 + (b*x^4)/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /

```
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1204

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int (c + dx + ex^2 + fx^3)(a + bx^4)^p dx &= \int \left((c + ex^2)(a + bx^4)^p + x(d + fx^2)(a + bx^4)^p \right) dx \\
 &= \int (c + ex^2)(a + bx^4)^p dx + \int x(d + fx^2)(a + bx^4)^p dx \\
 &= \frac{1}{2} \text{Subst} \left(\int (d + fx)(a + bx^2)^p dx, x, x^2 \right) + \int \left(c(a + bx^4)^p + ex^2(a + bx^4)^p \right) dx \\
 &= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + c \int (a + bx^4)^p dx + \frac{1}{2} d \text{Subst} \left(\int (a + bx^2)^p dx, x, x^2 \right) \\
 &= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + \left(c(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^4}{a} \right)^p dx + \frac{1}{2} \left(d(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^4}{a} \right)^p dx \\
 &= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + cx(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) + \frac{1}{2} \left(d(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) {}_2F_1 \left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a} \right) + \frac{1}{2} \left(c(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) + \frac{1}{2} \left(d(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) {}_2F_1 \left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a} \right)
 \end{aligned}$$

Mathematica [A] time = 0.12, size = 147, normalized size = 1.03

$$\frac{1}{12} (a + bx^4)^p \left(12cx \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) + 6dx^2 \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a} \right) + 4ex^3 \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]
```

```
[Out] ((a + b*x^4)^p*((3*f*(a + b*x^4))/(b*(1 + p)) + (12*c*x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)/a]))/(1 + (b*x^4)/a)^p + (6*d*x^2*Hypergeometric2F1[1/2, -p, 3/2, -(b*x^4)/a]))/(1 + (b*x^4)/a)^p + (4*e*x^3*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)/a]))/(1 + (b*x^4)/a)^p)/12
```

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^3 + ex^2 + dx + c)(bx^4 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")
```

```
[Out] integral((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)
```

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)
```

```
[Out] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")
```

```
[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^4 + a)^p (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)
```

```
[Out] int((a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)
```

sympy [A] time = 49.57, size = 141, normalized size = 0.99

$$\frac{a^p c x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^p d x^2 {}_2F_1\left(\frac{1}{2}, -p \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{2} + \frac{a^p e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + f \begin{cases} \frac{a^p x^4}{4} \\ \frac{(a+bx^4)^{p+1}}{p+1} & \text{for } p \neq -1 \\ \log(a + bx^4) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)
```

```
[Out] a**p*c*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**p*d*x**2*hyper((1/2, -p), (3/2,), b*x**4*exp_polar(I*pi)/a)/2 + a**p*e*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + f*Piecewise((a**p*x**4/4, Eq(b, 0)), (Piecewise(((a + b*x**4)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**4), True)))/(4*b), True)
)
```

3.553 $\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$

Optimal. Leaf size=175

$$\frac{c(a+bx^4)^{p+1}}{4b(p+1)} + \frac{1}{5} dx^5 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a}\right) + \frac{1}{6} ex^6 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{2}, -p; \frac{5}{2}; -\frac{bx^4}{a}\right) + \frac{1}{7} fx^7 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{7}{4}, -p; \frac{11}{4}; -\frac{bx^4}{a}\right)$$

[Out] 1/4*c*(b*x^4+a)^(1+p)/b/(1+p)+1/5*d*x^5*(b*x^4+a)^p*hypergeom([5/4, -p], [9/4], -b*x^4/a)/((1+b*x^4/a)^p)+1/6*e*x^6*(b*x^4+a)^p*hypergeom([3/2, -p], [5/2], -b*x^4/a)/((1+b*x^4/a)^p)+1/7*f*x^7*(b*x^4+a)^p*hypergeom([7/4, -p], [11/4], -b*x^4/a)/((1+b*x^4/a)^p)

Rubi [A] time = 0.18, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1833, 1252, 764, 261, 365, 364, 1336}

$$\frac{c(a+bx^4)^{p+1}}{4b(p+1)} + \frac{1}{5} dx^5 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a}\right) + \frac{1}{6} ex^6 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{2}, -p; \frac{5}{2}; -\frac{bx^4}{a}\right) + \frac{1}{7} fx^7 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{7}{4}, -p; \frac{11}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] (c*(a + b*x^4)^(1 + p))/(4*b*(1 + p)) + (d*x^5*(a + b*x^4)^p*Hypergeometric2F1[5/4, -p, 9/4, -((b*x^4)/a)])/(5*(1 + (b*x^4)/a)^p) + (e*x^6*(a + b*x^4)^p*Hypergeometric2F1[3/2, -p, 5/2, -((b*x^4)/a)])/(6*(1 + (b*x^4)/a)^p) + (f*x^7*(a + b*x^4)^p*Hypergeometric2F1[7/4, -p, 11/4, -((b*x^4)/a)])/(7*(1 + (b*x^4)/a)^p)

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 764

Int[(x_)^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[f, Int[x^m*(a + c*x^2)^p, x], x] + Dist[g, Int[x^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && IntegerQ[m] && !IntegerQ[2*p]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1336

$\text{Int}[(f_)*(x_)]^{(m_)*((d_)+(e_)*(x_)^2)^{(q_)*((a_)+(c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d+e*x^2)^q*(a+c*x^4)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, m, p, q\}, x] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[q, 0] \ | \ \text{IntegersQ}[m, q])$

Rule 1833

$\text{Int}[(Pq_)*((c_)*(x_)]^{(m_)*((a_)+(b_)*(x_)]^{(n_)]^{(p_)}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{(m+j)}*\text{Sum}[\text{Coeff}[Pq, x, j+(k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q-j))/n+1\})*(a+b*x^n)^p]/c^j, \{j, 0, n/2-1\}], x] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^p dx &= \int \left(x^3 (c + ex^2) (a + bx^4)^p + x^4 (d + fx^2) (a + bx^4)^p \right) dx \\ &= \int x^3 (c + ex^2) (a + bx^4)^p dx + \int x^4 (d + fx^2) (a + bx^4)^p dx \\ &= \frac{1}{2} \text{Subst} \left(\int x(c + ex) (a + bx^2)^p dx, x, x^2 \right) + \int \left(dx^4 (a + bx^4)^p + \right. \\ &= \frac{1}{2} c \text{Subst} \left(\int x (a + bx^2)^p dx, x, x^2 \right) + d \int x^4 (a + bx^4)^p dx + \frac{1}{2} e \text{Subst} \left(\int x^2 (a + bx^2)^p dx, x, x^2 \right) \\ &= \frac{c (a + bx^4)^{1+p}}{4b(1+p)} + \left(d (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int x^4 \left(1 + \frac{bx^4}{a} \right)^p dx + \\ &= \frac{c (a + bx^4)^{1+p}}{4b(1+p)} + \frac{1}{5} dx^5 (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a} \right) \end{aligned}$$

Mathematica [A] time = 0.14, size = 145, normalized size = 0.83

$$\frac{(a + bx^4)^p \left(\frac{bx^4}{a} + 1 \right)^{-p} \left(105c (a + bx^4) \left(\frac{bx^4}{a} + 1 \right)^p + 84bd(p + 1)x^5 {}_2F_1 \left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a} \right) + 70be(p + 1)x^6 {}_2F_1 \left(\frac{3}{2}, -p; \frac{7}{4}; -\frac{bx^4}{a} \right) \right)}{420b(p + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] ((a + b*x^4)^p*(105*c*(a + b*x^4)*(1 + (b*x^4)/a)^p + 84*b*d*(1 + p)*x^5*Hypergeometric2F1[5/4, -p, 9/4, -(b*x^4)/a] + 70*b*e*(1 + p)*x^6*Hypergeometric2F1[3/2, -p, 5/2, -(b*x^4)/a] + 60*b*f*(1 + p)*x^7*Hypergeometric2F1[7/4, -p, 11/4, -(b*x^4)/a]))/(420*b*(1 + p)*(1 + (b*x^4)/a)^p)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^6 + ex^5 + dx^4 + cx^3)(bx^4 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*x^3, x)

maple [F] time = 0.48, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)x^3(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

[Out] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^4 + a)^{p+1}c}{4b(p + 1)} + \int (fx^6 + ex^5 + dx^4)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] 1/4*(b*x^4 + a)^(p + 1)*c/(b*(p + 1)) + integrate((f*x^6 + e*x^5 + d*x^4)*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (bx^4 + a)^p (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^3*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 111.18, size = 143, normalized size = 0.82

$$\frac{a^p dx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{a^p ex^6 {}_2F_1\left(\frac{3}{2}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{6} + \frac{a^p fx^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{11}{4}\right)} + c \begin{cases} \frac{a^p x^4}{4} \\ \frac{(a+bx^4)^{p+1}}{p+1} & \text{for } p \\ \frac{\log(a + bx^4)}{4b} & \text{other} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)

[Out] a**p*d*x**5*gamma(5/4)*hyper((5/4, -p), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + a**p*e*x**6*hyper((3/2, -p), (5/2,), b*x**4*exp_polar(I*pi)/a)/6 + a**p*f*x**7*gamma(7/4)*hyper((7/4, -p), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + c*Piecewise((a**p*x**4/4, Eq(b, 0)), (Piecewise((a + b*x**4)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**4), True))/(4*b), True))

$$3.554 \quad \int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] -Log[1 - x]

fricas [A] time = 0.40, size = 6, normalized size = 0.75

$$-\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1),x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+x^3+x^2+x+1)/(-x^5+1),x)

[Out] -ln(x-1)

maxima [A] time = 1.30, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1),x, algorithm="maxima")

[Out] -log(x - 1)

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + x^3 + x^4 + 1)/(x^5 - 1),x)

[Out] -log(x - 1)

sympy [A] time = 0.08, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+x**3+x**2+x+1)/(-x**5+1),x)

[Out] -log(x - 1)

$$3.555 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{2} \log(2x + 3)$$

[Out] 1/2*ln(3+2*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6),x]

[Out] Log[3 + 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{729 - 64x^6} dx = \int \frac{1}{3 + 2x} dx = \frac{1}{2} \log(3 + 2x)$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6),x]

[Out] Log[3 + 2*x]/2

fricas [A] time = 0.40, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="fricas")

[Out] $\frac{1}{2}\log(2x + 3)$

giac [A] time = 0.19, size = 9, normalized size = 0.90

$$\frac{1}{2} \log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="giac")

[Out] $\frac{1}{2}\log(\text{abs}(2x + 3))$

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$\frac{\ln(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x)

[Out] $\frac{1}{2}\ln(3+2*x)$

maxima [A] time = 1.33, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="maxima")

[Out] $\frac{1}{2}\log(2x + 3)$

mupad [B] time = 0.06, size = 6, normalized size = 0.60

$$\frac{\ln\left(x + \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729),x)

[Out] $\log(x + 3/2)/2$

sympy [A] time = 0.08, size = 7, normalized size = 0.70

$$\frac{\log(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729),x)

[Out] $\log(2x + 3)/2$

$$3.556 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$-\frac{1}{2} \log(3-2x)$$

[Out] -1/2*ln(3-2*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6),x]

[Out] -Log[3 - 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{729 - 64x^6} dx = \int \frac{1}{3 - 2x} dx = -\frac{1}{2} \log(3 - 2x)$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6),x]

[Out] -1/2*Log[3 - 2*x]

fricas [A] time = 0.40, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="fricas")

[Out] $-1/2 \cdot \log(2x - 3)$

giac [A] time = 0.18, size = 9, normalized size = 0.90

$$-\frac{1}{2} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="giac")

[Out] $-1/2 \cdot \log(\text{abs}(2x - 3))$

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$-\frac{\ln(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x)

[Out] $-1/2 \cdot \ln(-3+2x)$

maxima [A] time = 1.39, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="maxima")

[Out] $-1/2 \cdot \log(2x - 3)$

mupad [B] time = 4.99, size = 6, normalized size = 0.60

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729),x)

[Out] $-\log(x - 3/2)/2$

sympy [A] time = 0.09, size = 8, normalized size = 0.80

$$\frac{\log(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729),x)

[Out] $-\log(2x - 3)/2$

$$3.557 \quad \int \frac{81+36x^2+16x^4}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

[Out] 1/6*arctanh(2/3*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 206}

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] ArcTanh[(2*x)/3]/6

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{81 + 36x^2 + 16x^4}{729 - 64x^6} dx = \int \frac{1}{9 - 4x^2} dx = \frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

Mathematica [B] time = 0.00, size = 21, normalized size = 2.10

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(3 - 2x)$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] -1/12*Log[3 - 2*x] + Log[3 + 2*x]/12

fricas [B] time = 0.42, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729),x, algorithm="fricas")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

giac [B] time = 0.20, size = 15, normalized size = 1.50

$$\frac{1}{12} \log\left(\left|x + \frac{3}{2}\right|\right) - \frac{1}{12} \log\left(\left|x - \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/12*log(abs(x + 3/2)) - 1/12*log(abs(x - 3/2))

maple [B] time = 0.05, size = 18, normalized size = 1.80

$$-\frac{\ln(2x - 3)}{12} + \frac{\ln(2x + 3)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729),x)

[Out] 1/12*ln(2*x+3)-1/12*ln(2*x-3)

maxima [B] time = 1.33, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

mupad [B] time = 0.10, size = 6, normalized size = 0.60

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(36*x^2 + 16*x^4 + 81)/(64*x^6 - 729),x)

[Out] atanh((2*x)/3)/6

sympy [B] time = 0.11, size = 15, normalized size = 1.50

$$-\frac{\log\left(x - \frac{3}{2}\right)}{12} + \frac{\log\left(x + \frac{3}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x**4+36*x**2+81)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/12 + log(x + 3/2)/12

$$3.558 \quad \int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx$$

Optimal. Leaf size=24

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

[Out] -1/9*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1586, 618, 204}

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{81 + 54x - 24x^3 - 16x^4}{729 - 64x^6} dx &= \int \frac{1}{9 - 6x + 4x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right)\right) \\ &= -\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 24, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

fricas [A] time = 0.39, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

giac [A] time = 0.19, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

maple [A] time = 0.04, size = 17, normalized size = 0.71

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x)

[Out] 1/9*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))

maxima [A] time = 2.93, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="maxima")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

mupad [B] time = 0.03, size = 16, normalized size = 0.67

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3} (4x-3)}{9}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729), x)

[Out] (3^(1/2)*atan((3^(1/2)*(4*x - 3))/9))/9

sympy [A] time = 0.15, size = 24, normalized size = 1.00

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729),x)

[Out] sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/9

$$3.559 \quad \int \frac{3-2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

[Out] 1/486*ln(3+2*x)-1/972*ln(4*x^2-6*x+9)+1/486*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 628, 618, 204}

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{3-2x}{729-64x^6} dx &= \int \frac{1}{243+162x+108x^2+72x^3+48x^4+32x^5} dx \\
&= \int \left(\frac{1}{243(3+2x)} + \frac{3-4x}{486(9-6x+4x^2)} + \frac{1}{54(9+6x+4x^2)} \right) dx \\
&= \frac{1}{486} \log(3+2x) + \frac{1}{486} \int \frac{3-4x}{9-6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9+6x+4x^2} dx \\
&= \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, 6+8x \right) \\
&= \frac{\tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right)}{162\sqrt{3}} + \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 50, normalized size = 1.00

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1} \left(\frac{4x+3}{3\sqrt{3}} \right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2*x)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x + 3) \right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/972*log(4*x^2 - 6*x + 9) + 1/486*log(2*x + 3)

giac [A] time = 0.20, size = 39, normalized size = 0.78

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x + 3) \right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/972*log(4*x^2 - 6*x + 9) + 1/486*log(abs(2*x + 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan \left(\frac{(8x+6)\sqrt{3}}{18} \right)}{486} + \frac{\ln(2x + 3)}{486} - \frac{\ln(4x^2 - 6x + 9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729), x)

[Out] $-1/972*\ln(4*x^2-6*x+9)+1/486*\ln(2*x+3)+1/486*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})$

maxima [A] time = 2.89, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3-2*x)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $1/486*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 1/972*\log(4*x^2 - 6*x + 9) + 1/486*\log(2*x + 3)$

mupad [B] time = 0.13, size = 49, normalized size = 0.98

$$\frac{\ln\left(x + \frac{3}{2}\right)}{486} - \frac{\ln\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} + \frac{1}{884736}\right)} - \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} + \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x - 3)/(64*x^6 - 729),x)`

[Out] $\log(x + 3/2)/486 - \log(x^2 - (3*x)/2 + 9/4)/972 - (3^{(1/2)}*\operatorname{atan}(3^{(1/2)}/(1327104*(x/884736 + 1/884736)) - (3^{(1/2)}*x)/(7962624*(x/884736 + 1/884736))))/486$

sympy [A] time = 0.21, size = 46, normalized size = 0.92

$$\frac{\log\left(x + \frac{3}{2}\right)}{486} - \frac{\log(4x^2 - 6x + 9)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3-2*x)/(-64*x**6+729),x)`

[Out] $\log(x + 3/2)/486 - \log(4*x**2 - 6*x + 9)/972 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/486$

$$3.560 \quad \int \frac{3+2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

[Out] -1/486*ln(3-2*x)+1/972*ln(4*x^2+6*x+9)-1/486*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 618, 204, 628}

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) - Log[3 - 2*x]/486 + Log[9 + 6*x + 4*x^2]/972

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

Int[(P_)^(p_), x_Symbol] :> With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{3+2x}{729-64x^6} dx &= \int \frac{1}{243-162x+108x^2-72x^3+48x^4-32x^5} dx \\
&= \int \left(-\frac{1}{243(-3+2x)} + \frac{1}{54(9-6x+4x^2)} + \frac{3+4x}{486(9+6x+4x^2)} \right) dx \\
&= -\frac{1}{486} \log(3-2x) + \frac{1}{486} \int \frac{3+4x}{9+6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9-6x+4x^2} dx \\
&= -\frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, -6+8x \right) \\
&= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{162\sqrt{3}} - \frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 46, normalized size = 0.92

$$\frac{1}{972} \left(\log(4x^2 + 6x + 9) - 2 \log(3 - 2x) + 2\sqrt{3} \tan^{-1} \left(\frac{4x - 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + Log[9 + 6*x + 4*x^2])/972

fricas [A] time = 0.44, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/972*log(4*x^2 + 6*x + 9) - 1/486*log(2*x - 3)

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/972*log(4*x^2 + 6*x + 9) - 1/486*log(abs(2*x - 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan \left(\frac{(8x-6)\sqrt{3}}{18} \right)}{486} - \frac{\ln(2x-3)}{486} + \frac{\ln(4x^2+6x+9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729), x)

[Out] $\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{18} (8x-6) \sqrt{3}\right) + \frac{1}{972} \ln(4x^2 + 6x + 9) - \frac{1}{486} \ln(2x-3)$

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+2*x)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(2x-3)$

mupad [B] time = 4.99, size = 48, normalized size = 0.96

$$\frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\ln\left(x - \frac{3}{2}\right)}{486} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} - \frac{1}{884736}\right)} + \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} - \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x + 3)/(64*x^6 - 729),x)`

[Out] $\log\left(\frac{(3x)/2 + x^2 + 9/4}{972}\right) - \log\left(\frac{x - 3/2}{486}\right) - \frac{(3^{1/2}) \operatorname{atan}\left(\frac{3^{1/2}}{1327104\left(\frac{x}{884736} - \frac{1}{884736}\right)} + \frac{3^{1/2}x}{7962624\left(\frac{x}{884736} - \frac{1}{884736}\right)}\right)}{486}$

sympy [A] time = 0.24, size = 46, normalized size = 0.92

$$-\frac{\log\left(x - \frac{3}{2}\right)}{486} + \frac{\log(4x^2 + 6x + 9)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+2*x)/(-64*x**6+729),x)`

[Out] $-\log(x - 3/2)/486 + \log(4x^2 + 6x + 9)/972 + \sqrt{3} \operatorname{atan}(4\sqrt{3}x/9 - \sqrt{3}/3)/486$

$$3.561 \quad \int \frac{9-6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

[Out] -1/324*ln(3-2*x)+1/108*ln(3+2*x)-1/324*ln(4*x^2+6*x+9)+1/162*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(54*Sqrt[3]) - Log[3 - 2*x]/324 + Log[3 + 2*x]/108 - Log[9 + 6*x + 4*x^2]/324

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

`Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x] && ILtQ[p, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{9 - 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 + 54x - 24x^3 - 16x^4} dx \\
 &= \int \left(-\frac{1}{162(-3 + 2x)} + \frac{1}{54(3 + 2x)} + \frac{3 - 2x}{81(9 + 6x + 4x^2)} \right) dx \\
 &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) + \frac{1}{81} \int \frac{3 - 2x}{9 + 6x + 4x^2} dx \\
 &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \int \frac{6 + 8x}{9 + 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 + 6x + 4x^2} dx \\
 &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right) \\
 &= \frac{\tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right)}{54\sqrt{3}} - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 56, normalized size = 0.93

$$\frac{1}{324} \left(-\log(4x^2 + 6x + 9) - \log(3 - 2x) + 3 \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x + 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - Log[3 - 2*x] + 3*Log[3 + 2*x] - Log[9 + 6*x + 4*x^2])/324

fricas [A] time = 0.44, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x + 3) \right) - \frac{1}{324} \log(4x^2 + 6x + 9) + \frac{1}{108} \log(2x + 3) - \frac{1}{324} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/324*log(4*x^2 + 6*x + 9) + 1/108*log(2*x + 3) - 1/324*log(2*x - 3)

giac [A] time = 0.19, size = 48, normalized size = 0.80

$$\frac{1}{162} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x + 3) \right) - \frac{1}{324} \log(4x^2 + 6x + 9) + \frac{1}{108} \log(|2x + 3|) - \frac{1}{324} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/324*log(4*x^2 + 6*x + 9) + 1/108*log(abs(2*x + 3)) - 1/324*log(abs(2*x - 3))

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3} \arctan \left(\frac{(8x+6)\sqrt{3}}{18} \right)}{162} - \frac{\ln(2x - 3)}{324} + \frac{\ln(2x + 3)}{108} - \frac{\ln(4x^2 + 6x + 9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^2-6*x+9)/(-64*x^6+729),x)`

[Out] $1/108*\ln(2*x+3)-1/324*\ln(4*x^2+6*x+9)+1/162*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})-1/324*\ln(2*x-3)$

maxima [A] time = 2.94, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) - \frac{1}{324} \log(4x^2+6x+9) + \frac{1}{108} \log(2x+3) - \frac{1}{324} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2-6*x+9)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x+3)) - 1/324*\log(4*x^2+6*x+9) + 1/108*\log(2*x+3) - 1/324*\log(2*x-3)$

mupad [B] time = 5.01, size = 52, normalized size = 0.87

$$\frac{\ln\left(x+\frac{3}{2}\right)}{108} - \frac{\ln\left(x-\frac{3}{2}\right)}{324} - \ln\left(x+\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{324}+\frac{\sqrt{3}1i}{324}\right) + \ln\left(x+\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{324}+\frac{\sqrt{3}1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(4*x^2-6*x+9)/(64*x^6-729),x)`

[Out] $\log(x+3/2)/108 - \log(x-3/2)/324 - \log(x-(3^{(1/2)}*3i)/4+3/4)*((3^{(1/2)}*1i)/324+1/324) + \log(x+(3^{(1/2)}*3i)/4+3/4)*((3^{(1/2)}*1i)/324-1/324)$

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x-\frac{3}{2}\right)}{324} + \frac{\log\left(x+\frac{3}{2}\right)}{108} - \frac{\log\left(x^2+\frac{3x}{2}+\frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9}+\frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**2-6*x+9)/(-64*x**6+729),x)`

[Out] $-\log(x-3/2)/324 + \log(x+3/2)/108 - \log(x**2+3*x/2+9/4)/324 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9+\sqrt{3}/3)/162$

$$3.562 \quad \int \frac{9+6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

[Out] $-1/108*\ln(3-2*x)+1/324*\ln(3+2*x)+1/324*\ln(4*x^2-6*x+9)-1/162*\arctan(1/9*(3-4*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] $-\text{ArcTan}[(3 - 4*x)/(3*\text{Sqrt}[3])]/(54*\text{Sqrt}[3]) - \text{Log}[3 - 2*x]/108 + \text{Log}[3 + 2*x]/324 + \text{Log}[9 - 6*x + 4*x^2]/324$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

`Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{9 + 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 - 54x + 24x^3 - 16x^4} dx \\
 &= \int \left(-\frac{1}{54(-3 + 2x)} + \frac{1}{162(3 + 2x)} + \frac{3 + 2x}{81(9 - 6x + 4x^2)} \right) dx \\
 &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{81} \int \frac{3 + 2x}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right. \\
 &\quad \left. \tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) \right)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 52, normalized size = 0.87

$$\frac{1}{324} \left(\log(4x^2 - 6x + 9) - 3 \log(3 - 2x) + \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x - 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 3*Log[3 - 2*x] + Log[3 + 2*x] + Log[9 - 6*x + 4*x^2])/324

fricas [A] time = 0.41, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(2x + 3) - \frac{1}{108} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(2*x + 3) - 1/108*log(2*x - 3)

giac [A] time = 0.18, size = 48, normalized size = 0.80

$$\frac{1}{162} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(|2x + 3|) - \frac{1}{108} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(abs(2*x + 3)) - 1/108*log(abs(2*x - 3))

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3} \arctan \left(\frac{(8x-6)\sqrt{3}}{18} \right)}{162} - \frac{\ln(2x - 3)}{108} + \frac{\ln(2x + 3)}{324} + \frac{\ln(4x^2 - 6x + 9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+6*x+9)/(-64*x^6+729),x)

[Out] 1/324*ln(4*x^2-6*x+9)+1/162*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/324*ln(2*x+3)-1/108*ln(2*x-3)

maxima [A] time = 3.08, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(2x + 3) - \frac{1}{108} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(2*x + 3) - 1/108*log(2*x - 3)

mupad [B] time = 4.98, size = 52, normalized size = 0.87

$$\frac{\ln\left(x + \frac{3}{2}\right)}{324} - \frac{\ln\left(x - \frac{3}{2}\right)}{108} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(6*x + 4*x^2 + 9)/(64*x^6 - 729),x)

[Out] log(x + 3/2)/324 - log(x - 3/2)/108 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/324 - 1/324) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/324 + 1/324)

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x - \frac{3}{2}\right)}{108} + \frac{\log\left(x + \frac{3}{2}\right)}{324} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+6*x+9)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/108 + log(x + 3/2)/324 + log(x**2 - 3*x/2 + 9/4)/324 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/162

$$3.563 \quad \int \frac{27-8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

[Out] 1/54*ln(3+2*x)-1/108*ln(4*x^2-6*x+9)-1/54*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {26, 200, 31, 634, 618, 204, 628}

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

Rule 26

Int[(u_.)*((a_.) + (b_.)*(x_)^(n_.))^(m_.)*((c_.) + (d_.)*(x_)^(j_.))^(p_.), x_Symbol] :> Dist[(-b^2/d)^m, Int[u/(a - b*x^n)^m, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[j, 2*n] && EqQ[p, -m] && EqQ[b^2*c + a^2*d, 0] && GtQ[a, 0] && LtQ[d, 0]

Rule 31

Int[((a_.) + (b_.)*(x_))^(n_.), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_.) + (b_.)*(x_)^3)^(n_.), x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(n_.), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_.), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned}
 \int \frac{27 - 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 + 8x^3} dx \\
 &= \frac{1}{27} \int \frac{1}{3 + 2x} dx + \frac{1}{27} \int \frac{6 - 2x}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right) \\
 &= -\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}} + \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

fricas [A] time = 0.45, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(4*x^2 - 6*x + 9) + 1/54*log(2*x + 3)

giac [A] time = 0.17, size = 35, normalized size = 0.70

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{1}{108} \log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right) + \frac{1}{54} \log\left(\left|x + \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(x^2 - 3/2*x + 9/4) + 1/54*log(abs(x + 3/2))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} + \frac{\ln(2x+3)}{54} - \frac{\ln(4x^2-6x+9)}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-8*x^3+27)/(-64*x^6+729),x)

[Out] -1/108*ln(4*x^2-6*x+9)+1/54*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/54*ln(2*x+3)

maxima [A] time = 2.93, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{108} \log(4x^2-6x+9) + \frac{1}{54} \log(2x+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(4*x^2 - 6*x + 9) + 1/54*log(2*x + 3)

mupad [B] time = 0.09, size = 46, normalized size = 0.92

$$\frac{\ln\left(x + \frac{3}{2}\right)}{54} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{108} + \frac{\sqrt{3} 1i}{108}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{108} + \frac{\sqrt{3} 1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3 - 27)/(64*x^6 - 729),x)

[Out] log(x + 3/2)/54 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/108 + 1/108) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/108 - 1/108)

sympy [A] time = 0.16, size = 48, normalized size = 0.96

$$\frac{\log\left(x + \frac{3}{2}\right)}{54} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{108} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x**3+27)/(-64*x**6+729),x)

[Out] log(x + 3/2)/54 - log(x**2 - 3*x/2 + 9/4)/108 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/54

$$3.564 \quad \int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

[Out] $-1/18*\ln(3-2*x)+1/36*\ln(4*x^2-6*x+9)-1/54*\arctan(1/9*(3-4*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

[Out] $-\text{ArcTan}[(3 - 4*x)/(3*\text{Sqrt}[3])]/(18*\text{Sqrt}[3]) - \text{Log}[3 - 2*x]/18 + \text{Log}[9 - 6*x + 4*x^2]/36$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

`Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]] /; PolyQ[P, x] && ILtQ[p, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{27 + 36x + 24x^2 + 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 - 36x + 24x^2 - 8x^3} dx \\
 &= \int \left(-\frac{1}{9(-3 + 2x)} + \frac{2x}{9(9 - 6x + 4x^2)} \right) dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{2}{9} \int \frac{x}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{18\sqrt{3}} - \frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) + \frac{\tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) - Log[3 - 2*x]/18 + Log[9 - 6*x + 4*x^2]/36

fricas [A] time = 0.44, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(2*x - 3)

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{54} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x - 3) \right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(abs(2*x - 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} - \frac{\ln(2x-3)}{18} + \frac{\ln(4x^2-6x+9)}{36}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x)

[Out] 1/36*ln(4*x^2-6*x+9)+1/54*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/18*ln(2*x-3)

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) + \frac{1}{36} \log(4x^2-6x+9) - \frac{1}{18} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(2*x - 3)

mupad [B] time = 0.10, size = 46, normalized size = 0.92

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{18} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{36} + \frac{\sqrt{3} 1i}{108}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{36} + \frac{\sqrt{3} 1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729),x)

[Out] log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/108 + 1/36) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/108 - 1/36) - log(x - 3/2)/18

sympy [A] time = 0.20, size = 48, normalized size = 0.96

$$-\frac{\log\left(x - \frac{3}{2}\right)}{18} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{36} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/18 + log(x**2 - 3*x/2 + 9/4)/36 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/54

$$3.565 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$-\frac{\log(4x^2-6x+9)}{17496} - \frac{\log(4x^2+6x+9)}{17496} - \frac{1}{2916(2x+3)} - \frac{\log(3-2x)}{17496} + \frac{5\log(2x+3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

[Out] -1/2916/(3+2*x)-1/17496*ln(3-2*x)+5/17496*ln(3+2*x)-1/17496*ln(4*x^2-6*x+9)-1/17496*ln(4*x^2+6*x+9)-1/26244*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/8748*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$-\frac{\log(4x^2-6x+9)}{17496} - \frac{\log(4x^2+6x+9)}{17496} - \frac{1}{2916(2x+3)} - \frac{\log(3-2x)}{17496} + \frac{5\log(2x+3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] -1/(2916*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(8748*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(2916*Sqrt[3]) - Log[3 - 2*x]/17496 + (5*Log[3 + 2*x])/17496 - Log[9 - 6*x + 4*x^2]/17496 - Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

`Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]`

Rubi steps

$$\begin{aligned} \int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 + 2x)^2 (243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5)} dx \\ &= \int \left(-\frac{1}{8748(-3 + 2x)} + \frac{1}{1458(3 + 2x)^2} + \frac{5}{8748(3 + 2x)} + \frac{1}{4374(3 + 2x)^3} \right) dx \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} + \frac{\int \frac{3-2x}{9-6x+4x^2} dx}{4374} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\int \frac{-6+8x}{9-6x+4x^2} dx}{17496} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\log(9 - 6x + 4x^2)}{17496} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} - \frac{\log(3 - 2x)}{17496} \end{aligned}$$

Mathematica [A] time = 0.11, size = 100, normalized size = 0.91

$$\frac{-3 \log(4x^2 - 6x + 9) - 3 \log(4x^2 + 6x + 9) - \frac{18}{2x+3} - 3 \log(3 - 2x) + 15 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6 \log(9 - 6x + 4x^2)}{52488}$$

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2, x]

[Out] (-18/(3 + 2*x) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])]) + 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 3*Log[3 - 2*x] + 15*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 3*Log[9 + 6*x + 4*x^2])/52488

fricas [A] time = 0.42, size = 115, normalized size = 1.05

$$\frac{6\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 2\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - 3(2x+3)\log(4x^2+6x+9) - 3(2x+3)\log(4x^2-6x+9) + 15(2x+3)\log(2x+3) - 3(2x+3)\log(9-6x+4x^2)}{52488(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2, x, algorithm="fricas")

[Out] 1/52488*(6*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 3*(2*x + 3)*log(4*x^2 + 6*x + 9) - 3*(2*x + 3)*log(4*x^2 - 6*x + 9) + 15*(2*x + 3)*log(2*x + 3) - 3*(2*x + 3)*log(9 - 6*x + 4*x^2))/(2*x + 3)

giac [A] time = 0.19, size = 86, normalized size = 0.78

$$\frac{1}{8748}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{26244}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496}\log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{26244} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{8748} - \frac{\ln(2x-3)}{17496} + \frac{5 \ln(2x+3)}{17496} - \frac{\ln(4x^2-6x+9)}{17496} - \frac{\ln(4x^2+6x+9)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x)

[Out] -1/17496*ln(4*x^2-6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/2916/(2*x+3)+5/17496*ln(2*x+3)-1/17496*ln(4*x^2+6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/17496*ln(2*x-3)

maxima [A] time = 2.98, size = 84, normalized size = 0.76

$$\frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x+3)\right) + \frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496} \log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(2*x + 3) - 1/17496*log(2*x - 3)

mapad [B] time = 5.10, size = 100, normalized size = 0.91

$$\frac{5 \ln\left(x + \frac{3}{2}\right)}{17496} - \frac{\ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832\left(x + \frac{3}{2}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729)^2,x)

[Out] (5*log(x + 3/2))/17496 - log(x - 3/2)/17496 - 1/(5832*(x + 3/2)) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 + 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 - 1/17496) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 + 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 - 1/17496)

sympy [A] time = 0.43, size = 105, normalized size = 0.95

$$-\frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{5 \log\left(x + \frac{3}{2}\right)}{17496} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} - \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{26244} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{8748}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729)**2,x  
)
```

```
[Out] -log(x - 3/2)/17496 + 5*log(x + 3/2)/17496 - log(x**2 - 3*x/2 + 9/4)/17496  
- log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/2  
6244 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/8748 - 1/(5832*x + 8748)
```

$$3.566 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

[Out] 1/2916/(3-2*x)-5/17496*ln(3-2*x)+1/17496*ln(3+2*x)+1/17496*ln(4*x^2-6*x+9)+1/17496*ln(4*x^2+6*x+9)-1/8748*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/26244*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2,x]

[Out] 1/(2916*(3 - 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(2916*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(8748*Sqrt[3]) - (5*Log[3 - 2*x])/17496 + Log[3 + 2*x]/17496 + Log[9 - 6*x + 4*x^2]/17496 + Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

`Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]`

Rubi steps

$$\begin{aligned} \int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 - 2x)^2 (243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5)} \\ &= \int \left(\frac{1}{1458(-3 + 2x)^2} - \frac{5}{8748(-3 + 2x)} + \frac{1}{8748(3 + 2x)} + \frac{1}{4374(9 - 6x + 4x^2)} \right) dx \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{3+2x}{9-6x+4x^2}}{4374} \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{-6+8x}{9-6x+4x^2}}{17496} \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\log(9 - 6x + 4x^2)}{17496} \\ &= \frac{1}{2916(3 - 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} - \frac{5 \log(3 - 2x)}{17496} \end{aligned}$$

Mathematica [A] time = 0.09, size = 97, normalized size = 0.88

$$\frac{3 \left(\log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{6}{3-2x} - 5 \log(3 - 2x) + \log(2x + 3) \right) + 6\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 2\sqrt{3}}{52488}$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2, x]

[Out] (6*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] + 3*(6/(3 - 2*x) - 5*Log[3 - 2*x] + Log[3 + 2*x] + Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2]))/52488

fricas [A] time = 0.45, size = 115, normalized size = 1.05

$$\frac{2\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 6\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 3(2x-3)\log(4x^2+6x+9) + 3(2x-3)\log(4x^2-6x+9) + 3(2x-3)\log(2x+3) - 15(2x-3)\log(2x-3) - 18}{52488(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorith="fricas")

[Out] 1/52488*(2*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 6*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(2*x - 3)*log(4*x^2 + 6*x + 9) + 3*(2*x - 3)*log(4*x^2 - 6*x + 9) + 3*(2*x - 3)*log(2*x + 3) - 15*(2*x - 3)*log(2*x - 3) - 18)/(2*x - 3)

giac [A] time = 0.21, size = 86, normalized size = 0.78

$$\frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{1}{2916(2x - 3)} + \frac{1}{17496} \log(4x^2 + 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(abs(2*x + 3)) - 5/17496*log(abs(2*x - 3))

maple [A] time = 0.05, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{8748} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{26244} - \frac{5 \ln(2x-3)}{17496} + \frac{\ln(2x+3)}{17496} + \frac{\ln(4x^2-6x+9)}{17496} + \frac{\ln(4x^2+6x+9)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x)

[Out] 1/17496*ln(4*x^2-6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/17496*ln(2*x+3)+1/17496*ln(4*x^2+6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/2916/(2*x-3)-5/17496*ln(2*x-3)

maxima [A] time = 2.94, size = 84, normalized size = 0.76

$$\frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x+3)\right) + \frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{2916(2x-3)} + \frac{1}{17496} \log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(2*x + 3) - 5/17496*log(2*x - 3)

mupad [B] time = 0.19, size = 100, normalized size = 0.91

$$\frac{\ln\left(x + \frac{3}{2}\right)}{17496} - \frac{5 \ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832\left(x - \frac{3}{2}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/17496 - (5*log(x - 3/2))/17496 - 1/(5832*(x - 3/2)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 - 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 + 1/17496) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 - 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 + 1/17496)

sympy [A] time = 0.47, size = 105, normalized size = 0.95

$$-\frac{5 \log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{8748} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{26244}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729)**2,x)

```
[Out] -5*log(x - 3/2)/17496 + log(x + 3/2)/17496 + log(x**2 - 3*x/2 + 9/4)/17496  
+ log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/8  
748 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/26244 - 1/(5832*x - 8748)
```

$$3.567 \quad \int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=81

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

[Out] 1/17496/(3-2*x)-1/17496/(3+2*x)+1/8748*arctanh(2/3*x)-1/39366*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/39366*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.07, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1586, 1170, 207, 618, 204}

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2,x]

[Out] 1/(17496*(3 - 2*x)) - 1/(17496*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(13122*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(13122*sqrt[3]) + ArcTanh[(2*x)/3]/8748

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1170

Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned}
\int \frac{81 + 36x^2 + 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 4x^2)^2 (81 + 36x^2 + 16x^4)} dx \\
&= \int \left(\frac{1}{8748(-3 + 2x)^2} + \frac{1}{8748(3 + 2x)^2} - \frac{1}{1458(-9 + 4x^2)} + \frac{1}{4374(9 - 6x + 4x^2)} + \right. \\
&= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\int \frac{1}{9-6x+4x^2} dx}{4374} + \frac{\int \frac{1}{9+6x+4x^2} dx}{4374} - \frac{\int \frac{1}{-9+4x^2} dx}{1458} \\
&= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748} - \frac{\text{Subst}\left(\int \frac{1}{-108-x^2} dx, x, -6 + 8x\right)}{2187} \\
&= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}
\end{aligned}$$

Mathematica [C] time = 0.57, size = 122, normalized size = 1.51

$$\frac{\frac{36x}{9-4x^2} - 9 \log(3 - 2x) + 9 \log(2x + 3) + 3\sqrt{3} \tan^{-1}\left(\frac{1}{3}(\sqrt{3} - i)x\right) + 4i\sqrt{3} \tanh^{-1}\left(\frac{1}{3}(1 - i\sqrt{3})x\right) + \left(-3 + \frac{1}{\sqrt{\frac{1}{6}}}\right)}{157464}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2,x]

[Out] ((36*x)/(9 - 4*x^2) + 3*Sqrt[3]*ArcTan[((-I + Sqrt[3])*x)/3] + (4*I)*Sqrt[3]*ArcTanh[((1 - I*Sqrt[3])*x)/3] + (-3 + 2/Sqrt[(1 + I*Sqrt[3])/6])*ArcTanh[(x + I*Sqrt[3]*x)/3] - 9*Log[3 - 2*x] + 9*Log[3 + 2*x])/157464

fricas [A] time = 0.42, size = 91, normalized size = 1.12

$$\frac{4\sqrt{3}(4x^2 - 9) \arctan\left(\frac{4}{81}\sqrt{3}(2x^3 + 9x)\right) + 4\sqrt{3}(4x^2 - 9) \arctan\left(\frac{2}{9}\sqrt{3}x\right) + 9(4x^2 - 9) \log(2x + 3) - 9(4x^2 - 9) \log(2x - 3) - 36x/(4x^2 - 9)}{157464(4x^2 - 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/157464*(4*sqrt(3)*(4*x^2 - 9)*arctan(4/81*sqrt(3)*(2*x^3 + 9*x)) + 4*sqrt(3)*(4*x^2 - 9)*arctan(2/9*sqrt(3)*x) + 9*(4*x^2 - 9)*log(2*x + 3) - 9*(4*x^2 - 9)*log(2*x - 3) - 36*x/(4*x^2 - 9))

giac [A] time = 0.17, size = 63, normalized size = 0.78

$$\frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{x}{4374(4x^2 - 9)} + \frac{1}{17496} \log(|2x + 3|) - \frac{1}{17496} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(4*x^2 - 9) + 1/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 68, normalized size = 0.84

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{39366} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{39366} - \frac{\ln(2x-3)}{17496} + \frac{\ln(2x+3)}{17496} - \frac{1}{17496(2x+3)} - \frac{1}{17496(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x)

[Out] 1/39366*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/17496/(2*x+3)+1/17496*ln(2*x+3)+1/39366*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/17496/(2*x-3)-1/17496*ln(2*x-3)

maxima [A] time = 3.06, size = 61, normalized size = 0.75

$$\frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-9)} + \frac{1}{17496} \log(2x+3) - \frac{1}{17496} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x+3)) + 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x-3)) - 1/4374*x/(4*x^2-9) + 1/17496*log(2*x+3) - 1/17496*log(2*x-3)

mupad [B] time = 4.92, size = 52, normalized size = 0.64

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{8748} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right)\right)}{78732} - \frac{x}{17496 \left(x^2 - \frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((36*x^2 + 16*x^4 + 81)/(64*x^6 - 729)^2,x)

[Out] atanh((2*x)/3)/8748 + (3^(1/2)*(2*atan((4*3^(1/2)*x)/9) + (8*3^(1/2)*x^3)/81) + 2*atan((2*3^(1/2)*x)/9))/78732 - x/(17496*(x^2 - 9/4))

sympy [A] time = 0.23, size = 70, normalized size = 0.86

$$-\frac{x}{17496x^2 - 39366} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right)\right)}{78732} - \frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x**4+36*x**2+81)/(-64*x**6+729)**2,x)

[Out] -x/(17496*x**2 - 39366) + sqrt(3)*(2*atan(2*sqrt(3)*x/9) + 2*atan(8*sqrt(3)*x**3/81 + 4*sqrt(3)*x/9))/78732 - log(x - 3/2)/17496 + log(x + 3/2)/17496

$$3.568 \quad \int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=92

$$\frac{x}{4374(4x^2-6x+9)} - \frac{\log(4x^2-6x+9)}{157464} + \frac{\log(4x^2+6x+9)}{52488} - \frac{\log(3-2x)}{26244} + \frac{\log(2x+3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

[Out] 1/4374*x/(4*x^2-6*x+9)-1/26244*ln(3-2*x)+1/78732*ln(3+2*x)-1/157464*ln(4*x^2-6*x+9)+1/52488*ln(4*x^2+6*x+9)-1/13122*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{4374(4x^2-6x+9)} - \frac{\log(4x^2-6x+9)}{157464} + \frac{\log(4x^2+6x+9)}{52488} - \frac{\log(3-2x)}{26244} + \frac{\log(2x+3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2,x]

[Out] x/(4374*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(4374*Sqrt[3]) - Log[3 - 2*x]/26244 + Log[3 + 2*x]/78732 - Log[9 - 6*x + 4*x^2]/157464 + Log[9 + 6*x + 4*x^2]/52488

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&

NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned} \int \frac{81 + 54x - 24x^3 - 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)^2 (81 + 54x - 24x^3 - 16x^4)} dx \\ &= \int \left(-\frac{1}{13122(-3 + 2x)} + \frac{1}{39366(3 + 2x)} + \frac{3 - x}{729(9 - 6x + 4x^2)^2} + \frac{39 - 4x}{78732(9 - 6x + 4x^2)} \right) dx \\ &= -\frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\int \frac{39-4x}{9-6x+4x^2} dx}{78732} + \frac{\int \frac{3+4x}{9+6x+4x^2} dx}{26244} + \frac{1}{729} \int \frac{3 - x}{(9 - 6x + 4x^2)^2} dx \\ &= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\log(9 + 6x + 4x^2)}{52488} - \frac{\int \frac{-1}{9-6x+4x^2} dx}{157464} \\ &= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464} + \frac{\log(9 + 6x + 4x^2)}{157464} \\ &= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464} \end{aligned}$$

Mathematica [A] time = 0.04, size = 84, normalized size = 0.91

$$\frac{\frac{36x}{4x^2-6x+9} - \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 2 \log(2x + 3) + 12\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{157464}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2, x]

[Out] ((36*x)/(9 - 6*x + 4*x^2) + 12*sqrt[3]*ArcTan[(-3 + 4*x)/(3*sqrt[3])] - 6*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/157464

fricas [A] time = 0.44, size = 126, normalized size = 1.37

$$\frac{12\sqrt{3}(4x^2 - 6x + 9) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right) + 3(4x^2 - 6x + 9) \log(4x^2 + 6x + 9) - (4x^2 - 6x + 9) \log(4x^2 - 6x + 9)}{157464(4x^2 - 6x + 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/157464*(12*sqrt(3)*(4*x^2 - 6*x + 9)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(4*x^2 - 6*x + 9)*log(4*x^2 + 6*x + 9) - (4*x^2 - 6*x + 9)*log(4*x^2 - 6*x + 9) + 2*(4*x^2 - 6*x + 9)*log(2*x + 3) - 6*(4*x^2 - 6*x + 9)*log(2*x - 3) + 36*x)/(4*x^2 - 6*x + 9)

giac [A] time = 0.19, size = 76, normalized size = 0.83

$$\frac{1}{13122} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(4x^2 - 6x + 9)} + \frac{1}{52488} \log(4x^2 + 6x + 9) - \frac{1}{157464} \log(4x^2 - 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/13122*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*log(4*x^2 + 6*x + 9) - 1/157464*log(4*x^2 - 6*x + 9) + 1/78732*log(abs(2*x + 3)) - 1/26244*log(abs(2*x - 3))

maple [A] time = 0.06, size = 73, normalized size = 0.79

$$\frac{x}{17496x^2 - 26244x + 39366} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{13122} - \frac{\ln(2x-3)}{26244} + \frac{\ln(2x+3)}{78732} - \frac{\ln(4x^2-6x+9)}{157464} + \frac{\ln(4x^2+6x+9)}{52488}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x)

[Out] 1/17496*x/(x^2-3/2*x+9/4)-1/157464*ln(4*x^2-6*x+9)+1/13122*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/78732*ln(2*x+3)+1/52488*ln(4*x^2+6*x+9)-1/26244*ln(2*x-3)

maxima [A] time = 2.97, size = 74, normalized size = 0.80

$$\frac{1}{13122} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(4x^2 - 6x + 9)} + \frac{1}{52488} \log(4x^2 + 6x + 9) - \frac{1}{157464} \log(4x^2 - 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/13122*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*log(4*x^2 + 6*x + 9) - 1/157464*log(4*x^2 - 6*x + 9) + 1/78732*log(2*x + 3) - 1/26244*log(2*x - 3)

mupad [B] time = 0.12, size = 77, normalized size = 0.84

$$\frac{\ln\left(x + \frac{3}{2}\right)}{78732} - \frac{\ln\left(x - \frac{3}{2}\right)}{26244} + \frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{52488} + \frac{x}{17496\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{157464} + \frac{\sqrt{3} 1i}{26244}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{157464} - \frac{\sqrt{3} 1i}{26244}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/78732 - log(x - 3/2)/26244 + log((3*x)/2 + x^2 + 9/4)/52488 + x/(17496*(x^2 - (3*x)/2 + 9/4)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/26244 + 1/157464) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/26244 - 1/157464)

sympy [A] time = 0.42, size = 82, normalized size = 0.89

$$\frac{x}{17496x^2 - 26244x + 39366} - \frac{\log\left(x - \frac{3}{2}\right)}{26244} + \frac{\log\left(x + \frac{3}{2}\right)}{78732} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{157464} + \frac{\log(4x^2 + 6x + 9)}{52488} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9}\right)}{13122}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729)**2,x)

[Out] x/(17496*x**2 - 26244*x + 39366) - log(x - 3/2)/26244 + log(x + 3/2)/78732
 - log(x**2 - 3*x/2 + 9/4)/157464 + log(4*x**2 + 6*x + 9)/52488 + sqrt(3)*at
 an(4*sqrt(3)*x/9 - sqrt(3)/3)/13122

$$3.569 \quad \int \frac{3-2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=148

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)}$$

[Out] -1/708588/(3+2*x)+1/708588*(3-x)/(4*x^2-6*x+9)+1/236196*x/(4*x^2+6*x+9)-1/4
251528*ln(3-2*x)+1/472392*ln(3+2*x)-1/944784*ln(4*x^2-6*x+9)+1/8503056*ln(4
*x^2+6*x+9)-1/4251528*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/472392*arctan(1
/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.17, antiderivative size = 148, normalized size of antiderivative
= 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15,
 $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6)^2, x]

[Out] -1/(708588*(3 + 2*x)) + (3 - x)/(708588*(9 - 6*x + 4*x^2)) + x/(236196*(9 +
6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(1417176*sqrt[3]) + ArcTan[(
3 + 4*x)/(3*sqrt[3])]/(157464*sqrt[3]) - Log[3 - 2*x]/4251528 + Log[3 + 2*x
]/472392 - Log[9 - 6*x + 4*x^2]/944784 + Log[9 + 6*x + 4*x^2]/8503056

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +

1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p+q, 0]

Rule 2074

Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned} \int \frac{3-2x}{(729-64x^6)^2} dx &= \int \frac{1}{(3-2x)(243+162x+108x^2+72x^3+48x^4+32x^5)^2} dx \\ &= \int \left(-\frac{1}{2125764(-3+2x)} + \frac{1}{354294(3+2x)^2} + \frac{1}{236196(3+2x)} - \frac{x}{39366(9-6x+4x^2)^2} \right) dx \\ &= -\frac{1}{708588(3+2x)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} + \frac{\int \frac{33+2x}{9+6x+4x^2} dx}{2125764} + \frac{\int \frac{7-6x}{9-6x+4x^2} dx}{708588} - \frac{\int \frac{1}{(9-6x+4x^2)^2} dx}{39366} \\ &= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} \\ &= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} \\ &= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{1417176\sqrt{3}} + \frac{\log(3+2x)}{472392} \end{aligned}$$

Mathematica [A] time = 0.08, size = 119, normalized size = 0.80

$$\frac{-9 \log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{1944x}{32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243} - 2 \log(3 - 2x) + 18 \log(2x + 3) + 2 \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 2 \sqrt{3} \arctan\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{8503056}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2*x)/(729 - 64*x^6)^2, x]

[Out] ((1944*x)/(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 18*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + 18*Log[3 + 2*x] - 9*Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2])/8503056

fricas [B] time = 0.44, size = 256, normalized size = 1.73

$$18 \sqrt{3} (32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243) \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 2 \sqrt{3} (32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243) \arctan\left(\frac{3 - 4x}{3\sqrt{3}}\right) - 2 \log(3 - 2x) + 18 \log(2x + 3) + \frac{1944x}{32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(18*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + (32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 + 6*x + 9) - 9*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 - 6*x + 9) + 18*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x + 3) - 2*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x - 3) + 1944*x)/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)

giac [A] time = 0.20, size = 111, normalized size = 0.75

$$\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(4x^2 + 6x + 9)(4x^2 - 6x + 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x + 3)) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(abs(2*x + 3)) - 1/4251528*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.78

$$\frac{x}{944784x^2 + 1417176x + 2125764} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{4251528} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{472392} - \frac{\ln(2x-3)}{4251528} + \frac{\ln(2x+3)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729)^2,x)

[Out] -1/708588*(1/4*x-3/4)/(x^2-3/2*x+9/4)-1/944784*ln(4*x^2-6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/708588/(2*x+3)+1/472392*ln(2*x+3)+1/944784*x/(x^2+3/2*x+9/4)+1/8503056*ln(4*x^2+6*x+9)+1/472392*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/4251528*ln(2*x-3)

maxima [A] time = 2.91, size = 105, normalized size = 0.71

$$\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(2*x + 3) - 1/4251528*log(2*x - 3)

mupad [B] time = 0.19, size = 120, normalized size = 0.81

$$\frac{\ln\left(x + \frac{3}{2}\right)}{472392} - \frac{\ln\left(x - \frac{3}{2}\right)}{4251528} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{944784} + \frac{\sqrt{3} 1i}{8503056}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{8503056} + \frac{\sqrt{3} 1i}{944784}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x - 3)/(64*x^6 - 729)^2, x)`

[Out] `log(x + 3/2)/472392 - log(x - 3/2)/4251528 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 + 1/944784) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 - 1/8503056) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 - 1/944784) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 + 1/8503056) + x/(139968*((81*x)/16 + (27*x^2)/8 + (9*x^3)/4 + (3*x^4)/2 + x^5 + 243/32))`

sympy [A] time = 0.65, size = 124, normalized size = 0.84

$$\frac{x}{139968x^5 + 209952x^4 + 314928x^3 + 472392x^2 + 708588x + 1062882} - \frac{\log\left(x - \frac{3}{2}\right)}{4251528} + \frac{\log\left(x + \frac{3}{2}\right)}{472392} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3-2*x)/(-64*x**6+729)**2, x)`

[Out] `x/(139968*x**5 + 209952*x**4 + 314928*x**3 + 472392*x**2 + 708588*x + 1062882) - log(x - 3/2)/4251528 + log(x + 3/2)/472392 - log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/8503056 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/4251528 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/472392`

$$3.570 \quad \int \frac{3+2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=146

$$\frac{x}{236196(4x^2 - 6x + 9)} - \frac{x + 3}{708588(4x^2 + 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{8503056} + \frac{\log(4x^2 + 6x + 9)}{944784} + \frac{1}{708588(3 - 2x)}$$

[Out] 1/708588/(3-2*x)+1/236196*x/(4*x^2-6*x+9)+1/708588*(-3-x)/(4*x^2+6*x+9)-1/4
72392*ln(3-2*x)+1/4251528*ln(3+2*x)-1/8503056*ln(4*x^2-6*x+9)+1/944784*ln(4
*x^2+6*x+9)-1/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/4251528*arctan(1
/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.17, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{236196(4x^2 - 6x + 9)} - \frac{x + 3}{708588(4x^2 + 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{8503056} + \frac{\log(4x^2 + 6x + 9)}{944784} + \frac{1}{708588(3 - 2x)}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6)^2, x]

[Out] 1/(708588*(3 - 2*x)) + x/(236196*(9 - 6*x + 4*x^2)) - (3 + x)/(708588*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt(3))]/(157464*sqrt(3)) + ArcTan[(3 + 4*x)/(3*sqrt(3))]/(1417176*sqrt(3)) - Log[3 - 2*x]/472392 + Log[3 + 2*x]/4251528 - Log[9 - 6*x + 4*x^2]/8503056 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +

1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] :> With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\int \frac{3 + 2x}{(729 - 64x^6)^2} dx = \int \frac{1}{(3 + 2x)(243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5)^2} dx$$

$$= \int \left(\frac{1}{354294(-3 + 2x)^2} - \frac{1}{236196(-3 + 2x)} + \frac{1}{2125764(3 + 2x)} + \frac{3 - x}{39366(9 - 6x + 4x^2)^2} \right) dx$$

$$= \frac{1}{708588(3 - 2x)} - \frac{\log(3 - 2x)}{472392} + \frac{\log(3 + 2x)}{4251528} + \frac{\int \frac{33-2x}{9-6x+4x^2} dx}{2125764} + \frac{\int \frac{7+6x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{3-x}{(9-6x+4x^2)^2} dx}{39366}$$

$$= \frac{1}{708588(3 - 2x)} + \frac{x}{236196(9 - 6x + 4x^2)} - \frac{3 + x}{708588(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{472392} + \frac{\log(3 + 2x)}{4251528}$$

$$= \frac{1}{708588(3 - 2x)} + \frac{x}{236196(9 - 6x + 4x^2)} - \frac{3 + x}{708588(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{472392} + \frac{\log(3 + 2x)}{4251528}$$

$$= \frac{1}{708588(3 - 2x)} + \frac{x}{236196(9 - 6x + 4x^2)} - \frac{3 + x}{708588(9 + 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

Mathematica [A] time = 0.09, size = 121, normalized size = 0.83

$$-\log(4x^2 - 6x + 9) + 9 \log(4x^2 + 6x + 9) + \frac{1944x}{-32x^5 + 48x^4 - 72x^3 + 108x^2 - 162x + 243} - 18 \log(3 - 2x) + 2 \log(2x + 3) + 18 \arctan\left(\frac{3 + 2x}{3\sqrt{3}}\right) - 18 \arctan\left(\frac{3 - 2x}{3\sqrt{3}}\right) + \frac{18\sqrt{3}}{8503056} \log\left(\frac{3 + 2x}{3\sqrt{3}}\right) - \frac{18\sqrt{3}}{8503056} \log\left(\frac{3 - 2x}{3\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x)/(729 - 64*x^6)^2,x]

[Out] ((1944*x)/(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5) + 18*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] + 2*sqrt(3)*ArcTan[(3 + 4*x)/(3*sqrt(3))] - 18*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 9*Log[9 + 6*x + 4*x^2])/8503056

fricas [B] time = 0.46, size = 257, normalized size = 1.76

$$2\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 18\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 18\sqrt{3} \log\left(\frac{3 + 2x}{3\sqrt{3}}\right) - 18\sqrt{3} \log\left(\frac{3 - 2x}{3\sqrt{3}}\right) + \frac{18\sqrt{3}}{8503056} \log\left(\frac{3 + 2x}{3\sqrt{3}}\right) - \frac{18\sqrt{3}}{8503056} \log\left(\frac{3 - 2x}{3\sqrt{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(2*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*arc
tan(1/9*sqrt(3)*(4*x + 3)) + 18*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2
+ 162*x - 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + 9*(32*x^5 - 48*x^4 + 72*x^3
- 108*x^2 + 162*x - 243)*log(4*x^2 + 6*x + 9) - (32*x^5 - 48*x^4 + 72*x^3
- 108*x^2 + 162*x - 243)*log(4*x^2 - 6*x + 9) + 2*(32*x^5 - 48*x^4 + 72*x^3
- 108*x^2 + 162*x - 243)*log(2*x + 3) - 18*(32*x^5 - 48*x^4 + 72*x^3 - 108
*x^2 + 162*x - 243)*log(2*x - 3) - 1944*x/(32*x^5 - 48*x^4 + 72*x^3 - 108*
x^2 + 162*x - 243)

giac [A] time = 0.18, size = 111, normalized size = 0.76

$$\frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2+6x+9)(4x^2-6x+9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/472392*sqrt(3)*arctan(1
/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x
- 3)) + 1/944784*log(4*x^2 + 6*x + 9) - 1/8503056*log(4*x^2 - 6*x + 9) + 1/
4251528*log(abs(2*x + 3)) - 1/472392*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.79

$$\frac{x}{944784x^2 - 1417176x + 2125764} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{4251528} - \frac{\ln(2x-3)}{472392} + \frac{\ln(2x+3)}{4251528}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729)^2,x)

[Out] 1/944784/(x^2-3/2*x+9/4)*x-1/8503056*ln(4*x^2-6*x+9)+1/472392*3^(1/2)*arcta
n(1/18*(8*x-6)*3^(1/2))+1/4251528*ln(2*x+3)+1/708588*(-1/4*x-3/4)/(x^2+3/2*
x+9/4)+1/944784*ln(4*x^2+6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/
2))-1/708588/(2*x-3)-1/472392*ln(2*x-3)

maxima [A] time = 2.90, size = 105, normalized size = 0.72

$$\frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/472392*sqrt(3)*arctan(1
/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*
x - 243) + 1/944784*log(4*x^2 + 6*x + 9) - 1/8503056*log(4*x^2 - 6*x + 9) +
1/4251528*log(2*x + 3) - 1/472392*log(2*x - 3)

mupad [B] time = 5.09, size = 121, normalized size = 0.83

$$\frac{\ln\left(x + \frac{3}{2}\right)}{4251528} - \frac{\ln\left(x - \frac{3}{2}\right)}{472392} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{8503056} + \frac{\sqrt{3} 1i}{944784}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{944784} + \frac{\sqrt{3} 1i}{8503056}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x + 3)/(64*x^6 - 729)^2,x)`

[Out] $\log(x + 3/2)/4251528 - \log(x - 3/2)/472392 - \log(x - (3^{1/2}*3i)/4 - 3/4)*((3^{1/2}*1i)/944784 + 1/8503056) - \log(x - (3^{1/2}*3i)/4 + 3/4)*((3^{1/2}*1i)/8503056 - 1/944784) + \log(x + (3^{1/2}*3i)/4 - 3/4)*((3^{1/2}*1i)/944784 - 1/8503056) + \log(x + (3^{1/2}*3i)/4 + 3/4)*((3^{1/2}*1i)/8503056 + 1/944784) - x/(139968*((81*x)/16 - (27*x^2)/8 + (9*x^3)/4 - (3*x^4)/2 + x^5 - 243/32))$

sympy [A] time = 0.65, size = 124, normalized size = 0.85

$$\frac{x}{139968x^5 - 209952x^4 + 314928x^3 - 472392x^2 + 708588x - 1062882} - \frac{\log\left(x - \frac{3}{2}\right)}{472392} + \frac{\log\left(x + \frac{3}{2}\right)}{4251528} - \frac{\log\left(x^2 - \frac{3x}{2}\right)}{8503056}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+2*x)/(-64*x**6+729)**2,x)`

[Out] $-x/(139968*x**5 - 209952*x**4 + 314928*x**3 - 472392*x**2 + 708588*x - 1062882) - \log(x - 3/2)/472392 + \log(x + 3/2)/4251528 - \log(x**2 - 3*x/2 + 9/4)/8503056 + \log(x**2 + 3*x/2 + 9/4)/944784 + \sqrt{3}*atan(4*\sqrt{3}*x/9 - \sqrt{3}/3)/472392 + \sqrt{3}*atan(4*\sqrt{3}*x/9 + \sqrt{3}/3)/4251528$

$$3.571 \quad \int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294}$$

[Out] 1/472392/(3-2*x)-1/157464/(3+2*x)+1/236196*(3+4*x)/(4*x^2+6*x+9)-1/354294*ln(3-2*x)+1/118098*ln(3+2*x)-1/944784*ln(4*x^2-6*x+9)-5/2834352*ln(4*x^2+6*x+9)-1/1417176*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/157464*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 634, 618, 204, 628, 614}

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] 1/(472392*(3 - 2*x)) - 1/(157464*(3 + 2*x)) + (3 + 4*x)/(236196*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt(3))]/(472392*sqrt(3)) + ArcTan[(3 + 4*x)/(3*sqrt(3))]/(52488*sqrt(3)) - Log[3 - 2*x]/354294 + Log[3 + 2*x]/118098 - Log[9 - 6*x + 4*x^2]/944784 - (5*Log[9 + 6*x + 4*x^2])/2834352

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_)*(Px_)^{(p_)}*(Qx_)^{(q_)}, x_Symbol] \ :> \ \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^p*Qx^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[Px, x] \ \&\& \ \text{PolyQ}[Qx, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rule 2074

$\text{Int}[(P_)^{(p_)}*(Q_)^{(q_)}, x_Symbol] \ :> \ \text{With}[\{PP = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[PP^p*Q^q, x], x] /; \ !\text{SumQ}[\text{NonfreeFactors}[PP, x]]] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P, x] \ \&\& \ \text{PolyQ}[Q, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NeQ}[P, x]$

Rubi steps

$$\begin{aligned} \int \frac{9 - 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)(81 + 54x - 24x^3 - 16x^4)^2} dx \\ &= \int \left(\frac{1}{236196(-3 + 2x)^2} - \frac{1}{177147(-3 + 2x)} + \frac{1}{78732(3 + 2x)^2} + \frac{1}{59049(3 + 2x)} + \frac{1}{236196} \right) dx \\ &= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} + \frac{\int \frac{21-10x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{3}{9-6x}}{236196} \\ &= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\ &= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\ &= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{472392\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{-3 \log(4x^2 - 6x + 9) - 5 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 - 24x^3 + 54x + 81} - 8 \log(3 - 2x) + 24 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] ((648*x)/(81 + 54*x - 24*x^3 - 16*x^4) + 2*sqrt[3]*ArcTan[(-3 + 4*x)/(3*sqrt[3])] + 18*sqrt[3]*ArcTan[(3 + 4*x)/(3*sqrt[3])] - 8*Log[3 - 2*x] + 24*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 5*Log[9 + 6*x + 4*x^2])/2834352

fricas [A] time = 0.43, size = 187, normalized size = 1.32

$$\frac{18\sqrt{3}(16x^4 + 24x^3 - 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 2\sqrt{3}(16x^4 + 24x^3 - 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/2834352*(18*sqrt(3)*(16*x^4 + 24*x^3 - 54*x - 81)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(16*x^4 + 24*x^3 - 54*x - 81)*arctan(1/9*sqrt(3)*(4*x - 3)) - 5*(16*x^4 + 24*x^3 - 54*x - 81)*log(4*x^2 + 6*x + 9) - 3*(16*x^4 + 24*x^3 - 54*x - 81)*log(4*x^2 - 6*x + 9) + 24*(16*x^4 + 24*x^3 - 54*x - 81)*log(2*x + 3) - 8*(16*x^4 + 24*x^3 - 54*x - 81)*log(2*x - 3) - 648*x)/(16*x^4 + 24*x^3 - 54*x - 81)

giac [A] time = 0.18, size = 106, normalized size = 0.75

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2+6x+9)(2x+3)(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 + 6*x + 9)*(2*x + 3)*(2*x - 3)) - 5/2834352*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/118098*log(abs(2*x + 3)) - 1/354294*log(abs(2*x - 3))

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{1417176} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{157464} - \frac{\ln(2x-3)}{354294} + \frac{\ln(2x+3)}{118098} - \frac{\ln(4x^2-6x+9)}{944784} - \frac{5 \ln(4x^2+6x+9)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2-6*x+9)/(-64*x^6+729)^2,x)

[Out] -1/944784*ln(4*x^2-6*x+9)+1/1417176*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/157464/(2*x+3)+1/118098*ln(2*x+3)-1/708588*(-3*x-9/4)/(x^2+3/2*x+9/4)-5/2834352*ln(4*x^2+6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/472392/(2*x-3)-1/354294*ln(2*x-3)

maxima [A] time = 2.98, size = 95, normalized size = 0.67

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(16x^4+24x^3-54x-81)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(16*x^4 + 24*x^3 - 54*x - 81) - 5/2834352*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/118098*log(2*x + 3) - 1/354294*log(2*x - 3)

mupad [B] time = 5.08, size = 110, normalized size = 0.77

$$\frac{\ln\left(x + \frac{3}{2}\right)}{118098} - \frac{\ln\left(x - \frac{3}{2}\right)}{354294} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2 - 6*x + 9)/(64*x^6 - 729)^2,x)

```
[Out] log(x + 3/2)/118098 - log(x - 3/2)/354294 - log(x - (3^(1/2)*3i)/4 + 3/4)*
(3^(1/2)*1i)/314928 + 5/2834352) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*
1i)/314928 - 5/2834352) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/28343
52 + 1/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/2834352 - 1/94
4784) + x/(69984*((27*x)/8 - (3*x^3)/2 - x^4 + 81/16))
```

sympy [A] time = 0.64, size = 116, normalized size = 0.82

$$\frac{x}{69984x^4 + 104976x^3 - 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{354294} + \frac{\log\left(x + \frac{3}{2}\right)}{118098} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} - \frac{5\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{2834352} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((4*x**2-6*x+9)/(-64*x**6+729)**2,x)
```

```
[Out] -x/(69984*x**4 + 104976*x**3 - 236196*x - 354294) - log(x - 3/2)/354294 + 1
og(x + 3/2)/118098 - log(x**2 - 3*x/2 + 9/4)/944784 - 5*log(x**2 + 3*x/2 +
9/4)/2834352 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/1417176 + sqrt(3)*at
an(4*sqrt(3)*x/9 + sqrt(3)/3)/157464
```


$$3.572 \quad \int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5 \log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3)}{118}$$

[Out] 1/157464/(3-2*x)-1/472392/(3+2*x)+1/236196*(-3+4*x)/(4*x^2-6*x+9)-1/118098*ln(3-2*x)+1/354294*ln(3+2*x)+5/2834352*ln(4*x^2-6*x+9)+1/944784*ln(4*x^2+6*x+9)-1/157464*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/1417176*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.14, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 614, 618, 204, 634, 628}

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5 \log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3)}{118}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] 1/(157464*(3 - 2*x)) - 1/(472392*(3 + 2*x)) - (3 - 4*x)/(236196*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(52488*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(472392*sqrt[3]) - Log[3 - 2*x]/118098 + Log[3 + 2*x]/354294 + (5*Log[9 - 6*x + 4*x^2])/2834352 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_)*(Px_)^{(p_)}*(Qx_)^{(q_)}, x_Symbol] \ :> \ \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^p*Qx^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[Px, x] \ \&\& \ \text{PolyQ}[Qx, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p, q, 0]$

Rule 2074

$\text{Int}[(P_)^{(p_)}*(Q_)^{(q_)}, x_Symbol] \ :> \ \text{With}[\{PP = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[PP^p*Q^q, x], x] /; \ !\text{SumQ}[\text{NonfreeFactors}[PP, x]]] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P, x] \ \&\& \ \text{PolyQ}[Q, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NeQ}[P, x]$

Rubi steps

$$\begin{aligned} \int \frac{9 + 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 + 6x + 4x^2)(81 - 54x + 24x^3 - 16x^4)^2} dx \\ &= \int \left(\frac{1}{78732(-3 + 2x)^2} - \frac{1}{59049(-3 + 2x)} + \frac{1}{236196(3 + 2x)^2} + \frac{1}{177147(3 + 2x)} + \frac{1}{4374(9 + 6x + 4x^2)} \right) dx \\ &= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} + \frac{\int \frac{21+10x}{9-6x+4x^2} dx}{708588} + \frac{\int \frac{3}{9+6x+4x^2} dx}{236196} \\ &= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\ &= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\ &= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{472392\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 + 24x^3 - 54x + 81} - 24 \log(3 - 2x) + 8 \log(2x + 3) + 18\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) + \frac{18\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2834352}}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] ((648*x)/(81 - 54*x + 24*x^3 - 16*x^4) + 18*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 24*Log[3 - 2*x] + 8*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/2834352

fricas [A] time = 0.43, size = 187, normalized size = 1.32

$$\frac{2\sqrt{3}(16x^4 - 24x^3 + 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 18\sqrt{3}(16x^4 - 24x^3 + 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/2834352*(2*sqrt(3)*(16*x^4 - 24*x^3 + 54*x - 81)*arctan(1/9*sqrt(3)*(4*x + 3)) + 18*sqrt(3)*(16*x^4 - 24*x^3 + 54*x - 81)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(16*x^4 - 24*x^3 + 54*x - 81)*log(4*x^2 + 6*x + 9) + 5*(16*x^4 - 24*x^3 + 54*x - 81)*log(4*x^2 - 6*x + 9) + 8*(16*x^4 - 24*x^3 + 54*x - 81)*log(2*x + 3) - 24*(16*x^4 - 24*x^3 + 54*x - 81)*log(2*x - 3) - 648*x)/(16*x^4 - 24*x^3 + 54*x - 81)

giac [A] time = 0.24, size = 106, normalized size = 0.75

$$\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-6x+9)(2x+3)(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 - 6*x + 9)*(2*x + 3)*(2*x - 3)) + 1/944784*log(4*x^2 + 6*x + 9) + 5/2834352*log(4*x^2 - 6*x + 9) + 1/354294*log(abs(2*x + 3)) - 1/118098*log(abs(2*x - 3))

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{157464} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{1417176} - \frac{\ln(2x-3)}{118098} + \frac{\ln(2x+3)}{354294} + \frac{5 \ln(4x^2-6x+9)}{2834352} + \frac{\ln(4x^2+6x+9)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+6*x+9)/(-64*x^6+729)^2,x)

[Out] 1/708588*(3*x-9/4)/(x^2-3/2*x+9/4)+5/2834352*ln(4*x^2-6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/472392/(2*x+3)+1/354294*ln(2*x+3)+1/944784*ln(4*x^2+6*x+9)+1/1417176*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/157464/(2*x-3)-1/118098*ln(2*x-3)

maxima [A] time = 2.88, size = 95, normalized size = 0.67

$$\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(16x^4-24x^3+54x-81)} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(16*x^4 - 24*x^3 + 54*x - 81) + 1/944784*log(4*x^2 + 6*x + 9) + 5/2834352*log(4*x^2 - 6*x + 9) + 1/354294*log(2*x + 3) - 1/118098*log(2*x - 3)

mupad [B] time = 0.19, size = 111, normalized size = 0.78

$$\frac{\ln\left(x + \frac{3}{2}\right) \ln\left(x - \frac{3}{2}\right)}{354294} - \frac{\ln\left(x - \frac{3}{2}\right)}{118098} - \frac{x}{69984 \left(x^4 - \frac{3x^3}{2} + \frac{27x}{8} - \frac{81}{16}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((6*x + 4*x^2 + 9)/(64*x^6 - 729)^2,x)

```
[Out] log(x + 3/2)/354294 - log(x - 3/2)/118098 - x/(69984*((27*x)/8 - (3*x^3)/2
+ x^4 - 81/16)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/314928 - 5/28
34352) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/314928 + 5/2834352) -
log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/2834352 - 1/944784) + log(x + (
3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/2834352 + 1/944784)
```

sympy [A] time = 0.57, size = 116, normalized size = 0.82

$$\frac{x}{69984x^4 - 104976x^3 + 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{118098} + \frac{\log\left(x + \frac{3}{2}\right)}{354294} + \frac{5\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{2834352} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((4*x**2+6*x+9)/(-64*x**6+729)**2,x)
```

```
[Out] -x/(69984*x**4 - 104976*x**3 + 236196*x - 354294) - log(x - 3/2)/118098 + 1
og(x + 3/2)/354294 + 5*log(x**2 - 3*x/2 + 9/4)/2834352 + log(x**2 + 3*x/2 +
9/4)/944784 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/157464 + sqrt(3)*ata
n(4*sqrt(3)*x/9 + sqrt(3)/3)/1417176
```

$$3.573 \quad \int \frac{27-8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=113

$$\frac{x}{4374(8x^3+27)} - \frac{7\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7\log(2x+3)}{472392} - \frac{7\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

[Out] 1/4374*x/(8*x^3+27)-1/157464*ln(3-2*x)+7/472392*ln(3+2*x)-7/944784*ln(4*x^2-6*x+9)+1/314928*ln(4*x^2+6*x+9)-7/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/157464*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1404, 414, 522, 200, 31, 634, 618, 204, 628}

$$\frac{x}{4374(8x^3+27)} - \frac{7\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7\log(2x+3)}{472392} - \frac{7\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6)^2,x]

[Out] x/(4374*(27 + 8*x^3)) - (7*ArcTan[(3 - 4*x)/(3*Sqrt[3])])/(157464*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(52488*Sqrt[3]) - Log[3 - 2*x]/157464 + (7*Log[3 + 2*x])/472392 - (7*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[1/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q*Simp[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2)+1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1404

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n_))^(p_), x_Symbol] := Int[(d + e*x^n)^(p + q)*(a/d + (c*x^n)/e)^p, x] /; FreeQ[{a, c, d, e, n, q}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{27 - 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 8x^3)(27 + 8x^3)^2} dx \\ &= \frac{x}{4374(27 + 8x^3)} - \frac{\int \frac{-1080 + 128x^3}{(27 - 8x^3)(27 + 8x^3)} dx}{34992} \\ &= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{27 - 8x^3} dx}{2916} + \frac{7 \int \frac{1}{27 + 8x^3} dx}{8748} \\ &= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{3 - 2x} dx}{78732} + \frac{\int \frac{6 + 2x}{9 + 6x + 4x^2} dx}{78732} + \frac{7 \int \frac{1}{3 + 2x} dx}{236196} + \frac{7 \int \frac{6 - 2x}{9 - 6x + 4x^2} dx}{236196} \\ &= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} + \frac{\int \frac{6 + 8x}{9 + 6x + 4x^2} dx}{314928} - \frac{7 \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx}{944784} + \frac{\int \frac{1}{9 - 6x + 4x^2} dx}{944784} \\ &= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784} + \frac{\log(9 + 6x + 4x^2)}{314928} \\ &= \frac{x}{4374(27 + 8x^3)} - \frac{7 \tan^{-1}\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3 + 4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784} \end{aligned}$$

Mathematica [A] time = 0.07, size = 103, normalized size = 0.91

$$\frac{\frac{216x}{8x^3+27} - 7 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 14 \log(2x + 3) + 14\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3} \arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 14\sqrt{3} \arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 3(8x^3+27) \log(4x^2+6x+9) - 7(8x^3+27) \log(4x^2-6x+9) + 14(8x^3+27) \log(2x+3) - 6(8x^3+27) \log(2x-3) + 216x}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6)^2,x]

[Out] ((216*x)/(27 + 8*x^3) + 14*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])]) + 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 6*Log[3 - 2*x] + 14*Log[3 + 2*x] - 7*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

fricas [A] time = 0.42, size = 131, normalized size = 1.16

$$\frac{6\sqrt{3}(8x^3+27) \arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 14\sqrt{3}(8x^3+27) \arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 3(8x^3+27) \log(4x^2+6x+9) - 7(8x^3+27) \log(4x^2-6x+9) + 14(8x^3+27) \log(2x+3) - 6(8x^3+27) \log(2x-3) + 216x}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/944784*(6*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x + 3)) + 14*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(8*x^3 + 27)*log(4*x^2 + 6*x + 9) - 7*(8*x^3 + 27)*log(4*x^2 - 6*x + 9) + 14*(8*x^3 + 27)*log(2*x + 3) - 6*(8*x^3 + 27)*log(2*x - 3) + 216*x)/(8*x^3 + 27)

giac [A] time = 0.17, size = 89, normalized size = 0.79

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{7}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{x}{4374(8x^3+27)} + \frac{1}{314928} \log(4x^2+6x+9) - \frac{7}{944784} \log(4x^2-6x+9) + \frac{7}{472392} \log(2x+3) - \frac{6}{944784} \log(2x-3) + \frac{216x}{8x^3+27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 7/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*log(4*x^2 + 6*x + 9) - 7/944784*log(4*x^2 - 6*x + 9) + 7/472392*log(abs(2*x + 3)) - 1/157464*log(abs(2*x - 3))

maple [A] time = 0.06, size = 102, normalized size = 0.90

$$\frac{7\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{157464} - \frac{\ln(2x-3)}{157464} + \frac{7 \ln(2x+3)}{472392} - \frac{7 \ln(4x^2-6x+9)}{944784} + \frac{\ln(4x^2+6x+9)}{314928} - \frac{7}{944784} \log(2x-3) + \frac{7}{472392} \log(2x+3) + \frac{x}{4374(8x^3+27)} + \frac{1}{314928} \log(4x^2+6x+9) - \frac{7}{944784} \log(4x^2-6x+9) + \frac{7}{472392} \log(2x+3) - \frac{6}{944784} \log(2x-3) + \frac{216x}{8x^3+27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-8*x^3+27)/(-64*x^6+729)^2,x)

[Out] -1/118098*(-3/4*x-9/8)/(x^2-3/2*x+9/4)-7/944784*ln(4*x^2-6*x+9)+7/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/78732/(2*x+3)+7/472392*ln(2*x+3)+1/314928*ln(4*x^2+6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/157464*ln(2*x-3)

maxima [A] time = 2.94, size = 87, normalized size = 0.77

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{7}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{x}{4374(8x^3+27)} + \frac{1}{314928} \log(4x^2+6x+9) - \frac{7}{944784} \log(4x^2-6x+9) + \frac{7}{472392} \log(2x+3) - \frac{6}{944784} \log(2x-3) + \frac{216x}{8x^3+27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 7/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*log(4*x^2 + 6*x + 9) - 7/944784*log(4*x^2 - 6*x + 9) + 7/472392*log(2*x + 3) - 1/157464*log(2*x - 3)

mupad [B] time = 0.17, size = 102, normalized size = 0.90

$$\frac{7 \ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{472392} + \frac{x}{34992\left(x^3 + \frac{27}{8}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{314928} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{314928} - \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(8*x^3 - 27)/(64*x^6 - 729)^2,x)

[Out] (7*log(x + 3/2))/472392 - log(x - 3/2)/157464 + x/(34992*(x^3 + 27/8)) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 - 1/314928) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 + 1/314928) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*7i)/944784 + 7/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*7i)/944784 - 7/944784)

sympy [A] time = 0.53, size = 110, normalized size = 0.97

$$\frac{x}{34992x^3 + 118098} - \frac{\log\left(x - \frac{3}{2}\right)}{157464} + \frac{7 \log\left(x + \frac{3}{2}\right)}{472392} - \frac{7 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928} + \frac{7\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x**3+27)/(-64*x**6+729)**2,x)

[Out] x/(34992*x**3 + 118098) - log(x - 3/2)/157464 + 7*log(x + 3/2)/472392 - 7*log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/314928 + 7*sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/472392 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/157464

$$3.574 \quad \int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=131

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7 \log(3-2x)}{157464} + \frac{\log(2x+3)}{472392}$$

[Out] 1/26244/(3-2*x)+1/26244*(-3+2*x)/(4*x^2-6*x+9)-7/157464*ln(3-2*x)+1/472392*ln(3+2*x)+17/944784*ln(4*x^2-6*x+9)+1/314928*ln(4*x^2+6*x+9)-11/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)-1/472392*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7 \log(3-2x)}{157464} + \frac{\log(2x+3)}{472392}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2,x]

[Out] 1/(26244*(3 - 2*x)) - (3 - 2*x)/(26244*(9 - 6*x + 4*x^2)) - (11*ArcTan[(3 - 4*x)/(3*sqrt(3))])/(157464*sqrt(3)) - ArcTan[(3 + 4*x)/(3*sqrt(3))]/(157464*sqrt(3)) - (7*Log[3 - 2*x])/157464 + Log[3 + 2*x]/472392 + (17*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1) * (a + b*x + c*x^2)^(p + 1)), x]

1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_.)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned} \int \frac{27 + 36x + 24x^2 + 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 36x + 24x^2 - 8x^3)^2 (27 + 36x + 24x^2 + 8x^3)} dx \\ &= \int \left(\frac{1}{13122(-3 + 2x)^2} - \frac{7}{78732(-3 + 2x)} + \frac{1}{236196(3 + 2x)} + \frac{3 + 2x}{4374(9 - 6x + 4x^2)} \right) dx \\ &= \frac{1}{26244(3 - 2x)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{3+17x}{9-6x+4x^2} dx}{118098} + \frac{\int \frac{x}{9+6x+4x^2} dx}{39366} + \dots \\ &= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{6+8x}{9+6x+4x^2} dx}{3149} + \dots \\ &= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{17 \log(9 - 6x + 4x^2)}{944784} + \dots \\ &= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{11 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{7 \log(9 - 6x + 4x^2)}{944784} \end{aligned}$$

Mathematica [A] time = 0.08, size = 111, normalized size = 0.85

$$\frac{17 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{216x}{-8x^3 + 24x^2 - 36x + 27} - 42 \log(3 - 2x) + 2 \log(2x + 3) + 22\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) - 22\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2, x]

[Out] ((216*x)/(27 - 36*x + 24*x^2 - 8*x^3) + 22*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 42*Log[3 - 2*x] + 2*Log[3 + 2*x] + 17*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

fricas [A] time = 0.43, size = 187, normalized size = 1.43

$$\frac{2\sqrt{3}(8x^3 - 24x^2 + 36x - 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) - 22\sqrt{3}(8x^3 - 24x^2 + 36x - 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out]
$$-1/944784*(2*\sqrt{3}*(8*x^3 - 24*x^2 + 36*x - 27)*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 22*\sqrt{3}*(8*x^3 - 24*x^2 + 36*x - 27)*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 3*(8*x^3 - 24*x^2 + 36*x - 27)*\log(4*x^2 + 6*x + 9) - 17*(8*x^3 - 24*x^2 + 36*x - 27)*\log(4*x^2 - 6*x + 9) - 2*(8*x^3 - 24*x^2 + 36*x - 27)*\log(2*x + 3) + 42*(8*x^3 - 24*x^2 + 36*x - 27)*\log(2*x - 3) + 216*x)/(8*x^3 - 24*x^2 + 36*x - 27)$$

giac [A] time = 0.18, size = 99, normalized size = 0.76

$$-\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{11}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{x}{4374(4x^2 - 6x + 9)(2x - 3)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="giac")

[Out]
$$-1/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 11/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/((4*x^2 - 6*x + 9)*(2*x - 3)) + 1/314928*\log(4*x^2 + 6*x + 9) + 17/944784*\log(4*x^2 - 6*x + 9) + 1/472392*\log(\text{abs}(2*x + 3)) - 7/157464*\log(\text{abs}(2*x - 3))$$

maple [A] time = 0.06, size = 102, normalized size = 0.78

$$\frac{11\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right) - \sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right) - \frac{7 \ln(2x-3)}{157464} + \frac{\ln(2x+3)}{472392} + \frac{17 \ln(4x^2 - 6x + 9)}{944784} + \frac{\ln(4x^2 + 6x + 9)}{314928}}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x)

[Out]
$$1/118098*(9/4*x-27/8)/(x^2-3/2*x+9/4)+17/944784*\ln(4*x^2-6*x+9)+11/472392*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)})+1/472392*\ln(2*x+3)+1/314928*\ln(4*x^2+6*x+9)-1/472392*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})-1/26244/(2*x-3)-7/157464*\ln(2*x-3)$$

maxima [A] time = 2.99, size = 95, normalized size = 0.73

$$-\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{11}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{x}{4374(8x^3 - 24x^2 + 36x - 27)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out]
$$-1/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 11/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/(8*x^3 - 24*x^2 + 36*x - 27) + 1/314928*\log(4*x^2 + 6*x + 9) + 17/944784*\log(4*x^2 - 6*x + 9) + 1/472392*\log(2*x + 3) - 7/157464*\log(2*x - 3)$$

mupad [B] time = 0.19, size = 111, normalized size = 0.85

$$\frac{\ln\left(x + \frac{3}{2}\right) - \frac{7 \ln\left(x - \frac{3}{2}\right)}{157464} - \frac{x}{34992\left(x^3 - 3x^2 + \frac{9x}{2} - \frac{27}{8}\right)} + \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{314928} + \frac{\sqrt{3} 1i}{944784}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/472392 - (7*log(x - 3/2))/157464 - x/(34992*((9*x)/2 - 3*x^2 + x^3 - 27/8)) + log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 + 1/314928) - log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 - 1/314928) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*11i)/944784 - 17/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*11i)/944784 + 17/944784)

sympy [A] time = 0.70, size = 119, normalized size = 0.91

$$\frac{x}{34992x^3 - 104976x^2 + 157464x - 118098} - \frac{7 \log\left(x - \frac{3}{2}\right)}{157464} + \frac{\log\left(x + \frac{3}{2}\right)}{472392} + \frac{17 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729)**2,x)

[Out] -x/(34992*x**3 - 104976*x**2 + 157464*x - 118098) - 7*log(x - 3/2)/157464 + log(x + 3/2)/472392 + 17*log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/314928 + 11*sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/472392 - sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/472392

$$3.575 \quad \int \frac{x(27-2x^3)}{729-64x^6} dx$$

Optimal. Leaf size=99

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(2x+3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

[Out] -1/96*ln(3-2*x)-5/288*ln(3+2*x)+5/576*ln(4*x^2-6*x+9)+1/192*ln(4*x^2+6*x+9)
-5/288*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)-1/96*arctan(1/9*(3+4*x)*3^(1/2))
*3^(1/2)

Rubi [A] time = 0.06, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1511, 292, 31, 634, 618, 204, 628}

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(2x+3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(27 - 2*x^3))/(729 - 64*x^6), x]

[Out] (-5*ArcTan[(3 - 4*x)/(3*Sqrt[3])])/(96*Sqrt[3]) - ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(32*Sqrt[3]) - Log[3 - 2*x]/96 - (5*Log[3 + 2*x])/288 + (5*Log[9 - 6*x + 4*x^2])/576 + Log[9 + 6*x + 4*x^2]/192

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1511

```
Int[(((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^(n_)))/((a_.) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[-(a*c), 2]}, -Dist[e/2 + (c*d)/(2*q), Int[(f*x)^m/(q - c*x^n), x], x] + Dist[e/2 - (c*d)/(2*q), Int[(f*x)^m/(q + c*x^n), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(27-2x^3)}{729-64x^6} dx &= 3 \int \frac{x}{216-64x^3} dx + 5 \int \frac{x}{216+64x^3} dx \\ &= \frac{1}{24} \int \frac{1}{6-4x} dx - \frac{1}{24} \int \frac{6-4x}{36+24x+16x^2} dx - \frac{5}{72} \int \frac{1}{6+4x} dx + \frac{5}{72} \int \frac{6+4x}{36-24x+16x^2} dx \\ &= -\frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{1}{192} \int \frac{24+32x}{36+24x+16x^2} dx + \frac{5}{576} \int \frac{-24+32x}{36-24x+16x^2} dx \\ &= -\frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{5}{576} \log(9-6x+4x^2) + \frac{1}{192} \log(9+6x+4x^2) + \frac{3}{4} \\ &= -\frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{32\sqrt{3}} - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{5}{576} \log(9-6x+4x^2) \end{aligned}$$

Mathematica [A] time = 0.04, size = 91, normalized size = 0.92

$$\frac{1}{576} \left(5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) - 10 \log(2x + 3) + 10\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) - 6\sqrt{3} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(27 - 2*x^3))/(729 - 64*x^6), x]
```

```
[Out] (10*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 6*Log[3 - 2*x] - 10*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/576
```

fricas [A] time = 0.40, size = 75, normalized size = 0.76

$$-\frac{1}{96} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{5}{288} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{1}{192} \log(4x^2+6x+9) + \frac{5}{576} \log(4x^2-6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-2*x^3+27)/(-64*x^6+729), x, algorithm="fricas")
```

```
[Out] -1/96*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 5/288*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/192*log(4*x^2 + 6*x + 9) + 5/576*log(4*x^2 - 6*x + 9) - 5/288*log(2*x + 3) - 1/96*log(2*x - 3)
```

giac [A] time = 0.19, size = 69, normalized size = 0.70

$$-\frac{1}{96} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{5}{288} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{1}{192} \log\left(x^2 + \frac{3}{2}x + \frac{9}{4}\right) + \frac{5}{576} \log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="giac")

[Out] $-1/96*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 5/288*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/192*\log(x^2 + 3/2*x + 9/4) + 5/576*\log(x^2 - 3/2*x + 9/4) - 5/288*\log(\text{abs}(x + 3/2)) - 1/96*\log(\text{abs}(x - 3/2))$

maple [A] time = 0.05, size = 76, normalized size = 0.77

$$\frac{5\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{288} - \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{96} - \frac{\ln(2x-3)}{96} - \frac{5\ln(2x+3)}{288} + \frac{5\ln(4x^2-6x+9)}{576} + \frac{\ln(4x^2+6x+9)}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*x^3+27)/(-64*x^6+729),x)

[Out] $5/576*\ln(4*x^2-6*x+9)+5/288*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)})-5/288*\ln(2*x+3)+1/192*\ln(4*x^2+6*x+9)-1/96*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})-1/96*\ln(2*x-3)$

maxima [A] time = 2.99, size = 75, normalized size = 0.76

$$-\frac{1}{96}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{5}{288}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{1}{192}\log(4x^2+6x+9)+\frac{5}{576}\log(4x^2-6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="maxima")

[Out] $-1/96*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 5/288*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/192*\log(4*x^2 + 6*x + 9) + 5/576*\log(4*x^2 - 6*x + 9) - 5/288*\log(2*x + 3) - 1/96*\log(2*x - 3)$

mupad [B] time = 5.10, size = 91, normalized size = 0.92

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{96} - \frac{5\ln\left(x + \frac{3}{2}\right)}{288} + \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{192} + \frac{\sqrt{3}1i}{192}\right) - \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{192} + \frac{\sqrt{3}1i}{192}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}5i}{4}\right)\left(\frac{1}{192} + \frac{\sqrt{3}1i}{192}\right) - \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}5i}{4}\right)\left(-\frac{1}{192} + \frac{\sqrt{3}1i}{192}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*x^3 - 27))/(64*x^6 - 729),x)

[Out] $\log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/192 + 1/192) - (5*\log(x + 3/2))/288 - \log(x - 3/2)/96 - \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/192 - 1/192) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*5i)/576 - 5/576) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*5i)/576 + 5/576)$

sympy [A] time = 0.40, size = 102, normalized size = 1.03

$$-\frac{\log\left(x - \frac{3}{2}\right)}{96} - \frac{5\log\left(x + \frac{3}{2}\right)}{288} + \frac{5\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{576} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{192} + \frac{5\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{288} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{96}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x**3+27)/(-64*x**6+729),x)

[Out] $-\log(x - 3/2)/96 - 5*\log(x + 3/2)/288 + 5*\log(x**2 - 3*x/2 + 9/4)/576 + \log(x**2 + 3*x/2 + 9/4)/192 + 5*\sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/288 - 5*\sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/96$

$$3.576 \quad \int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx$$

Optimal. Leaf size=162

$$\frac{(cx)^{m+1} (a^2g - abf + b^2e)}{b^3c(m+1)} + \frac{(cx)^{m+1} (a^3(-g) + a^2bf - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(m+1)} + \frac{x^{n+1}(cx)^m (bf - ag)}{b^2(m+n+1)}$$

[Out] (-a*g+b*f)*x^(1+n)*(c*x)^m/b^2/(1+m+n)+g*x^(1+2*n)*(c*x)^m/b/(1+m+2*n)+(a^2*g-a*b*f+b^2*e)*(c*x)^(1+m)/b^3/c/(1+m)+(-a^3*g+a^2*b*f-a*b^2*e+b^3*d)*(c*x)^(1+m)*hypergeom([1, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/a/b^3/c/(1+m)

Rubi [A] time = 0.17, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1844, 20, 30, 364}

$$\frac{(cx)^{m+1} (a^2bf + a^3(-g) - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(m+1)} + \frac{(cx)^{m+1} (a^2g - abf + b^2e)}{b^3c(m+1)} + \frac{x^{n+1}(cx)^m (bf - ag)}{b^2(m+n+1)}$$

Antiderivative was successfully verified.

[In] Int[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x]

[Out] ((b*f - a*g)*x^(1 + n)*(c*x)^m)/(b^2*(1 + m + n)) + (g*x^(1 + 2*n)*(c*x)^m)/(b*(1 + m + 2*n)) + ((b^2*e - a*b*f + a^2*g)*(c*x)^(1 + m))/(b^3*c*(1 + m)) + ((b^3*d - a*b^2*e + a^2*b*f - a^3*g)*(c*x)^(1 + m)*Hypergeometric2F1[1, (1 + m)/n, (1 + m + n)/n, -(b*x^n)/a])/(a*b^3*c*(1 + m))

Rule 20

Int[(u_)*((a_)*(v_))^(m_)*((b_)*(v_))^(n_), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 30

Int[(x_)^(m_), x_Symbol] :> Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_)*((c_)*(x_))^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx &= \int \left(\frac{(b^2e - abf + a^2g)(cx)^m}{b^3} + \frac{(bf - ag)x^n(cx)^m}{b^2} + \frac{gx^{2n}(cx)^m}{b} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^m}{b^3} \right) dx \\
&= \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{g \int x^{2n}(cx)^m dx}{b} + \frac{(bf - ag) \int x^n(cx)^m dx}{b^2} \\
&= \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^{1+m} {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(1+m)} \\
&= \frac{(bf - ag)x^{1+n}(cx)^m}{b^2(1+m+n)} + \frac{gx^{1+2n}(cx)^m}{b(1+m+2n)} + \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^{1+m} {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(1+m)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 130, normalized size = 0.80

$$\frac{x(cx)^m \left(\frac{a^2g - abf + b^2e}{m+1} + \frac{(a^3(-g) + a^2bf - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{a(m+1)} + \frac{bx^n(bf - ag)}{m+n+1} + \frac{b^2gx^{2n}}{m+2n+1} \right)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x]

[Out] (x*(c*x)^m*((b^2*e - a*b*f + a^2*g)/(1 + m) + (b*(b*f - a*g)*x^n)/(1 + m + n) + (b^2*g*x^(2*n))/(1 + m + 2*n) + ((b^3*d - a*b^2*e + a^2*b*f - a^3*g)*Hypergeometric2F1[1, (1 + m)/n, (1 + m + n)/n, -(b*x^n)/a]))/(a*(1 + m)))/b^3

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n), x, algorithm="fricas")

[Out] integral((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n), x, algorithm="giac")

[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/(b*x^n + a), x)

maple [F] time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + fx^{2n} + gx^{3n} + d)(cx)^m}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(b*x^n+a), x)

[Out] int((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(b*x^n+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(b^3c^m d - ab^2c^m e + a^2bc^m f - a^3c^m g) \int \frac{x^m}{b^4x^n + ab^3} dx + \frac{(m^2 + m(n+2) + n+1)b^2c^m g x e^{(m \log(x) + 2n \log(x))} + ((m^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n), x, algorithm="maxima")

[Out] (b^3*c^m*d - a*b^2*c^m*e + a^2*b*c^m*f - a^3*c^m*g)*integrate(x^m/(b^4*x^n + a*b^3), x) + ((m^2 + m*(n + 2) + n + 1)*b^2*c^m*g*x*e^(m*log(x) + 2*n*log(x)) + ((m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*b^2*c^m*e - (m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*a*b*c^m*f + (m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*a^2*c^m*g)*x*x^m + ((m^2 + 2*m*(n + 1) + 2*n + 1)*b^2*c^m*f - (m^2 + 2*m*(n + 1) + 2*n + 1)*a*b*c^m*g)*x*e^(m*log(x) + n*log(x)))/((m^3 + 3*m^2*(n + 1) + (2*n^2 + 6*n + 3)*m + 2*n^2 + 3*n + 1)*b^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x)

[Out] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x)

sympy [C] time = 57.81, size = 654, normalized size = 4.04

$$\frac{c^m d m x x^m \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + \frac{1}{n}\right) \Gamma\left(\frac{m}{n} + \frac{1}{n}\right)}{an^2 \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m d x x^m \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + \frac{1}{n}\right) \Gamma\left(\frac{m}{n} + \frac{1}{n}\right)}{an^2 \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m e m x x^m x^n \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + 1\right)}{an^2 \Gamma\left(\frac{m}{n} + 2 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(d+e*x**n+f*x**(2*n)+g*x**(3*n))/(a+b*x**n), x)

[Out] c**m*d*m*x*x**m*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1/n)*gamma(m/n + 1/n)/(a*n**2*gamma(m/n + 1 + 1/n)) + c**m*d*x*x**m*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1/n)*gamma(m/n + 1/n)/(a*n**2*gamma(m/n + 1 + 1/n)) + c**m*e*m*x*x**m*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1 + 1/n)*gamma(m/n + 1 + 1/n)/(a*n**2*gamma(m/n + 2 + 1/n)) + c**m*e*x*x**m*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1 + 1/n)*gamma(m/n + 1 + 1/n)/(a*n**2*gamma(m/n + 2 + 1/n)) + c**m*f*m*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n**2*gamma(m/n + 3 + 1/n)) + 2*c**m*f*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n*gamma(m/n + 3 + 1/n)) + c**m*f*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n**2*gamma(m/n + 3 + 1/n)) + c**m*g*m*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n**2*gamma(m/n + 4 + 1/n)) + 3*c**m*g*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n*gamma(m/n + 4 + 1/n)) + c**m*g*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n**2*gamma(m/n + 4 + 1/n))

$$3.577 \quad \int (c + dx^{-1+n}) (a + bx^n)^3 dx$$

Optimal. Leaf size=84

$$a^3cx + \frac{3a^2bcx^{n+1}}{n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

[Out] $a^3cx + 3a^2bcx^{n+1}/(n+1) + 3ab^2cx^{2n+1}/(2n+1) + b^3cx^{3n+1}/(3n+1) + 1/4d*(a+bx^n)^4/b/n$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$\frac{3a^2bcx^{n+1}}{n+1} + a^3cx + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^3, x]

[Out] $a^3cx + (3a^2bcx^{n+1})/(n+1) + (3ab^2cx^{2n+1})/(2n+1) + (b^3cx^{3n+1})/(3n+1) + (d*(a+bx^n)^4)/(4bn)$

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p+1)/(b*n*(p+1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n}) (a + bx^n)^3 dx &= c \int (a + bx^n)^3 dx + d \int x^{-1+n} (a + bx^n)^3 dx \\ &= \frac{d(a + bx^n)^4}{4bn} + c \int (a^3 + 3a^2bx^n + 3ab^2x^{2n} + b^3x^{3n}) dx \\ &= a^3cx + \frac{3a^2bcx^{1+n}}{1+n} + \frac{3ab^2cx^{1+2n}}{1+2n} + \frac{b^3cx^{1+3n}}{1+3n} + \frac{d(a + bx^n)^4}{4bn} \end{aligned}$$

Mathematica [A] time = 0.23, size = 108, normalized size = 1.29

$$\frac{x(c + dx^{n-1}) \left(4a^3cx + \frac{12a^2bcx^{n+1}}{n+1} + \frac{12ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{bn} + \frac{4b^3cx^{3n+1}}{3n+1} \right)}{4(cx + dx^n)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^3,x]

[Out] (x*(c + d*x^(-1 + n))*(4*a^3*c*x + (12*a^2*b*c*x^(1 + n))/(1 + n) + (12*a*b^2*c*x^(1 + 2*n))/(1 + 2*n) + (4*b^3*c*x^(1 + 3*n))/(1 + 3*n) + (d*(a + b*x^n)^4)/(b*n)))/(4*(c*x + d*x^n))

fricas [B] time = 0.45, size = 305, normalized size = 3.63

$$4 \left(6 a^3 c n^4 + 11 a^3 c n^3 + 6 a^3 c n^2 + a^3 c n \right) x + \left(6 b^3 d n^3 + 11 b^3 d n^2 + 6 b^3 d n + b^3 d \right) x^{4n} + 4 \left(6 a b^2 d n^3 + 11 a b^2 d n^2 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="fricas")

[Out] 1/4*(4*(6*a^3*c*n^4 + 11*a^3*c*n^3 + 6*a^3*c*n^2 + a^3*c*n)*x + (6*b^3*d*n^3 + 11*b^3*d*n^2 + 6*b^3*d*n + b^3*d)*x^(4*n) + 4*(6*a*b^2*d*n^3 + 11*a*b^2*d*n^2 + 6*a*b^2*d*n + a*b^2*d + (2*b^3*c*n^3 + 3*b^3*c*n^2 + b^3*c*n)*x)*x^(3*n) + 6*(6*a^2*b*d*n^3 + 11*a^2*b*d*n^2 + 6*a^2*b*d*n + a^2*b*d + 2*(3*a*b^2*c*n^3 + 4*a*b^2*c*n^2 + a*b^2*c*n)*x)*x^(2*n) + 4*(6*a^3*d*n^3 + 11*a^3*d*n^2 + 6*a^3*d*n + a^3*d + 3*(6*a^2*b*c*n^3 + 5*a^2*b*c*n^2 + a^2*b*c*n)*x)*x^n)/(6*n^4 + 11*n^3 + 6*n^2 + n)

giac [B] time = 0.26, size = 392, normalized size = 4.67

$$24 a^3 c n^4 x + 8 b^3 c n^3 x x^{3n} + 36 a b^2 c n^3 x x^{2n} + 72 a^2 b c n^3 x x^n + 44 a^3 c n^3 x + 6 b^3 d n^3 x^{4n} + 24 a b^2 d n^3 x^{3n} + 12 b^3 c n^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="giac")

[Out] 1/4*(24*a^3*c*n^4*x + 8*b^3*c*n^3*x*x^(3*n) + 36*a*b^2*c*n^3*x*x^(2*n) + 72*a^2*b*c*n^3*x*x^n + 44*a^3*c*n^3*x + 6*b^3*d*n^3*x^(4*n) + 24*a*b^2*d*n^3*x^(3*n) + 12*b^3*c*n^2*x*x^(3*n) + 36*a^2*b*d*n^3*x^(2*n) + 48*a*b^2*c*n^2*x*x^(2*n) + 24*a^3*d*n^3*x^n + 60*a^2*b*c*n^2*x*x^n + 24*a^3*c*n^2*x + 11*b^3*d*n^2*x^(4*n) + 44*a*b^2*d*n^2*x^(3*n) + 4*b^3*c*n*x*x^(3*n) + 66*a^2*b*d*n^2*x^(2*n) + 12*a*b^2*c*n*x*x^(2*n) + 44*a^3*d*n^2*x^n + 12*a^2*b*c*n*x*x^n + 4*a^3*c*n*x + 6*b^3*d*n*x^(4*n) + 24*a*b^2*d*n*x^(3*n) + 36*a^2*b*d*n*x^(2*n) + 24*a^3*d*n*x^n + b^3*d*x^(4*n) + 4*a*b^2*d*x^(3*n) + 6*a^2*b*d*x^(2*n) + 4*a^3*d*x^n)/(6*n^4 + 11*n^3 + 6*n^2 + n)

maple [A] time = 0.06, size = 130, normalized size = 1.55

$$\frac{3a^2bcx e^{n \ln(x)}}{n+1} + \frac{3a b^2cx e^{2n \ln(x)}}{2n+1} + \frac{b^3cx e^{3n \ln(x)}}{3n+1} + a^3cx + \frac{a^3d e^{n \ln(x)}}{n} + \frac{3a^2bd e^{2n \ln(x)}}{2n} + \frac{a b^2d e^{3n \ln(x)}}{n} + \frac{b^3d e^{4n \ln(x)}}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a)^3,x)

[Out] a^3*c*x+a^3*d/n*exp(n*ln(x))+a*b^2*d/n*exp(n*ln(x))^3+b^3*c/(3*n+1)*x*exp(n*ln(x))^3+1/4*b^3*d/n*exp(n*ln(x))^4+3/2*a^2*d*b/n*exp(n*ln(x))^2+3*a*b^2*c/(2*n+1)*x*exp(n*ln(x))^2+3*a^2*c*b/(n+1)*x*exp(n*ln(x))

maxima [A] time = 1.36, size = 118, normalized size = 1.40

$$a^3cx + \frac{b^3dx^{4n}}{4n} + \frac{ab^2dx^{3n}}{n} + \frac{3a^2bdx^{2n}}{2n} + \frac{b^3cx^{3n+1}}{3n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{3a^2bcx^{n+1}}{n+1} + \frac{a^3dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="maxima")

[Out] a^3*c*x + 1/4*b^3*d*x^(4*n)/n + a*b^2*d*x^(3*n)/n + 3/2*a^2*b*d*x^(2*n)/n + b^3*c*x^(3*n + 1)/(3*n + 1) + 3*a*b^2*c*x^(2*n + 1)/(2*n + 1) + 3*a^2*b*c*x^(n + 1)/(n + 1) + a^3*d*x^n/n

mupad [B] time = 5.13, size = 115, normalized size = 1.37

$$a^3 cx + \frac{a^3 dx^n}{n} + \frac{b^3 dx^{4n}}{4n} + \frac{b^3 cxx^{3n}}{3n+1} + \frac{3a^2 bdx^{2n}}{2n} + \frac{ab^2 dx^{3n}}{n} + \frac{3ab^2 cxx^{2n}}{2n+1} + \frac{3a^2 bcxx^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n)^3,x)

[Out] a^3*c*x + (a^3*d*x^n)/n + (b^3*d*x^(4*n))/(4*n) + (b^3*c*x*x^(3*n))/(3*n + 1) + (3*a^2*b*d*x^(2*n))/(2*n) + (a*b^2*d*x^(3*n))/n + (3*a*b^2*c*x*x^(2*n))/(2*n + 1) + (3*a^2*b*c*x*x^n)/(n + 1)

sympy [A] time = 8.17, size = 1251, normalized size = 14.89

$$\left\{ \begin{array}{l} a^3 cx - \frac{a^3 d}{x} + 3a^2 bc \log(x) - \frac{3a^2 bd}{2x^2} - \frac{3ab^2 c}{x} - \frac{ab^2 d}{x^3} - \frac{b^3 c}{2x^2} - \frac{b^3 d}{4x^4} \\ a^3 cx - \frac{2a^3 d}{\sqrt{x}} + 6a^2 bc \sqrt{x} - \frac{3a^2 bd}{x} + 3ab^2 c \log(x) - \frac{2ab^2 d}{x^2} - \frac{2b^3 c}{\sqrt{x}} - \frac{b^3 d}{2x^2} \\ a^3 cx - \frac{3a^3 d}{\sqrt[3]{x}} + \frac{9a^2 bcx^{\frac{2}{3}}}{2} - \frac{9a^2 bd}{2x^{\frac{2}{3}}} + 9ab^2 c \sqrt[3]{x} - \frac{3ab^2 d}{x} + b^3 c \log(x) - \frac{3b^3 d}{4x^{\frac{4}{3}}} \\ (a + b)^3 (cx + d \log(x)) \\ \frac{24a^3 cn^4 x}{24n^4 + 44n^3 + 24n^2 + 4n} + \frac{44a^3 cn^3 x}{24n^4 + 44n^3 + 24n^2 + 4n} + \frac{24a^3 cn^2 x}{24n^4 + 44n^3 + 24n^2 + 4n} + \frac{4a^3 cnx}{24n^4 + 44n^3 + 24n^2 + 4n} + \frac{24a^3 dn^3 x^n}{24n^4 + 44n^3 + 24n^2 + 4n} + \frac{44a^3 dn^3}{24n^4 + 44n^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n)**3,x)

[Out] Piecewise((a**3*c*x - a**3*d/x + 3*a**2*b*c*log(x) - 3*a**2*b*d/(2*x**2) - 3*a*b**2*c/x - a*b**2*d/x**3 - b**3*c/(2*x**2) - b**3*d/(4*x**4), Eq(n, -1)), (a**3*c*x - 2*a**3*d/sqrt(x) + 6*a**2*b*c*sqrt(x) - 3*a**2*b*d/x + 3*a*b**2*c*log(x) - 2*a*b**2*d/x**(3/2) - 2*b**3*c/sqrt(x) - b**3*d/(2*x**2), Eq(n, -1/2)), (a**3*c*x - 3*a**3*d/x**(1/3) + 9*a**2*b*c*x**(2/3)/2 - 9*a**2*b*d/(2*x**(2/3)) + 9*a*b**2*c*x**(1/3) - 3*a*b**2*d/x + b**3*c*log(x) - 3*b**3*d/(4*x**(4/3)), Eq(n, -1/3)), ((a + b)**3*(c*x + d*log(x)), Eq(n, 0)), (24*a**3*c*n**4*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*c*n**3*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*c*n**2*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*c*n*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n**3*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*d*n**2*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*d*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 72*a**2*b*c*n**3*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 60*a**2*b*c*n**2*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a**2*b*c*n*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n**3*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 66*a**2*b*d*n**2*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*a**2*b*d*x*(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a*b**2*c*n**3*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 48*a*b**2*c*n**2*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a*b**2*c*n*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b**2*d*n**3*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a*b**2*d*n**2*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b**2*d*n*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a*b**2*d*x**(3*n)/(

```

24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 8*b**3*c*n**3*x*x**(3*n)/(24*n**4 + 44
*n**3 + 24*n**2 + 4*n) + 12*b**3*c*n**2*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*
n**2 + 4*n) + 4*b**3*c*n*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6
*b**3*d*n**3*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 11*b**3*d*n**2*
x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*b**3*d*n*x**(4*n)/(24*n**4
+ 44*n**3 + 24*n**2 + 4*n) + b**3*d*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2
+ 4*n), True))

```

$$3.578 \quad \int (c + dx^{-1+n}) (a + bx^n)^2 dx$$

Optimal. Leaf size=61

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

[Out] $a^2cx + 2abcx^{n+1}/(n+1) + b^2cx^{2n+1}/(2n+1) + 1/3d(a+bx^n)^3/b/n$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^2, x]

[Out] $a^2cx + (2abcx^{n+1})/(n+1) + (b^2cx^{2n+1})/(2n+1) + (d(a+bx^n)^3)/(3bn)$

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p+1)/(b*n*(p+1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m-n+1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n}) (a + bx^n)^2 dx &= c \int (a + bx^n)^2 dx + d \int x^{-1+n} (a + bx^n)^2 dx \\ &= \frac{d(a + bx^n)^3}{3bn} + c \int (a^2 + 2abx^n + b^2x^{2n}) dx \\ &= a^2cx + \frac{2abcx^{1+n}}{1+n} + \frac{b^2cx^{1+2n}}{1+2n} + \frac{d(a + bx^n)^3}{3bn} \end{aligned}$$

Mathematica [A] time = 0.15, size = 120, normalized size = 1.97

$$\frac{a^3d(2n^2 + 3n + 1) + 3a^2b(2n^2 + 3n + 1)(cnx + dx^n) + 3ab^2(2n + 1)x^n(2cnx + d(n + 1)x^n) + b^3(n + 1)x^{2n}(3cnx + d(n + 1)x^n)}{3bn(n + 1)(2n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^2, x]

[Out] $(a^3 d (1 + 3n + 2n^2) + 3a^2 b (1 + 3n + 2n^2) (c n x + d x^n) + 3a b^2 (1 + 2n) x^n (2c n x + d (1 + n) x^n) + b^3 (1 + n) x^{2n} (3c n x + d (1 + 2n) x^n)) / (3b n (1 + n) (1 + 2n))$

fricas [B] time = 0.44, size = 160, normalized size = 2.62

$$\frac{3(2a^2cn^3 + 3a^2cn^2 + a^2cn)x + (2b^2dn^2 + 3b^2dn + b^2d)x^{3n} + 3(2abdn^2 + 3abdn + abd + (b^2cn^2 + b^2cn)x)x^{2n}}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="fricas")

[Out] $1/3*(3*(2a^2c*n^3 + 3a^2c*n^2 + a^2c*n)*x + (2*b^2*d*n^2 + 3*b^2*d*n + b^2*d)*x^{(3*n)} + 3*(2*a*b*d*n^2 + 3*a*b*d*n + a*b*d + (b^2*c*n^2 + b^2*c*n)*x)*x^{(2*n)} + 3*(2*a^2*d*n^2 + 3*a^2*d*n + a^2*d + 2*(2*a*b*c*n^2 + a*b*c*n)*x)*x^n)/(2*n^3 + 3*n^2 + n)$

giac [B] time = 0.22, size = 196, normalized size = 3.21

$$\frac{6a^2cn^3x + 3b^2cn^2xx^{2n} + 12abcn^2xx^n + 9a^2cn^2x + 2b^2dn^2x^{3n} + 6abdn^2x^{2n} + 3b^2cnxx^{2n} + 6a^2dn^2x^n + 6abcn^2x}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="giac")

[Out] $1/3*(6*a^2*c*n^3*x + 3*b^2*c*n^2*x*x^{(2*n)} + 12*a*b*c*n^2*x*x^n + 9*a^2*c*n^2*x + 2*b^2*d*n^2*x^{(3*n)} + 6*a*b*d*n^2*x^{(2*n)} + 3*b^2*c*n*x*x^{(2*n)} + 6*a^2*d*n^2*x^n + 6*a*b*c*n*x*x^n + 3*a^2*c*n*x + 3*b^2*d*n*x^{(3*n)} + 9*a*b*d*n*x^{(2*n)} + 9*a^2*d*n*x^n + b^2*d*x^{(3*n)} + 3*a*b*d*x^{(2*n)} + 3*a^2*d*x^n)/(2*n^3 + 3*n^2 + n)$

maple [A] time = 0.06, size = 87, normalized size = 1.43

$$\frac{2abcx e^{n \ln(x)}}{n+1} + \frac{b^2cx e^{2n \ln(x)}}{2n+1} + a^2cx + \frac{a^2d e^{n \ln(x)}}{n} + \frac{abd e^{2n \ln(x)}}{n} + \frac{b^2d e^{3n \ln(x)}}{3n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a)^2,x)

[Out] $a^2c*x + a^2d/n*\exp(n*\ln(x)) + b*d*a/n*\exp(n*\ln(x))^2 + c*b^2/(2*n+1)*x*\exp(n*\ln(x))^2 + 1/3*b^2*d/n*\exp(n*\ln(x))^3 + 2*a*b*c/(n+1)*x*\exp(n*\ln(x))$

maxima [A] time = 1.40, size = 78, normalized size = 1.28

$$a^2cx + \frac{b^2dx^{3n}}{3n} + \frac{abdx^{2n}}{n} + \frac{b^2cx^{2n+1}}{2n+1} + \frac{2abcx^{n+1}}{n+1} + \frac{a^2dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="maxima")

[Out] $a^2c*x + 1/3*b^2*d*x^{(3*n)}/n + a*b*d*x^{(2*n)}/n + b^2*c*x^{(2*n+1)}/(2*n+1) + 2*a*b*c*x^{(n+1)}/(n+1) + a^2*d*x^n/n$

mupad [B] time = 5.06, size = 76, normalized size = 1.25

$$a^2cx + \frac{a^2dx^n}{n} + \frac{b^2dx^{3n}}{3n} + \frac{b^2cx^{2n}}{2n+1} + \frac{abdx^{2n}}{n} + \frac{2abcx^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n)^2,x)

[Out] a^2*c*x + (a^2*d*x^n)/n + (b^2*d*x^(3*n))/(3*n) + (b^2*c*x*x^(2*n))/(2*n + 1) + (a*b*d*x^(2*n))/n + (2*a*b*c*x*x^n)/(n + 1)

sympy [A] time = 4.27, size = 552, normalized size = 9.05

$$\left\{ \begin{array}{l} a^2cx - \frac{a^2d}{x} + 2abc \log(x) - \frac{abd}{x^2} - \frac{b^2c}{x} - \frac{b^2d}{3x^3} \\ a^2cx - \frac{2a^2d}{\sqrt{x}} + 4abc\sqrt{x} - \frac{2abd}{x} + b^2c \log(x) - \frac{2b^2d}{3x^2} \\ (a + b)^2 (cx + d \log(x)) \\ \frac{6a^2cn^3x}{6n^3+9n^2+3n} + \frac{9a^2cn^2x}{6n^3+9n^2+3n} + \frac{3a^2cnx}{6n^3+9n^2+3n} + \frac{6a^2dn^2x^n}{6n^3+9n^2+3n} + \frac{9a^2dnx^n}{6n^3+9n^2+3n} + \frac{3a^2dx^n}{6n^3+9n^2+3n} + \frac{12abcn^2xx^n}{6n^3+9n^2+3n} + \frac{6abcnxx^n}{6n^3+9n^2+3n} + \frac{6ab}{6n^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n)**2,x)

[Out] Piecewise((a**2*c*x - a**2*d/x + 2*a*b*c*log(x) - a*b*d/x**2 - b**2*c/x - b**2*d/(3*x**3), Eq(n, -1)), (a**2*c*x - 2*a**2*d/sqrt(x) + 4*a*b*c*sqrt(x) - 2*a*b*d/x + b**2*c*log(x) - 2*b**2*d/(3*x**(3/2)), Eq(n, -1/2)), ((a + b)**2*(c*x + d*log(x)), Eq(n, 0)), (6*a**2*c*n**3*x/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*c*n**2*x/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*c*n*x/(6*n**3 + 9*n**2 + 3*n) + 6*a**2*d*n**2*x**n/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*d*n*x**n/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*d*x**n/(6*n**3 + 9*n**2 + 3*n) + 12*a*b*c*n**2*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*c*n*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*d*n**2*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 9*a*b*d*n*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*a*b*d*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n**2*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 2*b**2*d*n**2*x**(3*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*d*n*x**(3*n)/(6*n**3 + 9*n**2 + 3*n) + b**2*d*x**(3*n)/(6*n**3 + 9*n**2 + 3*n), True))

$$3.579 \quad \int (c + dx^{-1+n}) (a + bx^n) dx$$

Optimal. Leaf size=41

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

[Out] a*c*x+a*d*x^n/n+1/2*b*d*x^(2*n)/n+b*c*x^(1+n)/(1+n)

Rubi [A] time = 0.02, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1891, 14}

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x^(1 + n))/(1 + n)

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 1891

Int[((A_) + (B_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n}) (a + bx^n) dx &= c \int (a + bx^n) dx + d \int x^{-1+n} (a + bx^n) dx \\ &= acx + \frac{bcx^{1+n}}{1+n} + d \int (ax^{-1+n} + bx^{-1+2n}) dx \\ &= acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcx^{1+n}}{1+n} \end{aligned}$$

Mathematica [A] time = 0.13, size = 42, normalized size = 1.02

$$\frac{2a(cnx + dx^n) + bx^n \left(\frac{2cnx}{n+1} + dx^n \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] (2*a*(c*n*x + d*x^n) + b*x^n*((2*c*n*x)/(1 + n) + d*x^n))/(2*n)

fricas [A] time = 0.46, size = 56, normalized size = 1.37

$$\frac{2(acn^2 + acn)x + (bdn + bd)x^{2n} + 2(bcnx + adn + ad)x^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n),x, algorithm="fricas")

[Out] $1/2*(2*(a*c*n^2 + a*c*n)*x + (b*d*n + b*d)*x^(2*n) + 2*(b*c*n*x + a*d*n + a*d)*x^n)/(n^2 + n)$

giac [A] time = 0.22, size = 65, normalized size = 1.59

$$\frac{2acn^2x + 2bcnxx^n + 2acnx + bdnx^{2n} + 2adnx^n + bdx^{2n} + 2adx^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n),x, algorithm="giac")

[Out] $1/2*(2*a*c*n^2*x + 2*b*c*n*x*x^n + 2*a*c*n*x + b*d*n*x^(2*n) + 2*a*d*n*x^n + b*d*x^(2*n) + 2*a*d*x^n)/(n^2 + n)$

maple [A] time = 0.06, size = 45, normalized size = 1.10

$$\frac{bcx e^{n \ln(x)}}{n+1} + acx + \frac{ad e^{n \ln(x)}}{n} + \frac{bd e^{2n \ln(x)}}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a),x)

[Out] $a*c*x + a*d/n*\exp(n*\ln(x)) + b*c/(n+1)*x*\exp(n*\ln(x)) + 1/2*b*d/n*\exp(n*\ln(x))^2$

maxima [A] time = 1.29, size = 39, normalized size = 0.95

$$acx + \frac{bdx^{2n}}{2n} + \frac{bcx^{n+1}}{n+1} + \frac{adx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n),x, algorithm="maxima")

[Out] $a*c*x + 1/2*b*d*x^(2*n)/n + b*c*x^(n+1)/(n+1) + a*d*x^n/n$

mupad [B] time = 5.06, size = 38, normalized size = 0.93

$$acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcxx^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n),x)

[Out] $a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x*x^n)/(n + 1)$

sympy [A] time = 2.03, size = 163, normalized size = 3.98

$$\begin{cases} acx - \frac{ad}{x} + bc \log(x) - \frac{bd}{2x^2} & \text{for } n = -1 \\ (a + b)(cx + d \log(x)) & \text{for } n = 0 \\ \frac{2acn^2x}{2n^2+2n} + \frac{2acnx}{2n^2+2n} + \frac{2adnx^n}{2n^2+2n} + \frac{2adx^n}{2n^2+2n} + \frac{2bcnxx^n}{2n^2+2n} + \frac{bdnx^{2n}}{2n^2+2n} + \frac{bdx^{2n}}{2n^2+2n} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n),x)

```
[Out] Piecewise((a*c*x - a*d/x + b*c*log(x) - b*d/(2*x**2), Eq(n, -1)), ((a + b)*
(c*x + d*log(x)), Eq(n, 0)), (2*a*c*n**2*x/(2*n**2 + 2*n) + 2*a*c*n*x/(2*n*
*2 + 2*n) + 2*a*d*n*x**n/(2*n**2 + 2*n) + 2*a*d*x**n/(2*n**2 + 2*n) + 2*b*c
*n*x*x**n/(2*n**2 + 2*n) + b*d*n*x**(2*n)/(2*n**2 + 2*n) + b*d*x**(2*n)/(2*
n**2 + 2*n), True))
```

3.580 $\int (c + dx^{-1+n}) dx$

Optimal. Leaf size=12

$$cx + \frac{dx^n}{n}$$

[Out] c*x+d*x^n/n

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Int[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

Rubi steps

$$\int (c + dx^{-1+n}) dx = cx + \frac{dx^n}{n}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Integrate[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

fricas [A] time = 0.44, size = 17, normalized size = 1.42

$$\frac{cnx + dxx^{n-1}}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n), x, algorithm="fricas")

[Out] (c*n*x + d*x*x^(n - 1))/n

giac [A] time = 0.17, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n), x, algorithm="giac")

[Out] c*x + d*x^n/n

maple [A] time = 0.04, size = 13, normalized size = 1.08

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c+d*x^(n-1),x)`

[Out] `c*x+d*x^n/n`

maxima [A] time = 1.32, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c+d*x^(-1+n),x, algorithm="maxima")`

[Out] `c*x + d*x^n/n`

mupad [B] time = 5.01, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c + d*x^(n - 1),x)`

[Out] `c*x + (d*x^n)/n`

sympy [A] time = 0.07, size = 15, normalized size = 1.25

$$cx + d \left(\begin{cases} \frac{x^n}{n} & \text{for } n - 1 \neq -1 \\ \log(x) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c+d*x**(-1+n),x)`

[Out] `c*x + d*Piecewise((x**n/n, Ne(n - 1, -1)), (log(x), True))`

$$3.581 \quad \int \frac{c+dx^{-1+n}}{a+bx^n} dx$$

Optimal. Leaf size=42

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

[Out] c*x*hypergeom([1, 1/n], [1+1/n], -b*x^n/a)/a+d*ln(a+b*x^n)/b/n

Rubi [A] time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 260}

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n), x]

[Out] (c*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)])/a + (d*Log[a + b*x^n])/(b*n)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^{-1+n}}{a + bx^n} dx &= c \int \frac{1}{a + bx^n} dx + d \int \frac{x^{-1+n}}{a + bx^n} dx \\ &= \frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn} \end{aligned}$$

Mathematica [A] time = 0.07, size = 42, normalized size = 1.00

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n),x]

[Out] (c*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)])/a + (d*Log[a + b*x^n])/(b*n)

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n),x, algorithm="fricas")

[Out] integral((d*x^(n - 1) + c)/(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n),x, algorithm="giac")

[Out] integrate((d*x^(n - 1) + c)/(b*x^n + a), x)

maple [F] time = 0.78, size = 0, normalized size = 0.00

$$\int \frac{d x^{n-1} + c}{b x^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))/(b*x^n+a),x)

[Out] int((c+d*x^(n-1))/(b*x^n+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{d \log(x)}{b} + \int \frac{bcx - ad}{b^2xx^n + abx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n),x, algorithm="maxima")

[Out] d*log(x)/b + integrate((b*c*x - a*d)/(b^2*x*x^n + a*b*x), x)

mupad [B] time = 5.33, size = 43, normalized size = 1.02

$$\frac{c x {}_2F_1\left(1, \frac{1}{n}; \frac{1}{n} + 1; -\frac{b x^n}{a}\right)}{a} + \frac{d \ln(a + b x^n)}{b n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))/(a + b*x^n),x)

[Out] (c*x*hypergeom([1, 1/n], 1/n + 1, -(b*x^n)/a))/a + (d*log(a + b*x^n))/(b*n)

sympy [A] time = 17.15, size = 65, normalized size = 1.55

$$d \left(\begin{array}{ll} \frac{\log(x)}{a} & \text{for } b = 0 \wedge n = 0 \\ \frac{\log(x)}{a+b} & \text{for } n = 0 \\ \frac{x^n}{an} & \text{for } b = 0 \\ \frac{\log\left(\frac{a}{b}+x^n\right)}{bn} & \text{otherwise} \end{array} \right) + \frac{cx\Phi\left(\frac{bx^ne^{i\pi}}{a}, 1, \frac{1}{n}\right)\Gamma\left(\frac{1}{n}\right)}{an^2\Gamma\left(1 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))/(a+b*x**n),x)

[Out] d*Piecewise((log(x)/a, Eq(b, 0) & Eq(n, 0)), (log(x)/(a + b), Eq(n, 0)), (x**n/(a*n), Eq(b, 0)), (log(a/b + x**n)/(b*n), True)) + c*x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*n**2*gamma(1 + 1/n))

$$3.582 \quad \int \frac{c+dx^{-1+n}}{(a+bx^n)^2} dx$$

Optimal. Leaf size=44

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{bn(a+bx^n)}$$

[Out] -d/b/n/(a+b*x^n)+c*x*hypergeom([2, 1/n], [1+1/n], -b*x^n/a)/a^2

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 261}

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{bn(a+bx^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n)^2,x]

[Out] -(d/(b*n*(a + b*x^n))) + (c*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -(b*x^n)/a])/a^2

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^{-1+n}}{(a+bx^n)^2} dx &= c \int \frac{1}{(a+bx^n)^2} dx + d \int \frac{x^{-1+n}}{(a+bx^n)^2} dx \\ &= -\frac{d}{bn(a+bx^n)} + \frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} \end{aligned}$$

Mathematica [A] time = 0.12, size = 44, normalized size = 1.00

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{abn + b^2nx^n}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n)^2, x]

[Out] -(d/(a*b*n + b^2*n*x^n)) + (c*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -(b*x^n)/a])/a^2

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{b^2x^{2n} + 2abx^n + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral((d*x^(n - 1) + c)/(b^2*x^(2*n) + 2*a*b*x^n + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="giac")

[Out] integrate((d*x^(n - 1) + c)/(b*x^n + a)^2, x)

maple [F] time = 1.03, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^(n-1)+c)/(b*x^n+a)^2,x)

[Out] int((d*x^(n-1)+c)/(b*x^n+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$c(n-1) \int \frac{1}{abnx^n + a^2n} dx + \frac{bcx - ad}{ab^2nx^n + a^2bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="maxima")

[Out] c*(n - 1)*integrate(1/(a*b*n*x^n + a^2*n), x) + (b*c*x - a*d)/(a*b^2*n*x^n + a^2*b*n)

mupad [B] time = 5.35, size = 49, normalized size = 1.11

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; \frac{1}{n} + 1; -\frac{bx^n}{a}\right)}{a^2} - \frac{ad}{b(a^2n + abnx^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))/(a + b*x^n)^2,x)

[Out] (c*x*hypergeom([2, 1/n], 1/n + 1, -(b*x^n)/a))/a^2 - (a*d)/(b*(a^2*n + a*b*n*x^n))

sympy [C] time = 51.15, size = 299, normalized size = 6.80

$$c \left(\frac{nx\Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{1}{n}\right)\Gamma\left(\frac{1}{n}\right)}{a\left(an^3\Gamma\left(1 + \frac{1}{n}\right) + bn^3x^n\Gamma\left(1 + \frac{1}{n}\right)\right)} + \frac{nx\Gamma\left(\frac{1}{n}\right)}{a\left(an^3\Gamma\left(1 + \frac{1}{n}\right) + bn^3x^n\Gamma\left(1 + \frac{1}{n}\right)\right)} - \frac{x\Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{1}{n}\right)\Gamma\left(\frac{1}{n}\right)}{a\left(an^3\Gamma\left(1 + \frac{1}{n}\right) + bn^3x^n\Gamma\left(1 + \frac{1}{n}\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))/(a+b*x**n)**2,x)

[Out] c*(n*x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + n*x*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) - x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + b*n*x*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a**2*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) - b*x*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a**2*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + d*Piecewise((log(x)/a**2, Eq(b, 0) & Eq(n, 0)), (x**n/(a**2*n), Eq(b, 0)), (log(x)/(a + b)**2, Eq(n, 0)), (-1/(a*b*n + b**2*n*x**n), True))

$$3.583 \quad \int \frac{c+dx^{-1+n}}{(a+bx^n)^3} dx$$

Optimal. Leaf size=46

$$\frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3} - \frac{d}{2bn(a+bx^n)^2}$$

[Out] $-1/2*d/b/n/(a+b*x^n)^2+c*x*hypergeom([3, 1/n], [1+1/n], -b*x^n/a)/a^3$

Rubi [A] time = 0.03, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 261}

$$\frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3} - \frac{d}{2bn(a+bx^n)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n)^3, x]

[Out] $-d/(2*b*n*(a + b*x^n)^2) + (c*x*Hypergeometric2F1[3, n^(-1), 1 + n^(-1), -(b*x^n/a)]) / a^3$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^{-1+n}}{(a+bx^n)^3} dx &= c \int \frac{1}{(a+bx^n)^3} dx + d \int \frac{x^{-1+n}}{(a+bx^n)^3} dx \\ &= -\frac{d}{2bn(a+bx^n)^2} + \frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3} \end{aligned}$$

Mathematica [A] time = 0.11, size = 63, normalized size = 1.37

$$\frac{2bcnx(a+bx^n)^2 {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) - a^3d}{2a^3bn(a+bx^n)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n)^3, x]

[Out] $(-(a^3d) + 2bcn x (a + bx^n)^2 \text{Hypergeometric2F1}[3, n^{(-1)}, 1 + n^{(-1)}, -(bx^n/a)]) / (2a^3bn(a + bx^n)^2)$

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="fricas")

[Out] $\text{integral}((d*x^{(n-1)} + c)/(b^3*x^{(3*n)} + 3*a*b^2*x^{(2*n)} + 3*a^2*b*x^n + a^3), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="giac")

[Out] $\text{integrate}((d*x^{(n-1)} + c)/(b*x^n + a)^3, x)$

maple [F] time = 0.71, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^(n-1)+c)/(b*x^n+a)^3,x)

[Out] $\text{int}((d*x^{(n-1)}+c)/(b*x^n+a)^3,x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(2n^2 - 3n + 1)c \int \frac{1}{2(a^2bn^2x^n + a^3n^2)} dx + \frac{b^2c(2n-1)xx^n + abc(3n-1)x - a^2dn}{2(a^2b^3n^2x^{2n} + 2a^3b^2n^2x^n + a^4bn^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="maxima")

[Out] $(2*n^2 - 3*n + 1)*c*\text{integrate}(1/2/(a^2*b*n^2*x^n + a^3*n^2), x) + 1/2*(b^2*c*(2*n - 1)*x*x^n + a*b*c*(3*n - 1)*x - a^2*d*n)/(a^2*b^3*n^2*x^{(2*n)} + 2*a^3*b^2*n^2*x^n + a^4*b*n^2)$

mupad [B] time = 5.41, size = 59, normalized size = 1.28

$$\frac{cx {}_2F_1\left(3, \frac{1}{n}; \frac{1}{n} + 1; -\frac{bx^n}{a}\right)}{a^3} - \frac{d}{2b(a^2n + b^2nx^{2n} + 2abnx^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))/(a + b*x^n)^3,x)

```
[Out] (c*x*hypergeom([3, 1/n], 1/n + 1, -(b*x^n)/a))/a^3 - d/(2*b*(a^2*n + b^2*n*x^(2*n) + 2*a*b*n*x^n))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d*x**(-1+n))/(a+b*x**n)**3,x)
```

```
[Out] Timed out
```

$$3.584 \quad \int \frac{(cx)^m (d+ex^n+fx^{2n}+gx^{3n})}{\sqrt{a+bx^n}} dx$$

Optimal. Leaf size=305

$$\frac{d(cx)^{m+1} \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)\sqrt{a+bx^n}} + \frac{ex^{n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}} + \frac{fx^{2n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+2n+1}{n}; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}}$$

[Out] d*(c*x)^(1+m)*hypergeom([1/2, (1+m)/n], [(1+m+n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/c/(1+m)/(a+b*x^n)^(1/2)+e*x^(1+n)*(c*x)^m*hypergeom([1/2, (1+m+n)/n], [(1+m+2*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+n)/(a+b*x^n)^(1/2)+f*x^(1+2*n)*(c*x)^m*hypergeom([1/2, (1+m+2*n)/n], [(1+m+3*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+2*n)/(a+b*x^n)^(1/2)+g*x^(1+3*n)*(c*x)^m*hypergeom([1/2, (1+m+3*n)/n], [(1+m+4*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+3*n)/(a+b*x^n)^(1/2)

Rubi [A] time = 0.23, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 38, number of rules / integrand size = 0.105, Rules used = {1844, 365, 364, 20}

$$\frac{d(cx)^{m+1} \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)\sqrt{a+bx^n}} + \frac{ex^{n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}} + \frac{fx^{2n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+2n+1}{n}; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}}$$

Antiderivative was successfully verified.

[In] Int[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/Sqrt[a + b*x^n], x]

[Out] (d*(c*x)^(1 + m)*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)]/(c*(1 + m)*Sqrt[a + b*x^n]) + (e*x^(1 + n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + n)/n, (1 + m + 2*n)/n, -((b*x^n)/a)])/((1 + m + n)*Sqrt[a + b*x^n]) + (f*x^(1 + 2*n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + 2*n)/n, (1 + m + 3*n)/n, -((b*x^n)/a)])/((1 + m + 2*n)*Sqrt[a + b*x^n]) + (g*x^(1 + 3*n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + 3*n)/n, (1 + m + 4*n)/n, -((b*x^n)/a)])/((1 + m + 3*n)*Sqrt[a + b*x^n])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{\sqrt{a + bx^n}} dx &= \int \left(\frac{d(cx)^m}{\sqrt{a + bx^n}} + \frac{ex^n(cx)^m}{\sqrt{a + bx^n}} + \frac{fx^{2n}(cx)^m}{\sqrt{a + bx^n}} + \frac{gx^{3n}(cx)^m}{\sqrt{a + bx^n}} \right) dx \\ &= d \int \frac{(cx)^m}{\sqrt{a + bx^n}} dx + e \int \frac{x^n(cx)^m}{\sqrt{a + bx^n}} dx + f \int \frac{x^{2n}(cx)^m}{\sqrt{a + bx^n}} dx + g \int \frac{x^{3n}(cx)^m}{\sqrt{a + bx^n}} dx \\ &= (ex^{-m}(cx)^m) \int \frac{x^{m+n}}{\sqrt{a + bx^n}} dx + (fx^{-m}(cx)^m) \int \frac{x^{m+2n}}{\sqrt{a + bx^n}} dx + (gx^{-m}(cx)^m) \int \frac{x^{m+3n}}{\sqrt{a + bx^n}} dx \\ &= \frac{d(cx)^{1+m} \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{n}; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)\sqrt{a + bx^n}} + \frac{(ex^{-m}(cx)^m \sqrt{1 + \frac{bx^n}{a}})}{\sqrt{a + bx^n}} \\ &= \frac{d(cx)^{1+m} \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{n}; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)\sqrt{a + bx^n}} + \frac{ex^{1+n}(cx)^m \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m+n}{n}; \frac{1+m+2n}{n}; -\frac{bx^n}{a}\right)}{(1+m)\sqrt{a + bx^n}} \end{aligned}$$

Mathematica [A] time = 0.56, size = 206, normalized size = 0.68

$$\frac{x(cx)^m \sqrt{\frac{bx^n}{a} + 1} \left(\frac{d {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+1} + x^n \left(\frac{e {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1} + x^n \left(\frac{f {}_2F_1\left(\frac{1}{2}, \frac{m+2n+1}{n}; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{m+2n+1} + \frac{gx^n {}_2F_1\left(\frac{1}{2}, \frac{m+3n+1}{n}; \frac{m+4n+1}{n}; -\frac{bx^n}{a}\right)}{m+3n+1} \right) \right) \right)}{\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/Sqrt[a + b*x^n], x]
[Out] (x*(c*x)^m*Sqrt[1 + (b*x^n)/a]*((d*Hypergeometric2F1[1/2, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)])/(1 + m) + x^n*((e*Hypergeometric2F1[1/2, (1 + m + n)/n, (1 + m + 2*n)/n, -((b*x^n)/a)])/(1 + m + n) + x^n*((f*Hypergeometric2F1[1/2, (1 + m + 2*n)/n, (1 + m + 3*n)/n, -((b*x^n)/a)])/(1 + m + 2*n) + (g*x^n*Hypergeometric2F1[1/2, (1 + m + 3*n)/n, (1 + m + 4*n)/n, -((b*x^n)/a)])/(1 + m + 3*n))))/Sqrt[a + b*x^n]
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{\sqrt{bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/sqrt(b*x^n + a), x)

maple [F] time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + f x^{2n} + g x^{3n} + d) (c x)^m}{\sqrt{b x^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(e*x^n+f*x^(2*n)+g*x^(3*n)+d)/(b*x^n+a)^(1/2),x)

[Out] int((c*x)^m*(e*x^n+f*x^(2*n)+g*x^(3*n)+d)/(b*x^n+a)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(g x^{3n} + f x^{2n} + e x^n + d) (c x)^m}{\sqrt{b x^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/sqrt(b*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c x)^m (d + e x^n + f x^{2n} + g x^{3n})}{\sqrt{a + b x^n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n)^(1/2),x)

[Out] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n)^(1/2), x)

sympy [C] time = 55.36, size = 274, normalized size = 0.90

$$\frac{c^m d x x^m \Gamma\left(\frac{m}{n} + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + \frac{1}{n} \left| \frac{b x^n e^{i\pi}}{a} \right.\right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m e x x^m x^n \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{b x^n e^{i\pi}}{a} \right.\right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 2 + \frac{1}{n}\right)} + \frac{c^m f x x^m x^{2n} \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{b x^n e^{i\pi}}{a} \right.\right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 3 + \frac{1}{n}\right)} + \frac{c^m g x x^m x^{3n} \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{b x^n e^{i\pi}}{a} \right.\right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 4 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(d+e*x**n+f*x**(2*n)+g*x**(3*n))/(a+b*x**n)**(1/2),x)

[Out] c**m*d*x*x**m*gamma(m/n + 1/n)*hyper((1/2, m/n + 1/n), (m/n + 1 + 1/n), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 1 + 1/n)) + c**m*e*x*x**m*x**n*gamma(m/n + 1 + 1/n)*hyper((1/2, m/n + 1 + 1/n), (m/n + 2 + 1/n), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 2 + 1/n)) + c**m*f*x*x**m*x**(2*n)*gamma(m/n + 2 + 1/n)*hyper((1/2, m/n + 2 + 1/n), (m/n + 3 + 1/n), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 3 + 1/n)) + c**m*g*x*x**m*x**(3*n)*gamma(m/n + 3 + 1/n)*hyper((1/2, m/n + 3 + 1/n), (m/n + 4 + 1/n), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 4 + 1/n))

$$3.585 \quad \int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$$

Optimal. Leaf size=45

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

[Out] $-2*(a*g+2*a*h*x^{(1/4*n)}-b*f*x^{(1/2*n)})/a/n/(a+b*x^n)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 58, $\frac{\text{number of rules}}{\text{integrand size}} = 0.034$, Rules used = {6741, 1816}

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(-a*h*x^{(-1 + n/4)}) + b*f*x^{(-1 + n/2)} + b*g*x^{(-1 + n)} + b*h*x^{(-1 + (5*n)/4)}]/(a + b*x^n)^{(3/2), x}$

[Out] $(-2*(a*g + 2*a*h*x^{(n/4)} - b*f*x^{(n/2)}))/(a*n*\text{Sqrt}[a + b*x^n])$

Rule 1816

$\text{Int}[(x_)^{(m_*)}*((e_) + (h_)*(x_)^{(n_*)} + (f_)*(x_)^{(q_*)} + (g_)*(x_)^{(r_*)})]/((a_) + (c_)*(x_)^{(n_*)})^{(3/2)}, x_Symbol] :> -\text{Simp}[(2*a*g + 4*a*h*x^{(n/4)} - 2*c*f*x^{(n/2)})/(a*c*n*\text{Sqrt}[a + c*x^n]), x] /; \text{FreeQ}\{a, c, e, f, g, h, m, n\}, x] \&\& \text{EqQ}[q, n/4] \&\& \text{EqQ}[r, (3*n)/4] \&\& \text{EqQ}[4*m - n + 4, 0] \&\& \text{EqQ}[c*e + a*h, 0]$

Rule 6741

$\text{Int}[u_, x_Symbol] :> \text{With}\{v = \text{NormalizeIntegrand}[u, x]\}, \text{Int}[v, x] /; v \neq u]$

Rubi steps

$$\begin{aligned} \int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx &= \int \frac{x^{-1+\frac{n}{4}}(-ah + bfx^{n/4} + bgx^{3n/4} + bhx^n)}{(a+bx^n)^{3/2}} dx \\ &= -\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}} \end{aligned}$$

Mathematica [A] time = 0.31, size = 45, normalized size = 1.00

$$\frac{2bfx^{n/2} - 2a(g + 2hx^{n/4})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(-a*h*x^{(-1 + n/4)}) + b*f*x^{(-1 + n/2)} + b*g*x^{(-1 + n)} + b*h*x^{(-1 + (5*n)/4)}]/(a + b*x^n)^{(3/2), x}$

[Out] $(2*b*f*x^{(n/2)} - 2*a*(g + 2*h*x^{(n/4)}))/(a*n*\text{Sqrt}[a + b*x^n])$

fricas [A] time = 0.46, size = 66, normalized size = 1.47

$$\frac{2\sqrt{bx^4x^{n-4} + a}\left(bfx^2x^{\frac{1}{2}n-2} - 2ahxx^{\frac{1}{4}n-1} - ag\right)}{abnx^4x^{n-4} + a^2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2),x, algorithm="fricas")

[Out] 2*sqrt(b*x^4*x^(n - 4) + a)*(b*f*x^2*x^(1/2*n - 2) - 2*a*h*x*x^(1/4*n - 1) - a*g)/(a*b*n*x^4*x^(n - 4) + a^2*n)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bhx^{\frac{5}{4}n-1} + bgx^{n-1} + bfx^{\frac{1}{2}n-1} - ahx^{\frac{1}{4}n-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2),x, algorithm="giac")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

maple [F] time = 0.69, size = 0, normalized size = 0.00

$$\int \frac{-ahx^{\frac{n}{4}-1} + bfx^{\frac{n}{2}-1} + bgx^{n-1} + bhx^{\frac{5n}{4}-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2),x)

[Out] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bhx^{\frac{5}{4}n-1} + bgx^{n-1} + bfx^{\frac{1}{2}n-1} - ahx^{\frac{1}{4}n-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2),x, algorithm="maxima")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{bfx^{\frac{n}{2}-1} - ahx^{\frac{n}{4}-1} + bhx^{\frac{5n}{4}-1} + bgx^{n-1}}{(a + bx^n)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1)) / (a + b*x^n)^(3/2), x)
```

```
[Out] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1)) / (a + b*x^n)^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a*h*x**(-1+1/4*n)+b*f*x**(-1+1/2*n)+b*g*x**(-1+n)+b*h*x**(-1+5/4*n)) / (a+b*x**n)**(3/2), x)
```

```
[Out] Timed out
```

$$3.586 \quad \int (cx)^m (d + ex + fx^2 + gx^3) (a + bx^n)^p dx$$

Optimal. Leaf size=273

$$\frac{g(cx)^{m+4} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+4}{n}, -p; \frac{m+n+4}{n}; -\frac{bx^n}{a}\right)}{c^4(m+4)} + \frac{f(cx)^{m+3} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+3}{n}, -p; \frac{m+n+3}{n}\right)}{c^3(m+3)}$$

[Out] $d*(c*x)^{(1+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/c/((1+m)/((1+b*x^n/a)^p)+e*(c*x)^{(2+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (2+m)/n], [(2+m+n)/n], -b*x^n/a)/c^2/(2+m)/((1+b*x^n/a)^p)+f*(c*x)^{(3+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (3+m)/n], [(3+m+n)/n], -b*x^n/a)/c^3/(3+m)/((1+b*x^n/a)^p)+g*(c*x)^{(4+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (4+m)/n], [(4+m+n)/n], -b*x^n/a)/c^4/(4+m)/((1+b*x^n/a)^p)$

Rubi [A] time = 0.19, antiderivative size = 273, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1844, 365, 364}

$$\frac{e(cx)^{m+2} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{n}, -p; \frac{m+n+2}{n}; -\frac{bx^n}{a}\right)}{c^2(m+2)} + \frac{f(cx)^{m+3} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+3}{n}, -p; \frac{m+n+3}{n}\right)}{c^3(m+3)}$$

Antiderivative was successfully verified.

[In] Int[(c*x)^m*(d + e*x + f*x^2 + g*x^3)*(a + b*x^n)^p, x]

[Out] $(d*(c*x)^{(1+m)}*(a+b*x^n)^p*\text{Hypergeometric2F1}[(1+m)/n, -p, (1+m+n)/n, -(b*x^n/a)]/(c*(1+m)*(1+(b*x^n/a)^p) + (e*(c*x)^{(2+m)}*(a+b*x^n)^p*\text{Hypergeometric2F1}[(2+m)/n, -p, (2+m+n)/n, -(b*x^n/a)]/(c^2*(2+m)*(1+(b*x^n/a)^p) + (f*(c*x)^{(3+m)}*(a+b*x^n)^p*\text{Hypergeometric2F1}[(3+m)/n, -p, (3+m+n)/n, -(b*x^n/a)]/(c^3*(3+m)*(1+(b*x^n/a)^p) + (g*(c*x)^{(4+m)}*(a+b*x^n)^p*\text{Hypergeometric2F1}[(4+m)/n, -p, (4+m+n)/n, -(b*x^n/a)]/(c^4*(4+m)*(1+(b*x^n/a)^p)$

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a]]/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]]/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int (cx)^m (d + ex + fx^2 + gx^3) (a + bx^n)^p dx &= \int \left(d(cx)^m (a + bx^n)^p + \frac{e(cx)^{1+m} (a + bx^n)^p}{c} + \frac{f(cx)^{2+m} (a + bx^n)^p}{c^2} + \frac{g(cx)^{3+m} (a + bx^n)^p}{c^3} \right) dx \\
&= d \int (cx)^m (a + bx^n)^p dx + \frac{e \int (cx)^{1+m} (a + bx^n)^p dx}{c} + \frac{f \int (cx)^{2+m} (a + bx^n)^p dx}{c^2} + \frac{g \int (cx)^{3+m} (a + bx^n)^p dx}{c^3} \\
&= \left(d (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} \right) \int (cx)^m \left(1 + \frac{bx^n}{a} \right)^p dx + \frac{e (a + bx^n)^p \int (cx)^{1+m} \left(1 + \frac{bx^n}{a} \right)^p dx}{c} \\
&= \frac{d (cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} {}_2F_1 \left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a} \right)}{c(1+m)} + \frac{e (cx)^{2+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} {}_2F_1 \left(\frac{2+m}{n}, -p; \frac{2+m+n}{n}; -\frac{bx^n}{a} \right)}{c^2(2+m)} + \frac{g (cx)^{3+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} {}_2F_1 \left(\frac{3+m}{n}, -p; \frac{3+m+n}{n}; -\frac{bx^n}{a} \right)}{c^3(3+m)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 178, normalized size = 0.65

$$x (cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1 \right)^{-p} \left(\frac{d {}_2F_1 \left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a} \right)}{m+1} + x \left(\frac{e {}_2F_1 \left(\frac{m+2}{n}, -p; \frac{m+n+2}{n}; -\frac{bx^n}{a} \right)}{m+2} + x \left(\frac{f {}_2F_1 \left(\frac{m+3}{n}, -p; \frac{m+n+3}{n}; -\frac{bx^n}{a} \right)}{m+3} + x \left(\frac{g {}_2F_1 \left(\frac{m+4}{n}, -p; \frac{m+n+4}{n}; -\frac{bx^n}{a} \right)}{m+4} \right) \right) \right) \right) / \left(1 + \frac{bx^n}{a} \right)^p$$

Antiderivative was successfully verified.

[In] Integrate[(c*x)^m*(d + e*x + f*x^2 + g*x^3)*(a + b*x^n)^p,x]

[Out] (x*(c*x)^m*(a + b*x^n)^p*((d*Hypergeometric2F1[(1 + m)/n, -p, (1 + m + n)/n, -(b*x^n)/a])/(1 + m) + x*((e*Hypergeometric2F1[(2 + m)/n, -p, (2 + m + n)/n, -(b*x^n)/a])/(2 + m) + x*((f*Hypergeometric2F1[(3 + m)/n, -p, (3 + m + n)/n, -(b*x^n)/a])/(3 + m) + (g*x*Hypergeometric2F1[(4 + m)/n, -p, (4 + m + n)/n, -(b*x^n)/a])/(4 + m)))))/(1 + (b*x^n)/a)^p

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left((gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="fricas")

[Out] integral((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="giac")

[Out] integrate((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

maple [F] time = 0.74, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(cx)^m (bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(g*x^3+f*x^2+e*x+d)*(b*x^n+a)^p,x)

[Out] int((c*x)^m*(g*x^3+f*x^2+e*x+d)*(b*x^n+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="maxima")

[Out] integrate((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (cx)^m (a + bx^n)^p (gx^3 + fx^2 + ex + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(a + b*x^n)^p*(d + e*x + f*x^2 + g*x^3),x)

[Out] int((c*x)^m*(a + b*x^n)^p*(d + e*x + f*x^2 + g*x^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(g*x**3+f*x**2+e*x+d)*(a+b*x**n)**p,x)

[Out] Timed out

$$3.587 \quad \int (cx)^m (a + bx^n)^p (d + ex^n + fx^{2n} + gx^{3n}) dx$$

Optimal. Leaf size=297

$$\frac{d(cx)^{m+1} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)} + \frac{ex^{n+1}(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1}$$

[Out] d*(c*x)^(1+m)*(a+b*x^n)^p*hypergeom([-p, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/c/(1+m)/((1+b*x^n/a)^p)+e*x^(1+n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+n)/n], [(1+m+2*n)/n], -b*x^n/a)/(1+m+n)/((1+b*x^n/a)^p)+f*x^(1+2*n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+2*n)/n], [(1+m+3*n)/n], -b*x^n/a)/(1+m+2*n)/((1+b*x^n/a)^p)+g*x^(1+3*n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+3*n)/n], [(1+m+4*n)/n], -b*x^n/a)/(1+m+3*n)/((1+b*x^n/a)^p)

Rubi [A] time = 0.21, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1844, 365, 364, 20}

$$\frac{d(cx)^{m+1} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)} + \frac{ex^{n+1}(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1}$$

Antiderivative was successfully verified.

[In] Int[(c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x]

[Out] (d*(c*x)^(1+m)*(a+b*x^n)^p*Hypergeometric2F1[(1+m)/n, -p, (1+m+n)/n, -(b*x^n/a)]/(c*(1+m)*(1+(b*x^n/a)^p)) + (e*x^(1+n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+n)/n, -p, (1+m+2*n)/n, -(b*x^n/a)]/((1+m+n)*(1+(b*x^n/a)^p)) + (f*x^(1+2*n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+2*n)/n, -p, (1+m+3*n)/n, -(b*x^n/a)]/((1+m+2*n)*(1+(b*x^n/a)^p)) + (g*x^(1+3*n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+3*n)/n, -p, (1+m+4*n)/n, -(b*x^n/a)]/((1+m+3*n)*(1+(b*x^n/a)^p))

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n/a)]/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a+b*x^n)^FracPart[p])/(1+(b*x^n/a)^FracPart[p]), Int[(c*x)^m*(1+(b*x^n/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_.)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}

, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int (cx)^m (a + bx^n)^p (d + ex^n + fx^{2n} + gx^{3n}) dx &= \int (d(cx)^m (a + bx^n)^p + ex^n (cx)^m (a + bx^n)^p + fx^{2n} (cx)^m (a + bx^n)^p + gx^{3n} (cx)^m (a + bx^n)^p) dx \\
 &= d \int (cx)^m (a + bx^n)^p dx + e \int x^n (cx)^m (a + bx^n)^p dx + f \int x^{2n} (cx)^m (a + bx^n)^p dx + g \int x^{3n} (cx)^m (a + bx^n)^p dx \\
 &= (ex^{-m} (cx)^m) \int x^{m+n} (a + bx^n)^p dx + (fx^{-m} (cx)^m) \int x^{m+2n} (a + bx^n)^p dx + (gx^{-m} (cx)^m) \int x^{m+3n} (a + bx^n)^p dx \\
 &= \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \left(\frac{e}{c}\right) \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \left(\frac{f}{c}\right) \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \left(\frac{g}{c}\right) \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)}
 \end{aligned}$$

Mathematica [A] time = 0.30, size = 204, normalized size = 0.69

$$x(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} \left(\frac{d {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+1} + x^n \left(\frac{e {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1} + x^n \left(\frac{f {}_2F_1\left(\frac{m+2n+1}{n}, -p; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{m+2n+1} + x^{2n} \left(\frac{g {}_2F_1\left(\frac{m+3n+1}{n}, -p; \frac{m+4n+1}{n}; -\frac{bx^n}{a}\right)}{m+3n+1}\right)\right)\right)\right) / (1 + (bx^n)/a)^p$$

Antiderivative was successfully verified.

[In] Integrate[(c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x]

[Out] (x*(c*x)^m*(a + b*x^n)^p*((d*Hypergeometric2F1[(1 + m)/n, -p, (1 + m + n)/n, -(b*x^n)/a])/(1 + m) + x^n*(e*Hypergeometric2F1[(1 + m + n)/n, -p, (1 + m + 2*n)/n, -(b*x^n)/a])/(1 + m + n) + x^n*(f*Hypergeometric2F1[(1 + m + 2*n)/n, -p, (1 + m + 3*n)/n, -(b*x^n)/a])/(1 + m + 2*n) + (g*x^n*Hypergeometric2F1[(1 + m + 3*n)/n, -p, (1 + m + 4*n)/n, -(b*x^n)/a])/(1 + m + 3*n)))/(1 + (b*x^n)/a)^p

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^{3n} + fx^{2n} + ex^n + d\right)(bx^n + a)^p (cx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="fricas")

[Out] integral((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(b*x^n + a)^p*(c*x)^m, x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Simplification assuming x near 0Simplification on assuming c near 0Simplification assuming x near 0Simplification assuming c near 0Unable to divide, perhaps due to rounding error%%%{1,[2,0,6,4,0,2,

```

4,4,1,0,0]%%}+%%{4,[2,0,6,4,0,2,3,4,1,0,0]%%}+%%{6,[2,0,6,4,0,2,2,4,1,0,0]%%}+%%{4,[2,0,6,4,0,2,1,4,1,0,0]%%}+%%{1,[2,0,6,4,0,2,0,4,1,0,0]%%}+%%{1,[1,0,6,4,0,2,4,4,0,1,0]%%}+%%{4,[1,0,6,4,0,2,3,4,0,1,0]%%}+%%{6,[1,0,6,4,0,2,2,4,0,1,0]%%}+%%{4,[1,0,6,4,0,2,1,4,0,1,0]%%}+%%{1,[1,0,6,4,0,2,0,4,0,1,0]%%}+%%{-1,[1,0,6,4,0,1,4,5,1,0,0]%%}+%%{-4,[1,0,6,4,0,1,3,5,1,0,0]%%}+%%{-6,[1,0,6,4,0,1,2,5,1,0,0]%%}+%%{-4,[1,0,6,4,0,1,1,5,1,0,0]%%}+%%{-1,[1,0,6,4,0,1,0,5,1,0,0]%%}+%%{1,[0,0,6,4,0,3,4,3,0,0,1]%%}+%%{4,[0,0,6,4,0,3,3,3,0,0,1]%%}+%%{6,[0,0,6,4,0,3,2,3,0,0,1]%%}+%%{4,[0,0,6,4,0,3,1,3,0,0,1]%%}+%%{1,[0,0,6,4,0,3,0,3,0,0,1]%%}+%%{1,[0,0,6,3,1,3,3,3,0,0,1]%%}+%%{3,[0,0,6,3,1,3,2,3,0,0,1]%%}+%%{3,[0,0,6,3,1,3,1,3,0,0,1]%%}+%%{1,[0,0,6,3,1,3,0,3,0,0,1]%%}+%%{1,[0,0,6,3,1,1,3,5,0,1,0]%%}+%%{3,[0,0,6,3,1,1,2,5,0,1,0]%%}+%%{3,[0,0,6,3,1,1,1,5,0,1,0]%%}+%%{1,[0,0,6,3,1,1,0,5,0,1,0]%%}+%%{-1,[0,0,6,3,1,0,3,6,1,0,0]%%}+%%{-3,[0,0,6,3,1,0,2,6,1,0,0]%%}+%%{-3,[0,0,6,3,1,0,1,6,1,0,0]%%}+%%{-1,[0,0,6,3,1,0,0,6,1,0,0]%%}+%%{1,[0,0,6,3,0,3,3,3,0,0,1]%%}+%%{3,[0,0,6,3,0,3,2,3,0,0,1]%%}+%%{3,[0,0,6,3,0,3,1,3,0,0,1]%%}+%%{1,[0,0,6,3,0,3,0,3,0,0,1]%%}+%%{1,[0,0,6,3,0,1,3,5,0,1,0]%%}+%%{3,[0,0,6,3,0,1,2,5,0,1,0]%%}+%%{3,[0,0,6,3,0,1,1,5,0,1,0]%%}+%%{1,[0,0,6,3,0,1,0,5,0,1,0]%%}+%%{-1,[0,0,6,3,0,0,3,6,1,0,0]%%}+%%{-3,[0,0,6,3,0,0,2,6,1,0,0]%%}+%%{-3,[0,0,6,3,0,0,1,6,1,0,0]%%}+%%{-1,[0,0,6,3,0,0,0,6,1,0,0]%%} / %%{1,[0,0,7,4,0,3,4,4,0,0,0]%%}+%%{4,[0,0,7,4,0,3,3,4,0,0,0]%%}+%%{6,[0,0,7,4,0,3,2,4,0,0,0]%%}+%%{4,[0,0,7,4,0,3,1,4,0,0,0]%%}+%%{1,[0,0,7,4,0,3,0,4,0,0,0]%%} Error: Bad Argument Value

```

maple [F] time = 0.66, size = 0, normalized size = 0.00

$$\int (e x^n + f x^{2n} + g x^{3n} + d)(c x)^m (b x^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x)^m*(b*x^n+a)^p*(e*x^n+f*x^(2*n)+g*x^(3*n)+d),x)
```

```
[Out] int((c*x)^m*(b*x^n+a)^p*(e*x^n+f*x^(2*n)+g*x^(3*n)+d),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^{3n} + f x^{2n} + e x^n + d)(b x^n + a)^p (c x)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="maxima")
```

```
[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(b*x^n + a)^p*(c*x)^m, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (c x)^m (a + b x^n)^p (d + e x^n + f x^{2n} + g x^{3n}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x)
```

```
[Out] int((c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)**m*(a+b*x**n)**p*(d+e*x**n+f*x**(2*n)+g*x**(3*n)),x)
```

```
[Out] Timed out
```

$$3.588 \quad \int \frac{c+dx^{n/2}+ex^n+fx^{3n/2}}{(a+bx^n)^2} dx$$

Optimal. Leaf size=162

$$\frac{x(ae - bc(1 - n)) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2bn} - \frac{x^{\frac{n+2}{2}}(bd(2 - n) - af(n + 2)) {}_2F_1\left(1, \frac{1}{2}\left(1 + \frac{2}{n}\right); \frac{1}{2}\left(3 + \frac{2}{n}\right); -\frac{bx^n}{a}\right)}{a^2bn(n + 2)} + \frac{x(x^{n/2})}{a}$$

[Out] $x*(b*c-a*e+(-a*f+b*d)*x^{(1/2*n)})/a/b/n/(a+b*x^n)-(b*d*(2-n)-a*f*(2+n))*x^{(1+1/2*n)}*hypergeom([1, 1/2+1/n], [3/2+1/n], -b*x^n/a)/a^2/b/n/(2+n)+(a*e-b*c*(1-n))*x*hypergeom([1, 1/n], [1+1/n], -b*x^n/a)/a^2/b/n$

Rubi [A] time = 0.12, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {1892, 1418, 245, 364}

$$\frac{x(ae - bc(1 - n)) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2bn} - \frac{x^{\frac{n+2}{2}}(bd(2 - n) - af(n + 2)) {}_2F_1\left(1, \frac{1}{2}\left(1 + \frac{2}{n}\right); \frac{1}{2}\left(3 + \frac{2}{n}\right); -\frac{bx^n}{a}\right)}{a^2bn(n + 2)} + \frac{x(x^{n/2})}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(n/2) + e*x^n + f*x^((3*n)/2))/(a + b*x^n)^2,x]

[Out] $(x*(b*c - a*e + (b*d - a*f)*x^{(n/2)}))/(a*b*n*(a + b*x^n)) - ((b*d*(2 - n) - a*f*(2 + n))*x^{((2 + n)/2)}*Hypergeometric2F1[1, (1 + 2/n)/2, (3 + 2/n)/2, -((b*x^n)/a)])/(a^2*b*n*(2 + n)) + ((a*e - b*c*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)])/(a^2*b*n)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1892

Int[(P3_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{A = Coeff[P3, x^(n/2), 0], B = Coeff[P3, x^(n/2), 1], C = Coeff[P3, x^(n/2), 2], D = Coeff[P3, x^(n/2), 3]}, -Simp[(x*(b*A - a*C + (b*B - a*D)*x^(n/2))*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[1/(2*a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Simp[2*a*C - 2*b*A*(n*(p + 1) + 1) + (a*D*(n + 2) - b*B*(n*(2*p + 3) + 2))*x^(n/2), x], x], x] /; FreeQ[{a, b, n}, x] && PolyQ[P3, x^(n/2), 3] && !ILtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^{n/2} + ex^n + fx^{3n/2}}{(a + bx^n)^2} dx &= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} + \frac{\int \frac{2(ae - bc(1-n)) - (bd(2-n) - af(2+n))x^{n/2}}{a + bx^n} dx}{2abn} \\
&= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} + \frac{(ae - bc(1-n)) \int \frac{1}{a + bx^n} dx}{abn} - \frac{(bd(2-n) - af(2+n))}{2abn} \\
&= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} - \frac{(bd(2-n) - af(2+n))x^{\frac{2+n}{2}} {}_2F_1\left(1, \frac{1}{2} \left(1 + \frac{2}{n}\right); \frac{3}{2} + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2bn(2+n)}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 147, normalized size = 0.91

$$\frac{x \left((bc - ae) {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) + \frac{2x^{n/2}(bd - af) {}_2F_1\left(2, \frac{1}{2} + \frac{1}{n}; \frac{3}{2} + \frac{1}{n}; -\frac{bx^n}{a}\right)}{n+2} + ae {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) + \frac{2afx^{n/2} {}_2F_1\left(1, \frac{1}{2} + \frac{1}{n}; \frac{3}{2} + \frac{1}{n}; -\frac{bx^n}{a}\right)}{n+2} \right)}{a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(n/2) + e*x^n + f*x^((3*n)/2))/(a + b*x^n)^2, x]

[Out] (x*((2*a*f*x^(n/2)*Hypergeometric2F1[1, 1/2 + n^(-1), 3/2 + n^(-1), -((b*x^n)/a)])/(2 + n) + a*e*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)] + (2*(b*d - a*f)*x^(n/2)*Hypergeometric2F1[2, 1/2 + n^(-1), 3/2 + n^(-1), -((b*x^n)/a)])/(2 + n) + (b*c - a*e)*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((b*x^n)/a)]))/(a^2*b)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^{\frac{3}{2}n} + dx^{\frac{1}{2}n} + ex^n + c}{b^2x^{2n} + 2abx^n + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral((f*x^(3/2*n) + d*x^(1/2*n) + e*x^n + c)/(b^2*x^(2*n) + 2*a*b*x^n + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^{\frac{3}{2}n} + dx^{\frac{1}{2}n} + ex^n + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="giac")

[Out] integrate((f*x^(3/2*n) + d*x^(1/2*n) + e*x^n + c)/(b*x^n + a)^2, x)

maple [F] time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{dx^{\frac{n}{2}} + ex^n + fx^{\frac{3n}{2}} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(b*x^n+a)^2,x)`

[Out] `int((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(b*x^n+a)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bd - af)xx^{\frac{1}{2}n} + (bc - ae)x}{ab^2nx^n + a^2bn} + \int \frac{2bc(n-1) + 2ae + (af(n+2) + bd(n-2))x^{\frac{1}{2}n}}{2(ab^2nx^n + a^2bn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="maxima")`

[Out] `((b*d - a*f)*x*x^(1/2*n) + (b*c - a*e)*x)/(a*b^2*n*x^n + a^2*b*n) + integrate(1/2*(2*b*c*(n - 1) + 2*a*e + (a*f*(n + 2) + b*d*(n - 2))*x^(1/2*n))/(a*b^2*n*x^n + a^2*b*n), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + ex^n + dx^{n/2} + fx^{\frac{3n}{2}}}{(a + bx^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + e*x^n + d*x^(n/2) + f*x^((3*n)/2))/(a + b*x^n)^2,x)`

[Out] `int((c + e*x^n + d*x^(n/2) + f*x^((3*n)/2))/(a + b*x^n)^2, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(1/2*n)+e*x**n+f*x**(3/2*n))/(a+b*x**n)**2,x)`

[Out] Timed out

$$3.589 \quad \int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2} \sqrt{c+dx^2}} dx$$

Optimal. Leaf size=24

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

[Out] $x*(b*x^2+a)^{(1/2)}*(d*x^2+c)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1590}

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] x*Sqrt[a + b*x^2]*Sqrt[c + d*x^2]

Rule 1590

Int[(Pp_)*(Qq_)^(m_.)*(Rr_)^(n_.), x_Symbol] := With[{p = Expon[Pp, x], q = Expon[Qq, x], r = Expon[Rr, x]}, Simp[(Coeff[Pp, x, p]*x^(p - q - r + 1)*Qq^(m + 1)*Rr^(n + 1))/((p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]), x] /; NeQ[p + m*q + n*r + 1, 0] && EqQ[(p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]*Pp, Coeff[Pp, x, p]*x^(p - q - r)*((p - q - r + 1)*Qq*Rr + (m + 1)*x*Rr*D[Qq, x] + (n + 1)*x*Qq*D[Rr, x])] /; FreeQ[{m, n}, x] && PolyQ[Pp, x] && PolyQ[Qq, x] && PolyQ[Rr, x] && NeQ[m, -1] && NeQ[n, -1]

Rubi steps

$$\int \frac{ac + 2(bc + ad)x^2 + 3bdx^4}{\sqrt{a + bx^2} \sqrt{c + dx^2}} dx = x\sqrt{a + bx^2} \sqrt{c + dx^2}$$

Mathematica [A] time = 0.18, size = 24, normalized size = 1.00

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] x*Sqrt[a + b*x^2]*Sqrt[c + d*x^2]

fricas [A] time = 0.42, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="fricas")

[Out] sqrt(b*x^2 + a)*sqrt(d*x^2 + c)*x

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3bdx^4 + 2(bc + ad)x^2 + ac}{\sqrt{bx^2 + a}\sqrt{dx^2 + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="giac")

[Out] integrate((3*b*d*x^4 + 2*(b*c + a*d)*x^2 + a*c)/(sqrt(b*x^2 + a)*sqrt(d*x^2 + c)), x)

maple [A] time = 0.05, size = 21, normalized size = 0.88

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x)

[Out] x*(b*x^2+a)^(1/2)*(d*x^2+c)^(1/2)

maxima [A] time = 2.13, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="maxima")

[Out] sqrt(b*x^2 + a)*sqrt(d*x^2 + c)*x

mupad [B] time = 5.59, size = 20, normalized size = 0.83

$$x \sqrt{bx^2 + a} \sqrt{dx^2 + c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + 2*x^2*(a*d + b*c) + 3*b*d*x^4)/((a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)), x)

[Out] x*(a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ac + 2adx^2 + 2bcx^2 + 3bdx^4}{\sqrt{a + bx^2} \sqrt{c + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x**2+3*b*d*x**4)/(b*x**2+a)**(1/2)/(d*x**2+c)**(1/2), x)

[Out] Integral((a*c + 2*a*d*x**2 + 2*b*c*x**2 + 3*b*d*x**4)/(sqrt(a + b*x**2)*sqrt(c + d*x**2)), x)

$$3.590 \quad \int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx$$

Optimal. Leaf size=103

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

[Out] 1/4*arctan(2^(1/4)*x/(x^4+1)^(1/4))*2^(3/4)-1/4*arctan(1/2*(x^4+1)^(1/4)*2^(3/4))*2^(3/4)+1/4*arctanh(2^(1/4)*x/(x^4+1)^(1/4))*2^(3/4)+1/4*arctanh(1/2*(x^4+1)^(1/4)*2^(3/4))*2^(3/4)

Rubi [A] time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1899, 377, 212, 206, 203, 444, 63, 298}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) - ArcTan[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4)) + ArcTanh[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) + ArcTanh[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 298

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x

], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G
 tQ[a/b, 0]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Su
 bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
 , c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 444

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.
), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
 1, 0]

Rule 1899

Int[((A_) + (B_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_.)
 *(x_)^(n_))^(q_), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p*(c + d*x^n)^q, x]
 , x] + Dist[B, Int[x^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b,
 c, d, A, B, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx &= \int \frac{1}{(1-x^4)\sqrt[4]{1+x^4}} dx + \int \frac{x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx \\ &= \frac{1}{4} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt[4]{1+x}} dx, x, x^4 \right) + \text{Subst} \left(\int \frac{1}{1-2x^4} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1-\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \text{Subst} \left(\int \frac{1}{\sqrt{2}-x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\ &= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}-x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}+x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\ &= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} - \frac{\tan^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}} \end{aligned}$$

Mathematica [C] time = 0.20, size = 93, normalized size = 0.90

$$\frac{1}{4} x^4 F_1 \left(1; \frac{1}{4}, 1; 2; -x^4, x^4 \right) + \frac{-\log \left(1 - \frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right) + \log \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} + 1 \right) + 2 \tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right)}{4\sqrt[4]{2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] (x^4*AppellF1[1, 1/4, 1, 2, -x^4, x^4])/4 + (2*ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)] - Log[1 - (2^(1/4)*x)/(1 + x^4)^(1/4)] + Log[1 + (2^(1/4)*x)/(1 + x^4)^(1/4)])/(4*2^(1/4))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (residue poly has multiple non-linear factors)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="giac")

[Out] integrate(-(x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)

maple [F(-1)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 + 1}{(-x^4 + 1)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)

[Out] int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="maxima")

[Out] -integrate((x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^3 + 1}{(x^4 - 1)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)),x)

[Out] int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \left(\frac{x}{x^3 \sqrt[4]{x^4 + 1} - x^2 \sqrt[4]{x^4 + 1} + x \sqrt[4]{x^4 + 1} - \sqrt[4]{x^4 + 1}} \right) dx - \int \frac{x^2}{x^3 \sqrt[4]{x^4 + 1} - x^2 \sqrt[4]{x^4 + 1} + x \sqrt[4]{x^4 + 1} - \sqrt[4]{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+1)/(-x**4+1)/(x**4+1)**(1/4),x)

```
[Out] -Integral(-x/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(x**2/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(1/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x)
```

$$3.591 \quad \int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx$$

Optimal. Leaf size=28

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

[Out] $x/((a+b*x^n)^{(1/n)})/((c+d*x^n)^{(1/n)})$

Rubi [A] time = 0.10, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$, Rules used = {1898}

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] $x/((a + b*x^n)^n)^{-1}*(c + d*x^n)^n)^{-1}$

Rule 1898

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(p_.)*((e_) + (g_.)*(x_)^(n2_.)), x_Symbol] := Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, g, n, p}, x] && EqQ[n2, 2*n] & & EqQ[n*(p + 1) + 1, 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx = x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Mathematica [A] time = 0.35, size = 28, normalized size = 1.00

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] $x/((a + b*x^n)^n)^{-1}*(c + d*x^n)^n)^{-1}$

fricas [B] time = 0.95, size = 61, normalized size = 2.18

$$\frac{bdxx^{2n} + acx + (bc + ad)xx^n}{(bx^n + a)^{\frac{n+1}{n}} (dx^n + c)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)), x, algorithm="fricas")

[Out] $(b*d*x*x^(2*n) + a*c*x + (b*c + a*d)*x*x^n)/((b*x^n + a)^{(n + 1)/n}*(d*x^n + c)^{(n + 1)/n})$

giac [B] time = 0.42, size = 228, normalized size = 8.14

$$bdxx^{2n}e^{\left(-\frac{n \log(bx^n+a)+\log(bx^n+a)}{n} - \frac{n \log(dx^n+c)+\log(dx^n+c)}{n}\right)} + bcxx^n e^{\left(-\frac{n \log(bx^n+a)+\log(bx^n+a)}{n} - \frac{n \log(dx^n+c)+\log(dx^n+c)}{n}\right)} + adxx^n e^{\left(-\frac{n \log(bx^n+a)+\log(bx^n+a)}{n} - \frac{n \log(dx^n+c)+\log(dx^n+c)}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="giac")

[Out] b*d*x*x^(2*n)*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + b*c*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*d*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*c*x*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n)

maple [F] time = 1.08, size = 0, normalized size = 0.00

$$\int (-bdx^{2n} + ac)(bx^n + a)^{\frac{-n-1}{n}}(dx^n + c)^{\frac{-n-1}{n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)),x)

[Out] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bdx^{2n} - ac}{(bx^n + a)^{\frac{n+1}{n}}(dx^n + c)^{\frac{n+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="maxima")

[Out] -integrate((b*d*x^(2*n) - a*c)/((b*x^n + a)^((n + 1)/n)*(d*x^n + c)^((n + 1)/n)), x)

mupad [B] time = 5.20, size = 95, normalized size = 3.39

$$\frac{\frac{acx}{(a+bx^n)^{\frac{n+1}{n}}} + \frac{xx^n(ad+bc)}{(a+bx^n)^{\frac{n+1}{n}}} + \frac{bdxx^{2n}}{(a+bx^n)^{\frac{n+1}{n}}}}{(c+dx^n)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c - b*d*x^(2*n))/((a + b*x^n)^((n + 1)/n)*(c + d*x^n)^((n + 1)/n)),x)

[Out] ((a*c*x)/(a + b*x^n)^((n + 1)/n) + (x*x^n*(a*d + b*c))/(a + b*x^n)^((n + 1)/n) + (b*d*x*x^(2*n))/(a + b*x^n)^((n + 1)/n))/(c + d*x^n)^((n + 1)/n)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**((-1-n)/n)*(c+d*x**n)**((-1-n)/n)*(a*c-b*d*x**(2*n)),x)

[Out] Timed out

$$3.592 \quad \int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx$$

Optimal. Leaf size=45

$$-\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

[Out] $-(a+b*x^n)^{(1+p)}*(c+d*x^n)^{(1+p)}/h/n/(1+p)/((h*x)^{(n*(1+p))})$

Rubi [A] time = 0.16, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1849}

$$-\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

Antiderivative was successfully verified.

[In] Int[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

[Out] -(((a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(h*n*(1 + p)*(h*x)^(n*(1 + p))))

Rule 1849

Int[((h_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(p_.)*((e_.) + (g_.)*(x_)^(n2_.)), x_Symbol] :> Simp[(e*(h*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c*h*(m + 1)), x] /; FreeQ[{a, b, c, d, e, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[m + n*(p + 1) + 1, 0] && EqQ[a*c*g*(m + 1) - b*d*e*(m + 2*n*(p + 1) + 1), 0] && NeQ[m, -1]

Rubi steps

$$\int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx = -\frac{(hx)^{-n(1+p)} (a + bx^n)^{1+p} (c + dx^n)^{1+p}}{hn(1+p)}$$

Mathematica [A] time = 0.41, size = 46, normalized size = 1.02

$$-\frac{(hx)^{n(-p)-n} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hnp + hn}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

[Out] -(((h*x)^(-n - n*p)*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(h*n + h*n*p))

fricas [B] time = 1.09, size = 119, normalized size = 2.64

$$\frac{\left(bdx^{2n} e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + acxe^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bc + ad)xx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} \right)}{np + n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="fricas")

[Out] $-(b*d*x*x^{(2*n)}*e^{-(n*p + n + 1)*\log(h) - (n*p + n + 1)*\log(x)} + a*c*x*e^{-(n*p + n + 1)*\log(h) - (n*p + n + 1)*\log(x)} + (b*c + a*d)*x*x^n*e^{-(n*p + n + 1)*\log(h) - (n*p + n + 1)*\log(x)})*(b*x^n + a)^p*(d*x^n + c)^p/(n*p + n)$

giac [B] time = 0.43, size = 237, normalized size = 5.27

$$\frac{(bx^n + a)^p(dx^n + c)^p b d x x^{2n} e^{(-np \log(h) - np \log(x) - n \log(h) - n \log(x) - \log(h) - \log(x))} + (bx^n + a)^p(dx^n + c)^p b c x x^n e^{(-np \log(h) - np \log(x) - n \log(h) - n \log(x) - \log(h) - \log(x))}}{(p + 1)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)),x, algorithm="giac")

[Out] $-\left(\frac{(b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^{(2*n)}*e^{-(n*p*\log(h) - n*p*\log(x) - n*\log(h) - n*\log(x) - \log(h) - \log(x))} + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^{-(n*p*\log(h) - n*p*\log(x) - n*\log(h) - n*\log(x) - \log(h) - \log(x))} + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e^{-(n*p*\log(h) - n*p*\log(x) - n*\log(h) - n*\log(x) - \log(h) - \log(x))} + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e^{-(n*p*\log(h) - n*p*\log(x) - n*\log(h) - n*\log(x) - \log(h) - \log(x))}}{(n*p + n)}\right)$

maple [C] time = 0.58, size = 138, normalized size = 3.07

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) x (b x^n + a)^p (d x^n + c)^p e^{-\frac{(np+n+1)(-i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ix)\operatorname{csgn}(ihx)+i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ihx)^2+i\pi \operatorname{csgn}(ix)\operatorname{csgn}(ihx)^2}{2}}}{(p + 1)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^(-n*p-n-1)*(b*x^n+a)^p*(d*x^n+c)^p*(-b*d*x^(2*n)+a*c),x)

[Out] $-(b*x^n+a)^p*\exp(-1/2*(n*p+n+1)*(-I*\Pi*\operatorname{csgn}(I*h*x)^3+I*\Pi*\operatorname{csgn}(I*h*x)^2*\operatorname{csgn}(I*h)+I*\Pi*\operatorname{csgn}(I*h*x)^2*\operatorname{csgn}(I*x)-I*\Pi*\operatorname{csgn}(I*h*x)*\operatorname{csgn}(I*h)*\operatorname{csgn}(I*x)+2*\ln(h)+2*\ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*x/(p+1)/n*(d*x^n+c)^p$

maxima [A] time = 3.04, size = 77, normalized size = 1.71

$$\frac{(bdx^{2n} + ac + (bc + ad)x^n)h^{-np-n-1}e^{(-np \log(x) + p \log(bx^n + a) + p \log(dx^n + c) - n \log(x))}}{n(p + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)),x, algorithm="maxima")

[Out] $-(b*d*x^{(2*n)} + a*c + (b*c + a*d)*x^n)*h^{-(n*p - n - 1)}*e^{-(n*p*\log(x) + p*\log(b*x^n + a) + p*\log(d*x^n + c) - n*\log(x))}/(n*(p + 1))$

mupad [B] time = 5.37, size = 124, normalized size = 2.76

$$-(c + d x^n)^p \left(\frac{a c x (a + b x^n)^p}{n (h x)^{n+n p+1} (p+1)} + \frac{x x^n (a d + b c) (a + b x^n)^p}{n (h x)^{n+n p+1} (p+1)} + \frac{b d x x^{2n} (a + b x^n)^p}{n (h x)^{n+n p+1} (p+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a*c - b*d*x^(2*n))*(a + b*x^n)^p*(c + d*x^n)^p)/(h*x)^(n + n*p + 1),x)

[Out] $-(c + d*x^n)^p*((a*c*x*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (b*d*x*x^(2*n)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)**(-n*p-n-1)*(a+b*x**n)**p*(c+d*x**n)**p*(a*c-b*d*x**(2*n)),
x)

[Out] Timed out

$$3.593 \quad \int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx$$

Optimal. Leaf size=31

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

[Out] e*x*(a+b*x^n)^(1+p)*(c+d*x^n)^(1+p)/a/c

Rubi [A] time = 0.21, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 69, $\frac{\text{number of rules}}{\text{integrand size}} = 0.014$, Rules used = {1897}

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)),x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

Rule 1897

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(p_.)*((e_) + (f_.)*(x_)^(n_.) + (g_.)*(x_)^(n2_.)), x_Symbol] :> Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f - e*(b*c + a*d)*(n*(p + 1) + 1), 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + n + np)x^n}{ac} + \frac{bde(1 + 2n + 2np)x^{2n}}{ac} \right) dx = \frac{ex(a + bx^n)^{1+p} (c + dx^n)^{1+p}}{ac}$$

Mathematica [A] time = 0.60, size = 31, normalized size = 1.00

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)),x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

fricas [A] time = 0.86, size = 54, normalized size = 1.74

$$\frac{(bdexx^{2n} + acex + (bc + ad)exx^n)(bx^n + a)^p(dx^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x, algorithm="fricas")

[Out] $(b*d*e*x*x^{(2*n)} + a*c*e*x + (b*c + a*d)*e*x*x^n)*(b*x^n + a)^p*(d*x^n + c)^p/(a*c)$

giac [B] time = 0.56, size = 115, normalized size = 3.71

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n}e + (bx^n + a)^p(dx^n + c)^p bcxx^ne + (bx^n + a)^p(dx^n + c)^p adxx^ne + (bx^n + a)^p(dx^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x, algorithm="giac")

[Out] $((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^{(2*n)}*e + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e)/(a*c)$

maple [A] time = 0.17, size = 52, normalized size = 1.68

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) ex (b x^n + a)^p (d x^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x)

[Out] $(b*x^n+a)^p*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c*(d*x^n+c)^p$

maxima [A] time = 2.67, size = 59, normalized size = 1.90

$$\frac{(bdexx^{2n} + acex + (bce + ade)xx^n)e^{(p \log(bx^n+a)+p \log(dx^n+c))}}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x, algorithm="maxima")

[Out] $(b*d*e*x*x^{(2*n)} + a*c*e*x + (b*c*e + a*d*e)*x*x^n)*e^{(p*\log(b*x^n + a) + p*\log(d*x^n + c))}/(a*c)$

mupad [B] time = 5.30, size = 76, normalized size = 2.45

$$(c + dx^n)^p \left(ex(a + bx^n)^p + \frac{exx^n(ad + bc)(a + bx^n)^p}{ac} + \frac{bdexx^{2n}(a + bx^n)^p}{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c)*(n + n*p + 1)))/(a*c) + (b*d*e*x^(2*n)*(2*n + 2*n*p + 1))/(a*c)),x)

[Out] $(c + d*x^n)^p*(e*x*(a + b*x^n)^p + (e*x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(a*c) + (b*d*e*x*x^{(2*n)}*(a + b*x^n)^p)/(a*c)$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c)*e*(n*p+n+1)*x**n/a/c+b*d*e*(2*n*p+2*n+1)*x**(2*n)/a/c),x)

[Out] Exception raised: HeuristicGCDFailed

$$3.594 \quad \int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx = \frac{e(hx)^{1+m} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Optimal. Leaf size=45

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

[Out] $e*(h*x)^{(1+m)}*(a+b*x^n)^{(1+p)}*(c+d*x^n)^{(1+p)}/a/c/h/(1+m)$

Rubi [A] time = 0.55, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 86, $\frac{\text{number of rules}}{\text{integrand size}} = 0.012$, Rules used = {1848}

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m)), x]

[Out] $(e*(h*x)^{(1+m)}*(a + b*x^n)^{(1+p)}*(c + d*x^n)^{(1+p)})/(a*c*h*(1+m))$

Rule 1848

Int[((h_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(p_)*((e_) + (f_)*(x_)^(n_) + (g_)*(x_)^(n2_)), x_Symbol] :> Simp[(e*(h*x)^(m+1)*(a + b*x^n)^(p+1)*(c + d*x^n)^(p+1))/(a*c*h*(m+1)), x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f*(m+1) - e*(b*c + a*d)*(m + n*(p+1) + 1), 0] && EqQ[a*c*g*(m+1) - b*d*e*(m + 2*n*(p+1) + 1), 0] && NeQ[m, -1]

Rubi steps

$$\int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx = \frac{e(hx)^{1+m} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Mathematica [A] time = 0.89, size = 41, normalized size = 0.91

$$\frac{ex(hx)^m (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))), x]

[Out] $(e*x*(h*x)^m*(a + b*x^n)^{(1+p)}*(c + d*x^n)^{(1+p)})/(a*c*(1+m))$

fricas [A] time = 0.99, size = 88, normalized size = 1.96

$$\frac{(bdexx^{2n}e^{(m \log(h)+m \log(x))} + acexe^{(m \log(h)+m \log(x))} + (bc+ad)exx^n e^{(m \log(h)+m \log(x))})(bx^n + a)^p(dx^n + c)^p}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c))*e^(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)),x, algorithm="fricas")

[Out] (b*d*e*x*x^(2*n)*e^(m*log(h) + m*log(x)) + a*c*e*x*e^(m*log(h) + m*log(x)) + (b*c + a*d)*e*x*x^n*e^(m*log(h) + m*log(x)))*(b*x^n + a)^p*(d*x^n + c)^p/(a*c*m + a*c)

giac [B] time = 0.81, size = 155, normalized size = 3.44

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n} e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p(dx^n + c)^p bcx^n e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p(dx^n + c)^p dx^{2n} e^{(m \log(h) + m \log(x) + 1)}}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c))*e^(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)),x, algorithm="giac")

[Out] ((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e^(m*log(h) + m*log(x) + 1))/(a*c*m + a*c)

maple [C] time = 0.50, size = 136, normalized size = 3.02

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) ex (b x^n + a)^p (d x^n + c)^p e^{\frac{(-i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ix) \operatorname{csgn}(ihx) + i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ihx)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ihx)^2 - i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ihx)^2)}{2}}}{(m + 1) ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^(m*(b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c))*e^(n*p+m+n+1)*x^n/a/c/(m+1)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(m+1)),x)

[Out] (b*x^n+a)^p*exp(1/2*m*(-I*Pi*csgn(I*h)*csgn(I*x)*csgn(I*h*x)+I*Pi*csgn(I*h)*csgn(I*h*x)^2+I*Pi*csgn(I*x)*csgn(I*h*x)^2-I*Pi*csgn(I*h*x)^3+2*ln(h)+2*ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c/(m+1)*(d*x^n+c)^p

maxima [B] time = 3.04, size = 92, normalized size = 2.04

$$\frac{(aceh^m x x^m + bdeh^m x e^{(m \log(x) + 2n \log(x))} + (bceh^m + adeh^m) x e^{(m \log(x) + n \log(x))}) e^{(p \log(bx^n + a) + p \log(dx^n + c))}}{ac(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c))*e^(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)),x, algorithm="maxima")

[Out] (a*c*e*h^m*x*x^m + b*d*e*h^m*x*e^(m*log(x) + 2*n*log(x)) + (b*c*e*h^m + a*d*e*h^m)*x*e^(m*log(x) + n*log(x)))*e^(p*log(b*x^n + a) + p*log(d*x^n + c))/(a*c*(m + 1))

mupad [B] time = 5.64, size = 106, normalized size = 2.36

$$(c + dx^n)^p \left(\frac{ex(hx)^m(a + bx^n)^p}{m + 1} + \frac{exx^n(hx)^m(ad + bc)(a + bx^n)^p}{ac(m + 1)} + \frac{bdexx^{2n}(hx)^m(a + bx^n)^p}{ac(m + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^(m*(a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c))*(m + n + n*p + 1))/(a*c*(m + 1)) + (b*d*e*x^(2*n)*(m + 2*n + 2*n*p + 1))/(a*c*(m + 1)),x)

```
[Out] (c + d*x^n)^p*((e*x*(h*x)^m*(a + b*x^n)^p)/(m + 1) + (e*x*x^n*(h*x)^m*(a*d + b*c)*(a + b*x^n)^p)/(a*c*(m + 1)) + (b*d*e*x*x^(2*n)*(h*x)^m*(a + b*x^n)^p)/(a*c*(m + 1))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x)**m*(a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x**n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x**(2*n)/a/c/(1+m)),x)
```

```
[Out] Timed out
```

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```



```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands(
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```



```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```